## Welsh Statutory Instrument 2005 No. 1649 (W.130)

# The Plastic Materials and Articles in Contact with Food (Amendment) (No. 2) (Wales) Regulations 2005

© Crown Copyright 2005

Statutory Instruments printed from this website are printed under the superintendence and authority of the Controller of HMSO being the Queen's Printer of Acts of Parliament.

The legislation contained on this web site is subject to Crown Copyright protection. It may be reproduced free of charge provided that it is reproduced accurately and that the source and copyright status of the material is made evident to users.

It should be noted that the right to reproduce the text of Statutory Instruments does not extend to the Queen's Printer imprints which should be removed from any copies of the Statutory Instrument which are issued or made available to the public. This includes reproduction of the Statutory Instrument on the Internet and on intranet sites. The Royal Badge of Wales may be reproduced only where it is an integral part of the original document.

The text of this Internet version of the Statutory Instrument has been prepared to reflect the text as it was Made. A print version is also available and is published by The Stationery Office Limited as the **The Plastic Materials and Articles in Contact with Food (Amendment) (No. 2) (Wales) Regulations 2005**, ISBN 0110911571. The print version may be purchased by clicking here. Braille copies of this Statutory Instrument can also be purchased at the same price as the print edition by contacting TSO Customer Services on 0870 600 5522 or e-mail: <a href="mailto:customer.services@tso.co.uk">customer.services@tso.co.uk</a>.

Further information about the publication of legislation on this website can be found by referring to the <u>Frequently Asked Questions</u>.

To ensure fast access over slow connections, large documents have been segmented into "chunks". Where you see a "continue" button at the bottom of the page of text, this indicates that there is another chunk of text available.

#### STATUTORY INSTRUMENTS

2005 No. 1649 (W.130)

FOOD, WALES

The Plastic Materials and Articles in Contact with Food (Amendment) (No. 2) (Wales) Regulations 2005

*Made* 21 June 2005

Coming into force 24 June 2005

The National Assembly for Wales, in exercise of the powers conferred by

sections 16(2), 17(1), 26(1)(a) and (3) and 48(1) of the Food Safety Act 1990[1] and now vested in it[2], having had regard, in accordance with section 48(4A) of that Act, to relevant advice given by the Food Standards Agency, and after consultation as required by Article 9 of Regulation (EC) No. 178/2002 of the European Parliament and of the Council laying down the general principles and requirements of food law, establishing the European Food Safety Authority and laying down procedures in matters of food safety[3], makes the following Regulations:

#### Title, application and commencement

1. The title of these Regulations is the Plastic Materials and Articles in Contact with Food (Amendment) (No. 2) (Wales) Regulations 2005 which apply in relation to Wales and come into force on 24 June 2005.

## Amendments to the Plastic Materials and Articles in Contact with Food Regulations 1998

- **2.** The Plastic Materials and Articles in Contact with Food Regulations 1998[4] are amended, in so far as they apply in relation to Wales, in accordance with regulations 3 to 16 of these Regulations.
  - 3. In regulation 2 (interpretation)
    - (a) in paragraph (1)
      - (i) for the definition of "additive" substitute ""additive" means a substance as defined in paragraph 1 of the general introduction to Annex III to the Directive as read with paragraph 3 of article 4 of the Directive;";
      - (ii) in the definition of "Council Directive 82/711", omit the words "as amended" to the end;
      - (iii) after the definition of "Council Directive 82/711" insert the following definitions —
      - " "Council Directive 88/388" means Council Directive 88/388/EEC on the approximation of the laws of the Member States relating to flavourings for use in foodstuffs and to source materials for their production[5];
      - "Council Directive 89/107" means Council Directive 89/107/EEC on the approximation of the laws of the Member States concerning food additives authorised in foodstuffs intended for human consumption[6];";
      - (iv) omit the definition of "EEA Agreement";
      - (v) for the definition of "EEA State" substitute ""EEA State" means a Member State (other than the United Kingdom), Norway, Iceland and Liechtenstein;";
      - (vi) after the definition of "EEA State" insert the following definition —
      - " "EFSA" means the European Food Safety Authority;";

- (vii) after the definition of "preparation" insert the following definition —
- " "the purity Directives" means Commission Directive 95/31/EC laying down specific criteria of purity concerning sweeteners for use in foodstuffs[7], Commission Directive 95/45/EC laying down purity criteria concerning colours for use in foodstuffs[8] and Commission Directive 96/77/EC laying down specific purity criteria for food additives other than colours or sweeteners[9];";
- (b) after paragraph (5) add —
- " (6) Any reference in these Regulations to a Community instrument is to be construed as a reference to that instrument as amended at the time the Plastic Materials and Articles in Contact with Food (Amendment) (No. 2) (Wales) Regulations 2005 were made.".
- **4.** In regulation 4 (restriction on the use of monomers in the manufacture of plastic materials and articles)—
  - (a) in paragraph (2) omit sub-paragraphs (a) and (b);
  - (b) in paragraph (5)(b)(ii) after the word "material" in each case insert the words "or article".
- **5.** In regulation 5 (restriction on the use of additives in the manufacture of plastic materials and articles)—
  - (a) in paragraph (1) add after sub-paragraph (d)—
    - " (e) any food additive authorised by Council Directive 89/107 or any flavouring authorised by Council Directive 88/388 that migrates into food
      - (i) in a quantity that has a technological function in the final food product, or
      - (ii) where the food is of a type for which the use of any such food additive or flavouring is so authorised, in quantities exceeding the limits provided for in Council Directive 89/107 or Council Directive 88/388 as appropriate, or in Schedule 2 to these Regulations, whichever is the lower.".
  - (b) in paragraph (4)(b)(ii) after the word "material" in each case insert the words "or article".
  - **6.** After regulation 5A insert the following regulation—
    - " Applications for inclusion of an additive in the Community list of

#### authorised additives

- **5B.**—(1) This regulation applies where a person wishes to make an application for the inclusion of an eligible additive in the Community list referred to in article 4 of the Directive.
- (2) An application mentioned in paragraph (1) including supporting data must be made to EFSA before 1st January 2007.
- (3) If, during examination of the data referred to in paragraph (2), EFSA calls for supplementary information, the eligible additive may, if permitted to be used under the laws of England and Wales, continue to be so used until EFSA has issued an opinion, provided such information is submitted within the time limits specified by EFSA.
- (4) For the purposes of this regulation an eligible additive is one whose use is permitted in one or more Member States before 1st January 2007.".
- 7. For regulation 8 (labelling) substitute the following
  - " At marketing stages other than the retail stage a person who is in possession of any plastic material or article intended to come into contact with food is to ensure that the plastic material or article is accompanied by a written declaration which —
  - (a) attests that it complies with the legislation applicable to it; and
  - (b) provides, in respect of substances that are subject to a restriction on quantities migrating into food, information obtained from experimental data or theoretical calculation concerning
    - (i) the levels of migration specific to those substances;
    - (ii) where appropriate, purity criteria in accordance with the purity Directives.".
- **8.** In regulation 10 (offences)
  - (a) in paragraph (1) for the figure "8(1)" substitute the figure "8";
  - (b) after paragraph (24) there is added —
  - " (25) In any proceedings for an offence under these Regulations it is a defence to prove that
    - (a) the act constituting the offence was committed in relation to a plastic material or article which was manufactured or imported into the European Community before 1st March 2006; and
    - (b) the act constituting the offence would not have constituted an offence under these Regulations if the amendments made to them by the Plastic Materials and Articles in Contact with Food (Amendment) (No.2) (Wales) Regulations 2005 had not been in force at the time that act occurred."

- 9. In Schedule 1, Part I—
  - (a) in Section A (monomers authorised without time limit)
    - (i) insert in the appropriate numerical order the entries set out in Schedule 1 to these Regulations;
    - (ii) for items 15A, 39, 70, 120B, 147, 147A, 147B and 188 substitute the entries set out in Schedule 2 to these Regulations;
    - (iii) omit items 76B and 76C with their corresponding entries;
  - (b) omit Sections B and C.
- **10.** In Schedule 1, Part II (supplementary) paragraph 4—
  - (a) at the end of note (21) for "and 18670," substitute ",18670, 54880 and 59280";
  - (b) after note (25) add the following—
  - " (27) QMA(T) in this case means that the restriction is not to be exceeded by the sum of the residual quantities of the following substances having PM/REF Nos. 10599/90A, 10599/91, 10599/92A and 10599/93.
  - (28) SML(T) in this case means that the restriction is not to be exceeded by the sum of the migration levels of the following substances having PM/REF Nos. 13480 and 39680.
  - (29) SML(T) in this case means that the restriction is not to be exceeded by the sum of the migration levels of the following substances having PM/REF Nos. 22775 and 69920.
  - (32) Compliance testing when there is a fat contact should be performed using isoctane as substitute of simulant D (unstable).
  - (33) QMA(T) in this case means that the restriction is not to be exceeded by the sum of the residual quantities of the following substances having PM/REF Nos. 14800 and 45600."
- 11. In Schedule 2, Part I (incomplete list of additives used in the manufacture of plastic materials and articles)
  - (a) insert in appropriate numerical order the entries set out in Schedule 3 to these Regulations;
  - (b) for items 60A and 198A substitute the entries set out in Schedule 4 to these Regulations;
  - (c) omit items 112, 173A, 195C and 240 with their corresponding entries.

- **12.** In Schedule 2, Part II (incomplete list of additives used in the manufacture of plastic materials and articles to which paragraph 5 of Part III of Schedule 2 applies)
  - (a) insert in appropriate numerical order the entries set out in Schedule 5 to these Regulations;
  - (b) omit items 28, 80 and 111A with their corresponding entries.
  - **13.** In Schedule 2, Part III (supplementary)
    - (a) in paragraph 4—
      - (i) in note (8), insert in the appropriate numerical order "38000" and "67896":
      - (ii) in note (10), after "levels" insert "(expressed as iodine)";
      - (iii) at the end of note (21), for "and 18670," substitute ", 18670, 54880 and 59280";
      - (iv) after note (24) add the following —
    - " (26) QMA(T) in this case means that the restriction is not to be exceeded by the sum of the residual quantities of the following substances mentioned as reference Nos. 14950, 15700, 16240, 16570, 16600, 16630, 18640, 19110, 22332, 22420, 22570, 25210, 25240 and 25270.
    - (27) QMA(T) in this case means that the restriction is not to be exceeded by the sum of the residual quantities of the following substances having PM/REF Nos. 10599/90A, 10599/91, 10599/92A and 10599/93.
    - (28) SML(T) in this case means that the restriction is not to be exceeded by the sum of the migration levels of the following substances having PM/REF Nos. 13480 and 39680.
    - (29) SML(T) in this case means that the restriction is not to be exceeded by the sum of the migration levels of the following substances having PM/REF Nos. 22775 and 69920.
    - (30) SML(T) in this case means that the restriction is not to be exceeded by the sum of the migration levels of the following substances having PM/REF Nos. 86480, 86960 and 87120.
    - (31) Compliance testing when there is a fat contact should be performed using saturated fatty food simulants as simulant D.
    - (32) Compliance testing when there is a fat contact should be performed using isoctane as substitute of stimulant D (unstable).
    - (33) QMA(T) in this case means that the restriction is not to be exceeded by the sum of the residual quantities of the following substances

having PM/REF Nos. 14800 and 45600.

- (34) SML(T) in this case means that the restriction is not to be exceeded by the sum of the migration levels of the following substances having PM/REF Nos. 55200, 55280 and 55360.";
- (b) in paragraph 5 for "1st January 2004" substitute "1st July 2006".
- **14.** In Schedule 2A (products obtained by bacterial fermentation) for the entry in the column headed "restrictions and specifications" substitute the following
  - " In compliance with specifications included in Schedule 2B".
- **15.** For Schedule 2B (specifications) substitute the table set out in Schedule 6 to these Regulations.
- **16.** For paragraph 4(b) of Part I (basic rules) of Schedule 4 (overall and specific migration testing using food simulants) substitute
  - " (b) omit the migration, the substitute or the alternative tests where
    - (i) there is conclusive proof that the migration limits cannot be exceeded in any foreseeable conditions of use of the material or article, or
    - (ii) the conditions for non-compulsory testing set out in article 8.2 and 8.3 of the Directive are met.".

Signed on behalf of the National Assembly for Wales under section 66(1) of the Government of Wales Act 1998[10]

D. Elis-Thom

The Presiding Officer of the National Assembly

21 June 2005

SCHEDULE 1

Regulation 9(a)(i)

(ENTRIES TO BE INSERTED IN SECTION A OF PART I OF SCHEDULE 1)

Item	PM/REF No.	CAS No.	Name	Restrictions and specifications
6A	10599/90A	061788- 89-4	Acids, fatty, unsaturated (C <sub>18</sub> ), dimers, distilled	QMA(T) = 0.05 mg/6 dm <sup>2</sup> (27)
6B	10599/91	061788- 89-4	Acids, fatty, unsaturated (C <sub>18</sub> ), dimers, non distilled	QMA(T) = 0.05 mg/6 dm <sup>2</sup> (27)
6C	10599/92A	068783- 41-5	Acids, fatty, unsaturated (C <sub>18</sub> ), dimers, hydrogenated, distilled	QMA(T) = 0.05 mg/6 dm <sup>2</sup> (27)
6D	10599/93	068783- 41-5	Acids, fatty, unsaturated (C <sub>18</sub> ), dimers, hydrogenated, non distilled	QMA(T) = 0.05 mg/6 dm <sup>2</sup> (27)
37A	13323	000102- 40-9	1,3-Bis(2-hydroxyethoxy) benzene	SML = 0.05 mg/kg
68MA	14800	003724- 65-0	Crotonic acid	QMA(T) = 0.05 mg/6 dm <sup>2</sup> (33)
87A	16210	006864- 37-5	3,3'-Dimethyl-4,4'-diaminodicyclohexylmethane	SML = 0.05 mg/kg (32). To be used only in polyamides.
89A	16540	000102- 09-0	Diphenyl carbonate	SML = 0.05 $mg/kg$
101A	17110	016219- 75-3	5-Ethylidenebicyclo [2,2,1]hept-2-ene	QMA = 0.05 mg/6 dm <sup>2</sup> . The ratio surface / quantity of food shall be lower than 2 dm <sup>2</sup> /kg
118MA	18700	000629- 11-8	1,6-Hexanediol	SML = 0.05 mg/kg
120ZA	18896	001679- 51-2	4-(Hydroxymethyl)-1- cyclohexene	SML = 0.05 mg/kg
135BM	20440	000097- 90-5	Methacrylic acid, diester with ethyleneglycol	$\frac{\text{SML} = 0.05}{\text{mg/kg}}$
142A	21400	054276- 35-6	Methacrylic acid, sulphopropyl ester	$QMA = 0.05$ $mg/6 dm^2$
156XA	22775	000144- 62-7	Oxalic acid	SML(T) = 6 $mg/kg(29)$

161A	23070	III .	(1,3-Phenylenedioxy) diacetic acid	$\begin{array}{ c c } \hline QMA = 0.05 \\ mg/6 \ dm^2 \\ \hline \end{array}$
------	-------	-------	------------------------------------	---

Regulation 9(a)(ii)

## (ENTRIES TO BE SUBSTITUTED FOR ENTRIES IN SECTION A OF PART I OF SCHEDULE 1)

	1	2	3	4
Item	PM/REF No.	CAS No.	Name	Restrictions and specifications
15A	11530	00999- 61-1	Acrylic acid, 2-hydroxypropyl ester	QMA = mg/6 dm <sup>2</sup> for the sum of acrylic acid, 2- hydroxypropyl ester and acrylic acid, 2- hydroxyisopropyl ester and in compliance with the specifications laid down in Schedule 2B
39	13480	000080- 05-7	2,2-Bis (4- hydroxyphenyl) propane	SML(T) = 0.6  mg/kg $(28)$
70	14950	003173- 53-3	Cyclohexyl isocyanate	QMT(T) = 1 mg/kg in FP (expressed as NCO) (26)
120B	18898	000103- 90-2	N-(4- Hydroxyphenyl) acetamide	SML = 0.05  mg/kg
147	22150	000691- 37-2	4-Methyl-1- pentene	SML = 0.05  mg/kg
147A	22331	025513- 64-8	Mixture of (35-45% w/w) 1,6-diamino-2,2, 4-trimethylhexane and (55—65% w/w) 1,6-diamino-2,4,4-trimethylhexane	QMA = 5 mg/6 dm <sup>2</sup>
147B	22332	_	Mixture of (40% w/w) 2,2, 4-trimethylhexane-1,6-diisocyanate and (60% w/w)	QM(T) — 1 mg/kg (expressed as NCO) (26)

			2,4,4- trimethylhexane- 1,6-diisocyanate	
188	24190	065997- 05-9	Rosin Wood	

## Regulation 11(a)

## (ENTRIES TO BE INSERTED IN PART I OF SCHEDULE 2)

	1	2	3	4
Item	PM/REF No.	CAS No.	Name	Restrictions and specifications
18A	34850	143925-92-2	Amines, bis(hydrogenated tallow alkyl) oxidised	QM = For use only:  (a) in polyolefines at 0.1% (w/w) but not in LDPE when it is in contact with foods for which the Directive 85/572/EEC establishes a reduction factor less than 3;  (b) in PET at 0.25% (w/w) in contact with foods other of those for which the simulant D is laid down in Directive 85/572/EEC
18B	34895	000088- 68-6	2-Aminobenzamide	SML = 0.05 mg/kg. To be used only for PET for water and

				beverages
37AA	39680	000080-	2,2-Bis(4-hydroxyphenyl) propane	SML(T) = 0.6 mg/kg (28)
51A	42880	008001- 79-4	Castor oil	
61A	45600	003724- 65-0	Crotonic acid	QMA(T) = 0.05 mg/6 dm <sup>2</sup> (33)
61B	45640	005232- 99-5	2-Cyano-3,3- diphenylacrylic acid, ethyl ester	SML = 0.05 mg/kg`
69A	46700		15,7-di-tert-Butyl-3- (3,4- and 2,3-di- methylphenyl)-3H- benzofuran-2-one containing: 3(a)5,7-di- tert-butyl-3-(3,4- dimethylphenyl)-3H- benzofuran-2-one (80- 100% w/w); and 3(b)5,7-di-tert-butyl-3- (2,3- dimethylphenyl)-3H- benzofuran-2-one (0- 20% w/w)	SML = 5 mg/kg
69B	46720	004130- 42-1	2,6-Di-tert-butyl-4- ethylphenol	$QMA = 4.8 \text{ mg/6}$ $dm^2$
109A	56535		Glycerol, esters with nonanoic acid	
131A	59280	000100- 97-0	Hexamethylenetetramine	SML(T) = 15 mg/kg (21) (expressed as Formaldehyde)
178A	68078	027253-31-2	Neodecanoic acid, cobalt salt	SML(T) = 0.05 mg/kg (expressed as Neodecanoic acid) and SML(T) = 0.05 mg/kg (13) (expressed as Cobalt). Not for use in polymers contacting foods for which simulant D is laid down in Directive 85/572/EEC
182A	69920	000144- 62-7	Oxalic acid	SML(T) = 6 mg/kg (29)
195D	76866		Polyesters of 1,2- propanediol and/or 1,3-	SML = 30 mg/kg

			and/or 1,4-butanediol and/or polypropyleneglycol with adipic acid, which may be end-capped with acetic acid or fatty acids C12-C18 or n-octanol and / or n-decanol	
240ZA	85601		Silicates, natural (with the exception of asbestos)	
280B	95000	028931- 67-1	Trimethylolpropane trimethacrylatemethyl methacrylate copolymer	

### Regulation 11(b)

## (ENTRIES TO BE SUBSTITUTED FOR THE ENTRIES IN PART I OF SCHEDULE 2)

	1	2	3	4
Item	PM/REF No.	CAS No.	Name	Restrictions and specifications
60A	45450	068610- 51-5	p-Cresol- dicyclopentadiene- isobutylene, copolymer	SML = 5 mg/kg
198A	77895	068439- 49-6	Polyethyleneglycol (EO = 2-6) monoalkyl ( $C_{16}$ — $C_{18}$ ) ether	SML = 0.05 mg/kg and in compliance with the specifications laid down in Schedule 2B

#### SCHEDULE 5

### Regulation 12(a)

## (ENTRIES TO BE INSERTED IN PART II OF SCHEDULE 2)

	1	2	3	4
Item	PM/REF No.	CAS No.	Name	Restrictions and specifications

[I	1		IL	IL
4A	34650	151841- 65-5	Aluminium hydroxybis [2,2'-methylenebis (4,6-di-tert-butylphenyl) phosphate]	SML = 5 mg/kg
7A	38000	000553- 54-8	Benzoic acid, lithium salt	SML(T) = 0.6 mg/kg (8) (expressed as
				Lithium)
18A	40720	025013- 16-5	tert-Butyl-4- hydroxyanisole (= BHA)	SML = 30 mg/kg
27B	46640	000128- 37-0	2,6-Di-tert-butyl-p- cresol (= BHT)	SML = 3.0 mg/kg
54A	54880	000050-	Formaldehyde	SML(T) = 15 $mg/kg (21)$
54B	55200	001166- 52-5	Gallic acid, dodecyl ester	SML(T) = 30 $mg/kg (34)$
54C	55280	001034- 01-1	Gallic acid, octyl ester	SML(T) = 30 $mg/kg (34)$
54D	55360	000121- 79-9	Gallic acid, propyl ester	SML(T) = 30 $mg/kg (34)$
79A	67896	020336- 96-3	Myristic acid, lithium salt	SML(T) = 0.6 mg/kg (8) (expressed as Lithium)
83A	71935	007601- 89-0	Perchloric acid, sodium salt monohydrate	SML = 0.05 $mg/kg (31)$
88A	76680	068132- 00-3	Polycyclopentadiene, hydrogenated	SML = 5 $mg/kg (1)$
101A	86480	007631- 90-5	Sodium bisulphite	SML(T) = 10 mg/kg (30) (expressed as S02)
102A	86920	007632- 00-0	Sodium nitrite	SML = 0.6 mg/kg
102B	86960	007757- 83-7	Sodium sulphite	SML(T) = 10 mg/kg (30) (expressed as S02)
102C	87120	007772- 98-7	Sodium thiosulphate	SML(T) = 10 mg/kg (30) (expressed as S02)
110A	94400	036443-	Triethyleneglycol bis[3-	SML = 9

68-2	(3-tert-butyl-4-hydroxy-	mg/kg
	5-methylphenyl)	
	propionate]	

## Regulation 15

## (TABLE TO BE SUBSTITUTED FOR TABLE IN SCHEDULE 2B)

Item	PM/REF No.	Specification	ns
1	11530	Acrylic acid, 2-hydroxypropyl ester.  It may contain up to 25% (m/m) of acrylic acid, 2-hydroxyisopropyl ester (CAS No. 002918-23-2)	
2	16690	Divinylbenz It may conta Ethylvinylbe	in up to 45% (m/m) of
3	18888	3-Hydroxyb copolymer	utanoic acid-3-hydroxypentanoic acid,
		Definition	The copolymers are produced by the controlled fermentation of Alcaligenes eutrophus using mixtures of glucose and propanoic acid as carbon sources. The organism used has not been genetically engineered and has been derived from a single wild-type organism Alcaligenes eutrophus strain H16 NCIMB 10422. Master stocks of the organism are stored as freeze-dried ampoules. A submaster / working stock is prepared from the master stock and stored in liquid nitrogen and used to prepare inocula for the fermenter. Fermenter samples will be examined daily both microscopically and for any changes in colonial morphology on a variety of agars at different temperatures. The copolymers are isolated from heat treatment bacteria by controlled digestion of the other cellular components, washing and drying. These copolymers are normally offered as formulated, melt formed granules containing additives such as nucleating agents,

	pigments	ers, fillers, which all nd individ	conforn	n to the
Chemical name	Poly(3-D-hydroxybutanoate-co-3-D-hydroxypentanoate)			
CAS number	080181-31-3			
Structural formula			СН3	
	СНЗ	О	CH2	О
	(-O-CH-C)n	CH2-C-)m	-(О-СН	-СН2-С-
		(m + n) g qual to 0.2:		an 0 and
Average molecular weight	Not less than 150 000 Daltons (measured by gel permeation chromatography)			
Assay	hydroxyt hydroxyr hydrolys hydroxyt	than 98% poutanoate- pentanoate is as a mix putanoic ar pentanoic a	co-3-D- ) analyso ture of 3 nd 3-D-	ed after
Description	White to isolation	off-white	powder	after
Characteristi	entification tests:			
Identification				
Solubility	such as a dichloror		m or at praction	
Restriction	QMA for dm <sup>2</sup>	crotonic a	acid is 0	.05 mg/6
Purity	_	granulation er powder		
— nitrogen	Not more	e than 2 50	0 mg/kg	g of plastic
zinc	Not more	than 100	mg/kg c	of plastic
— copper	Not more	than 5 mg	g/kg of p	olastic
— lead	Not more than 2 mg/kg of plastic			
— arsenic	Not more	than 1 mg	g/kg of p	olastic
	Not more	than 1 m	g/kg of p	olastic

		chromium			
4	23547	Polydimethylsiloxane (MW > 6800)			
		Minimum viscosity 100 centistokes at 25°C			
5	25385	Triallylamine			
		40 mg/kg hydrogel at a ratio of 1 kg food to a maximum of 1.5 grams of hydrogel.			
		For use only in hydrogels intended for non-direct food contact use.			
6	38320	4-(2-Benzoxazolyl)-4'-(5-methyl-2-benzoxazolyl) stilbene			
		Not more than 0.05% w/w (quantity of substance used / quantity of the formulation)			
7	43680	Chlorodifluoromethane Content of chlorofluoromethane less than 1 substance			
8	47210	Dibutylthiostannoic acid polymer			
		Molecular unit = $(C_8H_{18}S_3Sn_2)n$ (n = 1,5-2)			
9	76721	Polydimethylsiloxane (Mw > 6800)			
		Minimum viscosity 100 × 10-6 m <sup>2</sup> /s (= 100 centistokes) at 25°C			
10	77895	Polyethyleneglycol (EO = 2—6) monoalkyl ( $C_{16}$ — $C_{18}$ ) ether			
		The composition of this mixture is as follows:			
		— polyethyleneglycol (EO = 2—6) monoalkyl ( $C_{16}$ — $C_{18}$ ) ether (approximately 28%)			
		— fatty alcohols (C <sub>16</sub> —C <sub>18</sub> ) (approximately 48%)			
		— ethyleneglycol monoalkyl ( $C_{16}$ — $C_{18}$ ) ether (approximately 24% )			
11	83595	Reaction product of di-tert-butylphosphonite with biphenyl, obtained by condensation of 2,4-di-tert-butylphenol with friedel craft reaction product of phosphorus trichloride and biphenyl			
		Composition			

		— 4,4'-Biphenylene-bis [0,0-bis (2,4-di-tert-butylphenyl) phosphonite] (CAS No. 38613-77-3) (36-46% w/w (1))
		— 4,3'-Biphenylene-bis [0,0-bis (2,4-di-tert-butylphenyl) phosphonite] (CAS No. 118421-00-4) (17-23% w/w)
		— 3,3'-Biphenylene-bis [0,0-bis (2,4-di-tert-butylphenyl) phosphonite] (CAS No. 118421-01-5) (1-5% w/w)
		— 4-Biphenylene-0,0-bis [0,0-bis (2,4-di-tert-butylphenyl) phosphonite] (CAS No. 91362-37-7) (11-19% w/w)
		— Tris (2,4-di-tert-butylphenyl) phosphite (CAS No. 31570-04-4) (9-18% w/w)
		— 4,4'-Biphenylene-0,0-bis [0,0-bis (2,4-di-tert-butylphenyl) phosphonate-0,0-bis (2,4-di-tert-butylphenyl) phosphonite] (CAS No. 112949-970) (5% w/w)
		Other specifications
		— Phosphor content of minimum 5.4% to 5.9%
		— Acid value of maximum 10 mg KOH per gram
		— Melt range of 85—110°C
12	88640	Soyabean oil, epoxidized
		Oxirane < 8%, iodine number < 6
13	95859	Waxes, refined, derived from petroleum based or synthetic hydrocarbon feedstocks
		The product has the following specifications:
		— Content of mineral hydrocarbons with carbon number less than 25: not more than 5% (w/w)
		— Viscosity not less than 11 × 10-6 m <sup>2</sup> /s (= 11 centistokes) at 100°C
		— Average molecular weight not less than 500
14	95883	White mineral oils, paraffinic, derived from petroleum hydrocarbon feedstocks
		The product has the following specifications:
		— Content of mineral hydrocarbons with carbon

number less than 25: not more than $5\%$ (w/w)
— Viscosity note less than $8.5 \times 10^{-6}$ m <sup>2</sup> /s (= $8.5$ centistokes) at $100^{\circ}$ C
— Average molecular weight not less than 480

#### **EXPLANATORY NOTE**

(This note is not part of the Regulations)

- 1. These Regulations, which apply in relation to Wales, further amend the Plastic Materials and Articles in Contact with Food Regulations 1998 (S.I. 1998/1376, "the 1998 Regulations"), which apply to the whole of Great Britain. These Regulations implement in Wales Commission Directive 2004/19/EC ("the Directive") OJ No. L71, 10.3.2004, p.8.) amending Commission Directive 2002/72/EC (OJ No. L220, 15.8.2002, p.18) (relating to plastic materials and articles intended to come into contact with foodstuffs.
  - 2. The Regulations amend the 1998 Regulations by
    - (a) amending the definition of "additive" to maintain consistency with Commission Directive 2004/19/EC (regulation 3(a)(i));
    - (b) removing references to lists of substances whose authorisations are now spent (regulation 4(a));
    - (c) extending to articles the provisions of regulation 4(5) of the 1998 Regulations that formerly only applied to materials (regulation 4(b));
    - (d) adding a restriction on the use of additives in the manufacture of plastic materials and articles which relates to substances also used as food additives or flavourings (regulation 5(a));
    - (e) extending to articles to the provisions of regulation 5(4) of the 1998 Regulations that formerly only applied to materials (regulation 5(b));
    - (f) making provision for the procedure to be followed and the time limits to be observed by any person wishing to have an additive included in the Community list of authorised additives (regulation 6);
    - (g) amending the labelling requirements for plastic materials and articles at the pre-retail stage so as to require additional information to be given (regulation 7);
    - (h) making a consequential amendment to regulation 10 (offences) brought about by the amendment to the labelling requirements (regulation 8(a));
    - (i) providing a defence to breach of the 1998 Regulations as last amended by these Regulations in respect of plastic materials or articles manufactured or imported into the European Community before 1 March 2006 (regulation 8(b)).

- 3. They also amend the Schedules to the 1998 Regulations by
  - (a) inserting new entries, and amending or deleting some existing ones, in the list of monomers authorised without time limit in Section A of Part I of Schedule 1 (regulation 9(a) and Schedules 1 & 2);
  - (b) removing the lists of entries for monomers authorised with a time limit that has now expired (regulation 9(b));
  - (c) adding further supplementary specifications in Part II of Schedule 1 (regulation 10);
  - (d) inserting new entries and amending or removing some existing entries in the list of additives used in the manufacture of plastic materials and articles in Part I of Schedule 2 (regulation 11 and Schedules 3 & 4);
  - (e) inserting new entries and removing some existing entries in the list of additives used in the manufacture of plastic materials and articles set out in Part II of Schedule 2 (regulation 12 and Schedule 5);
  - (f) adding further supplementary specifications to Part III of Schedule 2, and extending the time limit applicable to substances listed in Part II of that Schedule (regulation 13);
  - (g) amending the restrictions and specifications in the entry in Schedule 2A relating to products obtained by bacterial fermentation (regulation 14)
  - (h) inserting new entries and amending or removing some existing ones in the specifications set out in Schedule 2B (regulation 15 and Schedule 6);
  - (i) adding a provision to the basic rules for overall and specific migration testing using food simulants set out in Part I of Schedule 4, to allow for migration testing to be omitted in the specific circumstances provided for in the Directive (regulation 16).
- **4.** A regulatory appraisal pursuant to section 65 of the Government of Wales Act 1998 has been prepared for these regulations and placed in the library of the National Assembly for Wales together with a Transposition Note setting out how the main elements of Commission Directive 2004/19/EC are transposed in these Regulations. Copies may be obtained from the Food Standards Agency, 11th Floor, Southgate House, Wood Street, Cardiff CF10 1EW.

Notes:

[1] 1990 c. 16.<u>back</u>

- [2] Functions of the Secretary of State under the Food Safety Act 1990 so far as exercisable in relation to Wales were transferred to the National Assembly for Wales by the National Assembly for Wales (Transfer of Functions) Order 1999 (S.I. 1999/672).back
- [3] OJ No. L31, 1.2.2002, p.1. That Regulation was last amended by Regulation (EC) No.1642/2003 of the European Parliament and of the Council (OJ No.

L245, 29.9.2003, p.4).back

[4] S.I. 1998/1376, amended in relation to Wales by S.I. 2001/1263 (W.70), S.I. 2002/2834 (W.272), S.I. 2003/302 (W.44) and S.I. 2005/182 (W.15).back

[5] OJ No. L184, 15.7.88, p.61. This Directive was last amended by Regulation (EC) No. 1882/2003 of the European Parliament and of the Council (OJ No. L284, 31.10.2003, p.1).back

[6] OJ No. L40, 11.2.89, p.27. This Directive was last amended by Regulation (EC) No 1882/2003.back

[7] OJ No. L178, 28.7.95, p.1. This Directive was last amended by Commission Directive 2004/46 (OJ No. L114, 21.4.2004, p.15).back

[8] OJ No. L226, 22.9.95, p.1. This Directive was last amended by Commission Directive 2004/47 (OJ No.L113, 20.4.2004, p.24).back

[9] OJ No. L339, 30.12.96, p.1. This Directive was last amended by Commission Directive 2003/95 (OJ No. L283, 31.10.2003, p.71).back

[10] 1998 c.38.back

#### Cymraeg (Welsh)

ISBN 0 11 091157 1

Other UK SIs | Home | National Assembly for Wales Statutory Instruments | Scottish Statutory Instruments | Statutory Rules of Northern Ireland

We welcome your comments on this site

© Crown copyright 2005

Prepared 29 June 2005