## COMMISSION REGULATION (EC) No 1497/2003

#### of 18 August 2003

# amending Council Regulation (EC) No 338/97 on the protection of species of wild fauna and flora by regulating trade therein

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Community,

Having regard to Council Regulation (EC) No 338/97 of 9 December 1996 on the protection of species of wild fauna and flora by regulating trade therein (¹), as last amended by Commission Regulation (EC) No 2476/2001 (²), and in particular Article 19(3), thereof,

#### Whereas:

- (1) At the 12th session of the Conference of the Parties to the Convention on International Trade in Endangered Species of Wild Fauna and Flora (hereinafter referred to as the Convention), held in Santiago (Chile) from 3 to 15 November 2002, amendments were made to the Appendices to the Convention by way of the transfer of certain species or certain populations of species to Appendix I from Appendix II and vice versa, the transfer of certain species from Appendix III to Appendix II, the addition of species to Appendices I and II that were not previously listed in any of the Appendices, the deletion of certain species from Appendix II, and the addition, deletion or amendment of certain annotations accompanying the listing of certain species.
- (2) Additions and deletions have been made to Appendix III to the Convention subsequent to the 12th session of the Conference of the Parties to the Convention in accordance with the provisions of Article XVI of the Convention.
- (3) Member States have not entered a reservation in respect of any of these amendments.
- (4) The amendments to Appendices I, II and III to the Convention therefore necessitate amendments to Annexes A, B and C of Regulation (EC) No 338/97 in accordance with Article 3(1)(a), (2)(a) and 3(a) of that Regulation.
- (5) It has been established that Oxyura jamaicensis and Chrysemys picta constitute a threat to wild species of fauna and flora indigenous to the Community and those two species should therefore be included in Annex B of Regulation (EC) No 338/97 in accordance with Article 3(2)(d) of that Regulation.

- (6) It has further been established that *Padda fuscata* is subject to levels of international trade that might not be compatible with its survival and that this species should therefore be included in Annex B to Regulation (EC) No 338/97 in accordance with Article 3(2)(c)(i) of that Regulation.
- (7) It has been established that a number of species currently included in Annex D to Regulation (EC) No 338/97 are not imported into the Community in such numbers as to warrant monitoring and that these species should be deleted from that Annex in accordance with Article 3(4)(a) of that Regulation.
- (8) It has further been established that a number of other species not currently included in any of the Annexes to Regulation (EC) No 338/97 are being imported into the Community in such numbers as to warrant monitoring and that these species should be included in Annex D on the basis of Article 3(4)(a) of that Regulation.
- (9) In view of the extent of the amendments it is appropriate to replace the whole of the Annex to Regulation (EC) No 338/97 consisting of the Annexes A, B, C and D and the notes on the interpretation of those Annexes.
- (10) The measures provided for in this Regulation are in accordance with the opinion of the Committee on Trade in Wild Fauna and Flora established pursuant to Article 18 of Regulation (EC) No 338/97,

HAS ADOPTED THIS REGULATION:

### Article 1

The Annexes to Regulation (EC) No 338/97 and the notes on the interpretation of those Annexes are hereby replaced by the text in the Annex to this Regulation.

#### Article 2

This Regulation shall enter into force on the third day following that of its publication in the Official Journal of the European Union.

<sup>(</sup>¹) OJ L 61, 3.3.1997, p. 1.

<sup>(2)</sup> OJ L 334, 18.12.2001, p. 3.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 18 August 2003.

For the Commission Margot WALLSTRÖM Member of the Commission

#### ANNEX

#### 'Annex

#### Notes on interpretation of Annexes A, B, C and D

- 1. Species included in these Annexes A, B, C and D are referred to:
  - (a) by the name of the species; or
  - (b) as being all of the species included in a higher taxon or designated part thereof.
- 2. The abbreviation "spp." is used to denote all species of a higher taxon.
- 3. Other references to taxa higher than species are for the purposes of information or classification only.
- 4. Species printed in bold in Annex A are listed there in consistency with their protection as provided for by Council Directive 79/409/EEC (¹) (Birds Directive) or Council Directive 92/43/EEC (²) ("Habitats Directive").
- 5. The following abbreviations are used for plant taxa below the level of species:
  - (a) "ssp" is used to denote subspecies;
  - (b) "var(s)" is used to denote variety (varieties); and
  - (c) "fa" is used to denote forma.
- 6. The symbols "(I)", "(II)" and "(III)" placed against the name of a species or higher taxon refer to the Appendices of the Convention in which the species concerned are listed as indicated in notes 7 to 9. Where none of these annotations appears, the species concerned are not listed in the Appendices to the Convention.
- 7. (I) against the name of a species or higher taxon indicates that the species or higher taxon concerned is included in Appendix I to the Convention.
- 8. (II) against the name of a species or higher taxon indicates that the species or higher taxon concerned is included in Appendix II to the Convention.
- 9. (III) against the name of a species or higher taxon indicates that it is included in Appendix III to the Convention. In this case the country with respect to which the species or higher taxon is included in Appendix III is also indicated by a two-letter code as follows: BO (Bolivia), BR (Brazil), BW (Botswana), CA (Canada), CO (Colombia), CR (Costa Rica), GH (Ghana), GT (Guatemala), HN (Honduras), IN (India), MY (Malaysia), MU (Mauritius), NP (Nepal), TN (Tunisia), UY (Uruguay) and ZA (South Africa).
- 10. Hybrids may be specifically included in the Appendices but only if they come from distinct and stable populations in the wild. Hybrid animals that have in their previous four generations of the lineage one or more specimens of species included in Annexes A or B shall be subject to the provisions of this Regulation just as if they were full species, even if the hybrid concerned is not specifically included in the Annexes.
- 11. The symbol "=" followed by a number placed against the name of a species or higher taxon denotes that the name of that species or taxon shall be interpreted as follows:
  - =301 Also referenced as Phalanger maculatus
  - =302 Also referenced as Vampyrops lineatus
  - =303 Formerly included in family Lemuridae
  - =304 Formerly included as subspecies of Callithrix jacchus
  - =305 Includes generic synonym Leontideus
  - =306 Formerly included in species Saguinus oedipus
  - =307 Formerly included as Alouatta palliata
  - =308 Formerly included as Alouatta palliata (villosa)
  - =309 Includes synonym Cercopithecus roloway
  - =310 Formerly included in genus Papio
  - =311 Includes generic synonym Simias
  - =312 Includes synonym Colobus badius rufomitratus

<sup>(2)</sup> OJ L 206, 22.7.1992, p. 7. Directive as last amended by Council Directive 97/62/EC (OJ L 305, 8.11.1997, p. 42).

- =313 Includes generic synonym Rhinopithecus
- =314 Also referenced as Presbytis entellus
- =315 Also referenced as Presbytis geei and Semnopithecus geei
- =316 Also referenced as Presbytis pileata and Semnopithecus pileatus
- =317 Formerly included as Tamandua tetradactyla (in part)
- =318 Includes synonyms Bradypus boliviensis and Bradypus griseus
- =319 Includes synonym Cabassous gymnurus
- =320 Includes synonym Priodontes giganteus
- =321 Includes generic synonym Coendou
- =322 Includes generic synonym Cuniculus
- =323 Formerly included in genus Dusicyon
- =324 Includes synonym Dusicyon fulvipes
- =325 Includes generic synonym Fennecus
- =326 Also referenced as Selenarctos thibetanus
- =327 Formerly included as Nasua nasua
- =328 Also referenced as Aonyx microdon or Paraonyx microdon
- =329 Formerly included in genus Lutra
- =330 Formerly included in genus Lutra; includes synonyms Lutra annectens, Lutra enudris, Lutra incarum and Lutra platensis
- =331 Includes synonym Galictis allamandi
- =332 Formerly included in Martes flavigula
- =333 Includes generic synonym Viverra
- =334 Includes synonym Eupleres major
- =335 Formerly included as Viverra megaspila
- =336 Formerly included as Herpestes fuscus
- =337 Formerly included as Herpestes auropunctatus
- =338 Also referenced as Felis caracal and Lynx caracal
- =339 Formerly included in genus Felis
- =340 Also referenced as Felis pardina or Felis lynx pardina
- =341 Formerly included in genus Panthera
- =342 Excludes the domesticated form referenced as Equus asinus, which is not subject to the provisions of this Regulation
- =343 Formerly included in species Equus hemionus
- =344 Also referenced as Equus caballus przewalskii
- =345 Also referenced as Choeropsis liberiensis
- =346 Also referenced as Cervus porcinus calamianensis
- =347 Also referenced as Cervus porcinus kuhlii
- =348 Also referenced as Cervus porcinus annamiticus
- =349 Also referenced as Cervus dama mesopotamicus
- =350 Excludes the domesticated form of Bos gaurus referenced as Bos frontalis which is not subject to the provisions of this Regulation
- =351 Excludes the domesticated form of Bos mutus referenced as Bos grunniens which is not subject to the provisions of this Regulation
- =352 Includes generic synonym Novibos
- =353 Excludes the domesticated form of Bubalus arnee referenced as Bubalus bubalis
- =354 Includes generic synonym Anoa

- =355 Also referenced as Damaliscus dorcas dorcas
- =356 Formerly included in species Naemorhedus goral
- =357 Also referenced as Capricornis sumatraensis
- =358 Includes synonym Oryx tao
- =359 Includes synonym Ovis aries ophion
- =360 Formerly included as Ovis vignei
- =361 Also referenced as Rupicapra rupicapra ornata
- =362 Also referenced as Boocercus eurycerus; includes generic synonym Taurotragus
- =363 Also referenced as Pterocnemia pennata
- =364 Also referenced as Sula abbotti
- =365 Also referenced as Ardeola ibis
- =366 Also referenced as Egretta alba and Ardea alba
- =367 Also referenced as Ciconia ciconia boyciana
- =368 Also referenced as Hagedashia hagedash
- =369 Also referenced as Lampribis rara
- =370 Includes Phoenicopterus roseus
- =371 Includes synonyms Anas chlorotis and Anas nesiotis
- =372 Also referenced as Spatula clypeata
- =373 Also referenced as Anas platyrhynchos laysanensis
- =374 Probably a hybrid between Anas platyrhynchos and Anas superciliosa
- =375 Also referenced as Nyroca nyroca
- =376 Includes synonym Dendrocygna fulva
- =377 Also referenced as Cairina hartlaubii
- =378 Also referenced as Aquila heliaca adalberti
- =379 Also referenced as Chondrohierax wilsonii
- =380 Also referenced as Falco peregrinus babylonicus and Falco peregrinus pelegrinoides
- =381 Also referenced as Crax mitu mitu
- =382 Also referenced as genus Crax
- =383 Formerly included in genus Aburria
- =384 Formerly included in genus Aburria; also referenced as Pipile pipile pipile
- =385 Formerly included as Arborophila brunneopectus (in part)
- =386 Formerly included in species Crossoptilon crossoptilon
- =387 Formerly included in species Polyplectron malacense
- =388 Includes synonym Rheinardia nigrescens
- =389 Also referenced as Tricholimnas sylvestris
- =390 Also referenced as Choriotis nigriceps
- =391 Also referenced as Houbaropsis bengalensis
- =392 Also referenced as Turturoena iriditorques; formerly included as Columba malherbii (in part)
- =393 Also referenced as Nesoenas mayeri
- =394 Formerly included as Treron australis (in part)

- =395 Also referenced as Calopelia brehmeri; includes synonym Calopelia puella
- =396 Also referenced as Tympanistria tympanistria
- =397 Also referenced as Amazona dufresniana rhodocorytha
- =398 Often traded under the incorrect designation Ara caninde
- =399 Formerly Cyanoramphus auriceps forbesi
- =400 Includes Cyanoramphus cookii
- =401 Also referenced as Opopsitta diophthalma coxeni
- =402 Also referenced as Pezoporus occidentalis
- =403 Formerly Aratinga guarouba
- =404 Formerly Ara couloni
- =405 Formerly Ara maracana
- =406 Formerly included in species Psephotus chrysopterygius
- =407 Also referenced as Psittacula krameri echo
- =408 Formerly included in genus Gallirex; also referenced as Tauraco porphyreolophus
- =409 Also referenced as Otus gurneyi
- =410 Also referenced as Ninox novaeseelandiae royana
- =411 Formerly included as Ramphodon dohrnii
- =412 Includes generic synonym Ptilolaemus
- =413 Formerly included in genus Rhinoplax
- =414 Also referenced as Pitta brachyura nympha
- =415 Also referenced as Muscicapa ruecki or Niltava ruecki
- =416 Also referenced as Dasyornis brachypterus longirostris
- =417 Also referenced as Tchitrea bourbonnensis
- =418 Also referenced as Meliphaga cassidix
- =419 Includes generic synonym Xanthopsar
- =420 Formerly included in genus Spinus
- =421 Formerly included as Serinus gularis (in part)
- =422 Also referenced as Estrilda subflava or Sporaeginthus subflavus
- =423 Formerly included as Lagonosticta larvata (in part)
- =424 Includes generic synonym Spermestes
- =425 Also referenced as Euodice cantans; formerly included as Lonchura malabarica (in part)
- =426 Also referenced as Hypargos nitidulus
- =427 Formerly included as Parmoptila woodhousei (in part)
- =428 Includes synonyms Pyrenestes frommi and Pyrenestes rothschildi
- =429 Also referenced as Estrilda bengala
- =430 Also referenced as Malimbus rubriceps or Anaplectes melanotis
- =431 Also referenced as Coliuspasser ardens
- =432 Formerly included as Euplectes orix (in part)
- =433 Also referenced as Coliuspasser macrourus
- =434 Also referenced as Ploceus superciliosus
- =435 Includes synonym Ploceus nigriceps
- =436 Also referenced as Sitagra luteola
- =437 Also referenced as Sitagra melanocephala
- =438 Formerly included as Ploceus velatus
- =439 Also referenced as Hypochera chalybeata; includes synonyms Vidua amauropteryx, Vidua centralis, Vidua neumanni, Vidua okavangoensis and Vidua ultramarina

- =440 Formerly included as Vidua paradisaea (in part)
- =441 Also referenced as genus Damonia
- =442 Formerly included as Kachuga tecta tecta
- =443 Includes generic synonyms Nicoria and Geoemyda (in part)
- =444 Also referenced as Chrysemys scripta elegans
- =445 Also referenced as Geochelone elephantopus; also referenced in genus Testudo
- =446 .Also referenced as genus Testudo.
- =447 Formerly included in Testudo kleinmanni
- =448 Formerly included in genus Trionyx. Also referenced in genus Aspideretes
- =449 Formerly included in genus Trionyx
- =450 Formerly included in Podocnemis spp.
- =451 Also referenced as Pelusios subniger
- =452 Includes Alligatoridae, Crocodylidae and Gavialidae
- =453 Also referenced in genus Nactus
- =454 Includes generic synonym Rhoptropella
- =455 Formerly included in Chamaeleo spp.
- =456 Includes the genus Pseudocordylus
- =457 Formerly Crocodilurus lacertinus
- =458 Tupinambis merianae (Duméril & Bibron, 1839) was until 1 August 2000 listed as T. teguixin (Linnaeus, 1758) (Distribution: northern Argentina, Uruguay, Paraguay, southern Brazil, extending into southern Amazonian Brazil). Tupinambis teguixin (Linnaeus, 1758) was until 1 August 2000 listed as Tupinambis nigropunctatus (Spix, 1824) (Distribution: Colombia, Venezuela, Guianas, Amazonian basin of Ecuador, Peru, Bolivia and Brazil, in Brazil south into State of Sao Paulo).
- =459 Formerly included in family Boidae
- =460 Includes synonym Python molurus pimbura
- =461 Also referenced as Constrictor constrictor occidentalis
- =462 Includes synonym Sanzinia manditra
- =463 Includes synonym Pseudoboa cloelia
- =464 Also referenced as Hydrodynastes gigas
- =465 Also referenced as Alsophis chamissonis
- =466 Formerly included in genus Natrix
- =467 Formerly referenced as Naja naja
- =468 Formerly included as Crotalus unicolor
- =469 Formerly included as Vipera russelli
- =470 Formerly included in Nectophrynoides
- =471 Formerly Atelopus varius zeteki
- =472 Formerly included in Dendrobates
- =473 Also referenced as Rana
- =474 Includes generic synonym Megalobatrachus
- =475 Formerly Cynoscion macdonaldi
- =476 Includes synonyms Pandinus africanus and Heterometrus roeseli
- =477 Formerly included in genus Brachypelma
- =478 Sensu D'Abrera
- =479 Also referenced as Conchodromus dromas

- =480 Also referenced in genera Dysnomia and Plagiola
- =481 Includes generic synonym Proptera
- =482 Also referenced in genus Carunculina
- =483 Also referenced as Megalonaias nickliniana
- =484 Also referenced as Cyrtonaias tampicoensis tecomatensis and Lampsilis tampicoensis tecomatensis
- =485 Includes generic synonym Micromya
- =486 Includes generic synonym Papuina
- =487 Includes only one species Heliopora coerulea
- =488 Also referenced as Podophyllum emodi and Sinopodophyllum hexandrum
- =489 Includes generic synonyms Neogomesia and Roseocactus
- =490 Also referenced in genus Echinocactus
- =491 Includes synonym Coryphantha densispina
- =492 Also referenced as Echinocereus lindsayi
- =493 Also referenced in genus Wilcoxia; includes Wilcoxia nerispina
- =494 Also referenced in genus Coryphantha; includes synonym Escobaria nellieae
- =495 Also referenced in genus Coryphantha: includes Escobaria leei as a subspecies
- =496 Includes synonym Solisia pectinata
- =497 Also referenced in genera Backebergia, Cephalocereus and Mitrocereus; includes synonym Pachycereus chrysomallus
- =498 Includes Pediocactus bradyi ssp. despainii and Pediocactus bradyi ssp. winkleri and synonyms Pediocactus despainii, Pediocactus simpsonii ssp. Bradyi and Pediocactus winkleri; also referenced in genus Toumeya.
- =499 Also referenced in genera Navajoa, Toumeya and Utahia includes synonyms Pediocactus fickeisenii, Navajoa peeblesiana ssp. fickeisenii and Navajoa fickeisenii.
- =500 Also referenced as genera Echinocactus and Utahia
- =501 Includes generic synonym Encephalocarpus
- =502 Also referenced in genus Pediocactus; includes synonym Ancistrocactus tobuschii and Ferocactus tobuschii
- =503 Also referenced in genera Echinomastus, Neolloydia and Pediocactus; includes synonyms Echinomastus acunensis and Echinomastus krausei.
- =504 Includes synonyms Ferocactus glaucus, Sclerocactus brevispinus, Sclerocactus wetlandicus and Sclerocactus wetlandicus ssp. Ilseae; also referenced in genus Pediocactus.
- =505 Also referenced in genera Echinomastus, Neolloydia and Pediocactus.
- =506 Also referenced in genera Coloradoa, Ferocactus and Pediocactus
- =507 Also referenced in genera Pediocactus and Toumeya
- =508 Also referenced in genera Ferocactus and Pediocactus.
- =509 Includes generic synonyms Gymnocactus and Normanbokea; also referenced in genera Kadenicarpus, Neolloydia, Pediocactus, Pelecyphora, Strombocactus, Thelocactus and Toumeya.
- =510 Also referenced in genus Parodia.
- =511 Also referenced as Saussurea lappa
- =512 Includes genera Alsophila, Nephelea, Sphaeropteris and Trichipteris.
- =513 Also referenced as Euphorbia decaryi var. capsaintemariensis
- =514 Includes Euphorbia cremersii fa. viridifolia and Euphorbia cremersii var. rakotozafyi

- =515 Includes Euphorbia cylindrifolia ssp. tuberifera
- =516 Includes Euphorbia decaryi vars. ampanihyensis, robinsonii and spirosticha
- =517 Includes Euphorbia moratii vars. antsingiensis, bemarahensis and multiflora
- =518 Also referenced as Euphorbia capsaintemariensis var. tulearensis
- =519 Also referenced as Engelhardia pterocarpa
- =520 Also referenced in the genus Afrormosia
- =521 Includes Aloe compressa vars. rugosquamosa, schistophila and paucituberculata.
- =522 Includes Aloe haworthioides var. aurantiaca
- =523 Includes Aloe laeta var. maniaensis
- =524 Formerly included in Talauma hodgsonii; also referenced as Magnolia hodgsonii and Magnolia candollii var. obvata.
- =525 Includes families Apostasiaceae and Cypripediaceae as subfamilies Apostasioideae and Cypripedioideae
- =526 Anacampseros australiana and A. kurtzii are also referenced in genus Grahamia
- =527 Formerly included in Anacampseros spp.
- =528 Also referenced as Sarracenia alabamensis
- =529 Also referenced as Sarracenia jonesii
- =530 Excludes Picrorhiza scrophulariifolia
- =531 Formerly included in Zamiaceae spp.
- =532 Includes synonym Stangeria paradoxa
- =533 Also referenced as Taxus baccata ssp. wallichiana
- =534 Excludes Valeriana jatamansi Jones
- =535 Includes synonym Welwitschia bainesii
- =536 Includes synonym Vulpes vulpes leucopus
- =537 Also referenced as Pogonocichla swynnertoni
- =538 Frequently traded as Serinus citrinelloides
- =539 Frequently traded as Estrilda melanotis
- =540 Includes Lapemis hardwickii
- =541 Includes Hippocampus agnesiae, Hippocampus bleekeri, Hippocampus graciliformis and Hippocampus macleayina.
- =542 Includes Hippocampus elongatus and Hippocampus subelongatus.
- =543 Includes Hippocampus tuberculatus.
- =544 Includes Hippocampus subcoronatus
- =545 Includes Hippocampus fasciatus and Hippocampus mohnikei
- =546 Includes Hippocampus brunneus, Hippocampus fascicularis, Hippocampus hudsonius, Hippocampus kinkaidi, Hippocampus laevicaudatus, Hippocampus marginalis, Hippocampus punctulatus, Hippocampus stylifer, Hippocampus tetragonurus and Hippocampus villosus.
- =547 Includes Hippocampus obscurus
- =548 Includes Hippocampus antiquorum, Hippocampus antiquus, Hippocampus brevirostris, Hippocampus europeaus, Hippocampus heptagonus, Hippocampus pentagonus and Hippocampus vulgaris.
- =549 Includes Hippocampus ecuadorensis, Hippocampus gracilis, Hippocampus hildebrandi and Hippocampus ringens.

- =550 Includes Hippocampus atterimus, Hippocampus barbouri, Hippocampus fisheri, Hippocampus hilonis, Hippocampus melanospilos, Hippocampus moluccensis, Hippocampus natalensis, Hippocampus polytaenia, Hippocampus rhyncomacer, Hippocampus taeniopterus and Hippocampus valentyni.
- =551 Includes Hippocampus suezensis
- =552 Includes Hippocampus dahli and Hippocampus lenis.
- =553 Includes Hippocampus atrichus, Hippocampus guttulatus, Hippocampus jubatus, Hippocampus longirostris, Hippocampus microstrophanus, Hippocampus multiannularis, Hippocampus rosaceus and Hippocampus trichus.
- =554 Includes Hippocampus obtusus and Hippocampus poeyi.
- =555 Includes Hippocampus chinensis, Hippocampus kampylotrachelos, Hippocampus manadensis, Hippocampus mannulus and Hippocampus sexmaculatus.
- =556 Includes Hippocampus novaehollandiae
- =557 Includes Hippocampus regulus and Hippocampus rosamondae
- 12. In accordance with Article 2(t) of this Regulation, the symbol "#" followed by a number placed against the name of a species or higher taxon included in Annex B or C designates parts or derivatives which are specified in relation thereto for the purposes of the Regulation as follows:
  - #1 Designates all parts and derivatives, except:
    - (a) seeds, spores and pollen (including pollinia);
    - (b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers, and
    - (c) cut flowers of artificially propagated plants.
  - #2 Designates all parts and derivations, except:
    - (a) seeds and pollen;
    - (b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
    - (c) cut flowers of artificially propagated plants; and
    - (d) chemical derivatives and finished pharmaceutical products.
  - #3 Designates whole and sliced roots and parts of roots, excluding manufactured parts or derivatives such as powders, pills, extracts, tonics, teas and confectionery.
  - #4 Designates all parts and derivatives, except:
    - (a) seeds, except those from Mexican cacti originating in Mexico, and pollen;
    - (b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
    - (c) cut flowers of artificially propagated plants;
    - (d) fruits and parts and derivatives thereof of naturalised or artificially propagated plants; and
    - (e) separate stem joints (pads) and parts and derivatives therefore of naturalised or artifically propagated plants of the genus *Opuntia* subgenus *Opuntia*.
  - #5 Designates logs, sawn wood and veneer sheets;
  - #6 Designates logs, sawn wood, veneer sheets and plywood
  - #7 Designates logs, wood-chips and unprocessed broken material;
  - #8 Designates all parts and derivatives, except:
    - (a) seeds and pollen (including pollinia);
    - (b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
    - (c) cut flowers of artificially propagated plants; and
    - (d) fruits and parts and derivatives thereof of artificially propagated plants of the genus Vanilla.

- 13. As none of the species or higher taxa of flora included in Annex A is annotated to the effect that its hybrids shall be treated in accordance with the provisions of Article 4.1 of the Regulation, this means that artifically propagated hybrids produced from one or more of these species or taxa may be traded with a certificate of artificial propagation, and that seeds and pollen (including *pollinia*), cut flowers, seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers of these hybrids are not subject to the provisions of the Regulation.
- 14. Urine, faeces and ambergris which are waste products and gained without the manipulation of the animal concerned are not subject to the provisions of the Regulation.
- 15. In respect of fauna species listed in Annex D, the provisions shall apply only to live specimens and whole, or substantially whole, dead specimens except for taxa which are annotated as follows to show that other parts and derivatives are also covered:
  - § 1 Any whole, or substantially whole, skins, raw or tanned.
  - § 2 Any feathers or any skin or other part with feathers on it.
- 16. In respect of flora species listed in Annex D, the provisions shall apply only to live specimens except for taxa which are annotated as follows to show that other parts and derivatives are also covered:
  - § 3 Dried and fresh plants, including, where appropriate; leaves, roots/rootstock, stems, seeds/spores, bark and fruits.



|                 | Annex A  | Annex B                            | Annex C | Common name                          |
|-----------------|--|------------------------------------|---------|--------------------------------------|
|                 | •  | FAUNA                              |         |                                      |
|                 |  | CHORDATA (CHORDATES)               |         |                                      |
| MAMMALIA        |  |                                    |         | Mammals                              |
| MONOTREMATA     |  |                                    |         |                                      |
| Tachyglossidae  |  |                                    |         | Echidnas, spiny ant eaters           |
|                 |  | Zaglossus spp. (II)                |         | Long-nosed echidna                   |
| DASYUROMORPHIA  |  |                                    |         |                                      |
| Dasyuridae      |  |                                    |         | Dunnarts, marsupial mice, planigales |
|                 | Sminthopsis longicaudata (I)                   |                                    |         | Long-tailed dunnart                  |
|                 | Sminthopsis psammophila (I)                    |                                    |         | Sandhill dunnart                     |
| Thylacinidae    |  |                                    |         | Tasmanian wolf, thylacine            |
|                 | Thylacinus cynocephalus (possibly extinct) (I) |                                    |         | Thylacine                            |
| PERAMELEMORPHIA |  |                                    |         |                                      |
| Peramelidae     |  |                                    |         | Bandicoots                           |
|                 | Chaeropus ecaudatus (possibly extinct) (I)     |                                    |         | Pig-footed bandicoot                 |
|                 | Macrotis lagotis (I)                           |                                    |         | Greater bilby                        |
|                 | Macrotis leucura (I)                           |                                    |         | Lesser bilby                         |
|                 | Perameles bougainville (I)                     |                                    |         | Western barred bandicoot             |
| DIPROTODONTIA   |  |                                    |         |                                      |
| Phalangeridae   |  |                                    |         | Cuscus                               |
|                 |  | Phalanger orientalis (II)          |         | Grey cuscus                          |
|                 |  | Spilocuscus maculatus (II)<br>=301 |         | Common spotted cuscus                |
| Vombatidae      |  |                                    |         | Wombats                              |
|                 | Lasiorhinus krefftii (I)                       |                                    |         | Northern hairy-nosed wombat          |
| Macropodidae    |  |                                    |         | Kangaroos, wallabies                 |
|                 |  | Dendrolagus dorianus               |         | Unicoloured tree kangaroo            |
|                 |  | Dendrolagus goodfellowi            |         | Goodfellow's tree kangaroo           |
|                 |  | Dendrolagus inustus (II)           |         | Grizzled tree-kangaroo               |
|                 |  | Dendrolagus matschiei              |         | Matschie's tree kangaroo             |
|                 |  | Dendrolagus ursinus (II)           |         | Vogelkop tree-kangaroo               |
|                 | Lagorchestes hirsutus (I)                      |                                    |         | Rufous hare-wallaby                  |
|                 | Lagostrophus fasciatus (I)                     |                                    |         | Banded hare-wallaby                  |
|                 | Onychogalea fraenata (I)                       |                                    |         | Bridled nailtail wallaby             |
|                 | Onychogalea lunata (I)                         |                                    |         | Crescent nailtail wallaby            |
| Potoroidae      |  |                                    |         | Rat-kangaroos                        |
|                 | Bettongia spp. (I)                             |                                    |         | Bettongs                             |
|                 | Caloprymnus campestris (possibly extinct) (I)  |                                    |         | Desert rat-kangaroo                  |



|                | Annex A                                 | Annex B   | Annex C                              | Common name                        |
|----------------|---|---|--------------------------------------|------------------------------------|
| SCANDENTIA     |   |   |                                      |                                    |
| Tupaiidae      |   |   |                                      | Tree shrews                        |
|                |   | Tupaiidae spp.  |                                      | Tree shrews                        |
| CHIROPTERA     |   |   |                                      |                                    |
| Phyllostomidae |   |   |                                      | Broad-nosed bats                   |
|                |   |   | Platyrrhinus lineatus (III UY) = 302 | White-lined bat                    |
| Pteropodidae   |   |   | -302                                 | Fruit bats, flying foxes           |
| rteropodidae   |   | Acerodon spp. (II) (Except  |                                      | Flying foxes                       |
|                |   | for the species included in Annex A)                                  |                                      | rlying toxes                       |
|                | Acerodon jubatus (I)                    |   |                                      | Golden-capped fruit bat            |
|                | Acerodon lucifer (possibly extinct) (I) |   |                                      | Panay giant fruit bat              |
|                |   | Pteropus spp. (II) (Except for<br>the species included in<br>Annex A) |                                      | Flying-foxes                       |
|                | Pteropus insularis (I)                  |   |                                      | Truk flying-fox                    |
|                | Pteropus livingstonei (II)              |   |                                      | Comoro black flying-fox            |
|                | Pteropus mariannus (I)                  |   |                                      | Micronesian flying-fox             |
|                | Pteropus molossinus (I)                 |   |                                      | Pohnpei flying-fox                 |
|                | Pteropus phaeocephalus (I)              |   |                                      | Mortlock flying-fox                |
|                | Pteropus pilosus (I)                    |   |                                      | Large Palau flying-fox             |
|                | Pteropus rodricensis (II)               |   |                                      | Rodriques flying-fox               |
|                | Pteropus samoensis (I)                  |   |                                      | Samoan flying-fox                  |
|                | Pteropus tonganus (I)                   |   |                                      | Insular flying-fox                 |
|                | Pteropus voeltzkowi (II)                |   |                                      | Pemba flying-fox                   |
| PRIMATES       |   |   |                                      | Primates (apes and monkeys         |
|                |   | PRIMATES spp. (II) (Except<br>for the species included in<br>Annex A) |                                      | Primates                           |
| Lemuridae      |   |   |                                      | Large Lemurs                       |
|                | Lemuridae spp. (I)                      |   |                                      | Large Lemurs                       |
| Megaladapidae  |   |   |                                      | Sportive lemurs                    |
|                | Megaladapidae spp. (I) =303             |   |                                      | Sportive lemurs                    |
| Cheirogaleidae |   |   |                                      | Dwarf lemurs and mouse lemurs      |
|                | Cheirogaleidae spp. (I)                 |   |                                      | Dwarf lemurs and mouse lemurs      |
| Indridae       |   |   |                                      | Indri, sifakas and wooll<br>lemurs |
|                | Indridae spp. (I)                       |   |                                      | Indri, sifakas and wooll<br>lemurs |
| Daubentoniidae |   |   |                                      | Aye-aye                            |
|                | Daubentonia madagascariensis (I)        |   |                                      | Aye-aye                            |
| Tarsiidae      |   |   |                                      | Tarsiers                           |
|                | Tarsius spp. (II)                       |   |                                      | Tarsiers                           |



|                | Annex A                        | Annex B | Annex C | Common name                       |
|----------------|--------------------------------|---------|---------|-----------------------------------|
| Callithricidae |                                |         |         | Marmosets, tamarins               |
|                | Callimico goeldii (I)          |         |         | Goeldi's marmoset                 |
|                | Callithrix aurita (I) =304     |         |         | Buffy-tufted-ear marmoset         |
|                | Callithrix flaviceps (I) =304  |         |         | Buffy-headed marmoset             |
|                | Leontopithecus spp. (I) =305   |         |         | Lion tamarins                     |
|                | Saguinus bicolor (I)           |         |         | Bare-faced tamarin                |
|                | Saguinus geoffroyi (I) =306    |         |         | Rufous-naped tamarin              |
|                | Saguinus leucopus (I)          |         |         | White-footed tamarin              |
|                | Saguinus oedipus (I)           |         |         | Cotton-headed tamarin             |
| Cebidae        |                                |         |         | New-world monkeys                 |
|                | Alouatta coibensis (I) =307    |         |         | Coiba Island howler               |
|                | Alouatta palliata (I)          |         |         | Mantled howler                    |
|                | Alouatta pigra (I) =308        |         |         | Guatemalan howler                 |
|                | Ateles geoffroyi frontatus (I) |         |         | Black-browed spide<br>monkey      |
|                | Ateles geoffroyi panamensis    |         |         | Red spider monkey                 |
|                | Brachyteles arachnoides (I)    |         |         | Woolly spider monkey              |
|                | Cacajao spp. (I)               |         |         | Uakaris                           |
|                | Callicebus personatus (II)     |         |         | Masked titi                       |
|                | Chiropotes albinasus (I)       |         |         | White-nosed saki                  |
|                | Lagothrix flavicauda (I)       |         |         | Yellow-tailed wool<br>monkey      |
|                | Saimiri oerstedii (I)          |         |         | Central American squirr<br>monkey |



|                 | Annex A   | Annex B | Annex C | Common name                       |
|-----------------|---|---------|---------|-----------------------------------|
| Cercopithecidae |   |         |         | Old-world monkeys                 |
|                 | Cercocebus galeritus (I/II)<br>(The subspecies Cercocebus<br>galeritus galeritus is listed in<br>Appendix I)                              |         |         | Crested mangabey                  |
|                 | Cercopithecus diana (I) =309  |         |         | Diana guenon                      |
|                 | Cercopithecus solatus (II)  |         |         | Sun-tailed monkey                 |
|                 | Colobus satanas (II)  |         |         | Black colobus                     |
|                 | Macaca silenus (I)  |         |         | Lion-tailed macaque               |
|                 | Mandrillus leucophaeus (I)<br>=310  |         |         | Drill                             |
|                 | Mandrillus sphinx (I) =310  |         |         | Mandrill                          |
|                 | Nasalis concolor (I) =311   |         |         | Pig-tailed langur                 |
|                 | Nasalis larvatus (I)  |         |         | Proboscis monkey                  |
|                 | Presbytis potenziani (I)  |         |         | Mentawai leaf monkey              |
|                 | Procolobus pennantii (I/II) (The species is listed in Appendix II but the subspecies Procolobus pennantii kirkii is listed in Appendix I) |         |         | Eastern red colobus               |
|                 | Procolobus preussi (II)   |         |         | Preuss's colobus                  |
|                 | Procolobus rufomitratus (I) = 312   |         |         | Tana River colobus                |
|                 | Pygathrix spp. (I) =313   |         |         | Snub-nosed monkeys                |
|                 | Semnopithecus entellus (I)<br>=314  |         |         | Hanuman langur                    |
|                 | Trachypithecus francoisi (II)   |         |         | François' leaf monkey             |
|                 | Trachypithecus geei (I) =315  |         |         | Golden langur                     |
|                 | Trachypithecus johnii (II)  |         |         | Nilgiri langur                    |
|                 | Trachypithecus pileatus (I) = 316   |         |         | Capped langur                     |
| Hylobatidae     |   |         |         | Gibbons                           |
|                 | Hylobatidae spp. (I)  |         |         | Gibbons                           |
| Hominidae       |   |         |         | Chimpanzees, gorillas, orang-utan |
|                 | Gorilla gorilla (I)   |         |         | Gorilla                           |
|                 | Pan spp. (I)  |         |         | Chimpanzees                       |
|                 | Pongo pygmaeus (I)  |         |         | Orang-utan                        |
|                 | 1   | !       | i       | 1                                 |



|                 | Annex A                     | Annex B   | Annex C                            | Common name                     |
|-----------------|-----------------------------|---|------------------------------------|---------------------------------|
| XENARTHRA       |                             |   |                                    |                                 |
| Mermecophagidae |                             |   |                                    | American anteaters              |
|                 |                             | Myrmecophaga tridactyla (II)  |                                    | Giant anteater                  |
|                 |                             |   | Tamandua mexicana (III GT)<br>=317 | Tamandua                        |
| Bradypodidae    |                             |   |                                    | Three-toed sloths               |
|                 |                             | Bradypus variegatus (II)<br>=318  |                                    | Brown-throated sloth            |
| Megalonychidae  |                             |   |                                    | Two-toed sloth                  |
|                 |                             |   | Choloepus hoffmanni (III CR)       | Hoffman's two-toed sloth        |
| Dasypodidae     |                             |   |                                    | Armadillos                      |
|                 |                             |   | Cabassous centralis (III CR)       | Northern naked-tailed armadillo |
|                 |                             |   | Cabassous tatouay (III UY) = 319   | Greater naked-tailed armadillo  |
|                 |                             | Chaetophractus nationi (II) (A zero annual export quota has been established. All specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly)  |                                    | Hairy armadillo                 |
|                 | Priodontes maximus (I) =320 |   |                                    | Giant armadillo                 |
| PHOLIDOTA       |                             |   |                                    |                                 |
| Manidae         |                             |   |                                    | Pangolins                       |
|                 |                             | Manis spp. (II) (A zero annual export quota has been established for Manis crassicaudata, Manis pentadactyla and Manis javanica for specimens removed from the wild and traded for primarily commercial purposes) |                                    | Pangolins                       |
| LAGOMORPHA      |                             |   |                                    |                                 |
| Leporidae       |                             |   |                                    | Hares, rabbits                  |
|                 | Caprolagus hispidus (I)     |   |                                    | Hispid rabbit                   |
|                 | Romerolagus diazi (I)       |   |                                    | Volcano rabbit                  |



|                | Annex A   | Annex B          | Annex C                               | Common name                          |
|----------------|---|------------------|---------------------------------------|--------------------------------------|
| RODENTIA       |   |                  |                                       |                                      |
| Sciuridae      |   |                  |                                       | Ground squirrels, tree squirrels     |
|                | Cynomys mexicanus (I)   |                  |                                       | Mexican prairie dog                  |
|                |   |                  | Epixerus ebii (III GH)                | Ebian's palm squirrel                |
|                |   |                  | Marmota caudata (III IN)              | Long-tailed marmot                   |
|                |   |                  | Marmota himalayana (III IN)           | Himalayan marmot                     |
|                |   | Ratufa spp. (II) |                                       | Giant squirrels                      |
|                |   |                  | Sciurus deppei (III CR)               | Deppe's squirrel                     |
| Anomaluridae   |   |                  |                                       | African flying squirrels             |
|                |   |                  | Anomalurus beecrofti (III<br>GH)      | Beecroft's flying squirrel           |
|                |   |                  | Anomalurus derbianus (III<br>GH)      | Lord Derby's flying squirrel         |
|                |   |                  | Anomalurus pelii (III GH)             | Pel's flying squirrel                |
|                |   |                  | Idiurus macrotis (III GH)             | Long-eared flying squirrel           |
| Muridae        |   |                  |                                       | Mice, rats                           |
|                | Leporillus conditor (I)   |                  |                                       | Greater stick-nest rat               |
|                | Pseudomys praeconis (I)   |                  |                                       | Shark Bay mouse                      |
|                | Xeromys myoides (I)   |                  |                                       | False water-rat                      |
|                | Zyzomys pedunculatus (I)  |                  |                                       | Central rock-rat                     |
| Hystricidae    |   |                  |                                       | Old-world porcupines                 |
|                | Hystrix cristata (III GH)   |                  |                                       | North African crested porcu-<br>pine |
| Erethizontidae |   |                  |                                       | New-world porcupines                 |
|                |   |                  | Sphiggurus mexicanus (III<br>HN) =321 | Mexican tree porcupine               |
|                |   |                  | Sphiggurus spinosus (III UY)<br>=321  | Spiny tree porcupine                 |
| Agoutidae      |   |                  |                                       | Paca                                 |
|                |   |                  | Agouti paca (III HN) =322             | Spotted paca                         |
| Dasyproctidae  |   |                  |                                       | Central American agoutis             |
|                |   |                  | Dasyprocta punctata (III HN)          | Central American agouti              |
| Chinchillidae  |   |                  |                                       | Chinchillas                          |
|                | Chinchilla spp. (I) (Specimens of the domesticated form are not subject to the provisions of this Regulation) |                  |                                       | Chinchillas                          |



|           | Annex A  | Annex B  | Annex C                     | Common name                            |
|-----------|--|--|-----------------------------|--|
| CETACEA   |  |  |                             | Cetaceans (dolphins porpoises, whales) |
|           | CETACEA spp. (I/II) (¹)  |  |                             | Cetaceans                              |
| CARNIVORA |  |  |                             |  |
| Canidae   |  |  |                             | Dogs, foxes, wolves                    |
|           |  |  | Canis aureus (III IN)       | Golden jackal                          |
|           | Canis lupus (I/II) (All populations except those of Spain north of the Douro and Greece north of the 39th parallel. Populations of Bhutan, India, Nepal and Pakistan are listed in Appendix I; all other populations are listed in Appendix II.) | Canis lupus (II) (Populations of Spain north of the Douro and Greece north of the 39th parallel) |                             | Grey wolf                              |
|           | Canis simensis   |  |                             | Ethiopian wolf                         |
|           |  | Cerdocyon thous (II) =323  |                             | Forest fox                             |
|           |  | Chrysocyon brachyurus (II)   |                             | Maned wolf                             |
|           |  | Cuon alpinus (II)  |                             | Asiatic wild dog                       |
|           |  | Pseudalopex culpaeus (II)<br>=323  |                             | Colpeo fox                             |
|           |  | Pseudalopex griseus (II) =324  |                             | Argentine grey fox                     |
|           |  | Pseudalopex gymnocercus (II) =323  |                             | Pampa fox                              |
|           | Speothos venaticus (I)   |  |                             | Bush dog                               |
|           |  |  | Vulpes bengalensis (III IN) | Bengal fox                             |
|           |  | Vulpes cana (II)   |                             | Blanford's fox                         |
|           |  | Vulpes zerda (II) =325   |                             | Fennec fox                             |



|             | Annex A  | Annex B   | Annex C                             | Common name                    |
|-------------|--|---|-------------------------------------|--------------------------------|
| Ursidae     |  |   |                                     | Bears                          |
|             |  | Ursidae spp. (II) (Except for<br>the species included in<br>Annex A)  |                                     | Bears                          |
|             | Ailuropoda melanoleuca (I)   |   |                                     | Giant panda                    |
|             | Ailurus fulgens (I)  |   |                                     | Lesser panda                   |
|             | Helarctos malayanus (I)  |   |                                     | Sun bear                       |
|             | Melursus ursinus (I)   |   |                                     | Sloth bear                     |
|             | Tremarctos ornatus (I)   |   |                                     | Spectacled bear                |
|             | Ursus arctos (I/II) (Only the populations of Bhutan, China, Mexico and Mongolia and the subspecies Ursus arctos isabellinus are listed in Appendix I; all other populations and subspecies are listed in Appendix II). |   |                                     | Brown bear                     |
|             | Ursus thibetanus (I) =326  |   |                                     | Asiatic black bear             |
| Procyonidae |  |   |                                     | Coati, coatimundi              |
|             |  |   | Bassaricyon gabbii (III CR)         | Bushy-tailed olingo            |
|             |  |   | Bassariscus sumichrasti (III<br>CR) | Central American cacomistle    |
|             |  |   | Nasua narica (III HN) =327          | Coati                          |
|             |  |   | Nasua nasua solitaria (III<br>UY)   | South Brazilian coati          |
|             |  |   | Potos flavus (III HN)               | Kinkajou                       |
| Mustelidae  |  |   |                                     | Badgers, martens, weasels etc. |
| Lutrinae    |  |   |                                     | Otters                         |
|             |  | Lutrinae spp. (II) (Except for<br>the species included in<br>Annex A) |                                     | Otters                         |
|             | Aonyx congicus (I) =328<br>(Only the populations of<br>Cameroon and Nigeria; all<br>other populations are<br>included in Annex B)  |   |                                     | Cameroon clawless otter        |
|             | Enhydra lutris nereis (I)  |   |                                     | Southern sea otter             |
|             | Lontra felina (I) =329   |   |                                     | Marine otter                   |
|             | Lontra longicaudis (I) =330  |   |                                     | South American river otter     |
|             | Lontra provocax (I) =329   |   |                                     | Southern river otter           |
|             | Lutra lutra (I)  |   |                                     | Eurasian otter                 |
|             | Pteronura brasiliensis (I)   |   |                                     | Giant otter                    |



|              | Annex A                  | Annex B                     | Annex C                                | Common name   |
|--------------|--------------------------|-----------------------------|--|---|
| Mellivorinae |                          |                             |  | Honey badgers   |
|              |                          |                             | Mellivora capensis (III BW/GH)         | Honey badger  |
| Mephitinae   |                          |                             |  | Skunks  |
|              |                          | Conepatus humboldtii (II)   |  | Patagonian hog-nosed skunk  |
| Mustelinae   |                          |                             |  | Grisons, martens, tayra, weasels                                      |
|              |                          |                             | Eira barbara (III HN)                  | Tayra   |
|              |                          |                             | Galictis vittata (III CR) =331         | Greater grison  |
|              |                          |                             | Martes flavigula (III IN)              | Yellow-throated marten  |
|              |                          |                             | Martes foina intermedia (III<br>IN)    | Stone marten  |
|              |                          |                             | Martes gwatkinsii (III IN)<br>=332     | Nilgiri marten  |
|              | Mustela nigripes (I)     |                             |  | Black-footed ferret   |
| Viverridae   |                          |                             |  | Binturong, civets, falanouc, fossa, linsangs, otter-civet, palm civet |
|              |                          |                             | Arctictis binturong (III IN)           | Binturong   |
|              |                          |                             | Civettictis civetta (III BW) = 333     | African civet   |
|              |                          | Cryptoprocta ferox (II)     |  | Fossa   |
|              |                          | Cynogale bennettii (II)     |  | Otter-civet   |
|              |                          | Eupleres goudotii (II) =334 |  | Falanouc  |
|              |                          | Fossa fossana (II)          |  | Malagasy civet  |
|              |                          | Hemigalus derbyanus (II)    |  | Banded palm civet   |
|              |                          |                             | Paguma larvata (III IN)                | Masked palm civet   |
|              |                          |                             | Paradoxurus hermaphroditus<br>(III IN) | Common palm civet   |
|              |                          |                             | Paradoxurus jerdoni (III IN)           | Jerdon's palm civet   |
|              |                          | Prionodon linsang (II)      |  | Banded linsang  |
|              | Prionodon pardicolor (I) |                             |  | Spotted linsang   |
|              |                          |                             | Viverra civettina (III IN)<br>=335     | Malabar large-spotted civet   |
|              |                          |                             | Viverra zibetha (III IN)               | Large Indian civet  |
|              |                          |                             | Viverricula indica (III IN)            | Small Indian civet  |



|             | Annex A   | Annex B  | Annex C  | Common name                                 |
|-------------|---|--|--|---|
| Herpestidae |   |  |  | Mongooses                                   |
|             |   |  | Herpestes brachyurus fuscus<br>(III IN) =336         | Indian brown mongoose                       |
|             |   |  | Herpestes edwardsii (III IN)                         | Indian grey mongoose                        |
|             |   |  | Herpestes javanicus auropunc-<br>tatus (III IN) =337 | Small Indian mongoose                       |
|             |   |  | Herpestes smithii (III IN)                           | Ruddy mongoose                              |
|             |   |  | Herpestes urva (III IN)                              | Crab-eating mongoose                        |
|             |   |  | Herpestes vitticollis (III IN)                       | Stripe-necked mongoose                      |
| Hyaenidae   |   |  |  | Aardwolf, hyenas                            |
|             |   |  | Proteles cristatus (III BW)                          | Aardwolf                                    |
| Felidae     |   |  |  | Cats, cheetahs, leopards lions, tigers etc. |
|             |   | Felidae spp. (II) (Except for<br>the species included in<br>Annex A. Specimens of the<br>domesticated form are not<br>subject to the provisions of<br>this Regulation) |  | Cats  |
|             | Acinonyx jubatus (I) (Annual export quotas for live specimens and hunting trophies are granted as follows: Botswana: 5; Namibia: 150; Zimbabwe: 50. The trade in such specimens is subject to the provisions of Article 4(1) of this Regulation.) |  |  | Cheetah                                     |
|             | Caracal caracal (I) (Only the population of Asia; all other populatiosn are included in Annex B) = 338  |  |  | Asian Caracal                               |
|             | Catopuma temminckii (I)<br>=339   |  |  | Asiatic golden cat                          |
|             | Felis nigripes (I)  |  |  | Black-footed cat                            |
|             | Felis silvestris (II)   |  |  | Wild cat                                    |
|             | Herpailurus yaguarondi(I)<br>(Only the populations of<br>Central and North<br>America; all other popula-<br>tions are included in<br>Annex B) = 339   |  |  | Jaguarundi                                  |
|             | Leopardus pardalis (I) =339   |  |  | Ocelot                                      |



|           | Annex A   | Annex B   | Annex C | Common name             |
|-----------|---|---|---------|-------------------------|
|           | Leopardus tigrinus (I) =339   |   |         | Little spotted cat      |
|           | Leopardus wiedii (I) =339   |   |         | Margay                  |
|           | <b>Lynx lynx</b> (II) = 339   |   |         | Eurasian lynx           |
|           | Lynx pardinus (I) =340  |   |         | Iberian lynx            |
|           | Neofelis nebulosa (I)   |   |         | Clouded leopard         |
|           | Oncifelis geoffroyi (I) =339  |   |         | Geoffroy's cat          |
|           | Oreailurus jacobita (I) =339  |   |         | Andean cat              |
|           | Panthera leo persica (I)  |   |         | Asiatic lion            |
|           | Panthera onca (I)   |   |         | Jaguar                  |
|           | Panthera pardus (I)   |   |         | Leopard                 |
|           | Panthera tigris (I)   |   |         | Tiger                   |
|           | Pardofelis marmorata (I)<br>=339  |   |         | Marbled cat             |
|           | Prionailurus bengalensis<br>bengalensis (I) (Only the<br>populations of Bangladesh,<br>India and Thailand; all<br>other populations are<br>included in Annex B.)<br>= 339 |   |         | Bengal leopard cat      |
|           | Prionailurus bengalensis irio-<br>motensis (II)=339   |   |         | Iriomote cat            |
|           | Prionailurus planiceps (I) = 339  |   |         | Flat-headed cat         |
|           | Prionailurus rubiginosus (I)<br>(Only the population of<br>India; all other populations<br>are included in Annex B.)<br>=339  |   |         | Rusty-spotted cat       |
|           | Puma concolor coryi (I) =339  |   |         | Florida puma            |
|           | Puma concolor costaricensis<br>(I) =339   |   |         | Costa Rican puma        |
|           | Puma concolor couguar (I) =339  |   |         | Eastern puma            |
|           | Uncia uncia (I) =341  |   |         | Snow leopard            |
| Otariidae |   |   |         | Fur seals, sealions     |
|           |   | Arctocephalus spp (II)<br>(Except for the species<br>included in Annex A) |         | Fur seals               |
|           | Arctocephalus philippii (II)  |   |         | Juan Fernandez fur seal |
|           | Arctocephalus townsendi (I)   |   |         | Guadelupe fur seal      |



|                | Annex A  | Annex B   | Annex C | Common name                |
|----------------|--|---|---------|----------------------------|
| Odobenidae     |  |   |         | Walrus                     |
|                |  | Odobenus rosmarus (III CA)  |         | Walrus                     |
| Phocidae       |  |   |         | Seals                      |
|                |  | Mirounga leonina (II)   |         | Southern elephant-seal     |
|                | Monachus spp. (I)  |   |         | Monk seals                 |
| PROBOSCIDEA    |  |   |         |                            |
| Elephantidae   |  |   |         | Elephants                  |
|                | Elephas maximus (I)  |   |         | Asian elephant             |
|                | Loxodonta africana (I) —<br>(Except for the populations<br>of Botswana, Namibia,<br>South Africa and<br>Zimbabwe, which are<br>included in Annex B)              | Loxodonta africana (II) (Only<br>the populations of Bots-<br>wana, Namibia, South<br>Africa (²) and<br>Zimbabwe (³); all other<br>populations are included in<br>Annex A) |         | African elephant           |
| SIRENIA        |  |   |         |                            |
| Dugongidae     |  |   |         | Dugong                     |
|                | Dugong dugon (I)   |   |         | Dugong                     |
| Trichechidae   |  |   |         | Manatees                   |
|                | Trichechidae spp. (I/II)<br>(Trichechus inunguis and<br>Trichechus manatus are listed<br>in Appendix I. Trichechus<br>senegalensis is listed in<br>Appendix II.) |   |         | Manatees                   |
| PERISSODACTYLA |  |   |         |                            |
| Equidae        |  |   |         | Horses, wild asses, zebras |
|                | Equus africanus (I) =342   |   |         | African ass                |
|                | Equus grevyi (I)   |   |         | Grevy's zebra              |
|                | Equus hemionus (I/II) (The species is listed in Appendix II but subspecies Equus hemionus hemionus is listed in Appendix I)                                      |   |         | Asiatic wild ass           |
|                | Equus kiang (II) =343  |   |         | Kiang                      |
|                |  | Equus onager (II) (Except for<br>the subspecies included in<br>Annex A) =343  |         | Onager ass                 |



|                | Annex A   | Annex B   | Annex C                          | Common name               |
|----------------|---|---|----------------------------------|---------------------------|
|                | Equus onager khur (I) =343  |   |                                  | Indian wild ass           |
|                | Equus przewalskii (I) =344  |   |                                  | Przewalski's horse        |
|                |   | Equus zebra hartmannae (II)   |                                  | Hartmann's mountain zebra |
|                | Equus zebra zebra (I)   |   |                                  | Cape mountain zebra       |
| Tapiridae      |   |   |                                  | Tapirs                    |
|                | Tapiridae spp. (I) (Except for the species included in Annex B)               |   |                                  | Tapirs                    |
|                |   | Tapirus terrestris (II)   |                                  | Brazilian tapir           |
| Rhinocerotidae |   |   |                                  | Rhinoceroses              |
|                | Rhinocerotidae spp. (I)<br>(Except for the subspecies<br>included in Annex B) |   |                                  | Rhinoceroses              |
|                |   | Ceratotherium simum simum (II) (Only the populations of South Africa; all other populations are included in Annex A. For the exclusive purpose of allowing international trade in live animals to appropriate and acceptable destinations and trade in hunting trophies. All other specimens shall be deemed to be specimens of species included in Annex A and trade in them shall be regulated accordingly) |                                  | Southern white rhino      |
| ARTIODACTYLA   |   |   |                                  |                           |
| Tragulidae     |   |   |                                  | Mouse-deer                |
|                |   |   | Hyemoschus aquaticus (III<br>GH) | Water chevrotain          |
| Suidae         |   |   |                                  | Babirusa, hogs, pigs      |
|                | Babyrousa babyrussa (I)   |   |                                  | Babirusa                  |
|                | Sus salvanius (I)   |   |                                  | Pygmy hog                 |



|                | Annex A  | Annex B  | Annex C | Common name                   |
|----------------|--|--|---------|-------------------------------|
| Tayassuidae    |  |  |         | Peccaries                     |
|                |  | Tayassuidae spp. (II) (Except for the species included in Annex A and excluding the populations of <i>Pecari tajacu</i> of Mexico and the United States, which are not included in the Annexes to this Regulation)   |         | Peccaries                     |
|                | Catagonus wagneri (I)  |  |         | Chacoan peccary               |
| Hippopotamidae |  |  |         | Hippopotamuses                |
|                |  | Hexaprotodon liberiensis (II)<br>=345  |         | Pygmy hippopotamus            |
|                |  | Hippopotamus amphibius (II)  |         | Hippopotamus                  |
| Camelidae      |  |  |         | Camels, guanoco, vicuña       |
|                |  | Lama guanicoe (II)   |         | Guanaco                       |
|                | Vicugna vicugna (I) (Except for the populations of: Argentina (the population of the Provinces of Jujuy and Catamarca and the semicaptive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan); Bolivia (the whole population); Chile (population of the Primera Región); and Peru (the whole population); which are included in Annex B) | Vicugna vicugna (II) (Only the populations of Argentina (*) (the population of the Provinces of Jujuy and Catamarca and the semicaptive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan); Bolivia (*) (the whole population); Chile (*) (population of the Primera Región); Peru (*) (the whole population); all other populations are included in Annex A) |         | Vicuña                        |
| Moschidae      |  |  |         | Musk deer                     |
|                | Moschus spp. (I) (Only the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan; all other populations are included in Annex B)  | Moschus spp. (II) (Except<br>for the populations of<br>Afghanistan, Bhutan, India,<br>Myanmar, Nepal and Paki-<br>stan, which are included in<br>Annex A)  |         | Musk deer                     |
| Cervidae       |  |  |         | Deer, guemals, muntjace pudus |
|                | Axis calamianensis (I) = 346   |  |         | Calamian deer                 |
|                | Axis kuhlii (I) =347   |  |         | Kuhl's hog deer               |
|                | Axis porcinus annamiticus (I) = 348  |  |         | Indochina hog deer            |
|                | Blastocerus dichotomus (I)   |  |         | Marsh deer                    |
|                | Cervus duvaucelii (I)  |  |         | Swamp deer                    |



|                | Annex A  | Annex B                        | Annex C                                     | Common name   |
|----------------|--|--------------------------------|---|---|
|                |  | Cervus elaphus bactrianus (II) |   | Bactrian deer   |
|                |  |                                | Cervus elaphus barbarus (III<br>TN)         | Barbary deer  |
|                | Cervus elaphus hanglu (I)  |                                |   | Hangul  |
|                | Cervus eldii (I)   |                                |   | Thamin  |
|                | Dama mesopotamica (I) = 349  |                                |   | Persian fallow deer                                     |
|                | Hippocamelus spp. (I)  |                                |   | Huemuls   |
|                |  |                                | Mazama americana cerasina<br>(III GT)       | Middle American red<br>brocket                          |
|                | Megamuntiacus vuquan-<br>ghensis (I)   |                                |   | Giant muntjac   |
|                | Muntiacus crinifrons (I)   |                                |   | Black muntjac   |
|                |  |                                | Odocoileus virginianus<br>mayensis (III GT) | Guatemalan white-tailed deer                            |
|                | Ozotoceros bezoarticus (I)   |                                |   | Pampas deer   |
|                |  | Pudu mephistophiles (II)       |   | Northern pudu   |
|                | Pudu puda (I)  |                                |   | Southern pudu   |
| Antilocapridae |  |                                |   | Pronghorn   |
|                | Antilocapra americana (I) (Only the population of Mexico; no other population is included in the Annexes to this Regulation) |                                |   | Mexican pronghorn                                       |
| Bovidae        |  |                                |   | Antelopes, cattle, duikers, gazelles, goats, sheep etc. |
|                | Addax nasomaculatus (I)  |                                |   | Addax   |
|                |  | Ammotragus lervia (II)         |   | Barbary sheep   |
|                |  | Bison bison athabascae (II)    |   | Wood bison  |
|                |  |                                | Antilope cervicapra (III NP)                | Blackbuck   |
|                | Bos gaurus (I) =350  |                                |   | Gaur  |
|                | Bos mutus (I) = 351  |                                |   | Wild yak  |
|                | Bos sauveli (I) =352   |                                |   | Kouprey   |
|                |  |                                | Bubalus arnee (III NP) =353                 | Wild Asiatic buffalo                                    |
|                | Bubalus depressicornis (I)<br>= 354  |                                |   | Lowland anoa  |
|                | Bubalus mindorensis (I) = 354  |                                |   | Tamaraw   |
|                | Bubalus quarlesi (I) =354  |                                |   | Mountain anoa   |
|                |  | Budorcas taxicolor (II)        |   | Takin   |



| <br>Annex A                          | Annex B   | Annex C                     | Common name           |
|--------------------------------------|---|-----------------------------|-----------------------|
| Capra falconeri (I)                  |   |                             | Markhor               |
|                                      | Cephalophus dorsalis (II)   |                             | Bay duiker            |
| Cephalophus jentinki (I)             |   |                             | Jentink's duiker      |
|                                      | Cephalophus monticola (II)  |                             | Blue duiker           |
|                                      | Cephalophus ogilbyi (II)  |                             | Ogilby's duiker       |
|                                      | Cephalophus silvicultor (II)  |                             | Yellow-backed duiker  |
|                                      | Cephalophus zebra (II)  |                             | Banded duiker         |
|                                      |   | Damaliscus lunatus (III GH) | Tsessebi              |
|                                      | Damaliscus pygargus<br>pygargus (II) =355   |                             | Bontebok              |
|                                      | Gazella cuvieri (III TN)  |                             | Edmi gazelle          |
| Gazella dama (I)                     |   |                             | Dama gazelle          |
|                                      | Gazella dorcas (III TN)   |                             | Dorcas gazelle        |
|                                      | Gazella leptoceros (III TN)   |                             | Rhim                  |
| Hippotragus niger variani (I)        |   |                             | Giant sable antelope  |
|                                      | Kobus leche (II)  |                             | Lechwe                |
| Naemorhedus baileyi (I)<br>=356      |   |                             | Red goral             |
| Naemorhedus caudatus (I)<br>=356     |   |                             | Chinese goral         |
| Naemorhedus goral (I)                |   |                             | Goral                 |
| Naemorhedus sumatraensis (I)<br>=357 |   |                             | Mainland serow        |
| Oryx dammah (I) =358                 |   |                             | Scimitar-horned oryx  |
| Oryx leucoryx (I)                    |   |                             | Arabian oryx          |
|                                      | Ovis ammon (II) (Except for<br>the subspecies included in<br>Annex A)   |                             | Argali                |
| Ovis ammon hodgsonii (I)             |   |                             | Tibetan argali        |
| Ovis ammon nigrimontana<br>(I)       |   |                             | Kara Tau argali       |
|                                      | Ovis canadensis (II) (Only<br>the population of Mexico;<br>no other population is<br>included in the Annexes to<br>this Regulation) |                             | Mexican bighorn sheep |
| Ovis orientalis ophion (I) = 359     |   |                             | Cyprus mouflon        |
|                                      | Ovis vignei (II) (Except for<br>the subspecies included in<br>Annex A)  |                             | Urial                 |



|                  | Annex A  | Annex B  | Annex C                                | Common name          |
|------------------|--|--|--|----------------------|
|                  | Ovis vignei vignei (I) =360  |  |  | Ladakh urial         |
|                  | Svis vigiter vigiter (i)   |  |  | Eddarif Gildi        |
|                  | Pantholops hodgsonii (I)   |  |  | Chiru                |
|                  | Pseudoryx nghetinhensis (I)  |  |  | Vu Quang ox          |
|                  | Rupicapra pyrenaica ornata<br>(I) =361   |  |  | Abruzzo chamois      |
|                  |  | Saiga tatarica (II)  |  | Saiga antelope       |
|                  |  |  | Tetracerus quadricornis (III<br>NP)    | Four-horned antelope |
|                  |  |  | Tragelaphus eurycerus (III<br>GH) =362 | Bongo                |
|                  |  |  | Tragelaphus spekii (III GH)            | Sitatunga            |
| AVES             |  |  |  | Birds                |
| STRUTHIONIFORMES |  |  |  |                      |
| Struthionidae    |  |  |  | Ostrich              |
|                  | Struthio camelus (I) (Only the populations of Algeria, Burkina Faso, Cameroon, the Central African Republic, Chad, Mali, Mauritania, Morocco, the Niger, Nigeria, Senegal and the Sudan; all other populations are not included in the Annexes to this Regulation) |  |  | Ostrich              |
| RHEIFORMES       |  |  |  |                      |
| Rheidae          |  |  |  | Rheas                |
|                  |  | Rhea americana (II)  |  | Greater rhea         |
|                  | Rhea pennata(I) (Except for<br>the populations of Rhea<br>pennata pennata of Argen-<br>tina and Chile, which are<br>included in Annex B) = 363   |  |  | Lesser rhea          |
|                  |  | Rhea pennata pennata (II)<br>(Only the populations of<br>Argentina and Chile) =363 |  | Lesser rhea          |



|                   | Annex A                          | Annex B                  | Annex C                                | Common name                  |
|-------------------|----------------------------------|--------------------------|--|------------------------------|
| TINAMIFORMES      |                                  |                          |  |                              |
| Tinamidae         |                                  |                          |  | Tinamous                     |
|                   | Tinamus solitarius (I)           |                          |  | Solitary tinamou             |
| SPHENISCIFORMES   |                                  |                          |  |                              |
| Spheniscidae      |                                  |                          |  | Penguins                     |
|                   |                                  | Spheniscus demersus (II) |  | Jackass penguin              |
|                   | Spheniscus humboldti (I)         |                          |  | Humboldt penguin             |
| PODICIPEDIFORMES  |                                  |                          |  |                              |
| Podicipedidae     |                                  |                          |  | Grebes                       |
|                   | Podilymbus gigas (I)             |                          |  | Atitlan Grebe                |
| PROCELLARIIFORMES |                                  |                          |  |                              |
| Diomedeidae       |                                  |                          |  | Albatrosses                  |
|                   | Diomedea albatrus (I)            |                          |  | Short-tailed albatross       |
| PELECANIFORMES    |                                  |                          |  |                              |
| Pelecanidae       |                                  |                          |  | Pelicans                     |
|                   | Pelecanus crispus (I)            |                          |  | Dalmatian pelican            |
| Sulidae           |                                  |                          |  | Boobies                      |
|                   | Papasula abbotti (I) =364        |                          |  | Abbott's booby               |
| Fregatidae        |                                  |                          |  | Frigatebirds                 |
|                   | Fregata andrewsi (I)             |                          |  | Christmas frigatebird        |
| CICONIIFORMES     |                                  |                          |  |                              |
| Ardeidae          |                                  |                          |  | Egrets, herons               |
|                   |                                  |                          | Ardea goliath (III GH)                 | Goliath heron                |
|                   | Bubulcus ibis (III GH) =365      |                          |  | Cattle egret                 |
|                   | Casmerodius albus (III GH) = 366 |                          |  | Great egret                  |
|                   | Egretta garzetta (III GH)        |                          |  | Little egret                 |
| Balaenicipitidae  |                                  |                          |  | Shoebill, whale-headed stork |
|                   |                                  | Balaeniceps rex (II)     |  | Shoebill                     |
| Ciconiidae        |                                  |                          |  | Storks                       |
|                   | Ciconia boyciana (I) =367        |                          |  | Oriental stork               |
|                   | Ciconia nigra (II)               |                          |  | Black stork                  |
|                   | Ciconia stormi                   |                          |  | Storm's stork                |
|                   |                                  |                          | Ephippiorhynchus senegalensis (III GH) | Saddle-billed stork          |
|                   | Jabiru mycteria (I)              |                          |  | Jabiru                       |
|                   |                                  |                          | Leptoptilos crumeniferus (III GH)      | Marabou stork                |
|                   | Leptoptilos dubius               |                          |  | Greater adjutant stork       |
|                   | Mycteria cinerea (I)             |                          |  | Milky stork                  |



|                   | Annex A                           | Annex B   | Annex C                              | Common name              |
|-------------------|-----------------------------------|---|--------------------------------------|--------------------------|
| Threskiornithidae |                                   |   |                                      | Ibises, spoonbills       |
|                   |                                   |   | Bostrychia hagedash (III<br>GH) =368 | Hadada ibis              |
|                   |                                   |   | Bostrychia rara (III GH)<br>=369     | Spot-breasted ibis       |
|                   |                                   | Eudocimus ruber (II)  |                                      | Scarlet ibis             |
|                   | Geronticus calvus (II)            |   |                                      | Bald ibis                |
|                   | Geronticus eremita (I)            |   |                                      | Waldrapp                 |
|                   | Nipponia nippon (I)               |   |                                      | Crested ibis             |
|                   | Platalea leucorodia (II)          |   |                                      | Eurasian spoonbill       |
|                   | Pseudibis gigantea                |   |                                      | Giant ibis               |
|                   |                                   |   | Threskiornis aethiopicus (III GH)    | Sacred ibis              |
| Phoenicopteridae  |                                   |   |                                      | Flamingos                |
|                   |                                   | Phoenicopteridae spp. (II)<br>(Except for the species<br>included in Annex A) |                                      | Flamingos                |
|                   | Phoenicopterus ruber (II)<br>=370 |   |                                      | Greater flamingo         |
| ANSERIFORMES      |                                   |   |                                      |                          |
| Anatidae          |                                   |   |                                      | Ducks, geese, swans etc. |
|                   |                                   |   | Alopochen aegyptiacus (III<br>GH)    | Egyptian goose           |
|                   |                                   |   | Anas acuta (III GH)                  | Northern pintail         |
|                   | Anas aucklandica (I) =371         |   |                                      | Brown teal               |
|                   |                                   | Anas bernieri (II)  |                                      | Madagascar teal          |
|                   |                                   |   | Anas capensis (III GH)               | Cape teal                |
|                   |                                   |   | Anas clypeata (III GH)<br>=372       | Northern shoveler        |
|                   |                                   |   | Anas crecca (III GH)                 | Common teal              |
|                   |                                   | Anas formosa (II)   |                                      | Baikal teal              |
|                   | Anas laysanensis (I) =373         |   |                                      | Laysan duck              |



| <br>Annex A                                      | Annex B                     | Annex C                                  | Common name                  |
|--|-----------------------------|--|------------------------------|
| Anas oustaleti (I) =374                          |                             |  | Marianas mallard             |
|  |                             | Anas penelope (III GH)                   | Eurasian wigeon              |
| Anas querquedula (III GH)                        |                             |  | Garganey                     |
| Aythya innotata                                  |                             |  | Madagascar pochard           |
| Aythya nyroca (III GH)<br>=375                   |                             |  | Ferruginous duck             |
| Branta canadensis leuco-<br>pareia (I)           |                             |  | Aleutian goose               |
| Branta ruficollis (II)                           |                             |  | Red-breasted goose           |
| Branta sandvicensis (I)                          |                             |  | Nene                         |
|  |                             | Cairina moschata (III HN)                | Muscovy duck                 |
| Cairina scutulata (I)                            |                             |  | White-winged duck            |
|  | Coscoroba coscoroba (II)    |  | Coscoroba swan               |
|  | Cygnus melanocorypha (II)   |  | Black-necked swan            |
|  | Dendrocygna arborea (II)    |  | West Indian whistling-duck   |
|  |                             | Dendrocygna autumnalis<br>(III HN)       | Black-bellied whistling-duck |
|  |                             | Dendrocygna bicolor (III<br>GH/HN) = 376 | Fulvous whistling-duck       |
|  |                             | Dendrocygna viduata (III<br>GH)          | White-faced whistling-duck   |
| Mergus octosetaceus                              |                             |  | Brazilian merganser          |
|  |                             | Nettapus auritus (III GH)                | African pygmy-goose          |
|  | Oxyura jamaicensis          |  | Ruddy duck                   |
| Oxyura leucocephala (II)                         |                             |  | White-headed duck            |
|  |                             | Plectropterus gambensis (III<br>GH)      | Spur-winged goose            |
|  |                             | Pteronetta hartlaubii (III<br>GH) =377   | Hartlaub's duck              |
| Rhodonessa caryophyllacea (possibly extinct) (I) |                             |  | Pink-headed duck             |
|  | Sarkidiornis melanotos (II) |  | Comb duck                    |
| Tadorna cristata                                 |                             |  | Crested shelduck             |



|               | Annex A                                    | Annex B   | Annex C                       | Common name  |
|---------------|--|---|-------------------------------|--|
| FALCONIFORMES |  |   |                               | Diurnal birds of prey (eagles, falcons, hawks, vultures) |
|               |  | FALCONIFORMES spp. (II) — (Except for the species included in Annex A and for one species of the family Cathartidae included in Annex C; the other species of that family are not included in the Annexes to this Regulation) |                               | Diurnal birds of prey                                    |
| Cathartidae   |  |   |                               | New world vultures                                       |
|               | Gymnogyps californianus<br>(I)             |   |                               | California condor  |
|               |  |   | Sarcoramphus papa (III<br>HN) | King vulture   |
|               | Vultur gryphus (I)                         |   |                               | Andean condor  |
| Pandionidae   |  |   |                               | Ospreys  |
|               | Pandion haliaetus (II)                     |   |                               | Osprey   |
| Accipitridae  |  |   |                               | Hawk, eagles   |
|               | Accipiter brevipes (II)                    |   |                               | Levant sparrowhawk                                       |
|               | Accipiter gentilis (II)                    |   |                               | Northern goshawk   |
|               | Accipiter nisus (II)                       |   |                               | Eurasian sparrowhawk                                     |
|               | Aegypius monachus (II)                     |   |                               | Cinereous vulture  |
|               | Aquila adalberti (I) =378                  |   |                               | Adalbert's eagle   |
|               | Aquila chrysaetos (II)                     |   |                               | Golden eagle   |
|               | Aquila clanga (II)                         |   |                               | Greater spotted eagle                                    |
|               | Aquila heliaca (I)                         |   |                               | Imperial eagle   |
|               | Aquila pomarina (II)                       |   |                               | Lesser spotted eagle                                     |
|               | Buteo buteo (II)                           |   |                               | Common buzzard   |
|               | Buteo lagopus (II)                         |   |                               | Rough legged buzzard                                     |
|               | Buteo rufinus (II)                         |   |                               | Long-legged buzzard                                      |
|               | Chondrohierax uncinatus wilsonii (I) = 379 |   |                               | Cuban hook-billed kite                                   |
|               | Circaetus gallicus (II)                    |   |                               | Short-toed snake-eagle                                   |
|               | Circus aeruginosus (II)                    |   |                               | Western marsh-harrier                                    |
|               | Circus cyaneus (II)                        |   |                               | Northern harrier   |
|               | Circus macrourus (II)                      |   |                               | Pallid harrier   |
|               | Circus pygargus (II)                       |   |                               | Montagu's harrier  |
|               | Elanus caeruleus (II)                      |   |                               | Black-winged kite  |
|               | Eutriorchis astur (II)                     |   |                               | Madagascar serpent-eagle                                 |
|               | 1  | l   | I                             | I  |



|         | Annex A   | Annex B | Annex C | Common name            |
|---------|---|---------|---------|------------------------|
|         | Gypaetus barbatus (II)  |         |         | Lammergeier            |
|         | Gyps fulvus (II)  |         |         | Eurasian griffon       |
|         | Haliaeetus spp. (I/II)<br>(Haliaeetus albicilla and<br>Haliaeetus leucocephalus<br>are listed in Appendix I;<br>the other species are listed<br>in Appendix II) |         |         | Sea-eagles             |
|         | Harpia harpyja (I)  |         |         | Harpy eagle            |
|         | Hieraaetus fasciatus (II)   |         |         | Bonelli's eagle        |
|         | Hieraaetus pennatus (II)  |         |         | Booted eagle           |
|         | Leucopternis occidentalis (II)  |         |         | Grey-backed hawk       |
|         | Milvus migrans (II)   |         |         | Black kite             |
|         | Milvus milvus (II)  |         |         | Red kite               |
|         | Neophron percnopterus (II)  |         |         | Egyptian vulture       |
|         | Pernis apivorus (II)  |         |         | European honey-buzzar  |
|         | Pithecophaga jefferyi (I)   |         |         | Great Philippine eagle |
| conidae |   |         |         | Falcons                |
|         | Falco araea (I)   |         |         | Seychelles kestrel     |
|         | Falco biarmicus (II)  |         |         | Lanner falcon          |
|         | Falco cherrug (II)  |         |         | Saker falcon           |
|         | Falco columbarius (II)  |         |         | Merlin                 |
|         | Falco eleonorae (II)  |         |         | Eleonora's falcon      |
|         | Falco jugger (I)  |         |         | Laggar falcon          |
|         | Falco naumanni (II)   |         |         | Lesser kestrel         |
|         | Falco newtoni(I) (Only the population of the Seychelles)  |         |         | Newton's kestrel       |
|         | Falco pelegrinoides (I) = 380   |         |         | Barbary falcon         |
|         | Falco peregrinus (I)  |         |         | Peregrine falcon       |
|         | Falco punctatus (I)   |         |         | Mauritius kestrel      |
|         | Falco rusticolus (I)  |         |         | Gyrfalcon              |
|         | Falco subbuteo (II)   |         |         | Eurasian hobby         |
|         | Falco tinnunculus (II)  |         |         | Common kestrel         |
|         | Falco vespertinus (II)  |         |         | Red-footed falcon      |



|              | Annex A                   | Annex B  | Annex C                           | Common name  |
|--------------|---------------------------|--|-----------------------------------|--|
| GALLIFORMES  |                           |  |                                   |  |
| Megapodiidae |                           |  |                                   | Megapodes, scrubfowl                                 |
|              | Macrocephalon maleo (I)   |  |                                   | Maleo  |
| Cracidae     |                           | Crax spp.* (-/III) (The following species are listed in Appendix III: Crax alberti, Crax daubentoni and Crax globulosa for Colombia and Crax rubra for Colombia, Costa Rica, Guatemala and Honduras) |                                   | Curassows  |
|              | Crax alberti (III CO)     |  |                                   | Blue-knobbed curassow                                |
|              | Crax blumenbachii (I)     |  |                                   | Red-billed curassow                                  |
|              | Mitu mitu (I) =381        |  |                                   | Alagoas curassow                                     |
|              | Oreophasis derbianus (I)  |  |                                   | Horned guan  |
|              |                           | Ortalis vetula (III GT/HN)   |                                   | Plain chachalaca                                     |
|              |                           | Pauxi spp. (-/III) (Pauxi<br>pauxi is listed in Appendix<br>III for Colombia) =382   |                                   | Helmeted curassows                                   |
|              | Penelope albipennis (I)   |  |                                   | White-winged guan                                    |
|              |                           |  | Penelope purpurascens (III<br>HN) | Crested guan   |
|              |                           | Penelopina nigra (III GT)  |                                   | Highland guan  |
|              | Pipile jacutinga (I) =383 |  |                                   | Black-fronted piping guan                            |
|              | Pipile pipile (I) =384    |  |                                   | Trinidad piping guan                                 |
| Phasianidae  |                           |  |                                   | Grouse, guineafowl, partridges, pheasants, tragopans |
|              |                           | Agelastes meleagrides (III<br>GH)  |                                   | White-breasted guineafowl                            |
|              |                           |  | Agriocharis ocellata (III<br>GT)  | Ocellated turkey                                     |
|              |                           | Arborophila charltonii (III<br>MY)   |                                   | Chestnut-necklaced partridge                         |
|              |                           | Arborophila orientalis (III<br>MY) =385  |                                   | Grey-breasted partridge                              |
|              |                           | Argusianus argus (II)  |                                   | Great argus  |
|              |                           |  | Caloperdix oculea (III MY)        | Ferruginous partridge                                |



| Annex A                               | Annex B                             | Annex C                          | Common name               |
|---------------------------------------|-------------------------------------|----------------------------------|---------------------------|
| <br>Catreus wallichii (I)             |                                     |                                  | Cheer pheasant            |
| Colinus virginianus ridg-<br>wayi (I) |                                     |                                  | Masked bobwhite           |
| Crossoptilon crossoptilon (I)         |                                     |                                  | White eared-pheasant      |
| Crossoptilon harmani (I)<br>=386      |                                     |                                  | Tibetan eared-pheasant    |
| Crossoptilon mantchuricum (I)         |                                     |                                  | Brown eared-pheasant      |
|                                       | Gallus sonneratii (II)              |                                  | Grey junglefowl           |
|                                       | Ithaginis cruentus (II)             |                                  | Blood pheasant            |
| Lophophorus impejanus (I)             |                                     |                                  | Himalayan monal           |
| Lophophorus lhuysii (I)               |                                     |                                  | Chinese monal             |
| Lophophorus sclateri (I)              |                                     |                                  | Sclater's monal           |
|                                       | Lophura bulweri                     |                                  | Bulwer's pheasant         |
|                                       | Lophura diardi                      |                                  | Siamese fireback          |
| Lophura edwardsi (I)                  |                                     |                                  | Edwards' pheasant         |
|                                       | Lophura erythrophthalma<br>(III MY) |                                  | Crestless fireback        |
|                                       | Lophura hatinhensis                 |                                  | Vietnamese fireback       |
|                                       | Lophura hoogerwerfi                 |                                  | Sumatran pheasant         |
|                                       | Lophura ignita (III MY)             |                                  | Crested fireback          |
| Lophura imperialis (I)                |                                     |                                  | Imperial pheasant         |
|                                       | Lophura inornata                    |                                  | Salvadori's pheasant      |
|                                       | Lophura leucomelanos                |                                  | Kalij pheasant            |
| Lophura swinhoii (I)                  |                                     |                                  | Swinhoe's pheasant        |
|                                       |                                     | Melanoperdix nigra (III<br>MY)   | Black partridge           |
| Odontophorus strophium                |                                     |                                  | Gorgeted wood-quail       |
| Ophrysia superciliosa                 |                                     |                                  | Himalayan quail           |
|                                       | Pavo muticus (II)                   |                                  | Green peafowl             |
|                                       | Polyplectron bicalcaratum (II)      |                                  | Grey peacock-pheasant     |
| Polyplectron emphanum (I)             |                                     |                                  | Palawan peacock pheasant  |
|                                       | Polyplectron germaini (II)          |                                  | Germain's peacock-pheasan |
|                                       |                                     | Polyplectron inopinatum (III MY) | Mountain peacock-pheasan  |



|            | Annex A  | Annex B  | Annex C                             | Common name                |
|------------|--|--|-------------------------------------|----------------------------|
|            |  | Polyplectron malacense (II)                                    |                                     | Malayan peacock-pheasant   |
|            |  | Polyplectron schleierma-<br>cheri (II) =387                    |                                     | Bornean peacock-pheasant   |
|            | Rheinardia ocellata (I)<br>=388  |  |                                     | Crested argus              |
|            |  |  | Rhizothera longirostris (III<br>MY) | Long-billed partridge      |
|            |  |  | Rollulus rouloul (III MY)           | Crested partridge          |
|            | Syrmaticus ellioti (I)   |  |                                     | Elliot's pheasant          |
|            | Syrmaticus humiae (I)  |  |                                     | Hume's pheasant            |
|            | Syrmaticus mikado (I)  |  |                                     | Mikado pheasant            |
|            | Tetraogallus caspius (I)   |  |                                     | Caspian snowcock           |
|            | Tetraogallus tibetanus (I)   |  |                                     | Tibetan snowcock           |
|            | Tragopan blythii (I)   |  |                                     | Blyth's tragopan           |
|            | Tragopan caboti (I)  |  |                                     | Cabot's tragopan           |
|            | Tragopan melanocephalus (I)  |  |                                     | Western tragopan           |
|            |  |  | Tragopan satyra (III NP)            | Satyr tragopan             |
|            | Tympanuchus cupido attwateri (I)   |  |                                     | Attwater's prairie-chicken |
| GRUIFORMES |  |  |                                     |                            |
| Gruidae    |  |  |                                     | Cranes                     |
|            |  | Gruidae spp. (II) (Except for the species included in Annex A) |                                     | Cranes                     |
|            | Grus americana (I)   |  |                                     | Whooping crane             |
|            | Grus canadensis (I/II) (The species is listed in Appendix II but subspecies Grus canadensis nesiotes and Grus canadensis pulla are listed in Appendix I) |  |                                     | Sandhill crane             |
|            | Grus grus (II)   |  |                                     | Common crane               |
|            | Grus japonensis (I)  |  |                                     | Red-crowned crane          |
|            | Grus leucogeranus (I)  |  |                                     | Siberian crane             |
|            | Grus monacha (I)   |  |                                     | Hooded crane               |
|            | Grus nigricollis (I)   |  |                                     | Black-necked crane         |
|            | Grus vipio (I)   |  |                                     | White-necked crane         |
| Rallidae   |  |  |                                     | Coots, rails               |
|            | Gallirallus sylvestris (I) = 389   |  |                                     | Lord Howe rail             |



|                 | Annex A                           | Annex B   | Annex C                               | Common name                 |
|-----------------|-----------------------------------|---|---------------------------------------|-----------------------------|
| Rhynochetidae   |                                   |   |                                       | Kagu                        |
|                 | Rhynochetos jubatus (I)           |   |                                       | Kagu                        |
| Otididae        |                                   |   |                                       | Bustards                    |
|                 |                                   | Otididae spp. (II) (Except for the species included in Annex A) |                                       | Bustards                    |
|                 | Ardeotis nigriceps (I) =390       |   |                                       | Indian bustard              |
|                 | Chlamydotis undulata (I)          |   |                                       | Houbara bustard             |
|                 | Eupodotis indica (II)             |   |                                       | Lesser florican             |
|                 | Eupodotis bengalensis (I)<br>=391 |   |                                       | Bengal florican             |
|                 | Otis tarda (II)                   |   |                                       | Great bustard               |
|                 | Tetrax tetrax (II)                |   |                                       | Little bustard              |
| CHARADRIIFORMES |                                   |   |                                       |                             |
| Burhinidae      |                                   |   |                                       | Thick-knees                 |
|                 |                                   |   | Burhinus bistriatus (III GT)          | Double-striped thick-knee   |
| Scolopacidae    |                                   |   |                                       | Curlews, greenshanks        |
|                 | Numenius borealis (I)             |   |                                       | Eskimo curlew               |
|                 | Numenius tenuirostris (I)         |   |                                       | Slender-billed curlew       |
|                 | Tringa guttifer (I)               |   |                                       | Nordmann's greenshank       |
| Laridae         |                                   |   |                                       | Gulls, terns                |
|                 | Larus relictus (I)                |   |                                       | Relict gull                 |
| COLUMBIFORMES   |                                   |   |                                       |                             |
| Columbidae      |                                   |   |                                       | Doves, pigeons              |
|                 | Caloenas nicobarica (I)           |   |                                       | Nicobar pigeon              |
|                 |                                   | Columba caribaea  |                                       | Ring-tailed pigeon          |
|                 | Claravis godefrida                |   |                                       | Purple-winged ground-dove   |
|                 |                                   |   | Columba guinea (III GH)               | Speckled pigeon             |
|                 |                                   |   | Columba iriditorques (III<br>GH) =392 | Western bronze-naped pigeon |
|                 | Columba livia (III GH)            |   |                                       | Rock pigeon                 |
|                 |                                   |   | Columba mayeri (III MU)<br>=393       | Pink pigeon                 |
|                 |                                   |   | Columba unicincta (III GH)            | Afep pigeon                 |
|                 |                                   | Didunculus strigirostris  |                                       | Tooth-billed pigeon         |



|                | Annex A                                  | Annex B  | Annex C                               | Common name   |
|----------------|--|--|---------------------------------------|---|
|                | Ducula mindorensis (I)                   |  |                                       | Mindoro zone-tailed pigeon  |
|                |  | Gallicolumba luzonica (II)   |                                       | Luzon bleeding-heart  |
|                |  | Goura spp. (II)  |                                       | Crowned-pigeons   |
|                | Leptotila wellsi                         |  |                                       | Grenada dove  |
|                |  |  | Oena capensis (III GH)                | Namaqua dove  |
|                |  |  | Streptopelia decipiens (III<br>GH)    | Mourning collared-dove  |
|                |  |  | Streptopelia roseogrisea (III<br>GH)  | African collared-dove   |
|                |  |  | Streptopelia semitorquata<br>(III GH) | Red-eyed dove   |
|                |  |  | Streptopelia senegalensis<br>(III GH) | Laughing dove   |
|                | Streptopelia turtur (III GH)             |  |                                       | European turtle-dove  |
|                |  |  | Streptopelia vinacea (III<br>GH)      | Vinaceous dove  |
|                |  |  | Treron calva (III GH) =394            | African green-pigeon  |
|                |  |  | Treron waalia (III GH)                | Bruce's green-pigeon  |
|                |  |  | Turtur abyssinicus (III GH)           | Black-billed wood-dove  |
|                |  |  | Turtur afer (III GH)                  | Blue-spotted wood-dove  |
|                |  |  | Turtur brehmeri (III GH)<br>=395      | Blue-headed wood-dove   |
|                |  |  | Turtur tympanistria (III<br>GH) =396  | Tambourine dove   |
| PSITTACIFORMES |  |  |                                       | Cockatoos, lories, macaws, parakeets, parrots etc.                |
|                |  | PSITTACIFORMES spp. (II)  — (Except for the species included in Annex A and Annex C and excluding Melopsittacus undulatus and Nymphicus hollandicus, which are not included in the Annexes to this Regulation) |                                       | Parrots, etc.   |
| Psittacidae    |  |  |                                       | Amazons, cockatoos, lories, lorikeets, macaws, parakeets, parrots |
|                | Amazona arausiaca (I)                    |  |                                       | Red-necked parrot   |
|                | Amazona barbadensis (I)                  |  |                                       | Yellow-shouldered parrot  |
|                | Amazona brasiliensis (I)                 |  |                                       | Red-tailed parrot   |
|                | Amazona guildingii (I)                   |  |                                       | St Vincent parrot   |
|                | Amazona imperialis (I)                   |  |                                       | Imperial parrot   |
|                | Amazona leucocephala (I)                 |  |                                       | Cuban parrot  |
|                | Amazona ochrocephala<br>auropalliata (I) |  |                                       | Yellow-naped parrot   |



| Annex A                                    | Annex B | Annex C | Common name                                |
|--|---------|---------|--|
| <br>Amazona ochrocephala<br>belizensis (I) |         |         |  |
| Amazona ochrocephala<br>caribaea (I)       |         |         |  |
| Amazona ochrocephala oratrix (I)           |         |         | Yellow-headed parrot                       |
| Amazona ochrocephala<br>parvipes (I)       |         |         |  |
| Amazona ochrocephala<br>tresmariae (I)     |         |         |  |
| Amazona pretrei (I)                        |         |         | Red-spectacled parrot                      |
| Amazona rhodocorytha (I)<br>=397           |         |         | Red-browed parrot                          |
| Amazona tucumana (I)                       |         |         | Tucuman parrot                             |
| Amazona versicolor (I)                     |         |         | Saint Lucia parrot                         |
| Amazona vinacea (I)                        |         |         | Vinaceous parrot                           |
| Amazona viridigenalis (I)                  |         |         | Green-cheeked parrot                       |
| Amazona vittata (I)                        |         |         | Puerto Rican parrot                        |
| Anodorhynchus spp. (I)                     |         |         | Blue macaws                                |
| Ara ambigua (I)                            |         |         | Great green macaw                          |
| Ara glaucogularis (I) =398                 |         |         | Blue-throated macaw                        |
| Ara macao (I)                              |         |         | Scarlet macaw                              |
| Ara militaris (I)                          |         |         | Military macaw                             |
| Ara rubrogenys (I)                         |         |         | Red-fronted macaw                          |
| Cacatua goffini (I)                        |         |         | Tanimbar cockatoo                          |
| Cacatua haematuropygia (I)                 |         |         | Philippine cockatoo                        |
| Cacatua moluccensis (I)                    |         |         | Salmon-crested cockatoo                    |
| Cyanopsitta spixii (I)                     |         |         | Spix's macaw                               |
| Cyanoramphus forbesi (I)<br>=399           |         |         | Chatham Island yellow-<br>fronted parakeet |



| <br>Annex A  | Annex B | Annex C                     | Common name                       |
|--|---------|-----------------------------|-----------------------------------|
| Cyanoramphus novaezelan-<br>diae (I)=400   |         |                             | Red-fronted parakeet              |
| Cyclopsitta diophthalma<br>coxeni (l) =401   |         |                             | Coxen's double-eyed fig<br>parrot |
| Eos histrio (I)  |         |                             | Red and blue lory                 |
| Eunymphicus cornutus (I)   |         |                             | Horned parakeet                   |
| Geopsittacus occidentalis<br>(possibly extinct) (I) =402   |         |                             | Night parrot                      |
| Guarouba guarouba<br>(I)=403   |         |                             | Golden parakeet                   |
| Neophema chrysogaster (I)  |         |                             | Orange-bellied parrot             |
| Ognorhynchus icterotis (I)   |         |                             | Yellow-eared parrot               |
| Pezoporus wallicus (I)   |         |                             | Ground parrot                     |
| Pionopsitta pileata (I)  |         |                             | Pileated parrot                   |
| Probosciger aterrimus (I)  |         |                             | Palm cockatoo                     |
| Propyrrhura couloni<br>(I)=404   |         |                             | Blue-headed macaw                 |
| Propyrrhura maracana<br>(I)=405  |         |                             | Blue-winged macaw                 |
| Psephotus chrysopterygius (I)  |         |                             | Golden-shouldered parrot          |
| Psephotus dissimilis (I)<br>=406   |         |                             | Hooded parrot                     |
| Psephotus pulcherrimus (possibly extinct) (I)  |         |                             | Paradise parrot                   |
| Psittacula echo (I) =407   |         |                             | Mauritius parakeet                |
|  |         | Psittacula krameri (III GH) | Rose-ringed parakeet              |
| Pyrrhura cruentata (I)   |         |                             | Blue-throated parakeet            |
| Rhynchopsitta spp. (I)   |         |                             | Thick-billed parrots              |
| Strigops habroptilus (I)   |         |                             | Kakapo                            |
| Vini spp. (I/II) (Vini ultra-<br>marina is listed in<br>Appendix I, the other<br>species are listed in<br>Appendix II) |         |                             | Blue lorikeets                    |



|              | Annex A                                    | Annex B   | Annex C | Common name                 |
|--------------|--|---|---------|-----------------------------|
| CUCULIFORMES |  |   |         |                             |
| Musophagidae |  |   |         | Turacos                     |
|              |  | Corythaeola cristata (III<br>GH)  |         | Great blue turaco           |
|              |  | Crinifer piscator (III GH)  |         | Western grey plantain-eater |
|              |  | Musophaga porphyreo-<br>lopha (II) =408                                   |         | Purple-crested turaco       |
|              |  | Musophaga violacea (III<br>GH)  |         | Violet turaco               |
|              |  | Tauraco spp. (II) (Except<br>for the species included in<br>Annex A)      |         | Turacos                     |
|              | Tauraco bannermani (II)                    |   |         | Bannerman's turaco          |
| STRIGIFORMES |  |   |         | Owls                        |
|              |  | STRIGIFORMES spp. (II)<br>(Except for the species<br>included in Annex A) |         | Owls                        |
| Tytonidae    |  | ,   |         | Barn owls                   |
|              | Tyto alba (II)                             |   |         | Barn owl                    |
|              | Tyto soumagnei (I)                         |   |         | Soumagne's owl              |
| Strigidae    |  |   |         | Owls                        |
|              | Aegolius funereus (II)                     |   |         | Boreal owl                  |
|              | Asio flammeus (II)                         |   |         | Short-eared owl             |
|              | Asio otus (II)                             |   |         | Long-eared owl              |
|              | Athene blewitti (I)                        |   |         | Forest owlet                |
|              | Athene noctua (II)                         |   |         | Little owl                  |
|              | Bubo bubo (II)                             |   |         | Eurasian eagle-owl          |
|              | Glaucidium passerinum (II)                 |   |         | Eurasian pygmy-owl          |
|              | Mimizuku gurneyi (I) =409                  |   |         | Lesser eagle-owl            |
|              | Ninox novaeseelandiae<br>undulata (I) =410 |   |         | Norfolk boobook             |
|              | Ninox squamipila natalis (I)               |   |         | Christmas hawk-owl          |
|              | Nyctea scandiaca (II)                      |   |         | Snowy owl                   |
|              | Otus ireneae (II)                          |   |         | Sokoke scops-owl            |
|              | Otus scops (II)                            |   |         | Eurasian scops-owl          |
|              | Strix aluco (II)                           |   |         | Tawny owl                   |
|              | Strix nebulosa (II)                        |   |         | Great grey owl              |
|              | Strix uralensis (II)                       |   |         | Ural owl                    |
| İ            |  |   |         |                             |



|               | Annex A                  | Annex B  | Annex C | Common name            |
|---------------|--------------------------|--|---------|------------------------|
| APODIFORMES   |                          |  |         |                        |
| Trochilidae   |                          |  |         | Hummingbirds           |
|               |                          | Trochilidae spp. (II) (Except for the species included in Annex A)   |         | Hummingbirds           |
|               | Glaucis dohrnii (I)=411  |  |         | Hook-billed hermit     |
| TROGONIFORMES |                          |  |         |                        |
| Trogonidae    |                          |  |         | Quetzals               |
|               | Pharomachrus mocinno (I) |  |         | Resplendent quetzal    |
| CORACIIFORMES |                          |  |         |                        |
| Bucerotidae   |                          |  |         | Hornbills              |
|               |                          | Aceros spp. (II) (Except for<br>the species included in<br>Annex A)  |         | Hornbills              |
|               | Aceros nipalensis (I)    |  |         | Rufous-necked hornbill |
|               | Aceros subruficollis (I) |  |         | Plain-pouched hornbill |
|               |                          | Anorrhinus spp. (II) =412  |         | Hornbills              |
|               |                          | Anthracoceros spp. (II)  |         | Hornbills              |
|               |                          | Buceros spp. (II) (Except<br>for the species included in<br>Annex A) |         | Hornbills              |
|               | Buceros bicornis (I)     |  |         | Great hornbill         |
|               | Buceros vigil (I) =413   |  |         | Helmeted hornbill      |
|               |                          | Penelopides spp. (II)  |         | Hornbills              |
| PICIFORMES    |                          |  |         |                        |
| Capitonidae   |                          |  |         | Barbets                |
|               |                          | Semnornis ramphastinus<br>(III CO)                                   |         | Toucan barbet          |
| Ramphastidae  |                          |  |         | Toucans                |
|               |                          | Baillonius bailloni (III AR)   |         | Saffron toucanet       |
|               |                          | Pteroglossus aracari (II)  |         | Black-necked aracari   |
|               |                          | Pteroglossus castanotis (III AR)                                     |         | Chestnut-eared aracari |
|               |                          | Pteroglossus viridis (II)  |         | Green aracari          |
|               |                          | Ramphastos dicolorus (III<br>AR)                                     |         | Red-breasted toucan    |
|               |                          | Ramphastos sulfuratus (II)   |         | Keel-billed toucan     |



|                  | Annex A   | Annex B                              | Annex C                              | Common name                |
|------------------|---|--------------------------------------|--------------------------------------|----------------------------|
|                  |   | Ramphastos toco (II)                 |                                      | Toco toucan                |
|                  |   | Ramphastos tucanus (II)              |                                      | Red-billed toucan          |
|                  |   | Ramphastos vitellinus (II)           |                                      | Channel-billed toucan      |
|                  |   | Selenidera maculirostris (III<br>AR) |                                      | Spot-billed toucanet       |
| Picidae          |   |                                      |                                      | Woodpeckers                |
|                  | Campephilus imperialis (I)                            |                                      |                                      | Imperial woodpecker        |
|                  | Dryocopus javensis<br>richardsi (I)                   |                                      |                                      | Tristam's woodpecker       |
| PASSERIFORMES    |   |                                      |                                      |                            |
| Cotingidae       |   |                                      |                                      | Cotingas                   |
|                  |   |                                      | Cephalopterus ornatus (III           | Amazonian umbrella bird    |
|                  |   |                                      | Cephalopterus penduliger<br>(III CO) | Long-wattled umbrella bird |
|                  | Cotinga maculata (I)                                  |                                      |                                      | Banded cotinga             |
|                  |   | Rupicola spp. (II)                   |                                      | Cock-of-the-rocks          |
|                  | Xipholena atropurpurea (I)                            |                                      |                                      | White-winged cotinga       |
| Pittidae         |   |                                      |                                      | Pittas                     |
|                  |   | Pitta guajana (II)                   |                                      | Banded pitta               |
|                  | Pitta gurneyi (I)                                     |                                      |                                      | Gurney's pitta             |
|                  | Pitta kochi (I)                                       |                                      |                                      | Whiskered pitta            |
|                  |   | Pitta nympha (II) =414               |                                      | Fairy pitta                |
| Atrichornithidae |   |                                      |                                      | Scrub-birds                |
|                  | Atrichornis clamosus (I)                              |                                      |                                      | Noisy-scrub-bird           |
| Hirundinidae     |   |                                      |                                      | Martins                    |
|                  | Pseudochelidon sirintarae                             |                                      |                                      | White-eyed river-martin    |
| Pycnonotidae     |   |                                      |                                      | Bulbuls                    |
|                  |   | Pycnonotus zeylanicus (II)           |                                      | Straw-headed bulbul        |
| Muscicapidae     |   |                                      |                                      | Old-world flycatchers      |
|                  | Bebrornis rodericanus (III<br>MU)                     |                                      |                                      | Rodriguez brush-warbler    |
|                  |   | Cyornis ruckii (II) =415             |                                      | Rueck's blue-flycatcher    |
|                  | Dasyornis broadbenti litoralis (possibly extinct) (I) |                                      |                                      | Western rufous bristlebird |
|                  | Dasyornis longirostris (I)<br>=416                    |                                      |                                      | Western Bristlebird        |
|                  |   | Garrulax canorus (II)                |                                      | Melodious laughing thrush  |
|                  |   | Leiothrix argentauris (II)           |                                      | Silver-eared mesia         |



|               | Annex A                                     | Annex B                       | Annex C                                 | Common name                       |
|---------------|---|-------------------------------|---|-----------------------------------|
|               |   | Leiothrix lutea (II)          |   | Red-billed leiothrix              |
|               |   | Liocichla omeiensis (II)      |   | Omei shan liocichla               |
|               | Picathartes gymnocephalus (I)               |                               |   | White-necked rockfowl             |
|               | Picathartes oreas (I)                       |                               |   | Grey-necked rockfowl              |
|               |   |                               | Terpsiphone bourbonnensis (III MU) =417 | Mascarene paradise-<br>flycatcher |
| Nectariniidae |   |                               |   | Sunbirds                          |
|               |   | Anthreptes pallidigaster      |   | Amani sunbird                     |
|               |   | Anthreptes rubritorques       |   | Banded sunbird                    |
| Zosteropidae  |   |                               |   | White-eyes                        |
|               | Zosterops albogularis (I)                   |                               |   | White-chested white-eye           |
| Meliphagidae  |   |                               |   | Honey-eaters                      |
|               | Lichenostomus melanops<br>cassidix (I) =418 |                               |   | Helmeted honeyeater               |
| Emberizidae   |   |                               |   | Cardinals, tanagers               |
|               |   | Gubernatrix cristata (II)     |   | Yellow cardinal                   |
|               |   | Paroaria capitata (II)        |   | Yellow-billed cardinal            |
|               |   | Paroaria coronata (II)        |   | Red-crested cardinal              |
|               |   | Tangara fastuosa (II)         |   | Seven-coloured tanager            |
| Icteridae     |   |                               |   | New-world blackbirds              |
|               | Agelaius flavus (I) =419                    |                               |   | Saffron-cowled blackbird          |
| Fringillidae  |   |                               |   | Finches                           |
|               | Carduelis cucullata (I) =420                |                               |   | Red siskin                        |
|               |   | Carduelis yarrellii (II) =420 |   | Yellow-faced siskin               |
|               |   |                               | Serinus canicapillus (III<br>GH) =421   | West African seedeater            |
|               |   |                               | Serinus leucopygius (III<br>GH)         | White-rumped seedeater            |
|               |   |                               | Serinus mozambicus (III<br>GH)          | Yellow-fronted canary             |



|             | Annex A   | Annex B               | Annex C                                 | Common name                       |
|-------------|-----------|-----------------------|---|-----------------------------------|
| Estrildidae | Allinea A | THIRCK D              | THIRCA C                                | Manikins, waxbills                |
| Estrididae  |           |                       | Amadina fasciata (III GH)               | Cut throat                        |
|             |           | 1 6 (77)              | Amauma fasciata (m Gri)                 |                                   |
|             |           | Amandava formosa (II) |   | Green avadavat                    |
|             |           |                       | Amandava subflava (III<br>GH) =422      | Zebra waxbill                     |
|             |           |                       | Estrilda astrild (III GH)               | Common waxbill                    |
|             |           |                       | Estrilda caerulescens (III<br>GH)       | Lavender waxbill                  |
|             |           |                       | Estrilda melpoda (III GH)               | Orange-cheeked waxbill            |
|             |           |                       | Estrilda troglodytes (III GH)           | Black-rumped waxbill              |
|             |           |                       | Lagonosticta rara (III GH)              | Black-bellied firefinch           |
|             |           |                       | Lagonosticta rubricata (III<br>GH)      | African firefinch                 |
|             |           |                       | Lagonosticta rufopicta (III<br>GH)      | Bar-breasted firefinch            |
|             |           |                       | Lagonosticta senegala (III<br>GH)       | Red-billed firefinch              |
|             |           |                       | Lagonosticta vinacea (III<br>GH) =423   | Black-faced firefinch             |
|             |           |                       | Lonchura bicolor (III GH)<br>=424       | Black-and-white mannikin          |
|             |           |                       | Lonchura cantans (III GH)<br>=425       | African silverbill                |
|             |           |                       | Lonchura cucullata (III GH)<br>=424     | Bronze mannikin                   |
|             |           |                       | Lonchura fringilloides (III<br>GH) =424 | Magpie mannikin                   |
|             |           |                       | Mandingoa nitidula (III<br>GH) =426     | Green-backed twinspot             |
|             |           |                       | Nesocharis capistrata (III<br>GH)       | Grey-headed olive-back            |
|             |           |                       | Nigrita bicolor (III GH)                | Chestnut-breasted negro-<br>finch |
|             |           |                       | Nigrita canicapilla (III GH)            | Grey-headed negrofinch            |
|             |           |                       | Nigrita fusconota (III GH)              | White-breasted negrofinch         |
|             |           |                       | Nigrita luteifrons (III GH)             | Pale-fronted negrofinch           |
|             |           |                       | Ortygospiza atricollis (III<br>GH)      | African quailfinch                |
|             |           | Padda fuscata         |   | Timor sparrow                     |
|             |           | Padda oryzivora (II)  |   | Java sparrow                      |



|           | Annex A | Annex B                     | Annex C                                 | Common name                   |
|-----------|---------|-----------------------------|---|-------------------------------|
|           |         |                             | Parmoptila rubrifrons (III<br>GH) =427  | Jameson's antpecker           |
|           |         |                             | Pholidornis rushiae (III GH)            | Tit-hylia                     |
|           |         | Poephila cincta cincta (II) |   | Southern black-throated finch |
|           |         |                             | Pyrenestes ostrinus (III GH)<br>=428    | Black-bellied seedcracker     |
|           |         |                             | Pytilia hypogrammica (III<br>GH)        | Red-faced pytilia             |
|           |         |                             | Pytilia phoenicoptera (III<br>GH)       | Red-winged pytilia            |
|           |         |                             | Spermophaga haematina<br>(III GH)       | Western bluebill              |
|           |         |                             | Uraeginthus bengalus (III<br>GH) =429   | Red-cheeked cordonbleu        |
| Ploceidae |         |                             |   | Weavers, whydahs              |
|           |         |                             | Amblyospiza albifrons (III<br>GH)       | Grosbeak weaver               |
|           |         |                             | Anaplectes rubriceps (III GH) =430      | Red-headed weaver             |
|           |         |                             | Anomalospiza imberbis (III<br>GH)       | Parasitic weaver              |
|           |         |                             | Bubalornis albirostris (III<br>GH)      | White-billed buffalo weaver   |
|           |         |                             | Euplectes afer (III GH)                 | Yellow-crowned bishop         |
|           |         |                             | Euplectes ardens (III GH)<br>=431       | Red-collared widowbird        |
|           |         |                             | Euplectes franciscanus (III<br>GH) =432 | Orange bishop                 |
|           |         |                             | Euplectes hordeaceus (III<br>GH)        | Black-winged bishop           |
|           |         |                             | Euplectes macrourus (III<br>GH) =433    | Yellow-mantled widowbird      |
|           |         |                             | Malimbus cassini (III GH)               | Black-throated malimbe        |



| Malianbus maliambicus (III CRI)  Malianbus nitens (III CRI)  Malianbus rubricollis (III Red-headed malianbe CRI)  Malianbus scatatus (III GRI)  Pachophantus scaparciliosus (III GRI)  Pachophantus scaparciliosus (III GRI)  Perronia dentata (III GRI)  Phocaus albunacha (III GRI)  Phocaus autunius (III GRI)  Phocaus autunius (III GRI)  Phocaus suculilatus (III GRI)  Phocaus suculilatus (III GRI)  Phocaus suculilatus (III GRI)  Phocaus heughini (III GRI)  Phocaus nigerinius (III GRI)  Phocaus migricollis (III GRI)  Phocaus nigerinius (III GRI)  Phocaus nigerinius (III GRI)  Phocaus nigerinius (III GRI)  Phocaus nigerinius (III GRI)  Phocaus phalanocaphalus (III GRI)  Phocaus nigerinius (III GRI)  Phocaus nigerinius (III GRI)  Phocaus phalanocaphalus (III GRI)  Viduu interjecta (III GRI)  Viduu | Annex A | Annex B | Annex C                                 | Common name                         |
|--|---------|---------|---|-------------------------------------|
| Malimbus rubricollis (III GF) Malimbus scaratus (III GF) Pachyphanies supercilious (III GF) Pachyphanies supercilious (III GF) Petronia dentata (III GF) Ploceus albinucha (III GF) Ploceus autontitis (III GF) Ploceus cucullarus (III GF) Ploceus cucullarus (III GF) Ploceus unditious (III GF) Ploceus melanocephalus (III GF) Ploceus nigerimus (III |         |         |   | Crested malimbe                     |
| Malimbus scutatus (III GF) Pachyphanes superciliosus (III GF) Pachyphanes superciliosus (III GF) Pachyphanes superciliosus (III GF) Plocepaser superciliosus (III GF) Plocepaser superciliosus (III GF) Ploces aurantius (III GF) Ploces houghini (III GF) Ploceus melanocephalus (III GF) Ploceus migerimus (III GF) Ploceus migerimus (III GF) Ploceus migerimus (III GF) Ploceus migerimus (III GF) Ploceus personi (III GF) Ploceus personi (III GF) Ploceus vitellinus (III GF) Proceus (II |         |         | Malimbus nitens (III GH)                | Gray's malimbe                      |
| Pachyphantes superciliosus (III GH) Passer griseus (III GH) Plocepasser superciliosus (III GH) Plocepasser superciliosus (III GH) Ploceus albinucha (III GH) Ploceus albinucha (III GH) Ploceus cacullatus (III GH) Ploceus cacullatus (III GH) Ploceus heuglini (III GH) Ploceus heuglini (III GH) Ploceus heuglini (III GH) Ploceus heuglini (III GH) Ploceus melanocephalus (III GH) Ploceus nigerrimus (III GH) Ploceus nigerrimus (III GH) Ploceus piezeri (III GH) Ploceus vitellinus (III GH) Ploce |         |         |   | Red-headed malimbe                  |
| (III GF) = 43.4  Passer griseus (III GH) Petronia dentata (III GH) Plocepasser superediosus (III GH) Plocepasser superediosus (III GH) Ploceus albinucha (III GH) Ploceus cucullatus (III GH) Ploceus cucullatus (III GH) Ploceus huglini (III GH) Ploceus melanocephalus (III GH) Ploceus migerrinus (III GH) Ploceus migerrinus (III GH) Ploceus peizelni (III GH) Ploceus peizelni (III GH) Ploceus peizelni (III GH) Ploceus vitellinus (III GH) Ploceus vitellinus (III GH) Ploceus vitellinus (III GH) Preuss's weaver Ploceus vitellinus (III GH) Preuss's weaver Ploceus vitellinus (III GH) Preuss's weaver Ploceus ricolor (III GH) Preuss's meaned weaver Ploceus vitellinus (III GH) Preuss's meaned weaver Ploceus vitellinus (III GH) Preuss's weaver Preuss's weaver Ploceus vitellinus (III GH) Preuss's weaver Ploceus vitellinus (III GH) Preuss's weaver Ploceus vitellinus (III GH) Preuss's weaver Preuss's weaver Ploceus vitellinus (III GH) Preuss's weaver Preuss's weaver Ploceus vitellinus (III GH) Preuss's weaver Preuss's w |         |         | Malimbus scutatus (III GH)              | Red-vented malimbe                  |
| Petronia dentata (III GH) Plocepasser superciliosus (III GH) Ploceus albinucha (III GH) Ploceus albinucha (III GH) Ploceus aurantius (III GH) Ploceus cucullatus (III GH) Ploceus heuglini (III GH) Ploceus heuglini (III GH) Ploceus melanocephalus (III GH) Ploceus melanocephalus (III GH) Ploceus nigerimus (III GH) Ploceus nigerimus (III GH) Ploceus nigericollis (III GH) Ploceus preussi (III GH) Preuss's weaver Ploceus tricolor (III GH) Preuss's weaver Ploceus tricolor (III GH) Preuss's weaver Ploceus vitellinus (III GH) Preuss's weaver Vitelline masked-weaver 438 Quelca crythrops (III GH) Sporopipes frontalis (III GH) Preuss's weaver Vitelline masked-weaver 439 Vidua chalybeata (III GH) Vidua havaticola (III GH) Vidua larvaticola (III GH) Vidua macroura (III GH) Vidua orientalis (III GH) Pin-tailed whydah Vidua orientalis (III GH) Vidua raricola (III GH) Vidua raricola (III GH) Jambandu indigobird Vidua togoensis (III GH) Jambandu indigobird   |         |         |   | Compact weaver                      |
| Ploceus albinucha (III GH) Ploceus aurantius (III GH) Ploceus aurantius (III GH) Ploceus cucullatus (III GH) Ploceus luteolus (III GH) Ploceus heuglini (III GH) Ploceus heuglini (III GH) Ploceus melanocephalus (III GH) Ploceus melanocephalus (III GH) Ploceus melanocephalus (III GH) Ploceus migricollis (III GH) Ploceus nigricollis (III GH) Ploceus nigricollis (III GH) Ploceus preussi (III GH) Preuss's weaver Ploceus tricolor (III GH) Ploceus tricolor (III GH) Preuss's weaver Vitelline masked-weaver 438 Quelea crythrops (III GH) Sporopipes frontalis (III GH) Sporopipes frontalis (III GH) Vidua chalybeata (III GH) Vidua interjecta (III GH) Vidua larvaticola (III GH) Vidua macroura (III GH) Vidua orientalis (III GH) Pin-tailed whydah Vidua orientalis (III GH) Vidua orientalis (III GH) Vidua raricola (III GH) Vidua raricola (III GH) Jambandu indigobird Vidua togoensis (III GH) Jambandu indigobird Togo paradise-whydah   |         |         | Passer griseus (III GH)                 | Grey-headed sparrow                 |
| Gill GH  |         |         | Petronia dentata (III GH)               | Bush petronia                       |
| Ploceus aurantius (III GH) Ploceus cucullatus (III GH) Ploceus heuglini (III GH) Ploceus heuglini (III GH) Ploceus melanocephalus (III GH) = 436  Ploceus nigericollis (III GH) Ploceus nigericollis (III GH) Ploceus nigericollis (III GH) Ploceus pelzelni (III GH) Ploceus preussi (III GH) Ploceus preussi (III GH) Ploceus virellinus (III GH) Preuss's weaver Vidua carythrops (III GH) Vidua chalybeata (III GH) Vidua halybeata (III GH) Vidua marcoura (III GH) Vidua marcoura (III GH) Vidua orientalis (III GH) Vidua raricola (III GH)   |         |         |   | Chestnut-crowned sparrow-<br>weaver |
| Ploceus cucullatus (III GH)  Ploceus heuglini (III GH)  Ploceus luteolus (III GH)  Ploceus melanocephalus (III GH)  Ploceus melanocephalus (III GH)  Ploceus melanocephalus (III GH)  Ploceus migricollis (III GH)  Ploceus pelzelni (III GH)  Ploceus pelzelni (III GH)  Ploceus pelzelni (III GH)  Ploceus preussi (III GH)  Preuss's weaver  Ploceus tricolor (III GH)  Preuss's weaver  Ploceus vitellinus (III GH)  Preuss's weaver  Ploceus vitellinus (III GH)  Preuss's weaver  Ploceus preusi (III GH)  Vidua chalbeata (III GH)  Vidua interjecta (III GH)  Vidua macroura (III GH)  Vidua macroura (III GH)  Vidua macroura (III GH)  Vidua orientalis (III GH)  Vidua raricola (III GH)  Vidua raricola (III GH)  Vidua raricola (III GH)  Vidua togoensis (III GH)  Vidua togoensis (III GH)  Vidua paradise-whydah   |         |         | Ploceus albinucha (III GH)              | Maxwell's black weaver              |
| Ploceus heuglini (III GH) Ploceus luteolus (III GH) Ploceus melanocephalus (III GH) Ploceus nigerrimus (III GH) Ploceus nigerimus (III GH) Ploceus pelzelni (III GH) Ploceus pelzelni (III GH) Ploceus preussi (III GH) Ploceus tricolor (III GH) Ploceus tricolor (III GH) Ploceus viellinus (III GH) Preuss's weaver Viellow-mantled weaver Ploceus viellinus (III GH) Viellow-mantled weaver Viellow-mantled we |         |         | Ploceus aurantius (III GH)              | Orange weaver                       |
| Ploceus luteolus (III GH) =436  Ploceus melanocephalus (III GH) =437  Ploceus nigerimus (III GH) Ploceus nigerimus (III GH) Ploceus nigeriollis (III GH) Ploceus pelzelni (III GH) Ploceus preussi (III GH) Ploceus vitellinus (III GH) Preuss's weaver Vitelline masked-weaver Ploceus vitellinus (III GH) Vidua chalybeata (III GH) Vidua chalybeata (III GH) Vidua interjecta (III GH) Vidua larvaticola (III GH) Vidua araricola (III GH) Vidua raricola (III GH) Vidua raricola (III GH) Vidua raricola (III GH) Vidua raroura (III GH)  |         |         |   | Village weaver                      |
| Ploceus melanocephalus (III GH) Vieillot's black weaver Ploceus nigerimus (III GH) Vieillot's black weaver Ploceus nigricollis (III GH) Black-necked weaver Ploceus pelzelni (III GH) Slender-billed weaver Ploceus preussi (III GH) Preuss's weaver Ploceus vitellinus (III GH) Preuss's weaver Ploceus vitellinus (III GH) Viellow-mantled weaver Ploceus vitellinus (III GH) Red-headed quelea Sporopipes frontalis (III GH) Sporopipes frontalis (III GH) Vidua chalybeata (III GH) Vidua ehalybeata (III GH) Vidua interjecta (III GH) Village indigobird Vidua larvaticola (III GH) Uelle paradise-whydah Vidua macroura (III GH) Pin-tailed whydah Vidua orientalis (III GH) Pin-tailed whydah Vidua raricola (III GH) Jambandu indigobird Vidua raricola (III GH) Jambandu indigobird Vidua togoensis (III GH) Togo paradise-whydah  |         |         | Ploceus heuglini (III GH)               | Heuglin's masked-weaver             |
| Ploceus nigerrimus (III GH) Ploceus pelzelni (III GH) Ploceus pelzelni (III GH) Ploceus preussi (III GH) Ploceus preussi (III GH) Ploceus tricolor (III GH) Ploceus vitellinus (III GH) Preuss's weaver Vitelline masked-weaver Ploceus vitellinus (III GH) Sporopipes frontalis (III GH) Vidua chalybeata (III GH) Vidua interjecta (III GH) Vidua interjecta (III GH) Vidua araticola (III GH) Vidua orientalis (III GH) Vidua orientalis (III GH) Vidua raricola (III GH) Vidua raricola (III GH) Vidua tangoensis (III GH)   |         |         |   | Little weaver                       |
| Ploceus nigricollis (III GH) Ploceus pelzelni (III GH) Ploceus preussi (III GH) Ploceus preussi (III GH) Ploceus vitellinus (III GH) Ploceus vitellinus (III GH) Ploceus vitellinus (III GH) Preuss's weaver Ploceus vitellinus (III GH) Preuss's weaver Ploceus vitellinus (III GH) Preuss's weaver Ploceus vitellinus (III GH) Poceus vitellinus (III GH) Vidua chalybeata (III GH) Vidua chalybeata (III GH) Vidua interjecta (III GH) Vidua larvaticola (III GH) Vidua macroura (III GH) Pin-tailed whydah Vidua orientalis (III GH) Vidua raricola (III GH) Vidua raricola (III GH) Vidua raricola (III GH) Vidua togoensis (III GH)   |         |         | Ploceus melanocephalus (III<br>GH) =437 | Black-headed weaver                 |
| Ploceus pelzelni (III GH) Ploceus preussi (III GH) Preuss's weaver Ploceus tricolor (III GH) Preuss's weaver Ploceus vitellinus (III GH) Preuss's weaver  Vitelline masked-weaver Sporopipes frontalis (III GH) Poeckle-fronted weaver GH) Vidua chalybeata (III GH) Vidua paradise-whydah Vidua larvaticola (III GH) Vidua macroura (III GH) Vidua orientalis (III GH) Pin-tailed whydah Vidua raricola (III GH) Vidua raricola (III GH) Vidua raricola (III GH) Vidua raricola (III GH) Vidua togoensis (III GH)   |         |         | Ploceus nigerrimus (III GH)             | Vieillot's black weaver             |
| Ploceus preussi (III GH) Ploceus tricolor (III GH) Ploceus vitellinus (III GH) Ploceus vitellinus (III GH) Ploceus vitellinus (III GH) Ploceus vitellinus (III GH) Preuss's weaver Vitelline masked-weaver  Red-headed quelea Sporopipes frontalis (III GH) Vidua chalybeata (III GH) Vidua interjecta (III GH) Vidua interjecta (III GH) Vidua larvaticola (III GH) Vidua macroura (III GH) Vidua orientalis (III GH) Pin-tailed whydah Vidua orientalis (III GH) Vidua raricola (III GH) Vidua raricola (III GH) Vidua togoensis (III GH) Vidua togoensis (III GH) Vidua togo paradise-whydah  |         |         | Ploceus nigricollis (III GH)            | Black-necked weaver                 |
| Ploceus tricolor (III GH) Ploceus vitellinus (III GH) Ploceus vitellinus (III GH) Ploceus vitellinus (III GH) Vitelline masked-weaver  Quelea erythrops (III GH) Sporopipes frontalis (III GH) Vidua chalybeata (III GH) Vidua interjecta (III GH) Vidua interjecta (III GH) Vidua larvaticola (III GH) Vidua macroura (III GH) Pin-tailed whydah Vidua orientalis (III GH) Northern paradise whydah Vidua raricola (III GH) Vidua raricola (III GH) Vidua togoensis (III GH) Vidua togoensis (III GH) Vidua togoensis (III GH) Vidua togoensis (III GH)   |         |         | Ploceus pelzelni (III GH)               | Slender-billed weaver               |
| Ploceus vitellinus (III GH) =438  Quelea erythrops (III GH) Sporopipes frontalis (III GH) Vidua chalybeata (III GH) =439  Vidua interjecta (III GH) Vidua larvaticola (III GH) Vidua orientalis (III GH) Vidua orientalis (III GH) Vidua raricola (III GH)   |         |         | Ploceus preussi (III GH)                | Preuss's weaver                     |
| Quelea erythrops (III GH)  Sporopipes frontalis (III GH)  Vidua chalybeata (III GH)  Vidua interjecta (III GH)  Vidua larvaticola (III GH)  Vidua macroura (III GH)  Vidua orientalis (III GH)  Vidua raricola (III GH)  Vidua togoensis (III GH)  Togo paradise-whydah  |         |         | Ploceus tricolor (III GH)               | Yellow-mantled weaver               |
| Sporopipes frontalis (III GH) Vidua chalybeata (III GH) Vidua interjecta (III GH) Vidua larvaticola (III GH) Vidua macroura (III GH) Vidua orientalis (III GH) Pin-tailed whydah Vidua orientalis (III GH) Vidua raricola (III GH) Vidua togoensis (III GH) Vidua togoensis (III GH) Vidua togoensis (III GH)  |         |         |   | Vitelline masked-weaver             |
| Vidua chalybeata (III GH)  Vidua interjecta (III GH)  Vidua larvaticola (III GH)  Vidua macroura (III GH)  Vidua orientalis (III GH)  Pin-tailed whydah  Vidua orientalis (III GH)  Vidua raricola (III GH)  Vidua raricola (III GH)  Vidua raricola (III GH)  Vidua raricola (III GH)  Vidua togoensis (III GH)  Togo paradise-whydah   |         |         | Quelea erythrops (III GH)               | Red-headed quelea                   |
| Vidua interjecta (III GH)  Vidua larvaticola (III GH)  Vidua macroura (III GH)  Vidua macroura (III GH)  Vidua orientalis (III GH)  Vidua raricola (III GH)  Vidua raricola (III GH)  Vidua togoensis (III GH)  Vidua togoensis (III GH)  Togo paradise-whydah   |         |         |   | Speckle-fronted weaver              |
| Vidua larvaticola (III GH)  Vidua macroura (III GH)  Vidua orientalis (III GH)  Vidua orientalis (III GH)  Vidua raricola (III GH)  Vidua raricola (III GH)  Vidua togoensis (III GH)  Togo paradise-whydah  |         |         |   | Village indigobird                  |
| Vidua macroura (III GH)  Vidua orientalis (III GH)  Vidua raricola (III GH)  Vidua raricola (III GH)  Vidua togoensis (III GH)  Togo paradise-whydah   |         |         | Vidua interjecta (III GH)               | Uelle paradise-whydah               |
| Vidua orientalis (III GH) Northern paradise whydah Vidua raricola (III GH) Vidua togoensis (III GH) Togo paradise-whydah   |         |         | Vidua larvaticola (III GH)              | Baka indigobird                     |
| Vidua raricola (III GH)  Vidua togoensis (III GH)  Togo paradise-whydah  |         |         | Vidua macroura (III GH)                 | Pin-tailed whydah                   |
| Vidua togoensis (III GH)  Togo paradise-whydah   |         |         |   | Northern paradise whydah            |
|  |         |         | Vidua raricola (III GH)                 | Jambandu indigobird                 |
| Vidua wilsoni (III GH) Pale-winged indigobird  |         |         | Vidua togoensis (III GH)                | Togo paradise-whydah                |
|  |         |         | Vidua wilsoni (III GH)                  | Pale-winged indigobird              |



|                | Annex A                              | Annex B  | Annex C | Common name                      |
|----------------|--------------------------------------|--|---------|----------------------------------|
| Sturnidae      |                                      |  |         | Mynahs                           |
|                |                                      | Gracula religiosa (II)   |         | Hill mynah                       |
|                | Leucopsar rothschildi (I)            |  |         | Bali mynah                       |
| Paradisaeidae  |                                      |  |         | Birds of paradise                |
|                |                                      | Paradisaeidae spp. (II)  |         | Birds of paradise                |
| REPTILIA       |                                      |  |         | Reptiles                         |
| TESTUDINATA    |                                      |  |         |                                  |
| Dermatemydidae |                                      |  |         | Central American river tur       |
|                |                                      | Dermatemys mawii (II)  |         | Central American river turn      |
| Platysternidae |                                      |  |         | Big-headed turtle                |
|                |                                      | Platysternon megace-<br>phalum (II)                                  |         | Big-headed turtle                |
| Emydidae       |                                      |  |         | Box turtles, freshwat<br>turtles |
|                |                                      | Annamemys annamensis (II)  |         | Annam pond turtle                |
|                | Batagur baska (I)                    |  |         | Batagur                          |
|                |                                      | Callagur borneoensis (II)  |         | Painted terrapin                 |
|                |                                      | Chrysemys picta  |         |                                  |
|                |                                      | Clemmys insculpta (II)   |         | Wood turtle                      |
|                | Clemmys muhlenbergii (I)             |  |         | Bog turtle                       |
|                |                                      | Cuora spp. (II)  |         | Asian box turtles                |
|                | Geoclemys hamiltonii (I)<br>=441     |  |         | Black pond turtle                |
|                |                                      | Heosemys depressa (II)   |         | Arakan forest turtle             |
|                |                                      | Heosemys grandis (II)  |         | Giant Asian turtle               |
|                |                                      | Heosemys leytensis (II)  |         | Philippine pond turtle           |
|                |                                      | Heosemys spinosa (II)  |         | Spiny turtle                     |
|                |                                      | Hieremys annandalii (II)   |         | Yellow-headed temple turt        |
|                |                                      | Kachuga spp. (II) (Except<br>for the species included in<br>Annex A) |         | Roofed turtles                   |
|                | Kachuga tecta (I) =442               |  |         | Indian sawback turtle            |
|                |                                      | Leucocephalon yuwonoi<br>(II)  |         | Sulawesi forest turtle           |
|                |                                      | Mauremys mutica (II)   |         | Yellow pond turtle               |
|                | Melanochelys tricarinata (I)<br>=443 |  |         | Three-keeled land tortoise       |



|              | Annex A                          | Annex B   | Annex C | Common name              |
|--------------|----------------------------------|---|---------|--------------------------|
|              | Morenia ocellata (I)             |   |         | Burmese swamp turtle     |
|              |                                  | Orlitia borneensis (II)   |         | Malayan giant turtle     |
|              |                                  | Pyxidea mouhotii (II)   |         | Keeled bix turtle        |
|              |                                  | Siebenrockiella crassicollis<br>(II)  |         | Black marsh turtle       |
|              |                                  | Terrapene spp. (II) (Except<br>for the species included in<br>Annex A)  |         | Box-turtles              |
|              | Terrapene coahuila (I)           |   |         | Aquatic box turtle       |
|              |                                  | Trachemys scripta elegans<br>=444   |         | Red-eared terrapin       |
| Testudinidae |                                  |   |         | Tortoises                |
|              |                                  | Testudinidae spp. (II) (Except for the species included in Annex A; a zero annual export quota has been established for Geochelone sulcata for specimens removed from the wild and traded for primarily commercial purposes.) |         | Tortoises                |
|              | Geochelone nigra (I) =445        |   |         | Galapagos giant tortoise |
|              | Geochelone radiata (I)<br>=446   |   |         | Radiated tortoise        |
|              | Geochelone yniphora (I)<br>=446  |   |         | Angonoka                 |
|              | Gopherus flavomarginatus (l)     |   |         | Bolson tortoise          |
|              | Homopus bergeri (II)             |   |         | Berger's cape tortoise   |
|              | Malacochersus tornieri (II)      |   |         | Pancake tortoise         |
|              | Psammobates geometricus (I) =446 |   |         | Geometric tortoise       |



|                | Annex A                          | Annex B                                 | Annex C                              | Common name                       |
|----------------|----------------------------------|---|--------------------------------------|-----------------------------------|
|                | Pyxis planicauda (I)             |   |                                      | Madagascar flat-shelled tortoise  |
|                | Testudo graeca (II)              |   |                                      | Spur-thighed tortoise             |
|                | Testudo hermanni (II)            |   |                                      | Hermann's tortoise                |
|                | Testudo kleinmanni (I)           |   |                                      | Egyptian tortoise                 |
|                | Testudo marginata (II)           |   |                                      | Marginated tortoise               |
|                | Testudo werneri (I)=447          |   |                                      |                                   |
| Cheloniidae    |                                  |   |                                      | Sea turtles                       |
|                | Cheloniidae spp. (I)             |   |                                      | Sea turtles                       |
| Dermochelyidae |                                  |   |                                      | Leatherback turtle                |
|                | Dermochelys coriacea (I)         |   |                                      | Leatherback turtle                |
| Trionychidae   |                                  |   |                                      | Softshell turtles, terrapins      |
|                | Apalone ater (I) =448            |   |                                      | Cuatro Cienagas soft-shell turtle |
|                | Aspideretes gangeticus (I) = 449 |   |                                      | Indian soft-shell turtle          |
|                | Aspideretes hurum (I)<br>=449    |   |                                      | Peacock soft-shell turtle         |
|                | Aspideretes nigricans (I) =449   |   |                                      | Black soft-shell turtle           |
|                |                                  | Chitra spp. (II)                        |                                      | Narrow-headed softshell turtles   |
|                |                                  | Pelochelys spp. (II)                    |                                      | Giant softshell turtles           |
|                |                                  | Lissemys punctata (II)                  |                                      | Indo-Gangetic flap-shelled turtle |
|                |                                  |   | Trionyx triunguis (III GH)           | African soft-shell turtle         |
| Pelomedusidae  |                                  |   |                                      | Afro-American sideneck turtles    |
|                |                                  | Erymnochelys madagascariensis (II) =450 |                                      | Madagascar sideneck turtle        |
|                |                                  |   | Pelomedusa subrufa (III<br>GH)       | Helmeted turtle                   |
|                |                                  | Peltocephalus dumeriliana<br>(II) =450  |                                      | Big-headed sideneck turtle        |
|                |                                  |   | Pelusios adansonii (III GH)          | Adanson's mud turtle              |
|                |                                  |   | Pelusios castaneus (III GH)          | West African mud turtle           |
|                |                                  |   | Pelusios gabonensis (III<br>GH) =451 | African forest turtle             |
|                |                                  |   | Pelusios niger (III GH)              | West African black forest turtle  |
|                |                                  | Podocnemis spp. (II)                    |                                      | Sideneck turtles                  |



| ,             | Annex A  | Annex B   | Annex C | Common name                       |
|---------------|--|---|---------|-----------------------------------|
| Chelidae      |  |   |         | Austro-American sideneck turtles  |
|               | Pseudemydura umbrina (I)   |   |         | Western swamp turtle              |
| CROCODYLIA    |  |   |         | Caimans, crocodiles, alligators   |
|               |  | CROCODYLIA spp. (II)<br>(Except for the species<br>included in Annex A)<br>=452 |         | Caimans, crocodiles, alligators   |
| Alligatoridae |  |   |         | Alligators, caimans               |
|               | Alligator sinensis (I)   |   |         | Chinese alligator                 |
|               | Caiman crocodilus apaporiensis (I)   |   |         | Rio Apaporis spectacled caiman    |
|               | Caiman latirostris (I) (Except for the population of Argentina, which is included in Annex B)  |   |         | Broad-nosed caiman                |
|               | Melanosuchus niger (I) (Except for the population of Ecuador, which is included in Annex B, and is subject to a zero annual export quota until an annual export quota has been approved by the CITES Secretariat and the IUCN/SSC Crocodile Specialist Group)  |   |         | Black caiman                      |
| Crocodylidae  |  |   |         | Crocodiles                        |
|               | Crocodylus acutus (I)  |   |         | American crocodile                |
|               | Crocodylus cataphractus (I)  |   |         | African slender-snouted crocodile |
|               | Crocodylus intermedius (I)   |   |         | Orinoco crocodile                 |
|               | Crocodylus mindorensis (I)   |   |         | Philippine crocodile              |
|               | Crocodylus moreletii (I)   |   |         | Morelet's crocodile               |
|               | Crocodylus niloticus (I) (Except for the populations of Botswana, Ethiopia, Kenya, Madagascar, Malawi, Mozambique, South Africa, Uganda, the United Republic of Tanzania [subject to an annual export quota of no more than 1600 wild specimens including hunting trophies, in addition to ranched specimens], Zambia and Zimbabwe; these populations are included in Annex B) |   |         | Nile crocodile                    |



|                 | Annex A   | Annex B   | Annex C                     | Common name                               |
|-----------------|---|---|-----------------------------|---|
|                 | Crocodylus palustris (I)  |   |                             | Mugger crocodile                          |
|                 | Crocodylus porosus (I)<br>(Except for the populations<br>of Australia, Indonesia and<br>Papua New Guinea, which<br>are included in Annex B) |   |                             | Estuarine crocodile                       |
|                 | Crocodylus rhombifer (I)  |   |                             | Cuban crocodile                           |
|                 | Crocodylus siamensis (I)  |   |                             | Siamese crocodile                         |
|                 | Osteolaemus tetraspis (I)   |   |                             | West African dwarf croco-<br>dile         |
|                 | Tomistoma schlegelii (I)  |   |                             | False gharial                             |
| Gavialidae      |   |   |                             | Gavial or gharial                         |
|                 | Gavialis gangeticus (I)   |   |                             | Gharial                                   |
| RHYNCHOCEPHALIA |   |   |                             |   |
| Sphenodontidae  |   |   |                             | Tuataras                                  |
|                 | Sphenodon spp. (I)  |   |                             | Tuataras                                  |
| SAURIA          |   |   |                             |   |
| Gekkonidae      |   |   |                             | Geckos                                    |
|                 |   | Cyrtodactylus serpensinsula<br>(II) =453                                  |                             | Serpent Island gecko                      |
|                 |   |   | Hoplodactylus spp. (III NZ) |   |
|                 |   |   | Naultinus spp. (III NZ)     |   |
|                 |   | Phelsuma spp. (II) (Except<br>for the species included in<br>Annex A)=454 |                             | Day-geckos                                |
|                 | Phelsuma guentheri (II)   |   |                             | Round Island day gecko                    |
| Agamidae        |   |   |                             | Spiny-tailed lizards (Agamas, mastigures) |
|                 |   | Uromastyx spp. (II)   |                             | Spiny-tailed lizards                      |



|                | Annex A                   | Annex B  | Annex C | Common name                       |
|----------------|---------------------------|--|---------|-----------------------------------|
| Chamaeleonidae |                           |  |         | Chameleons                        |
|                |                           | Bradypodion spp. (II) =455   |         | Dwarf chameleons                  |
|                |                           | Brookesia spp. (II) (Except<br>for the species included in<br>Annex A) |         | Dwarf chameleons                  |
|                | Brookesia perarmata (I)   |  |         | Dwarf spiny chameleon             |
|                |                           | Calumma spp. (II) =455   |         | Chameleons                        |
|                |                           | Chamaeleo spp. (II) (Except<br>for the species included in<br>Annex A) |         | Chameleons                        |
|                | Chamaeleo chamaeleon (II) |  |         | European chameleon                |
|                |                           | Furcifer spp. (II) =455  |         | Chameleons                        |
| Iguanidae      |                           |  |         | Iguanas                           |
|                |                           | Amblyrhynchus cristatus (II)   |         | Galapagos marine iguana           |
|                | Brachylophus spp. (I)     |  |         | Fiji iguanas                      |
|                |                           | Conolophus spp. (II)   |         | Galapagos land iguanas            |
|                | Cyclura spp. (I)          |  |         | Ground iguanas                    |
|                |                           | Iguana spp. (II)   |         | Iguanas                           |
|                |                           | Liolaemus gravenhorstii  |         | Striped ground iguana             |
|                |                           | Phrynosoma coronatum (II)  |         | Coast horned lizard               |
|                | Sauromalus varius (I)     |  |         | San Esteban Island chuck<br>walla |
| Lacertidae     |                           |  |         | Lizards                           |
|                | Gallotia simonyi (I)      |  |         | Hierro giant lizard               |
|                | Podarcis lilfordi (II)    |  |         | Lilford's wall lizard             |
|                | Podarcis pityusensis (II) |  |         | Ibiza wall lizard                 |
| Cordylidae     |                           |  |         | Spiny-tailed lizards              |
|                |                           | Cordylus spp. (II) =456  |         | Girdled lizards                   |
| Teiidae        |                           |  |         | Caiman lizards, tegu lizards      |
|                |                           | Crocodilurus amazonicus (II)=457                                       |         | Dragon lizard                     |
|                |                           | Dracaena spp. (II)   |         | Caiman lizards                    |
|                |                           | Tupinambis spp. (II) =458  |         | Tegus                             |
| Scincidae      |                           |  |         | Skinks                            |
|                |                           | Corucia zebrata (II)   |         | Prehensile-tailed skink           |
| Xenosauridae   |                           |  |         | Chinese crocodile lizard          |
|                |                           | Shinisaurus crocodilurus (II)  |         | Chinese crocodile lizard          |



|                | Annex A                                  | Annex B   | Annex C | Common name                    |
|----------------|--|---|---------|--------------------------------|
| Helodermatidae |  |   |         | Gila monster and beaded lizard |
|                |  | Heloderma spp. (II)   |         | Gila monster and beaded lizard |
| Varanidae      |  |   |         | Monitor lizards                |
|                |  | Varanus spp. (II) (Except<br>for the species included in<br>Annex A)          |         | Monitor lizards                |
|                | Varanus bengalensis (I)                  |   |         | Indian monitor                 |
|                | Varanus flavescens (I)                   |   |         | Yellow monitor                 |
|                | Varanus griseus (I)                      |   |         | Desert monitor                 |
|                | Varanus komodoensis (I)                  |   |         | Komodo dragon                  |
|                | Varanus olivaceus (II)                   |   |         | Gray's monitor                 |
| SERPENTES      |  |   |         | Snakes                         |
| Loxocemidae    |  |   |         | Mexican dwarf boa              |
|                |  | Loxocemidae spp. (II) =459  |         | Mexican dwarf boa              |
| Pythonidae     |  |   |         | Pythons                        |
|                |  | Pythonidae spp. (II) (Except<br>for the species included in<br>Annex A) =459  |         | Pythons                        |
|                | Python molurus molurus (I) =460          |   |         | Indian python                  |
| Boidae         |  |   |         | Boas                           |
|                |  | Boidae spp. (II) (Except for<br>the species included in<br>Annex A)           |         | Boas                           |
|                | Acrantophis spp. (I)                     |   |         | Madagascar ground boas         |
|                | Boa constrictor occidentalis<br>(I) =461 |   |         | Argentine boa constrictor      |
|                | Epicrates inornatus (I)                  |   |         | Puerto Rican boa               |
|                | Epicrates monensis (I)                   |   |         | Virgin Island tree boa         |
|                | Epicrates subflavus (I)                  |   |         | Jamaican boa                   |
|                | Eryx jaculus (II)                        |   |         | Spotted sand boa               |
|                | Sanzinia madagascariensis<br>(I) =462    |   |         | Madagascar tree boa            |
| Bolyeriidae    |  |   |         | Round Island boas              |
|                |  | Bolyeriidae spp. (II) (Except<br>for the species included in<br>Annex A) =459 |         | Round Island boas              |
|                | Bolyeria multocarinata (I)               |   |         | Round Island boa               |
|                | Casarea dussumieri (I)                   |   |         | Round Island keel-scaled boa   |



|                | Annex A | Annex B                          | Annex C                                | Common name                               |
|----------------|---------|----------------------------------|--|---|
| Tropidophiidae |         |                                  |  | Wood boas                                 |
|                |         | Tropidophiidae spp. (II)<br>=459 |  | Wood boas                                 |
| Colubridae     |         |                                  |  | Typical snakes, water snakes, whip snakes |
|                |         |                                  | Atretium schistosum (III<br>IN)        | Olive keel-back                           |
|                |         |                                  | Cerberus rhynchops (III IN)            | Dog-faced water snake                     |
|                |         | Clelia clelia (II) =463          |  | Mussurana                                 |
|                |         | Cyclagras gigas (II) =464        |  | False cobra                               |
|                |         | Dromicus chamissonis<br>=465     |  | Chilean ground snake                      |
|                |         | Elachistodon westermanni<br>(II) |  | Indian egg-eating snake                   |
|                |         | Ptyas mucosus (II)               |  | Common rat snake                          |
|                |         |                                  | Xenochrophis piscator (III<br>IN) =466 | Checkered keel-back                       |
| Elapidae       |         |                                  |  | Cobras, coral snakes                      |
|                |         | Hoplocephalus bungaroides (II)   |  | Broad-headed snake                        |
|                |         |                                  | Micrurus diastema (III HN)             | Atlantic coral snake                      |
|                |         |                                  | Micrurus nigrocinctus (III<br>HN)      | Central American coral snake              |
|                |         | Naja atra (II) =467              |  |   |
|                |         | Naja kaouthia (II) =467          |  |   |
|                |         | Naja mandalayensis (II)<br>=467  |  |   |
|                |         | Naja naja (II)                   |  | Asiatic cobra                             |
|                |         | Naja oxiana (II) =467            |  |   |
|                |         | Naja philippinensis (II)<br>=467 |  |   |
|                |         | Naja sagittifera (II) =467       |  |   |
|                |         | Naja samarensis (II) =467        |  |   |
|                |         | Naja siamensis (II) =467         |  |   |
|                |         | Naja sputatrix (II) =467         |  |   |
|                |         | Naja sumatrana (II) =467         |  |   |
|                |         | Ophiophagus hannah (II)          |  | King cobra                                |



|               | Annex A  | Annex B                         | Annex C                          | Common name             |
|---------------|--|---------------------------------|----------------------------------|-------------------------|
| Viperidae     |  |                                 |                                  | Vipers                  |
|               |  |                                 | Crotalus durissus (III HN)       | Neotropical rattlesnake |
|               |  | Crotalus durissus unicolor =468 |                                  | Neotropical rattlesnake |
|               |  | Crotalus willardi               |                                  | Ridge-nosed rattlesnake |
|               |  |                                 | Daboia russelii (III IN)<br>=469 | Russell's viper         |
|               | Vipera latifii   |                                 |                                  | Latifi's viper          |
|               | Vipera ursinii (I) (Only the population of Europe, except the area which formerly constituted the USSR; these latter populations are not included in the Annexes to this Regulation) |                                 |                                  | Orsini's viper          |
|               |  | Vipera wagneri (II)             |                                  | Wagner's viper          |
| AMPHIBIA      |  |                                 |                                  | Amphibians              |
| ANURA         |  |                                 |                                  |                         |
| Bufonidae     |  |                                 |                                  | Toads                   |
|               | Altiphrynoides spp. (I) =470   |                                 |                                  |                         |
|               | Atelopus zeteki (I) =471   |                                 |                                  | Golden frog             |
|               | Bufo periglenes (I)  |                                 |                                  | Golden toad             |
|               | Bufo superciliaris (I)   |                                 |                                  | Cameroon toad           |
|               | Nectophrynoides spp. (I)   |                                 |                                  | Viviparous toads        |
|               | Nimbaphrynoides spp. (I) =470  |                                 |                                  |                         |
|               | Spinophrynoides spp. (I) =470  |                                 |                                  |                         |
| Dendrobatidae |  |                                 |                                  | Poison frogs            |
|               |  | Dendrobates spp. (II)           |                                  | Poison-arrow frogs      |
|               |  | Epipedobates spp. (II) =472     |                                  | Poison-arrow frogs      |
|               |  | Minyobates spp. (II) =472       |                                  | Poison-arrow frogs      |
|               |  | Phyllobates spp.(II)            |                                  | Poison-dart frogs       |



|                  | Annex A                  | Annex B  | Annex C                            | Common name                |
|------------------|--------------------------|--|------------------------------------|----------------------------|
| Mantellidae      |                          |  |                                    | Mantella frogs             |
|                  |                          | Mantella spp. (II)   |                                    | Mantella frogs             |
| Microhylidae     |                          |  |                                    | Tomato frogs               |
|                  | Dyscophus antongilii (I) |  |                                    | Tomato frog                |
|                  |                          | Scaphiophryne gottlebei (II)   |                                    | Gottlebe's microhylid frog |
| Ranidae          |                          |  |                                    | Frogs                      |
|                  |                          | Conraua goliath  |                                    | Goliath frog               |
|                  |                          | Euphlyctis hexadactylus (II) =473  |                                    | Six-fingered frog          |
|                  |                          | Hoplobatrachus tigerinus (II) =473   |                                    | Tiger frog                 |
|                  |                          | Rana catesbeiana   |                                    | American bullfrog          |
| Myobatrachidae   |                          |  |                                    | Gastric brooding frogs     |
|                  |                          | Rheobatrachus spp. (II)<br>(Except for the species<br>included in Annex A) |                                    | Gastric brooding frog      |
|                  | Rheobatrachus silus (II) |  |                                    | Platypus frog              |
| CAUDATA          |                          |  |                                    |                            |
| Ambystomidae     |                          |  |                                    | Axolotls                   |
|                  |                          | Ambystoma dumerilii (II)   |                                    | Lake Patzcuaro salamander  |
|                  |                          | Ambystoma mexicanum (II)   |                                    | Axolotl                    |
| Cryptobranchidae |                          |  |                                    | Giant salamanders          |
|                  | Andrias spp. (I) =474    |  |                                    | Giant salamanders          |
| ELASMBORANCHII   |                          |  |                                    | Sharks and rays            |
| ORECTOLOBIFORMES |                          |  |                                    |                            |
| Rhincodontidae   |                          |  |                                    | Whale sharks               |
|                  |                          | Rhincodon typus (II)   |                                    | Whale shark                |
| LAMNIFORMES      |                          |  |                                    |                            |
| Lamnidae         |                          |  |                                    | Great white shark          |
|                  |                          |  | Carcharodon carcharias (III<br>AU) | Great white shark          |
| Cetorhinidae     |                          |  |                                    | Basking Sharks             |
|                  |                          | Cetorhinus maximus (II)  |                                    | Basking shark              |



|                   | Annex A                    | Annex B  | Annex C | Common name              |
|-------------------|----------------------------|--|---------|--------------------------|
| ACTINOPTERYGII    |                            |  |         | Fish                     |
| ACIPENSERIFORMES  |                            | ACIPENSERIFORMES spp.<br>(II) (Except for the species included in Annex A) |         | Sturgeons and paddlefish |
| Acipenseridae     |                            |  |         | Sturgeons                |
|                   | Acipenser brevirostrum (I) |  |         | Shortnose sturgeon       |
|                   | Acipenser sturio (I)       |  |         | Common sturgeon          |
| OSTEOGLOSSIFORMES |                            |  |         |                          |
| Osteoglossidae    |                            |  |         | Arapaimas, bonytongues   |
|                   |                            | Arapaima gigas (II)  |         | Arapaima                 |
|                   | Scleropages formosus (I)   |  |         | Asian arowana            |
| CYPRINIFORMES     |                            |  |         |                          |
| Cyprinidae        |                            |  |         | Blind carps, plaeesok    |
|                   |                            | Caecobarbus geertsi (II)   |         | African blind barb fish  |
|                   | Probarbus jullieni (I)     |  |         | Ikan temoleh             |
| Catostomidae      |                            |  |         | Cui-ui                   |
|                   | Chasmistes cujus (I)       |  |         | Cui-ui                   |
| SILURIFORMES      |                            |  |         |                          |
| Pangasiidae       |                            |  |         | Pangasid catfish         |
|                   | Pangasianodon gigas (I)    |  |         | Giant catfish            |
| SYNGNATHIFORMES   |                            |  |         |                          |
| Syngnathidae      |                            |  |         | Pipefishes, seahorses    |
|                   |                            | Hippocampus spp. (II) This inclusion will enter into force on 15 May 2004  |         | Seahorses                |
| PERCIFORMES       |                            |  |         |                          |
| Sciaenidae        |                            |  |         | Totoabas                 |
|                   | Totoaba macdonaldi (I)=475 |  |         | Totoaba                  |
| SARCOPTERYGII     |                            |  |         | Lungfishes               |
| COELACANTHIFORMES |                            |  |         |                          |
| Coelacanthidae    |                            |  |         | Coelacanths              |
|                   | Latimeria spp. (I)         |  |         | Coelacanths              |
| CERATODONTIFORMES |                            |  |         |                          |
| Ceratodontidae    |                            |  |         | Australian lungfishes    |
|                   |                            | Neoceratodus forsteri (II)   |         | Australian lungfish      |



|               | Annex A                     | Annex B   | Annex C                | Common name                          |
|---------------|-----------------------------|---|------------------------|--------------------------------------|
|               | AF                          | RTHROPODA (ARTHROPO   | DS)                    |                                      |
| ARACHNIDA     |                             |   |                        | Spiders and scorpions                |
| SCORPIONES    |                             |   |                        |                                      |
| Scorpionidae  |                             |   |                        | Scorpions                            |
|               |                             | Pandinus dictator (II)  |                        | A scorpion                           |
|               |                             | Pandinus gambiensis (II)  |                        | Giant Senegalese scorpion            |
|               |                             | Pandinus imperator (II)<br>=476   |                        | Emperor scorpion                     |
| ARANEAE       |                             |   |                        |                                      |
| Theraphosidae |                             |   |                        | Red-kneed tarantulas, taran tulas    |
|               |                             | Aphonopelma albiceps (II)<br>=477   |                        |                                      |
|               |                             | Aphonopelma pallidum (II)<br>=477   |                        |                                      |
|               |                             | Brachypelma spp (II)  |                        | Tarantulas                           |
|               |                             | Brachypelmides klaasi (II)<br>=477  |                        |                                      |
| INSECTA       |                             |   |                        | Insects                              |
| COLEOPTERA    |                             |   |                        | Beetles                              |
| Lucanidae     |                             |   |                        | Stag beetles                         |
|               |                             |   | Colophon spp. (III ZA) |                                      |
| LEPIDOPTERA   |                             |   |                        | Butterflies                          |
| Papilionidae  |                             |   |                        | Birdwing and swallowtain butterflies |
|               |                             | Atrophaneura jophon (II)  |                        | Sri Lankan rose                      |
|               |                             | Atrophaneura palu   |                        | Palu swallowtail butterfly           |
|               |                             | Atrophaneura pandiyana (II)   |                        |                                      |
|               |                             | Baronia brevicornis   |                        | Short-horned baronia                 |
|               |                             | Bhutanitis spp. (II)  |                        | Swallowtail butterflies              |
|               |                             | Graphium sandawanum   |                        | Apo swallowtail butterfly            |
|               |                             | Graphium stresemanni  |                        | A swallowtail butterfly              |
|               |                             | Ornithoptera spp. (II)<br>(except for the species<br>included in Annex A)<br>=478 |                        | Birdwing butterflies                 |
|               | Ornithoptera alexandrae (I) |   |                        | Queen Alexandra's birdwin            |
|               |                             | Papilio benguetanus   |                        | A swallowtail butterfly              |
|               | Papilio chikae (I)          |   |                        | Luzon peacock swallowtail            |
|               |                             | Papilio esperanza   |                        | A swallowtail butterfly              |
|               |                             | Papilio grosesmithi   |                        | A swallowtail butterfly              |



|                | Annex A                                     | Annex B                     | Annex C    | Common name                                  |
|----------------|---|-----------------------------|------------|--|
|                | Papilio homerus (I)                         |                             |            | Homerus swallowtail                          |
|                | Papilio hospiton (I)                        |                             |            | Corsican swallowtail                         |
|                |   | Papilio maraho              |            | A swallowtail butterfly                      |
|                |   | Papilio morondavana         |            | Madagascan emperor swal lowtail              |
|                |   | Papilio neumoegeni          |            | A swallowtail butterfly                      |
|                |   | Parides ascanius            |            | Fluminense swallowtai butterfly              |
|                |   | Parides hahneli             |            | Hahnel's amazonian swal<br>lowtail butterfly |
|                | Parnassius apollo (II)                      |                             |            | Apollo butterfly                             |
|                |   | Teinopalpus spp. (II)       |            | Kaiser-I-Hind butterflies                    |
|                |   | Trogonoptera spp. (II) =478 |            | Birdwing butterflies                         |
|                |   | Troides spp. (II) =478      |            | Birdwing butterflies                         |
|                | ANNELIDA                                    | (SEGMENTED WORMS AN         | D LEECHES) | 1  |
| HIRUDINOIDEA   |   |                             |            | Leeches                                      |
| ARHYNCHOBDELLA |   |                             |            |  |
| Hirudinidae    |   |                             |            | Leeches                                      |
|                |   | Hirudo medicinalis (II)     |            | Medicinal leech                              |
|                | ı   | MOLLUSCA (MOLLUSCS)         | I          | I  |
| BIVALVIA       |   |                             |            | Bivalve molluscs (clams mussels etc.)        |
| VENERIDA       |   |                             |            |  |
| Tridacnidae    |   |                             |            | Giant clams                                  |
|                |   | Tridacnidae spp. (II)       |            | Giant clams                                  |
| JNIONIDA       |   |                             |            |  |
| Jnionidae      |   |                             |            | Freshwater mussels, pearly mussels           |
|                | Conradilla caelata (I)                      |                             |            | Birdwing pearly mussel                       |
|                |   | Cyprogenia aberti (II)      |            | Western fanshell mussel                      |
|                | Dromus dromas (I) =479                      |                             |            | Dromedary pearly mussel                      |
|                | Epioblasma curtisii (I)<br>=480             |                             |            | Curtis' pearly mussel                        |
|                | Epioblasma florentina (I)<br>=480           |                             |            | Yellow-blossom pearly mussel                 |
|                | Epioblasma sampsonii (I)<br>=480            |                             |            | Wabash riffleshell                           |
|                | Epioblasma sulcata pero-<br>bliqua (I) =480 |                             |            | White catspaw mussel                         |



|                 | Annex A  | Annex B                                   | Annex C | Common name                           |
|-----------------|--|---|---------|---------------------------------------|
|                 | Epioblasma torulosa guber-<br>naculum (I) =480 |   |         | Green-blossom pearly mussel           |
|                 |  | Epioblasma torulosa<br>rangiana (II) =479 |         | Northern riffleshell                  |
|                 | Epioblasma torulosa toru-<br>losa (I) =480     |   |         | Turbercled-blossom pearly mussel      |
|                 | Epioblasma turgidula (I)<br>=480               |   |         | Turgid-blossom pearly mussel          |
|                 | Epioblasma walkeri (I)<br>=480                 |   |         | Tan riffleshell                       |
|                 | Fusconaia cuneolus (I)                         |   |         | Fine-rayed pigtoe pearly mussel       |
|                 | Fusconaia edgariana (I)                        |   |         | Shiny pigtoe pearly mussel            |
|                 | Lampsilis higginsii (I)                        |   |         | Higgins' eye pearly mussel            |
|                 | Lampsilis orbiculata orbiculata (I)            |   |         | Pink mucket pearly mussel             |
|                 | Lampsilis satur (I)                            |   |         | Sandback pocketbook<br>mussel         |
|                 | Lampsilis virescens (I)                        |   |         | Alabama lamp pearly mussel            |
|                 | Plethobasus cicatricosus (I)                   |   |         | White warty-back pearly mussel        |
|                 | Plethobasus cooperianus (I)                    |   |         | Orange-footed pimpleback mussel       |
|                 |  | Pleurobema clava (II)                     |         | Clubshell pearly mussel               |
|                 | Pleurobema plenum (I)                          |   |         | Rough pigtoe pearly mussel            |
|                 | Potamilus capax (I) =481                       |   |         | Fat pocketbook pearly mussel          |
|                 | Quadrula intermedia (I)                        |   |         | Cumberland monkey-face pearly mussel  |
|                 | Quadrula sparsa (I)                            |   |         | Appalachian monkey-face pearly mussel |
|                 | Toxolasma cylindrellus (I) =482                |   |         | Pale lilliput pearly mussel           |
|                 | Unio nickliniana (I) =483                      |   |         | Nicklin's pearly mussel               |
|                 | Unio tampicoensis tecomatensis (I) =484        |   |         | Tampico pearly mussel                 |
|                 | Villosa trabalis (I) =485                      |   |         | Cumberland bean pearly mussel         |
| GASTROPODA      |  |   |         | Slugs, snails and conches             |
| STYLOMMATOPHORA |  |   |         |                                       |
| Achatinellidae  |  |   |         | Agate snails, oatu tree snails        |
|                 | Achatinella spp. (I)                           |   |         | Little agate shells                   |
| Camaenidae      |  |   |         | Green tree snail                      |
|                 |  | Papustyla pulcherrima (II)<br>=486        |         | Manus green tree snail                |
| MESOGASTROPODA  |  |   |         |                                       |
| Strombidae      |  |   |         | Conches                               |
|                 |  | Strombus gigas (II)                       |         | Queen conch                           |



|                | Annex A              | Annex B  | Annex C     | Common name                              |
|----------------|----------------------|--|-------------|--|
|                | CNIDARIA (C          | ORALS, FIRE CORALS, SEA  | A ANEMONES) |  |
| ANTHOZOA       |                      |  |             | Corals, sea anemones                     |
| HELIOPORACEA   |                      |  |             |  |
| Helioporidae   |                      |  |             | Blue coral                               |
|                |                      | Heliporidae spp. (II) =487<br>(Fossils are not subject to<br>the provisions of this<br>Regulation) |             | Blue coral                               |
| STOLONIFERA    |                      |  |             |  |
| Tubiporidae    |                      |  |             | Organpipe corals                         |
|                |                      | Tubiporidae spp. (II)<br>(Fossils are not subject to<br>the provisions of this<br>Regulation)      |             | Organpipe corals                         |
| ANTIPATHARIA   |                      | ANTIPATHARIA spp. (II)   |             | Black corals                             |
| SCLERACTINIA   |                      | SCLERACTINIA spp. (II)<br>(Fossils are not subject to<br>the provisions of this<br>Regulation)     |             | Stony corals                             |
| HYDROZOA       |                      |  |             | Sea ferns, fire corals, stinging medusas |
| MILLEPORINA    |                      |  |             |  |
| Milleporidae   |                      |  |             | Wello fire corals                        |
|                |                      | Milleporidae spp. (II)<br>(Fossils are not subject to<br>the provisions of this<br>Regulation)     |             | Wello fire corals                        |
| STYLASTERINA   |                      |  |             |  |
| Stylasteridae  |                      |  |             | Lace corals                              |
|                |                      | Stylasteridae spp. (II)<br>(Fossils are not subject to<br>the provisions of this<br>Regulation)    |             | Lace corals                              |
|                | I                    | FLORA  | l           | l  |
| AGAVACEAE      |                      |  |             | Agaves                                   |
|                | Agave arizonica (I)  |  |             | New River agave                          |
|                | Agave parviflora (I) |  |             | Santa Cruz striped agave                 |
|                |                      | Agave victoriae-reginae (II)<br>#1   |             | Queen Victoria agave                     |
|                | Nolina interrata (I) |  |             | Dehesa bear-grass                        |
| AMARYLLIDACEAE |                      |  |             | Amaryllids                               |
|                |                      | Galanthus spp. (II) #1   |             | Snowdrops                                |
|                |                      | Sternbergia spp. (II) #1   |             | Sternbergias                             |



|               | Annex A                    | Annex B   | Annex C | Common name             |
|---------------|----------------------------|---|---------|-------------------------|
| APOCYNACEAE   |                            |   |         | Dogbanes                |
|               |                            | Pachypodium spp. (II)<br>(Except for the species<br>included in Annex A)#1  |         | Elephant trunks         |
|               | Pachypodium ambongense (I) |   |         |                         |
|               | Pachypodium baronii (I)    |   |         |                         |
|               | Pachypodium decaryi (I)    |   |         |                         |
|               |                            | Rauvolfia serpentina (II) #2  |         | Snake-root devil-pepper |
| ARALIACEAE    |                            |   |         | Aralias                 |
|               |                            | Panax ginseng (II) + (Only<br>the population of the<br>Russian Federation; no<br>other population is<br>included in the Annexes to<br>this Regulation) #3 |         | Ginseng                 |
|               |                            | Panax quinquefolius (II) #3   |         | American ginseng        |
| ARAUCARIACEAE |                            |   |         | Auricarias              |
|               | Araucaria araucana (I)     |   |         | Monkey-puzzle tree      |
| BERBERIDACEAE |                            |   |         | Barberries              |
|               |                            | Podophyllum hexandrum (II) =488 #2  |         | Himalayan may-apple     |
| BROMELIACEAE  |                            |   |         | Air plants, bromelias   |
|               |                            | Tillandsia harrisii (II) #1   |         | Harris' tillandsia      |
|               |                            | Tillandsia kammii (II) #1   |         | Kamm's tillandsia       |
|               |                            | Tillandsia kautskyi (II) #1   |         | Kautsky's tillandsia    |
|               |                            | Tillandsia mauryana (II) #1   |         | Maury's tillandsia      |
|               |                            | Tillandsia sprengeliana (II)<br>#1  |         | Sprenge's tillandsia    |
|               |                            | Tillandsia sucrei (II) #1   |         | Sucre tillandsia        |
|               |                            | Tillandsia xerographica (II)<br>#1  |         | Xerographic tillandsia  |



|           | Annex A   | Annex B  | Annex C | Common name                             |
|-----------|---|--|---------|---|
| CACTACEAE |   |  |         | Cacti                                   |
|           |   | CACTACEAE spp. (II) (Except for the species included in Annex A) (8)#4 |         | Cacti                                   |
|           | Ariocarpus spp. (I) =489                            |  |         | Living rock cacti                       |
|           | Astrophytum asterias (I) =490                       |  |         | Star cactus                             |
|           | Aztekium ritteri (I)                                |  |         | Aztec cactus                            |
|           | Coryphantha werdermannii<br>(I) =491                |  |         | Jobali pincushion cactus                |
|           | Discocactus spp. (I)                                |  |         | Discocacti                              |
|           | Echinocereus ferreirianus<br>ssp. lindsayi (I) =492 |  |         | Lindsay's hedgehog cacti                |
|           | Echinocereus schmollii (I)<br>=493                  |  |         | Lamb's tail cactus                      |
|           | Escobaria minima (I) =494                           |  |         | Nelle's cactus                          |
|           | Escobaria sneedii (I) =495                          |  |         | Sneed's pincushion cactus               |
|           | Mammillaria pectinifera(I)<br>=496                  |  |         | Conchilinque                            |
|           | Mammillaria solisioides (I)                         |  |         | Pitayita                                |
|           | Melocactus conoideus (I)                            |  |         | Conelike Turk's-cap cactus              |
|           | Melocactus deinacanthus (I)                         |  |         | Wonderfully-bristled Turl cap cactus    |
|           | Melocactus glaucescens (I)                          |  |         | Woolly waxy-stemme<br>Turk's-cap cactus |
|           | Melocactus paucispinus (I)                          |  |         | Few-spined Turk's-cap cact              |
|           | Obregonia denegrii (I)                              |  |         | Artichoke cactus                        |
|           | Pachycereus militaris (I)<br>=497                   |  |         | Grenadier's cap                         |
|           | Pediocactus bradyi (I) =498                         |  |         | Brady's pincushion cactus               |
|           | Pediocactus knowltonii (I)                          |  |         | Knowlton's cactus                       |
|           | Pediocactus paradinei (I)                           |  |         | Houserock valley cactus                 |
|           | Pediocactus peeblesianus (I)<br>=499                |  |         | Peebles' Navajo cactus                  |
|           | Pediocactus sileri (I) =500                         |  |         | Siler's pincushion cactus               |



|                              | Annex A  | Annex B                          | Annex C | Common name                  |
|------------------------------|--|----------------------------------|---------|------------------------------|
|                              | Pelecyphora spp. (I) =501                            |                                  |         | Pine cane cactus             |
|                              | Sclerocactus brevihamatus<br>ssp. tobuschii (I) =502 |                                  |         | Tobusch fishhook cactus      |
|                              | Sclerocactus erectocentrus (I) =503                  |                                  |         |                              |
|                              | Sclerocactus glaucus (I)<br>=504                     |                                  |         | Vinta Basin hookless cactus  |
|                              | Sclerocactus mariposensis<br>(I) =505                |                                  |         | Mariposa cactus              |
|                              | Sclerocactus mesae-verdae<br>(I) =506                |                                  |         | Mesa Verde cactus            |
|                              | Sclerocactus nyensis (I)                             |                                  |         | Tonopah fishook cactus       |
|                              | Sclerocactus papyracanthus (I) =507                  |                                  |         | Grama-grass cactus           |
|                              | Sclerocactus pubispinus (I) =508                     |                                  |         | Great Basin fishhook cactus  |
|                              | Sclerocactus wrightiae (I) = 508                     |                                  |         | Wright's fishhook cactus     |
|                              | Strombocactus spp. (I)                               |                                  |         | Peyote                       |
|                              | Turbinicarpus spp. (I) =509                          |                                  |         | Turbinicarps                 |
|                              | Uebelmannia spp. (I) =510                            |                                  |         | Uebelmann cacti              |
| CARYOCARACEAE                |  |                                  |         | Ajos                         |
|                              |  | Caryocar costaricense (II)<br>#1 |         | Ajillo                       |
| COMPOSITAE (ASTERA-<br>CEAE) |  |                                  |         | Asters, daisies, costus      |
|                              | Saussurea costus (I) =511                            |                                  |         | Costus                       |
| CRASSULACEAE                 |  |                                  |         | Dudleyas, crassulas          |
|                              |  | Dudleya stolonifera (II) #1      |         | Laguna beach dudleya         |
|                              |  | Dudleya traskiae (II)            |         | Santa Barbara Island dudleya |
| CUPRESSACEAE                 |  |                                  |         | Cypresses                    |
|                              | Fitzroya cupressoides (I)                            |                                  |         | Alerce                       |
|                              | Pilgerodendron uviferum (I)                          |                                  |         | Pilgerodendron               |
| CYATHEACEAE                  |  |                                  |         | Tree ferns                   |
|                              |  | Cyathea spp. (II) #1 =512        |         | Tree ferns                   |



|               | Annex A                                | Annex B   | Annex C | Common name           |
|---------------|--|---|---------|-----------------------|
| CYCADACEAE    |  | CYCADACEAE spp. (II)  |         | Cycads Cycads         |
|               | Cycas beddomei (I)                     | (Except for the species included in Annex A) #1   |         | Beddome cycad         |
| DIAPENSIACEAE |  |   |         | Oconee bells          |
|               |  | Shortia galacifolia (II) #1   |         | Oconee bells          |
| DICKSONIACEAE |  |   |         | Tree ferns            |
|               |  | Cibotium barometz (II) #1   |         |                       |
|               |  | Dicksonia spp. (II) (Only<br>the populations of the<br>Americas; no other popula-<br>tions are included in the<br>Annexes to this Regulation)<br>#1   |         | Tree ferns            |
| DIDIEREACEAE  |  |   |         | Didiereas             |
|               |  | DIDIEREACEAE spp. (II)<br>#1  |         | Alluaudias, didiereas |
| DIOSCOREACEAE |  |   |         | Yams                  |
|               |  | Dioscorea deltoidea (II) #1   |         | Elephant's foot       |
| DROSERACEAE   |  |   |         | Sundews               |
|               |  | Dionaea muscipula (II) #1   |         | Venus fly-trap        |
| EUPHORBIACEAE |  |   |         | Spurges               |
|               |  | Euphorbia spp. (II) (Except for the species included in A A; succulent species only; artificially propagated specimens of cultivars of Euphorbia trigona are not subject to the provisions of this Regulation) #1 |         | Euphorbias            |
|               | Euphorbia ambovombensis (I)            |   |         |                       |
|               | Euphorbia capsaintemariensis (I) = 513 |   |         |                       |
|               | Euphorbia cremersii (I)<br>=514        |   |         |                       |
|               | Euphorbia cylindrifolia (I)<br>=515    |   |         |                       |



|                           | Annex A                             | Annex B                                 | Annex C                        | Common name        |
|---------------------------|-------------------------------------|---|--------------------------------|--------------------|
|                           | Euphorbia decaryi (I) =516          |   |                                |                    |
|                           | Euphorbia francoisii (I)            |   |                                |                    |
|                           | Euphorbia handiensis (II)           |   |                                |                    |
|                           | Euphorbia lambii (II)               |   |                                |                    |
|                           | Euphorbia moratii (I) =517          |   |                                |                    |
|                           | Euphorbia parvicyatho-<br>phora (I) |   |                                |                    |
|                           | Euphorbia quartziticola (I)         |   |                                |                    |
|                           | Euphorbia tulearensis (I) =518      |   |                                |                    |
|                           | Euphorbia stygiana (II)             |   |                                |                    |
| FOUQUIERIACEAE            |                                     |   |                                | Ocotillos, boojums |
|                           |                                     | Fouquieria columnaris (II)<br>#1        |                                | Boojum tree        |
|                           | Fouquieria fasciculata (I)          |   |                                | Arbol del barril   |
|                           | Fouquieria purpusii (I)             |   |                                |                    |
| GNETACEAE                 |                                     |   |                                | Joint firs         |
|                           |                                     |   | Gnetum montanum (III NP)<br>#1 |                    |
| JUGLANDACEAE              |                                     |   |                                | Walnuts, gavilan   |
|                           |                                     | Oreomunnea pterocarpa<br>(II) =519 #1   |                                | Gavilàn            |
| LEGUMINOSAE<br>(FABACEAE) |                                     |   |                                | Legumes            |
|                           | Dalbergia nigra (I)                 |   |                                | Brazilian rosewood |
|                           |                                     |   | Dipteryx panamensis (III CR)   | Almendro           |
|                           |                                     | Pericopsis elata (II) =520<br>#5        |                                | Afrormosia         |
|                           |                                     | Platymiscium pleiosta-<br>chyum (II) #1 |                                | Quira macawood     |
|                           |                                     | Pterocarpus santalinus (II)<br>#7       |                                | Red sandalwood     |



|              | Annex A   | Annex B  | Annex C   | Common name        |
|--------------|---|--|---|--------------------|
| LILIACEAE    |   | Aloe spp. (II) (Except Aloe vera; also referenced as Aloe barbadensis, which is not included in the Annexes to this Regulation) #1 |   | Lilies             |
|              | Aloe albida (I) Aloe albiflora (I) Aloe alfredii (I) Aloe bakeri (I) Aloe bellatula (I) Aloe calcairophila (I) Aloe compressa (I) =521 Aloe delphinensis (I) Aloe fragilis (I) Aloe fragilis (I) Aloe haworthioides (I) =522 Aloe helenae (I) Aloe laeta (I) =523 Aloe parallelifolia (I) Aloe parvula (I) Aloe pillansii (I) Aloe rauhii (I) Aloe suzannae (I) Aloe versicolor (I) | Annexes to this Regulation) #1   |   |                    |
| MAGNOLIACEAE | Aloe vossii (I)   |  | Magnolia liliifera var.<br>obovata (III NP) =524 #1 | Magnolias<br>Safan |



|              | Annex A   | Annex B   | Annex C   | Common name                 |
|--------------|---|---|---|-----------------------------|
| MELIACEAE    |   |   | Cedrela odorata (III Popula-  | Mahoganies                  |
|              |   |   | tion of Columbia [CO],<br>Population of Peru [PE])<br>#5  |                             |
|              |   | Swietenia humilis (II) #1   |   | Honduras mahogany           |
|              |   | Swietenia mahagoni (II) #5  |   | Caribbean mahogany          |
|              |   | Swietenia macrophylla (II)<br>(Population of the Neotro-<br>pics) #6 This inclusion will<br>enter into force on 15<br>November 2003 | Swietenia macrophylla<br>Until 15 November 2003<br>(III BO, BR, CO, Population<br>of the Americas CR, MX,<br>PE) #5 | Big-leaf mahogany           |
| NEPENTHACEAE |   |   |   | Pitcher plants (old-world)  |
|              |   | Nepenthes spp. (II) (Except<br>for the species included in<br>Annex A) #1   |   | Tropical pitcher plants     |
|              | Nepenthes khasiana (I)  |   |   | Indian pitcher plant        |
|              | Nepenthes rajah (I)   |   |   | Giant tropical pitcher plan |
| ORCHIDACEAE  |   |   |   | Orchids                     |
|              |   | ORCHIDACEAE spp. (II) (Except for the species included in Annex A) (9) = 525 #8   |   | Orchids                     |
|              | For all of the following Annex A species, tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers, are not subject to the provisions of this Regulation) |   |   |                             |
|              | Aerangis ellisii (I)  |   |   |                             |
|              | Cattleya trianaei (I)   |   |   | Winter cattleya             |
|              | Cephalanthera cucullata (II)  |   |   | Hooded helleborine          |
|              | Cypripedium calceolus (II)  |   |   | Lady's slipper orchid       |
|              | Dendrobium cruentum (I)   |   |   |                             |
|              | Goodyera macrophylla (II)   |   |   | Madeiran lady's-tresses     |
|              | Laelia jongheana (I)  |   |   |                             |



|                       | Annex A                     | Annex B                                    | Annex C                         | Common name                    |
|-----------------------|-----------------------------|--|---------------------------------|--------------------------------|
|                       | Laelia lobata (I)           |  |                                 |                                |
|                       | Liparis loeselii (II)       |  |                                 | Fen orchid                     |
|                       | Ophrys argolica (II)        |  |                                 | Eyed bee orchid                |
|                       | Ophrys lunulata (II)        |  |                                 | Crescent ophrys                |
|                       | Orchis scopulorum (II)      |  |                                 | Madeiran orchid                |
|                       | Paphiopedilum spp. (I)      |  |                                 | Asian slipper orchids          |
|                       | Peristeria elata (I)        |  |                                 | Holy ghost orchid              |
|                       | Phragmipedium spp. (I)      |  |                                 | South American slipper orchids |
|                       | Renanthera imschootiana (I) |  |                                 | Red vanda                      |
|                       | Spiranthes aestivalis (II)  |  |                                 | Autumn lady's-tresses          |
|                       | Vanda coerulea (I)          |  |                                 | Blue vanda                     |
| OROBANCHACEAE         |                             |  |                                 | Broomrapes                     |
|                       |                             | Cistanche deserticola (II)                 |                                 | Desert cistanche               |
| PALMAE<br>(ARECACEAE) |                             |  |                                 | Palms                          |
|                       |                             | Beccariophoenix madagas-<br>cariensis (II) |                                 | Manarano                       |
|                       |                             | Chrysalidocarpus decipiens (II) #1         |                                 | Butterfly palm                 |
|                       |                             | Lemurophoenix halleuxii (II)               |                                 | Hovitra varimena               |
|                       |                             | Marojejya darianii (II)                    |                                 | Ravimbe                        |
|                       |                             | Neodypsis decaryi (II) #1                  |                                 | Triangle palm                  |
|                       |                             | Ravenea louvelii(II)                       |                                 | Lakamarefo                     |
|                       |                             | Ravenea rivularis (II)                     |                                 | Gora                           |
|                       |                             | Satranala decussilvae (II)                 |                                 | Satranabe                      |
|                       |                             | Voanioala gerardii (II)                    |                                 | Voanioala                      |
| PAPAVERACEAE          |                             |  |                                 | Poppies                        |
|                       |                             |  | Meconopsis regia (III NP)<br>#1 | Himalayan poppy                |
| PINACEAE              |                             |  |                                 | Pine family                    |
|                       | Abies guatemalensis (I)     |  |                                 | Guatemalan fir                 |



|                | Annex A   | Annex B  | Annex C                               | Common name                       |
|----------------|---|--|---------------------------------------|-----------------------------------|
| PODOCARPACEAE  |   |  |                                       | Podocarps                         |
|                |   |  | Podocarpus neriifolius (III<br>NP) #1 | Yellow wood                       |
|                | Podocarpus parlatorei (I)                       |  |                                       | Parlatore's podocarp              |
| PORTULACACEAE  |   |  |                                       | Portulacas, purslanes             |
|                |   | Anacampseros spp. (II) = 526 #1  |                                       | Purselanes                        |
|                |   | Avonia spp. =527 #1  |                                       |                                   |
|                |   | Lewisia serrata (II) #1  |                                       | Saw-toothed lewisia               |
| PRIMULACEAE    |   |  |                                       | Primulas, cyclamens               |
|                |   | Cyclamen spp. (II) (10)#1  |                                       | Cyclamens                         |
| PROTEACEAE     |   |  |                                       | Proteas                           |
|                |   | Orothamnus zeyheri (II)<br>#1  |                                       | Marsh-rose                        |
|                |   | Protea odorata (II) #1   |                                       | Ground-rose                       |
| RANUNCULACEAE  |   |  |                                       | Buttercups                        |
|                |   | Adonis vernalis (II) #2  |                                       | Yellow adonis                     |
|                |   | Hydrastis canadensis (II)<br>#3  |                                       |                                   |
| ROSACEAE       |   |  |                                       | Roses, cherries                   |
|                |   | Prunus africana (II) #1  |                                       | African cherry                    |
| RUBIACEAE      |   |  |                                       |                                   |
|                | Balmea stormiae (I)                             |  |                                       | Ayugue                            |
| SARRACENIACEAE |   |  |                                       | Pitcher plants (new world)        |
|                |   | Sarracenia spp. (II) (Except<br>for the species included on<br>Annex A) #1 |                                       | Pitcher plants                    |
|                | Sarracenia rubra ssp. alaba-<br>mensis (I) =528 |  |                                       | Alabama canebrake pitche<br>plant |
|                | Sarracenia rubra ssp.<br>jonesii (I) =529       |  |                                       | Mountain sweet pitche             |
|                | Sarracenia oreophila (I)                        |  |                                       | Green pitcher plant               |



|                                      | Annex A                    | Annex B   | Annex C                             | Common name               |
|--------------------------------------|----------------------------|---|-------------------------------------|---------------------------|
| SCROPHULARIACEAE                     |                            |   |                                     | Figworts                  |
|                                      |                            | Picrorhiza kurrooa<br>=530#3  |                                     | Indian gentian            |
| STANGERIACEAE                        |                            |   |                                     | Stangerias (cycads)       |
|                                      |                            | Bowenia spp. =531 #1  |                                     | Cycads                    |
|                                      | Stangeria eriopus (I) =532 |   |                                     | Stangeria                 |
| TAXACEAE                             |                            |   |                                     | Yews                      |
|                                      |                            | Taxus wallichiana (II) #2 =533  |                                     | Himalayan yew             |
| TROGODENDRACEAE<br>(TETRACENTRACEAE) |                            |   |                                     | Tetracentrons             |
|                                      |                            |   | Tetracentron sinense (III<br>NP) #1 |                           |
| THYMELEACEAE<br>(AQUILARIACEAE)      |                            |   |                                     | Agarwood, ramin           |
|                                      |                            | Aquilaria malaccensis (II) #1   |                                     | Agarwood                  |
|                                      |                            |   | Gonystylus spp. (III ID) #1         | Ramin                     |
| VALERIANACEAE                        |                            |   |                                     | Valerians                 |
|                                      |                            | Nardostachys grandiflora<br>=534 #3                                       |                                     |                           |
| WELWITSCHIACEAE                      |                            |   |                                     | Welwitschias              |
|                                      |                            | Welwitschia mirabilis (II) =535 #1  |                                     | Welwitschia               |
| ZAMIACEAE                            |                            | ZAMIACEAE spp. (II)<br>(Except for the species<br>included on Annex A) #1 |                                     | Cycads                    |
|                                      | Ceratozamia spp. (I)       |   |                                     | Horncones                 |
|                                      | Chigua spp. (I)            |   |                                     |                           |
|                                      | Encephalartos spp. (I)     |   |                                     | Bread palms               |
|                                      | Microcycas calocoma (I)    |   |                                     | Palm corcho               |
| ZINGIBERACEAE                        |                            |   |                                     | Ginger lilies             |
|                                      |                            | Hedychium philippinense (II) #1   |                                     | Philippine garland-flower |
| ZYGOPHYLLACEAE                       |                            |   |                                     | Lignum-vitae              |
|                                      |                            | Guaiacum spp. (II) #1   |                                     | Lignum-vitae              |

<sup>(1)</sup> All species are listed in Appendix II except Lipotes vexillifer, Platanista spp., Berardius spp., Hyperoodon spp., Physeter catodon (includes synonym Physeter macrocephalus), Sotalia spp., Sousa spp., Neophocaena phocaenoides, Phocoena sinus, Eschrichtius robustus (includes synonym Eschrichtius glaucus), Balaenoptera spp. (except population of West Greenland of Balaenoptera acutorostrata), Megaptera novaeangliae, Balaena mysticetus, Eubalaena spp. (formerly included in genus Balaena) and Caperea marginata which are listed in Appendix I. Specimens of the species listed in Appendix II to the Convention, including products and derivatives other than meat products for commercial purposes, taken by the people of Greenland under licence granted by the competent authority concerned, shall be treated as belonging to Annex B. A zero annual export quota is established for live specimens from the Black Sea population of Tursiops truncatus removed from the wild and traded for primarily commercial purposes.

Populations of Botswana, Namibia and South Africa (listed in Annex B):
For the exclusive purpose of allowing: (1) trade in hunting trophies for non-commercial purposes; (2) trade in live animals for in situ conservation programmes; (3) trade in hides; (4) trade in leather goods for non-commercial purposes; (5) trade in registered raw ivory (for Botswana and Namibia, whole tusks and pieces; for South Africa, whole tusks and cut pieces of ivory that are both 20 cm or more in length and 1 kg or more in weight) subject to the following: (i) only registered government-owned stocks, originating in the State (excluding seized ivory and ivory of unknown origin) and, in the case of South Africa, only ivory originating from the Kruger National Park); (ii) only to trading partners that have been verified by the Secretariat, in consultation with the Standing Committee, to have sufficient national legislation and domestic trade controls to ensure that the imported ivory will not be re-exported and will be managed in accordance with all requirements of Resolution Conf.10.10 (Rev. CoP12) concerning domestic manufacturing and trade; (iii) not before May 2004, and in any event not before the Secretariat has verified the prospective importing countries, and the MIKE programme has reported to the Secretariat on the baseline information (e.g. elephant population numbers, incidence of illegal killing); (iv) a maximum of 20 000 kg (Botswana), 10 000 kg (Namibia) and 30 000 kg (South Africa) of ivory may be traded, and despatched in a single shipment under strict supervision of the Secretariat; (v) the proceeds of the trade are used exclusively for elephant conservation and community conservation on a proposal from the Secretariat, the Standing Committee can decide to cause this trade to cease partially or completely in the event of non-compliance by exporting or importing countries or in the case of proven detrimental impacts of the trade on other elephant populations. All other specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly.

Population of Zimbabwe (listed in Annex B):

For the exclusive purpose of allowing: (1) export of hunting trophies for non-commercial purposes; (2) export of live animals to appropriate and acceptable destinations; (3) export of hides; (4) export of leather goods and ivory carvings for non-commercial purposes. All other specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly. To ensure that where (a) destinations for live animals are to be "appropriate and acceptable" and/or (b) the purpose of the import is to be "non-commercial", export permits and re-export certificates may be issued only after the issuing Management Authority has received, from the Management Authority of the State of import, a certification to the effect that; in case a), in analogy to Article 4, paragraph 1(c) of the Convention, the holding facility has been reviewed by the competent Scientific Authority, and the proposed recipient has been found to be suitably equipped to house and care for the animals; and/or in case b), in analogy to Article 4, paragraph 1(d), the Management Authority is satisfied that the specimens will not be used for primarily commercial purposes.

Population of Argentina (listed in Annex B):

For the exclusive purpose of allowing international trade in wool sheared from live vicuñas of the populations included in Annex B, in cloth and in derived manufactured products and other handicraft artefacts. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the selvages the words "VICUNA-ARGENTINA". Other products must bear a label including the logotype and the designation "VICUÑA-ARGENTINA-ARTESANÍA". All other specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly.

Population of Bolivia (listed in Annex B):

For the exclusive purpose of allowing international trade in products made from wool sheared from live animals The wool must bear the logotype adopted by the range States of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the selvages the words "VICUÑA-BOLIVIA". Other products must bear a label including the logotype and the designation "VICUÑA-BOLIVIA-ARTESANÍA". All other specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly.

Population of Chile (listed in Annex B):

For the exclusive purpose of allowing international trade in wool sheared from live vicuñas of the populations included in Annex B, and in cloth and items made thereof, including luxury handicrafts and knitted articles. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the selvages the words "VICUÑA-CHILE". Other products must bear a label including the logotype and the designation "VICUÑA-CHILE-ARTESANÍA". All other specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly.

Population of Peru (listed in Annex B):

For the exclusive purpose of allowing international trade in wool sheared from live vicuñas and in the stock extant at the time of the ninth meeting of the Conference of the Parties (November 1994) of 3 249 kg of wool, and in cloth and items made thereof, including luxury handicrafts and knitted articles. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the selvages the words "VICUÑA-PERU". Other products must bear a label including the logotype and the designation "VICUÑA-PERU-ARTESANÍA". All other specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly.

Artificially propagated specimens of the following hybrids and/or cultivars are not subject to the provisions of this Regulation:

Hatiora x graeseri

Schlumbergera x buckleyi

Schlumbergera russelliana x Schlumbergera truncata

Schlumbergera orssichiana x Schlumbergera truncata

Schlumbergera opuntioides x Schlumbergera truncata

Schlumbergera truncata (cultivars)

Cactaceae spp. colour mutants lacking chlorophyll, grafted on the following grafting stocks: Harrisia "Jusbertii", Hylocereus trigonus or Hylocereus undatus Opuntia microdasys (cultivars)

- Artificially propagated specimens of hybrids within the genus Phalaenopsis are not subject to the provisions of this Regulation when: (1) specimens are traded in Artificially propagated specimens of hybrids within the genus Phalaenopsis are not subject to the provisions of this Regulation when: (1) specimens are traded in shipments consisting of individual containers (i.e. cartons, boxes, or crates) containing 100 or more plants each; (2) all plants within a container are of the same hybrid, with no mixing of different hybrids within a container; (3) plants within a container can be readily recognised as artificially propagated specimens by exhibiting a high degree of uniformity in size and stage of growth, cleanliness, intact root systems, and general absence of damage or injury that could be attributable to plants originating in the wild; (4) plants do not exhibit characteristics of wild origin, such as damage by insects or other animals, fungi or algae adhering to leaves, or mechanical damage to roots, leaves, or other parts resulting from collection; and (5) shipments are accompanied by documentation, such as an invoice, which clearly states the number of plants and is signed by the shipper. Plants not clearly qualifying for the exemption must be accompanied by appropriate CITES documents. Artificially propagated specimens of cultivars of Cyclamen persicum are not subject to the provisions of this Regulation. However, the exemption does not apply to such specimens traded as dormant tubers.

| Annex D | Common name |
|---------|-------------|
|         |             |

## **FAUNA**

## CHORDATA (CHORDATES)

| MAMMALIA      |  | Mammals  |
|---------------|--|--|
| CARNIVORA     |  |  |
| Canidae       |  | Dogs, foxes, wolves                                  |
|               | Vulpes vulpes griffithi (III IN) §1    | Red fox  |
|               | Vulpes vulpes montana (III IN) §1      | Red fox  |
|               | Vulpes vulpes pusilla (III IN) =536 §1 | Red fox  |
| Mustelidae    | Mustela altaica (III IN) §1            | Mountain weasel                                      |
|               | Mustela erminea ferghanae §1 (III IN)  | Stoat  |
|               | Mustela kathiah (III IN) §1            | Yellow-bellied weasel                                |
|               | Mustela sibirica (III IN) §1           | Siberian weasel                                      |
| AVES          |  | Birds  |
| ANSERIFORMES  |  |  |
| Anatidae      |  | Ducks, geese, swans                                  |
|               | Anas melleri                           | Meller's duck  |
| GALLIFORMES   |  |  |
| Megapodiidae  |  | Megapodes, scrubfowl                                 |
|               | Megapodius wallacei                    | Moluccan scrub fowl                                  |
| Cracidae      |  | Chachalas, currassows, guans                         |
|               | Penelope pileata                       | White-crested guan                                   |
| Phasianidae   |  | Grouse, guineafowl, partridges, pheasants, tragopans |
|               | Arborophila gingica                    | White-necklaced partridge                            |
|               | Syrmaticus reevesii §2                 | Reeves's pheasant                                    |
| COLUMBIFORMES |  |  |
| Columbidae    |  | Doves, pigeons                                       |
|               | Columba oenops                         | Peruvian pigeon                                      |
|               | Ducula pickeringii                     | Grey imperial-pigeon                                 |
|               | Gallicolumba criniger                  | Mindanao bleeding-heart                              |
|               | Ptilinopus marchei                     | Flame-breasted fruit-dove                            |
|               | Turacoena modesta                      | Black cuckoo-dove                                    |
|               | 1                                      | 1  |



|               | Annex D                       | Common name                    |
|---------------|-------------------------------|--------------------------------|
| PASSERIFORMES |                               |                                |
| Cotingidae    |                               | Cotingas                       |
|               | Procnias nudicollis           | Bare-throated bellbird         |
| Pittidae      |                               | Pittas                         |
|               | Pitta nipalensis              | Blue-naped pitta               |
|               | Pitta steerii                 | Azure-breasted pitta           |
| Bombycillidae |                               | Waxwings                       |
|               | Bombycilla japonica           | Japanese waxwing               |
| Muscicapidae  |                               | Old-world flycatchers          |
|               | Cochoa azurea                 | Javan cochoa                   |
|               | Cochoa purpurea               | Purple cochoa                  |
|               | Garrulax formosus             | Red-winged laughingthrush      |
|               | Garrulax galbanus             | Yellow-throated laughingthrush |
|               | Garrulax milnei               | Red-tailed laughing thrush     |
|               | Niltava davidi                | Fujian niltava                 |
|               | Stachyris whiteheadi          | Chestnut-faced babbler         |
|               | Swynnertonia swynnertoni =537 | Swynnerton's robin             |
|               | Turdus dissimilis             | Black-breasted thrush          |
| Sittidae      |                               | Nuthatches                     |
|               | Sitta magna                   | Giant nuthatch                 |
|               | Sitta yuanensis               | Yunnan nuthatch                |
| Emberizidae   |                               | Cardinals, tanagers            |
|               | Dacnis nigripes               | Black-legged dacnis            |
|               | Sporophila falcirostris       | Temminck's seedeater           |
|               | Sporophila frontalis          | Buffy-throated seedeater       |
|               | Sporophila hypochroma         | Grey-and-chestnut seedeater    |
|               | Sporophila palustris          | Marsh seedeater                |
| Icteridae     |                               | New-world blackbirds           |
|               | Sturnella militaris           | Pampas meadowlark              |
| Fringillidae  |                               | Finches                        |
|               | Carpodacus roborowskii        | Tibetan rosefinch              |
|               | Carduelis ambigua             | Black-headed greenfinch        |
|               | Carduelis atrata              | Black siskin                   |
|               | Pyrrhula erythaca             | Grey-headed bullfinch          |
|               | Serinus canicollis            | Cape canary                    |
|               | Serinus hypostictus =538      | East African citril            |



|                 | Annex D                 | Common name                     |
|-----------------|-------------------------|---------------------------------|
| Estrildidae     |                         | Mannikins, waxbills             |
|                 | Amandava amandava       | Red avadavat                    |
|                 | Cryptospiza reichenovii | Red-faced crimson-wing          |
|                 | Erythrura coloria       | Red-eared parrotfinch           |
|                 | Erythrura viridifacies  | Green-faced parrotfinch         |
|                 | Estrilda quartinia =539 | Yellow-bellied waxbill          |
|                 | Hypargos niveoguttatus  | Peters's twinspot               |
|                 | Lonchura griseicapilla  | Grey-headed silverbill          |
|                 | Lonchura punctulata     | Scaly-breasted munia            |
|                 | Lonchura stygia         | Black munia                     |
| Sturnidae       |                         | Mynahs, starlings               |
|                 | Cosmopsarus regius      | Golden-breasted starling        |
|                 | Mino dumontii           | Yellow-faced myna               |
|                 | Sturnus erythropygius   | White-headed starling           |
| Corvidae        |                         | Crows, magpies, jays            |
|                 | Cyanocorax caeruleus    | Azure jay                       |
|                 | Cyanocorax dickeyi      | Tufted jay                      |
| REPTILIA        |                         | Reptiles                        |
| TESTUDINATA     |                         |                                 |
| Emydidae        |                         | Box turtles, freshwater turtles |
|                 | Chinemys nigricans      |                                 |
|                 | Geoemyda spengleri      |                                 |
|                 | Melanochelys trijuga    |                                 |
| Carettochelidae |                         | Pig-nosed turtle                |
|                 | Carettochelys insculpta | Pig-nosed turtle                |
|                 | ı                       | ı                               |



|            | Annex D                     | Common name                |
|------------|-----------------------------|----------------------------|
| SAURIA     |                             |                            |
| Gekkonidae |                             | Geckos                     |
|            | Geckolepis maculata         | Peters' spotted gecko      |
|            | Rhacodactylus auriculatus   | New Caledonia bumpy gecko  |
|            | Rhacodactylus ciliatus      | Guichenot's giant gecko    |
|            | Rhacodactylus leachianus    | New Caledonia giant gecko  |
|            | Uroplatus spp., viz.        |                            |
|            | Uroplatus alluaudi          | Northern flat-tail gecko   |
|            | Uroplatus ebenaui           | Nosy Be flat-tail gecko    |
|            | Uroplatus fimbriatus        | Common flat-tail gecko     |
|            | Uroplatus guentheri         | Gunther's flat-tail gecko  |
|            | Uroplatus henkeli           |                            |
|            | Uroplatus lineatus          | Lined flat-tail gecko      |
|            | Uroplatus malahelo          |                            |
|            | Uroplatus phantasticus      |                            |
|            | Uroplatus sikorae           | Southern flat-tail gecko   |
| Agamidae   |                             | Agamas, mastigures         |
|            | Acanthosaura armata         | Armoured pricklenape       |
| Cordylidae |                             | Spiny-tailed lizards       |
|            | Zonosaurus karsteni         | Karsten's girdled lizard   |
|            | Zonosaurus laticaudatus     | Western girdled lizard     |
|            | Zonosaurus madagascariensis | Madagascar girdled lizard) |
|            | Zonosaurus quadrilineatus   | Four-lined girdled lizard  |
| Scincidae  |                             | Skinks                     |
|            | Teratoscincus microlepis    |                            |
|            | Teratoscincus scincus       |                            |
|            | Tiliqua gerrardii           | Pinktongue skink           |
|            | Tiliqua gigas               | Giant bluetongue skink     |
|            | Tiliqua scincoides          | Eastern bluetongue skink   |
|            | Tribolonotus gracilis       | Crocodile skink            |
|            | Tribolonotus novaeguineae   | New Guinea helmet skink    |



|               | Annex D                       | Common name                               |
|---------------|-------------------------------|---|
| SERPENTES     |                               |   |
| Xenopeltidae  |                               | Sunbeam snake                             |
|               | Xenopeltis unicolor §1        | Sunbeam snake                             |
| Acrochordidae |                               | File snakes                               |
|               | Acrochordus javanicus §1      | Java file snake                           |
|               | Acrochordus granulatus §1     | Little file snake                         |
| Colubridae    |                               | Typical snakes, water snakes, whip snakes |
|               | Ahaetulla prasina §1          | Oriental whip snake                       |
|               | Boiga dendrophila §1          | Mangrove snake                            |
|               | Elaphe carinata §1            | Taiwan stink snake                        |
|               | Elaphe radiata §1             | Radiated rat snake                        |
|               | Elaphe taeniura §1            | Taiwan beauty snake                       |
|               | Enhydris bocourti §1          | Bocourt's water snake                     |
|               | Enhydris chinensis §1         | Chinese water snake                       |
|               | Enhydris enhydris §1          | Rainbow water snake                       |
|               | Enhydris plumbea §1           | Yellowbelly water snake                   |
|               | Homalopsis buccata §1         | Masked water snake                        |
|               | Langaha nasuta                | Northern leafnose snake                   |
|               | Lioheterodon madagascariensis | Madagascar menarana snake                 |
|               | Ptyas korros §1               | Indian rat snake                          |
|               | Rhabdophis chrysargus §1      | Specklebelly keelback                     |
|               | Rhabdophis subminiatus §1     | Redneck keelback                          |
|               | Zaocys dhumnades §1           | Cantor's rat snake                        |
| Elapidae      |                               | Cobras, coral snakes                      |
|               | Bungarus candidus §1          | Blue krait                                |
|               | Laticauda spp., viz.          |   |
|               | Laticauda colubrina §1        | Banded sea snake                          |
|               | Laticauda crockeri §1         | Crocker's sea snake                       |
|               | Laticauda laticaudata §1      | Black-banded sea krait                    |
|               | Laticauda schistorhynchus §1  | Flat-tailed sea snake                     |
|               | Laticauda semifasciata §1     | Chinese sea snake                         |



|              | Annex D                     | Common name                       |
|--------------|-----------------------------|-----------------------------------|
| Viperidae    |                             | Vipers                            |
|              | Calloselasma rhodostoma §1  | Malayan pit viper                 |
| Hydrophiidae |                             | Sea snakes                        |
|              | Hydrophis spp., viz.        |                                   |
|              | Hydrophis atriceps §1       | Southeast Asia sea snake          |
|              | Hydrophis belcheri §1       | Belcher's sea snake               |
|              | Hydrophis bituberculatus §1 | Belcher's sea snake               |
|              | Hydrophis brookei §1        | Brooke's sea snake                |
|              | Hydrophis caerulescens §1   | Dark blue-banded sea snake        |
|              | Hydrophis cantoris §1       | Günther's sea snake               |
|              | Hydrophis coggeri §1        | Cogger's sea snake                |
|              | Hydrophis cyanocinctus §1   | Annulated sea snake               |
|              | Hydrophis czeblukovi §1     | Czeblukov's sea snake             |
|              | Hydrophis elegans §1        | Elegant sea snake                 |
|              | Hydrophis fasciatus §1      | Striped sea snake                 |
|              | Hydrophis geometricus §1    | Geometric sea snake               |
|              | Hydrophis gracilis §1       | Smallhead sea snake               |
|              | Hydrophis inornatus §1      | Blue-grey sea snake               |
|              | Hydrophis klossi §1         | Kloss's sea snake                 |
|              | Hydrophis lamberti §1       | Lambert's sea snake               |
|              | Hydrophis lapemoides §1     | Persian Gulf sea snake            |
|              | Hydrophis macdowelli §1     | McDowell's sea snake              |
|              | Hydrophis mamillaris §1     | Bombay sea snake                  |
|              | Hydrophis melanocephalus §1 | Black-headed sea snake            |
|              | Hydrophis melanosoma §1     | Black-striped sea snake           |
|              | Hydrophis obscurus §1       | Russell's sea snake               |
|              | Hydrophis ornatus §1        | Reef sea snake                    |
|              | Hydrophis pacificus §1      | Pacific sea snake                 |
|              | Hydrophis parviceps §1      | Smith's sea snake                 |
|              | Hydrophis semperi §1        | Garman's sea snake                |
|              | Hydrophis spiralis §1       | Yellow sea snake                  |
|              | Hydrophis stricticollis §1  | Collared sea snake                |
|              | Hydrophis torquatus §1      | West Coast black-headed sea snake |
|              | Hydrophis vorisi §1         | Kharin's sea snake                |
|              | Lapemis curtus =540 §1      | Shaw's sea snake                  |



|                | Annex D   | Common name                 |
|----------------|---|-----------------------------|
| ACTINOPTERYGII |   | Fish                        |
| YNGNATHIFORMES |   |                             |
| Syngnathidae   |   | Pipefishes, seahorses       |
|                | Hippocampus spp. (with effect from 15 May 2004, all Hippocampus spp. will be included on Annex B), viz. |                             |
|                | Hippocampus abdominalis =541  | Big-bellied seahorse        |
|                | Hippocampus aimei   |                             |
|                | Hippocampus angustus =542   | Western Australian seahorse |
|                | Hippocampus bargibanti  |                             |
|                | Hippocampus bicuspis  |                             |
|                | Hippocampus borboniensis  |                             |
|                | Hippocampus brachyrhynchus  |                             |
|                | Hippocampus breviceps =543  | Short-headed seahorse       |
|                | Hippocampus camelopardalis =544   | Giraffe seahorse            |
|                | Hippocampus capensis  | Knysna seahorse             |
|                | Hippocampus comes   |                             |
|                | Hippocampus coronatus =545  | Crowned seahorse            |
|                | Hippocampus erectus =546  | Lined seahorse              |
|                | Hippocampus erinaceus   |                             |
|                | Hippocampus fuscus =547   | Sea pony                    |
|                | Hippocampus hippocampus = 548   | Short-snouted seahorse      |
|                | Hippocampus histrix   | Thorny/spiny seahorse       |
|                | Hippocampus horai   |                             |
|                | Hippocampus ingens =549   | Giant seahorse              |
|                | Hippocampus japonicus   | Japanese seahorse           |
|                | Hippocampus jayakari  |                             |
|                | Hippocampus kaupii  |                             |
|                | Hippocampus kelloggi  |                             |
|                | Hippocampus kuda =550   | Yellow seahorse             |
|                | Hippocampus lichensteinii =551  |                             |
|                | Hippocampus minotaur  | Bullneck seahorse           |
|                | Hippocampus planifrons =552   | Low-crowned seahorse        |
|                | Hippocampus ramulosus =553  | Long-snouted seahorse       |
|                | Hippocampus reidi =554  | Slender seahorse            |
|                | Hippocampus sindonis  |                             |
|                | Hippocampus spinosissimus   | Hedgehog seahorse           |
|                | Hippocampus taeniops  |                             |
|                | Hippocampus takakurae   |                             |
|                | Hippocampus trimaculatus =555   | Three-spotted seahorse      |
|                | Hippocampus tristis   |                             |
|                | Hippocampus whitei =556   | White's seahorse            |
|                | Hippocampus zebra   |                             |
|                | I II P P O CUI II P U O L C D I G   |                             |



| Annex D                          | Common name   |  |  |
|----------------------------------|---|--|--|
| FLORA                            |   |  |  |
|                                  | Agaves  |  |  |
| Calibanus hookeri                |   |  |  |
| Dasylirion longissimum           | Beargrass   |  |  |
|                                  | Arums   |  |  |
| Arisaema dracontium              | Green dragon  |  |  |
| Arisaema erubescens              |   |  |  |
| Arisaema galeatum                |   |  |  |
| Arisaema jacquemontii            |   |  |  |
| Arisaema nepenthoides            |   |  |  |
| Arisaema sikokianum              |   |  |  |
| Arisaema speciosum               |   |  |  |
| Arisaema thunbergii var.urashima |   |  |  |
| Arisaema tortuosum               |   |  |  |
| Arisaema triphyllum              | Jack-in-the-pulpit  |  |  |
| Biarum davisii ssp. davisii      |   |  |  |
| Biarum davisii ssp. marmarisense |   |  |  |
| Biarum ditschianum               |   |  |  |
|                                  | Asters, daisies, costus   |  |  |
| Arnica montana §3                | Mountain tobacco  |  |  |
| Othonna armiana                  |   |  |  |
| Othonna cacalioides              |   |  |  |
| Othonna clavifolia               |   |  |  |
| Othonna euphorbioides            |   |  |  |
| Othonna hallii                   |   |  |  |
| Othonna herrei                   |   |  |  |
| Othonna lepidocaulis             |   |  |  |
| Othonna lobata                   |   |  |  |
| Othonna retrorsa                 |   |  |  |
|                                  | FLORA  Calibanus hookeri  Dasylirion longissimum  Arisaema dracontium  Arisaema erubescens  Arisaema galeatum  Arisaema jacquemontii  Arisaema nepenthoides  Arisaema sikokianum  Arisaema thunbergii var.urashima  Arisaema tortuosum  Arisaema triphyllum  Biarum davisii ssp. davisii  Biarum davisii ssp. marmarisense  Biarum ditschianum  Arnica montana §3  Othonna armiana  Othonna cacalioides  Othonna lepidocaulis  Othonna lepidocaulis  Othonna lepidocaulis |  |  |



|                | Annex D                    | Common name             |
|----------------|----------------------------|-------------------------|
| ERICACEAE      |                            | Heathers, rhododendrons |
|                | Arctostaphylos uva-ursi §3 | Bearberry               |
| GENTIANACEAE   |                            | Gentians                |
|                | Gentiana lutea §3          | Great yellow gentian    |
| LYCOPODIACEAE  |                            | Clubmosses              |
|                | Lycopodium clavatum §3     | Stagshorn clubmoss      |
| MENYANTHACEAE  |                            | Bogbeans                |
|                | Menyanthes trifoliata §3   | Bogbean                 |
| PARMELIACEAE   |                            | Parmelioid lichens      |
|                | Cetraria islandica §3      | Icelandic moss          |
| PASSIFLORACEAE |                            | Desert roses            |
|                | Adenia fruticosa           | Desert rose             |
|                | Adenia glauca              | Desert rose             |
|                | Adenia pechuelli           | Desert rose             |
|                | Adenia spinosa             | Desert rose             |
| PORTULACACEAE  |                            | Portulas, purslanes     |
|                | Ceraria spp. viz.          |                         |
|                | Ceraria carrissoana        |                         |
|                | Ceraria fruticulosa        |                         |
|                | Ceraria gariepina          |                         |
|                | Ceraria longipedunculata   |                         |
|                | Ceraria namaquensis        |                         |
|                | Ceraria pygmaea            |                         |
|                | Ceraria schaeferi          |                         |
| LILIACEAE      |                            | Lilies                  |
|                | Trillium catesbaei         | Rosy wakerobin          |
|                | Trillium cernuum           | Nodding trillium        |
|                | Trillium flexipes          | Drooping trillium       |
|                | Trillium grandiflorum      | White wakerobin         |
|                | Trillium luteum            |                         |
|                | Trillium pusillum          |                         |
|                | Trillium recurvatum        | Purple trillium         |
|                | Trillium rugelii           |                         |
|                | Trillium sessile           | Wakerorobin wood-lily   |
|                | Trillium undulatum         | Painted wood-lily'      |