

**Plants, plant products and other objects the introduction of which shall be banned into Hungary**

<b>Plants, plant products and other objects</b>	<b>Country of origin</b>
1. Plants of <i>Abies</i> Mill., <i>Cedrus</i> Trew., <i>Chamaecyparis</i> Spach, <i>Juniperus</i> L., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L., <i>Pseudotsuga</i> Carr. and <i>Tsuga</i> Carr., other than fruit and seeds	Non-European countries
2. Plants of <i>Castanea</i> Mill., and <i>Quercus</i> L., with leaves, other than fruit and seeds	Non-European countries
3. Plants of <i>Populus</i> L., with leaves, other than fruit and seeds	North American countries
4. Isolated bark of conifers ( <i>Coniferales</i> )	Non-European countries
5. Isolated bark of <i>Castanea</i> Mill.	All countries
6. Isolated bark of <i>Quercus</i> L., other than <i>Quercus suber</i> L.	North American countries
7. Isolated bark of <i>Acer saccharum</i> Marsh.	North American countries
8. Isolated bark of <i>Populus</i> L.	Countries of the American continent
9. Wood bark and chips containing wood bark, of unknown species and origin	All countries
10. Plants of <i>Photinia</i> Ldl., intended for planting, other than dormant plants free from leaves, flowers and fruit	USA, China, Japan, Republic of Korea and Democratic People's Republic of Korea
11. Plants of <i>Chaenomeles</i> Ldl., <i>Cydonia</i> Mill., <i>Crateagus</i> L., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L., and <i>Rosa</i> L., intended for planting, other than dormant plants free from leaves, flowers and fruit	Non-European countries
12. Plants of <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L. and <i>Pyrus</i> L. and their hybrids, and <i>Fragaria</i> L., intended for planting, other than seeds	Without prejudice to the prohibitions applicable to the plants listed in Annex 4 (11), where appropriate, non-European countries, other than EPPO countries, Australia, New Zealand, Canada, the continental states of the USA
13. Tubers of <i>Solanum tuberosum</i> L., seed	Non-European countries

potatoes

- |  |  |
|--|--|
| 14. Plants of stolon- or tuber-forming species of <i>Solanum</i> L., their hybrids, intended for planting, other than tubers of <i>Solanum tuberosum</i> L. as specified under (13)  | Non-European countries   |
| 15. Tubers of species of <i>Solanum</i> L., and their hybrids, other than those specified in points 13 and 14  | Non-European countries other than EPPO countries recognised as being free from <i>Clavibacter michiganensis ssp. sepedonicus</i> (Spieckermann and Kotthoff) Davis et al.,           |
| 16. Plants of <i>Solanaceae</i> intended for planting, other than seeds and those items covered by (13), (14) and (15)   | Non European countries other than non-European EPPO countries  |
| 17. Soil and growing medium as such, which consists in whole or in part of soil or solid organic substances such as parts of plants, humus including peat or bark, other than that composed entirely of peat   | Turkey, Belarus, Estonia, Latvia, Lithuania, Moldavia, Russia, Ukraine and countries outside Europe, other than the following: Cyprus, Egypt, Israel, Libya, Malta, Morocco, Tunisia |
| 18. Plants of <i>Vitis</i> L., other than fruit  | All countries other than EPPO countries  |
| 19. Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds   | All countries other than EPPO countries  |
| 20. Plants of <i>Phoenix</i> spp. other than fruit and seeds   | Algeria, Morocco   |
| 21. Plants of the family <i>Graminaceae</i> , other than plants of ornamental perennial grasses of the subfamilies <i>Bambusoideae</i> and <i>Panicoideae</i> and of the genera <i>Buchloe</i> , <i>Bouteloua</i> Lag., <i>Calamagrostis</i> , <i>Cortaderia</i> Stapf., <i>Glyceria</i> R. Br., <i>Hakonechloa</i> Mak. Ex Honda, <i>Hystrix</i> , <i>Molinia</i> , <i>Phalaris</i> L., <i>Shibataea</i> , <i>Spartina</i> Schreb., <i>Stipa</i> L. and <i>Uniola</i> L., intended for planting, other than seeds | All countries other than EPPO countries  |

**Special requirements which must be laid down for the introduction of plants, plant products and other objects into Hungary**

**Plants, plant products and other objects**

**Special requirements**

1.1. Wood of conifers (*Coniferales*), except that of *Thuja* L., other than wood in the form of:

- chips, particles, wood waste, or scrap obtained in whole or part from these conifers,
- packing cases, crates or drums,
- pallets, box pallets or other load boards,
- dunnage, spacers and bearers,

but including that which has not kept its natural round surface, originating in Canada, China, Japan, Korea, Taiwan and the USA

1.2. Wood of conifers (*Coniferales*), in the form of chips, particles, wood waste or scrap obtained in whole or part from these conifers, originating in Canada, China, Japan, Korea, Taiwan and the USA

1.3. Wood of conifers (*Coniferales*) except that of *Thuja* L., in the form of packing cases, crates, drums, pallets, box pallets or other load boards, dunnage, spacers and bearers including that which has not kept its natural round surface, originating in Canada, China, Japan, Korea, Taiwan and the USA

1.4. Wood of *Thuja* L., including that which has not kept its natural round surface, originating in Canada, China, Japan, Korea, Taiwan and the USA

1.5. Wood of conifers (*Coniferales*), other than wood in the form of chips, particles, wood waste or scrap obtained in whole or part from these conifers, but including that which has not kept its natural round surface, originating in non-European

There shall be international evidence by application of an indicator system applied to the wood, that it has undergone an appropriate heat treatment to achieve a minimum wood core temperature of 56°C for 30 minutes.

Official statement that

- a) the product has undergone an appropriate fumigation shipboard or in a container prior to shipment and
- b) that the product shall be shipped in sealed containers or in such a way as to prevent any reinfestation

The wood shall be stripped of its bark, and shall be free from grub holes, caused by the genus *Monochamus* (non-European spp.), defined for this purpose as those which are larger than 3 mm across, and shall have a moisture content expressed as a percentage of dry matter, of less than 20%, achieved at the time of manufacture

The wood shall be stripped of its bark, and shall be free from grub holes, caused by the genus *Monochamus* (non-European spp.), defined for this purpose as those which are larger than 3 mm across.

a) The wood shall be stripped of its bark, and shall be free from grub holes, caused by the genus *Monochamus* (non-European spp.), defined for this purpose as those which are larger than 3 mm across  
or

countries, other than Canada, China, Japan, Korea, Taiwan and USA

(b) there shall be evidence by a mark „Kiln-dried™, or KD™ or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule.

1.6. Wood of conifers (*Coniferales*) originating in countries where the European populations of *Dendroctonus micans* Kugelan, *Ips amitimus* Eichhof, *Ips cembrae* Heer, *Ips duplicatus* Sahlberg, *Ips sexdentatus* Boerner, *Ips typographus* Heer and *Monochamus* spp. are known to occur

Official statement that

- a) the place of production is free from the European populations of *Dendroctonus micans* Kugelan, *Ips amitimus* Eichhof, *Ips cembrae* Heer, *Ips duplicatus* Sahlberg, *Ips sexdentatus* Boerner, *Ips typographus* Heer and *Monochamus* spp. are known to occur or
- b) the wood shall be stripped of its bark if the infestation with these pests of the consignment is higher than 5 %

2.1. Wood of *Acer saccharum* Marsh., including wood which has not kept its natural round surface, other than wood intended for the production of veneer, originating in North American countries

There shall be evidence by a mark Kiln-dried™, KD™ or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule.

2.2. Wood of *Acer saccharum* Marsh., other than wood listed in 2.1, originating in North American countries

There shall be evidence by the appropriate accompanying documents, or some other means that the wood is intended for the production of veneer sheets.

3. Wood of *Castanea* Mill. and *Quercus* L. including wood which has not kept its natural round surface, originating in North American countries

The wood shall be stripped of its bark, and

- (a) either be squared so as to remove entirely the rounded surface or
- (b) official statement that the water content of the wood does not exceed 20% expressed as a percentage of the dry matter or
- (c) official statement that the wood has been disinfected by an appropriate hot-air or hot-water treatment.

or in the case of sawn wood with or without residual bark attached, there shall be evidence by a mark Kiln-dried™, KD™ or another

internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule

4. Wood of *Castanea* Mill.

Without prejudice to the requirements applicable to the plant products listed under 3.  
(a) official statement that the wood originates in areas known to be free from *Cryphonectria parasitica* (Murrill) Barr  
or  
(b) the wood shall be stripped of its bark

5. Wood of *Platanus* L., including wood which has not kept its natural round surface, originating in the USA or Armenia

There shall be evidence by a mark Kiln-dried™, KD™ or another internationally recognised mark, put on the wood or on its packaging in accordance with current commercial usage, that it has undergone kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule.

6. Wood of *Populus* L., originating in countries of the American continent

The wood shall be stripped of its bark.

7. Wood in the form of chips, particles, wood waste or scrap and obtained in whole or part from *Acer saccharum* Marsh. *Castanea* Mill., *Platanus* L., *Populus* L. and *Quercus* L., originating in non-European countries, and conifers (*Coniferales*) originating in non-European countries other than Canada, China, Japan, Korea, Taiwan and the USA

The product shall have been produced exclusively from wood which was stripped of its bark or which has undergone either kiln-drying to below 20% moisture content, expressed as a percentage of dry matter, at time of manufacture, achieved through an appropriate time/temperature schedule of fumigation shipboard or in a container prior to shipment, and shall be shipped in sealed containers or in such a way as to prevent any re-infestation

8.1. Plants of conifers (*Coniferales*), other than fruit and seeds, originating in non-European countries

Without prejudice to the prohibitions applicable to the plants listed in Annex 4(1), where appropriate, official statement that the plants have been produced in nurseries and that the place of production is free from *Pissodes* spp. (non-European)

8.2. Plants of conifers (*Coniferales*), other than fruit and seeds, over 3 m in height,

Without prejudice to the prohibitions applicable to the plants listed in Annex 4(1),

originating in non-European countries

8.3. Plants of conifers (*Coniferales*), over 3 m in height, originating in European countries where the European populations of *Dendroctonus micans* Kugelan, *Ips amitimus* Eichhof, *Ips cembrae* Heer, *Ips duplicatus* Sahlberg, *Ips sexdentatus* Boerner, *Ips typographus* Heer and *Monochamus* spp. are known to occur

9. Plants of *Pinus* L., intended for planting, other than seeds

10. Plants of *Abies* Mill., *Larix* Mill., *Picea* A. Dietr., *Pinus* L., *Pseudotsuga* Carr. and *Tsuga* Carr., intended for planting, other than seeds

11.1. Plants of *Castanea* Mill. and *Quercus* L., other than fruit and seeds:

(a) originating in non-European countries

(b) originating in North American countries

11.2. Plants of *Castanea* Mill. and *Quercus* L., intended for planting, other than seeds

and Annex 5(8.1), where appropriate, official statement that the plants have been produced in nurseries and that the place of production is free from *Scolytidae* spp. (non-European)

Official statement that the plants are free from the European populations of *Dendroctonus micans* Kugelan, *Ips amitimus* Eichhof, *Ips cembrae* Heer, *Ips duplicatus* Sahlberg, *Ips sexdentatus* Boerner, *Ips typographus* Heer and *Monochamus* spp.

Without prejudice to the provisions applicable to the plants listed in Annex 4(1) and Annex 5(8.1), (8.2), official statement that no symptoms of *Mycosphaerella dearnessii* M.E.Barr and *Mycosphaerella pini* E.Rostrup have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.

Without prejudice to the provisions applicable to the plants listed in Annex 4(1) and Annex 5(8.1), (8.2) or (9), where appropriate, official statement that no symptoms of *Melampsora medusae* Thümen have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.

Without prejudice to the prohibitions applicable to the plants listed in Annex III(A)(2).

a) official statement that no symptoms of *Cronartium* spp. (non-European) have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation

b) official statement that the plants originate in areas known to be free from *Ceratocystis fagacearum* (Bretz) Hunt.

Without prejudice to the provisions applicable to the plants listed in Annexes 4(2) and 5(11.1), official statement that:

(a) the plants originate in areas known to be free from *Cryphonectria parasitica* (Murrill) Barr; or

(b) no symptoms of *Cryphonectria parasitica*

- (Murrill) Barr have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation
12. Plants of *Platanus* L., intended for planting, other than seeds, originating in the USA or Armenia
- Official statement that no symptoms of *Ceratocystis fimbriata* f. sp. *platani* Walter have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.
- 13.1. Plants of *Populus* L., intended for planting, other than seeds
- Without prejudice to the prohibitions applicable to the plants listed in Annex 4(3), official statement that no symptoms of *Melampsora medusae* Thümen have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.
- 13.2. Plants of *Populus* L., other than fruit and seeds, originating in countries of the American continent
- Without prejudice to the provisions applicable to the plants listed in Annex 4(3) and 5(13.1), official statement that no symptoms of *Mycosphaerella populorum* G.E. Thompson have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.
14. Plants of *Ulmus* L., intended for planting, other than seeds, originating in North American countries
- Official statement that no symptoms of Elm phloem necrosis mycoplasma have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation..
15. Plants of *Chaenomeles* Lindl., *Crataegus* L., *Cydonia* Mill., *Eriobotrya* Lindl., *Malus* Mill., *Prunus* L. and *Pyrus* L., intended for planting, other than seeds, originating in non-European countries
- Without prejudice to the prohibitions applicable to the plants listed in Annex 4(11), (12), where appropriate, official statement that:
- a) the plants originate in a country known to be free from *Monilinia fructicola* (Winter) Honey;
- or
- b) the plants originate in an area recognized as being free from *Monilinia fructicola* (Winter) Honey, and no symptoms of *Monilinia fructicola* (Winter) Honey have been observed at the place of production since the beginning of the last complete cycle of vegetation.
16. From 15 February to 30 September, fruits of *Prunus* L., originating in non-European countries
- Official statement that:
- a) the fruits originate in a country known to be free from *Monilinia fructicola* (Winter)

- Honey or
- b) the fruits originate in an area recognised as being free from *Monilinia fructicola* (Winter) Honey, or
  - c) the fruits have been subjected to appropriate inspection and treatment procedures prior to harvest and/or export to ensure freedom from *Monilinia* spp

16.1. Fruits of *Citrus* L., *Fortunella* Swingle, *Poncirus* Raf., and their hybrids

The fruits shall be free from peduncles and leaves and the packaging shall bear an appropriate origin mark

16.2. Fruits of *Citrus* L., *Fortunella* Swingle, *Poncirus* Raf., and their hybrids

Without prejudice to the provisions applicable to the fruits in Annex 5 (16.1), (16.3), (16.4) and (16.5) and (16.6) official statement that:

- (a) the fruits originate in a country recognised as being free from *Xanthomonas campestris* (all strains pathogenic to *Citrus*), or
- (b) the fruits originate in an area recognised as being free from *Xanthomonas campestris* (all strains pathogenic to *Citrus*), or
- (c) either,

in accordance with an official control and examination regime, no symptoms of *Xanthomonas campestris* (all strains pathogenic to *Citrus*) have been observed in the field of production and in its immediate vicinity since the beginning of the last cycle of vegetation and none of the fruits harvested in the field of production has shown symptoms of *Xanthomonas campestris* (all strains pathogenic to *Citrus*) and the fruits have been subjected to treatment such as sodium orthophenylphenate, mentioned on the certificates, and the fruits have been packed at premises or dispatching centres registered for this purpose,

or

-any certification system, recognised as equivalent to the above provisions.

16.3. Fruits of *Citrus* L., *Fortunella* Swingle, *Poncirus* Raf., and their hybrids

Without prejudice to the provisions applicable to the fruits in Annex 5 (16.1), (16.2), (16.4) (16.5) and 16.6) official statement that:

- (a) the fruits originate in a country recognised as being free from *Cercospora angolensis* Carv. et Mendes or
- (b) the fruits originate in an area recognised as being free from *Cercospora angolensis*



16.4. Fruits of *Citrus* L., *Fortunella* Swingle, *Poncirus* Raf., and their hybrids, other than fruits of *Citrus aurantium* L.

Carv. et Mendes, or  
(c) no symptoms of *Cercospora angolensis* Carv. et Mendes have been observed in the field of production and in its immediate vicinity since the beginning of the last cycle of vegetation, and none of the fruits harvested in the field of production has shown, in appropriate official examination, symptoms of this organism.

Without prejudice to the provisions applicable to the fruits in Annex 5 (16.1), (16.2), (16.3) (16.5) and (16.6), official statement that:

- (a) the fruits originate in a country recognised as being free from *Guignardia citricarpa* Kiely (all strains pathogenic to *Citrus*), or
- (b) the fruits originate in an area recognised as being free from *Guignardia citricarpa* Kiely (all strains pathogenic to *Citrus*), or
- (c) no symptoms of *Guignardia citricarpa* Kiely (all strains pathogenic to *Citrus*), have been observed in the field of production and in its immediate vicinity since the beginning of the last cycle of vegetation, and none of the fruits harvested in the field of production has shown, in appropriate official examination, symptoms of this organism, or
- (d) the fruits originate in a field of production subjected to appropriate treatments against *Guignardia citricarpa* Kiely (all strains pathogenic to *Citrus*), and none of the fruits harvested in the field of production has shown, in appropriate official examination, symptoms of this organism.

16.5. Fruits of *Citrus* L., *Fortunella* Swingle, *Poncirus* Raf., and their hybrids, originating non-European countries where Tephritidae (non-European) are known to occur on these fruits

Without prejudice to the provisions applicable to the fruits in Annex 5(16.1), (16.2) (16.3), (16.4) and (16.6) official statement that:

- (a) the fruits originate in areas known to be free from the relevant organism; or,
- (b) no signs of the relevant organism have been observed at the place of production and in its immediate vicinity since the beginning of the last complete cycle of vegetation, on official inspections carried out at least monthly during the three months prior to harvesting, and none of the fruits harvested at the place of production has shown, in appropriate official

examination, signs of the relevant organism, or

- (c) the fruits have shown, in appropriate official examination on representative samples, to be free from the relevant organism in all stages of their development; or
- (d) the fruits have been subjected to an appropriate treatment (vapour heat treatment, cold treatment, or quick freeze treatment) which has been shown to be efficient against the relevant organism without damaging the fruit, and, where not available, to chemical treatment as far as it is acceptable by Hungarian legislation.

#### 16.6. Fruits of *Citrus* L and *Prunus* L

Without prejudice to the provisions applicable to the fruits in Annex 5(16.1), (16.2) (16.3) and (16.4), official statement that:

- (a) the fruits originate in areas known to be free from *Ceratitis capitata* Wiedmann, or
- (b) the place of production is found free from *Ceratitis capitata* Wiedmann in on official inspection made during the beginning of the last complete cycle of vegetation or
- (c) the fruits have been treated with appropriate methods for eradicating *Ceratitis capitata* Wiedmann

#### 17. Plants of *Chaenomeles* Lindl., *Cotoneaster* Ehrh., *Crataegus* L., *Cydonia* Mill., *Eriobotrya* Lindl., *Malus* Mill., *Mespilus* L., *Pyracantha* Roem., *Pyrus* L., *Sorbus* L., other than *Sorbus intermedia* (Ehrh.) Pers. And *Stranvaesia* Lindl. intended for planting, other than seeds

Without prejudice to the provisions applicable to the plants listed in Annex 4(11), (12) and Annex 5(15), where appropriate, official statement:

- (a) that the plants originate in countries recognised as being free from *Erwinia amylovora* (Burr.) Winsl. et al. Or
- (b) that the plants in the field of production and in its immediate vicinity, which have shown symptoms of *Erwinia amylovora* (Burr.) Winsl. et al., have been rogued out

#### 18. Plants of *Citrus* L., *Fortunella* Swingle, *Poncirus* Raf., and their hybrids, other than fruit and seeds and plants of *Araceae*, *Marantaceae*, *Musaceae*, *Persea* spp. and *Strelitziaceae*, rooted or with soil, growing medium attached or associated

Official statement that:

- (a) the plants originate in countries known to be free from *Radopholus citrophilus* Huettel et al. and *Radopholus similis* (Cobb) Thorne; or
- (b) representative samples of soil and roots from the place of production have been subjected, since the beginning of the last complete cycle of vegetation, to official nematological testing for at least

*Radopholus citrophilus* Huettel et al. and *Radopholus similis* (Cobb) Thorne and have been found, in these tests, free from those pests

19.1. Plants of *Crataegus* L. intended for planting, other than seeds, originating in countries where *Phyllosticta solitaria* Ell. and Ev. is known to occur

Without prejudice to the provisions applicable to the plants listed in Annex 4(11) and Annex 5(15) and (17), official statement that no symptoms of *Phyllosticta solitaria* Ell. and Ev. have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation

19.2. Plants of *Cydonia* Mill., *Fragaria* L., *Malus* Mill., *Prunus* L., *Pyrus* L., *Ribes* L., *Rubus* L. intended for planting, other than seeds, originating in countries where the relevant pests are known to occur on the genera concerned

Without prejudice to the provisions applicable to the plants where appropriate listed in Annex 4 (11) and (12), and Annex 5 (15) and (17), official statement that no symptoms of diseases caused by the relevant pests have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation.

The relevant pests are

a) on *Fragaria* L.:

*Phytophthora fragariae* Hickman, var. *fragariae*.

Arabis mosaic virus.

Raspberry ringspot virus.

Strawberry crinkle virus.

Strawberry latent ringspot virus.

Strawberry mild yellow edge virus.

Tomato black ring virus.

*Xanthomonas fragariae* Kennedy et King:

b) on *Malus* Mill.:

*Phyllosticta solitaria* Ell. and Ev.:

c) on *Prunus* L.:

Apricot chlorotic leafroll mycoplasma.

*Xanthomonas campestris* pv. *prunus* (Smith) Dye.

d) on *Prunus persica* (L.) Batsch:

*Pseudomonas syringae* pv. *persicae* (Prunier et al.) Young et al.:

e) on *Pyrus* L.:

*Phyllosticta solitaria* Ell. and Ev.:

f) on *Rubus* L.:

Arabis mosaic virus.

Raspberry ringspot virus.

Strawberry latent ringspot virus.

Tomato black ring virus.

g) on all species:

non-European viruses and virus-like organisms.

20. Plants of *Cydonia* Mill. and *Pyrus* L. intended for planting, other than seeds, originating in countries where Pear decline mycoplasma is known to occur

Without prejudice to the provisions applicable to the plants listed in Annex 4 (11) and (12), and Annex 5 (15), (17) and (19.2) official statement that plants at the place of production and in its immediate vicinity, which have shown symptoms giving rise to the suspicion of contamination by Pear decline mycoplasma, have been rogued out at that place within the last three complete cycles of vegetation

21.1. Plants of *Fragaria* L. intended for planting, other than seeds, originating in countries where the relevant pests are known to occur

Without prejudice to the provisions applicable to the plants listed in Annex 4(12) and Annex 5(19.2), official statement that:

The relevant pests are:

- a) Strawberry latent C<sup>TM</sup> virus,
- b) Strawberry vein banding virus,
- c) Strawberry witches' broom mycoplasma

(a) the plants, other than those raised from seed, have been:

aa) either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least the relevant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those pests, or

ab) derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least the relevant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those pests.

(b) no symptoms of diseases caused by the relevant pests have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation.

21.2. Plants of *Fragaria* L. intended for planting, other than seeds, originating in countries where *Aphelenchoides besseyi* Christie is known to occur

Without prejudice to the provisions applicable to the plants listed in Annex 4(12), and Annex 5(19.2) and (21.1), official statement that:

(a) either no symptoms of *Aphelenchoides besseyi* Christie have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation or

(b) in the case of plants in tissue culture the plants have been derived from plants which complied with section (a) of this item or

have been officially tested by appropriate nematological methods and have been found free from *Aphelenchoides besseyi* Christie.

21.3. Plants of *Fragaria* L., intended for planting, other than seeds

Without prejudice to the provisions applicable to the plants listed in Annex 4(12), and Annex 5(19.2), (21.1) and (21.2), official statement that the plants originate in an area known to be free from *Anthonomus signatus* Say and *Anthonomus bisignifer* (Schenkling).

22.1. Plants of *Malus* Mill. intended for planting, other than seeds, originating in countries where the relevant pests are known to occur on *Malus* Mill.

Without prejudice to the provisions applicable to the plants, listed in Annex 4(11),(12) and Annex 5(15), 17) and (19.2), official statement that:

The relevant pests are:

- a) Cherry rasp leaf virus (American),
- b) Tomato ringspot virus

(a) the plants have been:

aa) either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least the relevant pests using appropriate indicated or equivalent methods and has been found free, in these test, from those pests, or

ab) derived in direct line from material which is maintained under appropriate conditions and subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least the relevant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those pests;

(b) no symptoms of diseases caused by the relevant pests have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation.

22.2. Plants of *Malus* Mill., intended for planting, other than seeds, originating in countries where Apple proliferation mycoplasma is known to occur

Without prejudice to the provisions applicable to the plants, listed in Annex 4(11) and (12), Annex 5(15), (17), (19.2) and (22.1), official statement that

(a) the plants originate in areas known to be free from Apple proliferation mycoplasma; or

(b) ba) the plants, other than those raised from seeds, have been either officially certified under a certification scheme requiring

them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least Apple proliferation mycoplasma using appropriate indicators or equivalent methods and has been found free, in these tests, from that pest, or

derived in direct line from material which is maintained under appropriate conditions and subjected, within the last six complete cycles of vegetation, at least once, to official testing for at least Apple proliferation mycoplasma using appropriate indicators or equivalent methods and has been found free, in these tests, from the pest.

bb) no symptoms of diseases caused by Apple proliferation mycoplasma have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete three cycles of vegetation.

23.1. Plants of following species of *Prunus* L., intended for planting, other than seeds, originating in countries where Plum pox virus is known to occur:

- a) *Prunus amygdalus* Batsch.
- b) *Prunus armeniaca* L..
- c) *Prunus blireiana* Andre.
- d) *Prunus brigantina* Vill..
- e) *Prunus cerasifera* Ehrh..
- f) *Prunus cistena* Hansen.
- g) *Prunus curdica* Fenzl and Fritsch..
- h) *Prunus domestica* ssp. *domestica* L..
- i) *Prunus domestica* ssp. *insititia* (L.) C.K. Schneid..
- j) *Prunus domestica* ssp. *italica* (Borkh.) Hegi..
- k) *Prunus glandulosa* Thunb..
- l) *Prunus holosericea* Batal..
- m) *Prunus hortulana* Bailey.
- n) *Prunus japonica* Thunb..
- o) *Prunus mandshurica* (Maxim.) Koehne.
- p) *Prunus maritima* Marsh..
- q) *Prunus mume* Sieb and Zucc..
- r) *Prunus nigra* Ait..
- s) *Prunus persica* (L.) Batsch.
- t) *Prunus salicina* L..

Without prejudice to the provisions applicable to the plants, listed in Annex 4(11) and (12), and Annex 5(15) and (19.2), official statement that:

(a) the plants, other than those raised from seed, have been:

aa) either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for, at least, Plum pox virus using appropriate indicators or equivalent methods and has been found free, in these tests, from that pest, or

ab) derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least Plum pox virus using appropriate indicators or equivalent methods and has been found free, in these tests, from that pest;

(b) no symptoms of disease caused by Plum pox virus have been observed on plants at

- u) *Prunus sibirica* L.,
- v) *Prunus simonii* Carr.,
- w) *Prunus spinosa* L.,
- x) *Prunus tomentosa* Thunb.,
- y) *Prunus triloba* Lindl.,
- z) other species of *Prunus* L. susceptible to Plum pox virus.

23.2. Plants of *Prunus* L., intended for planting

- (a) originating in countries where the relevant pests are known to occur on *Prunus* L.
- (b) other than seeds, originating in countries where the relevant pests are known to occur
- (c) other than seeds, originating in non-European countries where the relevant pests are known to occur

The relevant pests are:

- a) for the case under (a):
  - Tomato ringspot virus;
- b) or the case under (b):
  - Cherry rasp leaf virus (American),
  - Peach mosaic virus (American),
  - Peach phony rickettsia,
  - Peach rosette mycoplasma,
  - Peach yellows mycoplasma,
  - Plum line pattern virus (American),
  - Peach X-disease mycoplasma;
- c) or the case under (c):
  - Little cherry pathogen.

24. Plants of *Rubus* L., intended for planting:

- (a) originating in countries where pests are known to occur on *Rubus* L.
- (b) other than seeds, originating in countries where the relevant pests are known to occur

The relevant pests are:

- a) in the case of (a):
  - Tomato ringspot virus,
  - Black raspberry latent virus,
  - Cherry leafroll virus,

the place of production or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation

- (c) plants at the place of production which have shown symptoms of disease caused by other viruses or virus-like pathogens, have been rogued out.

Without prejudice to the provisions applicable to the plants, where appropriate listed in Annex 4(11) and (12) or Annex 5(15), (19.2) and (23.1), official statement that

- (a) the plants have been:
  - aa) either officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions and subjected to official testing for at least the relevant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those pests, or
  - ab) derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least the relevant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those pests.
- (b) no symptoms of diseases caused by the relevant pests have been observed on plants at the place of production or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation.

Without prejudice to the requirements applicable to the plants, listed in Annex 5(19.2),

- (a) the plants shall be free from aphids, including their eggs
- (b) official statement that:
  - (ba) the plants have been:
    - either
    - officially certified under a certification scheme requiring them to be derived in direct line from material which has been maintained under appropriate conditions

Prunus necrotic ringspot virus,  
b) in the case of (b):  
Raspberry leaf curl virus (American)  
Cherry rasp leaf virus (American)

and subjected to official testing for at least the relevant pests using appropriate indicators or equivalent methods and has been found free, in these tests, from those pest.

or  
derived in direct line from material which is maintained under appropriate conditions and has been subjected, within the last three complete cycles of vegetation, at least once, to official testing for at least relevant pests using appropriate indicators for equivalent methods and has been found free, in these tests, from those pest

(bb) no symptoms of diseases caused by the relevant pests have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation.

25. Plants of *Vitis* L., other than fruit and seeds

Official statement that no symptoms of Grapevine flavescence dorée MLO, *Xylophilus ampelinus* (Panapogoulos) Willems et al. and *Scaphoideus titanus* Ball have been observed on the mother plants since the beginning of the last two complete cycles of vegetation

26.1. Tubers of *Solanum tuberosum* L., originating in countries where *Synchytrium endobioticum* (Schilbersky) Percival is known to occur

Without prejudice to the prohibitions applicable to the tubers listed in Annex 4(13), (14) and (15), official statement that:

- (a) the tubers originate in areas known to be free from *Synchytrium endobioticum* (Schilbersky) Percival (all races other than Race 1, the common European race), and no symptoms of *Synchytrium endobioticum* (Schilbersky) Percival have been observed either at the place of production or in its immediate vicinity since the beginning of an adequate period; or  
(b) provisions recognised as equivalent to the Hungarian provisions on combating *Synchytrium endobioticum* (Schilbersky) Percival have been complied with, in the country of origin

26.2. Tubers of *Solanum tuberosum* L.

Without prejudice to the provisions listed in Annex4(13), (14) and (15) and Annex 5(26.1), official statement that:

- (a) the tubers originate in countries known to be free from *Clavibacter michiganensis*



ssp. *sepedonicus* (Spieckermann and Kotthoff) Davis et al.; or

- (b) provisions recognised as equivalent to the Hungarian provisions on combating *Clavibacter michiganensis* ssp. *sepedonicus* (Spieckermann and Kotthoff) Davis et al. have been complied with, in the country of origin.

26.3. Tubers of *Solanum tuberosum* L., other than early potatoes, originating in countries where Potato spindle tuber viroid is known to occur

Without prejudice to the provisions applicable to the tubers listed in Annex 4(13), (14) and (15) and Annex 5(26.1) and (26.2), suppression of the faculty of germination

26.4. Tubers of *Solanum tuberosum* L., intended for planting

Without prejudice to the provisions applicable to the tubers listed in Annex 4(13), (14) and (15) and Annex 5(26.1), (26.2) and (26.3), official statement that

a) the tubers originate from a field known to be free from *Globodera rostochiensis* (Wollenweber) Behrens and *Globodera pallida* (Stone) Behrens and

b) either,

the tubers originate in areas in which *Pseudomonas solanacearum* is known not to occur;

or

in areas where *Pseudomonas solanacearum* is known to occur, the tubers originate from a place of production found free from this organism or considered to be free thereof, as a consequence of the implementation of an appropriate procedure aiming at eradicating *Pseudomonas solanacearum* and

c) either the tubers originate in areas where *Meloidogyne chitwoodi* Golden et al. (all populations) and *Meloidogyne fallax* Karssen are known not to occur; or

d) in areas where *Meloidogyne chitwoodi* Golden et al. (all populations) and *Meloidogyne fallax* Karssen are known to occur,

(da) either the tubers originate from a place of production which has been found free from *Meloidogyne chitwoodi* Golden et al. (all populations), and *Meloidogyne fallax* Karssen based on an annual survey of host crops by visual inspection of host plants at appropriate times and by visual inspection

both externally and by cutting of tubers after harvest from potato crops grown at the place of production, or

(db) the tubers after harvest have been randomly sampled and, either checked for the presence of symptoms after an appropriate method to induce symptoms, or laboratory tested, as well as inspected visually both externally and by cutting the tubers, at appropriate times and in all cases at the time of closing of the packages or containers before marketing and no symptoms of *Meloidogyne chitwoodi* Golden et al. (all populations) and *Meloidogyne fallax* Karssen have been found and

e) the tubers have been grown on areas known to be free from Beet necrotic yellow vein furovirus or

(ea) in a place of production free from Beet necrotic yellow vein furovirus or

(eb) in growing medium containing soil free from this virus or have been officially tested using adequate methods and found, in these tests, free from Beet necrotic yellow vein furovirus or

(ec) washed free from the soil.

26.5. Plants of *Solanaceae*, intended for planting, other than seeds, originating in countries where Potato stolbur mycoplasma is known to occur

Without prejudice to the provisions applicable to tubers listed in Annex 4(13), (14), (15) and (16), and Annex 5(26.1), (26.2), (26.3) and (26.4), official statement that no symptoms of Potato stolbur mycoplasma have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation.

25.6. Plants of *Solanaceae*, intended for planting, other than tubers of *Solanum tuberosum* L. and other than seeds of *Lycopersicon lycopersicum* (L.) Karsten ex Farw., originating in countries where Potato spindle tuber viroid is known to occur

Without prejudice to the provisions applicable to the plants listed in Annex 4(14), (16), and Annex 5(26.5), where appropriate, official statement that no symptoms of Potato spindle tuber viroid have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation

26.7. Plants of *Capsicum annuum* L., *Lycopersicon lycopersicum* (L.) Karsten ex Farw., *Musa* L., *Nicotiana* L. and *Solanum melongena* L., intended for planting other than seeds, originating in countries where *Pseudomonas solanacearum* (Smith) Smith

Without prejudice to the provisions applicable to the plants listed in Annex 4(14) and (16), and Annex 5(25.5) and (25.6), where appropriate, official statement that:

(a) the plants originate in areas which have been found free from *Pseudomonas*

is known to occur

- solanacearum* (Smith) Yabuuchi; or
- (b) no symptoms of *Pseudomonas solanacearum* (Smith) Yabuuchi have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation.

26.8. Tubers of *Solanum tuberosum* L., other than those intended for planting

Without prejudice to the provisions applicable to tubers listed in Annex 4(14) and Annex 5(26.1), (26.2) and (26.3), official statement that the tubers originate in areas in which *Pseudomonas solanacearum* (Smith) Yabuuchi is not known to occur.

27. Plants of *Humulus lupulus* L. intended for planting, other than seeds

Official statement that no symptoms of *Verticillium albo-atrum* Reinke and Berthold and *Verticillium dahliae* Klebahn have been observed on hops at the place of production since the beginning of the last complete cycle of vegetation.

28.1. Plants of *Dendranthema* (DC.) Des Moul., *Dianthus* L. and *Pelargonium* l'Hérit. Ex Ait., intended for planting, other than seeds

Official statement that:

- (a) no signs of *Heliothis armigera* Hübner, *Spodoptera littoralis* (Boisd.) and *Cacoecimorpha pronubana* Hübner have been observed at the place of production since the beginning of the last complete cycle of vegetation or
- (b) the plants have undergone appropriate treatment to protect them from the said organisms

28.2. Plants of *Dendranthema* (DC.) Des Moul., *Dianthus* L. and *Pelargonium* l'Hérit. Ex Ait., other than seeds

Without prejudice to the requirements applicable to the plants listed in Annex 5(28.1), official statement that

- (a) no signs of *Spodoptera eridiana* Cramer, *Spodoptera frugiperda* Smith, or *Spodoptera litura* (Fabricius) have been observed at the place of production since the beginning of the last complete cycle of vegetation or
- (b) the plants have undergone appropriate treatment to protect them from the said organisms.

29. Plants of *Dendranthema* (DC.) Des Moul., intended for planting, other than seeds

Without prejudice to the requirements applicable to the plants listed in Annex 5(28.1) and (28.2), official statement that:

- (a) the plants are no more than third generation stock derived from material which has been found to be free from *Chrysanthemum stunt viroid* during

virological tests, or are directly derived from material of which a representative sample of at least 10% has been found to be free from *Chrysanthemum* stunt viroid during an official inspection carried out at the time of flowering;

(b) the plants or cuttings:

(ba) have come from premises which have been officially inspected at least monthly, during the three months prior to dispatch and on which no symptoms of *Puccinia horiana* Hennings have been known to have observed during that period, and in the immediate vicinity of which no symptoms of *Puccinia horiana* Hennings have been known to have occurred during the three months prior to export, or

bb) have undergone appropriate treatment against *Puccinia horiana* Hennings:

(c) ca) in the case of unrooted cuttings, no symptoms of *Didymella ligulicola* (Baker, Dimock and Davis) v. Arx were observed either on the cuttings or on the plants from which the cuttings were derived, or

cb) that, in case of rooted cuttings, no symptoms of *Didymella ligulicola* (Baker, Dimock and Davis) v. Arx were observed either on the cuttings or on the rooting bed.

30. Plants of *Dianthus* L., intended for planting, other than seeds.

Without prejudice to the requirements applicable to the plants listed in Annex 5(28.1) and (28.2), official statement that:

a) the plants have been derived in direct line from mother plants which have been found free from *Erwinia chrysanthemi* pv. *dianthicola* (Hellmers) Dickey, *Pseudomonas caryophylli* (Burkholder) Starr and Burkholder and *Phialophora cinerescens* (Wollenw.) Van Beyma on officially approved tests, carried out at least once within the two previous years,

b) no symptoms of the above pests have been observed on the plants

31. Bulbs of *Tulipa* L. and *Narcissus* L., other than those for which there shall be evidence by their packaging, or by other means, that they are intended for sale to final consumers not involved in professional cut flower production

Official statement that no symptoms of *Ditylenchus dipsaci* (Kühn) Filipjev have been observed on the plants since the beginning of the last complete cycle of vegetation.

32. Plants of *Pelargonium* L'Herit. ex Ait., intended for planting, other than seeds, originating in countries where Tomato ringspot virus is known to occur:

(a) where *Xiphinema americanum* Cobb sensu lato (non-European populations) or other vectors of Tomato ringspot virus are not known to occur

(b) where *Xiphinema americanum* Cobb sensu lato (non-European populations) or other vectors of Tomato ringspot virus are known to occur

33.1. Plants of *Apium graveolens* L., *Argyranthemum* spp., *Aster* spp., *Brassica* spp., *Capsicum annuum* L., *Cucumis* spp., *Dendranthema* (DC.) Des Moul., *Dianthus* L. and hybrids, *Exacum* spp., *Gerbera* Cass., *Gypsophila* L., *Lactuca* spp., *Leucanthemum* L., *Lupinus* L., *Lycopersicon lycopersicum* (L.) Karsten ex Farw., *Solanum melongena* L., *Tanacetum* L. and *Verbena* L., intended for planting, other than seeds, originating in countries where it has been ascertained, that the relevant pests:

- a) *Amauromyza maculosa* (Malloch),
- b) *Liriomyza bryoniae* (Kaltenbach),
- c) *Liriomyza huidobrensis* (Blanchard),
- d) *Liriomyza sativae* Blanchard,
- e) *Liriomyza trifolii* (Burgess) are not known to occur

32.2. Plants of species covered by Annex 5(33.1), intended for planting, other than seeds, originating in American countries or in any other third country not covered by Annex 5 (33.1)

Without prejudice to the requirements applicable to the plants listed in Annex 5(28.1 and) (28.2), official statement that the plants:

- (a) are directly derived from places of production known to be free from Tomato ringspot virus; or
- (b) are of no more than fourth generation stock, derived from mother plants found to be free from Tomato ringspot virus under an official approved system of virological testing.

Official statement that the plants:

- (a) are directly derived from places of production known to be free from Tomato ringspot virus in the soil or plants; or
- b) are of no more than second generation stock, derived from mother plants found to be free from Tomato ringspot virus under an officially approved system of virological testing.

Without prejudice to the provisions applicable to the plants listed in Annex 4(14) and (16), and Annex 5(28.1), (28.2), (29) and (30), where appropriate, official statement that:

- (a) either no signs of any of the relevant pests have been observed at the place of production, on official inspections carried out at least monthly during the three months prior to export; or
- (b) immediately prior to export the plants have been inspected and found free from signs of the relevant pests and have been subjected to an appropriate treatment aimed at eradicating the relevant pests.

Without prejudice to the provisions applicable to the plants listed in Annex 4(14) and (16), and Annex 5(28.1), (28.2), (29) (30) and (33.1), where appropriate, official statement that no signs of *Amauromyza maculosa* (Malloch), *Liriomyza bryoniae* (Kaltenbach), *Liriomyza huidobrensis* (Blanchard), *Liriomyza sativae* Blanchard or *Liriomyza*

*trifolii* (Burgess) have been observed at the place of production, on official inspections carried out at least monthly during the three months prior to export

33.3. Plants of herbaceous species other than those covered by 33.1 intended for planting, other than seeds, originating in countries not covered by 33.1

Without prejudice to the provisions applicable to the plants listed in Annex 4(14) and (16) and Annex 5(28.1), (28.2), (29) and (30), where appropriate, official statement that:

- (a) either no signs of *Amauromyza maculosa* (Malloch), or *Linomyza sativae* Blanchard have been observed at the place of production on an official inspection carried out prior to export; or
- (b) immediately prior to export the plants have been inspected and found free from signs of the relevant pests and have been subjected to an appropriate treatment aimed at eradicating the relevant pests

34. Plants with roots, planted or intended for planting, grown in the open air

Official statement that the place of production is known to be free from *Clavibacter michiganensis* ssp. *sepedonicus* (Spieckermann and Kotthoff) Davis et al., *Globodera pallida* (Stone) Behrens, *Globodera rostochiensis* (Wollenweber) Behrens and *Synchytrium endobioticum* (Schilbersky) Percival.

35. Soil and growing medium attached to or associated with plants, consisting in whole or in part of soil or solid organic substances such as parts of plants, humus including peat or bark or any solid inorganic substance, intended to sustain the vitality of the plants, originating in:

Official statement that:

- (a) the growing medium, at the time of planting, was:
  - aa) either free from soil, and organic matter, or
  - ab) found free from insects and harmful nematodes and subjected to appropriate examination or heat treatment or fumigation to ensure that it was free from other pests, or
  - ac) subjected to appropriate heat treatment or fumigation to ensure freedom from pests, and
- (b) since planting:
  - ba) either appropriate measures have been taken to ensure that the growing medium has been maintained free from pests, or
  - bb) within two weeks prior to dispatch, the plants were shaken free from the medium leaving the minimum amount necessary to sustain vitality during transport, and, if replanted, the growing

- a) Turkey,
- b) Belarus, Estonia, Latvia, Lithuania, Moldavia, Russia, Ukraine,
- c) non-European countries other than Cyprus, Egypt, Israel, Libya, Malta, Morocco, Tunisia

medium used for that purpose meets the requirements laid down in (a).

36.1. Plants of *Beta vulgaris* L. intended for planting, other than seeds

Official statement that no symptoms of Beet curly top virus (non-European isolates) have been observed at the place of production since the beginning of the last complete cycle of vegetation.

36.2. Plants of *Beta vulgaris* L. intended for planting, other than seeds, originating in countries where Beet leaf curl virus is known to occur

Without prejudice to the requirements applicable the plants listed in Annex 5(36.1), official statement that:

- (a) Beet leaf curl virus and Beet necrotic yellow vein furovirus have not been known to occur in the place of production; and
- (b) no symptoms of Beet leaf curl rhabdovirus and Beet necrotic yellow vein furovirus have been observed at the place or production or in its immediate vicinity since the beginning of the last complete cycle of vegetation.

37.1. Plants of *Ficus* L., intended for planting, other than seeds

Official statement that:

- (a) the place of production has been found free from *Thrips palmi* Karny on official inspections carried out at least monthly during the three months prior to export; or
- (b) the consignment has undergone appropriate treatment to ensure freedom from *Thysanoptera*; or
- (c) the plants have been grown in greenhouses in which official measures have been taken to monitor the presence of *Thrips palmi* Karny during an appropriate period, and that during such monitoring no *Thrips palmi* Karny have been detected.

37.2. Plants, other than *Ficus* L., intended for planting, and other than seeds

Official statement that:

- (a) the plants originate in a country known to be free from *Thrips palmi* Karny; or
- (b) the place of production has been found free from *Thrips palmi* Karny on official inspections carried out at least monthly during the three months prior to export; or
- (c) the consignment has undergone appropriate treatment to ensure freedom from *Thysanoptera*.

38. Plants of *Palmæ* intended for planting other than seeds, originating in non-European countries

Without prejudice to the prohibitions applicable to the plants listed in Annex 4(20), where appropriate, official statement that:

- (a) either the plants originate in an area known to be free from Palm lethal yellowing mycoplasma and Cadang-cadang viroid, and no symptoms have been observed at the place of production or in its immediate vicinity since the beginning of the last complete cycle of vegetation; or
- (b) no symptoms of Palm lethal yellowing mycoplasma and Cadang-cadang viroid have been observed on the plants since the beginning of the last complete cycle of vegetation, and plants at the place of production which have shown symptoms giving rise to the suspicion of contamination by the organisms have been rogued out at that place and the plants have undergone appropriate treatment to rid them of *Myndus crudus* Van Duzee;
- (c) in the case of plants in tissue culture, the plants were derived from plants which have met the requirements laid down in (a) or (b)

39.1. Plants of *Camellia* L. intended for planting, other than seeds, originating in non-European countries

Official statement that:

- (a) the plants originate in areas known to be free from *Ciborinia camelliae* Kohn; or
- (b) no symptoms of *Ciborinia camelliae* Kohn have been observed on plants in flower on the place of production since the beginning of the last complete cycle of vegetation.

39.2. Plants of *Fuchsia* L. intended for planting, other than seeds, originating in the USA or Brazil

Official statement that no symptoms of *Aculops fuchsiae* Keifer have been observed at the place of production and that immediately prior to export the plants have been inspected and found free from *Aculops fuchsiae* Keifer.

40. Trees and shrubs, intended for planting, other than seeds and plants in tissue culture, originating in third countries other than European and Mediterranean countries

Without prejudice to the provisions applicable to the plants listed in Annex 4(1), (2), (3), (11), (12), (16), (18), (19), (20), and Annex 5 (8.1), (8.2), (9), (10), (11.1), (11.2), (12), (13.1), (13.2), (14), (15), (17), (18), (19.1), (19.2), (20), (22.1), (22.2), (23.1), (23.2), (24), (26.5), (26.6), (27), (28.1), (28.2), (29), (30), (33.1), (33.2), (34), (35), (37.1), (37.2), (38), (39.1) and (39.2) where appropriate, official statement that the plants:

- a) are clean (i.e. free from plant debris) and free from flowers and fruits.
- b) have been grown in nurseries.



- c) have been inspected at appropriate times and prior to export and found free from symptoms of harmful quarantine and regulated non-quarantine bacteria, viruses and virus-like organisms, and
- d) either found free from signs or symptoms of harmful quarantine and regulated non-quarantine nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such organisms.

41. Deciduous trees and shrubs, intended for planting, other than seeds and plants in tissue culture, originating in third countries other than European and Mediterranean countries

Without prejudice to the provisions applicable to the plants listed in Annex 4(1), (2), (3), (11), (12), (16), (18), (19), (20), and Annex 5 (8.1), (8.2), (9), (10), (11.1), (11.2), (12), (13.1), (13.2), (14), (15), (17), (18), (19.1), (19.2), (20), (22.1), (22.2), (23.1), (23.2), (24), (26.5), (26.6), (27), (28.1), (28.2), (29), (30), (33.1), (33.2), (34), (35), (37.1), (37.2), (38), (39.1) and (39.2) where appropriate, official statement that the plants are dormant and free from leaves.

42. Annual and biennial plants, other than Gramineae, intended for planting, other than seeds, originating in countries other than European and Mediterranean countries

Without prejudice to the provisions applicable to the plants, where appropriate, listed in Annex 4(14), (16) and Annex 5(26.5), (26.6), (33.1), (33.2), (33.3), (34), (35), (36.1) and (36.2) official statement that the plants:

- a) have been grown in nurseries,
- b) are free from plant debris, flowers and fruits,
- c) have been inspected at appropriate times and prior to export, and
  - ca) found free from symptoms of harmful quarantine and regulated non-quarantine bacteria, viruses and virus-like organisms, and
  - cb) either found free from signs or symptoms of harmful quarantine and regulated non-quarantine nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such organisms.

43. Plants of the family *Gramineae* of ornamental perennial grasses of the subfamilies *Bambusoideae*, *Panicoideae* and of the genera *Buchloe*, *Bouteloua* Lag., *Calamagrostis*, *Cortaderia* Stapf., *Glyceria* R. Br., *Hakonechloa* Mak. ex

Without prejudice to the requirements applicable to the plants, where appropriate, listed in Annex 5(34), (35) and (37), official statement that the plants:

- a) have been grown in nurseries, and
- b) are free from plants debris, flowers and

Honda, *Hystrix*, *Molinia*, *Phalaris* L., *Shibataea*, *Spartina* Schreb., *Stipa* L. and *Uniola* L. intended for planting, other than seeds, originating in countries other than European and Mediterranean countries

44. Naturally or artificially dwarfed plants intended for planting other than seeds, originating in non-European countries

- fruits, and
- c) have been inspected and prior to export, and
  - ca) found free from symptoms of harmful bacteria, viruses and virus-like organisms, and
  - cb) either found free from signs or symptoms of harmful nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such organisms.

Without prejudice to the provisions applicable to the plants listed in Annex 4(1), (2), (3), (11), (12), (16), (18) (19) (20) and Annex 5(8.1), (8.2), (9), (10), (11.1), (11.2), (12), (13.1), (13.2), (14), (15), (17), (18), (19.1), (19.2), (20), (22.1), (22.2), (23.1), (23.2), (24), (25), (26.5), (26.6), (27), (28.1), (28.2), (29), (33.1), (33.2), (34), (35), (37.1), (37.2), (38), (39.1), (39.2), (40), (41) and (43), where appropriate, official statement that:

- (a) the plants, including those collected directly from natural habitats, shall have been grown, held and trained for at least two consecutive years prior to dispatch in officially registered nurseries, which are subject to an officially supervised control regime.
- (b) the plants on the nurseries referred to in (a) shall:
  - (ba) at least during the period referred to in (a):
    - 1) be potted, in pots which are placed on shelves at least 50 cm above ground.
    - 2) have been subjected to appropriate treatments to ensure freedom from non-European rusts: the active ingredient, concentration and date of application of these treatments shall be mentioned on the phytosanitary certificate under the rubric .disinfestation and/or disinfection treatment<sup>TM</sup>.
    - 3) have been officially inspected at least six times a year at appropriate intervals for the presence of harmful quarantine and regulated non-quarantine organisms of concern.. These inspections, which shall also be carried out on plants in the immediate vicinity of the nurseries referred to in (a), shall be carried out at least by

visual examination of each row in the field or nursery and by visual examination of all parts of the plant above the growing medium, using a random sample of at least 300 plants from a given genus where the number of plants of that genus is not more than 3 000 plants, or 10% of the plants if there are more than 3 000 plants from that genus.

4) have been found free, in these inspections, from the relevant harmful quarantine and regulated non-quarantine organisms of concern as specified in the previous indent. Infested plants shall be removed. The remaining plants, where appropriate, shall be effectively treated, and in addition shall be held for an appropriate period and inspected to ensure freedom from such pests of concern.

5) have been planted in either an unused artificial growing medium or in a natural growing medium, which has been treated by fumigation or by appropriate heat treatment to ensure freedom from the quarantine and regulated non-quarantine organisms.

6) have been kept under conditions which ensure that the growing medium has been maintained free from harmful quarantine and regulated non-quarantine organisms and within two weeks prior to dispatch, have been:

6.1) shaken and washed with clean water to remove the original growing medium and kept bare rooted, and

6.2) shaken and washed with clean water to remove the original growing medium and replanted in growing medium which meets the conditions laid down in (ba)5), or

6.3) subjected to appropriate treatments to ensure that the growing medium is free from non-European quarantine and regulated non-quarantine pests, the active ingredient, concentration and date of application of these treatments shall be mentioned on the phytosanitary certificate provided for under the rubric ,disinfestation and/or disinfection treatment™ and

(bb) be packed in closed containers

which have been officially sealed and bear the registration number of the registered nursery; this number shall also be indicated under the rubric additional declaration on the phytosanitary certificate provided enabling the consignments to be identified.

45. Herbaceous perennial plants, intended for planting, other than seeds, of the families *Caryophyllaceae* (except *Dianthus* L.), *Compositae* (except *Dendranthema* (DC.) Des Moul.), *Cruciferae*, *Leguminosae* and *Rosaceae* (except *Fragaria* L.), originating in countries, other than European and Mediterranean countries

Without prejudice to the requirements applicable to plants, where appropriate, listed in Annex 5)(33.1), (33.2), (33.3), (34) and (35) and (37) official statement that the plants:

- a) have been grown in nurseries, and
- b) are free from plant debris, flowers and fruits, and
- c) have been inspected at appropriate times and prior to export, and
  - ca) found free from symptoms of quarantine and regulated non-quarantine bacteria, viruses and virus-like organisms, and
  - cb) either found free from signs or symptoms of quarantine and regulated non-quarantine harmful nematodes, insects, mites and fungi, or have been subjected to appropriate treatment to eliminate such organisms

46. Plants of *Euphorbia pulcherrima* Willd. intended for planting, other than seeds, originating in countries where *Bemisia tabaci* Genn. (non-European populations) is known to occur

Official statement that:

- a) the plants originate in areas known to be free from *Bemisia tabaci* Genn., or
- b) no signs of *Bemisia tabaci* Genn. have been observed on plants at the place of production, on official inspections carried out at least monthly during the three months prior to export.

46.1. Plants of *Lycopersicon lycopersicum* (L.) Karsten ex Farw. intended for planting, other than seeds, originating in countries where Tomato yellow leaf curl virus is known to occur

Without prejudice to the requirements applicable to plants listed in Annex 4(16) and Annex 5(26.5), (26.6) and 26.7 where appropriate

(a) Where *Bemisia tabaci* Genn. is not known to occur

Official statement that no symptoms of Tomato yellow leaf curl bigeminivirus have been observed on the plants

(b) Where *Bemisia tabaci* Genn. is known to occur

Official statement that:

- a) no symptoms of Tomato yellow leaf curl virus have been observed on the plants.

and

(aa) the plants originate in areas known to be free from *Bemisia tabaci* Genn., or

(ab) the place of production has been found free from *Bemisia tabaci* Genn. on official inspections carried out at least monthly during the three months prior to export; or

b) no symptoms of Tomato yellow leaf curl virus have been observed on the place of production and the place of production has been subjected to an appropriate treatment and monitoring regime to ensure freedom from *Bemisia tabaci* Genn

46.2 Plants, intended for planting originating from countries where European populations of *Bemisia tabaci* Genn and *Frankliniella occidentalis* (Pergande) are known to occur

Without prejudice to the requirements applicable to plants listed in Annex 4(16) and Annex 5(26.5), (26.6) and (26.7) and (46.1), where appropriate, official statement that

a) the place of production is free from *Bemisia tabaci* Genn (European population) on official testing made at least monthly during the three months prior to export or

b) the consignment has been appropriately treated to ensure freedom from *Bemisia tabaci* Genn (European population) and *Frankliniella occidentalis* (Pergande)

47. Plants intended for planting, other than seeds, tubers, corms, rhizomes, originating in countries where the relevant pests are known to occur.

The relevant pests are:

- a) Bean golden mosaic virus,
- b) Cowpea mild mottle virus,
- c) Lettuce infectious yellow virus,
- d) Pepper mild tigré virus,
- e) Squash leaf curl virus,
- f) other viruses transmitted by *Bemisia tabaci* Genn.

Without prejudice to the requirements applicable to the plants listed in Annex 4(16) and Annex 5(25.5) (25.6), (32.1), (32.2), (32.3), (35.1), (35.2), (36) (44), (45) und (45.1) where appropriate

(a) Where *Bemisia tabaci* Genn. (non-European populations) or other vectors of the relevant pests are not known to occur

Official statement that no symptoms of the relevant pests have been observed on the plants during their complete cycle of vegetation

(b) Where *Bemisia tabaci* Genn. (non-European populations) or other vectors of the relevant pests are known to occur

Official statement that no symptoms of the relevant pests have been observed on the plants during an adequate period, and

a) the plants originate in areas known to be free from *Bemisia tabaci* Genn. and other

- vectors of the relevant pests; or
- b) the place of production has been found free from *Bemisia tabaci* Genn. and other vectors of the relevant pests on official inspections carried out at appropriate times; or
- c) the plants have been subjected to an appropriate treatment aimed at eradicating *Bemisia tabaci* Genn.

48. Seeds of *Helianthus annuus* L.

Official statement that:

- a) the seeds originate in areas known to be free from *Plasmopara halstedii* (Farlow) Berl. and de Toni; or
- b) the seeds, other than those seeds that have been produced on varieties resistant to all races of *Plasmopara halstedii* (Farlow) Berl. and de Toni present in the area of production, have been subjected to an appropriate treatment against *Plasmopara halstedii* (Farlow) Berl. and de Toni.

49. Seeds of *Lycopersicon lycopersicum* (L.) Karsten ex Farw.

Official statement that the seeds have been obtained by means of an appropriate acid extraction method or an equivalent method approved and

- a) either the seeds originate in areas where *Clavibacter michiganensis* ssp. *michiganensis* (Smith) Davis et al., *Xanthomonas campestris* pv. *vesicatoria* (Doidge) Dye and Potato spindle tuber viroid are not known to occur; or
- b) no symptoms of diseases caused by those pests have been observed on the plants at the place of production during their complete cycle of vegetation; or
- c) the seeds have been subjected to official testing for at least those pests, on a representative sample and using appropriate methods, and have been found, in these tests, free from those pests.

50.1. Seeds of *Medicago sativa* L.

Official statement that:

- a) no symptoms *Ditylenchus dipsaci* (Kühn) Filipjev have been observed at the place of production since the beginning of the last complete cycle of vegetation and no *Ditylenchus dipsaci* (Kühn) Filipjev has been revealed by laboratory tests on a representative sample; or
- b) fumigation has taken place prior to export

50.2. Seeds of *Medicago sativa* L., originating in countries where *Clavibacter michiganensis* ssp. *insidiosus* Davis et al. is known to occur

Without prejudice to the requirements applicable to plants listed in Annex 5(50.1), official statement that:

- a) *Clavibacter michiganensis* ssp. *insidiosus* Davis et al. has not been known to occur on the farm or in the immediate vicinity since the beginning of the past 10 years;
- b) either
  - (ba) the crop belongs to a variety recognised as being highly resistant to *Clavibacter michiganensis* ssp. *insidiosus* Davis et al., or
  - (bb) it had not yet started its fourth complete cycle of vegetation from sowing when the seed was harvested and there was not more than one preceding seed harvest from the crop, or
  - (bc) the content of inert matter determined does not exceed 0,1 % by weight;
- c) no symptoms of *Clavibacter michiganensis* ssp. *insidiosus* Davis et al. have been observed at the place of production, or on any *Medicago sativa* L. crop adjacent to it, during the last complete cycle of vegetation or, where appropriate, the last two cycles of vegetation;
- d) the crop has been grown on land on which no previous *Medicago sativa* L. crop has been present during the last three years prior to sowing.

51. Seeds of *Oryza sativa* L.

Official statement that:

- (a) the seeds have been officially tested by appropriate nematological tests and have been found free from *Aphelenchoides besseyi* Christie; or
- (b) the seeds have been subjected to an appropriate hot water treatment or other appropriate treatment against *Aphelenchoides besseyi* Christie.

52. Seeds of *Phaseolus* L.

Official statement that:

- a) the seeds originate in areas known to be free from *Xanthomonas campestris* pv. *phaseoli* (Smith) Dye and *Curtobacterium flaccumfaciens* pv. *flaccumfaciens* (Hedges) Collins and Jones; or
- b) a representative sample of the seeds has been tested and found free from *Xanthomonas campestris* pv. *phaseoli*

(Smith) Dye and *Curtobacterium flaccumfaciens pv. flaccumfaciens* (Hedges) Collins and Jones in these tests.

53. Seeds of *Zea mais* L..

Official statement that:

a) the seeds originate in areas known to be free from *Erwinia stewartii* (Smith) Dye, *Stenocarpella macrospora* (Earle) Sutton and *Stenocarpella maydis* (Barkeley) Sutton ; or  
4a representative sample of the seeds has been tested and found free from *Erwinia stewartii* (Smith) Dye, *Stenocarpella macrospora* (Earle) Sutton and *Stenocarpella maydis* (Barkeley) Sutton in this test

54. Seeds of the genera *Triticum*, *Secale* and X *Triticosecale* from Afghanistan, India, Iraq, Mexico, Nepal, Pakistan and the USA where *Tilletia indica* Mitra is known to occur.

Official statement that the seeds originate in an area where *Tilletia indica* Mitra is known not to occur. The name of the area shall be mentioned on the phytosanitary certificate.

55. Grain of the genera *Triticum*, *Secale* and X *Triticosecale* from Afghanistan, India, Iraq, Mexico, Nepal, Pakistan and the USA where *Tilletia indica* Mitra is known to occur.

Official statement that either,

- a) the grain originates in an area where *Tilletia indica* Mitra is known not to occur. The name of the area or areas shall be mentioned on the phytosanitary certificate.  
or  
b) no symptoms of *Tilletia indica* Mitra have been observed on the plants at the place of production during their last complete cycle of vegetation and representative samples of the grain have been taken both at the time of harvest and before shipment and have been tested and found free from *Tilletia indica* Mitra in these tests; the latter shall be mentioned on the phytosanitary certificate in the rubric „name of produce<sup>TM</sup> as „tested and found free from *Tilletia indica* Mitra<sup>TM</sup>.