

S.I. No. 621 of 2001

**European Communities (Pesticide Residues) (Products of Plant Origin,
including Fruit and Vegetables) (Amendment) (No. 3) Regulations, 2001**

I, Joe Walsh, Minister for Agriculture, Food and Rural Development, in exercise of the powers conferred on me by section 3 of the European Communities Act, 1972 (No. 27 of 1972), and for the purpose of giving effect to Council Directive 90/642/EEC of 27 November 1990¹, as amended by Council Directive 93/58/EEC of 29 June 1993², and the corrigenda to Council Directive 93/58/EEC³, Council Directive 94/30/EC of 23 June 1994⁴, Council Directive 95/38/EC of 17 July 1995⁵ and the corrigenda to Council Directive 95/38/EC⁶, Council Directive 95/61/EC of 29 November 1995⁷, Council Directive 96/32/EC of 21 May 1996⁸, Council Directive 97/41/EC of 25 June 1997⁹, Commission Directive 97/71/EC of 15 December 1997¹⁰, Commission Directive 98/82/EC of 27 October 1998¹¹, Commission Directive 1999/65/EC of 24 June 1999¹², Commission Directive 1999/71/EC of 14 July 1999¹³, Commission Directive 2000/24/EC of 28 April 2000¹⁴, Commission Directive 2000/48/EC of 25 July 2000¹⁵, Commission Directive 2000/57/EC of 22 September 2000¹⁶; Commission Directive 2000/58/EC of 22 September 2000¹⁷, Commission Directive 2000/42/EC of 22 June 2000¹⁸ and the corrigenda to Commission Directive 2000/42/EC of 22 June 2000¹⁹, Commission Directive 2000/81/EC of 18 December 2000²⁰, Commission Directive 2000/82/EC of 20 December 2000²¹, Commission Directive 2001/35/EC of 11 May 2001²², Commission Directive 2001/39/EC of 23 May 2001²³, Commission Directive 2001/48/EC of 28 June 2001²⁴ and Commission Directive 2001/57/EC of 25 July 2001²⁵, hereby make the following Regulations:

¹ O.J. No. L350 of 14/12/1990

² O.J. No. L211 of 23/8/1993

³ O.J. No. L219 of 24/8/1994

⁴ O.J. No. L189 of 23/7/1994

⁵ O.J. No. L197 of 22/8/1995

⁶ O.J. No. L155 of 28/6/1996

⁷ O.J. No. L292 of 7/12/1995

⁸ O.J. No. L1144 of 18/6/1996

⁹ O.J. No. L184 of 12/7/1997

¹⁰ O.J. No. L347 of 18/12/1997

¹¹ O.J. No. L290 of 29/10/1998

¹² O.J. No. L172 of 8/7/1999

¹³ O.J. No. L194 of 27/7/1999

¹⁴ O.J. No. L107/28 of 4/5/2000

¹⁵ O.J. No. L197/26 of 3/8/2000

¹⁶ O.J. No. L244/76 of 29/9/2000

¹⁷ O.J. No. L244/78 of 29/9/2000

¹⁸ O.J. No. L158/51 of 30/6/2000

¹⁹ O.J. No. L262/46 of 17/10/2000

²⁰ O.J. No. L326/56 of 22/12/2000

²¹ O.J. No. L3/18 of 6/1/2001

²² O.J. No. L136/42 of 18/5//2001

²³ O.J. No. L148/70 of 1/6//2001

²⁴ O.J. No. L180/26 of 3/7/2001

²⁵ O.J. No. L208/37 of 1/8/2001

1. (1) These Regulations may be cited as the European Communities (Pesticide Residues) (Products of Plant Origin, including Fruit and Vegetables) (Amendment) (No. 3) Regulations, 2001.

(2) These Regulations shall come into operation on the 1st day of January 2002.

2. In these Regulations -
“the Principal Regulations” means the European Communities (Pesticide Residues) (Products of Plant Origin, including Fruit and Vegetables) Regulations, 1999 (S.I. No. 179 of 1999).

“the Directive” means Council Directive 90/642/EEC of 27 November 1990¹, as amended by Council Directive 93/58/EEC of 29 June 1993², and the corrigenda to Council Directive 93/58/EEC³, Council Directive 94/30/EC of 23 June 1994⁴, Council Directive 95/38/EC of 17 July 1995⁵ and the corrigenda to Council Directive 95/38/EC⁶, Council Directive 95/61/EC of 29 November 1995⁷, Council Directive 96/32/EC of 21 May 1996⁸, Council Directive 97/41/EC of 25 June 1997⁹, Commission Directive 97/71/EC of 15 December 1997¹⁰, Commission Directive 98/82/EC of 27 October 1998¹¹, Commission Directive 1999/65/EC of 24 June 1999¹², Commission Directive 1999/71/EC of 14 July 1999¹³, Commission Directive 2000/24/EC of 28 April 2000¹⁴, Commission Directive 2000/48/EC of 25 July 2000¹⁵, Commission Directive 2000/57/EC of 22 September 2000¹⁶, and Commission Directive 2000/58/EC of 22 September 2000¹⁷, Commission Directive 2000/42/EC of 22

¹ O.J. No. L350 of 14/12/1990

² O.J. No. L211 of 23/8/1993

³ O.J. No. L219 of 24/8/1994

⁴ O.J. No. L189 of 23/7/1994

⁵ O.J. No. L197 of 22/8/1995

⁶ O.J. No. L155 of 28/6/1996

⁷ O.J. No. L292 of 7/12/1995

⁸ O.J. No. L144 of 18/6/1996

⁹ O.J. No. L184 of 12/7/1997

¹⁰ O.J. No. L347 of 18/12/1997

¹¹ O.J. No. L290 of 29/10/1998

¹² O.J. No. L172 of 8/7/1999

¹³ O.J. No. L194 of 27/7/1999

¹⁴ O.J. No. L107/28 of 4/5/2000

¹⁵ O.J. No. L197/26 of 3/8/2000

¹⁶ O.J. No. L244/76 of 29/9/2000

¹⁷ O.J. No. L244/78 of 29/9/2000

June 2000¹⁸ and the corrigenda to Commission Directive 2000/42/EC of 22 June 2000¹⁹, Commission Directive 2000/81/EC of 18 December 2000²⁰, Commission Directive 2000/82/EC of 20 December 2000²¹ and Commission Directive 2001/35/EC of 11 May 2001²² Commission Directive 2001/39/EC of 23 May 2001²³, Commission Directive 2001/48/EC of 28 June 2001²⁴ and Commission Directive 2001/57/EC of 25 July 2001²⁵.

3. First Schedule, Part 2, Annex II of the Principal Regulations is hereby amended by the replacement and addition of the following entries to Annex II.

¹⁸ O.J. No. L158/51 of 30/6/2000

¹⁹ O.J. No. L262/46 of 17/10/2000

²⁰ O.J. No. L326/56 of 22/12/2000

²¹ O.J. No. L3/18 of 6/1/2001

²² O.J. No. L136/42 of 18/5/2001

²³ O.J. No. L148/70 of 1/6//2001

²⁴ O.J. No. L180/26 of 3/7/2001

²⁵ O.J. No. L208/37 of 1/8/2001

**First Schedule
Part 2 Annex II**

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Benomyl / carbendazim thiophanate- methyl (sum expressed as carbendazim)	Chlorothalonil	Quinalphos	Chlormequat	Fenbuta- tinoxide
1. Fruit, fresh, dried or uncooked,			0.05(*)		
Preserved by freezing, not					
Containing added sugar, nuts					

(i) CITRUS FRUIT					5
Grapefruit					
Lemons					
Limes					
Mandarins (including Clementines and other hybrids)					
Oranges					
Pomelos					
Others					
(ii) TREE NUTS (SHELLED OR UNSHELLED)					
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) POME FRUIT				0.05(*)	
Apples					
Pears				0.5(t)	
Quinces					
Others				0.05(*)	
(iv) STONE FRUIT					0.05(*)
Apricots					
Cherries					
Peaches (including Nectarines and similar hybrids)					
Plums					
Others					
(v) BERRIES AND SMALL FRUIT					
(a) Table and wine grapes					
Table grapes					
Wine grapes					
(b) Strawberries (other than wild)	0.1(*)				1

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Benomyl / carbendazim thiophanate- methyl (sum expressed as carbendazim)	Chlorothalonil	Quinalphos	Chlormequat	Fenbutatinoxide
1. Fruit, fresh, dried or uncooked, Preserved by Freezing, not containing					

Added sugar; nuts					
(c) Cane fruit (other than wild)					
Blackberries		10			
Dewberries					
Loganberries					
Raspberries					
Others		0.01(*)			
(d) Other small fruit and berries (other than wild)					
Bilberries					
Cranberries					
Currants (red, black and White)					
Gooseberries					
Others					
(e) Wild berries and wild fruit					
(iv) MISCELLANEOUS					
Avocados					
Bananas					3
Dates					
Figs					
Kiwi					
Kumquats					
Litchis					
Mangoes					
Olives					
Passion fruit					
Pineapples					
Papaya					
Others					
2. Vegetables, fresh or Uncooked, frozen or dry			0.05(*)	0.05(*)	
(I) ROOT AND TUBER				0.05(*)	
VEGETABLES					
Beetroot					
Carrots					
Celeriac					
Horseradish					
Jerusalem Artichokes					
Parsnips					
Parsley root					
Radishes					
Salsify					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels
	(mg/kg)

	Benomyl / carbendazim thiophanate-methyl (sum expressed as carbendazim)	Chlorothalonil	Quinalphos	Chlormequat	Fenbutatinoxide
2. Vegetables, fresh or					
Uncooked, frozen or dry					
Sweet potatoes					
Swedes					
Turnips					
Yam					
Others					
(ii) BULB VEGETABLES				0.05(*)	
Garlic					
Onions					
Shallots					
Spring onions					
Others		0.01(*)			
(iii) FRUITING VEGETABLES				0.05(*)	
(a) Solanacea					
Tomatoes					1
Peppers					
Aubergines					1
Others					0.05(*)
(b) Cucurbits – edible peel					
Cucumbers					
Gherkins					
Courgettes					0.5
Others					0.05(*)
(c) Cucurbits – inedible peel					0.05(*)
Melons					
Squashes					
Watermelons					
Others					
(d) Sweetcorn					
(iv) BRASSICA VEGETABLES				0.05(*)	
(a) Flowering brassica					
Broccoli					
Cauliflower					
Others					
(b) Head brassica					
Brussels sprouts					
Head cabbage					
Others					
(c) Leafy brassica					
Chinese cabbage					
Kale					
Others					
(d) Kohlrabi					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum				
	Residue level(mg/kg)				
	Benomyl / carbendazim thiophanate-methyl (sum expressed as carbendazim)	Chlorothalonil	Quinalphos	Chlormequat	Fenbutatinoxide
2. Vegetables, fresh or					
Uncooked, frozen or dry					
(v) LEAF VEGETABLES AND FRESH HERBS				0.05(*)	
(a) Lettuce and similar					
Cress					
Lamb's lettuce					
Lettuce					
Scarole					
Others					
(b) Spinach and similar					
Spinach					
Beet leaves (chard)					
Others					
(c) Watercress					
(d) Witloof					
(e) Herbs					
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) LEGUME VEGETABLES (fresh)				0.05(*)	
Beans (with pods)					0.05(*)
Beans (without pods)					
Peas (with pods)					
Peas (without pods)		0.3			
Others					
(vii) STEM VEGETABLES (fresh)				0.05(*)	
Asparagus					
Cardoons					
Celery	2	10			
Fennel					
Globe artichokes					
Leeks					
Rhubarb					
Others					
(viii) FUNGI					
(a) Cultivated mushrooms				10	
(b) Wild mushrooms				0.05(*)	
3. Pulses			0.05(*)	0.05(*)	
Beans					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Benomyl / carbendazim thiophanate-methyl (sum expressed as carbendazim)	Chlorothalonil	Quinalphos	Chlormequat	Fenbutatinoxide
*					
3. Pulses					
Lentils					
Peas					
Others					
4. Oil seeds			0.05(*)	0.1(*)	0.05(*)
Linseed					
Peanuts					
Poppy seeds					
Sesame seeds					
Sunflower seed					
Rape seeds					
Soya bean					
Mustard seed					
Cotton seed					
Others					
5. Potatoes	0.1(*)		0.05(*)	0.05(*)	
Early potatoes					
Ware potatoes					
6. Tea (leaves and stems dried, from the leaves of <i>Camellia sinensis</i>) fermented or otherwise,			0.1(*)	0.1(*)	
7. Hops (dried), including hop pellets and unconcentrated powder			0.1(*)	0.1(*)	0.1(*)

(*) Indicates lower limit of analytical determination.

(t) Temporary MRL until 31 July 2003 based on carry over due to previous use, where presently no authorisations exist anymore.

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)					
	Fenvalerate and esfenvalerate		Diazinon	Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton)	Endosulfan (sum of alpha- and beta- isomers and endosulfansulfate expressed as endosulfan)	Mecarbam
	Sum of RR & SS Isomers	Sum of RS & SR Isomers				
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar, nuts				0.02(*)		0.05(*)

(i) CITRUS FRUIT	0.02(*)	0.02(*)			0.5	
Grapefruit			1			
Lemons						
Limes						
Mandarins (including Clementines and other hybrids)						
Oranges			1			
Pomelos			1			
Others			0.02(*)			
(ii) TREE NUTS (SHELLED OR UNSHELLED)	0.02(*)	0.02(*)			0.1(*)	
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						
Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others						
(iii) POME FRUIT	0.05	0.02(*)			0.3	
Apples			0.3			
Pears			0.3			
Quinces						
Others			0.02(*)			
(iv) STONE FRUIT	0.02(*)	0.02(*)				
Apricots						
Cherries			0.3			
Peaches (including Nectarines and similar hybrids)					0.5	
Plums			0.1			
Others			0.02(*)		0.05(*)	
(v) BERRIES AND SMALL FRUIT						
(a) Table and wine grapes	0.1	0.02(*)	0.02(*)		0.5	
Table grapes						
Wine grapes						
(b) Strawberries (other than wild)	0.02(*)	0.02(*)	0.02(*)		0.05(*)	

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
-----------------------------------------------------------------------	----------------------------------------------------------

	Fenvalerate and esfenvalerate		Diazinon	Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton)	Endosulfan (sum of alpha- and beta- isomers and endosulfansulfate expressed as endosulfan)	Mecarbam
	Sum of	Sum of				
	RR & SS	RS & SR				
	Isomers	Isomers				
1. Fruit, fresh, dried or uncooked, Preserved by freezing, not containing Added sugar, nuts						
(c) Cane fruit (other than wild)	0.02(*)	0.02(*)	0.02(*)		0.05(*)	
Blackberries						
Dewberries						
Loganberries						
Raspberries						
Others						
(d) Other small fruit and berries (other than wild)	0.02(*)	0.02(*)			0.05(*)	
Bilberries						
Cranberries						
Currants (red, black and White)						
Gooseberries						
Others						
(e) Wild berries and wild fruit	0.02(*)	0.02(*)				
(iv) MISCELLANEOUS	0.02(*)	0.02(*)			0.05(*)	
Avocados						
Bananas						
Dates						
Figs						
Kiwi			0.2			
Kumquats						
Litchis						
Mangoes						
Olives						
Passion fruit						
Pineapples						
Papaya						
Others			0.02(*)			
2. Vegetables, fresh or Uncooked, frozen or dry				0.02(*)		
(I) ROOT AND TUBER	0.02(*)	0.02(*)			0.05(*)	
VEGETABLES						
Beetroot						
Carrots			0.2			
Celeriac						
Horseradish						
Jerusalem Artichokes						
Parsnips						
Parsley root						
Radishes						
Salsify						

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels					
	(mg/kg)					
	Fenvalerate and esfenvalerate		Diazinon	Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton)	Endosulfan (sum of alpha- and beta- isomers and endosulfansulfate expressed as endosulfan)	Mecarbam
	Sum of RR & SS	Sum of RS & RS				
Isomers	Isomers					
2. Vegetables, fresh or Uncooked, frozen or dry						
Sweet potatoes						
Swedes						
Turnips						
Yam						
Others			0.02(*)			
(ii) BULB VEGETABLES	0,02(*)	0.02(*)	0.02(*)		0.05(*)	
Garlic						
Onions						
Shallots						
Spring onions						
Others						
(iii) FRUITING VEGETABLES						
(a) Solanacea			0.5			
Tomatoes	0.05	0.02(*)			0.5	
Peppers					1	
Aubergines						
Others	0.02(*)	0.02(*)			0.05(*)	
(b) Cucurbits – edible peel	0.02(*)	0.02(*)	0.02(*)		0.05(*)	
Cucumbers						
Gherkins						
Courgettes						
Others						
(c) Cucurbits – inedible peel	0.02(*)	0.02(*)	0.02(*)		0.3	
Melons						
Squashes						
Watermelons						
Others						
(d) Sweetcorn	0.02(*)	0.02(*)	0.02(*)		0.05(*)	
(iv) BRASSICA VEGETABLES			0.02(*)		0.05(*)	
(a) Flowering brassica	0.02(*)	0.02(*)				
Broccoli						
Cauliflower						
Others						
(b) Head brassica		0.02(*)				
Brussels sprouts	0.05					
Head cabbage	0.05					
Others	0.02(*)					
(c) Leafy brassica	0.02(*)	0.02(*)				
Chinese cabbage						
Kale						
Others						
(d) Kohlrabi	0.02(*)	0.02(*)				

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum					
	Residue level(mg/kg)					
	Fenvalerate and esfenvalerate		Diazinon	Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton)	Endosulfan (sum of alpha- and beta- isomers and endosulfansulfate expressed as endosulfan)	Mecarbam
Sum of RR & SS Isomers	Sum of RS & RS Isomers					
2. Vegetables, fresh or Uncooked, frozen or dry						

(v) LEAF VEGETABLES	0.02(*)	0.02(*)	0.02(*)		0.05(*)	
AND FRESH HERBS						
(a) Lettuce and similar						
Cress						
Lamb's lettuce						
Lettuce						
Scarole						
Others						
(b) Spinach and similar						
Spinach						
Beet leaves (chard)						
Others						
(c) Watercress						
(d) Witloof						
(e) Herbs						
Chervil						
Chives						
Parsley						
Celery leaves						
Others						
(vi) LEGUME	0.02(*)	0.02(*)	0.02(*)		0.05(*)	
VEGETABLES (fresh)						
Beans (with pods)						
Beans (without pods)						
Peas (with pods)						
Peas (without pods)						
Others						
(vii) STEM VEGETABLES	0.02(*)	0.02(*)	0.02(*)		0.05(*)	
(fresh)						
Asparagus						
Cardoons						
Celery						
Fennel						
Globe artichokes						
Leeks						
Rhubarb						
Others						
(viii) FUNGI	0.02(*)	0.02(*)	0.02(*)		0.05(*)	
(a) Cultivated mushrooms						
(b) Wild mushrooms						
3. Pulses	0.02(*)	0.02(*)	0.02(*)	0.02(*)	0.05(*)	
Beans						

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
--------------------------------------------------------------------	-------------------------------------------------------

	Fenvalerate and esfenvalerate		Diazinon	Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton)	Endosulfan (sum of alpha- and beta- isomers and endosulfansulfate expressed as endosulfan)	Mecarbam
	Sum of RR & SS	Sum of RS & RS				
	Isomers	Isomers				
3. Pulses						
Lentils						
Peas						
Others						
4. Oil seeds	0.05(*)	0.05(*)	0.05(*)			
Linseed						
Peanuts						
Poppy seeds						
Sesame seeds						
Sunflower seed						
Rape seeds						
Soya bean					0.5	
Mustard seed						
Cotton seed						
Others					0.1(*)	
5. Potatoes	0.02(*)	0.02(*)	0.02(*)	0.02(*)	0.05(*)	
Early potatoes						
Ware potatoes						
6. Tea (leaves and stems dried, from the leaves of <i>Camellia sinensis</i>) fermented or otherwise,	0.05(*)	0.05(*)				
7. Hops (dried), including hop pellets and unconcentrated powder	0.05(*)	0.05(*)	0.05(*)	0.05(*)	0.1(*)	

(*) Indicates lower limit of analytical determination.

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Phorate (sum of phorate, its oxygen analogue and their sulphoxides and sulphones expressed as phorate)	Propoxur	Propyzamide	Triazophos	Triforine
1. Fruit, fresh, dried or uncooked, Preserved by freezing, not Containing added sugar, nuts	0.05(*)			0.02(*)	
(i) CITRUS FRUIT					
Grapefruit					
Lemons		0.3			
Limes		0.3			
Mandarins (including Clementines and other hybrids)		0.3			
Oranges					
Pomelos					
Others		0.05(*)			
(ii) TREE NUTS (SHELLED OR UNSHELLED)					0.05(*)
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) POME FRUIT		0.05(*)			
Apples					
Pears					
Quinces					
Others					
(iv) STONE FRUIT		0.05(*)			
Apricots					2
Cherries					
Peaches (including Nectarines and similar hybrids)					2
Plums					1
Others					
(v) BERRIES AND SMALL FRUIT			0.02(*)		
(a) Table and wine grapes		0.05(*)			0.05(*)
Table grapes					
Wine grapes					
(b) Strawberries (other than wild)		0.05(*)			0.05(*)

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Phorate (sum of phorate, its oxygen analogue and their sulphoxides and sulphones expressed as phorate)	Propoxur	Propyzamide	Triazophos	Triforine
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts					
(c) Cane fruit (other than wild)		0.05(*)			
Blackberries					
Dewberries					
Loganberries					
Raspberries					
Others					
(d) Other small fruit and berries (other than wild)					
Bilberries					
Cranberries					
Currants (red, black and White)					
Gooseberries		0.2			
Others					0.05(*)
(e) Wild berries and wild fruit					
(iv) MISCELLANEOUS		0.05(*)			
Avocados					
Bananas					
Dates					
Figs					
Kiwi					
Kumquats					
Litchis					
Mangoes					
Olives					
Passion fruit					
Pineapples					
Papaya					
Others					
2. Vegetables, fresh or Uncooked, frozen or dry	0.05(*)				
(I) ROOT AND TUBER		0.05(*)		0.02(*)	0.05(*)
VEGETABLES					
Beetroot					
Carrots					
Celeriac					
Horseradish					
Jerusalem Artichokes					
Parsnips					
Parsley root					
Radishes					
Salsify					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Phorate (sum of phorate, its oxy-gen analogue and their sulphoxides and sulphones expressed as phorate)	Propoxur	Propyzamide	Triazophos	Triforine
2. Vegetables, fresh or Uncooked, frozen or dry					

Sweet potatoes					
Swedes					
Turnips					
Yam					
Others					
(ii) BULB VEGETABLES		0.05(*)		0.02(*)	0.05(*)
Garlic					
Onions					
Shallots					
Spring onions					
Others					
(iii) FRUITING VEGETABLES		0.05(*)		0.02(*)	
(a) Solanacea					0.05(*)
Tomatoes					
Peppers					
Aubergines					
Others					
(b) Cucurbits – edible peel					
Cucumbers					
Gherkins					
Courgettes					
Others					
(c) Cucurbits – inedible peel					0.05(*)
Melons					
Squashes					
Watermelons					
Others					
(d) Sweetcorn					
(iv) BRASSICA VEGETABLES			0.02(*)	0.02(*)	0.05(*)
(a) Flowering brassica		0.5			
Broccoli					
Cauliflower					
Others					
(b) Head brassica					
Brussels sprouts					
Head cabbage		0.5			
Others		0.05(*)			
(c) Leafy brassica		0.05(*)			
Chinese cabbage					
Kale					
Others					
(d) Kohlrabi		0.05(*)			

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum Residue level(mg/kg)
--------------------------------------------------------------------	-----------------------------------------------------

	Phorate (sum of phorate, its oxygen analogue and their sulphoxides and sulphones expressed as phorate)	Propoxur	Propyzamide	Triazophos	Triforine
2. Vegetables, fresh or Uncooked, frozen or dry					
(v) LEAF VEGETABLES AND FRESH HERBS		0.05(*)			0.05(*)
(a) Lettuce and similar			1		
Cress					
Lamb's lettuce					
Lettuce					
Scarole					
Others					
(b) Spinach and similar					
Spinach					
Beet leaves (chard)					
Others					
(c) Watercress					
(d) Witloof					
(e) Herbs			1		
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) LEGUME VEGETABLES (fresh)		0.05(*)	0.02(*)	0.02(*)	0.05(*)
Beans (with pods)					
Beans (without pods)					
Peas (with pods)					
Peas (without pods)					
Others					
(vii) STEM VEGETABLES (fresh)			0.02(*)	0.02(*)	0.05(*)
Asparagus					
Cardoons					
Celery					
Fennel					
Globe artichokes					
Leeks					
Rhubarb					
Others		0.05(*)			
(viii) FUNGI				0.02(*)	
(a) Cultivated mushrooms					
(b) Wild mushrooms					
3. Pulses	0.05(*)			0.02(*)	
Beans					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Phorate (sum of phorate, its oxygen analogue and their sulphoxides and sulphones expressed as phorate)	Propoxur	Propyzamide	Triazophos	Triforine
3. Pulses					
Lentils					
Peas					
Others					
4. Oil seeds					
Linseed					
Peanuts					
Poppy seeds					
Sesame seeds					
Sunflower seed					
Rape seeds			0.1		
Soya bean					
Mustard seed					
Cotton seed					
Others	0.05(*)		0.05(*)	0.02(*)	
				0.02(*)	
5. Potatoes					
Early potatoes					
Ware potatoes					
6. Tea (leaves and stems dried, from the leaves of <i>Camellia sinensis</i>) fermented or otherwise,				0.05(*)	
7. Hops (dried), including hop pellets and unconcentrated powder			0.05(*)	0.05(*)	

(*) Indicates lower limit of analytical determination.

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Methidathion	Methomyl/ thiodicarb (sum expressed as methomyl)	Pirimiphos- methyl	Thiabendazole	Carbofuran (sum of carbofuran and 3- hydroxy- carbofuran expressed as carbofuran)
1. Fruit, fresh, dried or uncooked,					
Preserved by freezing, not					
Containing added sugar, nuts					

(i) CITRUS FRUIT				5	0.3
Grapefruit		0.5			
Lemons		1			
Limes		1			
Mandarins (including Clementines and other hybrids)		1			
Oranges		0.5			
Pomelos		0.5			
Others		0.05(*)			
(ii) TREE NUTS (SHELLED OR UNSHELLED)			0.05(*)		0.1(*)
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) POME FRUIT		0.2	0.05(*)		0.1(*)
Apples				5	
Pears				5	
Quinces					
Others				0.05(*)	
(iv) STONE FRUIT			0.05(*)	0.05(*)	0.1(*)
Apricots		0.2			
Cherries	0.02(*)	0.1			
Peaches (including Nectarines and similar hybrids)		0.2			
Plums		0.5			
Others					
(v) BERRIES AND SMALL FRUIT				0.05(*)	0.1(*)
(a) Table and wine grapes					
Table grapes		0.05(*)	0.05(*)		
Wine grapes		1	2		
(b) Strawberries (other than wild)			0.05(*)		

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Methidathion	Methomyl/ thiodicarb (sum expressed as methomyl)	Pirimiphos- methyl	Thiabendazole	Carbofuran (sum of carbofuran and 3-hydroxy- carbofuran expressed as carbofuran)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing					

added sugar; nuts					
(c) Cane fruit (other than wild)					
Blackberries					
Dewberries					
Loganberries					
Raspberries					
Others					
(d) Other small fruit and berries (other than wild)		0.05(*)			
Bilberries					
Cranberries					
Currants (red, black and White)					
Gooseberries					
Others					
(e) Wild berries and wild fruit					
(iv) MISCELLANEOUS		0.05(*)			0.1(*)
Avocados				15	
Bananas				5	
Dates					
Figs					
Kiwi					
Kumquats					
Litchis					
Mangoes				5	
Olives					
Passion fruit					
Pineapples					
Papaya				10	
Others			0.05(*)		
2. Vegetables, fresh or Uncooked, frozen or dry					
(I) ROOT AND TUBER				0.05(*)	
VEGETABLES					
Beetroot					
Carrots					
Celeriac					
Horseradish					
Jerusalem Artichokes					
Parsnips					
Parsley root					
Radishes		0.5			
Salsify					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum level(mg/kg)Residue
--------------------------------------------------------------------	----------------------------------------------------

	Methidathion	Methomyl/ thiodicarb (sum expressed as methomyl)	Pirimiphos- methyl	Thiabendazole	Carbofuran (sum of carbofuran and 3- hydroxy-carbofuran expressed as carbofuran)
2. Vegetables, fresh or					
Uncooked, frozen or dry					
Sweet potatoes					
Swedes					0.2
Turnips					0.2
Yam					
Others					0.1(*)
(ii) BULB VEGETABLES	0.02(*)		0.05(*)	0.05(*)	
Garlic					
Onions					
Shallots					
Spring onions					
Others					
(iii) FRUITING VEGETABLES	0.02(*)			0.05(*)	
(a) Solanacea					
Tomatoes		0.5	1		
Peppers			1		
Aubergines		0.5			
Others		0.05(*)	0.05(*)		
(b) Cucurbits – edible peel		0.05(*)			
Cucumbers			0.1		
Gherkins					
Courgettes					
Others			0.05(*)		
(c) Cucurbits – inedible peel		0.05(*)			0.2
Melons			1		
Squashes					
Watermelons					
Others			0.05(*)		
(d) Sweetcorn		0.05(*)			0.1(*)
(iv) BRASSICA VEGETABLES		0.05(*)			
(a) Flowering brassica					
Broccoli					
Cauliflower					
Others					
(b) Head brassica				0.05(*)	0.1(*)
Brussels sprouts					
Head cabbage					
Others			0.05(*)		
(c) Leafy brassica			0.05(*)		0.1(*)
Chinese cabbage					
Kale					
Others					
(d) Kohlrabi			0.05(*)		

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum				
	Residue level(mg/kg)				
	Methidathion	Methomyl/ thiodicarb (sum expressed as methomyl)	Pirimiphos- methyl	Thiabendazole	Carbofuran (sum of carbofuran and 3-hydroxy- carbofuran expressed as carbofuran)
2. Vegetables, fresh or Uncooked, frozen or dry					

(v) LEAF VEGETABLES			0.05(*)	0.05(*)	
AND FRESH HERBS					
(a) Lettuce and similar					
Cress					
Lamb's lettuce					
Lettuce		2			
Scarole					
Others		0.05(*)			
(b) Spinach and similar					
Spinach					
Beet leaves (chard)					
Others					
(c) Watercress					
(d) Witloof					
(e) Herbs		2			
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) LEGUME		0.05(*)	0.05(*)	0.05(*)	0.1(*)
VEGETABLES (fresh)					
Beans (with pods)					
Beans (without pods)					
Peas (with pods)					
Peas (without pods)					
Others					
(vii) STEM VEGETABLES	0.02(*)	0.05(*)	0.05(*)	0.05(*)	0.1(*)
(fresh)					
Asparagus					
Cardoons					
Celery					
Fennel					
Globe artichokes					
Leeks					
Rhubarb					
Others					
(viii) FUNGI					
(a) Cultivated mushrooms				10	
(b) Wild mushrooms					
3. Pulses					
Beans					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
--------------------------------------------------------------------	-------------------------------------------------------

	Methidathion	Methomyl/ thiodicarb (sum expressed as methomyl)	Pirimiphos- methyl	Thiabendazole	Carbofuran (sum of carbofuran and 3-hydroxy- carbofuran expressed as carbofuran)
3. Pulses			0.05(*)		0.1(*)
Lentils					
Peas					
Others					
4. Oil seeds			0.05(*)		0.1(*)
Linseed					
Peanuts		0.1			
Poppy seeds					
Sesame seeds					
Sunflower seed					
Rape seeds					
Soya bean		0.1			
Mustard seed					
Cotton seed		0.1			
Others	0.02(*)	0.05(*)			
5. Potatoes					0.1(*)
Early potatoes				0.05(*)	
Ware potatoes				15	
6. Tea (leaves and stems dried, from the leaves of <i>Camellia sinensis</i>) fermented or otherwise,					
7. Hops (dried), including hop pellets and unconcentrated powder					

(*) Indicates lower limit of analytical determination.

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Carbosulfan	Benfuracarb	Furathiocarb	Benalaxyl	Metalaxyl
1. Fruit, fresh, dried or uncooked, Preserved by freezing, not Containing added sugar, nuts					
(i) CITRUS FRUIT	0.05(*)	0.05(*)			
Grapefruit					0.5
Lemons					
Limes					
Mandarins (including Clementines and other hybrids)					
Oranges					0.5
Pomelos					0.5
Others					0.05(*)
(ii) TREE NUTS (SHELLED OR UNSHELLED)		0.05(*)			
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) POME FRUIT	0.05(*)				
Apples					
Pears					
Quinces					
Others					
(iv) STONE FRUIT	0.05(*)				0.05(*)
Apricots					
Cherries					
Peaches (including Nectarines and similar hybrids)					
Plums					
Others					
(v) BERRIES AND SMALL FRUIT					
(a) Table and wine grapes					
Table grapes					
Wine grapes					
(b) Strawberries (other than wild)					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Carbosulfan	Benfuracarb	Furathiocarb	Benalaxyl	Metalaxyl
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts					

(c) Cane fruit (other than wild)					0.05(*)
Blackberries					
Dewberries					
Loganberries					
Raspberries					
Others					
(d) Other small fruit and berries (other than wild)					
Bilberries					
Cranberries					
Currants (red, black and White)					
Gooseberries					
Others					
(e) Wild berries and wild fruit					
(iv) MISCELLANEOUS					0.05(*)
Avocados					
Bananas					
Dates					
Figs					
Kiwi					
Kumquats					
Litchis					
Mangoes					
Olives					
Passion fruit					
Pineapples					
Papaya					
Others					
2. Vegetables, fresh or Uncooked, frozen or dry					
(I) ROOT AND TUBER				0.05(*)	
VEGETABLES					
Beetroot					
Carrots					
Celeriac					
Horseradish					
Jerusalem Artichokes					
Parsnips					
Parsley root					
Radishes					
Salsify					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
		Carbosulfan	Benfuracarb	Furathiocarb	Benalaxyl

2. Vegetables, fresh or					
Uncooked, frozen or dry					
Sweet potatoes					
Swedes					
Turnips					
Yam					
Others	0.05(*)				
(ii) BULB VEGETABLES	0.05(*)				
Garlic					
Onions					0.5
Shallots					0.5
Spring onions					
Others					0.05(*)
(iii) FRUITING	0.05(*)	0.05(*)			
VEGETABLES					
(a) Solanacea					0.05(*)
Tomatoes					
Peppers					
Aubergines					
Others					
(b) Cucurbits – edible peel					
Cucumbers					0.5
Gherkins					
Courgettes					
Others					0.05(*)
(c) Cucurbits – inedible peel					
Melons				0.1	0.2
Squashes					
Watermelons				0.1	0.2
Others					
(d) Sweetcorn					
(iv) BRASSICA VEGETABLES	0.05(*)	0.05(*)			
(a) Flowering brassica					0.1
Broccoli					
Cauliflower					
Others					
(b) Head brassica					
Brussels sprouts					
Head cabbage					
Others					
(c) Leafy brassica					0.05(*)
Chinese cabbage					
Kale					
Others					
(d) Kohlrabi					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum Residue level(mg/kg)				
	Carbosulfan	Benfuracarb	Furathiocarb	Benalaxyl	Metalaxyl
2. Vegetables, fresh or Uncooked, frozen or dry					
(v) LEAF VEGETABLES AND FRESH HERBS					
(a) Lettuce and similar					
Cress					
Lamb's lettuce					
Lettuce				0.5	1
Scarole					
Others					0.05(*)
(b) Spinach and similar					0.05(*)
Spinach					
Beet leaves (chard)					
Others					
(c) Watercress					0.05(*)
(d) Witloof					0.05(*)
(e) Herbs					0.05(*)
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) LEGUME VEGETABLES (fresh)			0.05(*)		
Beans (with pods)					
Beans (without pods)					
Peas (with pods)					
Peas (without pods)					
Others					
(vii) STEM VEGETABLES (fresh)	0.05(*)		0.05(*)		
Asparagus					
Cardoons					
Celery					
Fennel					
Globe artichokes					
Leeks					0.2
Rhubarb					
Others					0.05(*)
(viii) FUNGI					
(a) Cultivated mushrooms					
(b) Wild mushrooms					
3. Pulses					
Beans					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Carbosulfan	Benfuracarb	Furathiocarb	Benalaxyl	Metalaxyl
3. Pulses			0.05(*)		
Lentils					
Peas					
Others					
4. Oil seeds	0.05(*)		0.05(*)	0.05(*)	0.05(*)
Linseed					
Peanuts					
Poppy seeds					
Sesame seeds					
Sunflower seed					
Rape seeds					
Soya bean					
Mustard seed					
Cotton seed					
Others					
5. Potatoes					
Early potatoes					
Ware potatoes					
6. Tea (leaves and stems dried, from the leaves of <i>Camellia sinensis</i>) fermented or otherwise,					
7. Hops (dried), including hop pellets and unconcentrated powder	1				

(*) Indicates lower limit of analytical determination.

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Lambda- cybalothrin	Propiconazole	Cyfluthrin and b- cyfluthrin (sum of isomers)	Ethephon	Fenarimol
1. Fruit, fresh, dried or uncooked, Preserved by freezing, not Containing added sugar, nuts					

(i) CITRUS FRUIT	0.02(*)			0.05(*)	
Grapefruit					
Lemons					
Limes					
Mandarins (including Clementines and other hybrids)					
Oranges					
Pomelos					
Others					
(ii) TREE NUTS (SHELLED OR UNSHELLED)					
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) POME FRUIT					
Apples					
Pears					
Quinces					
Others					
(iv) STONE FRUIT					
Apricots					0.5
Cherries					1
Peaches (including Nectarines and similar hybrids)					0.5
Plums					
Others		0.05(*)	0.02(*)		0.02(*)
(v) BERRIES AND SMALL FRUIT					
(a) Table and wine grapes				0.05(*)	
Table grapes					
Wine grapes					
(b) Strawberries (other than wild)	0.5		0.02(*)		

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Lambda- cyhalothrin	Propiconazole	Cyfluthrin and b- cyfluthrin (sum of isomers)	Ethephon	Fenarimol
1. Fruit, fresh, dried or uncooked, preserved by freezing,					

not containing added sugar; nuts					
(c) Cane fruit (other than wild)					
Blackberries					
Dewberries					
Loganberries					
Raspberries					0.1
Others					
(d) Other small fruit and berries (other than wild)			0.02(*)		
Bilberries					
Cranberries					
Currants (red, black and White)					
Gooseberries					
Others					
(e) Wild berries and wild fruit					
(iv) MISCELLANEOUS					
Avocados					
Bananas		0.1			
Dates					
Figs					
Kiwi					
Kumquats					
Litchis					
Mangoes					
Olives					
Passion fruit					
Pineapples				0.5	
Papaya					
Others		0.05(*)		0.05(*)	
2. Vegetables, fresh or Uncooked, frozen or dry					
(I) ROOT AND TUBER					
VEGETABLES					
Beetroot					
Carrots					
Celeriac					
Horseradish					
Jerusalem Artichokes					
Parsnips					
Parsley root					
Radishes					
Salsify					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels
	(mg/kg)

	Lambda-cyhalothrin	Propiconazole	Cyfluthrin and b-cyfluthrin (sum of isomers)	Ethephon	Fenarimol
2. Vegetables, fresh or uncooked, frozen or dry					
Sweet potatoes					
Swedes					
Turnips					
Yam					
Others					
(ii) BULB VEGETABLES	0.02(*)			0.05(*)	
Garlic					
Onions					
Shallots					
Spring onions					
Others					
(iii) FRUITING VEGETABLES					
(a) Solanacea					
Tomatoes	0.5				0.5
Peppers	0.1		0.3		0.5
Aubergines	0.5				
Others	0.02(*)		0.02(*)		0.02(*)
(b) Cucurbits – edible peel		0.05(*)			0.2
Cucumbers			0.1		
Gherkins					
Courgettes					
Others			0.02(*)		
(c) Cucurbits – inedible peel	0.05				
Melons					
Squashes					
Watermelons					
Others					
(d) Sweetcorn				0.05(*)	
(iv) BRASSICA VEGETABLES					
(a) Flowering brassica	0.1		0.05		
Broccoli					
Cauliflower					
Others					
(b) Head brassica					
Brussels sprouts					
Head cabbage					
Others					
(c) Leafy brassica	0.02(*)		0.3		
Chinese cabbage					
Kale					
Others					
(d) Kohlrabi	0.02(*)				

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum				
	Residue level(mg/kg)				
	Lambda- cybalothrin	Propiconazole	Cyfluthrin and b- cyfluthrin (sum of isomers)	Ethephon	Fenarimol
2. Vegetables, fresh or Uncooked, frozen or dry					

(v) LEAF VEGETABLES					
AND FRESH HERBS					
(a) Lettuce and similar					
Cress					
Lamb's lettuce					
Lettuce					
Scarole					
Others					
(b) Spinach and similar	0.02(*)				
Spinach					
Beet leaves (chard)					
Others					
(c) Watercress					
(d) Witloof	0.02(*)				
(e) Herbs					
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) LEGUME					0.02(*)
VEGETABLES (fresh)					
Beans (with pods)					
Beans (without pods)					
Peas (with pods)					
Peas (without pods)					
Others					
(vii) STEM VEGETABLES		0.05(*)	0.02(*)		0.02(*)
(fresh)					
Asparagus					
Cardoons					
Celery	0.3				
Fennel					
Globe artichokes					
Leeks					
Rhubarb					
Others	0.02(*)				
(viii) FUNGI	0.02(*)				
(a) Cultivated mushrooms					
(b) Wild mushrooms					
3. Pulses					
Beans					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
-----------------------------------------------------------------------	----------------------------------------------------------

	Lambda-cyhalothrin	Propiconazole	Cyfluthrin and b-cyfluthrin (sum of isomers)	Ethephon	Fenarimol
3. Pulses					
Lentils					
Peas					
Others					
4. Oil seeds		0.05(*)			
Linseed					
Peanuts					
Poppy seeds					
Sesame seeds					
Sunflower seed					
Rape seeds					
Soya bean					
Mustard seed					
Cotton seed				2	
Others				0.05(*)	
5. Potatoes					
Early potatoes					
Ware potatoes					
6. Tea (leaves and stems dried, from the leaves of <i>Camellia sinensis</i>) fermented or otherwise,			0.1(*)		
7. Hops (dried), including hop pellets and unconcentrated powder					

(*) Indicates lower limit of analytical determination.

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Aldicarb (sum of aldicarb, its sulfoxide and its sulfone expressed as aldicarb)	Amitraz (sum of amitraz plus all its metabolites containing 2,4 dimethylani- line expressed as amitraz	Dicofol (sum of p.p ¹ and o.p ¹ isomers)	Acephate	Spiroxamine
1. Fruit, fresh, dried or uncooked,					
Preserved by freezing, not					
Containing added sugar, nuts					

(i) CITRUS FRUIT			2	1	0.05(P)(*)
Grapefruit					
Lemons					
Limes					
Mandarins (including Clementines and other hybrids)					
Oranges					
Pomelos					
Others		0.02(*)			
(ii) TREE NUTS (SHELLED OR UNSHELLED)				0,02(*)	0.05(P)(*)
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) POME FRUIT			0.02(*)	#1	0.05(P)(*)
Apples					
Pears					
Quinces					
Others					
(iv) STONE FRUIT			0.02(*)		0.05(P)(*)
Apricots				0.02(*)	
Cherries				0.02(*)	
Peaches (including Nectarines and similar hybrids)				0.02(*)	
Plums				#2	
Others		0.02(*)		0.02(*)	
(v) BERRIES AND SMALL FRUIT		0.02(*)			
(a) Table and wine grapes			2	0.02(*)	1(P)
Table grapes			0.02(*)		
Wine grapes			2		
(b) Strawberries (other than wild)	0.05(*)		0.02(*)	0.02(*)	0.05(P)(*)

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Aldicarb (sum of aldicarb, its sulfoxide and its sulfone expressed as aldicarb)	Amitraz (sum of amitraz plus all its metabolites containing 2,4 dimethylaniline expressed as amitraz	Dicofol (sum of p.p ¹ and o.p ¹ isomers)	Accephate	Spiroxamine
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing					

Added sugar; nuts					
(c) Cane fruit (other than wild)			0.02(*)	0.02(*)	0.05(P)(*)
Blackberries					
Dewberries					
Loganberries					
Raspberries					
Others					
(d) Other small fruit and berries (other than wild)			0.02(*)	0.02(*)	0.05(P)(*)
Bilberries					
Cranberries					
Currants (red, black and White)					
Gooseberries					
Others					
(e) Wild berries and wild fruit			0.02(*)	0.02(*)	0.05(P)(*)
(iv) MISCELLANEOUS			0.02(*)	0.02(*)	0.05(P)(*)
Avocados					
Bananas	0.1				
Dates					
Figs					
Kiwi					
Kumquats					
Litchis					
Mangoes					
Olives					
Passion fruit					
Pineapples					
Papaya					
Others					
2. Vegetables, fresh or uncooked, frozen or dry					0.05(P)(*)
(I) ROOT AND TUBER VEGETABLES				0.02(*)	
Beetroot					
Carrots	0.1				
Celeriac					
Horseradish					
Jerusalem Artichokes					
Parsnips	0.1				
Parsley root					
Radishes					
Salsify					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Aldicarb (sum of aldicarb, its sulfoxide and its sulfone expressed as aldicarb)	Amitraz (sum of amitraz plus all its metabolites containing 2,4 dimethylaniline expressed as amitraz)	Dicofol (sum of p.p ¹ and o.p ¹ isomers)	Acephate	Spiroxamine

2. Vegetables, fresh or Uncooked, frozen or dry					
Sweet potatoes					
Sweedes					
Turnips					
Yam					
Others					
(ii) BULB VEGETABLES			0.02(*)	0.02(*)	
Garlic					
Onions					
Shallots					
Spring onions					
Others					
(iii) FRUITING VEGETABLES	0.05(*)				
(a) Solanacea			0.02(*)		
Tomatoes			1	0.5	
Peppers					
Aubergines				#0.5	
Others		0.02(*)	0.02(*)	0.02(*)	
(b) Cucurbits – edible peel		0.02(*)	0.2		
Cucumbers				#0.02(*)	
Gherkins					
Courgettes					
Others				0.02(*)	
(c) Cucurbits – inedible peel		0.02(*)	0.5	0.02(*)	
Melons					
Squashes					
Watermelons					
Others					
(d) Sweetcorn				0.02(*)	
(iv) BRASSICA VEGETABLES					
(a) Flowering brassica				#2	
Broccoli					
Cauliflower					
Others	0.05(*)				
(b) Head brassica				2	
Brussels sprouts					
Head cabbage					
Others	0.05(*)				
(c) Leafy brassica				#0.02(*)	
Chinese cabbage					
Kale					
Others					
(d) Kohlrabi				0.02(*)	

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum
	Residue level(mg/kg)

	Aldicarb (sum of aldicarb, its sulfoxide and its sulfone expressed as aldicarb)	Amitraz (sum of amitraz plus all its metabolites containing 2,4 dimethylaniline expressed as amitraz)	Dicofol (sum of p.p ¹ and o.p ¹ isomers)	Acephate	Spiroxamine
2. Vegetables, fresh or Uncooked, frozen or dry					

(v) LEAF VEGETABLES					
AND FRESH HERBS					
(a) Lettuce and similar					
Cress					
Lamb's lettuce					
Lettuce				1	
Scarole					
Others				0.02(*)	
(b) Spinach and similar				0.02(*)	
Spinach					
Beet leaves (chard)					
Others					
(c) Watercress				0.02(*)	
(d) Witloof				0.02(*)	
(e) Herbs				0.02(*)	
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) LEGUME			0.02(*)		
VEGETABLES (fresh)					
Beans (with pods)				#3	
Beans (without pods)				#0.02(*)	
Peas (with pods)				#3	
Peas (without pods)				#0.02(*)	
Others					
(vii) STEM VEGETABLES	0.05(*)		0.02(*)		
(fresh)					
Asparagus					
Cardoons					
Celery					
Fennel					
Globe artichokes				#0.2	
Leeks				#0.02(*)	
Rhubarb					
Others				0.02(*)	
(viii) FUNGI			0.02(*)	0.02(*)	
(a) Cultivated mushrooms					
(b) Wild mushrooms					
3. Pulses			0.02(*)		0.05(P)(*)
Beans				#0.02(*)	

Groups and examples of individual	Pesticide residues and maximum
Products to which the MRLs apply	residue levels (mg/kg)

	Aldicarb (sum of aldicarb, its sulfoxide and its sulfone expressed as aldicarb)	Amitraz (sum of amitraz plus all its metabolites containing 2,4 dimethylaniline expressed as amitraz)	Dicofol (sum of p.p ¹ and o.p ¹ isomers)	Acephate	Spiroxamine
3. Pulses					
Lentils				0.02(*)	
Peas				#0.02(*)	
Others				0.02(*)	
4. Oil seeds	0.05(*)			0.02(*)	0.05(P)(*)
Linseed					
Peanuts					
Poppy seeds					
Sesame seeds					
Sunflower seed					
Rape seeds					
Soya bean					
Mustard seed					
Cotton seed		1			
Others					
5. Potatoes	0.5			0.02(*)	0.05(P)(*)
Early potatoes					
Ware potatoes					
6. Tea (leaves and stems dried, from the leaves of <i>Camellia sinensis</i>) fermented or otherwise,				0.1(*)	0.1(P)(*)
7. Hops (dried), including hop pellets and unconcentrated powder				#0.1(*)	0.1(P)(*)

(*) Indicates lower limit of analytical determination.

The maximum residue level is fixed on a temporary basis for acephate in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

(P) Indicates provisional maximum residue level. This maximum residue level will cease to be provisional in 2005.

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Azinphos-ethyl	Dinoterb	Propham	DNOC	Pyrazophos
1. Fruit, fresh, dried or uncooked, Preserved by freezing, not Containing added sugar, nuts	0.05(*)	0.05(*)	0.05(*)	0.05(*)(+)	0.05(*)(+)
(i) CITRUS FRUIT					
Grapefruit					
Lemons					
Limes					
Mandarins (including Clementines and other hybrids)					
Oranges					
Pomelos					
Others					
(ii) TREE NUTS (SHELLED OR UNSHELLED)					
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) POME FRUIT					
Apples					
Pears					
Quinces					
Others					
(iv) STONE FRUIT					
Apricots					
Cherries					
Peaches (including Nectarines and similar hybrids)					
Plums					
Others					
(v) BERRIES AND SMALL FRUIT					
(a) Table and wine grapes					
Table grapes					
Wine grapes					
(b) Strawberries (other than wild)					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Azinphos-ethyl	Dinoterb	Propham	DNOC	Pyrazophos
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing Added sugar; nuts					
(c) Cane fruit (other than wild)					
Blackberries					
Dewberries					
Loganberries					
Raspberries					
Others					
(d) Other small fruit and berries (other than wild)					
Bilberries					
Cranberries					
Currants (red, black and White)					
Gooseberries					
Others					
(e) Wild berries and wild fruit					
(iv) MISCELLANEOUS					
Avocados					
Bananas					
Dates					
Figs					
Kiwi					
Kumquats					
Litchis					
Mangoes					
Olives					
Passion fruit					
Pineapples					
Papaya					
Others					
2. Vegetables, fresh or Uncooked, frozen or dry	0.05(*)	0.05(*)	0.05(*)	0.05(*)(+)	0.05(*)(+)
(I) ROOT AND TUBER					
VEGETABLES					
Beetroot					
Carrots					
Celeriac					
Horseradish					
Jerusalem Artichokes					
Parsnips					
Parsley root					
Radishes					
Salsify					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Azinphos-ethyl	Dinoterb	Propham	DNOC	Pyrazophos
2. Vegetables, fresh or Uncooked, frozen or dry					
Sweet potatoes					
Swedes					
Turnips					
Yam					
Others					
(ii) BULB VEGETABLES					
Garlic					
Onions					
Shallots					
Spring onions					
Others					
(iii) FRUITING VEGETABLES					
(a) Solanacea					
Tomatoes					
Peppers					
Aubergines					
Others					
(b) Cucurbits – edible peel					
Cucumbers					
Gherkins					
Courgettes					
Others					
(c) Cucurbits – inedible peel					
Melons					
Squashes					
Watermelons					
Others					
(d) Sweetcorn					
(iv) BRASSICA VEGETABLES					
(a) Flowering brassica					
Broccoli					
Cauliflower					
Others					
(b) Head brassica					
Brussels sprouts					
Head cabbage					
Others					
(c) Leafy brassica					
Chinese cabbage					
Kale					
Others					
(d) Kohlrabi					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum Residue level(mg/kg)				
	Azinphos-ethyl	Dinoterb	Propham	DNOC	Pyrazophos
2. Vegetables, fresh or Uncooked, frozen or dry					

(v) LEAF VEGETABLES					
AND FRESH HERBS					
(a) Lettuce and similar					
Cress					
Lamb's lettuce					
Lettuce					
Scarole					
Others					
(b) Spinach and similar					
Spinach					
Beet leaves (chard)					
Others					
(c) Watercress					
(d) Witloof					
(e) Herbs					
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) LEGUME					
VEGETABLES (fresh)					
Beans (with pods)					
Beans (without pods)					
Peas (with pods)					
Peas (without pods)					
Others					
(vii) STEM VEGETABLES					
(fresh)					
Asparagus					
Cardoons					
Celery					
Fennel					
Globe artichokes					
Leeks					
Rhubarb					
Others					
(viii) FUNGI					
(a) Cultivated mushrooms					
(b) Wild mushrooms					
3. Pulses	0.05(*)	0.05(*)	0.05(*)	0.05(*)(+)	0.05(*)(+)
Beans					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Azinphos- ethyl	Dinoterb	Propham	DNOC	Pyrazophos
3. Pulses					
Lentils					
Peas					
Others					
4. Oil seeds	0.05(*)	0.05(*)	0.05(*)	0.05(*)(+)	0.05(*)(+)
Linseed					
Peanuts					
Poppy seeds					
Sesame seeds					
Sunflower seed					
Rape seeds					
Soya bean					
Mustard seed					
Cotton seed					
Others					
5. Potatoes	0.05(*)	0.05(*)	0.05(*)	0.05(*)(+)	0.05(*)(+)
Early potatoes					
Ware potatoes					
6. Tea (leaves and stems dried, from the leaves of <i>Camellia sinensis</i>) fermented or otherwise,	0.1(*)	0.1(*)	0.1(*)	0.1(*)(+)	0.1(*)(+)
7. Hops (dried), including hop pellets and unconcentrated powder	0.1(*)	0.1(*)	0.1(*)	0.1(*)(+)	0.1(*)(+)

(*) Indicates lower limit of analytical determination.

(+) Will apply these measures from 1 July 2002.

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Monolinuron	Chlozolate	Tecnazene	Amizulfuron	Prohexadione e (prohexadione and its salts expressed as prohexadione)
1. Fruit, fresh, dried or uncooked, Preserved by freezing, not Containing added sugar, nuts	0.05(*) (+)	0.05(*) (#)	0.05(*) (#)	0.02(*) (p)	0.05(*) (p)

(i) CITRUS FRUIT					
Grapefruit					
Lemons					
Limes					
Mandarins (including Clementines and other hybrids)					
Oranges					
Pomelos					
Others					
(ii) TREE NUTS (SHELLED OR UNSHELLED)					
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) POME FRUIT					
Apples					
Pears					
Quinces					
Others					
(iv) STONE FRUIT					
Apricots					
Cherries					
Peaches (including Nectarines and similar hybrids)					
Plums					
Others					
(v) BERRIES AND SMALL FRUIT					
(a) Table and wine grapes					
Table grapes					
Wine grapes					
(b) Strawberries (other than wild)					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
		Monolinuron	Chlozolate	Tecnazene	Amizulfuron

1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing Added sugar; nuts					
(c) Cane fruit (other than wild)					
Blackberries					
Dewberries					
Loganberries					
Raspberries					
Others					
(d) Other small fruit and berries (other than wild)					
Bilberries					
Cranberries					
Currants (red, black and White)					
Gooseberries					
Others					
(e) Wild berries and wild fruit					
(iv) MISCELLANEOUS					
Avocados					
Bananas					
Dates					
Figs					
Kiwi					
Kumquats					
Litchis					
Mangoes					
Olives					
Passion fruit					
Pineapples					
Papaya					
Others					
2. Vegetables, fresh or Uncooked, frozen or dry	0.05(*)(+)	0.05(*)(#)	0.05(*)(#)	0.02(*) (p)	0.05(*) (p)
(I) ROOT AND TUBER					
VEGETABLES					
Beetroot					
Carrots					
Celeriac					
Horseradish					
Jerusalem Artichokes					
Parsnips					
Parsley root					
Radishes					
Salsify					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)
--------------------------------------------------------------------	-------------------------------------------------------

	Monolinuron	Chlozolate	Tecnazene	Amizulfuron	Prohexadione (prohexadione and its salts expressed as prohexadione)
--	-------------	------------	-----------	-------------	------------------------------------------------------------------------

2. Vegetables, fresh or Uncooked, frozen or dry					
--------------------------------------------------------	--	--	--	--	--

Sweet potatoes					
Swedes					
Turnips					
Yam					
Others					
(ii) BULB VEGETABLES					
Garlic					
Onions					
Shallots					
Spring onions					
Others					
(iii) FRUITING VEGETABLES					
(a) Solanacea					
Tomatoes					
Peppers					
Aubergines					
Others					
(b) Cucurbits – edible peel					
Cucumbers					
Gherkins					
Courgettes					
Others					
(c) Cucurbits – inedible peel					
Melons					
Squashes					
Watermelons					
Others					
(d) Sweetcorn					
(iv) BRASSICA VEGETABLES					
(a) Flowering brassica					
Broccoli					
Cauliflower					
Others					
(b) Head brassica					
Brussels sprouts					
Head cabbage					
Others					
(c) Leafy brassica					
Chinese cabbage					
Kale					
Others					
(d) Kohlrabi					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum				
	Residue level(mg/kg)				
	Monolinuron	Chlozolate	Tecnazene	Amizulfuron	Prohexadione (prohexadione and its salts expressed as prohexadione)
2. Vegetables, fresh or Uncooked, frozen or dry					

(v) LEAF VEGETABLES					
AND FRESH HERBS					
(a) Lettuce and similar					
Cress					
Lamb's lettuce					
Lettuce					
Scarole					
Others					
(b) Spinach and similar					
Spinach					
Beet leaves (chard)					
Others					
(c) Watercress					
(d) Witloof					
(e) Herbs					
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) LEGUME					
VEGETABLES (fresh)					
Beans (with pods)					
Beans (without pods)					
Peas (with pods)					
Peas (without pods)					
Others					
(vii) STEM VEGETABLES					
(fresh)					
Asparagus					
Cardoons					
Celery					
Fennel					
Globe artichokes					
Leeks					
Rhubarb					
Others					
(viii) FUNGI					
(a) Cultivated mushrooms					
(b) Wild mushrooms					
3. Pulses	0.05(*)(+)	0.05(*)(#)	0.05(*)(#)	0.02(*) (p)	0.05(*) (p)
Beans					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum Residue levels (mg/kg)
-----------------------------------------------------------------------	----------------------------------------------------------

	Monolinuron	Chlozolinate	Tecnazene	Amizulfuron	Prohexadione (prohexadione and its salts expressed as prohexadione)
3. Pulses					
Lentils					
Peas					
Others					
4. Oil seeds	0.05(*)(+)	0.05(*)(#)	0.05(*)(#)	0.1(*) (p)	0.1(*) (p)
Linseed					
Peanuts					
Poppy seeds					
Sesame seeds					
Sunflower seed					
Rape seeds					
Soya bean					
Mustard seed					
Cotton seed					
Others					
5. Potatoes	0.05(*)(+)	0.05(*)(#)	0.05(*)(#)	0.02(*) (p)	0.05(*) (p)
Early potatoes					
Ware potatoes					
6. Tea (leaves and stems dried, from the leaves of <i>Camellia sinensis</i>) fermented or otherwise,	0.1(*) (+)	0.1(*) (#)	0.1(*) (#)	0.1(*) (p)	0.1(*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	0.1(*) (+)	0.1(*) (#)	0.1(*) (#)	0.1(*) (p)	0.1(*) (p)

(*) Indicates lower limit of analytical determination.

(+) Will apply these measures from 1 July 2002.

(#) Will apply these measures from 1 January 2003.

^(p) Indicates provisional maximum residue level established in accordance with Article 4(1)(f) of Directive 91/414/EEC: all provisional maximum residue levels for these pesticide residues will be treated as definitive in accordance with Article 10 of the Directive with effect from 21 June 2005.

Roups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Azoxystrobin	Kresoxim methyl	Fluroxypyr including its esters expressed as fluroxypyr		
1. Fruit, fresh, dried or uncooked, Preserved by freezing, not Containing added sugar, nuts			0.05(*) (p1)		
(i) CITRUS FRUIT	0.05(*) (p)	0.05(*) (p)			
Grapefruit					
Lemons					
Limes					
Mandarins (including Clementines and other hybrids)					
Oranges					
Pomelos					
Others					
(ii) TREE NUTS (SHELLED OR UNSHELLED)	0.1(*) (p)	0.1(*) (p)			
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) POME FRUIT		0.2 (p)			
Apples	0.05(*) (p)				
Pears					
Quinces					
Others					
(iv) STONE FRUIT		0.05(*) (p)			
Apricots	0.05(*) (p)				
Cherries					
Peaches (including Nectarines and similar hybrids)					
Plums					
Others					
(v) BERRIES AND SMALL FRUIT					
(a) Table and wine grapes		1 (p)			
Table grapes	2				
Wine grapes					
(b) Strawberries (other than wild)	0.05(*) (p)	0.05(*) (p)			

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Azoxystrobin	Kresoxim methyl	Fluroxypyr including its esters expressed as fluroxypyr		
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing Added sugar; nuts					
(c) Cane fruit (other than wild)	0.05(*) (p)	0.05(*) (p)			
Blackberries					
Dewberries					
Loganberries					
Raspberries					
Others					
(d) Other small fruit and berries (other than wild)	0.05(*) (p)				
Bilberries					
Cranberries					
Currants (red, black and White)		1 (p)			
Gooseberries		1 (p)			
Others		0.05(*) (p)			
(e) Wild berries and wild fruit	0.05(*) (p)	0.05(*) (p)			
(iv) MISCELLANEOUS					
Avocados					
Bananas	2				
Dates					
Figs					
Kiwi					
Kumquats					
Litchis					
Mangoes					
Olives		0.2 (p)			
Passion fruit					
Pineapples					
Papaya					
Others	0.05(*) (p)	0.05(*) (p)			
2. Vegetables, fresh or Uncooked, frozen or dry			0.05(*) (p1)		
(I) ROOT AND TUBER	0.05(*) (p)	0.05(*) (p)			
VEGETABLES					
Beetroot					
Carrots					
Celeriac					
Horseradish					
Jerusalem Artichokes					
Parsnips					
Parsley root					
Radishes					
Salsify					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels				
	(mg/kg)				
	Azoxystrobin	Kresoxim methyl	Fluroxypyr including its esters expressed as fluroxypyr		
2. Vegetables, fresh or Uncooked, frozen or dry					

Sweet potatoes					
Swedes					
Turnips					
Yam					
Others					
(ii) BULB VEGETABLES	0.05(*) (p)	0.05(*) (p)			
Garlic					
Onions					
Shallots					
Spring onions					
Others					
(iii) FRUITING VEGETABLES					
(a) Solanacea					
Tomatoes	2(p)	0.5(p)			
Peppers	2(p)	1(p)			
Aubergines	2(p)	0.5(p)			
Others	0.05(*) (p)	0.05(*) (p)			
(b) Cucurbits – edible peel	1(p)	0.05(*) (p)			
Cucumbers					
Gherkins					
Courgettes					
Others					
(c) Cucurbits – inedible peel	0.5(p)	0.2(p)			
Melons					
Squashes					
Watermelons					
Others					
(d) Sweetcorn	0.05(*) (p)	0.05(*) (p)			
(iv) BRASSICA VEGETABLES	0.05(*) (p)	0.05(*) (p)			
(a) Flowering brassica					
Broccoli					
Cauliflower					
Others					
(b) Head brassica					
Brussels sprouts					
Head cabbage					
Others					
(c) Leafy brassica					
Chinese cabbage					
Kale					
Others					
(d) Kohlrabi					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum Residue level(mg/kg)
--------------------------------------------------------------------	-----------------------------------------------------

	Azoxystrobin	Kresoxim methyl	Fluroxypyr including its esters expressed as fluroxypyr		
2. Vegetables, fresh or uncooked, frozen or dry					
(v) LEAF VEGETABLES AND FRESH HERBS	0.05(*) (p)	0.05(*) (p)			
(a) Lettuce and similar					
Cress					
Lamb's lettuce					
Lettuce					
Scarole					
Others					
(b) Spinach and similar					
Spinach					
Beet leaves (chard)					
Others					
(c) Watercress					
(d) Witloof					
(e) Herbs					
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) LEGUME VEGETABLES (fresh)		0.05(*) (p)			
Beans (with pods)					
Beans (without pods)					
Peas (with pods)	0.5 (p)				
Peas (without pods)	0.2 (p)				
Others	0.05(*) (p)				
(vii) STEM VEGETABLES (fresh)	0.05(*) (p)	0.05(*) (p)			
Asparagus					
Cardoons					
Celery					
Fennel					
Globe artichokes					
Leeks					
Rhubarb					
Others					
(viii) FUNGI	0.05(*) (p)	0.05(*) (p)			
(a) Cultivated mushrooms					
(b) Wild mushrooms					
3. Pulses		0.05(*) (p)	0.05(*) (p1)		
Beans					

Groups and examples of individual Products to which the MRLs apply	Pesticide residues and maximum residue levels (mg/kg)				
	Azoxystrobin	Kresoxim methyl	Fluroxypyr including its esters expressed as fluroxypyr		
3. Pulses					
Lentils					
Peas	0.1(p)				
Others	0.05(*) (p)				
4. Oil seeds	0.05(*) (p)	0.1(*) (p)	0.05(*) (p1)		
Linseed					
Peanuts					
Poppy seeds					
Sesame seeds					
Sunflower seed					
Rape seeds					
Soya bean					
Mustard seed					
Cotton seed					
Others					
5. Potatoes	0.05(*) (p)	0.05(*) (p)	0.05(*) (p1)		
Early potatoes					
Ware potatoes					
6. Tea (leaves and stems dried, from the leaves of <i>Camellia sinensis</i>) fermented or otherwise,	0.1(*) (p)	0.1(*) (p)	0.1(*) (p1)		
7. Hops (dried), including hop pellets and unconcentrated powder	20(p)	0.1(*) (p)	0.1(*) (p1)		

(*) Indicates lower limit of analytical determination.

^(p) Indicates provisional maximum residue level established in accordance with Article 4(1)(f) of Directive 91/414/EEC: all provisional maximum residue levels for these pesticide residues will be treated as definitive in accordance with Article 10 of the Directive with effect from 1 August 2003 for azoxystrobin and 19 October 2004 for kresoxim methyl.

^(p1) Indicates provisional maximum residue level established in accordance with Article 4(1)(f) of Directive 91/414/EEC: all provisional maximum residue levels for these

pesticide residues will be treated as definitive in accordance with Article 10 of the Directive with effect from 21 August 2005.

Given under my Official Seal,
this day of December 2001.

L.S.

Joe Walsh
Minister for Agriculture, Food and Rural Development.

Explanatory Note

(This note is not part of the Instrument and does not purport to be a legal interpretation)

These Regulations amend existing regulations on the maximum residue levels for pesticide residues in and on products of plant origin, including fruit and vegetables.

Published by the Stationery Office, Dublin 2.

Pn No. :

Price : €

