

L.N. 129 of 2007

**PESTICIDES CONTROL ACT
(CAP. 430)**

**Maximum Residue Levels of Pesticides in Produce of Plant Origin
(Amendment) (No. 2) Regulations, 2007**

IN exercise of the powers conferred by articles 4 and 5 of the Pesticides Control Act, the Minister for Rural Affairs and the Environment has made the following regulations:-

- | | |
|--|---|
| <p>1. (1) The title of these regulations is the Maximum Residue Levels of Pesticides in Produce of Plant Origin (Amendment) (No. 2) Regulations, 2007 and they shall be read and construed as one with the Maximum Residue Levels of Pesticides in Produce of Plant Origin Regulations, 2004, hereinafter in these regulations referred to as "the principal regulations".</p> <p>(2) The scope of these regulations is to transpose Commission Directive 2007/7/EC, amending the Annexes to Council Directives 86/362/EEC and 90/642/EEC as regards the maximum residue levels of atrazine, lambda-cyhalothrin, phenmedipham, methomyl, linuron, penconazole, pymetrozine, bifenthrin and abamectin.</p> <p>(3) The provisions for Atrazine as set out in regulation 2 shall be deemed to have come into force as from 20 January, 2007.</p> <p>(4) The provisions of regulation 3 shall come into force on the 16 August 2007.</p> <p>2. In Schedule II of the principal regulations, columns 1 and 2 under the heading "atrazine" shall be substituted by columns 1 and 2 as contained in the First Schedule to these regulations.</p> <p>3. In Schedule II of the principal regulations, columns 1 and 2 under the headings "abamectin", "bifenthrin", "lambda-cyhalothrin", "linuron", "methomyl", "penconazole" and "pymetrozine" shall be substituted by columns 1 and 2 for "abamectin", "bifenthrin", "lambda-cyhalothrin", "linuron", "methomyl", "penconazole" and "pymetrozine" respectively as contained in the Second Schedule to these regulations.</p> <p>4. In Schedule II of the principal regulations, immediately after the item "permethrin" and its respective columns, there shall be added the item "phenmediphan", and its respective columns, as contained in the Third Schedule to these regulations.</p> | Title, scope and commencement.

L.N. 199 of 2004. |
|--|---|

FIRST SCHEDULE
(Regulation 2)

"Column 1	Column 2
ATRAZINE	MRL (mg/kg)
CEREALS	0,1(*)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,05(*)
(i) CITRUS FRUIT	
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	

Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,05(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	

B 1940

Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanaceae	0,05(*)
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
(b) Cucurbits - edible peel	0,05(*)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,05(*)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,1
(iv) BRASSICA VEGETABLES	0,05(*)
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	0,05(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	

Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,05(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,05(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,05(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,05(*)

B 1942

Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinesis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*)
(*) Indicates lower limit of analytical determination.".	

SECOND SCHEDULE
(Regulation 3)

"Column 1	Column 2
ABAMECTIN (sum of avermectin B1a, avermectin B1b and delta -8,9 isomer of avermectin B1a)	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,01(*)
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,01(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,01(*)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0,01(*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	0,01(*)
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,1
(c) Cane fruit (other than wild)	

B 1944

Blackberries	0,1
Dewberries	
Loganberries	
Raspberries	0,1
Others	0,01(*)
(d) Other small fruit and berries (other than wild)	0,01(*)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,01(*)
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	0,05
Passion fruit	
Pineapples	
Others	0,01(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,01(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,01(*)
Garlic	

Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanaceae	
Tomatoes	0,02
Peppers	0,05
Aubergines	0,02
Okra	
Others	0,01(*)
(b) Cucurbits - edible peel	0,02
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,01(*)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,01(*)
(iv) BRASSICA VEGETABLES	0,01(*)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	0,1
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	0,01(*)

B 1946

Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	0,01(*)
(d) Witloof	0,01(*)
(e) Herbs	1
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,01(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,01(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,01(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,01(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,02(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	

5. Potatoes	0,01(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinesis</i>)	0,02(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,05
(*) Indicates lower limit of analytical determination.".	

"Column 1	Column 2
BIFENTHRIN	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,1
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,3
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0,2
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	

B 1948

Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	0,2
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,5
(c) Cane fruit (other than wild)	
Blackberries	0,3
Dewberries	
Loganberries	
Raspberries	0,3
Others	0,05(*)
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	0,5
Gooseberries	
Others	0,05(*)
(e) Wild berries and wild fruit	0,05(*)
(vi) MISCELLANEOUS	
Avocados	
Bananas	0,1
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	0,3
Olives (table consumption)	
Olives (oil extraction)	
Papaya	0,5
Passion fruit	
Pineapples	
Others	0,05(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,05(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	

Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanaceae	0,2
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
(b) Cucurbits - edible peel	0,1
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,05(*)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,05(*)
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	0,2
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	1
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	0,05(*)
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,05(*)
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	2

B 1950

Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	0,05(*)
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	0,05(*)
(d) Witloof	0,05(*)
(e) Herbs	0,05(*)
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	0,5
Beans (without pods)	
Peas (with pods)	0,1
Peas (without pods)	
Others	0,05(*)
(vii) STEM VEGETABLES (fresh)	0,05(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,05(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,1(*)
Linseed	
Peanuts	
Poppy seed	

Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,05(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinesis</i>)	5
7. Hops (dried), including hop pellets and unconcentrated powder	10
(*) Indicates lower limit of analytical determination.".	

"Column 1	Column 2
LAMBDA-CYHALOTHRIN	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	
Grape fruit	0,1
Lemons	0,2
Limes	0,2
Mandarins (including clementines and other hybrids)	0,2
Oranges	0,1
Pomelos	0,1
Others	0,02(*)
(ii) TREE NUTS (shelled or unshelled)	0,05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,1

B 1952

Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	0,2
Cherries	
Peaches (including nectarines and similar hybrids)	0,2
Plums	
Others	0,1
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	0,2
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,5
(c) Cane fruit (other than wild)	0,02(*)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	0,02(*)
Cranberries	0,02(*)
Currants (red, black and white)	0,1
Gooseberries	0,1
Others	0,02(*)
(e) Wild berries and wild fruit	0,2
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	0,5
Olives (oil extraction)	0,5
Papaya	
Passion fruit	
Pineapples	
Others	0,02(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	

Carrots	
Cassava	
Celeriac	0,1
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	0,1
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0,02(*)
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	0,05
Others	0,02(*)
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,1
Peppers	0,1
Aubergines	0,5
Okra	
Others	0,02(*)
(b) Cucurbits - edible peel	0,1
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,05
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,05
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	0,1
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	0,05
Head cabbage	0,2

B 1954

Others	0,02(*)
(c) Leafy brassica	1
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,02(*)
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	1
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	0,5
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	0,02(*)
(d) Witloof	0,02(*)
(e) Herbs	1
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	0,2
Beans (without pods)	
Peas (with pods)	0,2
Peas (without pods)	0,2
Others	0,02(*)
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	0,3
Fennel	0,3
Globe artichokes	
Leek	0,3
Rhubarb	
Others	0,02(*)
(viii) FUNGI	
(a) Cultivated mushrooms	0,02(*)
(b) Wild mushrooms	0,5
3. Pulses	0,02(*)

Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,02(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,02(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinesis</i>)	1
7. Hops (dried), including hop pellets and unconcentrated powder	10

(*) Indicates lower limit of analytical determination.".

"Column 1	Column 2
LINURON	
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,05(*) ^(p)
(i) CITRUS FRUIT	
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	

B 1956

Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	

Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	0,2(p)
Cassava	
Celeriac	0,5(p)
Horseradish	
Jerusalem artichokes	
Parsnips	0,2(p)
Parsley root	0,2(p)
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0,05(*)p)
(ii) BULB VEGETABLES	0,05(*)p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	0,05(*)p)
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	

B 1958

(iv) BRASSICA VEGETABLES	0,05(*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	0,05(*) (p)
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	0,05(*) (p)
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	0,05(*) (p)
(d) Witloof	0,05(*) (p)
(e) Herbs	1 (p)
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	0,1 (p)
Peas (with pods)	
Peas (without pods)	0,1 (p)
Others	0,05(*) (p)
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	0,1 (p)
Fennel	0,1 (p)

Globe artichokes	
Leek	
Rhubarb	
Others	0,05(*) ^(p)
(viii) FUNGI	0,05(*) ^(p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*) ^(p)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,1(*) ^(p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,05(*) ^(p)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinesis</i>)	0,1(*) ^(p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*) ^(p)

(*) Indicates lower limit of analytical determination.

(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC; unless amended, this level will become definitive with effect from 7th March 2011..

"Column 1	Column 2
METHOMYL/THIODICARB (sum expressed as methomyl)	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	
Grape fruit	0,5
Lemons	1
Limes	1

B 1960

Mandarins (including clementines and other hybrids)	1
Oranges	0,5
Pomelos	0,5
Others	0,05(*)
(ii) TREE NUTS (shelled or unshelled)	0,05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,2
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	0,2
Cherries	0,1
Peaches (including nectarines and similar hybrids)	0,2
Plums	0,5
Others	0,05(*)
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	0,05(*)
Wine grapes	1
(b) Strawberries (other than wild)	0,05(*)
(c) Cane fruit (other than wild)	0,05(*)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	0,05(*)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,05(*)

(vi) MISCELLANEOUS	0,05(*)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	0,5
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0,05(*)
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanaceae	
Tomatoes	0,2
Peppers	0,2
Aubergines	0,2
Okra	
Others	0,05(*)
(b) Cucurbits - edible peel	0,05(*)

B 1962

Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,05(*)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,05(*)
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli (including Calabrese)	0,2
Cauliflower	
Others	0,05(*)
(b) Head brassica	0,05(*)
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	0,05(*)
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,05(*)
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	0,3
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	0,05(*)
(b) Spinach and similar	
Spinach	0,05
Beet leaves (chard)	
Others	0,05(*)
(c) Watercress	0,05(*)
(d) Witloof	0,05(*)
(e) Herbs	0,3
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*)

Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,05(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,05(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	
Linseed	
Peanuts	0,1
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	0,1
Mustard seed	
Cotton seed	0,1
Hemp seed	
Others	0,05(*)
5. Potatoes	0,05(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinesis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	10

(*) Indicates lower limit of analytical determination.".

B 1964

"Column 1	Column 2
PENCONAZOLE	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,05(*)
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,2
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	0,1
Cherries	
Peaches (including nectarines and similar hybrids)	0,1
Plums	
Others	0,05(*)
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	0,2
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,05(*)
(c) Cane fruit (other than wild)	0,05(*)
Blackberries	
Dewberries	
Loganberries	

Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	0,5
Gooseberries	
Others	0,05(*)
(e) Wild berries and wild fruit	0,05(*)
(vi) MISCELLANEOUS	0,05(*)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,05(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	
Spring onions	

B 1966

Others	
(iii) FRUITING VEGETABLES	
(a) Solanaceae	
Tomatoes	0,1
Peppers	0,2
Aubergines	0,1
Okra	
Others	0,05(*)
(b) Cucurbits - edible peel	0,1
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,1
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,05(*)
(iv) BRASSICA VEGETABLES	0,05(*)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	0,05(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	

(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	0,2
Leek	
Rhubarb	
Others	0,05(*)
(viii) FUNGI	0,05(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,05(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,05(*)
Early potatoes	
Ware potatoes	

B 1968

6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinesis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,5
(*) Indicates lower limit of analytical determination.".	

"Column 1	Column 2
PYMETROZINE	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,3
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,02(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,02(*)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	0,05
Cherries	
Peaches (including nectarines and similar hybrids)	0,05
Plums	
Others	0,02(*)
(v) BERRIES AND SMALL FRUIT	

(a) Table and wine grapes	0,02(*)
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,5
(c) Cane fruit (other than wild)	
Blackberries	3
Dewberries	
Loganberries	
Raspberries	3
Others	0,02(*)
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	0,1
Gooseberries	
Others	0,02(*)
(e) Wild berries and wild fruit	0,02(*)
(vi) MISCELLANEOUS	0,02(*)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,02(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	

B 1970

Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,02(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanaceae	
Tomatoes	0,5
Peppers	1
Aubergines	0,5
Okra	
Others	0,02(*)
(b) Cucurbits - edible peel	0,5
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,2
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,02(*)
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	0,02(*)
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	0,05
Others	0,02(*)
(c) Leafy brassica	0,2
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,02(*)
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	2
Cress	
Lamb's lettuce	
Lettuce	

Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	0,02(*)
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	0,02(*)
(d) Witloof	0,02(*)
(e) Herbs	1
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	1
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,02(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,02(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,02(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	

B 1972

Soya bean	
Mustard seed	
Cotton seed	0,05
Hemp seed	
Others	0,02(*)
5. Potatoes	0,02(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinesis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	15

(*) Indicates lower limit of analytical determination.".

THIRD SCHEDULE
(Regulation 4)

"Column 1	Column 2
PHENMEDIPHAN	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,05(*) (p)
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,05(*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,05(*) (p)
Apples	
Pears	

Quinces	
Others	
(iv) STONE FRUIT	0,05(*) ^(p)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	0,05(*) ^(p)
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,1(p)
(c) Cane fruit (other than wild)	0,05(*) ^(p)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	0,05(*) ^(p)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,05(*) ^(p)
(vi) MISCELLANEOUS	0,05(*) ^(p)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	0,1(p)
Carrots	
Cassava	

B 1974

Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0,05(*) (p)
(ii) BULB VEGETABLES	0,05(*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	0,05(*) (p)
(a) Solanaceae	
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	0,05(*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	

Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	0,05(*) ^(p)
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	0,5(p)
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	0,05(*) ^(p)
(d) Witloof	0,05(*) ^(p)
(e) Herbs	7
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*) ^(p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	0,2(p)
Leek	
Rhubarb	
Others	0,05(*) ^(p)
(viii) FUNGI	0,05(*) ^(p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*) ^(p)
Beans	
Lentils	

B 1976

Peas	
Others	
4. Oil seeds	0,1(*) ^(p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,05(*) ^(p)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinesis</i>)	0,1(*) ^(p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*) ^(p)

(*) Indicates lower limit of analytical determination.

(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC; unless amended, this level will become definitive with effect from 7th March 2011. " .