

L.N. 110 of 2007

**PESTICIDES CONTROL ACT
(CAP. 430)**

**Maximum Residue Levels of Pesticides in Produce of Plant Origin
(Amendment) Regulations, 2007**

IN exercise of the powers conferred by articles 4 and 5 of the Pesticides Control Act, the Minister for Rural Affairs and the Environment has made the following regulations:-

1. (1) The title of these regulations is the Maximum Residue Levels of Pesticides in Produce of Plant Origin (Amendment) Regulations, 2007 and they shall be read and construed as one with the Maximum Residue Levels of Pesticides in Produce of Plant Origin Regulations, 2004, hereinafter in these regulations referred to as "the principal regulations".

Title, scope and commencement.

L.N. 199 of 2004.

(2) The scope of these rules is to transpose Commission Directive 2006/59/EC, Commission Directive 2006/53/EC, Commission Directive 2006/60/EC and Commission Directive 2006/61/EC amending Council Directive 90/642/EEC on the fixing of maximum levels for pesticide residues in and on certain products of plant origin, including fruit and vegetables.

(3) The provisions for Oxamyl in Schedule II, as substituted by these regulations, of the principal regulations shall come into force on the 30th December, 2007.

2. Schedule I of the principal regulations shall be substituted by Schedule I contained in the First Schedule to these regulations.

Substitutes Schedule I of the principal regulations.

3. Schedule II of the principal regulations shall be substituted by Schedule II contained in the Second Schedule to these regulations.

Substitutes Schedule II of the principal regulations.

FIRST SCHEDULE
(Regulation 2)

"SCHEDULE I
(Regulation 2)

List of Produce and the part of Produce to which Maximum Residue Levels apply

Groups of produce	Produce included in the groups	Part of product to which maximum residue levels apply
1. FRUIT, FRESH, PRESERVED BY FREEZING, NOT CONTAINING ADDED SUGAR; NUTS		
(i) CITRUS FRUIT	Grapefruit Lemons Limes Mandarins (including Clementines and similar hybrids) Oranges Pomelos	Whole Product
(ii) TREE NUTS (SHELLED OR UNSHELLED)	Almonds Brazil nuts Cashew nuts Chestnuts Coconuts Hazelnuts Macadamia nuts Pecans Pine nuts Pistachios Walnuts	Whole product after removal of shell
(iii) POME FRUIT	Apples Pears Quinces	Whole product after removal of stems
(iv) STONE FRUIT	Apricots Cherries Peaches (including nectarines and similar hybrids) Plums	Whole product after removal of stems
(v) BERRIES AND SMALL FRUIT	(a) Table and wine grapes (b) Strawberries (other than wild) (c) Cane fruit (other than wild) Blackberries Loganberries Raspberries	Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems
	(d) Other small fruit and berries (other than wild) Bilberries	

Groups of produce	Produce included in the groups	Part of product to which maximum residue levels apply
	Cranberries Currants (red, black and white) Gooseberries (e) Wild berries and wild fruit	
(vi) MISCELLANEOUS FRUIT	Avocados Bananas Dates Figs Kiwi fruit Kumquats Litchis Mangoes Papaya Passion fruit Pineapples Pomegranates	Whole fruit after removal of stems (if any) and in the case of pineapple after removal of the crown
(vi) Olives		Whole fruit after removal of stems (if any) after removal of soil (if any) by rinsing in running water
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY		
(i) ROOT AND TUBER VEGETABLES	Beetroot Carrots Cassava Celeriac Horseradish Jerusalem artichokes Parsnips Parsley root Radishes Salsify Sweet potatoes Swedes Turnips Yams	Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
(ii) BULB VEGETABLES:	Garlic Onions Shallots Spring onions	Onions, shallots and garlic other than dry, spring onions: whole product after removal of roots and soil (if any)

Groups of produce	Produce included in the groups	Part of product to which maximum residue levels apply
	Onions (dry), shallots (dry), garlic (dry)	whole product after removal of easily detachable skin and soil (if any).
(iii) FRUITING VEGETABLES	(a) Solanacea Tomatoes Peppers Aubergine Okra	Whole product after removal of stems
	(b) Cucurbits - edible peel Cucumbers Gherkins Courgettes	
	(c) Cucurbits - inedible peel Melons Squashes Watermelons	
	(d) Sweet corn	Kernels or cobs without husks
(iv) BRASSICA VEGETABLES	(a) Flowering brassicas Broccoli Cauliflower	Curd only
	(b) Head brassicas Brussels sprouts Head cabbage	Product after removal of decayed leaves (if any)
	(c) Leafy brassicas Chinese cabbage Kale	Product after removal of decayed leaves (if any)
	(d) Kohlrabi	Whole product after removal of tops and adhering soil by rinsing in running water or by gentle brushing of the dry product
(v) LEAF VEGETABLES AND FRESH HERBS	(a) Lettuce and similar Cress Lamb's lettuce Lettuce Broad-leaf endive Leaves and stems of brassica Ruccola	Whole product after removal of decayed outer leaves, root and soil (if any)
	(b) Spinach and similar Beat leaves (chard)	
	(c) Watercress	
	(d) Witloof	

Groups of produce	Produce included in the groups	Part of product to which maximum residue levels apply
	(e) Herbs Chervil Chives Parsley	
(vi) LEGUME VEGETABLES (FRESH)	Beans Peas	Whole product after removal of pods or with pods if they are intended to be eaten
(vii) STEM VEGETABLES	Asparagus Cardoons Celery Fennel Globe artichokes Leeks Rhubarb	Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any)
3. CEREALS	Wheat Rye Barley Oats Maize Rice Grain sorghum Buckwheat Millet other cereals"	Whole product

SECOND SCHEDULE
(Regulation 3)

"SCHEDULE II
(Regulation 2)

Maximum Residue Levels

Column 1	Column 2
2,4-D	MRL (mg/kg)
Barley	0.5
Blackberries	0.1
Citrus fruits	2
Maize	0.05
Oats	0.5
Potato	0.2
Raspberries (Red and Black)	0.1
Rice	0.05
Rye	0.5
Sorghum	0.05
Vaccinium berries, including bearberry	0.1
Wheat	0.5
ABAMECTIN (sum of avermectin B1a, avermectin B1b and delta -8,9 isomer of avermectin B1a)	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,01(*)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,02(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	

Column 1	Column 2
(iii) POME FRUIT	0,01(*)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0,01(*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES & SMALL FRUIT	
(a) Table and wine grapes	0,01(*)
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,1
(c) Cane Fruit (other than wild)	
Blackberries	0,1
Dewberries	
Loganberries	
Raspberries	0,1
Others	0,01(*)
(d) Other small fruit and berries (other than wild)	0,01(*)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,01(*)
(vi) MISCELLANEOUS	0,01(*)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Lychees	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	

B 1182

Column 1	Column 2
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,01(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,01(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITION VEGETABLES	
(a) Solanacea	
Tomatoes	0,02
Peppers	0,05
Aubergines	0,02
Okra	
Others	0,01(*)
(b) Cucurbits - edible peel	0,02
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,01(*)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,01(*)
(iv) BRASSICA VEGETABLES	0,01(*)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	

Column 1	Column 2
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES & FRESH HERBS	
(a) Lettuce and similar	0,1
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	0,01(*)
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	0,01(*)
(d) Witloof	0,01(*)
(e) Herbs	0,01(*)
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,01(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,01(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	

B 1184

Column 1	Column 2
Others	
(viii) FUNGI	0,01(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,01(*)
Beans	
Lentils	
Peas	
Lupins	
Others	
4. Oilseeds	0,02(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,01(*)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,02(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,05
(*) Indicates lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
ABAMECTINE	MRL (mg/kg)
Almonds	0,02
Apples	0,01
Apricots	0,01
Asparagus	0,01
Aubergine	0,02
Avocados	0,01
Bananas	0,01
Barley	0,01
Beans	0,01
Beans (with pods)	0,01
Beans (without pods)	0,01
Beet leaves (chard)	0,01

Column 1	Column 2
Beetroot	0,01
Berries and small fruit Others	0,01
Bilberries	0,01
Blackberries	0,01
Brazil Nuts	0,02
Broccoli	0,01
Brussels sprouts	0,01
Buckwheat	0,01
Bulb Vegetables others	0,01
Cane Fruit Others	0,01
Cardoons	0,01
Carrots	0,01
Cashew Nuts	0,02
Cauliflower	0,01
Celeriac	0,01
Celery	0,01
Celery leaves	0,01
Cereals others	0,01
Cherries	0,01
Chervil	0,01
Chestnuts	0,02
Chinese cabbage	0,01
Chives	0,01
Citrus Fruit Others	0,01
Coconuts	0,02
Cotton seed	0,02
Courgettes	0,02
Cranberries	0,01
Cress	0,1
Cucumbers	0,02
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,01
Cultivated mushrooms	0,01
Currants (Black, Red and White)	0,01
Dates	0,01
Dewberries	0,01
Early potatoes	0,01
Fennel	0,01
Figs	0,01
Flowering brassicas others	0,01
Garlic	0,01
Gherkins	0,02
Globe artichoke	0,01
Gooseberry	0,01
Grapefruit	0,01

B 1186

Column 1	Column 2
Hazelnuts	0,02
Head brassicas others	0,01
Head cabbages	0,01
Herbs others	0,01
Horseradish	0,01
Jerusalem artichoke	0,01
Kale	0,01
Kiwi Fruit	0,01
Kohlrabi	0,01
Kumquats	0,01
Lamb's lettuce	0,1
Leafy brassicas others	0,01
Leeks	0,01
Legume vegetables fresh others	0,01
Lemons	0,01
Lentils	0,01
Lettuce	0,1
Lettuce and similar others	0,1
Limes	0,01
Linseed	0,02
Litchis	0,01
Loganberries	0,01
Macadamia Nuts	0,02
Maize	0,01
Mandarins	0,01
Mangoes	0,01
Melons	0,01
Millet	0,01
Miscellaneous Fruit Others	0,01
Mustard seed	0,02
Oats	0,01
Oilseeds others	0,02
Olives	0,01
Onions	0,01
Oranges	0,01
Papaya	0,01
Parsley	0,01
Parsley root	0,01
Parsnips	0,01
Passion Fruit	0,01
Peaches	0,01
Peanuts	0,02
Pears	0,01
Peas	0,01
Peas (with pods)	0,01

Column 1	Column 2
Peas (without pods)	0,01
Pecans	0,02
Peppers	0,05
Pine Nuts	0,02
Pineapples	0,01
Pistachios	0,02
Plums	0,01
Pome Fruit Others	0,01
Pomegranates	0,01
Pomelo	0,01
Poppy seeds	0,02
Pulses others	0,01
Quinces	0,01
Radishes	0,01
Rapeseed	0,02
Raspberries	0,01
Rhubarb	0,01
Rice	0,01
Root and tuber vegetables others	0,01
Rye	0,01
Salsify	0,01
Scarole	0,1
Sesame seeds	0,02
Shallots	0,01
Solanacea others	0,01
Sorghum	0,01
Soya bean	0,02
Spices	0,01
Spinach	0,01
Spinach and similar (others)	0,01
Spring onion	0,01
Squashes	0,01
Stem vegetables fresh others	0,01
Stone Fruit Others	0,01
Strawberries	0,1
Sunflower seeds	0,02
Swedes	0,01
Sweet corn	0,01
Sweet potato	0,01
Table Grapes	0,01
Tea	0,02
Tomatoes	0,02
Tree Nuts Others	0,02
Triticale	0,01
Turnip	0,01

B 1188

Column 1	Column 2
Walnuts	0,02
Ware potatoes	0,01
Watercress	0,01
Watermelons	0,01
Wheat	0,01
Wild Berries and Wild Fruit	0,01
Wild mushrooms	0,01
Wine Grapes	0,01
Witloof	0,01
Yams	0,01
ACEPHATE	MRL (mg/kg)
Almonds	0,02
Apples	1
Apricots	0,02
Asparagus	0,02
Aubergine	0,5
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	3
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02
Brazil Nuts	0,02
Broccoli	2
Brussels sprouts	2
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,02
Cauliflower	2
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	0,02
Chervil	0,02
Chestnuts	0,02
Chinese cabbage	0,02

Column 1	Column 2
Chives	0,02
Citrus Fruit Others	1
Coconuts	0,02
Cotton seed	0,02
Courgettes	0,02
Cranberries	0,02
Cress	0,02
Cucumbers	0,02
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,02
Dates	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	2
Garlic	0,02
Gherkins	0,02
Globe artichoke	0,2
Gooseberry	0,02
Grapefruit	1
Hazelnuts	0,02
Head brassicas others	2
Head cabbages	2
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	0,02
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	1
Lentils	0,02
Lettuce	1
Lettuce and similar others	0,02
Limes	1
Linseed	0,02
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,02

B 1190

Column 1	Column 2
Maize	0,02
Mandarins	1
Mangoes	0,02
Melons	0,02
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,02
Oats	0,02
Oilseeds others	0,02
Olives	0,02
Onions	0,02
Oranges	1
Small Fruit and Berries Others	0,02
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,2
Peanuts	0,02
Pears	1
Peas	0,02
Peas (with pods)	3
Peas (without pods)	0,02
Pecans	0,02
Peppers	0,02
Pine Nuts	0,02
Pineapples	0,02
Pistachios	0,02
Plums	2
Pome Fruit Others	1
Pomegranates	0,02
Pomelo	1
Poppy seeds	0,02
Pulses others	0,02
Quinces	1
Radishes	0,02
Rapeseed	0,02
Raspberries	0,02
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables others	0,02
Rye	0,02
Salsify	0,02
Scarole	0,02
Sesame seeds	0,02

Column 1	Column 2
Shallots	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,02
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	0,02
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	0,02
Sunflower seeds	0,02
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,02
Tea	0,1
Tomatoes	0,5
Tree Nuts Others	0,02
Triticale	0,02
Turnip	0,02
Walnuts	0,02
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,02
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	0,02
Witloof	0,02
Yams	0,02
ACLONIFEN	MRL (mg/kg)
Carrots	0,05
Maize	0,05
Onions	0,05
Peas (without pods)	0,05
Potatoes	0,1
Sorghum	0,05
Sunflower seeds	0,05
Tobacco (fresh)	0,05
Tomatoes	0,05
ACRINATRIN	MRL (mg/kg)
Apples	0,2
Aubergines	0,2

B 1192

Column 1	Column 2
Beans (without pods)	0,2
Clementines	0,2
French beans	0,2
Gherkins	0,2
Grapefruit	0,2
Grapes	0,1
Lemons	0,2
Maize	0,1
Melons	0,2
Onions	0,1
Oranges	0,2
Peaches	0,2
Pears	0,2
Peppers	0,2
Prunes	0,2
Soya bean	0,1
Strawberries	0,2
Tomatoes	0,2
Vegetable marrows	0,2
ALPHACYPERMETHRIN	MRL (mg/kg)
Apples	0,3
Artichokes	0,3
Barley	0,3
Beans (without pods)	0,3
Cauliflower	0,3
Citrus	0,3
Gherkins	0,3
Grapes	0,3
Head cabbage	0,3
Lettuce	0,3
Maize	0,3
Onions	0,3
Peaches	0,3
Pears	0,3
Potatoes	0,3
Rice	0,3
Soya bean seed	0,3
Sugar beet	0,3
Tobacco	0,3
Tomatoes	0,3
Wheat	0,3
AMITRAZ (including the metabolites containing the 2,4-dimethylaniline moiety expressed as amitraz)	MRL (mg/kg)

Column 1	Column 2
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,05(*)
(i) CITRUS FRUIT	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	

B 1194

Column 1	Column 2
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives	
Passion fruit	
Pineapples	
Pomegranate	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	0,05 (*)
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	

Column 1	Column 2
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Scarole	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	

B 1196

Column 1	Column 2
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05 (*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	
Linseed	
Peanuts	
Poppy seeds	
Sesame seeds	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	1 (x)
Others	0,05 (*)
5. Potatoes	0,05 (*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or otherwise, from the leaves of <i>Camellia sinensis</i>)	0,1 (*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1 (*)
(*) Indicates lower limit of analytical determination.	
(x) Should this level not be confirmed or amended by a directive, with effect from 1st July 2007, the appropriate lower limit of analytical determination shall apply.	

Column 1	Column 2
ATRAZINE	MRL (mg/kg)
CEREALS	0,05(*)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,05(*)
(i) CITRUS FRUIT	
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	

B 1198

Column 1	Column 2
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,05(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	

Column 1	Column 2
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	0,05(*)
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
(b) Cucurbits - edible peel	0,05(*)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,05(*)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,1
(iv) BRASSICA VEGETABLES	0,05(*)
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	0,05(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	

B 1200

Column 1	Column 2
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,05(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,05(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,05(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	

Column 1	Column 2
5. Potatoes	0,05(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinensis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*)
(*) Indicates lower limit of analytical determination.	
AZINPHOS-ETHYL	MRL (mg/kg)
CEREALS	0,05(*)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,02(*)
(i) CITRUS FRUIT	
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	

B 1202

Column 1	Column 2
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	0,02(*)
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	

Column 1	Column 2
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	

B 1204

Column 1	Column 2
Lamb's lettuce	
Lettuce	
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,02(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,02(*)
Linseed	
Peanuts	
Poppy seed	

Column 1	Column 2
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,02(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinensis</i>)	0,05(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,05(*)
(*) Indicates lower limit of analytical determination.	
AZOXYSTROBIN	MRL (mg/kg)
Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	1
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,1(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,05(*)
Apples	
Pears	
Quinces	
Others	

B 1206

Column 1	Column 2
(iv) STONE FRUIT	0,05(*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	2
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	2
(c) Cane fruit (other than wild)	
Blackberries	3
Dewberries	
Loganberries	
Raspberries	3
Others	0,05(*)
(d) Other small fruit and berries (other than wild)	0,05(*)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,05(*)
(vi) MISCELLANEOUS	
Avocados	
Bananas	2
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	0,2
Olives	
Papaya	0,2
Passion Fruit	
Pineapples	
Pomegranate	
Others	0,05(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	0,2
Cassava	
Celeriac	0,3

Column 1	Column 2
Horseradish	0,2
Jerusalem artichokes	
Parsnips	0,2
Salsify	0,2
Sweet potatoes	
Swedes	
Turnips	
Yam	0,05(*)
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring Onions	2
(iii) FRUITING VEGETABLES	
(a) Solanacea	2
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits - edible peel	1
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,5
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,05(*)
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	0,5
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	0.3
Brussels sprouts	
Head cabbage	
others	
(c) leafy brassica	5
Chinese cabbage	
Kale	
others	
(d) kohlrabi	0,2

B 1208

Column 1	Column 2
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce & similar	3
Cress	
Lamb's lettuce	
lettuce	
Scarole (broadleaf endive)	
Others	
(b) Spinach & similar	0,05(*)
Spinach	
Beet Leaves (chard)	
Others	
(c) Water cress	0,05(*)
(d) Witloof	0,2
(e) Herbs	3
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	1
Beans (without pods)	0,2
Peas (with pods)	0,5
Peas (without pods)	0,2
Others	0,05(*)
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	5
Fennel	
Globe artichokes	1
Leek	0,1
Rhubarb	
Others	0,05(*)
(viii) FUNGI	0,05(*)
(a) Cultivated Mushrooms	
(b) Wild Mushrooms	
3. Pulses	0,1
Beans	
Lentils	
Peas	
Others	
4. Oilseeds	
Linseed	
Peanuts	

Column 1	Column 2
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	0,5
Soya bean	0,5
Mustard Seed	
Cotton Seed	
Others	
5. Potatoes	0,05(*)
Early Potatoes	
Ware Potatoes	
6. Tea (dry leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	20
BENALAXYL	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,2
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05

B 1210

Column 1	Column 2
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,5
Lettuce and similar others	0,05

Column 1	Column 2
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,1
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,2
Oranges	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,2
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05

B 1212

Column 1	Column 2
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit And Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,2
Tea	0,1
Tomatoes	0,2
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,1
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,2
Witloof	0,05
Yams	0,05
BENDIOCARB	MRL (mg/kg)
Beetroot	0.05
Maize	0,05
Maize fodder	0.05
Maize forage	0.05
Potato	0.05
Sugar beet	0,05
Sugar beet leaves or tops	0.05

Column 1	Column 2
BENFUROCARB	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05

B 1214

Column 1	Column 2
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05

Column 1	Column 2
Onions	0,05
Oranges	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05

B 1216

Column 1	Column 2
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
BENTAZONE	MRL (mg/kg)
Almonds	0,1
Apples	0,1
Apricots	0,1
Asparagus	0,1
Aubergine	0,1
Avocados	0,1
Bananas	0,1
Barley	0,1
Beans	0,1
Beans (with pods)	0,1
Beans (without pods)	0,1
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	0,1
Blackberries	0,1
Brazil Nuts	0,1
Broccoli	0,1
Brussels sprouts	0,1
Buckwheat	0,1
Bulb Vegetables others	0,1
Cane Fruit Others	0,1
Cardoons	0,1

Column 1	Column 2
Carrots	0,1
Cashew Nuts	0,1
Cauliflower	0,1
Celeriac	0,1
Celery	0,1
Celery leaves	0,1
Cereals others	0,1
Cherries	0,1
Chervil	0,1
Chestnuts	0,1
Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	0,1
Coconuts	0,1
Cotton seed	0,1
Courgettes	0,1
Cranberries	0,1
Cress	0,1
Cucumbers	0,1
Cucurbits edible peel others	0,1
Cucurbits inedible peel others	0,1
Cultivated mushrooms	0,1
Currants (Black, Red and White)	0,1
Dates	0,1
Dewberries	0,1
Early potatoes	0,1
Fennel	0,1
Figs	0,1
Flowering brassicas others	0,1
Garlic	0,1
Gherkins	0,1
Globe artichoke	0,1
Gooseberry	0,1
Grapefruit	0,1
Hazelnuts	0,1
Head brassicas others	0,1
Head cabbages	0,1
Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kohlrabi	0,1
Kumquats	0,1
Lamb's lettuce	0,1

B 1218

Column 1	Column 2
Leafy brassicas others	0,1
Leeks	0,1
Legume vegetables fresh others	0,1
Lemons	0,1
Lentils	0,1
Lettuce	0,1
Lettuce and similar others	0,1
Limes	0,1
Linseed	0,1
Litchis	0,1
Loganberries	0,1
Macadamia Nuts	0,1
Maize	0,1
Mandarins	0,1
Mangoes	0,1
Melons	0,1
Millet	0,1
Miscellaneous Fruit Others	0,1
Mustard seed	0,1
Oats	0,1
Oilseeds others	0,1
Olives	0,1
Onions	0,1
Oranges	0,1
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,1
Peaches	0,1
Peanuts	0,1
Pears	0,1
Peas	0,1
Peas (with pods)	0,5
Peas (without pods)	0,2
Pecans	0,1
Peppers	0,1
Pine Nuts	0,1
Pineapples	0,1
Pistachios	0,1
Plums	0,1
Pome Fruit Others	0,1
Pomegranates	0,1
Pomelo	0,1
Poppy seeds	0,1
Pulses others	0,1

Column 1	Column 2
Quinces	0,1
Radishes	0,1
Rapeseed	0,1
Raspberries	0,1
Rhubarb	0,1
Rice	0,1
Root and Tuber Vegetables others	0,1
Rye	0,1
Salsify	0,1
Scarole	0,1
Sesame seeds	0,1
Shallots	0,1
Small Fruit and Berries Others	0,1
Solanacea others	0,1
Sorghum	0,1
Soya bean	0,1
Spinach	0,1
Spinach and similar (others)	0,1
Spring onion	0,1
Squashes	0,1
Stem vegetables fresh others	0,1
Stone Fruit Others	0,1
Strawberries	0,1
Sunflower seeds	0,1
Swedes	0,1
Sweet corn	0,1
Sweet potato	0,1
Table Grapes	0,1
Tea	0,1
Tomatoes	0,1
Tree Nuts Others	0,1
Triticale	0,1
Turnip	0,1
Walnuts	0,1
Ware potatoes	0,1
Watercress	0,1
Watermelons	0,1
Wheat	0,1
Wild Berries and Wild Fruit	0,1
Wild mushrooms	0,1
Wine Grapes	0,1
Witloof	0,1
Yams	0,1
BENZOXIMATE	MRL (mg/kg)

B 1220

Column 1	Column 2
Apples	0,5
Aubergines	0,5
Brassica vegetables	0,5
Chicory	0,5
Citrus fruits	0,5
French beans	0,5
Grapes	0,5
Lettuce	0,5
Melons	0,5
Peaches	0,5
Pears	0,5
Peas (without pods)	0,5
Tomatoes	0,5
Vegetable marrows	0,5
BIFENTHRIN	MRL (mg/kg)
Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,1
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,3
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0.2
Apricots	

Column 1	Column 2
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	0,2
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,5
(c) Cane fruit (other than wild)	
Blackberries	0,3
Dewberries	
Loganberries	
Raspberries	0,3
Others	0,05(*)
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	0,5
Gooseberries	
Others	0,05(*)
(e) Wild berries and wild fruit	0,05(*)
(vi) MISCELLANEOUS	
Avocados	
Bananas	0,1
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives	
Papaya	
Passion Fruit	
Pineapples	
Pomegranate	
Others	0,05(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,05(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	

B 1222

Column 1	Column 2
Parsnips	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	
Spring Onions	
(iii) FRUITING VEGETABLES	
(a) Solanacea	0,2
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits - edible peel	0,1
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,05(*)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,05(*)
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	0,2
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	1
Brussels sprouts	
Head cabbage	
others	
(c) leafy brassica	0,05(*)
Chinese cabbage	
Kale	
others	
(d) kohlrabi	0,05(*)
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce & similar	2

Column 1	Column 2
Cress	
Lamb's lettuce	
lettuce	
Scarole (broadleaf endive)	
Others	
(b) Spinach & similar	0,05(*)
Spinach	
Beet Leaves (chard)	
Others	
(c) Water cress	0,05(*)
(d) Witloof	0,05(*)
(e) Herbs	0,05(*)
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	0,5
Beans (without pods)	
Peas (with pods)	0,1
Peas (without pods)	
Others	0,05(*)
(vii) STEM VEGETABLES (fresh)	0,05(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,05(*)
(a) Cultivated Mushrooms	
(b) Wild Mushrooms	
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Others	
4. Oilseeds	0,1(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	

B 1224

Column 1	Column 2
Sunflower seed	
Rape seed	
Soya bean	
Mustard Seed	
Cotton Seed	
Others	
5. Potatoes	0,05(*)
Early Potatoes	
Ware Potatoes	
6. Tea (dry leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	5
7. Hops (dried), including hop pellets and unconcentrated powder	10
BIORESMETHRIN	MRL (mg/kg)
Wheat	1
Wheat bran (unprocessed)	5
Wheat flour	1
BITERTANOL	MRL (mg/kg)
Almonds	0,1
Apples	2
Apricots	1
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	3
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,1
Cauliflower	0,05
Celeriac	0,05

Column 1	Column 2
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	1
Chervil	0,05
Chestnuts	0,1
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,1
Cotton seed	0,1
Courgettes	0,5
Cranberries	0,05
Cress	0,05
Cucumbers	0,5
Cucurbits edible peel others	0,5
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,5
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,1
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05

B 1226

Column 1	Column 2
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	0,05
Oilseeds others	0,1
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	1
Peanuts	0,1
Pears	2
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,1
Peppers	0,05
Pine Nuts	0,1
Pineapples	0,05
Pistachios	0,1
Plums	2
Pome Fruit Others	2
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,1
Pulses others	0,05
Quinces	2
Radishes	0,05
Rapeseed	0,1

Column 1	Column 2
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,1
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	3
Tree Nuts Others	0,1
Triticale	0,05
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
BROMIDE ION	MRL (mg/kg)
Avocado	75
Broad bean (green pods and immature seeds)	500
Broccoli	30

B 1228

Column 1	Column 2
Cabbage (head)	100
Celery	300
Cereal grains	50
Citrus fruits	30
Cucumber	100
Fruit others	20
Lettuce (head)	100
Okra	200
Peas	500
Peppers (sweet)	20
Prunes	20
Radish	200
Spices	400
Squash	200
Strawberry	30
Tomato	75
Turnip	200
Turnip greens	1000
Wheat wholemeal	50
BROMOPROPYLATE	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05

Column 1	Column 2
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,1
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05

B 1230

Column 1	Column 2
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	0,05
Oilseeds others	0,1
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,1
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,1
Pulses others	0,05
Quinces	0,05

Column 1	Column 2
Radishes	0,05
Rapeseed	0,1
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,1
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
BROMUCONAZOLE	MRL (mg/kg)
Apples	0,05

B 1232

Column 1	Column 2
Artichokes	0,05
Barley	0,2
Grapes	0,5
Peaches	0,1
Sugar beet (leaves)	0,2
Sugar beet (roots)	0,05
Wheat	0,05
BUPIRIMATE	MRL (mg/kg)
Apples	0,5
Melons	0,5
Peaches	0,5
BUPROFEZINE	MRL (mg/kg)
Cucumber	1
Tomato	1
CAPTAN	MRL (mg/kg)
Almonds	0,1
Apples	3
Apricots	2
Asparagus	0,1
Aubergine	0,1
Avocados	0,1
Bananas	0,1
Beans (with pods)	2
Beans (without pods)	2
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	3
Blackberries	3
Brazil Nuts	0,1
Brussels sprouts	0,1
Bulb Vegetables others	0,1
Cane Fruit Others	3
Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,1
Cauliflower	0,1
Celeriac	0,1
Celery leaves	0,1
Cherries	2
Chervil	0,1
Chestnuts	0,1
Chinese cabbage	0,1
Chives	0,1

Column 1	Column 2
Citrus Fruit Others	0,1
Coconuts	0,1
Cranberries	3
Cress	0,1
Cucumbers	0,1
Cultivated mushrooms	0,1
Currants (Black, Red and White)	3
Dates	0,1
Dewberries	3
Fennel	0,1
Figs	0,1
Garlic	0,1
Gherkins	0,1
Globe artichoke	0,1
Gooseberry	3
Grapefruit	0,1
Hazelnuts	0,1
Head brassicas others	0,1
Head cabbages	0,1
Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kumquats	0,1
Lamb's lettuce	0,1
Leafy brassicas others	0,1
Leeks	2
Legume vegetables fresh others	0,1
Lemons	0,1
Lettuce	2
Lettuce and similar others	0,1
Limes	0,1
Litchis	0,1
Loganberries	3
Macadamia Nuts	0,1
Mandarins	0,1
Mangoes	0,1
Melons	0,1
Miscellaneous Fruit Others	0,1
Olives	0,1
Onions	0,1
Oranges	0,1
Parsley	0,1
Parsley root	0,1

B 1234

Column 1	Column 2
Parsnips	0,1
Passion Fruit	0,1
Peaches	2
Pears	3
Peas (with pods)	2
Peas (without pods)	2
Pecans	0,1
Peppers	0,1
Pine Nuts	0,1
Pineapples	0,1
Pistachios	0,1
Plums	2
Pome Fruit Others	3
Pomegranates	0,1
Pomelo	0,1
Quinces	3
Radishes	0,1
Raspberries	3
Root and Tuber Vegetables others	0,1
Salsify	0,1
Scarole	0,1
Shallots	0,1
Small Fruit and Berries Others	3
Spinach	0,1
Spring onion	0,1
Stone Fruit Others	2
Strawberries	3
Swedes	0,1
Sweet potato	0,1
Table Grapes	3
Tomatoes	3
Tree Nuts Others	0,1
Turnip	0,1
Walnuts	0,1
Watermelons	0,1
Wild Berries and Wild Fruit	3
Wild mushrooms	0,1
Wine Grapes	10
Witloof	2
Yams	0,1
CARBARYL	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,05(*)
Grapefruit	

Column 1	Column 2
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,05(*)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0,05(*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	0,05(*)
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	

B 1236

Column 1	Column 2
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwis	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	5
Olives (oil extraction)	5
Papayas	
Passion fruit	
Pineapples	
Pomegranate	
Others	0,05(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,05(*)
Beetroot	
Carrots	
Casava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,5

Column 1	Column 2
Peppers	
Aubergines	
Okra	
Others	0,05(*)
(b) Cucurbits - edible peel	0,05(*)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,05(*)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	0,05(*)
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	0,05(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Rucola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	

B 1238

Column 1	Column 2
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii)STEM VEGETABLES (fresh)	0,05(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leeks	
Rhubarb	
Others	
(viii)FUNGI	0,05(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seed	0,05(*)
Linseed	
Peanuts	
Poppy seeds	
Sesame seeds	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,05(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or otherwise, from the leaves of <i>Camellia sinensis</i>)	0,1(*)

Column 1	Column 2
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*)
(*) Indicates the lower limit of analytical determination.	
CARBENDAZIM Sum of benomyl and carbendazim (expressed as carbendazim)	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,1(*)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,1(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,2
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	0,2
Cherries	0,5
Peaches (including nectarines and similar hybrids)	0,2
Plums	0,5
Others	0,1(*)
(v) BERRIES & SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	0,3
Wine grapes	0,5
(b) Strawberries (other than wild)	0,1(*)
(c) Cane Fruit (other than wild)	0,1(*)

B 1240

Column 1	Column 2
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	0,1(*)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,1(*)
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Lychees	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	0,2
Passion fruit	
Pineapples	
Pomegranate	
Others	0,1(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,1(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	

Column 1	Column 2
(ii) BULB VEGETABLES	0,1(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITION VEGETABLES	
(a) Solanacea	
Tomatoes	0,5
Peppers	
Aubergines	0,5
Okra	2
Others	0,1(*)
(b) Cucurbits - edible peel	0,1(*)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,1(*)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,1(*)
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	0,1(*)
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	0,5
Head cabbage	
Others	0,1(*)
(c) Leafy brassica	0,1(*)
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,1(*)
(v) LEAF VEGETABLES & FRESH HERBS	0,1(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	

B 1242

Column 1	Column 2
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	0,2
Beans (without pods)	
Peas (with pods)	0,2
Peas (without pods)	
Others	0,1(*)
(vii) STEM VEGETABLES (fresh)	0,1(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,1(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,1(*)
Beans	
Lentils	
Peas	
Lupins	
Others	
4. Oilseeds	
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	

Column 1	Column 2
Soya bean	0,2
Mustard seed	
Cotton seed	
Hemp seed	
Others	0,1(*)
5. Potatoes	0,1(*)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*)
(*) Indicates lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
CARBOFURAN	
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar: nuts	
(i) CITRUS FRUIT	0,3
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,02 (*)
Almonds	
Brazil Nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,02 (*)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0,02 (*)

B 1244

Column 1	Column 2
Apricots	
Cherries	
Peaches (including and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	0,02 (*)
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	0,02 (*)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
(a) olives	
Olives (table consumption)	
Olives (oil extraction)	
Passion fruit	
Pineapples	
Papaya	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	0,02(*)
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Celeriac	
Horseradish	

Column 1	Column 2
Jerusalem artichokes	
Parsnips	
Parsley roots	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy cabbage	
Chinese cabbage	
Kale	

B 1246

Column 1	Column 2
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,02 (*)
Beans	
Lentils	
Peas	
Others	
4. Oil seed	0,1

Column 1	Column 2
Linseed	
Peanuts	
Poppy seeds	
Sesame seeds	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	0,02 (*)
5. Potatoes	
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or otherwise, from the leaves of <i>Camellia sinensis</i>)	0,05 (*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,05 (*)
(*) Indicates the lower limit of analytical determination.	
CARFENTRAZONE-ETHYL (determined as carfentrazone and expressed as carfentrazone-ethyl)	0,05 (*) (p)
CEREALS	
Barley	
Buckwheat	
Maize	
Millet	
Oats	
Rice	
Rye	
Sorghum	
Triticale	
Wheat	
other Cereals	
(*) Indicates lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/414/EEC: unless amended, this level will become definitive with effect from 24 June 2009.	
CARFENTRAZONE-ETHYL (determined as carfentrazone and expressed as carfentrazone-ethyl)	
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,01 (*) (p)
(i) CITRUS FRUIT	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	

B 1248

Column 1	Column 2
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES & SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane Fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	

Column 1	Column 2
Bananas	
Dates	
Figs	
Kiwifruit	
Kumquats	
Lychees	
Mangoes	
Olives	
Passion fruit	
Pineapples	
Papaya	
Others	0,01 (*) (p)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	

B 1250

Column 1	Column 2
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES & FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
(vii) STEM VEGETABLES (fresh)	

Column 1	Column 2
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,01 (*) (p)
Beans	
Lentils	
Peas	
Others	
4. Oilseeds	0,02 (*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	
5. Potatoes	0,01 (*) (p)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,02 (*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,02 (*) (p)
(*) Indicates lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/514/EEC: unless amended, this level will become definitive with effect from 29 June 2009.	
CARTAP	MRL (mg/kg)
Tea	0,1
CHINOMETHIONAT	MRL (mg/kg)
Almonds	0,3
Apples	0,3
Apricots	0,3
Asparagus	0,3

B 1252

Column 1	Column 2
Aubergine	0,3
Avocados	0,3
Bananas	0,3
Beans (with pods)	0,3
Beans (without pods)	0,3
Beet leaves (chard)	0,3
Beetroot	0,3
Bilberries	0,3
Blackberries	0,3
Brazil Nuts	0,3
Brussels sprouts	0,3
Bulb Vegetables Others	0,3
Cane Fruit Others	0,3
Cardoons	0,3
Carrots	0,3
Cashew Nuts	0,3
Cauliflower	0,3
Celeriac	0,3
Celery leaves	0,3
Cherries	0,3
Chervil	0,3
Chestnuts	0,3
Chinese cabbage	0,3
Chives	0,3
Citrus Fruit Others	0,3
Coconuts	0,3
Cranberries	0,3
Cress	0,3
Cucumbers	0,3
Cultivated mushrooms	0,3
Currants (Black, Red and White)	0,3
Dates	0,3
Dewberries	0,3
Fennel	0,3
Figs	0,3
Garlic	0,3
Gherkins	0,3
Globe artichoke	0,3
Gooseberry	0,3
Grapefruit	0,3
Hazelnuts	0,3
Head brassicas others	0,3
Head cabbages	0,3
Herbs others	0,3
Horseradish	0,3

Column 1	Column 2
Jerusalem artichoke	0,3
Kale	0,3
Kiwi Fruit	0,3
Kumquats	0,3
Lamb's lettuce	0,3
Leafy brassicas others	0,3
Leeks	0,3
Legume Vegetables Fresh Others	0,3
Lemons	0,3
Lettuce	0,3
Lettuce and similar others	0,3
Limes	0,3
Litchis	0,3
Loganberries	0,3
Macadamia Nuts	0,3
Mandarins	0,3
Mangoes	0,3
Melons	0,3
Miscellaneous Fruit Others	0,3
Olives	0,3
Onions	0,3
Oranges	0,3
Parsley	0,3
Parsley root	0,3
Parsnips	0,3
Passion Fruit	0,3
Peaches	0,3
Pears	0,3
Peas (with pods)	0,3
Peas (without pods)	0,3
Pecans	0,3
Peppers	0,3
Pine Nuts	0,3
Pineapples	0,3
Pistachios	0,3
Plums	0,3
Pome Fruit Others	0,3
Pomegranates	0,3
Pomelo	0,3
Quinces	0,3
Radishes	0,3
Raspberries	0,3
Root and Tuber Vegetables Others	0,3
Salsify	0,3
Scarole	0,3

B 1254

Column 1	Column 2
Shallots	0,3
Small Fruit and Berries Others	0,3
Spinach	0,3
Spring onion	0,3
Stone Fruit Others	0,3
Strawberries	0,3
Swedes	0,3
Sweet potato	0,3
Table Grapes	0,3
Tomatoes	0,3
Tree Nuts Others	0,3
Turnip	0,3
Walnuts	0,3
Watermelons	0,3
Wild Berries and Wild Fruit	0,3
Wild mushrooms	0,3
Wine Grapes	0,3
Witloof	0,3
Yams	0,3
CHLORIDAZON	MRL (mg/kg)
Beet leaves (chard)	0,1
Beetroot	0,1
Forage (beet)	0,1
Garlic	0,1
Leeks	0,1
Onions	0,1
Sugar beet	0,1
CHLORMEQUAT	MRL (mg/kg)
Almonds	0,1
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	2
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1

Column 1	Column 2
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables Others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,1
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,1
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,1
Cotton seed	0,1
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	10
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,1
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05

B 1256

Column 1	Column 2
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh Others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	5
Oilseeds others	0,1
Olives	0,1
Onions	0,05
Oranges	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,1
Pears	0,5
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,1
Peppers	0,05
Pine Nuts	0,1
Pineapples	0,05
Pistachios	0,1

Column 1	Column 2
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,1
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,1
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	2
Salsify	0,05
Scarole	0,05
Sesame seeds	0,1
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,1
Triticale	2
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	2
Wild Berries and Wild Fruit	0,05

B 1258

Column 1	Column 2
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
CHLORPROPHAM	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Brussels sprouts	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,1
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery leaves	0,1
Cherries	0,05
Chervil	0,1
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Fennel	0,05
Figs	0,05

Column 1	Column 2
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh Others	0,05
Lemons	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Miscellaneous Fruit Others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Small Fruit and Berries Others	0,05
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,05
Peaches	0,05
Pears	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05

B 1260

Column 1	Column 2
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Quinces	0,05
Radishes	0,05
Raspberries	0,05
Root and Tuber Vegetables others	0,05
Salsify	0,05
Scarole	0,05
Shallots	0,05
Spinach	0,05
Spring onion	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Swedes	0,05
Sweet potato	0,05
Table Grapes	0,05
Tomatoes	0,05
Tree Nuts Others	0,05
Turnip	0,05
Walnuts	0,05
Watermelons	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
CHLORPYRIFOS	MRL (mg/kg)
Almonds	0,05
Apples	0,5
Apricots	0,05
Asparagus	0,05
Aubergine	0,5
Avocados	0,05
Bananas	3
Barley	0,2
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05

Column 1	Column 2
Blackberries	0,5
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,1
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,3
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,5
Chives	0,05
Citrus Fruit Others	0,3
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	1
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	1
Gooseberry	1
Grapefruit	0,3
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	1

B 1262

Column 1	Column 2
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	2
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables freshothers	0,05
Lemons	0,2
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,3
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	2
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,2
Oranges	0,3
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,2
Peanuts	0,05
Pears	0,5
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,5
Pine Nuts	0,05

Column 1	Column 2
Pineapples	0,05
Pistachios	0,05
Plums	0,2
Pome Fruit Others	0,5
Pomegranates	0,05
Pomelo	0,3
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,5
Radishes	0,2
Rapeseed	0,05
Raspberries	0,5
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,5
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,2
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,5
Tea	0,1
Tomatoes	0,5
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05

B 1264

Column 1	Column 2
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,5
Witloof	0,05
Yams	0,05
CHLORPYRIFOS-METHYL	MRL (mg/kg)
Almonds	0,05
Apples	0,5
Apricots	0,05
Asparagus	0,05
Aubergine	0,5
Avocados	0,05
Bananas	0,05
Barley	3
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	3
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	3
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05

Column 1	Column 2
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,3
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	3
Mandarins	1
Mangoes	0,05

B 1266

Column 1	Column 2
Melons	0,05
Millet	3
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	3
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,5
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,5
Peanuts	0,05
Pears	0,5
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,5
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,5
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,5
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	3
Root and Tuber Vegetables others	0,05
Rye	3
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,5
Sorghum	3

Column 1	Column 2
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,5
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,2
Tea	0,1
Tomatoes	0,5
Tree Nuts Others	0,05
Triticale	3
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	3
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,2
Witloof	0,05
Yams	0,05
CHLORTHAL-DIMETHYL	MRL (mg/kg)
Artichokes	0,1
Asparagus	0,1
Brassica vegetables	0,1
Bulb vegetables	0,1
Carrots	0,1
Celery	0,1
Fennel	0,1
Gherkins	0,1
Leeks	0,1
Lettuce	0,1
Melons	0,1
Parsley	0,1
Peas (without pods)	0,1
Scarole	0,1
Solanacea others	0,1

B 1268

Column 1	Column 2
Strawberries	0,1
Watermelons	0,1
CHLORTHALONIL	MRL (mg/kg)
Apricots	1
Banana	0,2
Barley	0,1
Beans (without pods)	0,05
Blackberries	10
Brassica vegetables others	0,01
Brussels sprouts	0,5
Carrots	1
Celery	10
Celery	1
Cereals others	0,01
Cranberries	2
Cucurbits (inedible peel)	1
Cultivated mushrooms	2
Currants	10
Flowering brassicas	3
Fruit others	0,01
Garlic	0,5
Gherkins	1
Gherkins	5
Gooseberries	10
Grapes	1
Grapes (wine)	3
Head cabbage	3
Herbs others (fresh)	5
Hops	50
Leeks	10
Oats	0,1
Oilseeds others	0,01
Onions	5
Onions	0,5
Peaches	1
Peanuts	0,05
Peas (with pods)	2
Peas (without pods)	0,3
Pome fruits	1
Potatoes	0,01
Pulses	0,01
Raspberries	10
Rye	0,1
Shallots	0,5

Column 1	Column 2
Solanacea others	2
Strawberries	3
Tea	0,1
Triticale	0,1
Vegetables others	0,01
Wheat	0,1
CHLORTHIAMID	MRL (mg/kg)
Forages	0,1
Grapes	0,1
Hazelnuts	0,1
Olives	0,1
CHLOZOLINATE	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05

B 1270

Column 1	Column 2
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05

Column 1	Column 2
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables others	0,05
Rye	0,05
Salsify	0,05

B 1272

Column 1	Column 2
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
CLOFENTEZINE	MRL (mg/kg)
Almonds	0,05
Apples	0,5
Apricots	0,02
Asparagus	0,02
Aubergine	0,02
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02

Column 1	Column 2
Beans (with pods)	0,02
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	3
Brazil Nuts	0,05
Broccoli	0,02
Brussels sprouts	0,02
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,3
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,05
Cauliflower	0,02
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	0,02
Chervil	0,02
Chestnuts	0,05
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	0,02
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,02
Cranberries	0,02
Cress	0,02
Cucumbers	0,02
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,5
Dates	0,02
Dewberries	0,3
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,02
Gherkins	0,02
Globe artichoke	0,02

B 1274

Column 1	Column 2
Gooseberry	0,02
Grapefruit	0,02
Hazelnuts	0,05
Head brassicas others	0,02
Head cabbages	0,02
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	0,02
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	0,02
Lentils	0,02
Lettuce	0,02
Lettuce and similar others	0,02
Limes	0,02
Linseed	0,05
Litchis	0,02
Loganberries	0,3
Macadamia Nuts	0,05
Maize	0,02
Mandarins	0,02
Mangoes	0,02
Melons	0,1
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,05
Oats	0,02
Oilseeds others	0,05
Olives	0,02
Onions	0,02
Oranges	0,02
Papaya	0,02
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,02
Peanuts	0,05
Pears	0,5

Column 1	Column 2
Peas	0,02
Peas (with pods)	0,02
Peas (without pods)	0,02
Pecans	0,05
Peppers	0,02
Pine Nuts	0,05
Pineapples	0,02
Pistachios	0,05
Plums	0,2
Pome Fruit Others	0,5
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,05
Pulses others	0,02
Quinces	0,5
Radishes	0,02
Rapeseed	0,05
Raspberries	3
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables others	0,02
Rye	0,02
Salsify	0,02
Scarole	0,02
Sesame seeds	0,05
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,05
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	0,02
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	2
Sunflower seeds	0,05
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,02
Tea	0,05
Tomatoes	0,3
Tree Nuts Others	0,05

B 1276

Column 1	Column 2
Triticale	0,02
Turnip	0,02
Walnuts	0,05
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,02
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	1
Witloof	0,02
Yams	0,02
COPPER (INORGANIC)	MRL (mg/kg)
Cereals	10
Coffee (raw)	50
Fruit	20
Oilseeds	10
Potatoes	20
Sugar beet	20
Tobacco	20
Vegetables	20
CYAZOFAMID	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar: nuts	
(i) CITRUS FRUIT	0,01(*) (p)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,01(*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	

Column 1	Column 2
Others	
(iii) POME FRUIT	0,01(*) (p)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0,01(*) (p)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	0,5 (p)
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,01(*) (p)
(c) Cane fruit (other than wild)	0,01(*) (p)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	0,01(*) (p)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,01(*) (p)
(vi) MISCELLANEOUS	0,01(*) (p)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	

B 1278

Column 1	Column 2
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,01(*) (p)
Beetroot	
Carrots	
Casava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,01(*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,2 (p)
Peppers	
Aubergines	
Others	0,01(*) (p)
(b) Cucurbits - edible peel	0,1 (p)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,1 (p)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,01(*) (p)
(iv) BRASSICA VEGETABLES	0,01(*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	

Column 1	Column 2
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	0,01(*) (p)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Rucola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,01(*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,01(*) (p)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	

Column 1	Column 2
(viii) FUNGI	0,01(*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,01(*) (p)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,02(*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	
5. Potatoes	0,01(*) (p)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0,02(*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,02(*) (p)
(*) Indicates the lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
CYCLOATE	MRL (mg/kg)
Beet leaves (chard)	0,05
Beetroot	0,05
Forage (beet)	0,05
Spinach	0,05
Sugar beet	0,05
CYCLOXYDIM	MRL (mg/kg)
Apples	0,1
Apricots	0,2
Artichokes	2
Asparagus	0,05
Aubergines	1
Beans (without pods)	0,2
Brassica vegetables	0,2
Carrots	0,1

Column 1	Column 2
Cotton seed	0,5
Fennel	0,05
French beans	0,2
Grapes	0,1
Leeks	0,2
Lettuce and similars	0,2
Onions	0,5
Peaches	0,2
Pears	0,1
Peas (without pods)	1
Peppers	1
Potatoes	0,1
Rapeseed	0,5
Rice	0,05
Soya bean	0,5
Spinach	1
Sugar beet	0,1
Sunflower oil	0,05
Sunflower seeds	0,5
Tobacco	0,5
Tomatoes	0,05
CYFENOTHRIN	MRL (mg/kg)
Apples	0,1
Apricots	0,2
Artichokes	2
Asparagus	0,05
Aubergines	1
Beans (without pods)	0,2
Brassica vegetables	0,2
Carrots	0,1
Cotton seed	0,5
Fennel	0,05
French beans	0,2
Grapes	0,1
Leeks	0,2
Lettuce and similars	0,2
Onions	0,5
Peaches	0,2
Pears	0,1
Peas (without pods)	1
Peppers	1
Potatoes	0,1
Rapeseed	0,5
Rice	0,05

B 1282

Column 1	Column 2
Soya bean	0,5
Spinach	1
Sugar beet	0,1
Sunflower oil	0,05
Sunflower seeds	0,5
Tobacco	0,5
Tomatoes	0,05
CYFLUTHRIN including other mixtures of constituent isomers (sum of isomers)	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,02(*)
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,02(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,2
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	0,3
Cherries	0,2
Peaches (including nectarines and similar hybrids)	0,3
Plums	0,2
Others	0,02(*)
(v) BERRIES AND SMALL FRUIT	

Column 1	Column 2
(a) Table and wine grapes	0,3
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,02(*)
(c) Cane fruit (other than wild)	0,02(*)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	0,02(*)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,02(*)
(vi) MISCELLANEOUS	0,02(*)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,02(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	

Column 1	Column 2
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,02(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,05
Peppers	0,3
Aubergines	
Okra	
Others	0,02(*)
(b) Cucurbits - edible peel	
Cucumbers	0,1
Gherkins	
Courgettes	
Others	0,02(*)
(c) Cucurbits - inedible peel	0,02(*)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,02(*)
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	0,05
Broccoli	
Cauliflower	
Others	
(b) Head brassica	0,2
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	0,3
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,02(*)
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	0,5
Cress	

Column 1	Column 2
Lamb's lettuce	
Lettuce	
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	0,02(*)
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	0,02(*)
(d) Witloof	0,02(*)
(e) Herbs	0,02(*)
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,02(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,02(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,02(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	
Linseed	
Peanuts	
Poppy seed	

B 1286

Column 1	Column 2
Sesame seed	
Sunflower seed	
Rape seed	0,05
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	0,02(*)
5. Potatoes	0,02(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinesis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	20
(*) Indicates lower limit of analytical determination.	
CYMOXANIL	MRL (mg/kg)
Artichokes	0,1
Artichokes	0,1
Garlic	0,05
Grapes	0,1
Leeks	0,05
Lettuce	0,05
Melons	0,05
Onions	0,05
Peas (without pods)	0,05
Potatoes	0,1
Soya bean	0,05
Spinach	0,05
Sunflower seeds	0,05
Tabacco (green)	0,1
Tomatoes	0,1
Vegetable marrows	0,05
CYFLUTHRIN	MRL (mg/kg)
Almonds	0,02
Apples	0,2
Apricots	0,5
Asparagus	0,02
Aubergine	0,02
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	0,05

Column 1	Column 2
Beans (without pods)	0,05
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02
Brazil Nuts	0,02
Broccoli	0,05
Brussels sprouts	0,2
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,02
Cauliflower	0,05
Celeriac	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	0,2
Chervil	0,02
Chestnuts	0,02
Chinese cabbage	0,3
Chives	0,02
Citrus Fruit Others	0,02
Coconuts	0,02
Cotton seed	0,02
Courgettes	0,02
Cranberries	0,02
Cress	0,5
Cucumbers	0,1
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,02
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,05
Garlic	0,02
Gherkins	0,02
Globe artichoke	0,02
Gooseberry	0,02
Grapefruit	0,02

B 1288

Column 1	Column 2
Hazelnuts	0,02
Head brassicas others	0,2
Head cabbages	0,2
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,3
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	0,5
Leafy brassicas others	0,3
Leeks	0,02
Legume vegetables fresh others	0,05
Lemons	0,02
Lentils	0,02
Lettuce	0,5
Lettuce and similar others	0,5
Limes	0,02
Linseed	0,02
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,02
Maize	0,05
Mandarins	0,02
Mangoes	0,02
Melons	0,02
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,02
Oats	0,02
Oilseeds others	0,02
Olives	0,02
Onions	0,02
Oranges	0,02
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,5
Peanuts	0,02
Pears	0,2
Peas	0,02
Peas (with pods)	0,05
Peas (without pods)	0,05

Column 1	Column 2
Pecans	0,02
Peppers	0,3
Pine Nuts	0,02
Pineapples	0,02
Pistachios	0,02
Plums	0,2
Pome Fruit Others	0,2
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,02
Pulses others	0,02
Quinces	0,2
Radishes	0,02
Rapeseed	0,05
Raspberries	0,02
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables others	0,02
Rye	0,02
Salsify	0,02
Scarole	0,5
Sesame seeds	0,02
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,02
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	0,02
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	0,02
Sunflower seeds	0,02
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,3
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,02
Triticale	0,02
Turnip	0,02
Walnuts	0,02

B 1290

Column 1	Column 2
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,02
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	0,3
Witloof	0,02
Yams	0,02
CYPERMETHRIN	MRL (mg/kg)
Almonds	0,05
Apples	1
Apricots	2
Asparagus	0,1
Aubergine	0,5
Avocados	0,05
Bananas	0,05
Barley	0,2
Beans	0,05
Beans (with pods)	0,5
Beans (without pods)	0,05
Beet leaves (chard)	0,5
Beetroot	0,05
Bilberries	0,05
Blackberries	0,5
Brazil Nuts	0,05
Broccoli	0,5
Brussels sprouts	0,5
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,5
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,5
Celeriac	0,05
Celery	0,05
Celery leaves	2
Cereals others	0,05
Cherries	1
Chervil	2
Chestnuts	0,05
Chinese cabbage	1
Chives	2

Column 1	Column 2
Citrus Fruit Others	2
Coconuts	0,05
Cotton seed	0,2
Courgettes	0,2
Cranberries	0,05
Cress	2
Cucumbers	0,2
Cucurbits edible peel others	0,2
Cucurbits inedible peel others	0,2
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,5
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,5
Garlic	0,1
Gherkins	0,2
Globe artichoke	2
Gooseberry	0,05
Grapefruit	2
Hazelnuts	0,05
Head brassicas others	0,5
Head cabbages	0,5
Herbs others	2
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	1
Kiwi Fruit	0,05
Kohlrabi	0,2
Kumquats	0,05
Lamb's lettuce	2
Leafy brassicas others	1
Leeks	0,5
Legume vegetables fresh others	0,05
Lemons	2
Lentils	0,05
Lettuce	2
Lettuce and similar others	2
Limes	2
Linseed	0,2
Litchis	0,05
Loganberries	0,5
Macadamia Nuts	0,05

B 1292

Column 1	Column 2
Maize	0,05
Mandarins	2
Mangoes	0,05
Melons	0,2
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,2
Oilseeds others	0,05
Olives	0,05
Onions	0,1
Oranges	2
Parsley	2
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	2
Peanuts	0,05
Pears	1
Peas	0,05
Peas (with pods)	0,5
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,5
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	1
Pome Fruit Others	1
Pomegranates	0,05
Pomelo	2
Poppy seeds	0,2
Pulses others	0,05
Quinces	1
Radishes	0,05
Rapeseed	0,2
Raspberries	0,5
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables others	0,05
Rye	0,05
Salsify	0,05
Scarole	2
Sesame seeds	0,2
Shallots	0,1

Column 1	Column 2
Small Fruit and Berries Others	0,05
Solanacea others	0,5
Sorghum	0,05
Soya bean	0,05
Spinach	0,5
Spinach and similar (others)	0,5
Spring onion	0,05
Squashes	0,2
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,2
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,5
Tea	0,5
Tomatoes	0,5
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,2
Wheat	0,05
Wild Berries and Wild Fruit	2
Wild mushrooms	1
Wine Grapes	0,5
Witloof	0,05
Yams	0,05
CIPRODINIL	MRL (mg/kg)
Apples	1
Apricots	0,5
Aubergines	2
Cherries	0,5
Courgettes	0,5
Cucumbers	0,5
Grapes	5
Lettuce	2
Peaches	0,5
Pears	1
Peppers	2
Prunes	0,5

B 1294

Column 1	Column 2
Strawberries	2
Tomatoes	2
CYROMAZINE	MRL (mg/kg)
Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0.05(*)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,05(*)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0,05(*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	0,05(*)
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	

Column 1	Column 2
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	0,05(*)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives	
Papaya	
Passion Fruit	
Pineapples	
Pomegranate	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	1
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0,05(*)
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	
Spring Onions	

B 1296

Column 1	Column 2
(iii) FRUITING VEGETABLES	
(a) Solanacea	1
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits - edible peel	1
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	0,3
Squashes	
Watermelons	0,3
Others	0,05(*)
(d) Sweet corn	0,05(*)
(iv) BRASSICA VEGETABLES	0,05(*)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
others	
(c) leafy brassica	
Chinese cabbage	
Kale	
others	
(d) kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce & similar	15
Cress	
Lamb's lettuce	
lettuce	
Scarole (broadleaf endive)	
Others	
(b) Spinach & similar	0,05(*)
Spinach	
Beet Leaves (chard)	
Others	
(c) Water cress	0,05(*)
(d) Witloof	0,05(*)
(e) Herbs	15

Column 1	Column 2
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	5
Beans (without pods)	
Peas (with pods)	5
Peas (without pods)	
Others	0,05(*)
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	2
Fennel	
Globe artichokes	2
Leek	
Rhubarb	
Others	0,05(*)
(viii) FUNGI	
(a) Cultivated Mushrooms	5
(b) Wild Mushrooms	0,05(*)
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Others	
4. Oilseeds	0,05(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard Seed	
Cotton Seed	
Others	
5. Potatoes	1
Early Potatoes	
Ware Potatoes	
6. Tea (dry leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0,05(*)

B 1298

Column 1	Column 2
7. Hops (dried), including hop pellets and unconcentrated powder	0,05(*)
DAMINOZIDE	MRL (mg/kg)
Almonds	0,05
Apples	0,02
Apricots	0,02
Asparagus	0,02
Aubergine	0,02
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	0,02
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02
Brazil Nuts	0,05
Broccoli	0,02
Brussels sprouts	0,02
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,05
Cauliflower	0,02
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	0,02
Chervil	0,02
Chestnuts	0,05
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	0,02
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,02
Cranberries	0,02
Cress	0,02
Cucumbers	0,02
Cucurbits edible peel others	0,02

Column 1	Column 2
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,02
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,02
Gherkins	0,02
Globe artichoke	0,02
Gooseberry	0,02
Grapefruit	0,02
Hazelnuts	0,05
Head brassicas others	0,02
Head cabbages	0,02
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	0,02
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	0,02
Lentils	0,02
Lettuce	0,02
Lettuce and similar others	0,02
Limes	0,02
Linseed	0,05
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,05
Maize	0,02
Mandarins	0,02
Mangoes	0,02
Melons	0,02
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,05
Oats	0,02

B 1300

Column 1	Column 2
Oilseeds others	0,05
Olives	0,02
Onions	0,02
Oranges	0,02
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,02
Peanuts	0,05
Pears	0,02
Peas	0,02
Peas (with pods)	0,02
Peas (without pods)	0,02
Pecans	0,05
Peppers	0,02
Pine Nuts	0,05
Pineapples	0,02
Pistachios	0,05
Plums	0,02
Pome Fruit Others	0,02
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,05
Pulses others	0,02
Quinces	0,02
Radishes	0,02
Rapeseed	0,05
Raspberries	0,02
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables others	0,02
Rye	0,02
Salsify	0,02
Scarole	0,02
Sesame seeds	0,05
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,05
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	0,02

Column 1	Column 2
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	0,02
Sunflower seeds	0,05
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,02
Tea	0,1
Tomatoes	0,02
Tree Nuts Others	0,05
Triticale	0,02
Turnip	0,02
Walnuts	0,05
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,02
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	0,02
Witloof	0,02
Yams	0,02
DAZOMET	MRL (mg/kg)
Products of vegetable origin	0,02
DELTAMETHRIN (cis-deltamethrin)(*)	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,05(*)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	

B 1302

Column 1	Column 2
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	0,2
Pears	
Quinces	
Others	0,1
(iv) STONE FRUIT	
Apricots	
Cherries	0,2
Peaches (including nectarines and similar hybrids)	
Plums	
Others	0,1
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	0,2
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,2
(c) Cane fruit (other than wild)	
Blackberries	0,5
Dewberries	
Loganberries	
Raspberries	0,5
Others	0,05(*)
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	0,5
Gooseberries	0,2
Others	0,05(*)
(e) Wild berries and wild fruit	0,05(*)
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	0,2
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	1

Column 1	Column 2
Olives (oil extraction)	1
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	0,05(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,05(*)
Beetroot	
Carrots	
Casava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	0,1
Onions	0,1
Shallots	0,1
Spring onions	0,1
Others	0,05(*)
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,3
Peppers	
Aubergines	0,3
Okra	0,3
Others	0,2
(b) Cucurbits - edible peel	0,2
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,2
Melons	
Squashes	
Watermelons	

B 1304

Column 1	Column 2
Others	
(d) Sweet corn	0,05(*)
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	0,1
Broccoli	
Cauliflower	
Others	
(b) Head brassica	0,1
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	0,5
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,05(*)
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	0,5
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Rucola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	0,5
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	0,05(*)
(d) Witloof	0,05(*)
(e) Herbs	0,5
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,2
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	
Asparagus	

Column 1	Column 2
Cardoons	
Celery	
Fennel	
Globe artichokes	0,1
Leek	0,2
Rhubarb	
Others	0,05(*)
(viii) FUNGI	0,05(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	1
Beans	
Lentils	
Peas	
Others	
4. Oil seed	
Linseed	
Peanuts	
Poppy seeds	
Sesame seeds	
Sunflower seed	
Rape seed	0,1
Soya bean	
Mustard seed	0,1
Cotton seed	
Hemp seed	
Others	0,05(*)
5. Potatoes	0,05(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or otherwise, from the leaves of <i>Camellia sinensis</i>)	5
7. Hops (dried), including hop pellets and unconcentrated powder	5
(*) Temporary MRL valid until 1 November 2007, pending review of the Annex III dossier under 91/414/EEC and the re-registration of deltamethrin formulations at Member State level.	
(*) Indicates the lower limit of analytical determination.	
DIAFENTIURON	MRL (mg/kg)
Aubergines	0,2
Beans	0,1
Broad beans	0,1
Courgettes	0,2
Cucumbers	0,2
French beans	0,1
Lemons	0,5

B 1306

Column 1	Column 2
Mandarins	0,5
Melons	0,2
Onions	0,1
Oranges	0,5
Peppers	0,2
Squashes	0,1
Tomatoes	0,5
Watermelons	0,2
DIAZINON	MRL (mg/kg)
Almonds	0,05
Apples	0,3
Apricots	0,02
Asparagus	0,02
Aubergine	0,5
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	0,02
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,2
Blackberries	0,02
Brazil Nuts	0,05
Broccoli	0,02
Brussels sprouts	0,02
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,2
Cashew Nuts	0,05
Cauliflower	0,02
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	0,3
Chervil	0,02
Chestnuts	0,05
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	0,02

Column 1	Column 2
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,02
Cranberries	0,02
Cress	0,02
Cucumbers	0,02
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,2
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,02
Gherkins	0,02
Globe artichoke	0,02
Gooseberry	0,2
Grapefruit	1
Hazelnuts	0,05
Head brassicas others	0,02
Head cabbages	0,02
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,2
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	0,02
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	0,02
Lentils	0,02
Lettuce	0,02
Lettuce and similar others	0,02
Limes	0,02
Linseed	0,05
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,05
Maize	0,02

B 1308

Column 1	Column 2
Mandarins	0,02
Mangoes	0,02
Melons	0,02
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,05
Oats	0,02
Oilseeds others	0,05
Olives	0,02
Onions	0,02
Oranges	1
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,02
Peanuts	0,05
Pears	0,3
Peas	0,02
Peas (with pods)	0,02
Peas (without pods)	0,02
Pecans	0,05
Peppers	0,5
Pine Nuts	0,05
Pineapples	0,02
Pistachios	0,05
Plums	0,1
Pome Fruit Others	0,02
Pomegranates	0,02
Pomelo	1
Poppy seeds	0,05
Pulses others	0,02
Quinces	0,02
Radishes	0,02
Rapeseed	0,05
Raspberries	0,02
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables others	0,02
Rye	0,02
Salsify	0,02
Scarole	0,02
Sesame seeds	0,05
Shallots	0,02
Small Fruit and Berries Others	0,02

Column 1	Column 2
Solanacea others	0,5
Sorghum	0,02
Soya bean	0,05
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	0,02
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	0,02
Sunflower seeds	0,05
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,02
Tea	0,05
Tomatoes	0,5
Tree Nuts Others	0,05
Triticale	0,02
Turnip	0,02
Walnuts	0,05
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,02
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	0,02
Witloof	0,02
Yams	0,02
DICAMBA	MRL (mg/kg)
Apples	0,1
Asparagus	0,1
Barley	0,1
Forage	0,1
Maize	0,05
Oats	0,1
Rice	0,1
Rye	0,1
Sorghum	0,2
Wheat	0,1
DICHLLOFLUANID	MRL (mg/kg)
Almonds	5
Apples	5

B 1310

Column 1	Column 2
Apricots	5
Asparagus	5
Aubergine	5
Avocados	5
Bananas	5
Beans (with pods)	5
Beans (without pods)	5
Beet leaves (chard)	5
Beetroot	5
Bilberries	10
Blackberries	10
Brazil Nuts	5
Brussels sprouts	5
Bulb Vegetables others	5
Cane Fruit Others	10
Cardoons	5
Carrots	5
Cashew Nuts	5
Cauliflower	5
Celeriac	5
Celery leaves	5
Cherries	5
Chervil	5
Chestnuts	5
Chinese cabbage	5
Chives	5
Citrus Fruit Others	5
Coconuts	5
Cranberries	10
Cress	10
Cucumbers	5
Cultivated mushrooms	5
Currants (Black, Red and White)	10
Dates	5
Dewberries	10
Fennel	5
Figs	5
Garlic	5
Gherkins	5
Globe artichoke	5
Gooseberry	10
Grapefruit	5
Hazelnuts	5
Head brassicas others	5
Head cabbages	5

Column 1	Column 2
Herbs others	5
Horseradish	5
Jerusalem artichoke	5
Kale	5
Kiwi Fruit	5
Kumquats	5
Lamb's lettuce	10
Leafy brassicas others	5
Leeks	5
Legume vegetables fresh others	5
Lemons	5
Lettuce	10
Lettuce and similar others	10
Limes	5
Litchis	5
Loganberries	10
Macadamia Nuts	5
Mandarins	5
Mangoes	5
Melons	5
Miscellaneous Fruit Others	5
Olives	5
Onions	5
Oranges	5
Parsley	5
Parsley root	5
Parsnips	5
Passion Fruit	5
Peaches	5
Pears	5
Peas (with pods)	5
Peas (without pods)	5
Pecans	5
Peppers	5
Pine Nuts	5
Pineapples	5
Pistachios	5
Plums	5
Pome Fruit Others	5
Pomegranates	5
Pomelo	5
Quinces	5
Radishes	5
Raspberries	10
Root and Tuber Vegetables others	5

B 1312

Column 1	Column 2
Salsify	5
Scarole	10
Shallots	5
Small Fruit and Berries Others	10
Spinach	5
Spring onion	5
Stone Fruit Others	5
Strawberries	10
Swedes	5
Sweet potato	5
Table Grapes	10
Tomatoes	5
Tree Nuts Others	5
Turnip	5
Walnuts	5
Watermelons	5
Wild Berries and Wild Fruit	10
Wild mushrooms	5
Wine Grapes	10
Witloof	5
Yams	5
DICHLORVOS	MRL (mg/kg)
Almonds	0,1
Apples	0,1
Apricots	0,1
Asparagus	0,1
Aubergine	0,1
Avocados	0,1
Bananas	0,1
Barley	2
Beans (with pods)	0,1
Beans (without pods)	0,1
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	0,1
Blackberries	0,1
Brazil Nuts	0,1
Brussels sprouts	0,1
Buckwheat	2
Bulb Vegetables others	0,1
Cane Fruit Others	0,1
Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,1

Column 1	Column 2
Cauliflower	0,1
Celeriac	0,1
Celery leaves	0,1
Cereals others	2
Cherries	0,1
Chervil	0,1
Chestnuts	0,1
Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	0,1
Coconuts	0,1
Cranberries	0,1
Cress	0,1
Cucumbers	0,1
Cultivated mushrooms	0,1
Currants (Black, Red and White)	0,1
Dates	0,1
Dewberries	0,1
Fennel	0,1
Figs	0,1
Garlic	0,1
Gherkins	0,1
Globe artichoke	0,1
Gooseberry	0,1
Grapefruit	0,1
Hazelnuts	0,1
Head brassicas others	0,1
Head cabbages	0,1
Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kumquats	0,1
Lamb's lettuce	0,1
Leafy brassicas others	0,1
Leeks	0,1
Legume vegetables fresh others	0,1
Lemons	0,1
Lettuce	0,1
Lettuce and similar others	0,1
Limes	0,1
Litchis	0,1
Loganberries	0,1
Macadamia Nuts	0,1

B 1314

Column 1	Column 2
Maize	2
Mandarins	0,1
Mangoes	0,1
Melons	0,1
Millet	2
Miscellaneous Fruit Others	0,1
Oats	2
Olives	0,1
Onions	0,1
Oranges	0,1
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,1
Peaches	0,1
Pears	0,1
Peas (with pods)	0,1
Peas (without pods)	0,1
Pecans	0,1
Peppers	0,1
Pine Nuts	0,1
Pineapples	0,1
Pistachios	0,1
Plums	0,1
Pome Fruit Others	0,1
Pomegranates	0,1
Pomelo	0,1
Quinces	0,1
Radishes	0,1
Raspberries	0,1
Rice	2
Root and Tuber Vegetables others	0,1
Rye	2
Salsify	0,1
Scarole	0,1
Shallots	0,1
Small Fruit and Berries Others	0,1
Sorghum	2
Spinach	0,1
Spring onion	0,1
Stone Fruit Others	0,1
Strawberries	0,1
Swedes	0,1
Sweet potato	0,1
Table Grapes	0,1

Column 1	Column 2
Tea	0,1
Tomatoes	0,1
Tree Nuts Others	0,1
Triticale	2
Turnip	0,1
Walnuts	0,1
Watermelons	0,1
Wheat	2
Wild Berries and Wild Fruit	0,1
Wild mushrooms	0,1
Wine Grapes	0,1
Witloof	0,1
Yams	0,1
DICLORAN	MRL (mg/kg)
Artichokes	10
Asparagus	10
Brassica vegetables others	10
Bulb vegetables	10
Cardoons	10
Carrots	10
Celery	10
Cucurbits	10
Fennel	10
Herbs others (fresh)	10
Leeks	10
Legumes fresh	10
Lettuce and similars	10
Potatoes	10
Solanacea others	10
Spinach and similars	10
Strawberries	10
Tabacco	10
DIFENOCONAZOLE	MRL (mg/kg)
Apples	0,5
Asparagus	0,05
Banana	0,1
Carrots	0,2
Cauliflower	0,1
Celery	2
Gherkins	0,1
Pears	0,5
Potatoes	0,1
Sugar beet (roots)	0,2
Tomatoes	0,5

B 1316

Column 1	Column 2
DIFLUBENZURON	MRL (mg/kg)
Apples	0,5
Cultivated mushrooms	0,2
Pears	0,5
DIMETHOATE	MRL (mg/kg)
Almonds	0,05
Apples	0,02
Apricots	0,02
Asparagus	0,02
Aubergine	0,02
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	0,02
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02
Brazil Nuts	0,05
Broccoli	0,02
Brussels sprouts	0,3
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,05
Cauliflower	0,2
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	1
Chervil	0,02
Chestnuts	0,05
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	0,02
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,02
Cranberries	0,02

Column 1	Column 2
Cress	0,02
Cucumbers	0,02
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,02
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,02
Gherkins	0,02
Globe artichoke	0,02
Gooseberry	0,02
Grapefruit	0,02
Hazelnuts	0,05
Head brassicas others	0,02
Head cabbages	1
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	0,02
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	0,02
Lentils	0,02
Lettuce	0,5
Lettuce and similar others	0,02
Limes	0,02
Linseed	0,05
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,05
Maize	0,02
Mandarins	0,02
Mangoes	0,02
Melons	0,02
Millet	0,02

B 1318

Column 1	Column 2
Miscellaneous Fruit Others	0,02
Mustard seed	0,05
Oats	0,02
Oilseeds others	0,05
Olives	2
Onions	0,02
Oranges	0,02
Papaya	0,02
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,02
Peanuts	0,05
Pears	0,02
Peas	0,02
Peas (with pods)	1
Peas (without pods)	0,02
Pecans	0,05
Peppers	0,02
Pine Nuts	0,05
Pineapples	0,02
Pistachios	0,05
Plums	0,02
Pome Fruit Others	0,02
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,05
Pulses others	0,02
Quinces	0,02
Radishes	0,02
Rapeseed	0,05
Raspberries	0,02
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables others	0,02
Rye	0,3
Salsify	0,02
Scarole	0,02
Sesame seeds	0,05
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,05

Column 1	Column 2
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	2
Squashes	0,02
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	0,02
Sunflower seeds	0,05
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,02
Tea	0,05
Tomatoes	0,02
Tree Nuts Others	0,05
Triticale	0,3
Turnip	0,02
Walnuts	0,05
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,02
Wheat	0,3
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	0,02
Witloof	0,02
Yams	0,02
DINOCAP	MRL (mg/kg)
Artichokes	1
Beet leaves (chard)	1
Cardoons	1
Carrots	1
Celery	1
Cucurbits	1
Fennel	1
Fruit	1
Legumes fresh	1
Lettuce and similars	1
Maize	1
Solanacea others	1
Tabacco	1
Wheat	0,05
DIPHENAMID	MRL (mg/kg)
Apples	0,1

B 1320

Column 1	Column 2
Aubergines	0,1
Peaches	0,1
Peanuts	0,1
Pears	0,1
Peppers	0,1
Potatoes	0,1
Strawberries	0,1
Sweet Potatoes	0,1
Tabacco	0,1
Tomatoes	0,1
DIQUAT	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,05 (*) (p)
(i) CITRUS FRUIT	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	

Column 1	Column 2
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	0,05 (*) (p)
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	

B 1322

Column 1	Column 2
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	

Column 1	Column 2
Scarole (broad-leaf endive)	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,2(p)
Beans	
Lentils	
Peas	
Others	
4. Oilseeds	
Linseed	5 (p)
Peanuts	0,1 (*) (p)
Poppy seed	0,1 (*) (p)
Sesame seed	0,1 (*) (p)
Sunflower	1 (p)
Rape seed	2 (p)
Soya bean	0,2 (p)

B 1324

Column 1	Column 2
Mustard seed	0,5 (p)
Cotton seed	0,1 (*) (p)
Hemp seed	0,5 (p)
Others	0,1 (*) (p)
5. Potatoes	0,05 (*) (p)
Early potatoes	
Wild potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, Camellia sinesis)	0,1 (*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1 (*) (p)
DIURON	MRL (mg/kg)
Apples	0,05
Artichokes	0,05
Asparagus	1
Beans (without pods)	0,05
Carrots	0,05
Citrus fruits	0,05
Currants	0,05
Garlic	0,05
Grapes	0,05
Leeks	0,05
Medicinal herbs	0,05
Mint	0,05
Olives	0,05
Peaches	0,05
Pears	0,05
Peas (without pods)	0,05
Potatoes	0,05
DODINE	MRL (mg/kg)
Almonds	0,2
Apples	1
Apricots	1
Asparagus	0,2
Aubergine	0,2
Avocados	0,2
Bananas	0,2
Beans (with pods)	0,2
Beans (without pods)	0,2
Beet leaves (chard)	0,2
Beetroot	0,2
Bilberries	0,2
Blackberries	0,2
Brazil Nuts	0,2

Column 1	Column 2
Brussels sprouts	0,2
Bulb Vegetables others	0,2
Cane Fruit Others	0,2
Cardoons	0,2
Carrots	0,2
Cashew Nuts	0,2
Cauliflower	0,2
Celeriac	0,2
Celery leaves	0,2
Cherries	1
Chervil	0,2
Chestnuts	0,2
Chinese cabbage	0,2
Chives	0,2
Citrus Fruit Others	0,2
Coconuts	0,2
Cranberries	0,2
Cress	0,2
Cucumbers	0,2
Cultivated mushrooms	0,2
Currants (Black, Red and White)	0,2
Dates	0,2
Dewberries	0,2
Fennel	0,2
Figs	0,2
Garlic	0,2
Gherkins	0,2
Globe artichoke	0,2
Gooseberry	0,2
Grapefruit	0,2
Hazelnuts	0,2
Head brassicas others	0,2
Head cabbages	0,2
Herbs others	0,2
Horseradish	0,2
Jerusalem artichoke	0,2
Kale	0,2
Kiwi Fruit	0,2
Kumquats	0,2
Lamb's lettuce	0,2
Leafy brassicas others	0,2
Leeks	0,2
Legume vegetables fresh others	0,2
Lemons	0,2
Lettuce	0,2

B 1326

Column 1	Column 2
Lettuce and similar others	0,2
Limes	0,2
Litchis	0,2
Loganberries	0,2
Macadamia Nuts	0,2
Mandarins	0,2
Mangoes	0,2
Melons	0,2
Miscellaneous Fruit Others	0,2
Olives	0,2
Onions	0,2
Oranges	0,2
Parsley	0,2
Parsley root	0,2
Parsnips	0,2
Passion Fruit	0,2
Peaches	1
Pears	1
Peas (with pods)	0,2
Peas (without pods)	0,2
Pecans	0,2
Peppers	0,2
Pine Nuts	0,2
Pineapples	0,2
Pistachios	0,2
Plums	1
Pome Fruit Others	1
Pomegranates	0,2
Pomelo	0,2
Quinces	1
Radishes	0,2
Raspberries	0,2
Root and Tuber Vegetables	0,2
Salsify	0,2
Scarole	0,2
Shallots	0,2
Small Fruit and Berries Others	0,2
Spinach	0,2
Spring onion	0,2
Stone Fruit Others	1
Strawberries	0,2
Swedes	0,2
Sweet potato	0,2
Table Grapes	0,2
Tomatoes	0,2

Column 1	Column 2
Tree Nuts Others	0,2
Turnip	0,2
Walnuts	0,2
Watermelons	0,2
Wild Berries and Wild Fruit	0,2
Wild mushrooms	0,2
Wine Grapes	0,2
Witloof	0,2
Yams	0,2
ENDOSULFAN (sum of alpha- and beta-isomers and endosulfan-sulphate expressed as endosulfan)	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,05(*)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,1(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	0,3
Quinces	
Others	0,05(*)
(iv) STONE FRUIT	0,05(*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	

B 1328

Column 1	Column 2
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	0,5
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,05(*)
(c) Cane fruit (other than wild)	0,05(*)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	0,05(*)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,05(*)
(vi) MISCELLANEOUS	0,05(*)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,05(*)
Beetroot	
Carrots	
Casava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	

Column 1	Column 2
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,5
Peppers	1
Aubergines	
Okra	
Others	0,05(*)
(b) Cucurbits - edible peel	0,05(*)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,05(*)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,05(*)
(iv) BRASSICA VEGETABLES	0,05(*)
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	

B 1330

Column 1	Column 2
(v) LEAF VEGETABLES AND FRESH HERBS	0,05(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Rucola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii)STEM VEGETABLES (fresh)	0,05(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii)FUNGI	0,05(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seed	

Column 1	Column 2
Linseed	
Peanuts	
Poppy seeds	
Sesame seeds	
Sunflower seed	
Rape seed	
Soya bean	0,5
Mustard seed	
Cotton seed	5
Hemp seed	
Others	0,1(*)
5. Potatoes	0,05(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or otherwise, from the leaves of <i>Camellia sinensis</i>)	30
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*)
(*) Temporary MRL valid until 1 November 2007, pending review of the Annex III dossier under 91/414/EEC and the re-registration of deltamethrin formulations at Member State level.	
(*) Indicates the lower limit of analytical determination.	
ETHEPHON	MRL (mg/kg)
Barley, rye	0,5
Triticale, wheat	0,2
Cereals, others	0,05(*)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,05(*)
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,1
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	

B 1332

Column 1	Column 2
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	0,5
Pears	
Quinces	
Others	0,05(*)
(iv) STONE FRUIT	
Apricots	
Cherries	3
Peaches (including nectarines and similar hybrids)	
Plums	
Others	0,05(*)
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	1
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,05(*)
(c) Cane fruit (other than wild)	0,05(*)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	5
Gooseberries	
Others	0,05(*)
(e) Wild berries and wild fruit	0,05(*)
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	

Column 1	Column 2
Pineapples	2
Others	0,05(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,05(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	1
Peppers	3
Aubergines	
Okra	
Others	0,05(*)
(b) Cucurbits - edible peel	0,05(*)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,05(*)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,05(*)
(iv) BRASSICA VEGETABLES	0,05(*)
(a) Flowering brassica	

B 1334

Column 1	Column 2
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	0,05(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,05(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	

Column 1	Column 2
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,05(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	2
Hemp seed	
Others	0,1(*)
5. Potatoes	0,05(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinensis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*)
(*) Indicates lower limit of analytical determination.	
ETHIOFENCARB	MRL (mg/kg)
Almonds	0,5
Artichokes	0,5
Beans (without pods)	0,5
Brassica vegetables	0,5
Broad beans	0,5
Citrus fruits	0,5
French beans	0,5
Lettuce and similars	0,5
Peas (without pods)	0,5
Pome fruits	0,5
Potatoes	0,5
Spinach	0,5
Stone fruit	0,5

B 1336

Column 1	Column 2
Sugar beet	0,5
Tabacco	0,5
ETHOFUMESATE (sum of ethofumesate and the metabolite 2,3-dihydro-3,3-dimethyl-2-oxobenzofuran-5-yl methane sulphonate expressed as ethofumesate)	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,05(*) (p)
(i) CITRUS FRUIT	
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (SHELLED OR UNSHELLED)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	

Column 1	Column 2
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	0,1(p)
Carrots	
Cassava	
Celaric	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0,05(*) (p)

B 1338

Column 1	Column 2
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	0,05(*) (p)
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	0,05(*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Others	
(b) Spinach and similar	0,05(*) (p)

Column 1	Column 2
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	0,05(*) (p)
(d) Witloof	0,05(*) (p)
(e) Herbs	1(p)
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,05(*) (p)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,05(*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*) (p)
Beans	
Lentils	
Peas	
Others	
4. Oilseeds	0,1(*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	

B 1340

Column 1	Column 2
5. Potatoes	0,05(*) (p)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1(*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*) (p)
8. Spices	0,5 (p)
Cumin seed	
Juniper seed	
Nutmeg	
Pepper, black and white	
Vanilla pods	
Others	
(*) Indicates lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
ETOXENPROX	MRL (mg/kg)
Apples	0,5
Aubergines	0,5
French beans	0,5
Grapes	1
Head cabbage	1,5
Maize	0,5
Melons	0,5
Onions	0,5
Peaches	0,5
Pears	0,5
Potatoes	0,5
Sugar beet	0,5
ETRIDAZOLE	MRL (mg/kg)
Strawberries	0,05
Vegetables	0,05
FAMOXADONE	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,02 (*) (p)
(i) Citrus fruit	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	

Column 1	Column 2
(ii) TREE NUTS (shelled or unshelled)	0,02 (*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,02 (*) (p)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0,02 (*) (p)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES & SMALL FRUIT	
(a) Table and wine grapes	2 (p)
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,02 (*) (p)
(c) Cane fruit (other than wild)	0,02 (*) (p)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	0,02 (*) (p)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,02 (*) (p)
(vi) MISCELLANEOUS	0,02 (*) (p)
Avocados	
Bananas	

B 1342

Column 1	Column 2
Dates	
Figs	
Kiwi fruit	
Kumquats	
Lychees	
Mangoes	
Olives	
Passion Fruit	
Pineapples	
Pomegranate	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,02 (*) (p)
Beetroot	
Carrots	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,02 (*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	1 (p)
Peppers	
Aubergines	0,2 (p)
Others	0,02 (*) (p)
(b) Cucurbits - edible peel	0,2 (*) (p)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	

Column 1	Column 2
Melons	0,3 (p)
Squashes	
Watermelons	
Others	0,02
(d) Sweet corn	0,02 (*) (p)
(iv) BRASSICA VEGETABLES	0,02 (*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES & FRESH HERBS	0,02 (*) (p)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,02 (*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,02 (*) (p)

B 1344

Column 1	Column 2
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,02 (*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,02 (*) (p)
Beans	
Lentils	
Peas	
Others	
4. Oilseeds	0,02 (*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	
5. Potatoes	0,02 (*) (p)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,05 (*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,05 (*) (p)
(*) Indicates lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/514/EEC: unless amended, this level will become definitive with effect from 29 June 2009.	
FENAMIDONE	0,02 (*) (p)
CEREALS	
Barley	
Buckwheat	
Maize	
Millet	
Oats	
Rice	

Column 1	Column 2
Rye	
Sorghum	
Triticale	
Wheat	
other Cereals	
(*) Indicates lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/414/EEC: unless amended, this level will become definitive with effect from 24 June 2009.	
FENAMIDONE	
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,02 (*) (p)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,02 (*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,02 (*) (p)
Apples	
Pears	
Quinces	
(iv) STONE FRUIT	0,02 (*) (p)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES & SMALL FRUIT	
(a) Table and wine grapes	0,5 (p)
Table grapes	

B 1346

Column 1	Column 2
Wine grapes	
(b) Strawberries (other than wild)	0,02 (*) (p)
(c) Cane Fruit (other than wild)	0,02 (*) (p)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	0,02 (*) (p)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,02 (*) (p)
(vi) MISCELLANEOUS	0,02 (*) (p)
Avocados	
Bananas	
Dates	
Figs	
Kiwifruit	
Kumquats	
Lychees	
Mangoes	
Olives	
Passion fruit	
Pineapples	
Papaya	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	

Column 1	Column 2
(ii) BULB VEGETABLES	0,02 (*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,5 (p)
Peppers	
Aubergines	
Others	0,02 (*) (p)
(b) Cucurbits - edible peel	0,02 (*) (p)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	0,1 (p)
Squashes	
Watermelons	
Others	0,02 (*) (p)
(d) Sweet corn	0,02 (*) (p)
(iv) BRASSICA VEGETABLES	0,02 (*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES & FRESH HERBS	
(a) Lettuce and similar	2 (p)
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Others	
(b) Spinach and similar	0,02 (*) (p)

B 1348

Column 1	Column 2
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	0,02 (*) (p)
(d) Witloof	0,02 (*) (p)
(e) Herbs	0,02 (*) (p)
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,02 (*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
(vii) STEM VEGETABLES (fresh)	0,02 (*) (p)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,02 (*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,02 (*) (p)
Beans	
Lentils	
Peas	
Others	
4. Oilseeds	0,05 (*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	
5. Potatoes	0,02 (*) (p)

Column 1	Column 2
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,05 (*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,05 (*) (p)
(*) Indicates lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/514/EEC: unless amended, this level will become definitive with effect from 29 June 2009.	
FENAMIPHOS	MRL (mg/kg)
Aubergines	0,1
Beans (without pods)	0,1
Carrots	0,1
Melons	0,1
Onions	0,1
Oranges	0,05
Peaches	0,05
Potatoes	0,1
Strawberries	0,05
Sugar beet	0,1
Tabacco	0,1
Tomatoes	0,1
FENARIMOL	MRL (mg/kg)
Almonds	0,02
Apples	0,3
Apricots	0,5
Asparagus	0,02
Aubergine	0,02
Avocados	0,02
Bananas	0,3
Barley	0,02
Beans	0,02
Beans (with pods)	0,02
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02
Brazil Nuts	0,02
Broccoli	0,02
Brussels sprouts	0,02
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02

B 1350

Column 1	Column 2
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,02
Cauliflower	0,02
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	1
Chervil	0,02
Chestnuts	0,02
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	0,02
Coconuts	0,02
Cotton seed	0,02
Courgettes	0,2
Cranberries	0,02
Cress	0,02
Cucumbers	0,2
Cucurbits edible peel others	0,2
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,02
Currants (Black, Red and White)	1
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,02
Gherkins	0,2
Globe artichoke	0,02
Gooseberry	1
Grapefruit	0,02
Hazelnuts	0,02
Head brassicas others	0,02
Head cabbages	0,02
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02

Column 1	Column 2
Lamb's lettuce	0,02
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh Others	0,02
Lemons	0,02
Lentils	0,02
Lettuce	0,02
Lettuce and similar others	0,02
Limes	0,02
Linseed	0,02
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,02
Maize	0,02
Mandarins	0,02
Mangoes	0,02
Melons	0,05
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,02
Oats	0,02
Oilseeds others	0,02
Olives	0,02
Onions	0,02
Oranges	0,02
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,5
Peanuts	0,02
Pears	0,3
Peas	0,02
Peas (with pods)	0,02
Peas (without pods)	0,02
Pecans	0,02
Peppers	0,5
Pine Nuts	0,02
Pineapples	0,02
Pistachios	0,02
Plums	0,02
Pome Fruit Others	0,3
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,02

B 1352

Column 1	Column 2
Pulses others	0,02
Quinces	0,3
Radishes	0,02
Rapeseed	0,02
Raspberries	0,1
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables Others	0,02
Rye	0,02
Salsify	0,02
Scarole	0,02
Sesame seeds	0,02
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,02
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	0,05
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	0,3
Sunflower seeds	0,02
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,3
Tea	0,05
Tomatoes	0,5
Tree Nuts Others	0,02
Triticale	0,02
Turnip	0,02
Walnuts	0,02
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,05
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	0,3
Witloof	0,02
Yams	0,02

Column 1	Column 2
FENBUTATIN OXIDE	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	5
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	2
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0,05(*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	2
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	1
(c) Cane fruit (other than wild)	
Blackberries	5
Dewberries	
Loganberries	
Raspberries	5

B 1354

Column 1	Column 2
Others	0,05(*)
(d) Other small fruit and berries (other than wild)	0,05(*)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,05(*)
(vi) MISCELLANEOUS	
Avocados	
Bananas	3
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	0,05(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,05(*)
Beetroot	
Carrots	
Casava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	
Spring onions	

Column 1	Column 2
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	1
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits - edible peel	
Cucumbers	0,5
Gherkins	
Courgettes	0,5
Others	0,05(*)
(c) Cucurbits - inedible peel	0,05(*)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,05(*)
(iv) BRASSICA VEGETABLES	0,05(*)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	0,05(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Rucola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	

B 1356

Column 1	Column 2
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,05(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,05(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,05(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	
5. Potatoes	0,05(*)
Early potatoes	
Ware potatoes	

Column 1	Column 2
6. Tea (leaves and stems, dried, fermented or otherwise, from the leaves of <i>Camellia sinensis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*)
(*) Indicates the lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
FENHEXAMID	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,05(*) (p)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,05(*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,05(*) (p)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	5(p)
Cherries	5(p)
Peaches (including nectarines and similar hybrids)	5(p)
Plums	1(p)
Others	0,05(*) (p)
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	5(p)
Table grapes	

B 1358

Column 1	Column 2
Wine grapes	
(b) Strawberries (other than wild)	5(p)
(c) Cane fruit (other than wild)	10(p)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	5(p)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,05(*) (p)
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	10(p)
Kumquats	
Litchis	
Mangoes	
Olives	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	0,05(*) (p)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,05(*) (p)
Beetroot	
Carrots	
Casava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	

Column 1	Column 2
Yam	
Others	
(ii) BULB VEGETABLES	0,05(*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	1(p)
Peppers	2(p)
Aubergines	1(p)
Others	0,05(*) (p)
(b) Cucurbits - edible peel	1(p)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,05(*) (p)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,05(*) (p)
(iv) BRASSICA VEGETABLES	0,05(*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	30(p)
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	

B 1360

Column 1	Column 2
Rucola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	0,05(*) (p)
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	0,05(*) (p)
(d) Witloof	0,05(*) (p)
(e) Herbs	30(p)
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,05(*) (p)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,05(*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*) (p)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,1(*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	

Column 1	Column 2
Soya bean	
Mustard seed	
Cotton seed	
Others	
5. Potatoes	0,05(*) (p)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0,1(*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*) (p)
(*) Indicates the lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
FENITROTHION	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,01(*)
(i) CITRUS FRUIT	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	

B 1362

Column 1	Column 2
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	0,01(*)
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Casava	
Celeriac	
Horseradish	

Column 1	Column 2
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	

B 1364

Column 1	Column 2
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Rucola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,01(*)
Beans	
Lentils	

Column 1	Column 2
Peas	
Others	
4. Oil seed	0,01(*)
Linseed	
Peanuts	
Poppy seeds	
Sesame seeds	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,01(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or otherwise, from the leaves of <i>Camellia sinensis</i>)	0,5
7. Hops (dried), including hop pellets and unconcentrated powder	0,02(*)
(*) Temporary MRL valid until 1 November 2007, pending review of the Annex III dossier under 91/414/EEC and the re-registration of deltamethrin formulations at Member State level.	
(*) Indicates the lower limit of analytical determination.	
FENOTHIOCARB	MRL (mg/kg)
Apples	0,1
Citrus fruits	0,5
Grapes	0,1
Peaches	0,5
Soyabean	0,1
FENOXYCARB	MRL (mg/kg)
Apples	0,2
Grapes	0,2
Olive oil	1
Olives	0,5
Peaches	0,5
FENPROPIMORPH	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,05(*)
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	

B 1366

Column 1	Column 2
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,05(*)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0,05(*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	0,05(*)
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	1
(c) Cane fruit (other than wild)	1
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	1
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,05(*)

Column 1	Column 2
(vi) MISCELLANEOUS	
Avocados	
Bananas	2
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	0,05(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,05(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITION VEGETABLES	0,05(*)
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Okra	

B 1368

Column 1	Column 2
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	0,05(*)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	0,5
Head cabbage	
Others	0,05(*)
(c) Leafy brassica	0,05(*)
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,05(*)
(v) LEAF VEGETABLES AND FRESH HERBS	0,05(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broadleaf endive)	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	

Column 1	Column 2
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	0,05(*)
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	1
Rhubarb	
Others	0,05(*)
(viii) FUNGI	0,05(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Lupins	
Others	
4. Oil seeds	0,05(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,05(*)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or other-wise, <i>Camellia sinesis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	10
(*) Indicates lower limit of analytical determination.	

B 1370

Column 1	Column 2
FENPYROXIMATE	MRL (mg/kg)
Apples	0,3
Aubergines	0,1
Clementines	0,3
French beans	0,1
Gherkins	0,1
Grapes	0,3
Lemons	0,3
Oranges	0,3
Peaches	0,3
Pears	0,3
Peppers	0,1
Prunes	0,3
Strawberries	0,3
Tomatoes	0,1
FENTHION	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	3
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,01(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,01(*)
Apples	
Pears	
Quinces	
Others	

Column 1	Column 2
(iv) STONE FRUIT	
Apricots	
Cherries	2
Peaches (including nectarines and similar hybrids)	
Plums	
Others	0,01(*)
(v) BERRIES AND SMALL FRUIT	0,01(*)
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	2
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	1
Olives (oil extraction)	1
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	0,01(*)
2. Vegetables, fresh or uncooked, frozen or dry	0,01(*)
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Cassava	

B 1372

Column 1	Column 2
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	

Column 1	Column 2
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,01(*)

B 1374

Column 1	Column 2
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,02(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,01(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinensis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*)
(*) Indicates lower limit of analytical determination.	
FIPRONIL	MRL (mg/kg)
Forage (maize)	0,02
Maize	0,01
Potatoes	0,03
Sugar beet (roots)	0,02
Sunflower seeds	0,01
Tomatoes	0,01
FLUAZIFOP-P-BUTYL	MRL (mg/kg)
Apples	0,05
Artichokes	0,5
Beans (without pods)	0,5
Brassica vegetables	0,5
Broad beans	0,5
Carrots	0,5
Celery	0,5
Cherries	0,05
Chicory	0,5
Citrus fruits	0,05
Clover	0,1
Fennel	0,5

Column 1	Column 2
French beans	0,5
Gherkins	0,5
Grapes	0,1
Hazelnuts	0,1
Lettuce	0,5
Melons	0,5
Olives	0,1
Onions	0,1
Peaches	0,05
Pears	0,05
Peas (without pods)	0,5
Potatoes	0,1
Prunes	0,05
Radishes	0,5
Rapeseed	0,1
Solanacea others	0,5
Soya bean seed	1
Sugar beet (roots and leaves)	0,1
Sunflower seeds	0,1
Tabacco	0,1
Watermelons	0,5
FLUDIOXONIL	MRL (mg/kg)
Apricots	0,5
Aubergines	1
Barley	0,05
Cherries	0,5
Gherkins	1
Grapes	2
Lettuce	2
Maize	0,05
Peaches	0,5
Pears	0,5
Peppers	1
Prunes	0,5
Rice	0,05
Strawberries	2
Tomatoes	1
Vegetable marrows	1
Wheat	0,05
FLUROXYPYR	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05

B 1376

Column 1	Column 2
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,1
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05

Column 1	Column 2
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,1
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05

B 1378

Column 1	Column 2
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,1
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05

Column 1	Column 2
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,1
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
FLUSILAZOLE	MRL (mg/kg)
Apples	0,1
Barley	0,1
Grapes	0,05
Peaches	0,05
Pears	0,1
Sugar beet (leaves)	0,2
Sugar beet (roots)	0,01
Wheat	0,1
FLUTRIAFOL	MRL (mg/kg)
Barley	0,1
Oats	0,1
Sugar beet (leaves)	0,1
Sugar beet (roots)	0,05
Wheat	0,1
FOLPET	MRL (mg/kg)
Almonds	0,1
Apples	3
Apricots	2
Asparagus	0,1
Aubergine	0,1
Avocados	0,1
Bananas	0,1
Beans (with pods)	2
Beans (without pods)	2
Beet leaves (chard)	0,1

B 1380

Column 1	Column 2
Beetroot	0,1
Bilberries	3
Blackberries	3
Brazil Nuts	0,1
Brussels sprouts	0,1
Bulb Vegetables others	0,1
Cane Fruit Others	3
Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,1
Cauliflower	0,1
Celeriac	0,1
Celery leaves	0,1
Cherries	2
Chervil	0,1
Chestnuts	0,1
Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	0,1
Coconuts	0,1
Cranberries	3
Cress	0,1
Cucumbers	0,1
Cultivated mushrooms	0,1
Currants (Black, Red and White)	3
Dates	0,1
Dewberries	3
Fennel	0,1
Figs	0,1
Garlic	0,1
Gherkins	0,1
Globe artichoke	0,1
Gooseberry	3
Grapefruit	0,1
Hazelnuts	0,1
Head brassicas others	0,1
Head cabbages	0,1
Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kumquats	0,1
Lamb's lettuce	0,1
Leafy brassicas others	0,1

Column 1	Column 2
Leeks	2
Legume vegetables fresh others	0,1
Lemons	0,1
Lettuce	2
Lettuce and similar others	0,1
Limes	0,1
Litchis	0,1
Loganberries	3
Macadamia Nuts	0,1
Mandarins	0,1
Mangoes	0,1
Melons	0,1
Miscellaneous Fruit Others	0,1
Olives	0,1
Onions	0,1
Oranges	0,1
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,1
Peaches	2
Pears	3
Peas (with pods)	2
Peas (without pods)	2
Pecans	0,1
Peppers	0,1
Pine Nuts	0,1
Pineapples	0,1
Pistachios	0,1
Plums	2
Pome Fruit Others	3
Pomegranates	0,1
Pomelo	0,1
Quinces	3
Radishes	0,1
Raspberries	3
Root and Tuber Vegetables Others	0,1
Salsify	0,1
Scarole	0,1
Shallots	0,1
Small Fruit and Berries Others	3
Spinach	0,1
Spring onion	0,1
Stone Fruit Others	2
Strawberries	3

B 1382

Column 1	Column 2
Swedes	0,1
Sweet potato	0,1
Table Grapes	3
Tomatoes	3
Tree Nuts Others	0,1
Turnip	0,1
Walnuts	0,1
Watermelons	0,1
Wild Berries and Wild Fruit	3
Wild mushrooms	0,1
Wine Grapes	10
Witloof	2
Yams	0,1
GIBBELERIC ACID	MRL (mg/kg)
Apples	2
Artichokes	2
Aubergines	0,2
Celery	0,2
Cherries	0,2
Citrus fruits	0,2
Grapes	0,2
Lettuce	0,2
Pears	2
Potatoes	2
Spinach	0,2
Strawberries	2
Tomatoes	0,2
Vegetable marrows	0,2
GLUFOSINATE AMMONIUM	MRL (mg/kg)
Almonds	0,1
Apples	0,1
Asparagus	0,1
Barley	0,1
Blackberries	0,1
Carrots	0,1
Citrus fruits	0,1
Currants	0,1
French beans	0,1
Gooseberries	0,1
Grapes	0,1
Hazelnuts	0,1
Kiwi Fruit	0,1
Lettuce and similars	0,1
Maize	0,1

Column 1	Column 2
Olives	0,1
Onions	0,1
Pears	0,1
Potatoes	0,1
Radishes	0,1
Raspberries	0,1
Soya bean seed	0,1
Strawberries	0,1
Sugar beet	0,1
Turnip cabbage	0,1
Walnut	0,1
Wheat	0,1
HEPTENOPHOS	MRL (mg/kg)
Apples	0,5
Barley	0,1
Beans (without pods)	0,1
Broad beans	0,1
Carrots	0,1
Cauliflower	0,1
Cherry (sour)	0,5
French beans	0,1
Gherkins	0,1
Head cabbage	0,1
Lettuce	0,1
Melons	0,1
Peaches	0,5
Peas (without pods)	0,1
Peppers	0,1
Prunes	0,5
Savoy	0,1
Spinach	0,1
Strawberries	0,2
Sugar beet	0,1
Tabacco	0,5
Tomatoes	0,1
Turnip cabbage	0,1
Vegetable marrows	0,1
Watermelons	0,1
Wheat	0,1
GLYPHOSATE	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	
Grape fruit	

B 1384

Column 1	Column 2
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	0,5(p)
Oranges	0,5(p)
Pomelos	
Others	0,1(*) (p)
(ii) TREE NUTS (shelled or unshelled)	0,1(*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,1(*) (p)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0,1(*) (p)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	0,5(p)
Wine grapes	3
(b) Strawberries (other than wild)	0,1(*) (p)
(c) Cane fruit (other than wild)	0,1(*) (p)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	0,1(*) (p)
Bilberries	
Cranberries	
Currants (red, black and white)	

Column 1	Column 2
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,1(*) (p)
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	1(p)
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	0,1(*) (p)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,1(*) (p)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,1(*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITION VEGETABLES	0,1(*) (p)
(a) Solanacea	
Tomatoes	

B 1386

Column 1	Column 2
Peppers	
Aubergines	
Okra	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	0,1(*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	0,1(*) (p)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broadleaf endive)	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	

Column 1	Column 2
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	0,1(*) (p)
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES	0,1(*) (p)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	0,1(*) (p)
(b) Wild mushrooms	50(p)
3. Pulses	
Beans	2(p)
Lentils	
Peas	10(p)
Lupins	10(p)
Others	0,1(*) (p)
4. Oil seeds	
Linseed	10(p)
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	20(p)
Rape seed	10(p)
Soya bean	20(p)
Mustard seed	10(p)
Cotton seed	10(p)
Hemp seed	
Others	0,1(*) (p)
5. Potatoes	0,5(p)
Early potatoes	
Ware potatoes	

B 1388

Column 1	Column 2
6. Tea (dried leaves and stalks, fermented or other-wise, <i>Camellia sinensis</i>)	2(p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*) (p)
(*) Indicates lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
HEXACONAZOLE	MRL (mg/kg)
Almonds	0,02
Apples	0,02
Apricots	0,02
Asparagus	0,02
Aubergine	0,02
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	0,02
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02
Brazil Nuts	0,02
Broccoli	0,02
Brussels sprouts	0,02
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,02
Cauliflower	0,02
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	0,02
Chervil	0,02
Chestnuts	0,02
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	0,02
Coconuts	0,02
Cotton seed	0,05
Courgettes	0,02

Column 1	Column 2
Cranberries	0,02
Cress	0,02
Cucumbers	0,02
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,02
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,02
Gherkins	0,02
Globe artichoke	0,02
Gooseberry	0,02
Grapefruit	0,02
Hazelnuts	0,02
Head brassicas others	0,02
Head cabbages	0,02
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	0,02
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	0,02
Lentils	0,02
Lettuce	0,02
Lettuce and similar others	0,02
Limes	0,02
Linseed	0,05
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,02
Maize	0,02
Mandarins	0,02
Mangoes	0,02
Melons	0,02

B 1390

Column 1	Column 2
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,05
Oats	0,02
Oilseeds others	0,05
Olives	0,02
Onions	0,02
Oranges	0,02
Papaya	0,02
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,02
Peanuts	0,05
Pears	0,02
Peas	0,02
Peas (with pods)	0,02
Peas (without pods)	0,02
Pecans	0,02
Peppers	0,02
Pine Nuts	0,02
Pineapples	0,02
Pistachios	0,02
Plums	0,02
Pome Fruit Others	0,02
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,05
Pulses others	0,02
Quinces	0,02
Radishes	0,02
Rapeseed	0,05
Raspberries	0,02
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables Others	0,02
Rye	0,02
Salsify	0,02
Scarole	0,02
Sesame seeds	0,05
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,02
Sorghum	0,02

Column 1	Column 2
Soya bean	0,05
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	0,02
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	0,02
Sunflower seeds	0,05
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,02
Tea	0,05
Tomatoes	0,02
Tree Nuts Others	0,02
Triticale	0,02
Turnip	0,02
Walnuts	0,02
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,02
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	0,02
Witloof	0,02
Yams	0,02
HEXYTHIAZOX	MRL (mg/kg)
Apples	1
Aubergines	0,5
Citrus fruits	0,5
French beans	0,5
Gherkins	0,5
Grapes	0,5
Kiwi Fruit	1
Melons	0,5
Peaches	1
Pears	0,5
Peppers	0,5
Soya bean seed	0,05
Strawberries	0,5
Tomatoes	0,5
IMIDACLOPRID	MRL (mg/kg)

B 1392

Column 1	Column 2
Lemons	1
Mandarins	1
Clementines	1
Oranges	1
Peppers	1
Tabacco (green)	10
Sunflower seeds	0,05
Potatoes	0,05
Maize	0,05
Sugar beet	0,05
Melons	0,1
Watermelons	0,1
Apricots	0,3
Cherries	0,3
Peaches	0,3
Prunes	0,3
Tomatoes	0,3
Aubergines	0,3
Apples	0,5
Pears	0,5
INDOXACARB	MRL (mg/kg)
Apples	0,3
Aubergines	0,1
Broccoli	0,2
Brussels sprouts	0,2
Cauliflower	0,2
Chicory	2
Chinese cabbage	0,2
Endives	2
Grapes	0,5
Head cabbage	0,2
Lettuce	2
Pears	0,3
Peppers	0,2
Red chicory	2
Scarole	2
Tomatoes	0,1
Turnip cabbage	0,2
IPRODIONE	MRL (mg/kg)
Almonds	0,02
Apples	10
Apricots	5
Asparagus	0,02
Aubergine	5

Column 1	Column 2
Avocados	0,02
Bananas	3
Barley	1
Beans	0,2
Beans (with pods)	5
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,5
Bilberries	10
Blackberries	5
Brazil Nuts	0,02
Broccoli	0,05
Brussels sprouts	0,5
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	5
Cardoons	0,02
Carrots	0,3
Cashew Nuts	0,02
Cauliflower	0,05
Celeriac	0,02
Celery	0,02
Celery leaves	10
Cereals others	0,02
Cherries	5
Chervil	10
Chestnuts	0,02
Chinese cabbage	5
Chives	10
Citrus Fruit Others	0,02
Coconuts	0,02
Cotton seed	0,02
Courgettes	2
Cranberries	0,02
Cress	10
Cucumbers	2
Cucurbits edible peel others	2
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02
Currants (Black, Red and White)	10
Dates	0,02
Dewberries	5
Early potatoes	0,02
Fennel	0,02
Figs	0,02

B 1394

Column 1	Column 2
Flowering brassicas others	0,05
Garlic	5
Gherkins	2
Globe artichoke	0,02
Gooseberry	10
Grapefruit	0,02
Hazelnuts	0,2
Head brassicas others	0,02
Head cabbages	5
Herbs others	10
Horseradish	0,1
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	5
Kohlrabi	0,1
Kumquats	0,02
Lamb's lettuce	10
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	5
Lentils	0,2
Lettuce	10
Lettuce and similar others	10
Limes	0,02
Linseed	0,1
Litchis	0,02
Loganberries	5
Macadamia Nuts	0,02
Maize	0,02
Mandarins	2
Mangoes	0,02
Melons	0,3
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,02
Oats	0,02
Oilseeds others	0,02
Olives	0,02
Onions	5
Oranges	0,02
Others	0,02
Parsley	10
Parsley root	0,02
Parsnips	0,1

Column 1	Column 2
Passion Fruit	0,02
Peaches	5
Peanuts	0,02
Pears	10
Peas	0,2
Peas (with pods)	1
Peas (without pods)	0,2
Pecans	0,02
Peppers	5
Pine Nuts	0,02
Pineapples	0,02
Pistachios	0,02
Plums	5
Pome Fruit Others	10
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,02
Pulses others	0,2
Quinces	10
Radishes	0,3
Rapeseed	0,5
Raspberries	5
Rhubarb	0,2
Rice	3
Root and Tuber Vegetables Others	0,02
Rye	0,02
Salsify	0,02
Scarole	10
Sesame seeds	0,02
Shallots	5
Small Fruit and Berries Others	
Solanacea others	5
Sorghum	0,02
Soya bean	0,02
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	3
Squashes	0,02
Stem vegetables fresh others	0,02
Stone Fruit Others	5
Strawberries	10
Sunflower seeds	0,02
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02

B 1396

Column 1	Column 2
Table Grapes	10
Tea	0,1
Tomatoes	5
Tree Nuts Others	0,02
Triticale	0,02
Turnip	0,02
Walnuts	0,02
Ware potatoes	0,02
Watercress	10
Watermelons	0,02
Wheat	0,5
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	10
Witloof	2
Yams	0,02
ISOXAFLUTOLE (sum of isoxaflutole, RPA 202248 and RPA 203328, expressed as isoxaflutole) (1)	0,05 (*) (p)
CEREALS	
Barley	
Buckwheat	
Maize	
Millet	
Oats	
Rice	
Rye	
Sorghum	
Triticale	
Wheat	
other Cereals	
(1) RPA 202248 is 2-cyano-3-cyclopropyl-1-(2-methylsulfonyl-4-trifluoromethylphenyl) propane-1,3-dione. RPA 203328 is 2-methanesulphonyl-4-trifluoromethylbenzoic acid.	
(*) Indicates lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/414/EEC: unless amended, this level will become definitive with effect from 24 June 2009.	
ISOXAFLUTOLE (sum of isoxaflutole, RPA 202248 and RPA 203328, expressed as isoxaflutole) (1)	0,05 (*) (p)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,05 (*) (p)
(i) CITRUS FRUIT	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	

Column 1	Column 2
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES & SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane Fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	

B 1398

Column 1	Column 2
Bananas	
Dates	
Figs	
Kiwifruit	
Kumquats	
Lychees	
Mangoes	
Olives	
Passion fruit	
Pineapples	
Papaya	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	0,05 (*) (p)
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	

Column 1	Column 2
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES & FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
(vii) STEM VEGETABLES (fresh)	

B 1400

Column 1	Column 2
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05 (*) (p)
Beans	
Lentils	
Peas	
Others	
4. Oilseeds	0,1 (*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	
5. Potatoes	0,05 (*) (p)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1 (*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1 (*) (p)
(1) RPA 202248 is 2-cyano-3-cyclopropyl-1-(2-methylsulfonyl-4-trifluoromethylphenyl) propane-1,3-dione. RPA 203328 is 2-methanesulphonyl-4-trifluoromethylbenzoic acid.	
(*) Indicates lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/414/EEC: unless amended, this level will become definitive with effect from 24 June 2009.	
KRESOXIM-METHYL	MRL (mg/kg)
Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0.05(*)
Grapefruit	
Lemons	
Limes	

Column 1	Column 2
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,1(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,2
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0,05(*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	1
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	1
(c) Cane fruit (other than wild)	0,05(*)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	1
Gooseberries	1
Others	0,05(*)

B 1402

Column 1	Column 2
(e) Wild berries and wild fruit	0,05(*)
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives	0,2
Papaya	
Passion Fruit	
Pineapples	
Pomegranate	
Others	0,05(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,05(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	
Spring Onions	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,5
Peppers	1
Aubergines	0,5
Others	0,05(*)
(b) Cucurbits - edible peel	0,05(*)
Cucumbers	
Gherkins	

Column 1	Column 2
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,2
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,05(*)
(iv) BRASSICA VEGETABLES	0,05(*)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
others	
(c) leafy brassica	
Chinese cabbage	
Kale	
others	
(d) kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	0,05(*)
(a) Lettuce & similar	
Cress	
Lamb's lettuce	
lettuce	
Scarole (broadleaf endive)	
Others	
(b) Spinach & similar	
Spinach	
Beet Leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	

B 1404

Column 1	Column 2
Peas (without pods)	
Others	
(vii)STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	5
Rhubarb	
Others	0,05(*)
(viii)FUNGI	0,05(*)
(a) Cultivated Mushrooms	
(b) Wild Mushrooms	
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Others	
4. Oilseeds	0,1(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard Seed	
Cotton Seed	
Others	
5. Potatoes	0,5(*)
Early Potatoes	
Ware Potatoes	
6. Tea (dry leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*)
LAMBDA-CYHALOTHRIN	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	
Grape fruit	0,1
Lemons	0,2
Limes	0,2
Mandarins (including clementines and other hybrids)	0,2

Column 1	Column 2
Oranges	0,1
Pomelos	0,1
Others	0,02(*)
(ii) TREE NUTS (SHELLED OR UNSHELLED)	0,05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,1
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	0,2
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,5
(c) Cane fruit (other than wild)	0,02(*)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	0,1
Gooseberries	0,1
Others	0,02(*)
(e) Wild berries and wild fruit	0,2

B 1406

Column 1	Column 2
(vi) MISCELLANEOUS	0,02(*)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Cassava	
Celaric	0,1
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	0,1
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0,02(*)
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	0,05
Others	0,02(*)
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,1
Peppers	0,1
Aubergines	0,5
Others	0,02(*)
(b) Cucurbits - edible peel	0,1

Column 1	Column 2
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,05
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,05
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	0,1
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	0,05
Head cabbage	0,2
Others	0,02(*)
(c) Leafy brassica	1
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,02(*)
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Others	
(b) Spinach and similar	0,5
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	0,02(*)
(d) Witloof	0,02(*)
(e) Herbs	1
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	0,2

B 1408

Column 1	Column 2
Beans (without pods)	0,02(*)
Peas (with pods)	0,2
Peas (without pods)	0,2
Others	0,02(*)
(vii)STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	0,3
Fennel	
Globe artichokes	
Leek	0,3
Rhubarb	
Others	0,02(*)
(viii)FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	
Beans	
Lentils	
Peas	
Others	
4. Oilseeds	
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	
5. Potatoes	0,02(*)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	1
7. Hops (dried), including hop pellets and unconcentrated powder	10
(*) Indicates lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
LENACIL	MRL (mg/kg)
Spinach	0,1
Wheat	0,1

Column 1	Column 2
Sugar beet	0,1
Forage (beet)	0,1
LINURON	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,05(*) (p)
(i) CITRUS FRUIT	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	

B 1410

Column 1	Column 2
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	0,2(p)
Casava	
Celeriac	0,5(p)
Horseradish	
Jerusalem artichokes	
Parsnips	0,2(p)
Parsley root	0,2(p)
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0,05(*) (p)
(ii) BULB VEGETABLES	0,05(*) (p)
Garlic	
Onions	

Column 1	Column 2
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	0,05(*) (p)
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	0,05(*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	0,05(*) (p)
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Rucola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	0,05(*) (p)
Spinach	

B 1412

Column 1	Column 2
Beet leaves (chard)	
Others	
(c) Watercress	0,05(*) (p)
(d) Witloof	0,05(*) (p)
(e) Herbs	1(p)
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	0,1(p)
Peas (with pods)	
Peas (without pods)	0,1(p)
Others	0,05(*) (p)
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	0,1(p)
Fennel	
Globe artichokes	
Leeks	
Rhubarb	
Others	0,05(*) (p)
(viii) FUNGI	0,05(*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*) (p)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,1(*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	

Column 1	Column 2
5. Potatoes	0,05(*) (p)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1(*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*) (p)
(*) Indicates the lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
LUFENURON	MRL (mg/kg)
Apples	0,5
Aubergines	0,05
Grapes	0,5
Head cabbage	0,1
Lemons	0,5
Mandarins	0,5
Oranges	0,5
Peaches	1
Pears	0,5
Peppers	0,05
Potatoes	0,05
Strawberries	1
Tomatoes	0,05
MALATHION	MRL (mg/kg)
Almonds	0,5
Apples	0,5
Apricots	0,5
Asparagus	3
Aubergine	3
Avocados	0,5
Bananas	0,5
Barley	8
Beans (with pods)	3
Beans (without pods)	3
Beet leaves (chard)	3
Beetroot	0,5
Bilberries	0,5
Blackberries	0,5
Brazil Nuts	0,5
Brussels sprouts	3
Buckwheat	8
Bulb Vegetables others	3
Cane Fruit Others	0,5

B 1414

Column 1	Column 2
Cardoons	3
Carrots	0,5
Cashew Nuts	0,5
Cauliflower	3
Celeriac	0,5
Celery leaves	3
Cereals others	8
Cherries	0,5
Chervil	3
Chestnuts	0,5
Chinese cabbage	3
Chives	3
Citrus Fruit Others	2
Coconuts	0,5
Cranberries	0,5
Cress	3
Cucumbers	3
Cultivated mushrooms	3
Currants (Black, Red and White)	0,5
Dates	0,5
Dewberries	0,5
Fennel	3
Figs	0,5
Garlic	3
Gherkins	3
Globe artichoke	3
Gooseberry	0,5
Grapefruit	2
Hazelnuts	0,5
Head brassicas others	3
Head cabbages	3
Herbs others	3
Horseradish	0,5
Jerusalem artichoke	0,5
Kale	3
Kiwi Fruit	0,5
Kumquats	0,5
Lamb's lettuce	3
Leafy brassicas others	3
Leeks	3
Legume vegetables fresh others	3
Lemons	2
Lettuce	3
Lettuce and similar others	3
Limes	2

Column 1	Column 2
Litchis	0,5
Loganberries	0,5
Macadamia Nuts	0,5
Maize	8
Mandarins	2
Mangoes	0,5
Melons	3
Millet	8
Miscellaneous Fruit Others	0,5
Oats	8
Olives	0,5
Onions	3
Oranges	2
Others	0,5
Parsley	3
Parsley root	0,5
Parsnips	0,5
Passion Fruit	0,5
Peaches	0,5
Pears	0,5
Peas (with pods)	3
Peas (without pods)	3
Pecans	0,5
Peppers	3
Pine Nuts	0,5
Pineapples	0,5
Pistachios	0,5
Plums	0,5
Pome Fruit Others	0,5
Pomegranates	0,5
Pomelo	2
Quinces	0,5
Radishes	0,5
Raspberries	0,5
Rice	8
Root and Tuber Vegetables Others	0,5
Rye	8
Salsify	0,5
Scarole	3
Shallots	3
Small Fruit and Berries Others	
Sorghum	8
Spinach	3
Spring onion	3
Stone Fruit Others	0,5

B 1416

Column 1	Column 2
Strawberries	0,5
Swedes	0,5
Sweet potato	0,5
Table Grapes	0,5
Tea	0,5
Tomatoes	3
Tree Nuts Others	0,5
Triticale	8
Turnip	0,5
Walnuts	0,5
Watermelons	3
Wheat	8
Wild Berries and Wild Fruit	0,5
Wild mushrooms	3
Wine Grapes	0,5
Witloof	3
Yams	0,5
MALEIC HYDRAZIDE	
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,2 (*) (p)
(i) CITRUS FRUIT	
Grapefruit	
Lemons	
Limes	
Mandarins (including clememines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	

Column 1	Column 2
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES & SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwifruit	
Kumquats	
Lychees	
Mangoes	
Olives	
Passion fruit	
Pineapples	
Pomegranate	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,2 (*) (p)
Beetroot	
Carrots	
Celeriac	
Horseradish	

B 1418

Column 1	Column 2
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	15 (p)
Onions	15 (p)
Shallots	15 (p)
Spring onions	
Others	0,2 (*) (p)
(iii) FRUITING VEGETABLES	0,2 (*) (p)
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	0,2 (*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	

Column 1	Column 2
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES & FRESH HERBS	0,2 (*) (p)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,2 (*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,2 (*) (p)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,2 (*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,2 (*) (p)
Beans	
Lentils	
Peas	
Others	
4. Oilseed	0,5 (*) (p)

B 1420

Column 1	Column 2
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	
5. Potatoes	50 (1)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,5 (*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,5 (*) (p)
(1) RPA 202248 is 2-cyano-3-cyclopropyl-1-(2-methylsulfonyl-4-trifluoromethylphenyl) propane-1,3-dione. RPA 203328 is 2-methanesulphonyl-4-trifluoromethylbenzoic acid.	
(*) Indicates lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/414/EEC: unless amended, this level will become definitive with effect from 24 June 2009.	
MALEIC HYDRAZIDE	0,02 (*) (p)
CEREALS	
Barley	
Buckwheat	
Maize	
Millet	
Oats	
Rice	
Rye	
Sorghum	
Triticale	
Wheat	
other Cereals	
(*) Indicates lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/414/EEC: unless amended, this level will become definitive with effect from 24 June 2009.	
MANCOZEB	MRL (mg/kg)
Almonds	0,1
Apples	3
Apricots	2
Asparagus	0,05
Aubergine	2
Avocados	0,05

Column 1	Column 2
Bananas	0,05
Barley	2
Beans	0,05
Beans (with pods)	1
Beans (without pods)	0,1
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	1
Brussels sprouts	1
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,2
Cashew Nuts	0,1
Cauliflower	1
Celeriac	0,2
Celery	0,5
Celery leaves	5
Cereals others	0,05
Cherries	1
Chervil	5
Chestnuts	0,1
Chinese cabbage	0,5
Chives	5
Citrus Fruit Others	5
Coconuts	0,1
Cotton seed	0,1
Courgettes	2
Cranberries	0,05
Cress	5
Cucumbers	0,5
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,5
Cultivated mushrooms	0,05
Currants (Black, Red and White)	5
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	1

B 1422

Column 1	Column 2
Garlic	0,5
Gherkins	2
Globe artichoke	0,05
Gooseberry	5
Grapefruit	5
Hazelnuts	0,1
Head brassicas others	1
Head cabbages	1
Herbs others	5
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,5
Kiwi Fruit	0,05
Kohlrabi	0,1
Kumquats	0,05
Lamb's lettuce	5
Leafy brassicas others	0,5
Leeks	3
Legume vegetables fresh others	0,05
Lemons	5
Lentils	0,05
Lettuce	5
Lettuce and similar others	5
Limes	5
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	5
Mangoes	0,05
Melons	0,5
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	2
Oilseeds others	0,1
Olives	5
Onions	0,5
Oranges	5
Parsley	5
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	2

Column 1	Column 2
Peanuts	0,1
Pears	3
Peas	0,05
Peas (with pods)	1
Peas (without pods)	0,1
Pecans	0,1
Peppers	2
Pine Nuts	0,1
Pineapples	0,05
Pistachios	0,1
Plums	1
Pome Fruit Others	3
Pomegranates	0,05
Pomelo	5
Poppy seeds	0,1
Pulses others	0,05
Quinces	3
Radishes	0,2
Rapeseed	0,5
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	1
Salsify	0,2
Scarole	5
Sesame seeds	0,1
Shallots	0,5
Small Fruit and Berries Others	0,05
Solanacea others	2
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,5
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	2
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	2
Tea	0,1

B 1424

Column 1	Column 2
Tomatoes	3
Tree Nuts Others	0,1
Triticale	0,05
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,3
Watermelons	0,5
Wheat	1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	2
Witloof	0,2
Yams	0,05
MANEB	MRL (mg/kg)
Almonds	0,1
Apples	3
Apricots	2
Asparagus	0,05
Aubergine	2
Avocados	0,05
Bananas	0,05
Barley	2
Beans	0,05
Beans (with pods)	1
Beans (without pods)	0,1
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	1
Brussels sprouts	1
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,2
Cashew Nuts	0,1
Cauliflower	1
Celeriac	0,2
Celery	0,5
Celery leaves	5
Cereals others	0,05

Column 1	Column 2
Cherries	1
Chervil	5
Chestnuts	0,1
Chinese cabbage	0,5
Chives	5
Citrus Fruit Others	5
Coconuts	0,1
Cotton seed	0,1
Courgettes	2
Cranberries	0,05
Cress	5
Cucumbers	0,5
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,5
Cultivated mushrooms	0,05
Currants (Black, Red and White)	5
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	1
Garlic	0,5
Gherkins	2
Globe artichoke	0,05
Gooseberry	5
Grapefruit	5
Hazelnuts	0,1
Head brassicas others	1
Head cabbages	1
Herbs others	5
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,5
Kiwi Fruit	0,05
Kohlrabi	0,1
Kumquats	0,05
Lamb's lettuce	5
Leafy brassicas others	0,5
Leeks	3
Legume vegetables fresh others	0,05
Lemons	5
Lentils	0,05
Lettuce	5
Lettuce and similar others	5

B 1426

Column 1	Column 2
Limes	5
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	5
Mangoes	0,05
Melons	0,5
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	2
Oilseeds others	0,1
Olives	5
Onions	0,5
Oranges	5
Parsley	5
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	2
Peanuts	0,1
Pears	3
Peas	0,05
Peas (with pods)	1
Peas (without pods)	0,1
Pecans	0,1
Peppers	2
Pine Nuts	0,1
Pineapples	0,05
Pistachios	0,1
Plums	1
Pome Fruit Others	3
Pomegranates	0,05
Pomelo	5
Poppy seeds	0,1
Pulses others	0,05
Quinces	3
Radishes	0,2
Rapeseed	0,5
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05

Column 1	Column 2
Rye	1
Salsify	0,2
Scarole	5
Sesame seeds	0,1
Shallots	0,5
Small Fruit and Berries Others	0,05
Solanacea others	2
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,5
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	2
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	2
Tea	0,1
Tomatoes	3
Tree Nuts Others	0,1
Triticale	0,05
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,3
Watermelons	0,5
Wheat	1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	2
Witloof	0,2
Yams	0,05
MCPA	MRL (mg/kg)
Apples	0,1
Cereals	0,1
Grapes	0,1
Oranges	0,1
Pears	0,1
MECOCROP	MRL (mg/kg)
Apples	0,05

B 1428

Column 1	Column 2
Pears	0,05
Peaches	0,05
Grapes	0,1
Cereals (Maize and Sorghum excluded)	0,1
Forage	0,1
MECOPROP (sum of mecoprop-p and mecoprop expressed as mecoprop)	0,05 (*) (p)
CEREALS	
Barley	
Buckwheat	
Maize	
Millet	
Oats	
Rice	
Rye	
Sorghum	
Triticale	
Wheat	
other Cereals	
(*) Indicates lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/414/EEC: unless amended, this level will become definitive with effect from 24 June 2009.	
MECOPROP (sum of mecoprop-p and mecoprop expressed as mecoprop)	
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	

Column 1	Column 2
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES & SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane Fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwifruit	
Kumquats	
Lychees	
Mangoes	
Olives	
Passion fruit	
Pineapples	
Papaya	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	0,05 (*) (p)

B 1430

Column 1	Column 2
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	

Column 1	Column 2
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES & FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05 (*) (p)
Beans	

B 1432

Column 1	Column 2
Lentils	
Peas	
Others	
4. Oilseeds	0,05 (*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	
5. Potatoes	0,05 (*) (p)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1 (*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1 (*) (p)
(*) Indicates lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/514/EEC: unless amended, this level will become definitive with effect from 29 June 2009.	
METALAXYL including other mixtures of constituent isomers including metalaxyl-M (sum of isomers)	MRL (mg/kg)
Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,5(P)
(i) CITRUS FRUIT	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,05(*) (P)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	

Column 1	Column 2
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	1(P)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0,05(*) (p)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	2(p)
Wine grapes	1(p)
(b) Strawberries (other than wild)	0,5(p)
(c) Cane fruit (other than wild)	0,05(*) (p)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	0,05(*) (P)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,05(*) (P)
(vi) MISCELLANEOUS	0,05(*) (P)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives	
Papaya	
Passion Fruit	

B 1434

Column 1	Column 2
Pineapples	
Pomegranate	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	0,1(P)
Cassava	
Celeriac	
Horseradish	0,1(P)
Jerusalem artichokes	
Parsnips	0,1(P)
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0,05(*) (P)
(ii) BULB VEGETABLES	
Garlic	0,5(P)
Onions	0,5(P)
Shallots	0,5(P)
Spring Onions	0,2(P)
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,2(P)
Peppers	0,5(P)
Aubergines	
Others	0,05(*) (P)
(b) Cucurbits - edible peel	
Cucumbers	0,5(P)
Gherkins	
Courgettes	
Others	0,05(*) (P)
(c) Cucurbits - inedible peel	
Melons	0,2(P)
Squashes	
Watermelons	0,02(P)
Others	0,05(*) (P)
(d) Sweet corn	0,05(*) (P)
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	0,1(*)
Broccoli (including Calabrese)	
Cauliflower	
Others	

Column 1	Column 2
(b) Head brassica	
Brussels sprouts	
Head cabbage	1(P)
others	0,05(*) (P)
(c) leafy brassica	
Chinese cabbage	
Kale	0,2(P)
others	0,05(*) (P)
(d) kohlrabi	0,05(*) (P)
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce & similar	
Cress	
Lamb's lettuce	
lettuce	2(P)
Scarole (broadleaf endive)	1(P)
Others	0,05(*) (P)
(b) Spinach & similar	0,05(*) (P)
Spinach	
Beet Leaves (chard)	
Others	
(c) Water cress	0,05(*) (P)
(d) Witloof	0,3(P)
(e) Herbs	1(P)
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*) (P)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	0,2(P)
Rhubarb	
Others	0,05(*)
(viii) FUNGI	0,05(*)
(a) Cultivated Mushrooms	

B 1436

Column 1	Column 2
(b) Wild Mushrooms	
3. Pulses	0,05(*) (P)
Beans	
Lentils	
Peas	
Others	
4. Oilseeds	0,1(*) (P)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard Seed	
Cotton Seed	
Others	
5. Potatoes	0,05(*) (P)
Early Potatoes	
Ware Potatoes	
6. Tea (dry leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0,1(*) (P)
7. Hops (dried), including hop pellets and unconcentrated powder	10 (P)
METALDEHYDE	MRL (mg/kg)
Potatoes	0,4
Strawberries	0,4
Vegetables	0,4
METHIDATHION	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	2
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	

Column 1	Column 2
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,02(*)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	0,05(*)
Plums	0,2
Others	0,02(*)
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	0,02(*)
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,02(*)
(c) Cane fruit (other than wild)	0,02(*)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	0,02(*)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,02(*)
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	

B 1438

Column 1	Column 2
Mangoes	
Olives (table consumption)	1
Olives (oil extraction)	1
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	0,02(*)
2. Vegetables, fresh or uncooked, frozen or dry	0,02(*)
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Casava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	

Column 1	Column 2
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Rucola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	

B 1440

Column 1	Column 2
(vii)STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii)FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,02(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seed	
Linseed	
Peanuts	
Poppy seeds	
Sesame seeds	
Sunflower seed	
Rape seed	0,05
Soya bean	
Mustard seed	
Cotton seed	5
Hemp seed	
Others	0,02(*)
5. Potatoes	0,02(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or otherwise, from the leaves of <i>Camellia sinensis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*)
(*) Temporary MRL valid until 1 November 2007, pending review of the Annex III dossier under 91/414/EEC and the re-registration of deltamethrin formulations at Member State level.	
(*) Indicates the lower limit of analytical determination.	
METHABENZTHIAZURON	MRL (mg/kg)
Garlic	0,1
Maize	0,1
Medicinal herbs	0,1
Peas (without pods)	0,1
Potatoes	0,1

Column 1	Column 2
Sunflower seeds	0,1
Wheat	0,1
METHAMIDOPHOS	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,01(*)
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,01(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,01(*)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	0,1
Cherries	
Peaches (including nectarines and similar hybrids)	0,05
Plums	
Others	0,01(*)
(v) BERRIES AND SMALL FRUIT	0,01(*)
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	

B 1442

Column 1	Column 2
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	0,01(*)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,01(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,01(*)
Garlic	
Onions	

Column 1	Column 2
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	0,01(*)
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	0,02
Broccoli	
Cauliflower	
Others	
(b) Head brassica	0,01(*)
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	0,01(*)
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,01(*)
(v) LEAF VEGETABLES AND FRESH HERBS	0,01(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	

B 1444

Column 1	Column 2
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	0,5
Beans (without pods)	
Peas (with pods)	0,5
Peas (without pods)	
Others	0,01(*)
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	0,1
Leek	
Rhubarb	
Others	0,01(*)
(viii) FUNGI	0,01(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,01(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	0,2
Mustard seed	
Cotton seed	0,2
Hemp seed	

Column 1	Column 2
Others	0,01(*)
5. Potatoes	0,01(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinensis</i>)	0,02(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,02(*)
(*) Indicates lower limit of analytical determination.	
METHAM-SODIUM	MRL (mg/kg)
Almonds	2
Cereals	2
Citrus fruits	5
Currants	5
Fruit others	0,05
Gooseberries	5
Grapes	2
Herbs others (fresh)	5
Leeks	3
Lettuce and similars	5
Olives	5
Pome fruits	3
Pulses	2
Stone fruit	2
Strawberries	2
Tabacco (fresh)	2
Tomatoes	3
Vegetables others	0,2
METHIOCARB	MRL (mg/kg)
Almonds	0,05
Asparagus	0,05
Beans (without pods)	0,05
Brassica vegetables	0,05
Cardoons	0,05
Carrots	0,05
Celery	0,05
Clover	0,05
Cucurbits	0,05
Fennel	0,05
French beans	0,05
Grapes	0,05
Herbs others (fresh)	0,05
Lettuce and similars	0,05
Medicinal herbs	0,05

B 1446

Column 1	Column 2
Peas (without pods)	0,05
Pome fruits	0,05
Potatoes	0,05
Radishes	0,05
Solanacea others	0,05
Spinach and similars	0,05
Stone fruit	0,05
Strawberries	0,05
Sugar beet	0,05
Tabacco	0,05
METHOMYL/THIODICARB (sum expressed as methomyl)	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	
Grape fruit	0,5
Lemons	1
Limes	1
Mandarins (including clementines and other hybrids)	1
Oranges	0,5
Pomelos	0,5
Others	0,05(*)
(ii) TREE NUTS (shelled or unshelled)	0,05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,2
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	0,2
Cherries	0,1
Peaches (including nectarines and similar hybrids)	0,2
Plums	0,5

Column 1	Column 2
Others	0,05(*)
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	0,05(*)
Wine grapes	1
(b) Strawberries (other than wild)	0,05(*)
(c) Cane fruit (other than wild)	0,05(*)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	0,05(*)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,05(*)
(vi) MISCELLANEOUS	0,05(*)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	0,5

B 1448

Column 1	Column 2
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0,05(*)
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,2
Peppers	
Aubergines	0,2
Okra	
Others	0,05(*)
(b) Cucurbits - edible peel	0,05(*)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,05(*)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,05(*)
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli	0,2
Cauliflower	
Others	0,05(*)
(b) Head brassica	0,05(*)
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	0,05(*)
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,05(*)
(v) LEAF VEGETABLES AND FRESH HERBS	

Column 1	Column 2
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	0,3
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	0,05(*)
(b) Spinach and similar	
Spinach	0,05
Beet leaves (chard)	
Others	0,05(*)
(c) Watercress	0,05(*)
(d) Witloof	0,05(*)
(e) Herbs	0,3
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,05(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,05(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	
Linseed	

B 1450

Column 1	Column 2
Peanuts	0,1
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	0,1
Mustard seed	
Cotton seed	0,1
Hemp seed	
Others	0,05(*)
5. Potatoes	0,05(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinensis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	10
(*) Indicates lower limit of analytical determination.	
METHOPRENE	MRL (mg/kg)
Cultivated mushrooms	0,2
METHYL BROMIDE	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,1
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,1
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05

Column 1	Column 2
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,1
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,1
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05

B 1452

Column 1	Column 2
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,1
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,1
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	0,1
Oilseeds others	0,1
Olives	0,05
Onions	0,05
Oranges	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,1
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,1
Pulses others	0,05
Quinces	0,05

Column 1	Column 2
Radishes	0,05
Rapeseed	0,1
Raspberries	0,05
Rhubarb	0,05
Rice	0,1
Root and Tuber Vegetables Others	0,05
Rye	0,1
Salsify	0,05
Scarole	0,05
Sesame seeds	0,1
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,1
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,05
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,1
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
METIRAM	MRL (mg/kg)
Almonds	0,1

B 1454

Column 1	Column 2
Apples	3
Apricots	2
Asparagus	0,05
Aubergine	2
Avocados	0,05
Bananas	0,05
Barley	2
Beans	0,05
Beans (with pods)	1
Beans (without pods)	0,1
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	1
Brussels sprouts	1
Buckwheat	0,05
Bulb Vegetables others	
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,2
Cashew Nuts	0,1
Cauliflower	1
Celeriac	0,2
Celery	0,5
Celery leaves	5
Cereals others	0,05
Cherries	1
Chervil	5
Chestnuts	0,1
Chinese cabbage	0,5
Chives	5
Citrus Fruit Others	5
Coconuts	0,1
Cotton seed	0,1
Courgettes	2
Cranberries	0,05
Cress	5
Cucumbers	0,5
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,5
Cultivated mushrooms	0,05
Currants (Black, Red and White)	5
Dates	0,05

Column 1	Column 2
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	1
Garlic	0,5
Gherkins	2
Globe artichoke	0,05
Gooseberry	5
Grapefruit	5
Hazelnuts	0,1
Head brassicas others	1
Head cabbages	1
Herbs others	5
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,5
Kiwi Fruit	0,05
Kohlrabi	0,1
Kumquats	0,05
Lamb's lettuce	5
Leafy brassicas others	0,5
Leeks	3
Legume vegetables fresh others	0,05
Lemons	5
Lentils	0,05
Lettuce	5
Lettuce and similar others	5
Limes	5
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	5
Mangoes	0,05
Melons	0,5
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	2
Oilseeds others	0,1
Olives	5
Onions	0,5
Oranges	5

B 1456

Column 1	Column 2
Parsley	5
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	2
Peanuts	0,1
Pears	3
Peas	0,05
Peas (with pods)	1
Peas (without pods)	0,1
Pecans	0,1
Peppers	2
Pine Nuts	0,1
Pineapples	0,05
Pistachios	0,1
Plums	1
Pome Fruit Others	3
Pomegranates	0,05
Pomelo	5
Poppy seeds	0,1
Pulses others	0,05
Quinces	3
Radishes	0,2
Rapeseed	0,5
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	1
Salsify	0,2
Scarole	5
Sesame seeds	0,1
Shallots	0,5
Small Fruit and Berries Others	0,05
Solanacea others	2
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,5
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	2
Sunflower seeds	0,1

Column 1	Column 2
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	2
Tea	0,1
Tomatoes	3
Tree Nuts Others	0,1
Triticale	0,05
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,3
Watermelons	0,5
Wheat	1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	2
Witloof	0,2
Yams	0,05
METRIBUZIN	MRL (mg/kg)
Artichokes	0,1
Asparagus	0,1
Barley	0,1
Carrots	0,1
Maize	0,1
Medicinal herbs	0,1
Potatoes	0,1
Soya bean seed	0,1
Tomatoes	0,1
Wheat	0,1
MINERAL OILS	MRL (mg/kg)
Almonds	Not indicated
Artichokes	Not indicated
Beans (without pods)	Not indicated
Celery	Not indicated
Citrus fruits	Not indicated
Cucurbits	Not indicated
Currants	Not indicated
Fennel	Not indicated
Figs	Not indicated
Grapes (table and wine)	Not indicated
Hazelnuts	Not indicated
Maize	Not indicated
Nuts others	Not indicated

Column 1	Column 2
Olives	Not indicated
Peppers	Not indicated
Pome fruits	Not indicated
Potatoes	Not indicated
Stone fruit	Not indicated
Sugar beet	Not indicated
Tomatoes	Not indicated
MYCLOBUTANIL	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	3
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,5
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	0,3
Cherries	1
Peaches (including nectarines and similar hybrids)	0,5
Plums	0,5
Others	0,02(*)
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	1
Table grapes	

Column 1	Column 2
Wine grapes	
(b) Strawberries (other than wild)	1
(c) Cane fruit (other than wild)	
Blackberries	1
Dewberries	
Loganberries	
Raspberries	1
Others	0,02(*)
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	1
Gooseberries	1
Others	0,02(*)
(e) Wild berries and wild fruit	0,02(*)
(vi) MISCELLANEOUS	0,1(*)
Avocados	
Bananas	2
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	0,02(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	0,2
Cassava	
Celeriac	
Horseradish	0,2
Jerusalem artichokes	
Parsnips	0,2
Parsley root	0,2
Radishes	
Salsify	
Sweet potatoes	
Swedes	

B 1460

Column 1	Column 2
Turnips	
Yam	
Others	0,02(*)
(ii) BULB VEGETABLES	0,02(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITION VEGETABLES	
(a) Solanacea	
Tomatoes	0,3
Peppers	0,5
Aubergines	0,3
Okra	1
Others	0,02(*)
(b) Cucurbits - edible peel	0,1
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,2
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,02(*)
(iv) BRASSICA VEGETABLES	0,02(*)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	5

Column 1	Column 2
Lettuce	
Scarole (broadleaf endive)	
Ruccola	
Leaves and stems of brassica	
Others	0,02(*)
(b) Spinach and similar	0,02(*)
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	0,02(*)
(d) Witloof	0,02(*)
(e) Herbs	0,02(*)
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	0,3
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	0,02(*)
(vii) STEM VEGETABLES	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	0,5
Leek	
Rhubarb	
Others	0,02(*)
(viii) FUNGI	0,02(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,02(*)
Beans	
Lentils	
Peas	
Lupins	
Others	
4. Oil seeds	0,05(*)
Linseed	
Peanuts	
Poppy seed	

B 1462

Column 1	Column 2
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,02(*)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or other-wise, <i>Camellia sinesis</i>)	0,05(*)
7. Hops (dried), including hop pellets and unconcentrated powder	2
(*) Indicates lower limit of analytical determination.	
OXADIAZON	MRL (mg/kg)
Apples	0,05
Apricots	0,05
Artichokes	0,05
Asparagus	0,05
Aubergines	0,05
Cauliflower	0,05
Chicory	0,05
Endives	0,05
Fennel	0,05
Garlic	0,05
Grapes	0,05
Hazelnuts	0,05
Kiwi Fruit	0,05
Lemons	0,05
Lettuce	0,05
Mandarins	0,05
Olives	0,05
Oranges	0,05
Peaches	0,05
Pears	0,05
Peppers	0,05
Prunes	0,05
Rice	0,05
Soya bean	0,05
Sunflower oil	0,02
Sunflower seeds	0,05
Tabacco	0,05
Tomatoes	0,05

Column 1	Column 2
OXYFLUORFEN	MRL (mg/kg)
Almonds	0,05
Brassica vegetables others	0,05
Garlic	0,05
Globe artichokes	0,05
Grapefruit	0,05
Grapes	0,05
Hazelnuts	0,05
Lemons	0,05
Onions	0,05
Oranges	0,05
Pome fruit others	0,05
Stone fruit	0,05
Sunflower seeds	0,05
OXADIXYL	MRL (mg/kg)
Grapes	1
Lettuce and similars	0,5
Melons	0,2
Onions	0,1
Potatoes	0,1
Spinach	0,2
Tomatoes	0,2
OXAMYL	MRL (mg/kg)
CEREALS	0,01(*) (p)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar: nuts	
(i) CITRUS FRUIT	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	0,02(p)
Oranges	
Pomelos	
Others	0,01(*) (p)
(ii) TREE NUTS (shelled or unshelled)	0,01(*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	

B 1464

Column 1	Column 2
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,01(*) (p)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	0,01(*) (p)
Apricots	
Cherries	
Peaches (including and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	0,01(*) (p)
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	0,01(*) (p)
Avocados	
Bananas	
Dates	
Figs	
Kiwis	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papayas	

Column 1	Column 2
Passion fruit	
Pineapples	
Pomegranate	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,01(*) (p)
Beetroot	
Carrots	
Casava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,01(*) (pP)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,02(p)
Peppers	0,02(p)
Aubergines	0,02(p)
Okra	
Others	0,01(*) (p)
(b) Cucurbits - edible peel	
Cucumbers	0,02(p)
Gherkins	0,02(p)
Courgettes	0,03(p)
Others	0,01(*) (p)
(c) Cucurbits - inedible peel	0,01(*) (p)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,01(*) (p)

B 1466

Column 1	Column 2
(iv) BRASSICA VEGETABLES	0,01(*) (p)
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	0,01(*) (p)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Rucola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,01(*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,01(*) (p)
Asparagus	
Cardoons	
Celery	

Column 1	Column 2
Fennel	
Globe artichokes	
Leeks	
Rhubarb	
Others	
(viii) FUNGI	0,01(*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,01(*) (p)
Beans	
Lentils	
Peas	
Others	
4. Oil seed	0,02(*) (p)
Linseed	
Peanuts	
Poppy seeds	
Sesame seeds	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,01(*) (p)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or otherwise, from the leaves of <i>Camellia sinensis</i>)	0,02 (p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,02 (p)
(*) Indicates the lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/414/EEC; unless amended, this level will become definitive with effect from 19 July 2010.	
(p) Temporary MRL valid until 1 January 2008, pending submission of trial data.	
OXYCARBOXIN	MRL (mg/kg)
Cereals (excluding Maize, Sorghum and Rice)	0,2
PARAQUAT	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,02(*)
(i) CITRUS FRUIT	
Grape fruit	
Lemons	
Limes	

B 1468

Column 1	Column 2
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	

Column 1	Column 2
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	0,02(*)
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Okra	

B 1470

Column 1	Column 2
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	

Column 1	Column 2
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,02(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,02(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,02(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinensis</i>)	0,05(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,05(*)
(*) Indicates lower limit of analytical determination.	

B 1472

Column 1	Column 2
PENCONAZOLE	MRL (mg/kg)
Almonds	0,05
Apples	0,2
Apricots	0,1
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05

Column 1	Column 2
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,2
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,1
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05

B 1474

Column 1	Column 2
Onions	0,05
Oranges	0,05
Papaya	
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,1
Peanuts	0,05
Pears	0,2
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,2
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,2
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05

Column 1	Column 2
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,2
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,1
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,2
Witloof	0,05
Yams	0,05
PENDIMETHALIN	MRL (mg/kg)
Artichokes	0,05
Asparagus	0,05
Aubergines	0,05
Barley	0,05
Beans (without pods)	0,05
Brassica vegetables	0,05
Broad beans	0,05
Carrots	0,05
Chickpeas	0,05
Fennel	0,05
Garlic	0,05
Maize	0,05
Onions	0,05
Peanuts	0,05
Peas (without pods)	0,05
Peppers	0,05
Potatoes	0,05
Rice	0,05
Rye	0,05
Soya bean	0,05
Sunflower seeds	0,05

B 1476

Column 1	Column 2
Tabacco	0,05
Tomatoes	0,05
Wheat	0,05
PERMETHRIN	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05

Column 1	Column 2
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05

B 1478

Column 1	Column 2
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05

Column 1	Column 2
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
PHENTOATE	MRL (mg/kg)
Apples	0,3
Cabbage	0,3
Citrus fruits	0,5
Maize	0,3
Nuts	0,3
Olives	0,3
Pears	0,3
Rice	0,05
PHOXIM	MRL (mg/kg)
Tea	0,1
PIPERONYL BUTOXIDE	MRL (mg/kg)
Cereals (for grains)	20
Forages (leguminous)	3
Potatoes	3
Pulses others	20
Sugar beet	3

B 1480

Column 1	Column 2
Sunflower seeds	3
Tabacco	3
Vegetables others (excluding mushrooms)	3
PIRIMIPHOS-METHYL	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	5
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	1
Brussels sprouts	2
Buckwheat	5
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	1
Cashew Nuts	0,05
Cauliflower	1
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	5
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	1
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05

Column 1	Column 2
Cucumbers	0,1
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	2
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	1
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	1
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	2
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	1
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	1
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	5
Mandarins	2
Mangoes	0,05
Melons	1
Millet	5
Miscellaneous Fruit Others	0,05

B 1482

Column 1	Column 2
Mustard seed	0,05
Oats	5
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	1
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	1
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	1
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	5
Root and Tuber Vegetables Others	0,05
Rye	5
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	5
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05

Column 1	Column 2
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,05
Tomatoes	1
Tree Nuts Others	0,05
Triticale	5
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	5
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	2
Witloof	0,05
Yams	0,05
PROCHLORAZ	MRL (mg/kg)
Almonds	0,1
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	5
Bananas	0,05
Barley	1
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	0,05
Brussels sprouts	0,05

B 1484

Column 1	Column 2
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,1
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	5
Cereals others	0,05
Cherries	0,05
Chervil	5
Chestnuts	0,1
Chinese cabbage	0,05
Chives	5
Citrus Fruit Others	10
Coconuts	0,1
Cotton seed	0,1
Courgettes	0,05
Cranberries	0,05
Cress	5
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	2
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,5
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	10
Hazelnuts	0,1
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	5
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05

Column 1	Column 2
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	5
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	10
Lentils	0,05
Lettuce	5
Lettuce and similar others	5
Limes	10
Linseed	0,5
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	10
Mangoes	5
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	1
Oilseeds others	0,1
Olives	0,05
Onions	0,05
Oranges	10
Papaya	5
Parsley	5
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,1
Pears	0,05
Peas	0,3
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,1
Peppers	0,05
Pine Nuts	0,1
Pineapples	5
Pistachios	0,1
Plums	0,05

B 1486

Column 1	Column 2
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	10
Poppy seeds	0,1
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,5
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,5
Salsify	0,05
Scarole	5
Sesame seeds	0,1
Shallots	5
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,5
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,1
Triticale	0,5
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,5
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05

Column 1	Column 2
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
PROCYMIDONE	MRL (mg/kg)
Almonds	0,05
Apples	0,02
Apricots	2
Asparagus	0,02
Aubergine	2
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	2
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02
Brazil Nuts	0,05
Broccoli	0,02
Brussels sprouts	0,02
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,05
Cauliflower	0,02
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	0,02
Chervil	0,02
Chestnuts	0,05
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	0,02
Coconuts	0,05
Cotton seed	0,05
Courgettes	1
Cranberries	0,02
Cress	5

B 1488

Column 1	Column 2
Cucumbers	1
Cucurbits edible peel others	1
Cucurbits inedible peel others	1
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,02
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,2
Gherkins	1
Globe artichoke	0,02
Gooseberry	0,02
Grapefruit	0,02
Hazelnuts	0,05
Head brassicas others	0,02
Head cabbages	0,02
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	5
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	5
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	0,02
Lentils	0,02
Lettuce	5
Lettuce and similar others	5
Limes	0,02
Linseed	0,05
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,05
Maize	0,02
Mandarins	0,02
Mangoes	0,02
Melons	1
Millet	0,02
Miscellaneous Fruit Others	0,02

Column 1	Column 2
Mustard seed	0,05
Oats	0,02
Oilseeds others	0,05
Olives	0,02
Onions	0,2
Oranges	0,02
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	2
Peanuts	0,05
Pears	1
Peas	0,2
Peas (with pods)	1
Peas (without pods)	0,3
Pecans	0,05
Peppers	2
Pine Nuts	0,05
Pineapples	0,02
Pistachios	0,05
Plums	2
Pome Fruit Others	0,02
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,05
Pulses others	0,02
Quinces	0,02
Radishes	0,02
Rapeseed	1
Raspberries	10
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables Others	0,02
Rye	0,02
Salsify	0,02
Scarole	5
Sesame seeds	0,05
Shallots	0,2
Small Fruit and Berries Others	0,02
Solanacea others	2
Sorghum	0,02
Soya bean	1
Spinach	0,02
Spinach and similar (others)	0,02

B 1490

Column 1	Column 2
Spring onion	0,02
Squashes	1
Stem vegetables fresh others	0,02
Stone Fruit Others	2
Strawberries	5
Sunflower seeds	
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	5
Tea	0,1
Tomatoes	2
Tree Nuts Others	0,05
Triticale	0,02
Turnip	0,02
Walnuts	0,05
Ware potatoes	0,02
Watercress	0,02
Watermelons	1
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	5
Witloof	2
Yams	0,02
PROFENOFOS	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05

Column 1	Column 2
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	2
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05

B 1492

Column 1	Column 2
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05

Column 1	Column 2
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05

B 1494

Column 1	Column 2
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
PROMETRYNE	MRL (mg/kg)
Artichokes	0,1
Beans (without pods)	0,1
Carrots	0,1
Celery	0,1
Fennel	0,1
Forages (leguminous)	0,1
Garlic	0,1
Leeks	0,1
Lentils	0,1
Maize	0,1
Mint	0,1
Onions	0,1
Parsley	0,1
Peanuts	0,1
Peas (without pods)	0,1
Potatoes	0,1
Sorghum	0,1
Soya bean	0,1
Sunflower Seeds	0,1
PROPACHLOR	MRL (mg/kg)
Brassica Vegetables	0,2
Bulb vegetables	0,2
Leeks	0,2
Radishes	0,2
Sorghum	0,2
PROPAMOCARB	MRL (mg/kg)
Apples	10
Basil	10
Beet leaves (chard)	10
Beet leaves (chard)	10
Beetroot	10
Brassica vegetables	10
Carrots	10
Celery	10
Chicory	10
Citrus fruits	10
Cucurbits	10
Endives	10
Garlic	10

Column 1	Column 2
Leeks	10
Lettuce	10
Onions	10
Parsley	10
Pears	10
Red Chicory	10
Solanacea others	10
Spinach	10
Strawberries	10
Tabacco	10
Turnips	10
PROPARGITE	MRL (mg/kg)
Tea	5
PROPHAM	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05

B 1496

Column 1	Column 2
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05

Column 1	Column 2
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05

B 1498

Column 1	Column 2
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
PROPICONAZOLE	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,2
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,1

Column 1	Column 2
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05

B 1500

Column 1	Column 2
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,2
Peanuts	0,05

Column 1	Column 2
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,5
Tea	0,1
Tomatoes	0,05

B 1502

Column 1	Column 2
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,5
Witloof	0,05
Yams	0,05
PROPINEB	MRL (mg/kg)
Almonds	0,1
Apples	3
Apricots	2
Asparagus	0,05
Aubergine	2
Avocados	0,05
Bananas	0,05
Barley	2
Beans	0,05
Beans (with pods)	1
Beans (without pods)	0,1
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	1
Brussels sprouts	1
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,2
Cashew Nuts	0,1
Cauliflower	1
Celeriac	0,2
Celery	0,5
Celery leaves	5
Cereals others	0,05
Cherries	1

Column 1	Column 2
Chervil	5
Chestnuts	0,1
Chinese cabbage	0,5
Chives	5
Citrus Fruit Others	5
Coconuts	0,1
Cotton seed	0,1
Courgettes	2
Cranberries	0,05
Cress	5
Cucumbers	0,5
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,5
Cultivated mushrooms	0,05
Currants (Black, Red and White)	5
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	1
Garlic	0,5
Gherkins	2
Globe artichoke	0,05
Gooseberry	5
Grapefruit	5
Hazelnuts	0,1
Head brassicas others	1
Head cabbages	1
Herbs others	5
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,5
Kiwi Fruit	0,05
Kohlrabi	0,1
Kumquats	0,05
Lamb's lettuce	5
Leafy brassicas others	0,5
Leeks	3
Legume vegetables fresh others	0,05
Lemons	5
Lentils	0,05
Lettuce	5
Lettuce and similar others	5
Limes	5

B 1504

Column 1	Column 2
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	5
Mangoes	0,05
Melons	0,5
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	2
Oilseeds others	0,1
Olives	5
Onions	0,5
Oranges	5
Parsley	5
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	2
Peanuts	0,1
Pears	3
Peas	0,05
Peas (with pods)	1
Peas (without pods)	0,1
Pecans	0,1
Peppers	2
Pine Nuts	0,1
Pineapples	0,05
Pistachios	0,1
Plums	1
Pome Fruit Others	3
Pomegranates	0,05
Pomelo	5
Poppy seeds	0,1
Pulses others	0,05
Quinces	3
Radishes	0,2
Rapeseed	0,5
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	1

Column 1	Column 2
Salsify	0,2
Scarole	5
Sesame seeds	0,1
Shallots	0,5
Small Fruit and Berries Others	0,05
Solanacea others	2
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,5
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	2
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	2
Tea	0,1
Tomatoes	3
Tree Nuts Others	0,1
Triticale	0,05
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,3
Watermelons	0,5
Wheat	1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	2
Witloof	0,2
Yams	0,05
PROPOXUR	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Beans	0,05

B 1506

Column 1	Column 2
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,5
Brussels sprouts	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,5
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,2
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,5
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,2
Grapefruit	0,05

Column 1	Column 2
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,5
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	1
Legume vegetables fresh others	0,05
Lemons	0,3
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,3
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Mandarins	0,3
Mangoes	0,05
Melons	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05

B 1508

Column 1	Column 2
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Root and Tuber Vegetables Others	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05

Column 1	Column 2
Yams	0,05
PROPYZAMIDE	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,02 (*) (p)
(i) CITRUS FRUIT	
Grapefruit	
Lemons	
Limes	
Mandarins (including clememines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES & SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	

B 1510

Column 1	Column 2
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwifruit	
Kumquats	
Lychees	
Mangoes	
Olives	
Passion fruit	
Pineapples	
Pomegranate	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,02 (*) (p)
Beetroot	
Carrots	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,02 (*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	

Column 1	Column 2
(iii) FRUITING VEGETABLES	0,02 (*) (p)
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	0,02 (*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES & FRESH HERBS	
(a) Lettuce and similar	1 (p)
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Others	
(b) Spinach and similar	0,02 (*) (p)
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	0,02 (*) (p)
(d) Witloof	0,02 (*) (p)
(e) Herbs	1 (p)

B 1512

Column 1	Column 2
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,02 (*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,02 (*) (p)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,02 (*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,02 (*) (p)
Beans	
Lentils	
Peas	
Others	
4. Oilseed	0,05 (*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	
5. Potatoes	0,02 (*) (p)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,05 (*) (p)

Column 1	Column 2
7. Hops (dried), including hop pellets and unconcentrated powder	0,05 (*) (p)
(*) Indicates lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/414/EEC: unless amended, this level will become definitive with effect from 24 June 2009.	
PROPYZAMIDE	0,02 (*) (p)
CEREALS	
Barley	
Buckwheat	
Maize	
Millet	
Oats	
Rice	
Rye	
Sorghum	
Triticale	
Wheat	
other Cereals	
(*) Indicates lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/414/EEC: unless amended, this level will become definitive with effect from 24 June 2009.	
PYMETROZINE	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,3(p)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,02(*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	

B 1514

Column 1	Column 2
(iii) POME FRUIT	0,02(*) (p)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	0,05(p)
Cherries	
Peaches (including nectarines and similar hybrids)	0,05(p)
Plums	
Others	0,02(*) (p)
(v) BERRIES AND SMALL FRUIT	0,02(*) (p)
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	3
Dewberries	
Loganberries	
Raspberries	3
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	0,02(*) (p)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	

Column 1	Column 2
(i) ROOT AND TUBER VEGETABLES	0,02(*) (p)
Beetroot	
Carrots	
Casava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,02(*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,5(p)
Peppers	1(p)
Aubergines	0,5(p)
Others	0,02(*) (p)
(b) Cucurbits - edible peel	0,5(p)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,2(p)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,02(*) (p)
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	0,02(*) (p)
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	

B 1516

Column 1	Column 2
Brussels sprouts	
Head cabbage	0,05(p)
Others	0,02(*) (p)
(c) Leafy brassica	0,2(p)
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,02(*) (p)
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	2(p)
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Rucola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	0,02(*) (p)
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	0,02(*) (p)
(d) Witloof	0,02(*) (p)
(e) Herbs	1(p)
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	1(p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,02(*) (p)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leeks	
Rhubarb	
Others	
(viii) FUNGI	0,02(*) (p)

Column 1	Column 2
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,02(*) (p)
Beans	
Lentils	
Peas	
Lupines	
Others	
4. Oil seeds	
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	0,05(p)
Others	0,02(p)
5. Potatoes	0,02(*) (p)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1(*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	15(p)
(*) Indicates the lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
PYRACLOSTROBINE	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar: nuts	
(i) CITRUS FRUIT	1(p)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	

B 1518

Column 1	Column 2
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	1(p)
Walnuts	
Others	0,02(*) (p)
(iii) POME FRUIT	0,3(p)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	0,2(p)
Cherries	0,2(p)
Peaches (including nectarines and similar hybrids)	0,2(p)
Plums	0,1(p)
Others	0,02(*) (p)
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	1(p)
Wine grapes	2(p)
(b) Strawberries (other than wild)	0,5(p)
(c) Cane fruit (other than wild)	0,02(*) (p)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	0,02(*) (p)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,02(*) (p)
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	

Column 1	Column 2
Mangoes	0,05(p)
Olives	
Papaya	0,05(p)
Passion fruit	
Pineapples	
Pomegranate	
Others	0,02(*) (p)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	0,1(p)
Casava	
Celeriac	
Horseradish	0,3(p)
Jerusalem artichokes	
Parsnips	0,3(p)
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0,02(*) (p)
(ii) BULB VEGETABLES	
Garlic	0,2(p)
Onions	0,2(p)
Shallots	0,2(p)
Spring onions	
Others	0,02(*) (p)
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,2(p)
Peppers	0,5(p)
Aubergines	0,2(p)
Others	0,02(*) (p)
(b) Cucurbits - edible peel	0,02(*) (p)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,02(*) (p)
Melons	
Squashes	
Watermelons	

B 1520

Column 1	Column 2
Others	
(d) Sweet corn	0,02(*) (p)
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	0,1 (p)
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	0,2 (p)
Head cabbage	0,2 (p)
Others	0,02(*) (p)
(c) Leafy brassica	0,02(*) (p)
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,02(*) (p)
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	2 (p)
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Rucola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	0,02(*) (p)
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	0,02(*) (p)
(d) Witloof	0,02(*) (p)
(e) Herbs	2 (p)
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,02(*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	
Asparagus	

Column 1	Column 2
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	0,5(p)
Rhubarb	
Others	0,02(*) (p)
(viii) FUNGI	0,02(*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,3(p)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,02(*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	
5. Potatoes	0,02(*) (p)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0,05(*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	10(p)
(*) Indicates the lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
PYRAZOPHOS	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05

B 1522

Column 1	Column 2
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05

Column 1	Column 2
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05

B 1524

Column 1	Column 2
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05

Column 1	Column 2
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
PYRETHRINS	MRL (mg/kg)
Almonds	1
Apples	1
Apricots	1
Asparagus	1
Aubergine	1
Avocados	1
Bananas	1
Barley	3
Beans (with pods)	1
Beans (without pods)	1
Beet leaves (chard)	1
Beetroot	1
Bilberries	1
Blackberries	1
Brazil Nuts	1
Brussels sprouts	1
Buckwheat	3
Bulb Vegetables others	1
Cane Fruit Others	1
Cardoons	1
Carrots	1
Cashew Nuts	1
Cauliflower	1
Celeriac	1
Celery leaves	1
Cereals others	3
Cherries	1
Chervil	1
Chestnuts	1
Chinese cabbage	1

B 1526

Column 1	Column 2
Chives	1
Citrus Fruit Others	1
Coconuts	1
Cranberries	1
Cress	1
Cucumbers	1
Cultivated mushrooms	1
Currants (Black, Red and White)	1
Dates	1
Dewberries	1
Fennel	1
Figs	1
Garlic	1
Gherkins	1
Globe artichoke	1
Gooseberry	1
Grapefruit	1
Hazelnuts	1
Head brassicas others	1
Head cabbages	1
Herbs others	1
Horseradish	1
Jerusalem artichoke	1
Kale	1
Kiwi Fruit	1
Kumquats	1
Lamb's lettuce	1
Leafy brassicas others	1
Leeks	1
Legume vegetables fresh others	1
Lemons	1
Lettuce	1
Lettuce and similar others	1
Limes	1
Litchis	1
Loganberries	1
Macadamia Nuts	1
Maize	3
Mandarins	1
Mangoes	1
Melons	1
Millet	3
Miscellaneous Fruit Others	1
Oats	3
Olives	1

Column 1	Column 2
Onions	1
Oranges	1
Parsley	1
Parsley root	1
Parsnips	1
Passion Fruit	1
Peaches	1
Pears	1
Peas (with pods)	1
Peas (without pods)	1
Pecans	1
Peppers	1
Pine Nuts	1
Pineapples	1
Pistachios	1
Plums	1
Pome Fruit Others	1
Pomegranates	1
Pomelo	1
Quinces	1
Radishes	1
Raspberries	1
Rice	3
Root and Tuber Vegetables Others	1
Rye	3
Salsify	1
Scarole	1
Shallots	1
Small Fruit and Berries Others	1
Sorghum	3
Spinach	1
Spring onion	1
Stone Fruit Others	1
Strawberries	1
Swedes	1
Sweet potato	1
Table Grapes	1
Tomatoes	1
Tree Nuts Others	1
Triticale	3
Turnip	1
Walnuts	1
Watermelons	1
Wheat	3
Wild Berries and Wild Fruit	1

B 1528

Column 1	Column 2
Wild mushrooms	1
Wine Grapes	1
Witloof	1
Yams	1
PYRIDABEN	MRL (mg/kg)
Apples	0,1
Apricots	0,1
Citrus fruits	0,1
Grapes	0,1
Peaches	0,1
Pears	0,1
Prunes	0,1
PYRIFENOX	MRL (mg/kg)
Apples	0,2
Artichokes	0,2
Gherkins	0,2
Grapes	0,2
Melons	0,2
Peaches	0,2
Pears	0,2
Peppers	0,2
Squashes	0,2
Strawberries	0,2
Tomatoes	0,2
Vegetable marrows	0,2
PYRIMETHANIL	MRL (mg/kg)
Apples	1
French beans	2
Gherkins	0,5
Grapes	3
Lettuce	2
Pears	1
Peppers	2
Strawberries	5
Tomatoes	2
RESMETHRIN	MRL (mg/kg)
Almonds	0,2
Apples	0,1
Apricots	0,1
Asparagus	0,1
Aubergine	0,1
Avocados	0,1

Column 1	Column 2
Bananas	0,1
Barley	0,05
Beans	0,1
Beans (with pods)	0,1
Beans (without pods)	0,1
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	0,1
Blackberries	0,1
Brazil Nuts	0,2
Broccoli	0,1
Brussels sprouts	0,1
Buckwheat	0,05
Bulb Vegetables others	0,1
Cane Fruit Others	0,1
Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,2
Cauliflower	0,1
Celeriac	0,1
Celery	0,1
Celery leaves	0,1
Cereals others	0,05
Cherries	0,1
Chervil	0,1
Chestnuts	0,2
Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	0,1
Coconuts	0,2
Cotton seed	0,2
Courgettes	0,1
Cranberries	0,1
Cress	0,1
Cucumbers	0,1
Cucurbits edible peel others	0,1
Cucurbits inedible peel others	0,1
Cultivated mushrooms	0,1
Currants (Black, Red and White)	0,1
Dates	0,1
Dewberries	0,1
Early potatoes	0,1
Fennel	0,1
Figs	0,1
Flowering brassicas others	0,1

B 1530

Column 1	Column 2
Garlic	0,1
Gherkins	0,1
Globe artichoke	0,1
Gooseberry	0,1
Grapefruit	0,1
Hazelnuts	0,2
Head brassicas others	0,1
Head cabbages	0,1
Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kohlrabi	0,1
Kumquats	0,1
Lamb's lettuce	0,1
Leafy brassicas others	0,1
Leeks	0,1
Legume vegetables fresh others	0,1
Lemons	0,1
Lentils	0,1
Lettuce	0,1
Lettuce and similar others	0,1
Limes	0,1
Linseed	0,2
Litchis	0,1
Loganberries	0,1
Macadamia Nuts	0,2
Maize	0,05
Mandarins	0,1
Mangoes	0,1
Melons	0,1
Millet	0,05
Miscellaneous Fruit Others	0,1
Mustard seed	0,2
Oats	0,05
Oilseeds others	0,2
Olives	0,1
Onions	0,1
Oranges	0,1
Papaya	0,1
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,1

Column 1	Column 2
Peaches	0,1
Peanuts	0,2
Pears	0,1
Peas	0,1
Peas (with pods)	0,1
Peas (without pods)	0,1
Pecans	0,2
Peppers	0,1
Pine Nuts	0,2
Pineapples	0,1
Pistachios	0,2
Plums	0,1
Pome Fruit Others	0,1
Pomegranates	0,1
Pomelo	0,1
Poppy seeds	0,2
Pulses others	0,1
Quinces	0,1
Radishes	0,1
Rapeseed	0,2
Raspberries	0,1
Rhubarb	0,1
Rice	0,05
Root and Tuber Vegetables Others	0,1
Rye	0,05
Salsify	0,1
Scarole	0,1
Sesame seeds	0,2
Shallots	0,1
Small Fruit and Berries Others	0,1
Solanacea others	0,1
Sorghum	0,05
Soya bean	0,2
Spinach	0,1
Spinach and similar (others)	0,1
Spring onion	0,1
Squashes	0,1
Stem vegetables fresh others	0,1
Stone Fruit Others	0,1
Strawberries	0,1
Sunflower seeds	0,2
Swedes	0,1
Sweet corn	0,1
Sweet potato	0,1
Table Grapes	0,1

B 1532

Column 1	Column 2
Tea	0,2
Tomatoes	0,1
Tree Nuts Others	0,2
Triticale	0,05
Turnip	0,1
Walnuts	0,2
Ware potatoes	0,1
Watercress	0,1
Watermelons	0,1
Wheat	0,05
Wild Berries and Wild Fruit	0,1
Wild mushrooms	0,1
Wine Grapes	0,1
Witloof	0,1
Yams	0,1
SETHOXYDIM	MRL (mg/kg)
Artichokes	0,5
Beans (without pods)	0,5
Beet leaves (chard)	0,5
Beetroot	0,5
Brassica vegetables	0,5
Broad beans	0,5
Carrots	0,5
Celery	0,5
Clover	0,5
Cucurbits	0,5
Fennel	0,5
Forage (beet)	0,5
French beans	0,5
Garlic	0,5
Leeks	0,5
Lettuce and similars	0,5
Medicinal herbs	0,5
Onions	0,5
Parsley	0,5
Peas (without pods)	0,5
Potatoes	0,5
Radishes	0,5
Rapeseed	0,5
Solanacea others	0,5
Soya bean	0,5
Spinach	0,5
Strawberries	0,5
Sugar beet	0,5

Column 1	Column 2
Sunflower seeds	0,5
Tabacco	0,5
SIMAZINE	MRL (mg/kg)
Almonds	0,1
Artichokes	0,1
Blackberries	0,1
Citrus fruits	0,1
Currants (black and red)	0,1
Figs	0,1
Grapes	0,1
Hazelnuts	0,1
Olives	0,1
Pome fruits	0,1
Pomegranates	0,1
Raspberries	0,1
Sorghum	0,1
Stone fruit	0,1
Strawberries	0,1
SULPHUR	MRL (mg/kg)
Cereals	50
Fruit	50
Oilseeds	50
Potatoes	50
Sugar beet	50
Tabacco	50
Vegetables (excluding mushrooms)	50
TEBUCONAZOLE	MRL (mg/kg)
Apples	0,1
Apricots	0,5
Barley	0,05
Cherries	0,5
Grapes	1
Oats	0,05
Peaches	0,5
Pears	0,1
Prunes	0,5
Rye	0,05
Wheat	0,05
TEBUFENPYRAD	MRL (mg/kg)
Apples	0,5
Apricots	0,5
Aubergines	0,5

B 1534

Column 1	Column 2
Citrus fruits	0,5
Grapes	0,3
Melons	0,5
Peaches	0,5
Pears	0,5
Peppers	0,5
Strawberries	0,3
Tomatoes	0,5
Watermelons	0,5
TEFLUBENZURON	MRL (mg/kg)
Apples	1
Aubergines	0,5
Brassica vegetables	0,5
Cultivated mushrooms	0,2
Grapes	1
Maize	0,1
Maize da foraggio	4
Peaches	1
Pears	1
Peppers	0,5
Potatoes	0,1
TERBUTHYLAZINE	MRL (mg/kg)
Apples	0,02
Barley	0,1
Citrus fruits	0,02
Grapes	0,02
Hazelnuts	0,02
Maize	0,02
Oats	0,1
Olive oil	0,01
Olives	0,01
Rye	0,1
Sorghum	0,1
TERBUTRYN	MRL (mg/kg)
Barley	0,05
Broad beans	0,05
Maize	0,05
Oats	0,05
Peas (without pods)	0,05
Potatoes	0,05
Rye	0,05
Sunflower seeds	0,05
Wheat	0,05

Column 1	Column 2
TETRACHLORVINPHOS	MRL (mg/kg)
Apples	1,5
Brassica vegetables	1,5
Grapes	1,5
Maize	1,5
Olives	1,5
Peaches	1,5
Pears	1,5
Potatoes	1,5
Turnips	1,5
TETRADIFON	MRL (mg/kg)
Almonds	1,5
Artichokes	1,5
Asparagus	1,5
Brassica vegetables	1,5
Bulb vegetables	1,5
Cardoons	1,5
Carrots	1,5
Celery	1,5
Citrus fruits	1,5
Cucurbits	1,5
Fennel	1,5
Grapes	1,5
Hazelnuts	1,5
Herbs others (fresh)	1,5
Hops	1,5
Kiwi Fruit	1,5
Leeks	1,5
Legumes fresh	1,5
Lettuce and similars	1,5
Maize	1
Olives	1,5
Pome fruits	1,5
Potatoes	1,5
Radishes	1,5
Raspberries	1,5
Solanacea others	1,5
Spinach and similars	1,5
Stone fruit	1,5
Strawberries	1,5
Tabacco	1
Walnuts	1,5
Wheat	1

Column 1	Column 2
THIABENDAZOLE	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	5
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (SHELLED OR UNSHELLED)	0,1(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	5
Pears	5
Quinces	
Others	0,05(*)
(iv) STONE FRUIT	0,05(*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	0,05(*)
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	

Column 1	Column 2
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	15
Bananas	5
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	5
Olives (table consumption)	
Olives (oil extraction)	
Papaya	10
Passion fruit	
Pineapples	
Pomegranate	
Others	0,05(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Cassava	15
Celaric	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	15
Swedes	
Turnips	
Yam	15
Others	0,05(*)
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	

B 1538

Column 1	Column 2
Spring onions	
Others	
(iii) FRUITION VEGETABLES	0,05(*)
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli (including Calabrese)	5
Cauliflower	
Others	0,05(*)
(b) Head brassica	0,05(*)
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	0,05(*)
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,05(*)
(v) LEAF VEGETABLES AND FRESH HERBS	0,05(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	

Column 1	Column 2
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	1
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii)STEM VEGETABLES (fresh)	0,05(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii)FUNGI	
(a) Cultivated mushrooms	10
(b) Wild mushrooms	0,05(*)
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Lupins	
Others	
4. Oilseeds	0,05(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	

B 1540

Column 1	Column 2
Others	
5. Potatoes	
Early potatoes	0,05(*)
Ware potatoes	15
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*)
(*) Indicates lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
THIOPHANATE-METHYL	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,1 (*)
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,2
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,5
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	2
Cherries	0,3
Peaches (including nectarines and similar hybrids)	2
Plums	0,3

Column 1	Column 2
Others	0,1(*)
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	0,1(*)
Wine grapes	3
(b) Strawberries (other than wild)	0,1(*)
(c) Cane fruit (other than wild)	0,1(*)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	0,1(*)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,1(*)
(vi) MISCELLANEOUS	0,1(*)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	1
Passion fruit	
Pineapples	
Pomegranate	
Others	0,1(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,1(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	

B 1542

Column 1	Column 2
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,1(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITION VEGETABLES	
(a) Solanacea	
Tomatoes	2
Peppers	
Aubergines	2
Okra	1
Others	0,1(*)
(b) Cucurbits - edible peel	0,1(*)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,3
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,1(*)
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	0,1(*)
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	1
Head cabbage	
Others	0,1(*)
(c) Leafy brassica	0,1(*)
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,1(*)

Column 1	Column 2
(v) LEAF VEGETABLES AND FRESH HERBS	0,1(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broadleaf endive)	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	0,1(*)
Beans (without pods)	
Peas (with pods)	0,1(*)
Peas (without pods)	
Others	0,1(*)
(vii) STEM VEGETABLES	0,1(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,1(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,1(*)
Beans	
Lentils	
Peas	
Lupins	
Others	

B 1544

Column 1	Column 2
4. Oil seeds	
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	0,3
Mustard seed	
Cotton seed	
Hemp seed	
Others	0,1(*)
5. Potatoes	0,1(*)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or other-wise, <i>Camellia sinensis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*)
(*) Indicates lower limit of analytical determination.	
THIRAM	MRL (mg/kg)
Almonds	3
Apples	3
Apricots	3
Asparagus	3
Aubergine	3
Avocados	3
Bananas	3
Beans (with pods)	3
Beans (without pods)	3
Beet leaves (chard)	3
Beetroot	3
Bilberries	3
Blackberries	3
Brazil Nuts	3
Brussels sprouts	3
Bulb Vegetables others	3
Cane Fruit Others	3
Cardoons	3
Carrots	3
Cashew Nuts	3
Cauliflower	3
Celeriac	3
Celery leaves	3
Cherries	3

Column 1	Column 2
Chervil	3
Chestnuts	3
Chinese cabbage	3
Chives	3
Citrus Fruit Others	3
Coconuts	3
Cranberries	3
Cress	3
Cucumbers	3
Cultivated mushrooms	3
Currants (Black, Red and White)	3
Dates	3
Dewberries	3
Fennel	3
Figs	3
Garlic	3
Gherkins	3
Globe artichoke	3
Gooseberry	3
Grapefruit	3
Hazelnuts	3
Head brassicas others	3
Head cabbages	3
Herbs others	3
Horseradish	3
Jerusalem artichoke	3
Kale	3
Kiwi Fruit	3
Kumquats	3
Lamb's lettuce	3
Leafy brassicas others	3
Leeks	3
Legume vegetables fresh others	3
Lemons	3
Lettuce	3
Lettuce and similar others	3
Limes	3
Litchis	3
Loganberries	3
Macadamia Nuts	3
Mandarins	3
Mangoes	3
Melons	3
Miscellaneous Fruit Others	3
Olives	3

B 1546

Column 1	Column 2
Onions	3
Oranges	3
Parsley	3
Parsley root	3
Parsnips	3
Passion Fruit	3
Peaches	3
Pears	3
Peas (with pods)	3
Peas (without pods)	3
Pecans	3
Peppers	3
Pine Nuts	3
Pineapples	3
Pistachios	3
Plums	3
Pome Fruit Others	3
Pomegranates	3
Pomelo	3
Quinces	3
Radishes	3
Raspberries	3
Root and Tuber Vegetables Others	3
Salsify	3
Scarole	3
Shallots	3
Small Fruit and Berries Others	3
Spinach	3
Spring onion	3
Stone Fruit Others	3
Strawberries	3,8
Swedes	3
Sweet potato	3
Table Grapes	3,8
Tomatoes	3
Tree Nuts Others	3
Turnip	3
Walnuts	3
Watermelons	3
Wild Berries and Wild Fruit	3
Wild mushrooms	3
Wine Grapes	3,8
Witloof	3
Yams	3

Column 1	Column 2
TOLCLOPHOS-METHYL	MRL (mg/kg)
Aubergines	0,01
Basil	1
Beans (without pods)	0,1
Brassica vegetables	0,5
Carrots	0,5
French beans	0,1
Garlic	0,01
Lettuce	1
Onions	0,01
Peppers	0,01
Potatoes	0,1
Red chicory	1
Sugar beet (leaves)	1
Sugar beet (roots)	0,5
Tomatoes	0,01
Vegetable marrows	1
Watermelons	0,1
Wheat	0,05
THIABEN-DAZOLE	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	5
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,1(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	5

B 1548

Column 1	Column 2
Pears	5
Quinces	
Others	0,05(*)
(iv) STONE FRUIT	0,05(*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES & SMALL FRUIT	0,05(*)
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane Fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	15
Bananas	5
Dates	
Figs	
Kiwi	
Kumquats	
Lychees	
Mangoes	5
Olives (table consumption)	
Olives (oil extraction)	
Papaya	10
Passion fruit	
Pineapples	
Pomegranate	
Others	0,05(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	

Column 1	Column 2
Beetroot	
Carrots	
Cassava	15
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	15
Swedes	
Turnips	
Yam	15
Others	0,05(*)
(ii) BULB VEGETABLES	0,05(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITION VEGETABLES	0,05(*)
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli (including Calabrese)	5
Cauliflower	
Others	0,05(*)
(b) Head brassica	0,05(*)

B 1550

Column 1	Column 2
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	0,05(*)
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0,05(*)
(v) LEAF VEGETABLES & FRESH HERBS	0,05(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	1
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	0,05(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	

Column 1	Column 2
(a) Cultivated mushrooms	10
(b) Wild mushrooms	0,05(*)
3. Pulses	0,05(*)
Beans	
Lentils	
Peas	
Lupins	
Others	
4. Oilseeds	0,05(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	
Early potatoes	0,05(*)
Ware potatoes	15
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,1(*)
(*) Indicates lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
TRIADIMEFON	MRL (mg/kg)
Almonds	0,2
Apples	0,2
Apricots	0,1
Asparagus	0,1
Aubergine	0,1
Avocados	0,1
Bananas	0,2
Barley	0,2
Beans	0,1
Beans (with pods)	0,1
Beans (without pods)	0,1
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	0,1

B 1552

Column 1	Column 2
Blackberries	0,1
Brazil Nuts	0,2
Broccoli	0,1
Brussels sprouts	0,1
Buckwheat	0,1
Bulb Vegetables others	0,1
Cane Fruit Others	0,1
Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,2
Cauliflower	0,1
Celeriac	0,1
Celery	0,1
Celery leaves	0,1
Cereals others	0,1
Cherries	0,1
Chervil	0,1
Chestnuts	0,2
Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	0,1
Coconuts	0,2
Cotton seed	0,2
Courgettes	0,1
Cranberries	0,1
Cress	0,1
Cucumbers	0,1
Cucurbits edible peel others	0,1
Cucurbits inedible peel others	0,1
Cultivated mushrooms	0,1
Currants (Black, Red and White)	0,1
Dates	0,1
Dewberries	0,1
Early potatoes	0,1
Fennel	0,1
Figs	0,1
Flowering brassicas others	0,1
Garlic	0,1
Gherkins	0,1
Globe artichoke	1
Gooseberry	0,1
Grapefruit	0,1
Hazelnuts	0,2
Head brassicas others	0,1
Head cabbages	0,1

Column 1	Column 2
Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kohlrabi	0,1
Kumquats	0,1
Lamb's lettuce	0,1
Leafy brassicas others	0,1
Leeks	0,1
Legume vegetables fresh others	0,1
Lemons	0,1
Lentils	0,1
Lettuce	0,1
Lettuce and similar others	0,1
Limes	0,1
Linseed	0,2
Litchis	0,1
Loganberries	0,1
Macadamia Nuts	0,2
Maize	0,1
Mandarins	0,1
Mangoes	0,1
Melons	0,1
Millet	0,1
Miscellaneous Fruit Others	0,1
Mustard seed	0,2
Oats	0,2
Oilseeds others	0,2
Olives	0,1
Onions	0,5
Oranges	0,1
Papaya	0,1
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,1
Peaches	0,1
Peanuts	0,2
Pears	0,1
Peas	0,1
Peas (with pods)	0,1
Peas (without pods)	0,1
Pecans	0,2
Peppers	0,5

B 1554

Column 1	Column 2
Pine Nuts	0,2
Pineapples	3
Pistachios	0,2
Plums	0,1
Pome Fruit Others	0,1
Pomegranates	0,1
Pomelo	0,1
Poppy seeds	0,2
Pulses others	0,1
Quinces	0,1
Radishes	0,1
Rapeseed	0,2
Raspberries	0,1
Rhubarb	0,1
Rice	0,1
Root and Tuber Vegetables Others	0,1
Rye	0,2
Salsify	0,1
Scarole	0,1
Sesame seeds	0,2
Shallots	0,1
Small Fruit and Berries Others	0,1
Solanacea others	0,1
Sorghum	0,1
Soya bean	0,2
Spinach	0,1
Spinach and similar (others)	0,1
Spring onion	1
Squashes	0,1
Stem vegetables fresh others	0,1
Stone Fruit Others	0,1
Strawberries	0,5
Sunflower seeds	0,2
Swedes	0,1
Sweet corn	0,1
Sweet potato	0,1
Table Grapes	2
Tea	0,2
Tomatoes	0,3
Tree Nuts Others	0,2
Triticale	0,2
Turnip	0,1
Walnuts	0,2
Ware potatoes	0,1
Watercress	0,1

Column 1	Column 2
Watermelons	0,1
Wheat	0,2
Wild Berries and Wild Fruit	0,1
Wild mushrooms	0,1
Wine Grapes	2
Witloof	0,1
Yams	0,1
TRIADIMENOL	MRL (mg/kg)
Almonds	0,2
Apples	0,2
Apricots	0,1
Asparagus	0,1
Aubergine	0,1
Avocados	0,1
Bananas	0,2
Barley	0,2
Beans	0,1
Beans (with pods)	0,1
Beans (without pods)	0,1
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	0,1
Blackberries	0,1
Brazil Nuts	0,2
Broccoli	0,1
Brussels sprouts	0,1
Buckwheat	0,1
Bulb Vegetables others	0,1
Cane Fruit Others	0,1
Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,2
Cauliflower	0,1
Celeriac	0,1
Celery	0,1
Celery leaves	0,1
Cereals others	0,1
Cherries	0,1
Chervil	0,1
Chestnuts	0,2
Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	0,1
Coconuts	0,2

B 1556

Column 1	Column 2
Cotton seed	0,2
Courgettes	0,1
Cranberries	0,1
Cress	0,1
Cucumbers	0,1
Cucurbits edible peel others	0,1
Cucurbits inedible peel others	0,1
Cultivated mushrooms	0,1
Currants (Black, Red and White)	0,1
Dates	0,1
Dewberries	0,1
Early potatoes	0,1
Fennel	0,1
Figs	0,1
Flowering brassicas others	0,1
Garlic	0,1
Gherkins	0,1
Globe artichoke	1
Gooseberry	0,1
Grapefruit	0,1
Hazelnuts	0,2
Head brassicas others	0,1
Head cabbages	0,1
Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kohlrabi	0,1
Kumquats	0,1
Lamb's lettuce	0,1
Leafy brassicas others	0,1
Leeks	0,1
Legume vegetables fresh others	0,1
Lemons	0,1
Lentils	0,1
Lettuce	0,1
Lettuce and similar others	0,1
Limes	0,1
Linseed	0,2
Litchis	0,1
Loganberries	0,1
Macadamia Nuts	0,2
Maize	0,1
Mandarins	0,1

Column 1	Column 2
Mangoes	0,1
Melons	0,1
Millet	0,1
Miscellaneous Fruit Others	0,1
Mustard seed	0,2
Oats	0,2
Oilseeds others	0,2
Olives	0,1
Onions	0,5
Oranges	0,1
Papaya	0,1
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,1
Peaches	0,1
Peanuts	0,2
Pears	0,1
Peas	0,1
Peas (with pods)	0,1
Peas (without pods)	0,1
Pecans	0,2
Peppers	0,5
Pine Nuts	0,2
Pineapples	3
Pistachios	0,2
Plums	0,1
Pome Fruit Others	0,1
Pomegranates	0,1
Pomelo	0,1
Poppy seeds	0,2
Pulses others	0,1
Quinces	0,1
Radishes	0,1
Rapeseed	0,2
Raspberries	0,1
Rhubarb	0,1
Rice	0,1
Root and Tuber Vegetables Others	0,1
Rye	0,2
Salsify	0,1
Scarole	0,1
Sesame seeds	0,2
Shallots	0,1
Small Fruit and Berries Others	0,1

B 1558

Column 1	Column 2
Solanacea others	0,1
Sorghum	0,1
Soya bean	0,2
Spinach	0,1
Spinach and similar (others)	0,1
Spring onion	1
Squashes	0,1
Stem vegetables fresh others	0,1
Stone Fruit Others	0,1
Strawberries	0,5
Sunflower seeds	0,2
Swedes	0,1
Sweet corn	0,1
Sweet potato	0,1
Table Grapes	2
Tea	0,2
Tomatoes	0,3
Tree Nuts Others	0,2
Triticale	0,2
Turnip	0,1
Walnuts	0,2
Ware potatoes	0,1
Watercress	0,1
Watermelons	0,1
Wheat	0,2
Wild Berries and Wild Fruit	0,1
Wild mushrooms	0,1
Wine Grapes	2
Witloof	0,1
Yams	0,1
TRIADIMEFON and TRIADIMENOL (sum of Triadimefon and Triadimenol)	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,1(*)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,2(*)
Almonds	
Brazil nuts	

Column 1	Column 2
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	0,2
Pears	
Quinces	
Others	0,1(*)
(iv) STONE FRUIT	0,1(*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	2
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,5
(c) Cane fruit (other than wild)	0,1(*)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	1
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0,1(*)
(vi) MISCELLANEOUS	
Avocados	
Bananas	0,2
Dates	
Figs	
Kiwi	

B 1560

Column 1	Column 2
Kumquats	
Litchis	
Mangoes	
Olives	
Papaya	
Passion fruit	
Pineapples	3
Pomegranate	
Others	0,1(*)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,1(*)
Beetroot	
Carrots	
Casava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	0,5
Shallots	
Spring onions	1
Others	0,1(*)
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,3
Peppers	0,5
Aubergines	
Others	0,1(*)
(b) Cucurbits - edible peel	0,1(*)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	0,1(*)
Melons	

Column 1	Column 2
Squashes	
Watermelons	
Others	
(d) Sweet corn	0,1(*)
(iv) BRASSICA VEGETABLES	0,1(*)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	0,1(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Rucola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,1(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	

B 1562

Column 1	Column 2
(vii)STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	1
Leek	
Rhubarb	
Others	0,1(*)
(viii)FUNGI	0,1(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,1(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,2(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	
5. Potatoes	0,1(*)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinesis</i>)	0,2(*)
7. Hops (dried), including hop pellets and unconcentrated powder	10
(*) Indicates the lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
TRIAZOPHOS	MRL (mg/kg)
CEREALS	0,02(*)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0,01(*)
(i) CITRUS FRUIT	
Grape fruit	
Lemons	

Column 1	Column 2
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	

B 1564

Column 1	Column 2
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Others	
2. Vegetables, fresh or uncooked, frozen or dry	0,01(*)
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	

Column 1	Column 2
Okra	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	
(a) Flowering brassica	
Broccoli	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	

B 1566

Column 1	Column 2
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES (fresh)	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,01(*)
Beans	
Lentils	
Peas	
Others	
4. Oil seeds	0,01(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,01(*)
Early potatoes	
Ware potatoes	
6. Tea (leaves and stems, dried, fermented or other-wise, from the leaves of <i>Camellia sinesis</i>)	0,02(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0,02(*)
(*) Indicates lower limit of analytical determination.	

Column 1	Column 2
TRICHLORFON	MRL (mg/kg)
Almonds	0,5
Apples	0,5
Apricots	0,5
Asparagus	0,5
Aubergine	0,5
Avocados	0,5
Bananas	0,5
Barley	0,1
Beans (with pods)	0,5
Beans (without pods)	0,5
Beet leaves (chard)	0,5
Beetroot	0,5
Bilberries	0,5
Blackberries	0,5
Brazil Nuts	0,5
Brussels sprouts	0,5
Buckwheat	0,1
Bulb Vegetables others	0,5
Cane Fruit Others	0,5
Cardoons	0,5
Carrots	0,5
Cashew Nuts	0,5
Cauliflower	0,5
Celeriac	0,5
Celery leaves	0,5
Cereals others	0,1
Cherries	0,5
Chervil	0,5
Chestnuts	0,5
Chinese cabbage	0,5
Chives	0,5
Citrus Fruit Others	0,5
Coconuts	0,5
Cranberries	0,5
Cress	0,5
Cucumbers	0,5
Cultivated mushrooms	0,5
Currants (Black, Red and White)	0,5
Dates	0,5
Dewberries	0,5
Fennel	0,5
Figs	0,5
Garlic	0,5

B 1568

Column 1	Column 2
Gherkins	0,5
Globe artichoke	0,5
Gooseberry	0,5
Grapefruit	0,5
Hazelnuts	0,5
Head brassicas others	0,5
Head cabbages	0,5
Herbs others	0,5
Horseradish	0,5
Jerusalem artichoke	0,5
Kale	0,5
Kiwi Fruit	0,5
Kumquats	0,5
Lamb's lettuce	0,5
Leafy brassicas others	0,5
Leeks	0,5
Legume vegetables fresh others	0,5
Lemons	0,5
Lettuce	0,5
Lettuce and similar others	0,5
Limes	0,5
Litchis	0,5
Loganberries	0,5
Macadamia Nuts	0,5
Maize	0,1
Mandarins	0,5
Mangoes	0,5
Melons	0,5
Millet	0,1
Miscellaneous Fruit Others	0,5
Oats	0,1
Olives	0,5
Onions	0,5
Oranges	0,5
Parsley	0,5
Parsley root	0,5
Parsnips	0,5
Passion Fruit	0,5
Peaches	0,5
Pears	0,5
Peas (with pods)	0,5
Peas (without pods)	0,5
Pecans	0,5
Peppers	0,5
Pine Nuts	0,5

Column 1	Column 2
Pineapples	0,5
Pistachios	0,5
Plums	0,5
Pome Fruit Others	0,5
Pomegranates	0,5
Pomelo	0,5
Quinces	0,5
Radishes	0,5
Raspberries	0,5
Rice	0,1
Root and Tuber Vegetables Others	0,5
Rye	0,1
Salsify	0,5
Scarole	0,5
Shallots	0,5
Small Fruit and Berries Others	0,5
Sorghum	0,1
Spinach	0,5
Spring onion	0,5
Stone Fruit Others	0,5
Strawberries	0,5
Swedes	0,5
Sweet potato	0,5
Table Grapes	0,5
Tomatoes	0,5
Tree Nuts Others	0,5
Triticale	0,1
Turnip	0,5
Walnuts	0,5
Watermelons	0,5
Wheat	0,1
Wild Berries and Wild Fruit	0,5
Wild mushrooms	0,5
Wine Grapes	0,5
Witloof	0,5
Yams	0,5
TRIDEMORPH	MRL (mg/kg)
Almonds	0,1
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05

B 1570

Column 1	Column 2
Barley	0,2
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,1
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,1
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,1
Cotton seed	0,1
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05

Column 1	Column 2
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,1
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	0,2
Oilseeds others	0,1
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05

B 1572

Column 1	Column 2
Peanuts	0,1
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,1
Peppers	0,05
Pine Nuts	0,1
Pineapples	0,05
Pistachios	0,1
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,1
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,1
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,1
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	20

Column 1	Column 2
Tomatoes	0,05
Tree Nuts Others	0,1
Triticale	0,05
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
TRIFLOXY-STROBIN	
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,3(p)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	0,02(*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,5(p)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	1(p)

B 1574

Column 1	Column 2
Cherries	1(p)
Peaches (including nectarines and similar hybrids)	1(p)
Plums	0,2(p)
Others	0,02(*) (p)
(v) BERRIES & SMALL FRUIT	
(a) Table and wine grapes	5(p)
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,02(*) (p)
(c) Cane Fruit (other than wild)	0,02(*) (p)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	1(p)
Gooseberries	1(p)
Others	0,02(*) (p)
(e) Wild berries and wild fruit	0,02(*) (p)
(vi) MISCELLANEOUS	
Avocados	
Bananas	0,05(p)
Dates	
Figs	
Kiwi	
Kumquats	
Lychees	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	0,02(*) (p)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,02(*) (p)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	

Column 1	Column 2
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,02(*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITION VEGETABLES	
(a) Solanacea	
Tomatoes	0,5(p)
Peppers	
Aubergines	
Okra	
Others	0,02(*) (p)
(b) Cucurbits - edible peel	0,2(p)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	0,3(p)
Squashes	
Watermelons	
Others	0,02(*) (p)
(d) Sweet corn	0,02(*) (p)
(iv) BRASSICA VEGETABLES	0,02(*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	

B 1576

Column 1	Column 2
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES & FRESH HERBS	0,02(*) (p)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	
Beans (with pods)	0,5(p)
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	0,02(*) (p)
(vii) STEM VEGETABLES (fresh)	0,02(*) (p)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,02(*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,02(*) (p)
Beans	
Lentils	

Column 1	Column 2
Peas	
Lupins	
Others	
4. Oilseeds	0,05(*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Others	
5. Potatoes	0,02(*) (p)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,05(*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	30(p)
(*) Indicates lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
TRIFLOXYSTROBIN	
Barley	0,3 (p)
Rye	0,05 (p)
Triticale	0,05 (p)
Wheat	0,05 (p)
other Cereals	0,02 (*) (p)
(*) Indicates lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/414/EEC: unless amended, this level will become definitive with effect from 24 June 2009.	
TRIFLOXYSTROBIN	
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	0,3 (p)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	

B 1578

Column 1	Column 2
(ii) TREE NUTS (shelled or unshelled)	0,02 (*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,5 (p)
Apples	
Pears	
Quinces	
(iv) STONE FRUIT	
Apricots	1 (p)
Cherries	1 (p)
Peaches (including nectarines and similar hybrids)	1 (p)
Plums	
Others	0,02 (*) (p)
(v) BERRIES & SMALL FRUIT	
(a) Table and wine grapes	5 (p)
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0,02 (*) (p)
(c) Cane Fruit (other than wild)	0,02 (*) (p)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	1 (p)
Gooseberries	1 (p)
Others	0,02 (*) (p)
(e) Wild berries and wild fruit	0,02 (*) (p)
(vi) MISCELLANEOUS	
Avocados	
Bananas	0,05 (p)
Dates	

Column 1	Column 2
Figs	
Kiwifruit	
Kumquats	
Lychees	
Mangoes	
Olives	
Passion fruit	
Pineapples	
Papaya	
Others	0,02 (*) (p)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	
Beetroot	
Carrots	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,02 (*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITING VEGETABLES	
(a) Solanacea	
Tomatoes	0,5 (p)
Peppers	
Aubergines	
Others	0,02 (*) (p)
(b) Cucurbits - edible peel	0,2 (p)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	0,3 (p)

B 1580

Column 1	Column 2
Squashes	
Watermelons	
Others	0,02 (*) (p)
(d) Sweet corn	0,02 (*) (p)
(iv) BRASSICA VEGETABLES	0,02 (*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES & FRESH HERBS	0,02 (*) (p)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,02 (*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
(vii) STEM VEGETABLES (fresh)	0,02 (*) (p)
Asparagus	
Cardoons	

Column 1	Column 2
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	0,02 (*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
3. Pulses	0,02 (*) (p)
Beans	
Lentils	
Peas	
Others	
4. Oilseeds	0,5 (*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	
Mustard seed	
Cotton seed	
Others	
5. Potatoes	0,02 (*) (p)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,05 (*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	30 (p)
(*) Indicates lower limit of analytical determination.	
(p) Indicates provisional maximum residue level in accordance with Article 4(1)(f) of Directive 91/414/EEC: unless amended, this level will become definitive with effect from 24 June 2009.	
TRIFLURALIN	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Artichokes	0,05
Asparagus	0,05
Barley	0,01
Beans (without pods)	0,05
Brassica vegetables others	0,05
Bulb vegetables	0,05
Canola	0,15

B 1582

Column 1	Column 2
Carrots	0,15
Celery	0,05
Citrus fruits	0,05
Cotton	0,15
Endives	0,05
Fennel	0,05
French beans	0,05
Gherkins	0,05
Grapes	0,05
Leeks	0,05
Lettuce	0,05
Melons	0,05
Mint	0,05
Parsley	0,05
Peanuts	0,15
Pears	0,05
Peas (without pods)	0,05
Potatoes	0,05
Rapeseed	0,15
Red chicory	0,05
Rye	0,01
Scarole	0,05
Solanacea others	0,05
Soya bean	0,15
Stone fruit	0,05
Strawberries	0,05
Sunflowers	0,15
Watermelons	0,05
Wheat	0,01
TRIFORINE	MRL (mg/kg)
Almonds	0,05
Apples	2
Apricots	2
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,1
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05

Column 1	Column 2
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	2
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,5
Cranberries	0,05
Cress	0,05
Cucumbers	0,5
Cucurbits edible peel others	0,5
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	2
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,5
Globe artichoke	0,05
Gooseberry	2
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05

B 1584

Column 1	Column 2
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,1
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	2
Peanuts	0,05
Pears	2
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05

Column 1	Column 2
Pineapples	0,05
Pistachios	0,05
Plums	1
Pome Fruit Others	2
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	2
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,1
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,1
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05

B 1586

Column 1	Column 2
Wheat	0,1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
TRIMETHYL-SULFONIUM cation resulting from the use of glyphosate	MRL (mg/kg)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	
(i) CITRUS FRUIT	
Grape fruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	0,5(p)
Oranges	0,5(p)
Pomelos	
Others	0,05(*) (p)
(ii) TREE NUTS (shelled or unshelled)	0,05(*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
(iii) POME FRUIT	0,05(*) (p)
Apples	
Pears	
Quinces	
Others	
(iv) STONE FRUIT	
Apricots	0,05(*) (p)
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) BERRIES AND SMALL FRUIT	0,05(*) (p)
(a) Table and wine grapes	
Table grapes	

Column 1	Column 2
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) MISCELLANEOUS	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	1(p)
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	0,05(*) (p)
2. Vegetables, fresh or uncooked, frozen or dry	
(i) ROOT AND TUBER VEGETABLES	0,05(*) (p)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	

B 1588

Column 1	Column 2
Turnips	
Yam	
Others	
(ii) BULB VEGETABLES	0,05(*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
(iii) FRUITION VEGETABLES	0,05(*) (p)
(a) Solanacea	
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
(b) Cucurbits - edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits - inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) BRASSICA VEGETABLES	0,05(*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) LEAF VEGETABLES AND FRESH HERBS	0,05(*) (p)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	

Column 1	Column 2
Lettuce	
Scarole (broadleaf endive)	
Ruccola	
Leaves and stems of brassica	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Watercress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) LEGUME VEGETABLES (fresh)	0,05(*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) STEM VEGETABLES	0,05(*) (p)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leek	
Rhubarb	
Others	
(viii) FUNGI	
(a) Cultivated mushrooms	0,05(*) (p)
(b) Wild mushrooms	20(p)
3. Pulses	0,05(*) (p)
Beans	
Lentils	
Peas	
Lupins	
Others	
4. Oil seeds	
Linseed	
Peanuts	
Poppy seed	

B 1590

Column 1	Column 2
Sesame seed	
Sunflower seed	
Rape seed	
Soya bean	10(p)
Mustard seed	
Cotton seed	
Hemp seed	
Others	0,05(*) (p)
5. Potatoes	0,05(*) (p)
Early potatoes	
Ware potatoes	
6. Tea (dried leaves and stalks, fermented or other-wise, <i>Camellia sinesis</i>)	0,05(*) (p)
7. Hops (dried), including hop pellets and unconcentrated powder	0,05(*) (p)
(*) Indicates lower limit of analytical determination.	
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.	
VINCLOZIN	MRL (mg/kg)
Almonds	0,05
Apples	1
Apricots	2
Asparagus	0,05
Aubergine	3
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,5
Beans (with pods)	2
Beans (without pods)	0,5
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	5
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	1
Cane Fruit Others	5
Cardoons	0,05
Carrots	0,5
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05

Column 1	Column 2
Celery leaves	0,05
Cereals others	0,05
Cherries	0,5
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	2
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	1
Cranberries	0,05
Cress	5
Cucumbers	1
Cucurbits edible peel others	1
Cucurbits inedible peel others	1
Cultivated mushrooms	0,05
Currants (Black, Red and White)	10
Dates	0,05
Dewberries	5
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	1
Gherkins	1
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	10
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	5
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05

B 1592

Column 1	Column 2
Lettuce	5
Lettuce and similar others	5
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	5
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	1
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	1
Oranges	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	1
Peas	0,5
Peas (with pods)	2
Peas (without pods)	0,3
Pecans	0,05
Peppers	3
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	2
Pome Fruit Others	1
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	1
Radishes	0,05
Rapeseed	1
Raspberries	5
Rhubarb	0,05

Column 1	Column 2
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	5
Sesame seeds	0,05
Shallots	1
Small Fruit and Berries Others	0,05
Solanacea others	3
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	1
Squashes	1
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	5
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	5
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	1
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	5
Witloof	2
Yams	0,05
ZINEB	MRL (mg/kg)
Almonds	0,1
Apples	3
Apricots	2
Asparagus	0,05
Aubergine	2

B 1594

Column 1	Column 2
Avocados	0,05
Bananas	0,05
Barley	2
Beans	0,05
Beans (with pods)	1
Beans (without pods)	0,1
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	1
Brussels sprouts	1
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,2
Cashew Nuts	0,1
Cauliflower	1
Celeriac	0,2
Celery	0,5
Celery leaves	5
Cereals others	0,05
Cherries	1
Chervil	5
Chestnuts	0,1
Chinese cabbage	0,5
Chives	5
Citrus Fruit Others	5
Coconuts	0,1
Cotton seed	0,1
Courgettes	2
Cranberries	0,05
Cress	5
Cucumbers	0,5
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,5
Cultivated mushrooms	0,05
Currants (Black, Red and White)	5
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05

Column 1	Column 2
Flowering brassicas others	1
Garlic	0,5
Gherkins	2
Globe artichoke	0,05
Gooseberry	5
Grapefruit	5
Hazelnuts	0,1
Head brassicas others	1
Head cabbages	1
Herbs others	5
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,5
Kiwi Fruit	0,05
Kohlrabi	0,1
Kumquats	0,05
Lamb's lettuce	5
Leafy brassicas others	0,5
Leeks	3
Legume vegetables fresh others	0,05
Lemons	5
Lentils	0,05
Lettuce	5
Lettuce and similar others	5
Limes	5
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	5
Mangoes	0,05
Melons	0,5
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	2
Oilseeds others	0,1
Olives	5
Onions	0,5
Oranges	5
Parsley	5
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05

B 1596

Column 1	Column 2
Peaches	2
Peanuts	0,1
Pears	3
Peas	0,05
Peas (with pods)	1
Peas (without pods)	0,1
Pecans	0,1
Peppers	2
Pine Nuts	0,1
Pineapples	0,05
Pistachios	0,1
Plums	1
Pome Fruit Others	3
Pomegranates	0,05
Pomelo	5
Poppy seeds	0,1
Pulses others	0,05
Quinces	3
Radishes	0,2
Rapeseed	0,5
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	1
Salsify	0,2
Scarole	5
Sesame seeds	0,1
Shallots	0,5
Small Fruit and Berries Others	0,05
Solanacea others	2
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,5
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	2
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	2

Column 1	Column 2
Tea	0,1
Tomatoes	3
Tree Nuts Others	0,1
Triticale	0,05
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,3
Watermelons	0,5
Wheat	1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine grapes	2
Witloof	0,2
Yams	0,05
ZIRAM	MRL (mg/kg)
Almonds	2
Cereals	2
Citrus fruits	5
Currants	5
Fruit others	0,05
Gooseberries	5
Grapes	2
Herbs others (fresh)	5
Leeks	3
Lettuce and similars	5
Olives	5
Pome fruits	3
Pulses	2
Stone fruit	2
Strawberries	2
Tabacco (fresh)	2
Tomatoes	3
Vegetables others	0,2".