

Na osnovu člana 30 stav 1 Zakona o sredstvima za zaštitu bilja („Službeni list CG” br. 51/08 i 18/14), Uprava za bezbjednost hrane, veterinu i fitosanitarne poslove utvrdila je

**LISTU
AKTIVNIH SUPSTANCI DOZVOLJENIH ZA UPOTREBU U SREDSTVIMA ZA
ZAŠTITU BILJA ZA 2020. GODINU***

1. Lista aktivnih supstanci dozvoljenih za upotrebu u sredstvima za zaštitu bilja:

Redni broj	Naziv aktivne supstance, identifikacioni brojevi / Common Name, Identification Numbers CAS (Chemical Abstracts Service) CIPAC (Collaborative International Pesticides Analytical Council)	Čistoća / Purity	IUPAC (International Union of Pure and Applied Chemistry) naziv	Namjena / Category	Rok odobrenja / Expiration of inclusion Napomena
1.	1- metilciklopropen CG/ 1- methylcyclopropene EN CAS N°3100-04-7; CIPAC N° Nije određen	≥ 980 g/kg (tehnički koncentrat) Sledeće nečistoće izazivaju zabrinutost u toksikološkom smislu i ne smiju prelaziti sljedeću granicu u tehničkom materijalu (tehnički koncentrat): — 1-hloro-2-metilpropen: najviše 0,2 g/kg, — 3-hloro-2-metilpropen: najviše 0,2 g/kg. Za 1-metilciklopropen dobijen in situ toksikološki su relevantne nečistoće heptan i metilcikloheksan. Te nečistoće ne bi trebale iznositi više od 10 %.	1-methylcyclopropene	PG	31/07/2034 Dopušten za upotrebu isključivo kao sredstvo za regulisanje rasta biljaka, za skladištenje nakon berbe u skladištima koja se mogu hermetički zatvoriti.
2.	(E,Z,Z)-3,8,11-Tetradecatrien-1-yl acetat and (E,Z)-3,8-Tetradecadien-1-yl acetat CG/ (E,Z,Z)-3,8,11-Tetradecatrien-1-yl acetate and (E,Z)-3,8-Tetradecadien-1-yl acetate EN CAS N° nije primjenljivo	≥ 750,3 g/kg + 86,6 g/kg	Mixture of (3E,8Z,11Z)- tetradeca-3,8,11- trien-1-yl acetate and (3E,8Z)-tetradeca3,8-dien-1-yl acetate	IT	31/08/2020
3.	(E/Z)- 9-Dodecen-1- yl-acetat CG/ (E/Z)- 9-Dodecen-1- yl-acetate EN CAS N° 16974-34-8	≥ 980 g/kg	(E/Z)-9-Dodecenylyl acetate	AT	31/08/2020
4.	(Z,E)-9,11-tetradecadien-1-yl acetat CG/ (Z,E)-9,11-tetradecadien-1-ylacetate EN CAS N° 50767-79-8	≥ 945 g/kg	(Z,E)-9,11-tetradecadienyl-yl-acetate	IT	31/08/2020
5.	Z,E-9,12-tetradecadien-1-ylacetat CG/ Z,E-9,12-tetradecadien-1-ylacetate EN CAS N° 34010-21-4		(Z, E)-9, 12-tetradecadien-1-yl acetate	AT	31/08/2020
6.	Z,Z-3,13-Oktadecadienil Acetat CG/ Z,Z-3,13-Octadecadienyl Acetate EN CAS N°53120-27-7	≥ 870 g/kg < 5 g/kg of the additive BHT [2,6-di(1,1-dimethylethyl)-4-methylphenol]	(3Z,13Z)-Octadeca3,13-dienyl acetate	AT	31/08/2020
7.	2,4-D CG/ 2,4-D EN CAS N° 94-75-7; CIPAC N° 1	960 g/kg	(2,4-dichlorophenoxy) acetic acid	HB, PG	31/12/2030
8.	2,4-DB CG/ 2,4-DB EN CAS N° 94-82-6; CIPAC N° 83	940 g/kg	4-(2,4-dichlorophenoxy) butyric acid	HB	31/10/2032
9.	ABE-IT 56 CG/ ABE-IT 56 CG (components of lysate of Saccharomyces cerevisiae strain DDSF623)	1 000 g/kg	Nije primjenljivo	FU	20/05/2034
10.	Abamektin CG/ Abamectin EN CAS N° 71751-41-2 (abamectin) 65195-55-3 (avermectin B1a) 65195-56-4 (avermectin B1b) CIPAC N° 495	≥ 850 g/kg	Avermectin B1a (10E,14E,16E,22Z)-(1R,4S,5S,6S,6R,8R,12S,13S,20R,21R,24S)-6'-[(S)-sec-butyl]-21,24-dihydroxy-5',11,13,22-tetramethyl-2-oxo-3,7,19-trioxatetracyclo[15.6.1.14.8.020,24]pentacos-10,14,16,22-tetraene-6-spiro-2'-(5',6'-dihydro-2H-pyran)-12-yl 2,6-dideoxy-4-O-(2,6-dideoxy-3-O-methyl-α-L-arabino-hexopyranosyl)-3-O-methyl-α-L-arabino-hexopyranoside Avermectin B1b (10E,14E,16E,22Z)-(1R,4S,5S,6S,6R,8R,12S,13S,20R,21R,24S)-21,24-dihydroxy-6'-isopropyl-5',11,13,22-tetramethyl-2-oxo-3,7,19-trioxatetracyclo[15.6.1.14.8.020,24]pentacos-10,14,16,22-tetraene-6-spiro-2'-(5',6'-dihydro-2H-pyran)-12-yl 2,6-dideoxy-4-O-(2,6-dideoxy-3-O-methyl-α-L-arabino-hexopyranosyl)-3-O-methyl-α-L-arabino-hexopyranoside	AC, IN	31/12/2020
11.	Acetamidrid CG/ Acetamidrid EN CAS N° 160430-64-8; CIPAC N° nije još dodjeljen	≥ 990 g/kg	(E)-N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-N1-methylacetamidine	IN	28/02/2033
12.	Acibenzolar-s-metil CG/ Acibenzolar-s-methyl EN CAS N° 135158-54-2; CIPAC N°597	970 g/kg	benzo[1,2,3]thiadiazole-7-carbothioic acid S-methyl ester	PA	31/03/2031
13.	Alfa-cipermetrin CG/ Alpha-cypermethrin EN CAS N° 67375-30-8; CIPAC N° 454	≥ 980 g/kg Proizvodna nečistoća heksana je toksikološki značajna i ne smije prelaziti 1 g/kg u tehničkom materijalu.	Racemate comprising: (R)-α-cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate and (S)-α-cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate ili	IN	31/10/2026 Mora se obratiti posebna pažnja na sledeće: -zaštitu korisnika sredstva i osigurati da uslovi upotrebe propisuju primjenu odgovarajućih osobnih zaštitnih sredstava;

			(R)- α -cyano-3-phenoxybenzyl-(1S)-cis-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate i (S)- α -cyano-3-phenoxybenzyl-(1R)-cis-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate		-procjenu rizika za potrošače; -zaštitu vodenih organizama, pčela i člankonožaca koji ne pripadaju ciljanoj grupi. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika.
14.	Aluminijum fosfid CG/ Aluminium phosphide EN CAS N° 20859-73-8; CIPAC N° 227	≥ 830 g/kg	Aluminium phosphide	IN, RO	31/08/2022
15.	Ametotradin CG/ Ametotradin EN CAS N° 865318-97-4 CIPAC N° 818	≥ 980 g/kg Nečistoće amitrole i o-xylene su toksikološke relevantnosti i ne smiju 50 g/kg i 2 g/kg u odnosnom u tehničkom materijalu.	5-ethyl-6-octyl [1,2,4]triazolo[1,5-a]pyrimidin-7-amine	FU	31/07/2023
16.	Amidosulfuron CG/ Amidosulfuron EN CAS N° 120923-37-7; CIPAC N° 515	≥ 970 g/kg	3-(4,6-dimethoxypyrimidin-2-yl)-1-(N-methyl-N-methylsulfonyl-aminosulfonyl)urea ili 1-(4,6-dimethoxypyrimidin-2-yl)-3-mesyl(methyl) sulfamoylurea	HB	31/12/2020
17.	Ampelomyces quisqualis Strain: AQ 10 CG/ Ampelomyces quisqualis Strain: AQ 10 EN culture collection N° CNCM I-807 CIPAC N° Nije dodijeljen		Nije primjenljivo	FU	31/07/2033
18.	Azimsulfuron CG/ Azimsulfuron EN CAS N° 120162-55-2; CIPAC N° 584	≥ 980 g/kg maksimalni nivo fenola 2 g/kg	1-(4,6-dimethoxypyrimidin-2-yl)-3-[1-methyl-4-(2-methyl-2H-tetrazol-5-yl)-pyrazol-5-ylsulfonyl]-urea	HB	31/12/2021
19.	Azoxystrobin CG/ Azoxystrobin EN CAS N° 131860-33-8; CIPAC N° 571	≥ 930 g/kg maks. sadržaja toluena 2 g/kg maks. sadržaj Z-izomera 25 g/kg	Methyl (E)-2-[2[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl]-3-methoxyacrylate	FU	31/12/2024
20.	Bacillus subtilis (Cohn 1872) CG/ Bacillus subtilis (Cohn 1872)EN Strain QST 713, identical with strain AQ 713 culture collection N° NRRL B -21661 ; CIPAC N° Nije dodijeljen		Nije primjenljivo	BA, FU	30/04/2020
21.	Bakar – hidroksid CG/ Copper hydroxide EN CAS N° 20427-59-2; CIPAC N° 44.305	≥ 573 g/kg	Copper (II) hydroxide	FU	31/12/2025
22.	Bakar – oksihlorid CG/ Copper oxychloride EN CAS N° 1332-40-7; CIPAC N° 44.602	≥ 550 g/kg	Dicopper chloride trihydroxide	FU	31/12/2025
23.	Bakar sulfat – trobazni CG/ Tribasic copper sulphate EN CAS N°12527-76-3; CIPAC N°44.306	≥ 490 g/kg Sljedeće nečistoće predstavljaju toksikološki rizik i ne smiju biti veće od: - Olovo max 0,0005 g/kg od ukupnog sadržaja bakra. - Kadmium max 0,0001 g/kg od ukupnog sadržaja bakra. - Arsen max 0,0001 g/kg od ukupnog sadržaja bakra. Sljedeće nečistoće predstavljaju toksikološki rizik i ne smiju biti veće od: Arsen max. 0,1 mg / g Cu Kadmijum max. 0,1 mg / g Cu Olovo max. 0,3 mg / g Cu Nikal max. 1 mg / g Cu Kobalt max. 3 mg / kg Živa max. 5 mg / kg Hrom max. 100 mg / kg Antimon max. 7 mg / kg	Nije dodjeljen	FU	31/12/2025
24.	Bakarni oksid CG / Copper oxide EN CAS N° 1317-39-1; CIPAC N° 44.603	≥ 820 g/kg	Copper oxide	FU	31/12/2025
25.	Pivo CG/Beer EN CAS N° 8029-31-0	Food grade quality / <i>Ocjena kvaliteta hrane?</i>	Not relevant / Nije relevantan	MO	
26.	Beflubutamid CG/ Beflubutamid EN CAS N° 113614-08-7; CIPAC N° 662	≥ 970 g/kg	(RS)-N-benzyl-2-(4-fluoro-3-trifluoromethylphenoxy) butanamide	HB	31/07/2020
27.	Benalaksil CG/ Benalaxyl EN CAS N° 71626-11-4; CIPAC N° 416	960 g/kg	Methyl N-phenylacetyl-N-2, 6-xylyl-DL-alaninate	FU	31/07/2020
28.	Benalaxyl-M CG / Benalaxyl-M EN CAS No 98243-83-5; CIPAC No 766	≥ 950 g/kg	Methyl N-(phenylacetyl)-N-(2,6-xylyl)-D-alaninate	FU	30/04/2024
29.	Bentazon CG/ Bentazone EN CAS N° 25057-89-0; CIPAC N° 366	960 g/kg	3-isopropyl-(1H)-2,1,3-benzothiadiazin-4-(3H)-one-2,2-dioxide	HB	31/05/2025
30.	Benzoik acid CG/ Benzoic acid EN CAS N° 65-85-0; CIPAC N° 622	990 g/kg	benzoic acid	BA, FU, OT	31/08/2032
31.	Beta-ciflutrin CG/ Beta-cyfluthrin EN CAS N° 68359-37-5; CIPAC N° 482	965 g/kg	(1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylic acid (SR)- α -cyano- (4-fluoro-3-phenoxy-phenyl) methyl ester	IN	31/10/2020
32.	Bifenazat CG/ Bifenazate EN CAS N° 149877-41-8; CIPAC N° 736	≥ 950 g/kg	Isopropyl 2-(4-methoxybiphenyl-3-yl)hydrazinofornate	AC	31/07/2020
33.	Biljno ulje – ulje uljane repice CG/ Plant oils - Rape seed oil EN CAS N° 8002-13-9; CIPAC N° nije još dodjeljen	Ulje uljane repice je kompleks mješavina masnih kisjelina	Rape seed oil	IN	31/08/2020
34.	Bordovska mješavina CG / Bordeaux mixture ENG CAS N° 8011-63-0 CIPAC N° 44.604	≥ 245 g/kg	Nije primjenljivo	FU	31/12/2025
35.	Boskalid CG/ Boscalid EN CAS N° 188425-85-6; CIPAC N° 673	≥ 960 g/kg	2-Chloro-N-(4'-chlorobiphenyl-2-yl) nicotinamide	FU	31/07/2020
36.	Bromadiolon CG/ Bromadiolone EN CAS N° 28772-56-7; CIPAC N° 371	≥ 970 g/kg	3-[(1RS,3RS;1RS,3SR)- 3-(4'-bromobiphenyl-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-coumarin	RO	31/05/2021
37.	Bromoksinil CG/ Bromoxynil EN CAS N° 1689-84-5; CIPAC N° 87	970 g/kg	3,5 dibromo-4- hydroxybenzotrile	HB	31/07/2020
38.	Buprofezin CG/ Buprofezin EN CAS N° 953030-84-7; CIPAC N° 681	≥ 985 g/kg	(Z)-2-tert-butylimino-3- isopropyl-5-phenyl-1,3,5- thiadiazinan-4-one	IN	31/01/2023

39.	Carfentrazon-etil CG/ Carfentrazone-ethyl EN CAS N° 128639-02-1 CIPAC N° 587 (carfentrazone) 587.202 (carfentrazone-ethyl)	≥ 910 g/kg	Ethyl (RS)-2-chloro-3-[2-chloro-4-fluoro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]phenyl]propionate	HB	31/07/2033
40.	Ciazofamid CG/ Cyazofamid EN CAS N° 120116-88-3; CIPAC N° 653	935 g/kg	4-chloro-2cyano-N,N-dimethyl-5-P-tolylimidazole -1-sulfonamide	FU	31/07/2020
41.	Cikloksidim CG/Cycloxydim EN CAS No 101205-02-1 CIPAC No 510	≥ 940 g/kg	(SRS)-2-[(EZ)-1-(ethoxyimino)butyl]-3-hydroxy-5-[(3RS)-thian-3-yl]cyclohex-2-en-1-one	HB	31/05/2023
42.	Cimoksanil CG/ Cymoxanil EN CAS N° 57966-95-7; CIPAC N° 419	≥ 970 g/kg	1-[(E/Z)-2-cyano-2-methoxyiminoacetyl]-3-ethylurea	FU	31/08/2021
43.	Cipermetrin CG/ Cypermethrin EN CAS N° 52315-07-8; CIPAC N° 332	900 g/kg	(RS)-α-cyano-3 phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2 dimethylcyclopropane carboxylate (4 isomer pairs: cis-1, cis-2, trans-3, trans-4)	IN	31/10/2020
44.	Ciprodinil CG/ Cyprodinil EN CAS N°121522-61-2; CIPAC N° 511	≥ 950 g/kg	(4-cyclopropyl-6-methyl-pyrimidin-2-yl)-phenyl-amine	FU	30/04/2020
45.	Ciram CG/ Ziram EN CAS N° 137-30-4; CIPAC N° 31	950 g/kg (FAO specifikacija) - arsenika: maximum 250 mg/kg - vode: maximum 1,5 %	Zinc bis (dimethylthiocarbamate)	FU, RE	30/04/2020
46.	Clonostachys rosea soj J1446 CG/ Clonostachys rosea strain J1446CG Referentni broj u zbirci kultura Njemačke zbirke mikroorganizama i staničnih kultura (DSMZ): DSMZ 921	Nije primjenjivo Sadržaj gliotoksina: najviše 50 µg/kg tehnički čiste MCPA-e.	Nije primjenjivo	FU	31/03/2034 Mora se obratiti posebna pažnja na sledeće: -specifikaciju proizvedenog tehničkog materijala u sredstvima za zaštitu bilja, uključujući detaljan opis mogućih metabolita koji izazivaju zabrinutost, -zaštitu korisnika sredstva i radnika, uzimajući u obzir to da se smatra da mikroorganizmi mogu izazvati preosjetljivost, te obezbijediti u uslovi upotrebe uključuju primjenu odgovarajuće lične zaštite, Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika.
47.	Coniothyrium minitans CG/ Coniothyrium minitans EN Strain CON/M/91-08 (DSM 9660); CIPAC N° 614		Nije primjenljivo	FU	31/07/2032
48.	Cydia pomonella Granulovirus CG / Cydia pomonella Granulovirus EN	Kontaminirajući mikroorganizmi (<i>Bacillus cereus</i>) < 1 × 10 ⁶ CFU/g	Nije primjenljivo	IN	30/04/2020
49.	Daminozid CG/ Daminozide EN CAS N° 1596-84-5; CIPAC N° 330	990 g/kg Nečistoće: - N-nitrosodimethylamine: ne više od 2,0 mg/kg - 1,1-dimethylhydrazide: ne više od 30 mg/kg	N-dimethylaminosuccinamic acid	PG	31/10/2020
50.	Dazomet CG/ Dazomet EN CAS N° 533-74-4; CIPAC N° 146	≥ 950 g/kg	3,5-dimethyl-1,3,5-thiadiazinane-2-thione or tetrahydro-3,5-dimethyl-1,3,5-thiadiazine-2-thione	NE, FU, HB, ST	31/05/2023
51.	Deltametrin CG/ Deltamethrin EN CAS N° 52918-63-5; CIPAC N° 333	980 g/kg	(S)-α-cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropane carboxylate	IN	31/10/2020
52.	Difenokonazol CG/ Difenconazole EN CAS N° 119446-68-3; CIPAC N° 687	≥ 940 g/kg	3-chloro-4-[(2RS,4RS;2RS,4SR)-4-methyl-2-(1H-1,2,4-triazol-1-ylmethyl)-1,3-dioxolan-2-yl]phenyl-4-chlorophenyl ether	FU	31/12/2020
53.	Diflubenzuron CG/ Diflubenzuron EN CAS N° 35367-38-5; CIPAC N° 339	≥ 950 g/kg Nečistoća: max. 0,03 g/kg 4-chloroaniline	1-(4-chlorophenyl)-3-(2,6-difluorobenzoyl)urea	IN	31/12/2020
54.	Diflufenikan CG/ Diflufenican EN CAS N° 83164-33-4; CIPAC N° 462	≥ 970 g/kg	2',4'-difluoro-2-(α,α,α-trifluoromtolyl)nicotinamide	HB	31/12/2020
55.	Dihlorprop-P CG/ Dichlorprop-P EN CAS N° 15165-67-0; CIPAC N° 476	≥ 900 g/kg	(R)-2-(2,4-dichlorophenoxy)propanoic acid	HB	30/04/2020
56.	Dikamba CG/ Dicamba EN CAS N° 1918-00-9; CIPAC N° 85	≥ 850 g/kg	3,6-dichloro-2-methoxybenzoic acid	HB	31/12/2020
57.	Dimetenamid-p CG / Dimethenamid-p EN CAS N° 163515-14-8; CIPAC N°638	890 g/kg (prelimenarno) ≥ 930 g/kg Sledeća nečistoća izaziva zabrinutost u toksikološkom smislu i ne smije prelaziti sljedeću granicu u tehničkom materijalu: 1,1,1,2-tetrakloreten (TCE): ≤ 1,0 g/kg	S-2-chloro-N-(2,4-dimethyl-3-thienyl)-N-(2-methoxy-1-methylethyl)-acetamide	HB	31/08/2034 Posebna pažnja mora se obratiti na sledeće: -zaštitu operatera i radnika tako da uslovi upotrebe po potrebi uključuju primjenu odgovarajuće lične zaštitne opreme, -zaštitu podzemnih voda, posebno u pogledu metabolita dimetenamida-P, -zaštitu vodenih organizama i malih sisara biljojeda. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika.
58.	Dimetoat CG/ Dimethoate EN CAS N°60-51-5; CIPAC N° 59	≥ 950 g/kg Nečistoća: - omethoate: ne više od 2 g/kg - isodimethoate: ne više od 3 g/kg	O,O-Dimethyl-S-(N-methylcarbamoylmethyl) phosphorodithioate; 2-Dimethoxy-phosphinothioylthio-N-methylacetamide	IN, AC	31/12/2020 osim za višnje i trešnje
59.	Dimetomorf CG/ Dimethomorph EN CAS N°110488-70-5; CIPAC N°483	≥ 965 g/kg	(E,Z) 4-[3-(4-chlorophenyl)-3-(3,4 dimethoxyphenyl)acryloyl]morpholine	FU	31/07/2020
60.	Dimokistrobin CG/ Dimoxystrobin EN CAS N° 149961-52-4; CIPAC N° 739	≥ 980 g/kg	(E)-o-(2,5-dimethylphenoxy)methyl-2-methoxyimino-N-methylphenylacetamide	FU	31/01/2021
61.	Ditianon CG/ Dithianon EN CAS N° 3347-22-6; CIPAC N° 153	≥ 930 g/kg	5,10-dihydro-5,10-dioxonaphtho[2,3-b]-1,4-dithiine-2,3-dicarbonitrile	FU	31/05/2024
62.	Dodin CG/ Dodine EN CAS N° 2439-10-3; CIPAC N° 101	≥ 950 g/kg	1-dodecyl-guanidinium acetate	FU	31/05/2024

63.	Epoksikonazol CG/ Epoxiconazole EN CAS N° 135319-73-2 (mekad 106325-08-0); CIPAC N° 609	≥ 920 g/kg	2RS, 3SR)-1-[3-(2-chlorophenyl)-2,3-epoxy-2-(4-fluorophenyl)propyl]-1H-1,2,4-triazole	FU	30/04/2020
64.	Esfenvalerate CG/ Esfenvalerate EN CAS N° 66230-04-4; CIPAC N° 481	830 g/kg	(S)-α-Cyano-3-phenoxybenzyl-(S)-2-(4-chlorophenyl)-3-methylbutyrate	IN	31/12/2022
65.	Etefon CG/ Ethephon EN CAS N° 16672-87-0; CIPAC N° 373	≥ 910 g/kg (technical material — TC) Fabričke nečistoće MEPHA (Mono 2-chloroethyl ester, 2-chloroethyl phosphonic acid) i 1,2-Dichloroethane predstavljaju toksikološki rizik i ne smiju preći 20 g/kg odnosno 0,5 g/kg u proizvodu.	2-chloroethylphosphonic acid	PG	31/07/2020
66.	Etofumesat CG/ Ethofumesate EN CAS N° 26225-79-6; CIPAC N° 233	960 g/kg	(±)-2-ethoxy-2,3-dihydro-3,3-dimethylbenzofuran-5-ylmethanesulfonate	HB	31/10/2031
67.	Famoksadon CG/ Famoxadone EN CAS N° 131807-57-3; CIPAC N° 594	960 g/kg	3-anilino-5-methyl-5-(4-phenoxyphenyl)-1,3-oxazolidine-2,4-dione	FU	30/06/2020
68.	Fenamifos CG/ Fenamiphos EN CAS N° 22224-92-6; CIPAC N° 692	≥ 940 g/kg	(RS)-ethyl 4-methylthio-m-tolyl isopropylphosphoramidate	NE	31/07/2020
69.	Fenazakvin CG/ Fenazaquin EN CAS N° 120928-09-8; CIPAC N° 693	≥ 975 g/kg	4-tert-butylphenethyl quinazolin-4-yl ether	IN, AC	31/05/2023 Primjenjivati samo u zatvorenom prostoru
70.	Fenbukonazol CG/ Fenbuconazole EN CAS N° 114369-43-6; CIPAC N° 694	≥ 965 g/kg	(R,S)4-(4-chlorophenyl)-2-phenyl-2-(1H-1,2,4-triazol-1-ylmethyl)butyronitrile	FU	30/04/2021
71.	Fenheksamid CG/ Fenhexamid EN CAS N° 126833-17-8; CIPAC N° 603	≥ 950 g/kg	N-(2,3-dichloro-4-hydroxyphenyl)-1-methylcyclohexanecarboxamide	FU	31/12/2030
72.	Fenmedifam CG/ Phenmedipham EN CAS N° 13684-63-4; CIPAC N° 77	Min. 970 g/kg	Methyl 3-(3-methylcarbaniloyloxy)carbanilate; 3-methoxycarbonylamino phenyl 3'-methylcarbanilate	HB	31/07/2020
73.	Fenoksaprop-P CG/ Fenoxaprop-P EN CAS N° 113158-40-0; CIPAC N° 484	≥ 920 g/kg	(R)-2-[4-[(6-chloro-2-benzoxazolyl)oxy]phenoxy]propanoic acid	HB	31/12/2020
74.	Fenoksikarb CG/ Fenoxycarb EN CAS N° 79127-80-3; CIPAC N° 425	≥ 970 g/kg Nečistoća:Toluene: max. 1 g/kg	Ethyl 2-(4-phenoxyphenoxy) ethyl carbamate	IN	31/05/2021
75.	Fenpiroksimat CG/ Fenpyroximate EN CAS N° 134098-61-6; CIPAC N° 695	> 960 g/kg	tert-butyl (E)-alpha-(1,3-dimethyl-5-phenoxypropyl)-4-ylmethyleamino-oxy)-ptoluate	AC	30/04/2020
76.	Ferik fosfat CG/ Ferric phosphate EN CAS N° 10045-86-0; CIPAC N° 629	990 g/kg	Ferric Phosphate	MO	31/12/2030
77.	Flazasulfuron CG/ Flazasulfuron EN CAS N° 104040-78-0; CIPAC N° 595	940 g/kg	1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-trifluoromethyl-2-pyridylsulphonyl)urea	HB	31/07/2032
78.	Florasulam CG/ Florasulam EN CAS N° 145701-23-1; CIPAC N° 616	970 g/kg	2', 6', 8'-Trifluoro-5-methoxy-[1,2,4]-triazolo [1,5-c] pyrimidine-2-sulfonanilide	HB	31/12/2030
79.	Florpirauksifen-benzil/Florpyrauxifen-benzil EN CAS No: 1390661-72-9 CIPAC No: 990.227	≥ 920 g/kg Nečistoća toluen ne smije prelaziti 3 g/kg u tehničkom materijalu.	benzyl 4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-5-fluoropyridine-2-carboxylate	IT	24/07/2029 mora se obratiti posebna pažnja na sledeće: - zaštita vodenog bilja i kopnenog bilja koje ne pripada ciljnoj grupi. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika, npr. zaštitne zone i/ili upotreba prskalica koje smanjuju zanošenje prilikom prskanja.
80.	Fluazifop-P CG/ Fluazifop-P EN CAS No 83066-88-0 (fluazifop-P); CIPAC No 467 (fluazifop-P)	≥ 900 g/kg in fluazifop- P-butyl Nečistoća 2-chloro-5-(trifluoromethyl) pyridine mne smije prelaziti 1,5 g/kg u proizvedenom materijalu.	(R)-2-[4-{5-(trifluoromethyl)-2-pyridyloxy]phenoxy) propionic acid (fluazifop-P)	HB	31/12/2023
81.	Fluazinam CG/ Fluazinam EN CAS N° 79622-59-6; CIPAC N° 521	≥ 960 g/kg Nečistoće: 5-chloro-N-(3-chloro-5-trifluoromethyl-2-pyridyl)-α,α,α-trifluoro-4,6-dinitro-o-toluidine — ne više od 2 g/kg	3-chloro-N-(3-chloro-5-trifluoromethyl-2-pyridyl)- α,α,α-trifluoro-2, 6-dinitro- p-toluidine	FU	28/02/2021
82.	Fludioksonil CG/ Fludioxonil EN CAS N° 131341-86-1; CIPAC N° 522	950 g/kg	4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1Hpyrrole-3-carbonitrile	FU	31/10/2020
83.	Flufenacet CG/ Flufenacet EN CAS N° 142459-58-3 ; CIPAC N° 588	950 g/kg	(N-(4-Fluoro-phenyl)-N-isopropyl-2-(5-trifluoromethyl-1,3,4)thiodiazol-2-yloxy)-acetamide	HB	31/10/2020
84.	Flumioksazin CG/ Flumioxazin EN CAS N° 103361-09-7; CIPAC N° 578	960 g/kg	N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboximide	HB	30/06/2020
85.	Flupikolid CG / Flupicolide EN CAS N° 239110-15-7; CIPAC N° 787	≥ 970 g/kg Nečistoća toluena ne smije premašiti u proizvodima 3 g/kg	2,6-dichloro-N-(3-chloro-5-(trifluoromethyl)-2-pyridylmethyl)benzamide	FU	31/05/2023
86.	Fluroksipir CG/ Fluroxyppyr EN CAS N° 69377-81-7; CIPAC N° 431	≥ 950 g/kg (fluroxyppyr-meptyl)	4-amino-3,5-dichloro-6-fluoro-2-pyridyloxyacetic acid	HB	31/12/2024
87.	Flutianil CG/Flutianil EN CAS No [958647-10-4] CIPAC No 835	≥ 985 g/kg	(Z)-[3-(2-methoxyphenyl)-1,3-thiazolidin-2-ylidene](α,α,α,4-tetrafluoro-m-tolylthio)acetone nitrile	FU	14 April 2029 posebnu pažnju obratiti na: - zaštita opratera i radnika, - rizik za vodene organizme, - rizik od podzemne vode od metabolita, ako se supstanca primenjuje u osjetljivom zemljištu ili klimatskim uslovima. Uslovi korišćenja uključuju mjere ublažavanja rizika, gde je to neophodno.
88.	Flutriafol CG/ Flutriafol EN CAS N° 76674-21-0; CIPAC N° 436	≥ 920 g/kg (racemate) Bitne nečistoće: - dimethyl sulphate: maksimalni sadržaj 0,1g/kg - dimethylformamide: maksimalni sadržaj 1 g/kg	(RS)-2,4'-difluoro-α-(1H-1,2,4-triazol-1-ylmethyl)benzhydriyl alcohol	FU	31/05/2024

		- methanol: maksimalni sadržaj 1 g/kg			
89.	Folpet CG/ Folpet EN CAS N° 133-07-3; CIPAC N° 75	≥ 940 g/kg Nečistoće: - perchloromethylmercaptan (R005406): ne više od 3,5 g/kg - carbon tetrachloride ne više od 4 g/kg	N-(trichloromethylthio)phthalimide	FU	31/07/2020
90.	Foramsulfuron CG/ Foramsulfuron EN CAS N° 173159-57-4; CIPAC N° 659	940 g/kg	1-(4,6-dimethoxypyrimidin-2-yl)-3-(2-dimethylcarbamoyl-5-formamidophenylsulfonyl)urea	HB	31/07/2020
91.	Forchlorfenuron CG/ Forchlorfenuron EN CAS N° 68157-60-8; CIPAC N° 633	≥ 978 g/kg	1-(2-chloro-4-pyridinyl)-3-phenylurea	PG	31/01/2033
92.	Formetanat CG/ Formetanate EN CAS N° 23422-53-9; CIPAC N° 697	≥ 910 g/kg	3-dimethylaminomethyleneaminophenyl methylcarbamate	IN, AC	31/07/2020
93.	Fosetil CG/ Fosetyl EN CAS N° 15845-66-6; CIPAC N° 384	≥ 960 g/kg (u obliku fosetyl-Al)	Ethyl hydrogen phosphonate	FU	30/04/2020
94.	Fosmet CG/ Phosmet EN CAS N° 732-11-6; CIPAC N° 318	≥ 950 g/kg Nečistoće: - phosmet oxon: ne više od 0,8 g/kg - iso phosmet: ne više od 0,4 g/kg	O,O-dimethyl S-phthalimidomethyl phosphorodithioate; N-(dimethoxyphosphinothioylthiomethyl) phthalimide	IN	31/07/2020
95.	Fostiazat CG/ Fostiazate EN CAS N° 98886-44-3; CIPAC N° 585	930 g/kg	(RS)-S-sec-butyl O-ethyl 2-oxo-1,3-thiazolidin-3-ylphosphonothioate	NE	31/10/2020
96.	Glifosat CG/ Glyphosate EN CAS N° 1071-83-6; CIPAC N° 284	950 g/kg	N-(phosphonomethyl)-glycin	HB	15/12/2022
97.	Gliocladium catenulatum CG/ Gliocladium catenulatum EN Strain: J1446 culture collection N° DSM 9212 CIPAC N° Nije dodijeljen		Nije primjenljivo	FU	31/03/2034
98.	Haloksifop-P CG/ Haloxyfop-P EN CAS No: Acid: 95977-29-0 Ester: 72619-32-0/ CIPAC No: Acid: 526 Ester: 526.201	≥ 940 g/kg (Haloxifop-P-methyl ester)	Acid: (R)-2-[4-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenoxy]propanoic acid Ester: Methyl(R)-2-[4-[3-chloro-5-(trifluoromethyl)-2-pyridyloxy]phenoxy]propionate	HB	31/12/2023
99.	Heksitiazoks CG/ Hexythiazox EN CAS N° 78587-05-0; CIPAC N° 439	≥ 976 g/kg (1:1 mixture of (4R, 5R) i (4S, 5S))	(4RS,5RS)-5-(4-chlorophenyl)-N-cyclohexyl-4-methyl-2-oxo-1,3-thiazolidine-3-carboxamide	AC, IN	31/05/2024
100.	Hlorotoluron CG/ Chlorotoluron EN CAS N° 15545-48-9; CIPAC N° 217	975 g/kg	3-(3-chloro-p-tolyl)-1,1-dimethylurea	HB	31/10/2020
101.	Hlorpirifos CG/ Chlorpyrifos EN CAS N° 2921-88-2; CIPAC N° 221	≥ 970 g/kg Nečistoća O,O,O,O-tetraethyl dithiopyrophosphate (Sulfotep) predstavlja toksikološki rizik i maksimalna odobrena količina je 3 g/kg.	O,O-diethyl-O-3,5,6-trichloro-2-pyridyl phosphorothioate	IN, AC	16/04/2020 A za bilje koje nije hrane do 31/12/2020
102.	Hlorpirifos-metil CG/ Chlorpyrifos-methyl EN CAS N° 5598-13-0; CIPAC N° 486	≥ 960 g/kg Nečistoće O,O,O,O-tetramethyl dithiopyrophosphate (Sulfotep) i OOO-trimethyl-O-(3,5,6-trichloro-2-pyridinyl) diphosphorodithioate (Sulfotep - ester) predstavljaju toksikološki rizik i maksimalna odobrena količina za svaku komponentu je 5 g/kg	O,O-dimethyl-O-3,5,6-trichloro-2-pyridyl phosphorothioate	IN, AC	16/04/2020 A za bilje koje nije hrane do 31/12/2020
103.	Hlorprofam CG/ Chlorpropham EN CAS N° 101-21-3; CIPAC N° 43	975 g/kg	Isopropyl 3-chlorophenylcarbamate	PG, HB	31/12/2020
104.	Imazalil CG/ Imazalil EN CAS N° 73790-28-0, 35554-44-0; CIPAC N° 335	≥ 950 g/kg	(±)-1-(β-allyloxy-2,4-dichlorophenylethyl) imidazole or (±)-allyl 1-(2,4-dichlorophenyl)-2-imidazol-1-ylethyl ether	FU	31/12/2024
105.	Imazamoks CG/ Imazamox EN CAS N° 114311-32-9; CIPAC N° 619	950 g/kg	(±)-2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-5-(methoxymethyl) nicotinic acid	HB	31/10/2024
106.	Imidakloprid CG/ Imidacloprid EN CAS N° 138261-41-3; CIPAC N° 582	≥ 970 g/kg	(E)-1-(6-Chloro-3-pyridinylmethyl)-N-nitroimidazolidin-2-ylideneamine	IN	31/07/2022 Primjenjivati samo u zaštićenom prostoru ili za tretiranje sjemena namijenjenog upotrebi samo u zaštićenom prostoru. Usjev dobijen na taj način mora ostati u zaštićenom prostoru tokom cijelog svog životnog vijeka. Posebnu pažnju obratiti na sledeće: (a) rizik za pčele i bumbare koji su pušteni za opršivanje u zaštićenom prostoru; (b) uticaj na vodene organizme; (c) izloženost pčela zbog dodira sa nečistom vodom iz zaštićenog prostora. Potrebno je osigurati da se tretiranje sjemena obavlja samo u profesionalnim objektima za tretiranje sjemena. U tim se objektima moraju primjenjivati najbolje dostupne tehnike kako bi se smanjila mogućnost ispuštanja prašine tokom primjene na sjeme, skladištenja i prevoza.
107.	Indoksakarb CG/ Indoxacarb EN CAS N° 173584-44-6; CIPAC N° 612	≥ 628 g/kg indoxacarb	(S)-7-chloro-3-[methoxycarbonyl-(4-trifluoromethoxy-phenyl)-carbamoyl]-2,5-dihydro-indeno[1,2-e][1,3,4]oxadiazine-4a(3H)-carboxylic acid methyl ester	IN	31/10/2020
108.	Iprovalikarb CG/ Iprovalicarb EN CAS N° 140923-17-7; CIPAC N° 620	950 g/kg	{2-Methyl-1-[1-(4-methylphenyl)ethylcarbonyl]propyl}-carbamic acid isopropylester	FU	31/03/2031
109.	Isoksafutol CG/ Isoxafutole EN CAS N° 141112-29-0; CIPAC N° 575	950 g/kg ≥ 972 g/kg	5-cyclopropyl-4-(2-methylsulfonyl-4-trifluoromethylbenzoyl) isoxazole (5-cyclopropyl-1,2-oxazol-4-yl)(α,α-	HB	31/07/2034 mora se obratiti posebna pažnja na sledeće:

			trifluoro-2-mesyl-p-tolyl)methanone		– zaštitu podzemnih voda ako se aktivna supstanca primjenjuje u područjima s osjetljivim zemljištem i/ili nepovoljnim klimatskim uslovima; – zaštitu vodenih organizama, divljih sisara i neciljnog kopnenog bilja. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika.
110.	Jodosulfuron CG/Iodosulfuron EN CAS N° 185119-76-0 (parent) 144550-36-7 (iodosulfuron-methyl-sodium) ; CIPAC N° 634 (parent) 634.501 (iodosulfuronmethyl)	910 g/kg	4-iodo-2-[3-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-ureidosulfonyl]benzoate	HB	31/03/2032
111.	Kaptan CG/ Captan EN CAS N° 133-06-02 ; CIPAC N° 40	≥ 910 g/kg nečistoće: - perchloromethylmercaptan (R005406): ne više od 5 g/kg - folpet: ne više od 10 g/kg - carbon tetrachloride: ne više od 0,01 g/kg	N-(trichloromethylthio)cyclohex-4-ene-1,2-dicarboximide	FU	31/07/2020
112.	Karfentrazon etil CG/ Carfentrazone ethyl EN CAS N° 128639-02.1; CIPAC N° 587	900 g/kg	Methyl (E)-methoxyimino-((E)-a RS[Ethyl 2-chloro-3-(2-chloro-4-fluoro-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5oxo-1H 1,2,4-triazol-1-yl]phenyl)propanoate]	HB	31/07/2033
113.	Kletodim CG/ Clethodim EN CAS N° 99129-21-2; CIPAC N° 508	≥ 930 g/kg Nečistoće: toluene max. 4 g/kg	(5RS)-2-((1EZ)-1-((2E)-3-chloroallyloxymino)propyl)-5-((2RS)-2-(ethylthio)propyl)-3-hydroxycyclohex-2-en-1-one	HB	31/05/2023
114.	Klodinafop CG/ Clodinafop EN CAS N°114420-56-3; CIPAC N°683	≥ 950 g/kg (u obliku clodinafop-propargyl)	(R)-2-[4-(5-chloro-3-fluoropyridyloxy)-phenoxy]-propionic acid	HB	30/04/2020
115.	Klomazon CG/ Clomazone EN CAS N° 81777-89-1; CIPAC N° 509	960 g/kg	S-benzyl dipropyl (thiocarbamat)	HB	31/10/2020
116.	Klopiralid CG/ Clopyralid EN CAS N° 1702-17-6; CIPAC N° 455	≥ 950 g/kg	3,6-dichloropyridine-2-carboxylic acid	HB	30/04/2020
117.	Kresoksim-metil CG/ Kresoxim-methyl EN CAS N°143390-89-0; CIPAC N° 568	≥ 910 g/kg - methanol: max. 5 g/kg - methyl chloride: max. 1 g/kg - toluene: max. 1 g/kg	Methyl (E)-2-methoxyimino-2-[2-(o-tolyloxymethyl) phenyl]acetate	FU	31/12/2024
118.	Kvizalofop-P CG/ Quizalofop-P EN				
	Quizalofop-P-ethyl CAS No 100646-51-3; CIPAC No 641.202	≥ 950 g/kg	ethyl (R)-2-[4-(6-chloroquinoxalin-2-yloxy)phenoxy]propionate	HB	30/11/2021
	Quizalofop-P-tefuryl CAS No 119738-06-6; CIPAC No 641.226	≥ 795 g/kg	(RS)-Tetrahydrofurfuryl (R)-2-[4-(6-chloroquinoxalin-2-yloxy)phenoxy]propionate	HB	30/11/2021
119.	Lambda-cihalotrin CG/ Lambda-Cyhalothrin EN CAS N° 91465-08-6; CIPAC N° 463	810 g/kg	A 1:1 mixture of: (S)-α-cyano-3-phenoxybenzyl (Z)-(1R,3R)-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarboxylate, I (R)-α-cyano-3-phenoxybenzyl (Z)-(1S,3S)-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarboxylate	IN	31/03/2023
120.	Laminarin CG/ Laminarin EN CAS N° 9008-22-4 ; CIPAC N° 671	≥ 860 g/kg suve materije	(1→3)-β-D-glucan (according to IUPAC-IUB Joint Commission on Biochemical Nomenclature)	EI	28/02/2033
121.	Magnesium fosfid CG/ Magnesium phosphide EN CAS N° 12057-74-8; CIPAC N° 228	≥ 880 g/kg	Magnesium phosphide	IN, RO	30/04/2022
122.	Malation CG/ Malathion EN CAS N° 121-75-5; CIPAC N° 12	≥ 950 g/kg Nečistoće: Isomalathion: ne više od 2 g/kg	diethyl (dimethoxyphosphinothioylthio)succinate or S-1,2-bis(ethoxycarbonyl)ethyl O,O-dimethyl phosphorodithioate racemate	IN, AC	30/04/2022 Dopusšten za upotrebu samo kao insekticid u staklenicima s trajnom konstrukcijom. Dopusšten je samo za profesionalnu uporabu. Posebnu pažnju obratiti na sledeće: (a) ispuštanje iz zaštićenog prostora kondenzovane vode, vode koja se sliva , zemljišta i vještačkih supstrata kako bi se spriječio rizik za vodene organizme i druge organizme koji ne pripadaju ciljanoj grupi; (b) zaštitu kolonija oprašivača namjerno postavljenih u zaštićeni prostor; (c) zaštitu opertera i radnika tako da uslovi upotrebe po potrebi uključuju primjenu odgovarajuće lične zaštitne opreme; (d) zaštitu potrošača u slučaju prerađenih proizvoda.
123.	Maleik hidrazid CG/ Maleic hydrazide EN CAS N° 123-33-1; CIPAC N° 310	940 g/kg	6-hydroxy-2H-pyridazin-3-one	PG	31/10/2032
124.	Mandipropamid CG/ Mandipropamid EN CAS N° 374726-62-2; CIPAC N° nije još dodjeljen		2-(4-chloro-phenyl)-N-[2-(3-methoxy-4-prop-2-ynyloxy-phenyl)-ethyl]-2-prop-2-ynyloxy-acetamide	FU	31/07/2023
125.	Mankozeb CG/ Mancozeb EN CAS N° 8018-01-7 (nekad 8065-67-5); CIPAC N°34	≥ 800 g/kg Fabričke nečistoće ethylene Thiourea predstavljaju toksikološku rizik i ne smiju preći 0,5% sadržaja mankozeba.	Manganese ethylenebis (dithiocarbamate) (polymeric) complex with zinc salt	FU	31/01/2021
126.	Masne kiseline C7 to C20 CG/ Fatty acids C7 to C20 EN CAS No	≥ 889 g/kg (Pelargonic Acid) ≥ 838 g/kg fatty acids ≥ 99 % fatty acid methyl esters	Nonanoic acid Caprylic Acid, Pelargonic Acid, Capric Acid, Lauric Acid, Oleic Acid (ISO in each case)	IN, AC, HB, PG	31/08/2020

	112-05-0 (Pelargonic Acid) 67701-09-1 (Fatty acids C7-C18 i C18 unsaturated potassium salts) 124-07-2 (Caprylic Acid) 334-48-5 (Capric Acid) 143-07-7 (Lauric Acid) 112-80-1 (Oleic Acid) 85566-26-3 (Fatty acids C8-C10 Methyl esters) 111-11-5 (Methyl octanoate) 110-42-9 (Methyl decanoate) CIPAC nije dodijeljen CIPAC N° 8146 (Fatty acids C7-C18 and C18 unsaturated potassium salts)		Octanoic Acid, Nonanoic Acid, Decanoic Acid, Dodecanoic Acid, cis-9- Octadecenoic Acid (IUPAC in each case) Fatty acids, C7-C10, Me esters		
127.	MCPA CG/MCPA EN CAS N° 94-74-6; CIPAC N° 2	≥ 930 g/kg	4-chloro-o-tolylxyacetic acid	HB	31/10/2020
128.	MCPB CG/MCPB EN CAS N° 94-81-5; CIPAC N° 50	≥ 920 g/kg	4-(4-chloro-o-tolylxy)butyric acid	HB	31/10/2020
129.	Mekoprop-P CG/Mecoprop-P EN CAS N° 16484-77-8; CIPAC N° 475	860 g/kg	(R)-2-(4-chloro-o-tolylxy)-propionic acid	HB	31/01/2021
130.	Mepanipirim CG/Mepanipirim EN CAS N° 110235-47-7; CIPAC N° 611	960 g/kg	N-(4-methyl-6-prop-1-ynylpyrimidin-2-yl)aniline	FU	30/04/2020
131.	Mesosulfuron CG/Mesosulfuron EN CAS N° 400852-66-6; CIPAC N° 441	930 g/kg	2-[(4,6-dimethoxypyrimidin-2-ylcarbonyl)sulfamoyl]- α -(methanesulfonamido)- <i>p</i> -toluic acid	HB	30/06/2032
132.	Mesotripon CG/Mesotripon EN CAS N° 104206-8; CIPAC N° 625	920 g/kg Fabričke nečistoće 1-cyano-6-(methylsulfonyl)-7-nitro-9H-xanthen-9-one predstavljaju toksikološki rizik i moraju biti ispod 0.0002 % (w/w) u proizvodu.	2-(4-mesyl-2-nitrobenzoyl)cyclohexane-1,3-dione	HB	31/05/2032
133.	Metaksil CG/Metalaxyl EN CAS N° 57837-19-1; CIPAC N° 365	950 g/kg Nečistoća 2,6-dimethyl-aniline predstavlja toksikološki rizik i ne smije preći 1 g/kg.	Methyl N-(methoxyacetyl)-N-(2,6-xylyl)-DL-alaninate	FU	30/06/2023
134.	Metaksil-M CG/Metalaxyl-M EN CAS N° 70630-17-0; CIPAC N° 580	910 g/kg	Methyl (R)-2-[[[2,6-dimethylphenyl)methoxyacetyl]amino] propionate	FU	30/06/2020
135.	Metaldehid CG/Metaldehyde EN CAS N° 108-62-3 (tetramer) 9002-91-9 (homopolymer); CIPAC N° 62	≥ 985 g/kg acetaldehyde max. 1,5 g/kg	r-2, c-4, c-6, c-8-tetramethyl-1,3,5,7-tetroxocane	MO	31/05/2023
136.	Metamitron CG/Metamitron EN CAS N° 41394-05-2; CIPAC N° 381	≥ 960 g/kg	4-amino-4,5-dihydro-3-methyl-6-phenyl-1,2,4-triazin-5-one	HB	31/08/2022
137.	Metiokarb CG/Methiocarb EN CAS N° 2032-65-7; CIPAC N° 165	≥ 980 g/kg	4-methylthio-3,5-xylyl methylcarbamate	IN, MO, RE	31/07/2020
138.	Metiram CG/Metiram EN CAS N° 9006-42-2; CIPAC N° 478	≥ 840 g/kg Fabrička nečistoća ethylene thiourea predstavlja toksikološki rizik i ne smije preći 0,5 % sadržaja metirama.	Zinc ammoniate ethylenebis(dithiocarbamate) – poly[ethylenebis(thiuramdisulfide)]	FU	31/01/2021
139.	Metkonazol CG/Metconazole EN CAS N° 125116-23-6; CIPAC N° 706	≥ 940 g/kg (cis- trans isomera)	(<i>IRS,SRS:IRS,SSR</i>)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol	FU, PG	30/04/2020
140.	Metoksifenozid CG/Methoxyfenozide EN CAS N° 161050-58-4; CIPAC N° 656	≥ 970 g/kg Sledeće nečistoće ne smiju prelaziti sledeće nivoe u tehničkom materijalu: Tert-butilhidrazin < 0,001 g/kg RH-116267 < 2 g/kg	N-tert-Butyl-N'-(3-methoxy- <i>o</i> -toluoyl)-3,5-xylohidrazide	IN	31/03/2026 Dozvoljena je samo upotreba u zaštićenom prostoru. Posebnu pažnju obratiti na: -zaštitu podzemnih voda kada se supstancu primenjuje u regionima sa ranjivim zemljišnim i / ili klimatskim uslovima; -rizik od nakupljanja u zemljištu; -zaštitu neciljnih člankonožaca, prebivališta sedimenata i vodenih organizama; Uslovi korišćenja uključuju mjere ublažavanja rizika, gdje je to neophodno.
141.	Metrafenon CG/Metrafenone EN CAS N° 220899-03-6; CIPAC N° 752	≥ 940 g/kg	3'-bromo-2,3,4,6'-tetramethoxy-2',6-dimethylbenzophenone	FU	30/04/2020
142.	Metribuzin CG/Metribuzin EN CAS N° 21087-64-9; CIPAC N° 283	≥ 910 g/kg	4-amino-6-tert-butyl-3-methylthio-1,2,4-triazin-5(4H)-one	HB	31/07/2020
143.	Metsulfuron metil CG/Metsulfuron methyl EN CAS N° 74223-64-6; CIPAC N° nije dostupan	960 g/kg	Methyl 2-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbonylsulfamoyl)benzoate	HB	31/03/2023
144.	Miklobutanil CG/Myclobutanil EN CAS N° 88671-89-0; CIPAC N° 442	≥ 925 g/kg Nečistoća 1-methyl-pyrrolidin-2-one ne smije preći 1g/kg u proizvodu.	2- <i>p</i> -chlorophenyl-2-(1H-1,2,4-triazol-1-ylmethyl)hexanenitrile; 2-(4-chlorophenyl)-2-(1H-1,2,4-triazol-1-ylmethyl)hexanenitrile	FU	31/05/2021
145.	Milbektin CG/Milbemectin EN Milbemectin je mješavina M.A ₃ i M.A ₄ CAS N° M.A ₃ : 51596-10-2 M.A ₄ : 51596-11-3 CIPAC N° 660	≥ 950 g/kg	M.A ₃ : (10E,14E,16E,22Z)- (1R,4S,5'S,6R,6'R,8R,13R,20R,21R,24S)-21,24-dihydroxy-5',6',11,13,22-pentamethyl-3,7,19-trioxatetracyclo[15.6.1.1 ^{4,8} .0 ^{20,24}]pentacos-10,14,16,22-tetraene-6-spiro-2'-tetrahydropyran-2-one M.A ₄ : (10E,14E,16E,22Z)- (1R,4S,5'S,6R,6'R,8R,13R,20R,21R,24S)-6'-ethyl-21,24-dihydroxy-5',11,13,22-tetramethyl-3,7,19-trioxatetracyclo[15.6.1.1 ^{4,8} .0 ^{20,24}]pentacos-10,14,16,22-tetraene-6-spiro-2'-tetrahydropyran-2-one	IN	31/07/2020
146.	Mineralna ulja CG/Paraffin oil CAS N° 64742-46-7; CAS N° 72623-86-0; CAS N° 8042-47-5; CAS N° 97862-82-3 CIPAC N° Nije određen	Evropska farmakopeja 6.0	paraffin oil	IN, AC	31/12/2020

147.	Nikosulfuron CG/ Nicosulfuron EN CAS N° 111991-09-4; CIPAC N° 709	≥ 930 g/kg	2-[(4,6-dimethoxypyrimidin-2-ylcarbamoil)sulfamoyl]-N,N-dimethylnicotinamide ili 1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-dimethylcarbamoil-2-pyridylsulfonyl)urea	HB	31/12/2020
148.	Oksamil CG/ Oxamyl EN CAS N°23135-22-0; CIPAC N°342	970 g/kg	N,N-dimethyl-2-methylcarbamoiloxyimino-2-(methylthio) acetamide	IN, NE	31/01/2021
149.	Oksifluorfen CG/ Oxyfluorfen EN CAS No 42874-03-3 CIPAC No 538	≥ 970 g/kg Nečistoće: N,N-dimethylnitrosamine: ne više od 50 µg/kg	2-chloro- <i>a,a</i> , <i>a</i> -trifluoro- <i>p</i> -tolyl 3-ethoxy-4-nitrophenyl ether	HB	31/12/2024
150.	<i>Paecilomyces fumosoroseus CG / Paecilomyces fumosoroseus EN</i> strain FE 9901 Collection broj: USDA-ARS collection of Entomopathogenic Fungal Cultures U.S. Plant Soil i Nutrition laboratory. New York. Accession No ARSEF 4490	Minimum 1,0 × 10 ⁹ CFU/g Maximum 3,0 × 10 ⁹ CFU/g	Nije primjenljiv	FU	30/09/2023
151.	Pendimetalin CG/ Pendimethalin EN CAS N° 40487-42-1; CIPAC N° 357	900 g/kg	N-(1-ethylpropyl)-2,6-dinitro-3,4-xyldiene	HB	31/08/2024
152.	Penkonazol CG/ Penconazole EN CAS N° 66246-88-6; CIPAC N° 446	≥ 950 g/kg	1-(2,4-dichloro- <i>b</i> -propylphenethyl)-1 <i>H</i> -1,2,4-triazole	FU	31/12/2021
153.	Pensikuron CG/ Pencycuron EN CAS No 66063-05-6; CIPAC No 402	≥ 980 g/kg	1-(4-chlorobenzyl)-1-cyclo-pentyl-3-phenylurea	FU	31/05/2024
154.	Petoksamid CG/ Pethoxamid EN CAS N° 106700-29-2; CIPAC N° 655	≥ 940 g/kg	2-Chloro-N-(2-ethoxyethyl)-N-(2-methyl-1-phenylprop-1-enyl)acetamide	HB	30/11/2033
155.	Pikolinafen CG/ Picolinafen EN CAS N° 137641-05-5; CIPAC N°63	970 g/kg	4'-Fluoro-6-[(<i>α,α,α</i> -trifluoro- <i>m</i> -tolyl)oxy]picolinanilide	HB	30/06/2031
156.	Pirafifufen-etil CG/ Pyraflufen-ethyl EN CAS N° 129630-19-9; CIPAC N°605	956 g/kg	Ethyl 2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetate	HB	31/03/2031
157.	Piraklostrobin CG/ Pyraclostrobin EN CAS N° 175013-18-0; CIPAC N° 657	975 g/kg Fabrička nečistoća dimethyl sulfate (DMS) predstavlja toksiološki rizik i koncentracija ne smije biti veća od 0,0001 % u proizvodu.	methyl N-(2-[[1-(4-chlorophenyl)-1 <i>H</i> -pyrazol-3-yl]oxymethyl]phenyl) N-methoxy carbamate	FU, PG	31/01/2021
158.	Piretrini CG/ Pyrethrins EN CAS N° 8003-34-7; CIPAC N° 32	Ekstrakt A: ≥ 500 g/kg Pyrethrina Ekstrakt B: ≥ 480 g/kg Pyrethrina	Piretrini su kompleks mješavina različitih hemijskih supstanci	IN	31/08/2022
159.	Piridaben CG/ Pyridaben EN CAS N° 96489-71-3; CIPAC N° 583	> 980 g/kg	2- <i>tert</i> -butyl-5-(4- <i>tert</i> -butylbenzylthio)-4-chloropyridazin-3(2 <i>H</i>)-one	AC, IN	30/04/2023
160.	Piridat CG/ Pyridate EN CAS N° 55512-33-9; CIPAC N° 447	900 g/kg	6-chloro-3-phenylpyridazin-4-yl S-octyl thiocarbonate	HB	31/12/2030
161.	Pirimetanil CG/ Pyrimethanil EN CAS N°53112-28-0; CIPAC N° 714	≥ 975 g/kg Fabrička nečistoća cyanamide predstavlja toksiološki rizik i ne smije preći 0,5 g/kg u proizvodu.	N-(4,6-dimethylpyrimidin-2-yl) aniline	FU	30/04/2020
162.	Pirimifos-metil CG/ Pirimiphos-methyl EN CAS N°29232-93-7; CIPAC N° 239	> 880 g/kg	<i>O</i> -2-diethylamino-6-methylpyrimidin-4-yl <i>O,O</i> - dimethylphosphorothioate	IN	31/07/2020
163.	Pirimikarb CG/ Pirimicarb EN CAS N°23103-98-2; CIPAC N°231	≥ 950 g/kg	2-dimethylamino-5,6-dimethylpyrimidin-4-yl dimethylcarbamate	IN	30/04/2020
164.	Piriproksifen CG/ Pyriproxyfen EN CAS No 95737-68-1; CIPAC No 715	≥ 970 g/kg	4-phenoxyphenyl (RS)-2-(2-pyridyloxy)propylether	IN	31/12/2020
165.	Prohloraz CG/ Prochloraz EN CAS No 67747-09-5 CIPAC No 538	≥ 970 g/kg	N-propyl-N-[2-(2,4,6-trichlorophenoxy) ethyl]imidazole-1-carboxamide	FU	31/12/2023
166.	Proheksadion CG/ Prohexadione EN CAS N° 127277-53-6; CIPAC N° 567	≥ 890 g/kg (u obliku prohex-adione-calcium)	Calcium 3,5-dioxo-4-propionylcyclohexanecarboxylate	PG	31/12/2022
167.	Prokvinazid CG/ Proquinazid EN CAS N° 189278-12-4; CIPAC N° 764	> 950 g/kg	6-iodo-2-propoxy-3-propylquinazolin-4(3 <i>H</i>)-one	FU	31/07/2022
168.	Propakvizafop CG/ Propaquizafop EN CAS N° 111479-05-1; CIPAC N° 173	≥ 920 g/kg Toluene maksimalni sadržaj 5 g/kg	2-isopropylideneamino-oxethyl (R) - 2-[4-(6-chloroquinoxalin-2-yloxy)phenoxy] propionate	HB	30/11/2021
169.	Propamokarb CG/ Propamocarb EN CAS N° 24579-73-5; CIPAC N° 399	≥ 920 g/kg	Propyl (dimethylamino)propylcarbamate	3- FU	31/07/2020
170.	Propizamid CG/ Propyzamide EN CAS N° 23950-58-5; CIPAC N° 315	920 g/kg	3,5-dichloro-N-(1,1-dimethyl-prop-2-ynyl)benzamide	HB	30/06/2025
171.	Propoksikarbazon CG/ Propoxycarbazone EN CAS N°145026-81-9; CIPAC N° 655	974 g/kg (u obliku aspropoxycarbazon-sodium)	2-(4,5-dihydro-4-methyl-5-oxo-3-propoxy-1 <i>H</i> -1,2,4-triazol-1-yl)carboxamidossulfonylbenzoicacid-methylester	HB	31/08/2032
172.	Prosulfuron CG/ Prosulfuron EN CAS N° 94125-34-5; CIPAC N°579	950 g/kg	1-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-3-[2-(3,3,3-trifluoropropyl)-phenylsulfonyl]-urea	HB	30/04/2024
173.	Protikonazol CG/ Prothioconazole EN CAS N° 178928-70-6; CIPAC N° 745	≥ 970 g/kg Sljedeće proizvodne nečistoće se smatraju toksiološkom zabrinutosti i svaki od njih ne smije premašiti određeni iznos u tehničkom materijalu: - Toluene: < 5 g/kg; - Prothioconazole - desthio (2-(1-chlorocyclopropyl)1-(2-chlorophenyl)-3-(1,2,4-triazol-1-yl)-propan-2-ol): < 0,5 g/kg (LOD)	(RS)-2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)- 2-hydroxypropyl]-2,4-dihydro-1,2,4-triazole-3- thione	FU	31/07/2020
174.	<i>Pseudomonas chlororaphis CG/ Pseudomonas chlororaphis EN</i> Strain: MA 342; CIPAC N° 574	Količina sekundarnog metabolita 2,3-deepoxy-2,3-didehydro-rhizoxin (DDR) u fermentatu u trenutku formulacije ne smije preći LOQ (2 mg/l).	Nije primjenljiv	FU	30/04/2020
175.	Rimsulfuron CG/ Rimsulfuron EN CAS N°122931-48-0 (rimsulfuron); CIPAC N°716	≥ 960 g/kg (u obliku rimsulfuron)	1-(4-6 dimethoxypyrimidin-2-yl)-3-(3-ethylsulfonyl-2-pyridylsulfonyl) urea	HB	30/04/2020
176.	Siltiofam CG/ Silthiofam EN CAS N° 175217-20-6; CIPAC N°635	950 g/kg	N-allyl-4,5-dimethyl-2-(trimethylsilyl)thiophene-3-carboxamide	FU	30/06/2033
177.	S-Metolahlor CG/ S-Metolachlor EN CAS N° 87392-12-9 (S-isomer)	≥ 960 g/kg	Mješavina : (aRS, 1 S)-2-chloro-N-(6-ethyl-o-	HB	31/07/2020

	178961-20-1 (R-isomer) CIPAC N° 607		tolyl)-N-(2-methoxy-1-methylethyl)acetamide (80-100%) i: (aRS, 1 R)-2-chloro-N-(6-ethyl-o-tolyl)-N-(2-methoxy-1-methylethyl)acetamide (200%)		
178.	Spinosad CG/ Spinosad EN CAS N° 131929-60-7 (Spinosyn A) 131929-63-0 (Spinosyn D) CIPAC N° 636	≥ 850 g/kg	Spinosyn A: (2R,3aS,5aR,5bS,9S,13S,14R,16aS,16bR)-2-(6-deoxy-2,3,4-tri-O-methyl- α -L-mannopyranosyloxy)-13-(4-dimethylamino-2,3,4,6-tetra-deoxy- β -D-erythropranosyloxy)-9-ethyl-2,3,3a,5a,5b,6,7,9,10,11,12,13,14,15,16a,16b-hexadecahydro-14-methyl-1H-8-oxacyclododeca[b]as-indacene-7,15-dione Spinosyn D: (2S,3aR,5aS,5bS,9S,13S,14R,16aS,16bS)-2-(6-deoxy-2,3,4-tri-O-methyl- α -L-mannopyranosyloxy)-13-(4-dimethylamino-2,3,4,6-tetra-deoxy- β -D-erythropranosyloxy)-9-ethyl-2,3,3a,5a,5b,6,7,9,10,11,12,13,14,15,16a,16b-hexadecahydro-14-dimethyl-1H-8-oxacyclododeca[b]as-indacene-7,15-dione Spinosad is a mixture of 50-95% spinosyn A i 5-50% spinosyn D	IN	30/04/2020
179.	Spirodiklofen CG / Spirodiklofen EN CAS N° 148477-71-8; CIPAC N° 737	> 965 g/kg Sljedeće nečistoće ne smiju preći navedene količine u proizvodu: - 3-(2,4-dichlorophenyl)-4-hydroxy-1-oxaspiro[4.5]dec-3-en-2-one (BAJ- 2740 enol): ≤ 6 g/kg - N,N-dimethylacetamide: ≤ 4 g/kg	3-(2,4-dichlorophenyl)-2-oxo-1-oxaspiro[4.5]dec-3-en-4-yl 2,2-dimethylbutyrate	AC, IN	31/07/2020
180.	Spiroksamin CG/ Spiroxamine EN CAS N° 1181134-30-8 ; CIPAC N° 572	≥ 940 g/kg (diastereomeri A i B kombinovani)	(8-tert-Butyl-1,4-dioxo-spiro [4.5]decan-2-ylmethyl)-ethyl-propyl-amine	FU	31/12/2023
181.	Sulfosulfuron CG/ Sulfosulfuron EN CAS N° 141776-32-1; CIPAC N° 601	980 g/kg	1-(4,6-dimethoxypyrimidin-2-yl)-3-[(2-ethanesulfonyl-imidazo[1,2-a]pyridine)sulfonyl]urea	HB	31/12/2030
182.	Sumpor CG/ Sulphur EN CAS N° 7704-34-9; CIPAC N° 18	≥ 990 g/kg	sulphur	FU, AC	31/12/2020
183.	Tebufenozid CG/ Tebufenozi EN CAS N° 112410-23-8; CIPAC N° 724	≥ 970 g/kg Relevantana nečistoća: t-butyl hydrazine < 0,001 g/kg	N-tert-butyl-N'-(4-ethylbenzoyl)-3,5-dimethylbenzohydrazide	IN	31/05/2024
184.	Tebukonazol CG/ Tebuconazole EN CAS N° 107534-96-3; CIPAC N° 494	≥ 905 g/kg	(RS)-1-p-chlorophenyl-4,4-dimethyl-3-(1H-1,2,4-triazol-1-ylmethyl)-pentan-3-ol	FU	31/08/2020
185.	Teflutrin CG/ Tefluthrin EN CAS N° 79538-32-2; CIPAC N° 451	≥ 920 g/kg Hexachloro-benzene: ne više od 1 mg/kg	2,3,5,6-tetrafluoro-4-methyl-benzyl (1RS, 3RS)-3-[(Z)-2-chloro-3,3,3-trifluoroprop-1-enyl]-2,2-dimethylcyclopropanecarboxylate. Tefluthrin is a 1:1 mixture of Z-(1R, 3R) i Z-(1S, 3S)enantiomers.	IN	31/12/2024
186.	Terbutilazin CG/ Terbutylazine EN CAS No 5915-41-3; CIPAC No 234	≥ 950 g/kg Nečistoće: - propazine ne više od 10 g/kg - atrazine ne više od 1 g/kg - simazine ne više od 30 g/kg	N2-tert-butyl-6-chloro- N4-ethyl-1,3,5-triazine- 2,4-diamine	HB	31/12/2024
187.	Tiabendazol CG/ Thiabendazole EN CAS N° 148-79-8; CIPAC N° 323	985 g/kg	2-Thiazol-4-yl-1H-benzimidazole	FU	31/03/2032
188.	Tiakloprid CG/ Thiachloprid EN CAS N° 111988-49-9; CIPAC N° 631	≥ 975 g/kg	(Z)-N-{3-[(6-Chloro-3-pyridinyl)methyl]-1,3-thiazolan-2-yliden}cyanamide	IN	03/02/2021
189.	Tifensulfuron-metil CG/ Thifensulfuron-methyl EN CAS N° 79277-27-3; CIPAC N° 452	960 g/kg	Methyl 3-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoyl-sulfamoyl)thiophene-2-carboxylate	HB	31/10/2031
190.	Tiofanat-metil CG/ Thiophanate-methyl EN CAS N°23564-05-8; CIPAC N°262	950 g/kg	Dimethyl 4,4'-(o-phenylene)bis(3-thioallophanate)	FU	31/10/2020
191.	Tolklofos-metil CG/ Tolclofos-methyl EN CAS N°57018-04-9 ; CIPAC N°479	≥ 960 g/kg ≥ 960 g/kg Sljedeća nečistoća izaziva zabrinutost u toksikološkom smislu i ne smije prelaziti sljedeću granicu u tehničkom materijalu: Metanol: najviše 1 g/kg	O-2,6-dichloro-p-tolyl O,O-dimethyl phosphorothioate O-2,6-dichloro-4-methylphenyl O,O-dimethyl phosphorothioate	FU	31/08/2034 Samo za upotrebu na ukrasnom bilju i na krompiru. Obratiti posebnu pažnju na sledeće: — rizik za vodene organizme i sisare, — rizik za potrošače, posebno s obzirom na potencijalni rizik od metabolita DM-TM-CH ₂ OH u krompiru, — rizik za operatera, radnike i druge prisutne osobe. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika.
192.	Tribenuron CG / Tribenuron EN CAS N°106040-48-6 (tribenuron) ; CIPAC N°546	950 g/kg (u obliku tribenuron-methyl)	2-[4-methoxy-6-methyl-1,3,5-triazin-2-yl(methyl)carbamoylsulfamoyl]benzoic acid	HB	30/01/2034
193.	Trifloksistrobin CG/ Trifloxystrobin EN CAS N° 141517-21-7; CIPAC N° 617	960 g/kg	Methyl (E)-methoxyimino-[(E)-a-[1-a(a,a,a-trifluoro-m-tolyl)ethylideneaminoxy]]-o-tolyl]acetate	FU	31/07/2033
194.	Triklopir CG / Triclopyr EN CAS N°055335-06-3; CIPAC N°376	≥ 960 g/kg (kao Triclopyr butoxyethyl ester)	3,5,6-trichloro-2-pyridyloxyacetic acid	HB	30/04/2020
195.	Trineksapak CG/ Trinexapac EN CAS N°104273-73-6; CIPAC N°732.202	≥ 940g/kg (u obliku trinexapac-ethyl)	4-(cyclopropyl-hydroxymethylene)-3,5-dioxo- cyclohexanecarboxylic acid	PG	30/04/2020

196.	Tritikonazol CG/ Triticonazole EN CAS N°131983-72-7; CIPAC N°652	≥ 950 g/kg	(±) - (E) -5-(4-chlorobenzylidene) -2,2-dimethyl-1-(1 <i>H</i> -1,2,4-triazol-1-ylmethyl) cyclopentanol	FU	30/04/2020	
197.	Zeta-Cipermetrin CG/ Zeta-Cypermethrin EN CAS N° 52315-07-8; CIPAC N° 733	≥ 850 g/kg Nečistoće: - toluene: max 2 g/kg - tars: max 12,5 g/kg	(S)- α -cyano-3-phenoxybenzyl (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i>)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	IN	31/10/2020	
198.	Zoksamid CG/ Zoxamide EN CAS N° 156052-68-5; CIPAC N°640	950 g/kg	(<i>RS</i>)-3,5-Dichloro- <i>N</i> -(3-chloro-1-ethyl-1-methylacetyl)- <i>p</i> -toluamide	FU	30/06/2033	
199.	Hlorantraniliprol CG/ Chlorantraniliprole EN CAS N° 500008-45-7; CIPAC N° 794	≥ 950 g/kg Sljedeće nečistoće ne smiju preći navedene količine u tehničkom materijalu: Acetonitrile: ≤ 3 g/kg 3-picoline: ≤ 3 g/kg Methanesulfonic acid: ≤ 2 g/kg	3-bromo-4'-chloro-1-(3-chloro-2-pyridyl)-2'-methyl-6'-(methylcarbonyl) pyrazole-5-carboxanilide	IN	30/04/2024	
200.	Ememaktin CG/ Emamectin EN CAS N°: emamectin: 119791-41-2 (bivši 137335-79-6) i 123997-28-4	≥ 950 g/kg kao emamectin benzoate anhydrous (mješavina min. 920 g/kg emamectin B1a benzoate i max. 50 g/kg emamectin B1b benzoate)	Emamectin B1a: (10 <i>E</i> ,14 <i>E</i> ,16 <i>E</i>)- (1 <i>R</i> ,4 <i>S</i> ,5' <i>S</i> ,6 <i>S</i> ,6' <i>R</i> ,8 <i>R</i> ,12 <i>S</i> ,13 <i>S</i> ,20 <i>R</i> ,21 <i>R</i> ,24 <i>S</i>)-6'-[(<i>S</i>)-sec-butyl]-21,24-dihydroxy-5',11,13,22-tetramethyl-2-oxo-(3,7,19-trioxatetracyclo[15.6.1.14.8.0.20,24]pen tacosa-10,14,16,22-tetraene)-6-spiro-2'-(5',6'-dihydro-2 <i>H</i> -pyran)-12-yl 2,6-dideoxy-3- <i>O</i> -methyl-4- <i>O</i> -(2,4,6-trideoxy-3- <i>O</i> -methyl-4-methylamino- α -L-lyxo-hexapyranosyl)- α -L-arabino-hexapyranoside	IN	30/04/2024	
	emamectin benzoate: 155569-91-8 (bivši 137512-74-4 i 179607-18-2)	Emamectin B1b: (10 <i>E</i> ,14 <i>E</i> ,16 <i>E</i>)- (1 <i>R</i> ,4 <i>S</i> ,5' <i>S</i> ,6 <i>S</i> ,6' <i>R</i> ,8 <i>R</i> ,12 <i>S</i> ,13 <i>S</i> ,20 <i>R</i> ,21 <i>R</i> ,24 <i>S</i>)-21,24-dihydroxy-6'-isopropyl-5',11,13,22-tetramethyl-2-oxo-(3,7,19-trioxatetracyclo[15.6.1.14.8.0.20,24]pen tacosa-10,14,16,22-tetraene)-6-spiro-2'-(5',6'-dihydro-2 <i>H</i> -pyran)-12-yl 2,6-dideoxy-3- <i>O</i> -methyl-4- <i>O</i> -(2,4,6-trideoxy-3- <i>O</i> -methyl-4-methylamino- α -L-lyxo-hexapyranosyl)- α -L-arabino-hexapyranoside				
	emamectin B1a benzoate: 138511-97-4	Emamectin B1a benzoate: (10 <i>E</i> ,14 <i>E</i> ,16 <i>E</i>)- (1 <i>R</i> ,4 <i>S</i> ,5' <i>S</i> ,6 <i>S</i> ,6' <i>R</i> ,8 <i>R</i> ,12 <i>S</i> ,13 <i>S</i> ,20 <i>R</i> ,21 <i>R</i> ,24 <i>S</i>)-6'-[(<i>S</i>)-sec-butyl]-21,24-dihydroxy-5',11,13,22-tetramethyl-2-oxo-(3,7,19-trioxatetracyclo[15.6.1.14.8.0.20,24]pen tacosa-10,14,16,22-tetraene)-6-spiro-2'-(5',6'-dihydro-2 <i>H</i> -pyran)-12-yl 2,6-dideoxy-3- <i>O</i> -methyl-4- <i>O</i> -(2,4,6-trideoxy-3- <i>O</i> -methyl-4-methylamino- α -L-lyxo-hexapyranosyl)- α -L-arabino-hexapyranoside benzoate				
	emamectin B1b benzoate: 138511-98-5	Emamectin B1b benzoate: (10 <i>E</i> ,14 <i>E</i> ,16 <i>E</i>)- (1 <i>R</i> ,4 <i>S</i> ,5' <i>S</i> ,6 <i>S</i> ,6' <i>R</i> ,8 <i>R</i> ,12 <i>S</i> ,13 <i>S</i> ,20 <i>R</i> ,21 <i>R</i> ,24 <i>S</i>)-21,24-dihydroxy-6'-isopropyl-5',11,13,22-tetramethyl-2-oxo-(3,7,19-trioxatetracyclo[15.6.1.14.8.0.20,24]pen tacosa-10,14,16,22-tetraene)-6-spiro-2'-(5',6'-dihydro-2 <i>H</i> -pyran)-12-yl 2,6-dideoxy-3- <i>O</i> -methyl-4- <i>O</i> -(2,4,6-trideoxy-3- <i>O</i> -methyl-4-methylamino- α -L-lyxo-hexapyranosyl)- α -L-arabino-hexapyranoside benzoate				
	CIPAC No: emamectin: 791 emamectin benzoate: 791.412					
201.	Fluopiram CG/ Fluopyram EN CAS No 658066-35-4; CIPAC No 807	≥ 960 g/kg	<i>N</i> -{2-[3-chloro-5-(trifluoromethyl)-2-pyridyl]ethyl}- α , α , α -trifluoro- <i>o</i> -toluamide	FU	31/01/2024	
202.	Ekstrat čajevca CG/ Extract from tea tree EN CAS No Tee Tree Oil 68647-73-4	Glavne komponente: terpinen-4-ol ≥ 300 g/kg γ -terpinene ≥ 100 g/kg α -terpinene ≥ 50 g/kg 1,8-cineol trace	Ulje čajevca je kompleks mješavine hemijskih supstanci Tee Tree Oil is a complex mixture of chemical substances	FU	31/08/2020	
203.	Feromoni linearnog lanca za red Lepidoptera CG/Straight Chain Lepidopteran Pheromones EN	Review report (SANCO/2633/2008)	Acetate group:	AT	31/08/2020	
	(E)-5-decen-1-yl acetate CAS No 38421-90-8; CIPAC Nije dodijeljen					(E)-5-decen-1-yl acetate
	(E)-8-dodecen-1-yl acetate CAS No 38363-29-0; CIPAC Nije dodijeljen					(E)-8-dodecen-1-yl acetate
	(E/Z)-8-dodecen-1-yl acetate CAS No Nije dostupno; CIPAC Nije dostupno					(E/Z)-8-dodecen-1-yl acetate as individual isomers
	(Z)-8-dodecen-1-yl acetate CAS No 28079-04-1; CIPAC Nije dodijeljen					(Z)-8-dodecen-1-yl acetate
	(Z)-9-dodecen-1-yl acetate CAS No 16974-11-1; CIPAC 422					(Z)-9-dodecen-1-yl acetate
	(E,Z)-7,9-dodecadien-1-yl acetate CAS No 54364-62-4; CIPAC Nije dodijeljen					(E,Z)-7,9-dodecadien-1-yl acetate
	(E)-11-tetradecen-1-yl acetate CAS No 33189-72-9; CIPAC Nije dodijeljen					(E)-11-tetradecen-1-yl acetate
	(Z)-9-tetradecen-1-yl acetate CAS No 16725-53-4; CIPAC Nije dodijeljen					(Z)-9-tetradecen-1-yl acetate
	(Z, E)-9, 12-tetradecadien-1-yl acetate CAS No 31654-77-0; CIPAC Nije dodijeljen					(Z, E)-9, 12-tetradecadien-1-yl acetate
	Z-11-hexadecen-1-yl acetate					Z-11-hexadecen-1-yl acetate

	<p>CAS No 34010-21-4; CIPAC Nije dodijeljen (Z, E)-7, 11-hexadecadien-1-yl acetate CAS No 51606-94-4; CIPAC Nije dodijeljen (E, Z)-2, 13-octadecadien-1-yl acetate. CAS No 86252-65-5; CIPAC Nije dodijeljen</p> <p>Alcohol group: (E)-5-decen-1-ol CAS No 56578-18-8; CIPAC Nije dodijeljen (Z)-8-dodecen-1-ol CAS No 40642-40-8; CIPAC Nije dodijeljen (E,E)-8,10-dodecadien-1-ol CAS No 33956-49-9; CIPAC Nije dodijeljen tetradecan-1-ol CAS No 112-72-1; CIPAC Nije dodijeljen (Z)-11-hexadecen-1-ol CAS No 56683-54-6; CIPAC Nije dodijeljen</p> <p>Aldehyde group: (Z)-7-tetradecenal CAS No 65128-96-3; CIPAC Nije dodijeljen (Z)-9-hexadecenal CAS No 56219-04-6; CIPAC Nije dodijeljen (Z)-11-hexadecenal CAS No 53939-28-9; CIPAC Nije dodijeljen (Z)-13-octadecenal CAS No 58594-45-9; CIPAC Nije dodijeljen</p> <p>Blends acetates: (i) (Z)-8-dodecen-1-yl acetate CAS No 28079-04-1; CIPAC Nije dodijeljen (ii) Dodecyl acetate CAS No 112-66-3; CIPAC Nije dodijeljen; (i) (Z)-9-dodecen-1-yl acetate CAS No 16974-11-1; CIPAC 422 (ii) Dodecyl acetate CAS No 112-66-3; CIPAC 422; (i) (E,Z)-7,9-dodecadien-1-yl acetate CAS No 55774-32-8; CIPAC Nije dodijeljen (ii) (E,E)-7,9-dodecadien-1-yl acetate CAS No 54364-63-5; CIPAC Nije dodijeljen; (i) (Z,Z)-7,11-hexadecadien-1-yl acetate</p> <p>(ii) (Z,E)-7,11-hexadecadien-1-yl acetate CAS No i) & ii) 53042-79-8 CAS No i) 52207-99-5 CAS No ii) 51606-94-4 CIPAC Nije dodijeljen;</p> <p>Blends aldehydes: (i) (Z)-9-hexadecenal CAS No 56219-04-6; CIPAC Nije dodijeljen (ii) (Z)-11-hexadecenal CAS No 53939-28-9; CIPAC: Nije dodijeljen (iii) (Z)-13-octadecenal CAS No 58594-45-9; CIPAC Nije dodijeljen;</p> <p>Blends mixtures: (i) (E)-5-decen-1-yl acetate CAS No 38421-90-8; CIPAC Nije dodijeljen (ii) (E)-5-decen-1-ol CAS No 56578-18-8; CIPAC Nije dodijeljen; (i) (E/Z)-8-dodecen-1-yl acetate CAS No as individual isomers; CIPAC Nije dodijeljen; (i) (E)-8-dodecen-1-yl acetate CAS No (E) 38363-29-0; CIPAC Nije dodijeljen (i) (Z)-8-dodecen-1-yl acetate CAS No (Z) 28079-04-1; CIPAC Nije dodijeljen (ii) (Z)-8-dodecen-1-ol CAS No ii) 40642-40-8; CIPAC Nije dodijeljen; (i) (Z)-11-hexadecenal CAS No 53939-28-9; CIPAC Nije dodijeljen i (ii) (Z)-11-hexadecen-1-yl acetate CAS No 34010-21-4; CIPAC Nije dodijeljen (E,Z)-3,8-Tetradecadien-1-yl acetate (Straight Chain Lepidopteran Pheromones) (E,Z,Z)-3,8,11-Tetradecatrien-1-yl acetate (Straight Chain Lepidopteran Pheromones) n-hexadecanyl acetate (Straight Chain Lepidopteran Pheromones)</p>		<p>Z, E)-7, 11-hexadecadien-1-yl acetate (E, Z)-2, 13-octadecadien-1-yl acetate.</p> <p>Alcohol group: (E)-5-decen-1-ol (Z)-8-dodecen-1-ol (E,E)-8,10-dodecadien-1-ol tetradecan-1-ol (Z)-11-hexadecen-1-ol</p> <p>Aldehyde group: (Z)-7-tetradecenal (Z)-9-hexadecenal (Z)-11-hexadecenal (Z)-13-octadecenal</p> <p>Blends acetates: (i) (Z)-8-dodecen-1-yl acetate (ii) Dodecyl acetate; (i)(Z)-9-dodecen-1-yl acetate (ii) Dodecyl acetate; (i) (E,Z)-7,9-dodecadien-1-yl acetate, (ii) (E,E)-7,9-dodecadien-1-yl acetate;</p> <p>(i) (Z,Z)-7,11-hexadecadien-1-yl acetate (ii) (Z,E)-7,11-hexadecadien-1-yl acetate;</p> <p>Blends aldehydes: (i) (Z)-9-hexadecenal i (ii) (Z)-11-hexadecenal i (iii) (Z)-13-octadecenal;</p> <p>Blends mixtures: (i) (E)-5-decen-1-yl acetate i (ii) (E)-5-decen-1-ol; (i) (E/Z)-8-dodecen-1-yl acetate (i) (E)-8-dodecen-1-yl acetate (i) (Z)-8-dodecen-1-yl acetate (ii) (Z)-8-dodecen-1-ol; (i) (Z)-11-hexadecenal (ii) (Z)-11-hexadecen-1-yl acetate (E,Z)-3,8-Tetradecadien-1-yl acetate (E,Z,Z)-3,8,11-Tetradecatrien-1-yl acetate n-hexadecanyl acetate (Straight Chain Lepidopteran Pheromones)</p>		
204.	1,4-Dimetilnaftalen CG / 1,4-Dimethylnaphthalene EN CAS No 571-58-4; CIPAC No 822	≥ 980 g/kg	1,4-dimethylnaphthalene	PG	30/06/2024
205.	1-Dekanol CG / 1-Decanol EN CAS No 112-30-1; CIPAC No 831	≥ 960 g/kg	Decan-1-ol	PG	31/05/2024
206.	1-Naftilacetamid CG (1-NAD) / 1-Naphthylacetamide (1-NAD) EN CAS No 86-86-2; CIPAC No 282	≥ 980 g/kg	2-(1-naphthyl)acetamide	PG	31/12/2023
207.	1-Naftilacetik acid (1-NAA) / 1-Naphthylacetic acid (1-NAA) CAS No 86-87-3; CIPAC No 313	≥ 980 g/kg	1-naphthylacetic acid	PG	31/12/2023
208.	2,5-Dihlorobenzoic acid metilester CG / 2,5-Dichlorobenzoic acid methylester EN CAS No 2905-69-3; CIPAC No 686	≥ 995 g/kg	methyl-2,5-dichlorobenzoate	FU,PG	31/08/2022
209.	2-Fenilfenol (uključ. natrijumove soli ortofenil fenol) CG / 2-Phenylphenol (incl. sodium salt orthophenyl phenol) EN CAS No 90-43-7; CIPAC No 246	≥ 998 g/kg	biphenyl-2-ol	FU	31/12/2021
210.	6-Benziladenin CG / 6-Benzyladenine EN CAS No 1214-39-7; CIPAC No 829	≥ 973 g/kg	N6-benzyladenine	PG	31/05/2024

211.	8-Hidroksikinolin uključ. Oksikinolein CG / 8-Hidroxyquinoline incl. Oxyquinoleine EN CAS No 148-24-3 (8-hydroxyquinoline) CIPAC No 677 (8-hydroxyquinoline)	≥ 990 g/kg	8-quinolinol	FU	31/12/2021
212.	Acekinocil CG / Acequinocyl EN CAS No 57960-19-7; CIPAC No 760	≥ 960 g/kg	3-dodecyl-1,4-dihydro-1,4-dioxo-2-naphthyl acetate	AC	31/08/2024
213.	Sirćetna kiselina CG / Acetic acid EN CAS No: 64-19-7; CIPAC No: Nije dodijeljen	≥ 980 g/kg	Acetic acid	HB	31/08/2022
214.	Aklonifen CG / Aclonifen EN CAS No 74070-46-5; CIPAC No 498	≥ 970 g/kg Nečistoća fenola je toksikološki značajna i uspostavljen je maksimalni nivo od 5 g / kg	2-chloro-6-nitro-3-phenoxyaniline	HB	31/07/2022
215.	Akrinatriin CG / Acrinathrin EN CAS No 101007-06-1; CIPAC No 678	≥ 970 g/kg Nečistoće: 1,3-dicyclohexylurea: ne više od 2 g/kg	(S)-α-cyano-3-phenoxybenzyl (Z)-(1R,3S)-2,2-dimethyl-3-[2-(2,2,2-trifluoro-1-trifluoromethylethoxycarbonyl)vinyl]cyclopropanecarboxylate or (S)-α-cyano-3-phenoxybenzyl (Z)-(1R)-cis-2,2-dimethyl-3-[2-(2,2,2-trifluoro-1-trifluoromethylethoxycarbonyl)vinyl]cyclopropanecarboxylate	AC	31/12/2023
216.	Adoxophyes orana granulovirus Culture collection No DSM BV-0001 CG / Adoxophyes orana granulovirus Culture collection No DSM BV-0001 EN CIPAC No 782	Nijesu relevantne nečistoće	Nije primjenljivo	IN	31/01/2023
217.	Aluminijum amonijum sulfat CG / Aluminium ammonium sulphate EN CAS No: 7784-26-1; CIPAC No: Nije dodijeljen	≥ 960 g/kg	Aluminium ammonium sulphate	RE	31/08/2020
218.	Aluminijum silikat CG / Aluminium silicate (aka kaolin) EN CAS No 1332-58-7; CIPAC No 841	≥ 999,8 g/kg	Nije dostupno Hemijski naziv: Aluminium silicate	RE	31/08/2020
219.	Aluminijum sulfat CG / Aluminium sulphate EN CAS No 10043-01-3; CIPAC Nije dostupno	Aluminium sulfate	970 g/kg	BA	31/05/2024
220.	Aminopiraliid CG / Aminopyralid EN CAS No 150114-71-9; CIPAC No 771	≥ 920 g/kg Sljedeće relevantne nečistoće ne smiju prekoračiti određeni prag piclorama ≤ 40 g/kg	4-amino-3,6-dichloropyridine-2-carboxylic acid	HB	31/12/2024
221.	Amisulburom CG / Amisulbrom EN CAS No 348635-87-0; CIPAC No 789	≥ 985 g/kg Sljedeće relevantne nečistoće ne smiju prekoračiti : 3-bromo-6-fluoro-2-methyl-1-(1H-1,2,4-triazol-3-ylsulfonil)-1H-indole: ≤ 2 g/kg	3-(3-bromo-6-fluoro-2-methylindol-1-ylsulfonil)-N,N-dimethyl-1H-1,2,4-triazole-1-sulfonamide	FU	30/06/2024
222.	Askrobinska kiselina CG / Ascorbic acid EN CAS No 50-81-7; CIPAC No 774	≥ 990 g/kg Sljedeće relevantne nečistoće ne smiju prekoračiti: Methanol: ≤ 3 g/kg Teški metali: ≤ 10 mg/kg (izražen kao Pb)	(5R)-5-[(1S)-1,2-dihydroxyethyl]-3,4-dihydrofuran-2(5H)-one	FU	30/06/2024
223.	Aureobasidium pullulans (sojevi DSM 14940 i DSM 14941) CG / Aureobasidium pullulans (strains DSM 14940 and DSM 14941) EN Collection broj: German Collection of Microorganisms i cell Cultures (DSMZ) with the accession broj DSM 14940 i DSM 14941	Minimum 5,0 × 10 ⁹ CFU/g for each strain; Maximum 5,0 × 10 ¹⁰ CFU/g for each strain	Nije primjenljivo	FU, BA	31/01/2024
224.	Azadiraktin CG / Azadirachtin EN CAS No 11141-17-6 (azadirachtin A); CIPAC No 627 (azadirachtin A)	Izražen kao azadirachtin A: ≥ 111 g/kg Sum aflatoksina B1, B2, G1, G2 ne smije da prekorači 300 µg/kg od sadržaja azadirachtin A	Azadirachtin A: dimethyl (2aR,3S,4S,4aR,5S,7aS,8S,10R,10aS,10bR)-10-acetoxy-3,5-dihydroxy-4-[(1aR,2S,3aS,6aS,7S,7aS)-6a-hydroxy-7a-methyl-3a,6a,7a-tetrahydro-2,7-methanofuro[2,3-b]oxireno[e]oxepin-1a(2H)-yl]-4-methyl-8-[(2E)-2-methylbut-2-enoyl]oxy]octahydro-1H-naphtho[1,8a-c:4,5-b'c']difuran-5,10a(8H)-dicarboxylate	IN	31/05/2024
225.	Bacillus amyloliquefaciens subsp. plantarum D747 CG / Bacillus amyloliquefaciens subsp. plantarum D747 EN Accession number in the Agricultural Research Culture Collection (NRRL), Peoria, Illinois, USA: B-50405 Deposit number in the International Patent Organism Depository, Tokyo, Japan: FERM BP-8234	Minimalna koncentracija: 2,0 × 10 ¹¹ CFU/g	Nije primjenljivo	FU	31/03/2025
226.	Bacillus firmus I-1582 CG / Bacillus firmus I-1582 EN Collection broj: CNCMI-1582	Minimalna koncentracija: 7,1 × 10 ¹⁰ CFU/g	Nije primjenljivo	NE	30/09/2023
227.	Bacillus pumilus QST 2808 CG / Bacillus pumilus QST 2808 EN USDA Agricultural Research Service (NRRL) Patent culture collection in Peoria Illinois, USA under the reference broj B-30087.	≥ 1 × 10 ¹² CFU/kg	Nije primjenljivo	FU	31/08/2024
228.	Bacillus thuringiensis subsp. Aizawai sojevi ABTS-1857 i GC-91 CG / Bacillus thuringiensis subsp. Aizawai strains ABTS-1857 and GC-91 EN STRAIN: ABTS-1857 Culture collection: No SD-1372, STRAIN: GC-91 Culture collection: No NCTC 11821	Nijesu relevantne nečistoće	Nije primjenljivo	IN	30/04/2020
229.	Bacillus thuringiensis subsp. Israeliensis (serotype H-14) soj AM65-52 CG / Bacillus thuringiensis subsp. Israeliensis (serotype H-14) strain AM65-52 EN (Culture collection: No ATCC-1276	Nijesu relevantne nečistoće	Nije primjenljivo	IN	30/04/2020
230.	Bacillus thuringiensis subsp. Kurstaki sojevi	Nijesu relevantne nečistoće	Nije primjenljivo	IN	pr30/04/2020

	<p>ABTS 351, PB 54, SA 11, SA12 i EG 2348 CG / Bacillus thuringiensis subsp. Kurstaki strains ABTS 351, PB 54, SA 11, SA12 and EG 2348 EN STRAIN: ABTS 351 Culture collection: No ATCC SD-1275 STRAIN: PB 54 Culture collection: No CECT 7209 STRAIN: SA 11 Culture collection: No NRRL B-30790 STRAIN: SA 12 Culture collection: No NRRL B-30791 STRAIN: EG 2348 Culture collection: No NRRL B-18208</p>				
231.	<p>Beauveria bassiana sojevi ATCC 74040 i GHA CG / Beauveria bassiana strains ATCC 74040 and GHA EN STRAIN: ATCC 74040 Culture collection: No ATCC 74040 STRAIN: GHA Culture collection: No ATCC 74250</p>	Maksimalni nivo beauvericina: 5 mg/kg	Nije primjenljivo	IN	06/06/2027
232.	<p>Beauveria bassiana soj IMI389521 CG/ Beauveria bassiana STRAIN IMI389521 EN Referentni broj u Zbirci genetskih resursa CABI: IMI389521</p>	Najveći nivo beauvericina: 0,09 mg/kg	Nije primjenljivo	IN	<p>19/02/2029</p> <p>obratiti posebnu pažnju na sljedeće:</p> <ul style="list-style-type: none"> -stabilnost kod skladištenja preparata (ili više njih) koji sadrže tvar B. bassiana soj IMI389521, uključujući udio metabolita beauvericina nakon skladištenja, -sadržaj metabolita beauvericina proizvedenog u određenim uvjetima primjene, -rizik koji predstavlja beauvericin u zaraženim insektima prisutnim u skladištenom zrnju <p>Potrebno je poduzeti mjere kako bi se osiguralo da takvi proizvodi ne uđu u lanac ishrane i hrane za životinje, uzimajući u obzir uobičajen nivo prisutnosti beauvericina na zrnima žitarica,</p> <ul style="list-style-type: none"> -zaštitu korisnika sredstva i operatera, uzimajući u obzir to da se smatra da supstanca B. bassiana soj IMI389521, kao i svaki drugi mikroorganizam, može uzrokovati preosjetljivost. <p>Strogo održavanje ekoloških uvjeta i analiza kontrole kvalitete tokom proizvodnog postupka kako bi se osiguralo poštovanje graničnih vrijednosti mikrobiološke kontaminacije iz radnog dokumenta SANCO/12116/2012 (2).</p> <p>Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika.</p>
233.	<p>Beauveria bassiana soj PPRI 5339 CG/ Beauveria bassiana strain PPRI 5339 Referentni broj u Zbirci kultura službe za istraživanja u području poljoprivrede (NRRL) međunarodnog depozitorija: NRRL 50757</p>	Najveći nivo beauvericina: 0,5 mg/kg	Nije primjenljivo	IN	<p>20/02/2029</p> <p>U toj ukupnoj ocjeni države članice moraju obratiti posebnu pažnju na sledeće:</p> <ul style="list-style-type: none"> -udio metabolita beauvericina na osnovu ispitivanja roka trajanja nakon skladištenja preparata (ili više) supstance B. bassiana soja PPRI 5339, -uticaj na oprašivače koji se unose u zaštićeni prostor nakon izlaganja preparatu (preparatima) različitom od preparata navedenog u prilog ovoj tvrdnji, -zaštita operatera i radnika, s obzirom na to da se smatra da supstanca B. bassiana soja PPRI 5339, kao i bilo koji drugi mikroorganizam, može izazvati preosjetljivost. <p>Strogo održavanje uslova životne sredine i analiza kontrole kvaliteta tokom proizvodnog procesa kako bi se osiguralo poštovanje graničnih vrijednosti kontaminacije mikrobima u radnom dokumentu SANCO / 12116/2012 (2).</p>

					Uslovi upotrebe, prema potrebi, uključuju mjere ublažavanja rizika.
234.	Benfluralin CG / Benfluralin EN CAS No 1861-40-1; CIPAC No 285	≥ 960 g/kg Nečistoće: — ethyl-butyl-nitrosamine: max. 0,1 mg/kg	N-butyl-N-ethyl- α,α,α -trifluoro-2,6-dinitro-p-toluidine	HB	28/02/2021
235.	Bensulfuron metil CG / Bensulfuron methyl EN CAS No 83055-99-6; CIPAC No 502.201	≥ 975 g/kg	α -[(4,6-dimethoxypyrimidin-2-ylcarbamoil)sulfamoyl]-o-toluic acid (bensulfuron) methyl α -[(4,6-dimethoxypyrimidin-2-ylcarbamoil)sulfamoyl]-o-toluate (bensulfuron-methyl)	HB	31/10/2022
236.	Benthiavalkarb CG / Benthiavalkarb EN CAS No 413615-35-7; CIPAC No 744	≥ 910 g/kg Sljedeće fabričke nečistoće predstavljaju toksikološku zabrinutosti i svaka od njih ne smije premašiti određeni iznos u tehničkom materijalu : 6,6'-difluoro-2,2'-dibenzothiazole: < 3,5 mg/kg bis(2-amino-5-fluorophenyl) disulfide: < 14 mg/kg	[(S)-1-[(R)-1-(6-fluoro-1,3-benzothiazol-2-yl)ethyl]carbamoil]-2-methylpropyl]carbamic acid	FU	31/07/2020
237.	Bifenoks CG / Bifenox EN CAS No 42576-02-3; CIPAC No 413	≥ 970 g/kg nečistoće: max. 3 g/kg 2,4-dichlorophenol max. 6 g/kg 2,4-dichloroanisole	Methyl 5-(2,4-dichlorophenoxy)-2-nitrobenzoate	HB	31/12/2020
238.	Bispiribak CG / Bispyribac EN CAS No 125401-75-4; CIPAC No 748	≥ 930 g/kg (označava se kao bispyribac-sodium)	2,6-bis(4,6-dimethoxypyrimidin-2-yloxy)benzoic acid	HB	31/07/2021
239.	Biksafen CG / Bixafen EN CAS No 581809-46-3; CIPAC No 819	≥ 950 g/kg	N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1-methylpyrazole-4-carboxamide	FU	30/09/2023
240.	Krvno brašno CG/Blood meal EN CAS No Nije dodijeljen; CIPAC No Nije dodijeljen	≥ 990 g/kg	Nije dostupno	RE	31/08/2020
241.	Bromukonazol CG / Bromconazole EN CAS No 116255-48-2; CIPAC No 680	≥ 960 g/kg	1-[(2RS,4RS:2RS,4SR)-4-bromo-2-(2,4-dichlorophenyl)tetrahydrofurfuryl]-1H-1,2,4-triazole	FU	31/01/2021
242.	Bupirimat CG / Bupirimate EN CAS No 41483-43-6; CIPAC No 261	≥ 945 g/kg Nečistoće: Ethinol: max. 2 g/kg Toluene: max. 3 g/kg	5-butyl-2-ethylamino-6-methylpyrimidine-4-yl dimethylsulfamate	FU	31/05/2024
243.	Kalcijum karbid CG / Calcium carbide EN CAS No 75-20-7; CIPAC No Nije dodijeljen	≥ 765 g/kg Sadrži 0,08-0,52 g/kg Calcium Phosphide	Calcium carbide Calcium acetylide	RE	31/08/2022
244.	Kalcijum karbonat CG / Calcium carbonate EN CAS No 471-34-1; CIPAC No Nije dodijeljen	≥ 995 g/kg	Calcium carbonate	RE	31/08/2020
245.	Kalcijum hidroksid CG / Calcium hydroxide EN CAS No 1305-62-0	920 g/kg Ocjena hrane / Food grade Sljedeće nečistoće predstavljaju toksikološku zabrinutost i ne smiju da pređu nivo ispod (izraženo u mg / kg suve materije): Barium 300 mg/kg Florid 50 mg/kg Arsen 3 mg/kg Olovo 2 mg/kg	Calcium Hydroxide		
246.	Kalcijum fosfid CG / Calcium phosphide EN CAS No 1305-99-3; CIPAC No 505	≥ 160 g/kg	Calcium phosphide	RO	31/08/2022
247.	Candida oleophila soj O CG / Candida oleophila strain O EN Collection broj: MUCL40654	Nominalni sadržaj: 3×10^{10} CFU/g osušen proizvod Domet: $6 \times 10^9 - 1 \times 10^{11}$ CFU/g osušen proizvod	Nije primjenljivo	FU	30/09/2023
248.	Karbetamid CG / Carbetamide EN CAS No 16118-49-3; CIPAC No 95	≥ 950 g/kg	(R)-1-(Ethylcarbamoil)ethyl carbanilate	HB	31/05/2021
249.	Karbon dioksid CG / Carbon dioxide EN CAS No 124-38-9	≥ 99,9 %	Carbon dioxide	IN, RO	31/08/2020
250.	Karboksin CG / Carboxin EN CAS No 5234-68-4; CIPAC No 273	≥ 970 g/kg	5,6-dihydro-2-methyl-1,4-oxathiine-3-carboxanilide	FU	31/05/2021
251.	Karvon CG/Carvone EN CAS No 99-49-0 (d/l mixture); CIPAC No 602 Carvone 244-16-8 (d-carvone = S-carvone = (+)-carvone) Carvone: 602 d-carvone: not allocated	923 g/kg d-carvone	(S)-5-isopropenyl-2-methylcyclohex-2-en-1-one Or (S)-p-mentha-6,8-dien-2-one	PG	31/07/2034 Posebnu pažnju na sledeće: -zaštitu korisnika sredstva i osigurati da uslovi upotrebe propisuju primjenu odgovarajućih ličnih zaštitnih sredstava. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika. Posebno bi trebalo razmotriti potreban vremenski razmak od primjene sredstava za zaštitu bilja koja sadrže karvon do ulaska u skladište...
252.	Cerevisan (nema usvojenog ISO naziva) CG / Cerevisane (no ISO name adopted) EN CAS No: Nije dodijeljen; CIPAC No: 980	≥ 924 g/kg	Nije relevantan	PA	23/04/2030
253.	Citosan hidrohlorid CG / Chitosan hydrochloride EN CAS no: 9012-76-4	Evropska farmakopeja Max sadržaj teških metala: 40 ppm	Nije primjenljivo		
254.	Hlormekvat CG / Chlormequat EN CAS No 7003-89-6 (chlormequat); CIPAC No 143 (chlormequat) CAS No 999-81-5 (chlormequat chloride); CIPAC No 143.302 (chlormequat chloride)	≥ 636 g/kg Nečistoće 1,2-dichloroethane: max 0,1 g/kg (na svom sadržaju chlormequat chloride) Chloroethene (vinylchloride): max 0,0005 g/kg (na svom sadržaju chlormequat chloride)	2-chloroethyltrimethylammonium (chlormequat) 2-chloroethyltrimethylammonium chloride (chlormequat chloride)	PG	30/11/2021
255.	Hromafenzid CG / Chromafenozide EN CAS No 143807-66-3; CIPAC No 775	≥ 935 g/kg Sljedeće relevantne nečistoće ne smiju	N'-tert-butyl-5-methyl-N''-(3,5-xyloil)chromane-6-carbohidrazide	IN	31/03/2025

		preči određeni prag u tehničkom materijalu: Butyl acetate (n-buthyl acetate, CAS No 123-86-4): ≤ 8 g/kg			
256.	Klaied harkoal CG /Clayed charcoal EN CAS No 7440-44-0 activated charcoal 1333-86-4 carbon black 1302-78-9 bentonite CIPAC No and EEC No 231-153-3 (EINECS) activated charcoal 215-609-9 (EINECS) carbon black 215-108-5 (EINECS) bentonite	Charcoal: as in Commission Regulation (EU) No 231/20128 Bentonite: as in Commission Regulation (EU) No 1060/20139	Nije primjenljivo	protectant	
257.	Klofentezin CG / Clofentazine EN CAS No 74115-24-5; CIPAC No 418	≥ 980 g/kg (suvi materijal)	3,6-bis(2-chlorophenyl)-1,2,4,5-tetrazine	AC	31/12/2020
258.	COS-OGA CG / COS-OGA EN CAS No: Nije dodijeljen; CIPAC No: 979	≥ 915 g/kg — OGA/COS odnos sastavljen između 1 i 1,6 — Stepen polimerizacije COS sastavljen između 5 i 10 — Stepen polimerizacije OGA sastavljen između 9 i 20 — Stepen metilacije OGA < 10 % — Stepen acetilacije COS < 50 %	Linear copolymer of α-1,4-D-galactopyranosyluronic acids i methylesterified galactopyranosyluronic acids (9 to 20 residues) sa linearnim copolymer β-1,4-linked 2-amino-2-deoxy-D-glucopyranose i 2-acetamido-2-deoxy-D-glucopyranose (5 to 10 residues).	FU	22/04/2030
259.	Ciflufenamid CG / Cyflufenamid EN CAS No 180409-60-3; CIPAC No 759	> 980 g/kg	(Z)-N-[α-(cyclopropylmethoxyimino) – 2,3-difluoro-6-(trifluoromethyl)benzyl]-2-phenylacetamide	FU	31/03/2023
260.	Ciflumetofen CG /Cyflumetofen EN CAS No 400882-07-7; CIPAC No 721	≥ 975 g/kg (racemic)	2-methoxyethyl (RS)-2-(4-tert-butylphenyl)-2-cyano-3-oxo-3-(α,α,α-trifluoro-o-tolyl)propionate	AC	31/05/2023 Sredstva za zaštitu bilja koja sadrže ciflumetofen odobravaju se za upotrebu samo ako se očekuje da nivo metabolita B3 u podzemnim vodama bude manja od 0,1 µg/L. Obratiti posebnu pažnju na sledeće: — zaštitu operatera i radnika, — zaštitu podzemnih voda, posebno od metabolita B3, ako se aktivna supstanca primjenjuje u područjima s osjetljivim zemljištem i/ili nepovoljnim klimatskim uslovima; — zaštitu vode za piće, — rizik za vodene organizme. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizik
261.	Cihalofop-butil CG / Cyhalofop-butyl EN CAS No 122008-85-9; CIPAC No 596	950 g/kg	Butyl-(R)-2-[4(4-cyano-2-fluorophenoxy) phenoxy]propionate	HB	30/06/2032
262.	Ciprokonazol CG / Cyproconazole EN CAS No 94361-06-5; CIPAC No 600	≥ 940 g/kg	(2RS,3RS;2RS,3SR)-2-(4-chlorophenyl)-3-cyclopropyl-1-(1H-1,2,4-triazol-1-yl)butan-2-ol	FU	31/05/2021
263.	Denatonijum benzoat CG / Denathonium benzoate EN CAS No 3734-33-6; CIPAC No 845	≥ 975 g/kg	Benzyl-diethyl[2,6-xylyl-carbamoyl]methylammonium benzoate	RE	31/08/2022
264.	Diklofop CG / Diclofop EN CAS No 40843-25-2 (parent); CIPAC No 358 (parent) CAS No 257-141-8 (diclofop-methyl); CIPAC No 358.201 (diclofop-methyl)	≥ 980 g/kg (izražen kao diclofop-methyl)	Diclofop (RS)-2-[4-(2,4-dichlorophenoxy)phenoxy]propionic acid Diclofop-methyl methyl (RS)-2-[4-(2,4-dichlorophenoxy)phenoxy]propionate	HB	31/05/2023
265.	Dietofenkarb CG / Diethofencarb EN CAS No 87130-20-9; CIPAC No 513	≥ 970 g/kg Nečistoće: Toluene: ne više od 1 g/kg	isopropyl 3,4-diethoxycarbamate	FU	31/05/2021
266.	Dimetahlor CG / Dimethachlor EN CAS No 50563-36-5; CIPAC No 688	≥ 950 g/kg Nečistoća 2,6-dimethylaniline: Ne više od 0,5 g/kg	2-chloro-N-(2-methoxyethyl)acet-2',6'-xylylidide	HB	31/12/2021
267.	Dizodijum fosfonat CG / Disodium phosphonate EN CAS No 13708-85-5; CIPAC No 808	281-337 g/kg (TK) ≥ 917 g/kg (TC)	disodium phosphonate	FU	31/01/2024
268.	Diuron CG / Diuron EN CAS No 330-54-1; CIPAC No 100	≥ 930 g/kg	3-(3,4-dichlorophenyl)-1,1-dimethylurea	HB	30/09/2020
269.	Dodekan-1-ol CG / Dodecan-1-ol EN Feromoni linearnog lanca za red Lepidoptera CG Straight Chain Lepidopteran Pheromones ENG			AT	31/08/2020
270.	Dodemorf CG / Dodemorph EN CAS No 1593-77-7; CIPAC No 300	≥ 950 g/kg	cis/trans-[4-cyclododecyl]-2,6-dimethylmorpholine	FU	31/08/2022
271.	Equisetum arvense L. CG / Equisetum arvense L. EN CAS No: Nije dodijeljen; CIPAC No: Nije dodijeljen	Evropska farmakopeja	Nije primjenljivo		
272.	Etilen CG / Ethylene EN CAS No 74-85-1; CIPAC No 839	≥ 90 % Relevantne nečistoće: ethylene oxide, max sadržaj 1 mg/kg	Ethylene	PG	31/08/2022
273.	Etofenproks CG / Etofenprox EN CAS No 80844-07-1; CIPAC No 471	≥ 980 g/kg	2-(4-ethoxyphenyl)-2-methylpropyl 3-phenoxybenzyl ether	IN	31/12/2021
274.	Etoksazol CG / Etoazole EN CAS No 153233-91-1; CIPAC No 623	≥ 948 g/kg	(RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl] phenetole	IN	31/07/2020
275.	Etridiazol CG / Etridiazole EN CAS No 2593-15-9; CIPAC No 518	≥ 970 g/kg	ethyl-3-trichloromethyl-1,2,4-thiadiazol-5-yl ether	FU	31/05/2021
276.	Eugenol CG / Eugenol EN CAS No 97-53-0; CIPAC No 967	≥ 990 g/kg Relevantne nečistoće: methyl eugenol maximum 0,1 % tehničkog materijala	4-allyl-2-methoxyphenol	FU	30/11/2023
277.	Ostaci masne destilacije CG / Fat distillation	≥ 40 % of odcijepljene masne kiseline	Nije dostupno	RE	31/08/2020

	residues EN CAS No: Nije dodijeljen; CIPAC No 915	Relevantne nečistoće: Ni maximum 200 mg/kg			
278.	Fenamifos CG /Fenamiphos EN CAS No 22224-92-6 CIPAC No 692	≥ 940 g/kg	(RS)-ethyl 4-methylthio-m-tolyl isopropylphosphoramidate	NE	31/07/2020
279.	FEN 560 (sjeme u prahu piskavice) CG / FEN 560 (Fenugreek seed powder) EN (also called fenugreek or fenugreek seed powder) CAS No None CIPAC No None The active substance is prepared from the seed powder of <i>Trigonella foenum-graecum</i> L. (fenugreek).	100% piskavica sjemena u prahu, bez aditiva i bez ekstrakcije; sjeme kada je u pitanju ocjena kvaliteta hrane za ljude (the seed being of human food grade quality)	Nije primjenljivo	FU	31/10/2020
280.	Fenoksaprop-P CG / Fenoxaprop-P EN CAS No 113158-40-0; CIPAC No 484	≥ 920 g/kg	(R)-2-[4-[(6-chloro-2-benzoxazolyl)oxy]-phenoxy]-propanoic acid	HB	31/12/2020
281.	Fenpikoksamid (bivši: Liserfenvalpir) CG/Fenpicoxamid (formerly: Lyserphenvalpyr) EN CAS No 517875-34-2 CIPAC No 991	≥ 750 g/kg	(3S,6S,7R,8R)-8-benzyl-3-[[3-[(isobutyryloxy)methoxy]-4-methoxypyridine-2-carboxamido]-6-methyl-4,9-dioxo-1,5-dioxonan-7-yl isobutyrate	FU	11/10/2028
282.	Fenpropidin CG / Fenpropidin EN CAS No 67306-00-7; CIPAC No 520	≥ 960 g/kg (racemate)	(R,S)-1-[3-(4-tert-butylphenyl)-2-methylpropyl]-piperidine	FU	31/12/2020
283.	Fenpirazamin CG / Fenpyrazamine EN CAS No 473798-59-3; CIPAC No 832	≥ 940 g/kg	S-allyl 5-amino-2,3-dihydro-2-isopropyl-3-oxo-4-(o-tolyl)pyrazole-1-carbothioate	FU	31/12/2022
284.	Flonikamid (IKI-220) CG / Flonicamid (IKI-220) EN CAS No 158062-67-0; CIPAC No 763	≥ 960 g/kg Nečistoća toluena ne smije prekoračiti 3 g/kg u tehničkom materijalu	N-cyanomethyl-4-(trifluoromethyl)nicotinamide	IN	31/08/2023
285.	Flubendiamid CG / Flubendiamide EN CAS No 272451-65-7; CIPAC No 788	≥ 960 g/kg	3-iodo-N'-(2-mesyl-1,1-dimethylethyl)-N-[4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]-o-tolyl]phthalamide	IN	31/08/2024
286.	Flumetralin CG / Flumetralin EN CAS No 62924-70-3; CIPAC No 971	980 g/kg Nečistoća Nitrosamina (izračunat kao nitroso-dimethylamine) ne smije prekoračiti 0,001 g/kg u tehničkom materijalu	N-(2-chloro-6-fluorobenzyl)-N-ethyl- α,α,α -trifluoro-2,6-dinitro-p-toluidine	PG	11/12/2022
287.	Flumeturon CG /Flumeturon EN CAS No: 2164-17-2; CIPAC No: 159	≥ 940 g/kg	1,1-dimethyl-3-(α,α,α -trifluoro-m-tolyl)urea	HB	31/05/2024
288.	Fluksastrobin CG / Fluoxastrobin EN CAS No 361377-29-9; CIPAC No 746	≥ 940 g/kg	(E)-[2-[6-(2-chlorophenoxy)-5-fluoropyrimidin-4-yloxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)methanone O-methylxime	FU	31/07/2020
289.	Flupiradifuron CG / Flupyradifurone EN CAS No: 951659-40-8; CIPAC No: 987	≥ 960 g/kg	4-[(6-chloro-3-pyridylmethyl)(2,2-difluoroethyl) amino furan-2(5H)-one	IN	09/12/2025
290.	Flukvinkonazol CG / Fluquinconazole EN CAS No 136426-54-5; CIPAC No 474	≥ 955 g/kg	3-(2,4-dichlorophenyl)-6-fluoro-2-(1H-1,2,4-triazol-1-yl)quinazolin-4(3H)-one	FU	31/12/2021
291.	Flurohloridon CG / Flurochloridone EN CAS No: 61213-25-0; CIPAC No: 430	≥ 940 g/kg Relevant nečistoće:Toluene: max 8 g/kg	(3RS,4RS,3RS,4SR)-3-chloro-4-chloromethyl-1-(α,α,α -trifluoro-m-tolyl)-2-pyrrolidone	HB	31/05/2021
292.	Flutolanil CG / Flutolanil EN CAS No 66332-96-5; CIPAC No 524	≥ 975 g/kg	α,α,α -trifluoro-3'-isopropoxy-o-toluanilide	FU	28/02/2021
293.	Fluksapiroksad CG / Fluxapyroxad EN CAS No 907204-31-3; CIPAC No 828	≥ 950 g/kg Nečistoća toluena ne smije prekoračiti 1 g/kg u tehničkom materijalu	3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluorobiphenyl-2-yl)pyrazole-4-carboxamide	FU	31/12/2022
294.	Fruktoza CG / Fructose EN CAS No: 57-48-7	Ocjena hrane / Food grade	β -D-fructofuranose	EL	
295.	Gama-cihalotrin CG /Gamma-cyhalothrin EN CAS No 76703-62-3; CIPAC No 768	≥ 980 g/kg	(S)- α -cyano-3-phenoxybenzyl (1R,3R)-3-[(Z)-2-chloro-3,3,3-trifluoropropenyl]-2,2-dimethylcyclopropanecarboxylate or (S)- α -cyano-3-phenoxybenzyl (1R)-cis-3-[(Z)-2-chloro-3,3,3-trifluoropropenyl]-2,2-dimethylcyclopropanecarboxylate	IN	31/03/2025
296.	Ekstrakt bijelog luka CG / Garlic extract EN CAS No 8008-99-9; CIPAC No Nije dodijeljen	≥ 99,9 %	Ocjena hrane ekstrakt biljeog luka / Food grade garlic juice concentrate	RE	31/08/2020
297.	Geraniol CG / Geraniol EN CAS No 106-24-1; CIPAC No 968	≥ 980 g/kg	(E) 3,7-dimethyl-2,6-octadien-1-ol	FU	30/11/2023
298.	Giberelinska kisjelina CG / Gibberellic acid EN CAS No 77-06-5; CIPAC No 307	≥ 850 g/kg	(3S,3aS,4S,4aS,7R,9aR,9bR,12S)-7,12-dihydroxy-3-methyl-6-methylene-2-oxoperhydro-4a,7-methano-9b,3-propenol(1,2-b)furan-4-carboxylic acid Alt: (3S,3aR,4S,4aS,6S,8aR,8bR,11S)-6,11-dihydroxy-3-methyl-12-methylene-2-oxo-4a,6-methano-3,8b-prop-lenoperhydroindenol (1,2-b)furan-4-carboxylic acid	PG	31/08/2020
299.	Giberelin CG / Gibberellin EN CAS No GA4: 468-44-0 GA7: 510-75-8 GA4A7 mixture: 8030-53-3 CIPAC No Nije dodijeljen	Review report (SANCO/2614/2008)	GA4: (3S,3aR,4S,4aR,7R,9aR,9bR,12S)-12-hydroxy-3-methyl-6-methylene-2-oxoperhydro-4a,7-methano-3,9b-propenoazulenol[1,2-b]furan-4-carboxylic acid GA7: (3S,3aR,4S,4aR,7R,9aR,9bR,12S)-12-hydroxy-3-methyl-6-methylene-2-oxoperhydro-4a,7-methano-9b,3-propenoazulenol[1,2-b]furan-4-carboxylic acid	PG	31/08/2020
300.	Halauksifen-metil CG / Halauksifen-methyl EN CAS No: 943831-98-9; CIPAC No: 970.201 (halauksifen-methyl) 970 (halauksifen)	≥ 930 g/kg	methyl 4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)pyridine-2-carboxylate	HB	05/08/2025
301.	Halosulfurin metil CG /Halosulfuron methyl EN CAS No 100785-20-1; CIPAC No 785.201	≥ 980 g/kg	methyl 3-chloro-5-(4,6-dimethoxypyrimidin-2-ylcarbamoysulfamoyl)-1-methylpyrazole-4-carboxylate	HB	30/09/2023
302.	Helicoverpa armigera nucleopolyhedrovirus (HearNPV) CG / Helicoverpa armigera nucleopolyhedrovirus (HearNPV) EN	Minimalna koncentracija: 1,44 × 10 ¹³ OB/l (occlusion bodies/l)	Nije primjenljivo	IN	31/05/2023

	DSMZ broj: BV-0003				
303.	Heptamalosiloglukan CG / Heptamaloxyloglucan EN CAS No 870721-81-6; CIPAC No Nije dostupno	≥ 780 g/kg Nečistoća Patulina ne smije prekoračiti 50 µg/kg u tehničkom materijalu	Puni naziv IUPAC sa pojednostima o identitetu i specifikaciji aktivnih supstanci su dati u njihovim izvještajima / Full IUPAC name with details on identity and specification of active substances are provided in their review reports. Xyl p: xylopyranosyl Glc p: glucopyranosyl Fuc p: fucopyranosyl Gal p: galactopyranosyl Glc-ol: glucitol	EL	31/05/2021
304.	Hidrolizovani proteini CG / Hydrolysed proteins EN CAS No Nije dodijeljen; CIPAC No Nije dodijeljen	Review report (SANCO/2615/2008)	Nije dostupno	IN AT*	31/08/2020
305.	Himeksazol CG / Hymexazol EN CAS No 10004-44-1; CIPAC No 528	≥ 985 g/kg	5-methylisoxazol-3-ol (or 5-methyl-1,2-oxazol-3-ol)	FU	31/05/2023
306.	Indolilbuterna kiselina CG / Indolybutyric acid EN CAS No 133-32-4; CIPAC No 830	≥ 994 g/kg	4-(1H-indol-3-yl)butyric acid	PG	31/05/2023
307.	Ipkonazol CG / Ipcnazole EN CAS No 125225-28-7 (mixture of diastereoisomers) 115850-69-6 (ipconazole cc, cis isomer) 115937-89-8 (ipconazole ct, trans isomer) CIPAC No 798	≥ 955 g/kg Ipcnazole cc: 875 – 930 g/kg Ipcnazole ct: 65 – 95 g/kg	(1RS,2SR,5RS;1RS,2SR,5SR)-2-(4-chlorobenzyl)-5-isopropyl-1-(1H-1,2,4-triazol-1-ylmethyl) cyclopentanol	FU	31/08/2024
308.	Gvožđe sulfat CG / Iron sulphate EN Iron(II)sulfate anhydrous: CAS No 7720-78-7 Iron(II)sulfate monohydrate: CAS No 17375-41-6 Iron(II)sulfate heptahydrate: CAS No 7782-63-0 CIPAC No 837	Iron(II)sulfate anhydrous: ≥ 350 g/kg ukupnog gvožđa. Relevantne nečistoće: arsenic, 18 mg/kg cadmium, 1,8 mg/kg chromium, 90 mg/kg lead, 36 mg/kg mercury, 1,8 mg/kg izražen na osnovu bezvodne verzije	Iron(II)sulphate or iron(2+) sulfate	HB	31/08/2020
309.	Isaria fumosorosea Apopka strain 97 (formely Paecilomyces fumosoroseus) CG / Isaria fumosorosea Apopka strain 97 (formely Paecilomyces fumosoroseus) EN Deposited in the American Type Culture Collection (ATCC) under the name Paecilomyces fumosoroseus Apopka ATCC 20874	Minimalna koncentracija: 1,0 × 10 ⁸ CFU/ml Maksimalna koncentracija: 2,5 × 10 ⁹ CFU/ml	Nije primjenljivo	IN	31/12/2030
310.	Izopirazamin CG / Isopyrazam EN CAS No 881685-58-1(syn-isomer: 683777-13-1/anti-isomer: 683777-14-2) CIPAC No 963	≥ 920 g/kg U rasponu od 78:15 % to 100:0 % syn-to anti-isomers	A mixture of 3-(difluoromethyl)-1-methyl-N-[(1RS,4SR,9RS)-1,2,3,4-tetrahydro-9-isopropyl-1,4-methanonaphthalen-5-yl]pyrazole-4-carboxamide (syn-isomer – 50:50 mix of two enantiomers) i 3-(difluoromethyl)-1-methyl-N-[(1RS,4SR,9SR)-1,2,3,4-tetrahydro-9-isopropyl-1,4-methanonaphthalen-5-yl]pyrazole-4-carboxamide (anti-isomer– 50:50 mix of two enantiomers) In a range of 78:15 % to 100:0 % syn to anti.	FU	31/03/2023
311.	Izoksaben CG / Isoxaben EN CAS No: 82558-50-7; CIPAC No: 701	≥ 910 g/kg Toluene: ≤ 3g/kg	N-[3-(1-ethyl-1-methylpropyl)-1,2-oxazol-5-yl]-2,6-dimethoxybenzamide	HB	31/05/2024
312.	Kieselgur (Diatomejska zemlja) CG / Kieselgur (diatomaceous earth) EN CAS No 61790-53-2; CIPAC No 647	Proizvod sadrži 100 % diatomejske zemlje. Maximum 0,1 % čestica kristalnog silicijumdioksida sa prečnikom ispod 50 µm	Kieselgur (no IUPAC name) Diatomaceous earth Amorphous silicon dioxide Silica Diatomite	IN	31/08/2020
313.	L-askorbinska kiselina CG / L-ascorbic acid EN CAS No 50-81-7 CIPAC No 774	≥ 990 g/kg (pharmaceutical grade) The following impurities are relevant and must not exceed a certain threshold in the technical material: Methanol: ≤ 3 g/kg Heavy Metals: ≤ 10 mg/kg (expressed as Pb) <i>Sledeće nečistoće su relevantne i ne smeju da pređu određeni prag:</i> Methanol: ≤ 3 g/kg Teški metali: ≤ 10 mg/kg (expressed as Pb)	(5R)-5-[(1S)-1,2-dihydroxyethyl]-3,4-dihydrofuran-2(5H)-one (European Pharmacopoeia, 2005)	FU	30/06/2024
314.	Lecanicillium muscarium (ranije Verticillium lecanii) soj Ve6 CG / Lecanicillium muscarium (formerly Verticillium lecanii) strain Ve6 EN Culture collection: No CABI (=IMI) 268317, CBS 102071, ARSEF 5128	Nijesu relevantne nečistoće	Nije primjenljivo	IN	30/04/2020
315.	Lecitini CG / Lecithins EN CAS No: 8002-43-5; CIPAC No: Nije dodijeljen Eines 232-307-2	Kao što je opisano u Annexu Regulation (EU) No 231/2012.	Nije dodijeljen	FU	
316.	Lenacil CG / Lenacil EN CAS No 2164-08-1; CIPAC No 163	≥ 975 g/kg	3-cyclohexyl-1,5,6,7-tetrahydrocyclopentapyrimidine-2,4(3H)-dione	HB	31/12/2020
317.	Krečni sumpor CG / Lime sulphur (calcium polysulphid) EN CAS No 1344 - 81 – 6; CIPAC No 17	≥ 290 g/kg	Calcium polysulfide	FU, IN, AC	31/05/2024
318.	Krečnjak CG / Limestone EN CAS No 1317-65-3; CIPAC No Nije dodijeljen	≥ 980 g/kg	Nije dostupno		31/12/2020
319.	Maltodekstrin CG / Maltodextrin EN CAS No 9050-36-6; CIPAC No 801	≥ 910 g/kg	None allocated	IN	30/09/2023

320.	Mandestrobín CG / Mandestrobín EN CAS No: 173662-97-0; CIPAC No: Nije dostupno	≥ 940 g/kg (na osnovu suve mase) Xylenes (ortho, meta, para), ethyl benzene max. 5 g/kg (TK)	(RS)-2-methoxy-N-methyl-2-[<i>o</i> -(2,5-xylyloxy)- <i>o</i> -tolyl]acetamide	FU	09/12/2025
321.	Mefentriflukonazol CG / Mefentriflukonazole EN CAS No: 1417782-03-6 CIPAC No: Not assigned	≥ 970 g/kg Nečistoća N, N-dimetilformamida ne sme prelaziti 0,5 g / kg u tehničkom materijalu. Nečistoća toluena ne smije prelaziti 1 g / kg u tehničkom materijalu Nečistoća 1,2,4- (1H) -triazol ne sme prelaziti 1 g / kg u tehničkom materijalu	(2RS)-2-[4-(4-chlorophenoxy)-2-(trifluorometil)fenil]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol	FU	20/03/2029 Posebnu pažnju obratiti na: - zaštitu operatera, osiguravajući da uslovi korišćenja uključuju upotrebu odgovarajuće lične zaštitne opreme; - zaštita vodenih organizama. Uslovi upotrebe uključuju mjere ublažavanja rizika, poput zaštitnih zona i / ili vegetativnih traka, gdje je to prikladno.
322.	Mepikvat CG / Mepiquat EN CAS No 15302-91-7; CIPAC No 440	≥ 990 g/kg	1,1-dimethylpiperidinium chloride (mepiquat chloride)	PG	28/02/2021
323.	Meptildinokap CG / Meptyldinocap EN CAS No 6119-92-2; CIPAC No 811	≥ 900 g/kg (mješavina trans- i cis-isomera sa definisanim opsegom odnosa od 25:1 do 20:1) Relevantne nečistoće: 2,6-dinitro-4-[(4RS)-octan-4-yl]phenyl (2E/Z)-but-2-enoate max sadržaj 0,4 g/kg	Mixture of 75-100 % (RS)-2-(1-methylheptyl)-4,6-dinitrophenyl crotonate i 25-0 % (RS)-2-(1-methylheptyl)-4,6-dinitrophenyl isocrotonate	FU	31/03/2025
324.	Metaflumizon CG / Metaflumizone EN CAS No 139968-49-3; CIPAC No 779	≥ 945 g/kg (90-100 % E-isomer 10-0 % Z-isomer) Sledeća relevantna nečistoćashall ne smije premašiti određeni prag: Hydrazine ≤ 1 mg/kg 4-(trifluorometoxy)phenyl isocyanate ≤ 100 mg/kg Toluene ≤ 2 g/kg	(EZ)-2'-[2-(4-cyanophenyl)-1-(<i>α,α,α</i> -trifluoro- <i>m</i> -tolyl)ethylidene]-4-(trifluorometoxy)carbanilohidrazide	IN	31/12/2024
325.	Metam (uključujući – kalijum i – natrijum) CG / Metam (incl. potassium and sodium) EN CAS No 144-54-7; CIPAC No 20	≥ 965 g/kg Izražen kao metam-natrijum na osnovu suve mase ≥ 990 g/kg Izražen kao metam-kalijum na osnovu suve mase Relevant nečistoće: methylisothiocyanate (MITC) —max. 12 g/kg on dry weight basis (metam-sodium), —max. 0,42 g/kg on dry weight basis (metam-potassium). N,N'-dimethylthiourea (DMTU) —max. 23 g/kg na osnovu suve mase (metam-sodium), —max. 6 g/kg na osnovu suve mase (metam-potassium).	Methylthiocarbamic acid	FU, IN, HB, NE	30/06/2022
326.	Metarhizium anisopliae var. anisopliae soj BIPESCO 5/F52 CG / Metarhizium anisopliae var. anisopliae strain BIPESCO 5/F52 EN (formerly Metarhizium anisopliae) STRAIN: BIPESCO 5/F52 Culture collection: No M.a. 43; No 275-86 (acronyms V275 or KVL 275); No KVL 99-112 (Ma 275 or V 275); No DSM 3884; No ATCC 90448; No ARSEF 1095	Nijesu relevantne nečistoće	Nije primjenljivo	IN	30/04/2020
327.	Metazahlor CG / Metazachlor EN CAS No 67129-08-2; CIPAC No 411	≥ 940 g/kg Fabrička nečistoća toluene predstavljaju toksikološki rizik i uspostavljen je maksimalni nivo od 0,05 % .	2-chloro-N-(pyrazol-1-ylmethyl)acet-2',6'-xylylide	HB	31/07/2021
328.	Metobromuron CG / Metobromuron EN CAS No 3060-89-7; CIPAC No 168	≥ 978 g/kg	3-(4-bromophenyl)-1-methoxy-1-methylurea	HB	31/12/2024
329.	Metosulam CG / Metosulam EN CAS No 139528-85-1; CIPAC No 707	≥ 980 g/kg	2',6'-dichloro-5,7-dimethoxy-3'-methyl[1,2,4]triazolo [1,5-a]pyrimidine-2-sulfonanilide	HB	30/04/2021
330.	N- Tetradecilacetat CG / N-Tetradecylacetate EN (Straight Chain Lepidopteran Pheromones)			AT	31/08/2020
331.	Napropamide CG / Napropamide EN CAS No 15299-99-7	≥ 980 g/kg	7-chloro-3-methylquinoline-8-carboxylic acid	HB	31/12/2023
332.	Ulje crnog luka CG/Onion oil EN CAS No 8002-72-0 CIPAC, EINECS 232-498-2(EINECS)	Food grade Not relevant (complex mixture) Nivo hrane? Nije relevantno (složena smješa)	Not applicable (complex mixture) Nije primjenljivo (složena smješa)		
333.	Ulje pomorandže CG / Orange oil EN CAS No 8028-48-6 (Orange extract) 5989-27-5 (D-limonene); CIPAC No 902	≥ 945 g/kg (of D-limonene) Aktivna supstanca treba da bude u skladu sa specifikacijama F. Eur. (Evropske farmakopeje) 5.0 (Aurantii dulcis aetheroleum) i ISO 3140:2011(E)	(R)-4-isopropenyl-1-methylcyclohexene or p-mentha-1,8-diene	IN	30/04/2024
334.	Orizalin CG / Oryzalin EN CAS No 19044-88-3; CIPAC No 537	≥ 960 g/kg N-nitrosodipropylamine: ≤ 0,1 mg/kg Toluene: ≤ 4 g/kg	3,5-dinitro-N4,N4-dipropylsulfanilamide	HB	31/05/2021
335.	Oksatiapirolin CG/Oxathiapirolin EN CAS No 1003318-67-9 CIPAC No 985	≥ 950 g/kg	1-(4-{4-[(5RS)-5-(2,6-difluorophenyl)-4,5-dihydro-1,2-oxazol-3-yl]-1,3-thiazol-2-yl}-1-piperidyl)-2-[5-methyl-3-(trifluorometil)-1H-pyrazol-1-yl]ethanone	FU	03/03/2027
336.	Paklobutrazol CG / Paclobutrazol EN CAS No 76738-62-0; CIPAC No 445	≥ 930 g/kg	(2RS,3RS)-1-(4-chlorophenyl)-4,4-dimethyl-2-(1H-1,2,4-triazol-1-yl)pentan-3-ol	PG	31/05/2023
337.	Paecilomyces fumosoroseus soj Fe9901 CG / Paecilomyces fumosoroseus strain Fe9901 EN Collection broj: USDA-ARS collection of Entomopathogenic Fungal Cultures U.S. Plant Soil	Minimum 1,0 × 10 ⁹ CFU/g Maximum 3,0 × 10 ⁹ CFU/g	Nije primjenljivo	IN	30/09/2023

	i Nutrition laboratory, New York. Accession No ARSEF 4490				
338.	Paecilomyces lilacinus soj 251 CG / Paecilomyces lilacinus strain 251 EN Samson 1974 strain 251 (AGAL: No 89/030550) CIPAC No 753		Nije primjenljivo	NE	31/07/2020
339.	Penflufen CG / Penflufen EN CAS No 494793-67-8; CIPAC No 826	≥ 950 g/kg 1:1 (R:S) odnos enantiomera	2'-[(RS)-1,3-dimethylbutyl]-5-fluoro-1,3-dimethylpyrazole-4-carboxanilide	FU	31/01/2024
340.	Penoksulam CG / Penoksulam EN CAS No 219714-96-2; CIPAC No 758	> 980 g/kg Nečistoća Bis-CHYMP 2-chloro-4-[2-(2-chloro-5-methoxy-4-pyrimidinyl)hydrazino]-5-methoxyimidine ne smije prekoračiti 0,1 g/kg u tehničkom materijalu	3-(2,2-difluoroethoxy)-N-(5,8-dimethoxy[1,2,4]triazolo[1,5-c]pyrimidin-2-yl)-α,α,α-trifluorotoluene-2-sulfonamide	HB	31/07/2023
341.	Pentiopirad CG / Pentiopirad EN CAS No 183675-82-3; CIPAC No 824	≥ 980 g/kg (50:50 racemic mixture)	(RS)-N-[2-(1,3-dimethylbutyl)-3-thienyl]-1-methyl-3-(trifluoromethyl)pyrazole-4-carboxamide	FU	30/04/2024
342.	Pepino mosaic virus soj CH2 isolate 1906 CG / Pepino mosaic virus strain CH2 isolate 1906 EN GenBank, accession broj JN835466 CIPAC No: Nije dodijeljen	Minimalna koncentracija 5 × 105 viral genomskih kopija per μL	Nije primjenljivo	EL, VI	07/08/2030
343.	Pasteria nišizave Pn1 CG/Pasteuria nishizawae EN Pn1 Culture collection: ATCC Safe Deposit (SD-5833) CIPAC No Nije određen	Minimalna koncentracija 1 × 10 ¹¹ spores/g	Not applicable Nije primjenljivo	NE	14/10/2033
344.	Biber CG / Pepper EN CAS No Nije dodijeljen; CIPAC No Nije dodijeljen	Je složena smjesa hemijskih supstanci, komponenta piperine kao pokazatelj treba da je minimum 4 %	Black pepper — Piper nigrum	RE	31/08/2020
345.	Phlebiopsis gigantea (several strains) STRAIN: VRA 1835 Culture collection: No ATCC 90304 STRAIN: VRA 1984 Culture collection: No DSM16201 STRAIN: VRA 1985 Culture collection: No DSM 16202 STRAIN: VRA 1986 Culture collection: No DSM 16203 STRAIN: FOC PG B20/5 Culture collection: No IMI 390096 STRAIN: FOC PG SP log 6 Culture collection: No IMI 390097 STRAIN: FOC PG SP log 5 Culture collection: No IMI 390098 STRAIN: FOC PG BU 3 Culture collection: No IMI 390099 STRAIN: FOC PG BU 4 Culture collection: No IMI 390100 STRAIN: FOC PG 410.3 Culture collection: No IMI 390101 STRAIN: FOC PG97/1062/116/1.1 Culture collection: No IMI 390102 STRAIN: FOC PG B22/SP1287/3.1 Culture collection: No IMI 390103 STRAIN: FOC PG SH 1 Culture collection: No IMI 390104 STRAIN: FOC PG B22/SP1190/3.2 Culture collection: No IMI 390105	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2020
346.	Fosfan CG / Phosphane EN CAS No 7803-51-2; CIPAC No 127	≥ 994 g/kg Relevantna nečistoća arsane ne smije premašiti 0,023 g/kg u tehničkom materijalu	Phosphane	IN	31/03/2023
347.	Pikloram CG / Picloram EN CAS No 1918-02-1; CIPAC No 174	≥ 920 g/kg	4-amino-3,5,6-trichloropyridine-2-carboxylic acid	HB	31/12/2020
348.	Pikolinafen CG / Picolinafen EN CAS No 137641-05-5; CIPAC No 639	970 g/kg	4'-Fluoro-6-[(α,α,α-trifluoro-m-tolyl)oxy]picolinanilide	HB	30/06/2031
349.	Ulje citronele CG / Plant oils - Citronella oil EN CAS No 8000-29-1; CIPAC No 905	Suma sledeće nečistoće ne smije premašiti 0,1 % od tehničkog materijala: methyl eugenol i methyl-isoeugenol.	Citronella Oil je kompleks mješavina hemijskih supstanci. Osnovne komponente su: Citronellal (3,7-dimethyl-6-octenal), Geraniol ((E)-3,7-dimethyl-2,6-octadien-1-ol), Citronellool (3,7-dimethyl-6-octan-2-ol), Geranyl acetate (3,7-dimethyl-6-octenyl acetate).	HB	31/08/2022
350.	Ulje karanfilića CG / Plant oils - Clove oil EN CAS No 94961-50-2 (clove oil) 97-53-0 (Eugenol — main component) CIPAC No Nije dodijeljen	≥ 800 g/kg	Clove Oil je kompleks mješavina hemijskih supstanci. Osnovna komponenta je eugenol.	RE	31/08/2022
351.	Ulje od nane CG / Plant oils - Spearmint oil EN CAS No 8008-79-5; CIPAC No Nije dodijeljen	≥ 550 g/kg as L-Carvone	Spearmint oil		31/08/2022
352.	Kalijum hidrogen karbonat CG / Potassium hydrogen carbonate EN CAS No 298-14-6; CIPAC No 853	≥ 99,5 % Nečistoće: Pb max. 10 mg/kg As max. 3 mg/kg	Potassium hydrogen carbonate		31/08/2020
353.	Kalijum fosfonati CG / Potassium phosphonates (formerly potassium phosphite) EN CAS No 13977-65-6 for potassium hydrogen phosphonate 13492-26-7 for dipotassium phosphonate Mixture: none CIPAC No 756 (for potassium phosphonates)	31,6 to 32,6 % phosphonate ions (suma hidrogenfosfonatom i fosfatnih iona) 17,8 to 20,0 % kalijum ≥ 990 g/kg na osnovu suve mase	Potassium hydrogen phosphonate, Dipotassium phosphonate	FU	30/09/2023
354.	Profoksidim CG / Profoxydim EN CAS No 139001-49-3; CIPAC No 621	≥ 940 g/kg	2 - [(1 E/Z) - [(2 R S) - 2 - (4 - chlorophenoxy) propoxyimino] butyl]	HB	31/07/2021

			- 3 - hydroxy - 5 - [(3 R S; 3 S R) - tetrahydro - 2 H - thiopyran - 3 - yl] cyclohex - 2 - enone		
355.	Propoksi karbazon CG / Propoxycarbazon EN CAS No 145026-81-9; CIPAC No 655	≥ 950 g/kg (izražen kao propoxy-carbazone-sodium)	2-(4,5-dihydro-4-methyl-5-oxo-3-propoxy-1H-1,2,4-triazol-1-yl)carboxamidosulfonilbenzoic acid-methylester	HB	31/08/2032
356.	Prosulfokarb CG / Prosulfocarb EN CAS No 52888-80-9; CIPAC No 539	970 g/kg	S-benzil dipropyl(thiocarbamat)	HB	31/10/2020
357.	Prosulfuron CG / Prosulfuron EN CAS No 94125-34-5; CIPAC No 579	950 g/kg	1-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-3-[2-(3,3,3-trifluoropropyl)-phenylsulfonil]-urea	HB	30/04/2024
358.	Pseudomonas sp. Strain DSMZ 13134 CG / Pseudomonas sp. Strain DSMZ 13134 EN Collection broj: DSMZ 13134	Minimum koncentracija: 3 × 1014 cfu/kg	Nije primjenljivo	FU	31/01/2024
359.	Piridali CG / Pyridaly EN CAS No 179101-81-6; CIPAC No 792	≥ 910 g/kg	2,6-dichloro-4-(3,3-dichloroallyloxy)phenyl 3-[5-(trifluoromethyl)-2-pyridyloxy]propyl ether	IN	30/06/2024
360.	Piridat CG / Pyridate EN CAS No: 55512-33-9; CIPAC No: 447	≥ 900 g/kg	O-6-chloro-3-phenylpyridazin-4-yl S-octyl thiocarbonate	HB	31/12/2030
361.	Pirofenon CG / Pyriofenone EN CAS No 688046-61-9; CIPAC No 827	≥ 965 g/kg	(5-chloro-2-methoxy-4-methyl-3-pyridyl)(4,5,6-trimethoxy-o-tolyl)methanone	FU	31/01/2024
362.	Pirosulam CG / Pyrosulam EN CAS No 422556-08-9; CIPAC No 793	≥ 965 g/kg	N-(5,7-dimethoxy[1,2,4]triazolo[1,5-a]pyrimidin-2-yl)-2-methoxy-4-(trifluoromethyl)pyridine-3-sulfonamide	HB	30/04/2024
363.	Pythium oligandrum M1 CG / Pythium oligandrum M1 EN STRAINS: M1 Culture collection No ATCC 38472	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2020
364.	Kvarcni pijesak CG / Quartz sand EN CAS No 14808-60-7; CIPAC No Nije dodijeljen	≥ 915 g/kg Maximum 0,1 % čestica kristalnog silicij dioksida (sa prečnikom ispod 50 um.)	Quarz, Quartz, Siliciumdioxid, Silica, Silicon dioxide, SiO2	RE	31/08/2020
365.	Kvinmerak CG / Quinmerac EN CAS No 90717-03-6; CIPAC No 563	≥ 980 g/kg	7-chloro-3-methylquinoline-8-carboxylic acid	HB	30/04/2024
366.	Repelenti sa mirisom životinjskog ili biljnog porijekla – riblje ulje CG / Repellents by smell of animal or plant origin- fish oil EN CAS No 100085-40-3; CIPAC No 918	≥ 99 % Relevantne nečistoće: Dioxine max. 6 pg/kg za stočnu hranu Hg max. 0,5 mg/kg hranu za životinje dobijenu od ribe i ostalih plodova mora obradom Cd max. 2 mg/kg hrane životinjskog porijekla, osim u hrani za kućne ljubimce Pb max. 10 mg/kg PCBs max. 5 mg/kg	Fish oil	RE	31/08/2020
367.	Repelenti sa mirisom životinjskog ili biljnog porijekla – ovčja mast CG / Repellents by smell of animal or plant origin - sheep fat EN CAS No 98999-15-6; CIPAC No Nije dodijeljen	Čista ovčja mast sadrži maksimum 0,18 % w/w/vode.	Sheep Fat	RE	31/08/2020
368.	Reskalure CG / Rescalure EN CAS No: 67601-06-3; CIPAC No: Nije dostupno	≥ 750 g/kg Odnos (3S,6R)/(3S,6S) treba da bude u opsegu 55/45 do 45/55. Opseg čistoće za svaki izomer treba da bude 337,5 g/kg do 412,5 g/kg.	(3S,6R)-(3S,6S)-6-isopropenyl-3-methyldec-9-en-1-yl acetate	IN	18/12/2025
369.	S-abciscinska kisjelina CG / S-Abscisic acid EN CAS No 21293-29-8; CIPAC No Nije dodijeljen	960 g/kg	(2Z,4E)-5-[(1S)-1-hydroxy-2,6,6-trimethyl-4-oxocyclohex-2-en-1-yl]-3-methylpenta-2,4-dienoic acid or (7E,9Z)-(6S)-6-hydroxy-3-oxo-11-apo-ε-caroten-11-oic acid	PG	30/06/2024
370.	Salix spp. cortex CG / Salix spp. cortex EN CAS No: Nije dodijeljen; CIPAC No: Nije dodijeljen	Evropska farmakopeja	Nije primjenljivo	FU	
371.	Sedaksan CG / Sedaxane EN CAS No 874967-67-6 (trans isomer: 599197-38-3/cis isomer: 599194-51-1); CIPAC No 833	≥ 960 g/kg Sedaxane (opseg 820-890 g/kg za 2 trans-isomers 50:50 mješavina enantiomera i opseg 100-150 g/kg za 2 cis-isomers 50:50 mješavine entatiomera)	mixture of 2 cis-isomers 2'-[(1RS,2RS)-1,1'-bicycloprop-2-yl]-3-(difluoromethyl)-1-methylpyrazole-4-carboxanilide i 2 trans-isomers 2'-[(1RS,2SR)-1,1'-bicycloprop-2-yl]-3-(difluoromethyl)-1-methylpyrazole-4-carboxanilide	FU	31/01/2024
372.	Sinotefen CG / Sintofen (aka Cintofen) EN CAS No 130561-48-7; CIPAC No 717	≥ 980 g/kg Nečistoće: 2-methoxyethanol, ne više od 0,25 g/kg N,N-dimethylformamide, ne više od 1,5 g/kg	1-(4-chlorophenyl)-1,4-dihydro-5-(2-methoxyethoxy)-4-oxocinnoline-3-carboxylic acid	PG	31/05/2024
373.	Natrijum 5-nitroguaiakolat CG / Sodium 5-nitroguaiacolate EN CAS No 67233-85-6; CIPAC broj Nije dodijeljen	≥ 980 g/kg	Sodium 2-methoxy-5-nitrophenolate	PG	31/10/2022
374.	Natrijum hidrogen karbonat CG / Sodium hydrogen carbonate EN CAS No: 144-55-8	Ocjena hrane	Sodium hydrogen carbonate	FU	
375.	Natrijum hlorid CG / Sodium chloride EN So, morska so CAS No 7647-14-5 CIPAC No and EEC No 231-598-3(EINECS/ELINCS)	970 g/kg, food grade	Sodium chloride	FU, IN	
376.	Natrijum o-nitrofenolat CG / Sodium o-nitrophenolate EN CAS No 824-39-5; CIPAC broj Nije dodijeljen	≥ 980 g/kg Sledeće nečistoće predstavljaju toksikološku zabrinutost: Phenol Max sadržaj: 0,1 g/kg 2,4 dinitrophenol max sadržaj: 0,14 g/kg 2,6 dinitrophenol max sadržaj: 0,32 g/kg	Sodium 2-nitrophenolate; sodium o-nitrophenolate	PG	31/10/2022
377.	Natrijum p-nitrofenolat CG / Sodium p-	≥ 998 g/kg	Sodium 4-nitrophenolate; sodium p-	PG	31/10/2022

	nitrophenolate EN CAS No 824-78-2; CIPAC broj Nije dodijeljen	Sledeće nečistoće predstavljaju toksikološku zabrinutost: Phenol max sadržaj: 0,1 g/kg 2,4 dinitrophenol max sadržaj: 0,07 g/kg 2,6 dinitrophenol max sadržaj: 0,09 g/kg	nitrophenolate		
378.	Natrijum srebro tiosulfat CG/Sodium silver thiosulphate EN CAS No Nije dodijeljen; CIPAC No 762	≥ 10,0 g Ag/kg Izražen kao srebro (Ag)	Nije primjenljivo	PG	30/04/2024
379.	Spinetoram CG / Spinetoram EN CAS No 935545-74-7; CIPAC No 802	≥ 830 g/kg 50-90 % XDE-175-J; i 50-10 % XDE-175-L Limit tolerancije (g/kg): XDE-175-J = 581-810 XDE-175-L = 83-270	XDE-175-J (Major factor) (2R,3aR,5aR,5bS,9S,13S,14R,16aS,16bR)-2-(6-deoxy-3-O-ethyl-2,4-di-O-methyl- α -L-mannopyranosyloxy)-13-[(2R,5S,6R)-5-(dimethylamino)tetrahydro-6-methylpyran-2-yloxy]-9-ethyl-2,3,3a,4,5,5a,5b,6,9,10,11,12,13,14,16a,16b-hexadecahydro-14-methyl-1H-as-indaceno[3,2-d]oxacyclododecine-7,15-dione XDE_175-L (Minor factor) (2S,3aR,5aS,5bS,9S,13S,14R,16aS,16bS)-2-(6-deoxy-3-O-ethyl-2,4-di-O-methyl- α -L-mannopyranosyloxy)-13-[(2R,5S,6R)-5-(dimethylamino)tetrahydro-6-methylpyran-2-yloxy]-9-ethyl-2,3,3a,5a,5b,6,9,10,11,12,13,14,16a,16b-tetradecahydro-4,14-dimethyl-1H-as-indaceno[3,2-d]oxacyclododecine-7,15-dione	IN	30/06/2024
380.	Spiromesifen CG / Spiromesifen EN CAS No 283594-90-1; CIPAC No 747	≥ 965 g/kg (racemic) Nečistoća N,N-dimethylacetamide predstavlja toksikološku zabrinutost ne smije premašiti 4 g/kg u tehničkom materijalu	3-mesityl-2-oxo-1-oxaspiro[4.4]non-3-en-4-yl 3,3-dimethylbutyrate	AC, IN	30/09/2023
381.	Spirotetramat CG / Spirotetramat EN CAS No 203313-25-1; CIPAC No 795	≥ 970 g/kg	cis-4-(ethoxycarbonyloxy)-8-methoxy-3-(2,5-xyllyl)-1-azaspiro[4.5]dec-3-en-2-one	IN	30/04/2024
382.	Spodoptera littoralis nucleopolyhedrovirus CG / Spodoptera littoralis nucleopolyhedrovirus EN DSMZ broj: BV-0005	Maksimum koncentracija: 1 × 10 ¹² OB/l (virusnih opni/occlusion bodies/l)	Nije primjenljivo	IN	31/05/2023
383.	Streptomyces K61 (formerly S. griseoviridis) CG / Streptomyces K61 (formerly S. griseoviridis) EN STRAIN: K61 Culture collection: No DSM 7206	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2020
384.	Streptomyces lydicus WYEC 108 CG / Streptomyces lydicus WYEC 108 EN Collection broj: American Type Culture Collection (USDA) ATCC 55445	Minimum koncentracija: 5,0 × 10 ⁸ CFU/g	Nije primjenljivo	FU, BA	31/12/2024
385.	Saharoza CG / Sucrose EN CAS No: 57-50-1	Ocjena hrane	α -D-glucopyranosyl-(1 \rightarrow 2)- β -D-fructofuranoside or β -D-fructofuranosyl-(2 \rightarrow 1)- α -D-glucopyranoside	EL	
386.	Sulkotriion CG / Sulcotriione EN CAS No 99105-77-8; CIPAC No 723	≥ 950 g/kg Nečistoće: —hydrogen cyanide: ne više od 80 mg/kg —toluene: ne više od 4 g/kg	2-(2-chloro-4-mesitylbenzoyl)cyclohexane-1,3-dione	HB	31/08/2022
387.	Sulfosulfuron CG / Sulfosulfuron EN CAS No: 141776-32-1; CIPAC No: 601	≥ 980 g/kg Sledeće relevantne nečistoće ne smiju premašiti određeni prag u tehničkom materijalu: Phenol: < 2 g/kg	1-(4,6-dimethoxyimidin-2-yl)-3-(2-ethylsulfonilylimidazo[1,2-a]pyridine-3-ylsulfonyl)urea	HB	31/12/2030
388.	Sulfoks flor CG / Sulfoxaflor EN CAS No: 946578-00-3; CIPAC No: 820	≥ 950 g/kg	[methyl(oxo){1-[6-(trifluoromethyl)-3-pyridyl]ethyl}- λ 6-sulfanylidene]cyanamide	IN	18/08/2025
389.	Sulfuril fluorid CG / Sulfuryl fluoride EN CAS No 002699-79-8; CIPAC No 757	> 994 g/kg	Sulfuryl fluoride	IN	31/10/2023
390.	Talk E553b CG/Talc E553b EN CAS No 14807-96-6	Specifications as food grade must comply with those laid down for Talc E553b in the Commission Regulation (EU) No 231/201210 Loss on drying : Not more than 0,5 % (105 °C, 1 hour) Acid soluble matter: Not more than 6 % Water soluble matter : Not more than 0,2 % Acid-soluble iron : Not detectable <i>Specifikacije kao vrsta hrane moraju biti u skladu sa onima propisanim za Talk E553b u Reglativi Komisije (EU) br. 231/201210</i> <i>Gubitak pri sušenju: Ne više od 0,5% (105 ° C, 1 sat)</i> <i>Supstanca rastvorljiva u kiselini: Ne više od 6%</i> <i>Materija rastvorljiva u vodi: Ne više od 0,2%</i> <i>Željezo rastvorljivo u kiselini: Nije detektovano</i>	Magnesium hydrogen metasilicate silicate mineral		
391.	Tau- Fluvalinat CG /Tau-Fluvalinate EN CAS No 102851-06-9; CIPAC No 786	≥ 920 g/kg (1:1 ratio of R- α -cyano i S- α -cyano isomers)	(RS)- α -cyano-3-phenoxybenzyl N-(2-chloro- α , α -trifluoro-p-tolyl)-D-valinate	IN	31/05/2024

		Nečistoće: Toluene: ne više od 5 g/kg	(Isomer ratio 1:1)		
392.	Tebufenpirad CG / Tebufenpyrad EN CAS No 119168-77-3; CIPAC No 725	≥ 980 g/kg	N-(4-tert-butylbenzyl)-4-chloro-3-ethyl-1-methylpyrazole-5-carboxamide	AC	31/10/2022
393.	Tembotrión CG / Tembotrione EN CAS No 335104-84-2; CIPAC No 790	≥ 945 g/kg Sledeće relevantne nečistoće ne smiju premašiti određeni prag u tehničkom materijalu: Toluene: ≤ 10 g/kg HCN: ≤ 1 g/kg	2-[2-chloro-4-mesyl-3-[(2,2,2-trifluoroethoxy)methyl]benzoyl]cyclohexane-1,3-dione	HB	30/04/2024
394.	Terbutilazin CG / Terbutylazine EN CAS No 5915-41-3; CIPAC No 234	≥ 950 g/kg Nečistoće: Propazine ne više od 10 g/kg Atrazine ne više od 1 g/kg Simazine ne više od 30 g/kg	N2-tert-butyl-6-chloro-N4-ethyl-1,3,5-triazine-2,4-diamine	HB	31/12/2021
395.	Terpenoidna mješavina CG/Terpenoid blend QRD-460 CIPAC No: 982	Nominalna koncentracija svake komponente u aktivnoj supstanci kao proizvedena treba biti kao što slijedi: —α-terpinene: 59,7 %; —p-cymene: 22,4 %; —d-limonene: 17,9 %. Svaka komponenta treba da ima minimum čistoće kao što slijedi: —α-terpinene: 89 %; —p-cymene: 97 %; —d-limonene: 93 %	Terpenoid blend QRD 460 je mješavina tri komponente: —α-terpinene: 1-isopropyl-4-methylcyclohexa-1,3-diene; —p-cymene: 1-isopropyl-4-methylbenzene; —d-limonene: (R)-4-isopropenyl-1-methylcyclohexene.	AC, IN	10/08/2025
396.	Tetrazonazol CG / Tetraconazole EN CAS No 112281-77-3; CIPAC No 726	≥ 950 g/kg (racemična smjesa) Nečistoća toluena: ne više od 13 g/kg	(RS)-2-(2,4-dichlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propyl-1,1,2,2-tetrafluoroethyl ether	FU	31/12/2021
397.	Tienkarbazon CG / Thiencarbazone EN CAS No 317815-83-1; CIPAC No 797	≥ 950 g/kg	Methyl 4-[(4,5-dihydro-3-methoxy-4-methyl-5-oxo-1H-1,2,4-triazol-1-yl)carbonylsulfamoyl]-5-methylthiophene-3-carboxylate	HB	30/06/2024
398.	Timol CG / Thymol EN CAS No 89-83-8; CIPAC No 969	≥ 990 g/kg	5-methyl-2-propan-2-yl-phenol	FU	30/11/2023
399.	Tri-alat CG / Tri-allate EN CAS No 2303-17-5; CIPAC No 97	≥ 940 g/kg NDIPA (Nitroso-diisopropylamine) max. 0,02 mg/kg	S-2,3,3-trichloroallyl di-isopropyl (thiocarbamate)	HB	31/12/2021
400.	Triazoxid CG / Triazoxide EN CAS No 72459-58-6; CIPAC No 729	≥ 970 g/kg Nečistoće: toluene: ne više od 3 g/kg	7-chloro-3-imidazol-1-yl-1,2,4-benzotriazine 1-oxide	FU	30/09/2021
401.	Trichoderma asperellum (formerly T. harzianum) sojevi ICC012, T25 i TV1 CG / Trichoderma asperellum (formerly T. harzianum) strains ICC012, T25 and TV1 EN STRAIN: ICC012 Culture collection No CABI CC IMI 392716 STRAIN: Trichoderma asperellum (formerly T. viride T25) T25 Culture collection No CECT 20178 STRAIN: Trichoderma asperellum (formerly T. viride TV1) TV1 Culture collection No MUCL 43093	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2020
402.	Trichoderma asperellum (soj T34) CG / Trichoderma asperellum (strain T34) EN CECT broj: 20417	1 × 10 ¹⁰ cfu/g	Nije primjenljivo	FU	31/05/2023
403.	Trichoderma atroviride (ranije T. harzianum) sojevi IMI 206040 i T11 CG / Trichoderma atroviride (formerly T. harzianum) strains IMI 206040 and T11 EN STRAIN: IMI 206040 Culture collection No IMI 206040, ATCC 20476; STRAIN: T11 Culture collection: No Spanish type culture collection CECT 20498, identical with IMI 352941	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2020
404.	Trichoderma atroviride soj I-1237 CG / Trichoderma atroviride strain I-1237 ENG CNCM broj: I-1237	1x10 ⁹ cfu/g (1x10 ¹⁰ spores/g)	Nije primjenljivo	FU	31/05/2023
405.	Trichoderma gamsii (ranije T. viride) soj ICC080 CG / Trichoderma gamsii (formerly T. viride) strain ICC080 EN STRAINS: ICC080 Culture collection No IMI CC broj 392151 CABI	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2020
406.	Trichoderma harzianum strains T-22 and ITEM 908 (Trichoderma harzianum Rifai) CG / Trichoderma harzianum soj T-22 i ITEM 908 (Trichoderma harzianum Rifai) EN STRAIN: Trichoderma harzianum T-22; Culture collection No ATCC 20847 STRAIN: Trichoderma harzianum ITEM 908; Culture collection No CBS 118749	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2020
407.	Trichoderma polysporum strain IMI 206039 CG/ Trichoderma polysporum strain IMI 206039 EN STRAIN: Trichoderma polysporum IMI 206039 Culture collection No IMI 206039, ATCC 20475	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2020
408.	Trinexapac CG/Trinexapac EN CAS No 95266-40-3 (Trinexapac-ethyl) 104273-73-6 (Trinexapac) CIPAC No 732.202 (Trinexapac-ethyl) 732 (Trinexapac)	≥ 940g/kg	4-(cyclopropyl-hydroxymethylene)-3,5-dioxocyclohexanecarboxylic acid ethyl ester	PG	30/04/2020
409.	Triflumizol CG / Triflumizole EN CAS No 99387-89-0; CIPAC No 730	≥ 980 g/kg Nečistoće: Toluene: ne više od 1 g/kg	(E)-4-chloro-α,α-trifluoro-N-(1-imidazol-1-yl-2-propoxyethylidene)-o-tolidine	FU	30/06/2020
410.	Triflumuron CG / Triflumuron EN CAS No 64628-44-0; CIPAC No: 548	≥ 955 g/kg Nečistoće: —N,N'-bis-[4-(trifluoromethoxy)phenyl] urea: ne više od 1 g/kg —4-trifluoro-methoxyaniline: ne više	1-(2-chlorobenzoyl)-3-[4-(trifluoromethoxyphenyl)]urea	IN	31/03/2021

		od 5 g/kg			
411.	Triflusaluron CG / Triflusaluron EN CAS No 126535-15-7; CIPAC No 731	≥ 960 g/kg N,N-dimethyl-6-(2,2,2-trifluoroethoxy)-1,3,5-triazine-2,4-diamine Max. 6 g/kg	2-[4-dimethylamino-6-(2,2,2-trifluoroethoxy)-1,3,5-triazin-2-ylcarbonylsulfamoyl]-m-toluic acid	HB	31/12/2020
412.	Tritosulfuron CG / Tritosulfuron EN CAS No 142469-14-5; CIPAC No 735	≥ 960 g/kg Sljedeće fabričke nečistoće se smatraju toksikološkom zabrinutosti i svaka od njih ne smije premašiti određeni iznos u tehničkom materijalu: 2-Amino-4-methoxy-6-(trifluormethyl)-1,3,5-triazine: <0,2 g/kg	1-(4-methoxy-6-trifluoromethyl-1,3,5-triazin-2-yl)-3-(2-trifluoromethyl-benzenesulfonyl)urea	HB	30/11/2020
413.	Urea CG / Urea EN CAS No 57-13-6; CIPAC No 913	≥ 98 % w/w	Urea	AT, FU	31/08/2020
414.	Kopriva, ekstrakt koprive, list koprive/biljka CG/ Urtica spp., nettle, nettle aqueous extract, nettle leaf/herb EN CAS No 84012-40-8 (Urtica dioica extract) 90131-83-2 (Urtica urens extract)	European Pharmacopeia	Not applicable Nije primjenljivo	AC, FU, IN	
415.	Valifenalat CG / Valifenalate (formerly Valiphenal) EN CAS No 283159-90-0; CIPAC No 857	≥ 980 g/kg	Methyl N-(isopropoxycarbonyl)-L-valyl-(3RS)-3-(4-chlorophenyl)-β-alaninate	FU	30/06/2024
416.	Verticillium albo-atrum (prethodno Verticillium dahliae) soj WCS850 CG / Verticillium albo-atrum (formerly Verticillium dahliae) strain WCS850 EN STRAIN: Verticillium albo-atrum izolovan WCS850 Culture collection No CBS 276.92	Nijesu relevantne nečistoće	Nije primjenljivo	FU	31/10/2034
417.	Verticillium albo-atrum strain CG/Verticillium albo-atrum strain EN WCS850 (culture collection No CBS 276.92)	Najmanja koncentracija: 0,7 x 10 ⁷ CFU/ml destilirane vode Najveća koncentracija: 1,5 x 10 ⁷ CFU/ml destilirane vode Nema značajnih nečistoća.	Nije primjenljivo	FU	31/10/2034 Obratiti posebnu pažnju na zaštitu operatera i radnika, uzimajući u obzir da se smatra da Verticillium albo-atrum soj WCS850 može uzrokovati preosjetljivost. Proizvođač je tokom proizvodnog postupka dužan obezbjediti strogo pridržavanje ekoloških uslova i analizu kontrole kvalitete kako bi se obezbjedilo poštovanje graničnih vrijednosti mikrobiološke kontaminacije iz dokumenta OECD-a o graničnim vrijednostima mikrobnog kontaminacije u mikrobnim sredstvima za suzbijanje štetnih organizama, koji je uključen u radni dokument Komisije SANCO/12116/2012
418.	Sirće CG / Vinegar EN CAS No: 90132-02-8	Ocjena hrane sadrži maksimum 10 % sirćetne kiseline	Nije dostupno	BA, FU	Vinegar shall be used in accordance with the specific conditions included in the conclusions of the review report on vinegar (SANCO/12896/2014) and in particular Appendices I and II thereof
419.	Cink fosfid CG/ Zinc phosphide EN CAS No 1314-84-7; CIPAC No 69	≥ 800 g/kg	Trizinc diphosphide	RO	30/04/2024
420.	Zucchini Yellow Mosaik Virus CG, slab soj / Zucchini Yellow Mosaik Virus, weak strain EN ATCC pristupni broj: PV-593	≥ 0,05 mg/l	Nije primjenljivo	EL	31/05/2023
421.	Suncokretovo ulje CG / Sunflower oil EN CAS N° 8001-21-6	Ocjena hrane / Food grade	Nije primjenljivo		
422.	Bacillus amyloliquefaciens MBI 600 CG / Bacillus amyloliquefaciens MBI 600 EN Accession number in the National Collection of Industrial, Marine and Food Bacteria Ltd (NCIMB), Scotland: NCIMB 12376 Deposit number in the American Type Culture Collection (ATCC): SD-1414	Minimalna koncentracija: 5,0 x 10 ¹⁴ CFU/kg	Nije primjenljivo	FU	16/09/2026
423.	Izofetamid CG / Isofetamid EN CAS N° 875915-78-9; CIPAC N° 972	≥ 950 g/kg	N-[1,1-dimethyl-2-(4-isopropoxy-o-tolyl)-2-oxoethyl]-3-methylthiophene-2-carboxamide	FU	15/09/2026
424.	Ciantraniliprol CG / Cyantraniliprole EN CAS N° 736994-63-1 CIPAC N° Not allocated.	≥ 940 g/kg IN-Q6S09 max. 1 mg/kg IN-RYA13 max. 20 mg/kg methanesulfonic acid max. 2 g/kg acetonitrile max. 2 g/kg heptane max. 7 g/kg 3-picoline max. 3 g/kg.	3-bromo-1-(3-chloro-2-pyridyl)-4'-cyano-2'-methyl-6'-(methyl-carbamoyl)pyrazole-5-carboxanilide	IN	14/09/2026
425.	Saccharomyces cerevisiae strain LAS02 CG / Saccharomyces cerevisiae strain LAS02 EN Accession number in the collection of the 'Collection Nationale de Cultures de Microorganismes' (CNCM) of the Pasteur Institute: CNCM1-3936	Minimalna koncentracija: 1 x 10 ¹³ CFU/kg	Nije primjenljivo	FU	06/07/2031
426.	Trichoderma atroviride strain SCI CG / Trichoderma atroviride strain SCI EN Accession number CBS 122089 in the collection of the Centraalbureau voor Schimmelcultures (CBS) in Utrecht, The Netherland CIPAC No: 988	Minimalna koncentracija 1 x 10 ¹⁰ CFU/g	Nije primjenljivo	FU	06/07/2031

427.	Pinoksaden CG /Pinoxaden EN CAS N° 243973-20-8; CIPAC N° 776	≥ 970 g/kg Toluene max. sadržaj 1 g/kg	8-(2,6-diethyl-p-tolyl)-1,2,4,5-tetrahydro-7-oxo-7H-pyrazolo[1,2-d][1,4,5]oxadiazepin-9-yl 2,2-dimethylpropionate	HB	30/06/2026
428.	Surutka CG /Whey EN CAS N° 92129-90-3	CODEX STAN 289-1995	Nije primjenljivo	FU	
429.	Diamonijum fosfat CG /Diammonium phosphate EN CAS N° 7783-28-0	Enološka ocjena	Diammonium hydrogen phosphate	AT	
430.	Benzovindiflupir CG / Benzovindiflupyr EN CAS N° 1072957-71-1; CIPAC N° nije primjenljivo	960 g/kg (50/50) racemat	N-[(1R,4SR)-9-(dichloromethylene)-1,2,3,4-tetrahydro-1,4-methano-naphthalen-5-yl]-3-(difluoromethyl)-1-methylpyrazole-4-carboxamide	FU	02/03/2023
431.	Ampelomyces quisqualis strain AQ10 CG/ Ampelomyces quisqualis strain AQ10 EN culture collection N° CNCM I-807		Nije primjenljivo	FU	31/07/2033
432.	Askrobinska kiselina CG / Ascorbic acid EN CIPAC No 774 CAS No 50-81-7	990 g/kg (pharmaceutical grade) The following impurities are relevant and must not exceed a certain threshold in the technical material: Methanol: ≤ 3 g/kg Heavy Metals: ≤ 10 mg/kg (expressed as Pb)	(5R)-5-[(1S)-1,2-dihydroxyethyl]-3,4-dihydroxyfuran-2(5H)-one (European Pharmacopoeia, 2005)	FU	30/06/2024
433.	Azadirachtin (Margosa elstrakt) CG/ Azadirachtin (Margosa extract) EN CIPAC No Azadirachtin A: 627 CAS No Azadirachtin A: 11141-17-6	111 g/kg azadirachtin A	Azadirachtin A: dimethyl (2aR,3S,4S,4aR,5S,7aS,8S,10R,10aS,10bR)-10-acetoxy-3,5-dihydroxy-4-[[1aR,2S,3aS,6aS,7S,7aS)-6ahydroxy-7a-methyl-3a,6a,7,7a-tetrahydro-2,7-methanofuro[2,3-b]oxireno[e]oxepin-1a(2H)-yl]-4-methyl-8-[[2(E)-2-methylbut-2-enoyl]oxy]octahydro 1H-naphtho[1,8a-c:4,5-b'c']difuran-5,10a(8H)-dicarboxylate.	IN	31/05/2021
434.	Bacillus amyloliquefaciens strain FZB24 CG / Bacillus amyloliquefaciens strain FZB24 EN		Nije primjenljivo	FU	01/06/2032
435.	Bacillus subtilis str. QST 713 CG/ Bacillus subtilis str. QST 713 EN Culture collection N° NRRL B -21661		Nije primjenljivo	BA, FU	30/04/2020
436.	Bacillus subtilis soj IAB/BS03 CG/ Bacillus subtilis strain IAB/BS03 EN Accession number in the Spanish Type Culture Collection (CECT), Spain: CECT 7254 Accession number in the German Type Culture Collection (DSMZ), Germany: DSM 24682	Najmanja koncentracija: 1×10^{13} CFU/kg Najveća koncentracija: 5×10^{13} CFU/kg	Nije primjenljivo	FU	20/10/2034 obratiti posebnu pažnju na sljedeće: -specifikaciju komercijalno proizvedenog tehničkog materijala u sredstvima za zaštitu bilja, uključujući detaljan opis relevantnih sekundarnih metabolita; -zaštitu korisnika sredstva i operatera, uzimajući u obzir to da se smatra da mikroorganizmi mogu sami po sebi uzrokovati preosjetljivost potrebno je osigurati da uslovi upotrebe uključuju primjenu odgovarajućih ličnih zaštitnih sredstava. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika.
437.	Hydrogen peroxide CAS No 7722-84-1 CIPAC No and EEC No Not applicable		Nije primjenljivo		
438.	Prah sjemena slačice CG/ Mustard seeds powder EN CAS No 84929-33-9 (Brassica alba seed extract) 93062-78-3 (Brassica juncea seed extract) 90064-15-6 (Brassica nigra seed extract) CIPAC No and EEC No 284-517-9 (Brassica alba seed extract) 296-833-4 (Brassica juncea seed extract) 290-076-3 (Brassica nigra seed extract)		Nije primjenljivo		
439.	Ostatak ekstrakcije praha bibera CG/ Pepper dust extraction residue (PDER) EN	Steam distilled and solvent extracted Black pepper – Piper nigrum	Nije primjenljivo		
440.	Fenchlorazole-ethyl EN	Nije primjenljivo	Nije primjenljivo		
Sinergisti					
441.	Piperonyl butoxide EN	Nije primjenljivo	Nije primjenljivo		

FU – fungicid (fungicide)
IN – insekticid (insecticide)
HB – herbicid (herbicide)
RE – repelent (repellent)
RO – rodenticid (rodenticide)
AC – akaricid (acaricide)
PG – regulator rasta (plant growth regulator)
NE – nematocid (nematocide)
MO – moluskocid (molluscicide)
PA – biljni aktivator (plant activator)
OT – drugi tretman (other treatment)

EL – aktivator odbrambenog mehanizma biljaka (elicitor)
ST – tretiranje zemljišta (soil treatment)
AT – atraktant (attractant)

2. Ova lista objaviće se u "Službenom listu Crne Gore".

* U ovu Listu prenešena je Uredba Komisije (EU) Br. 540/2011 od 25. Maja 2011 za implementaciju Uredbe (EC) Br 1107/2009 Evropskog Parlamenta i Savjeta vezano za listu odobrenih supstanci / *Commission Implementing Regulation (EU) No 540/2011 of 25. May 2011 implementing Regulation (EC) No 1107/2009 of the European Parliament and of the Council as regards the list of approved active substances i Celexi: 32009L0077; 32018R0917; 32018R1262; 32018R0084; 32011R0540; 32018R0524; 32008L0125; 32018R1796; 32017R0781; 32012R0571; 32013R0190; 32018R1981; 32018R1981; 32019R0139; 32019R0147; 32019R0149; 32019R0151; 32019R0151; 32019R0158; 32019R0158; 32019R0168; 32019R0291; 32019R0324; 32019R0324; 32019R0337; 32019R0344; 32019R0481; 32019R0676; 32019R0677; 32019R0706; 32019R0707; 32019R0716; 32019R0717; 32019R0989; 32019R1085; 32019R1090; 32019R1100; 32019R1101; 32019R1137; 32019R1138; 32019R1589; 32019R1605; 32019R1606; 32019R1675; 32019R0724; 32019R0336; 32019R0148; 32019R1690; 32019R2094.*

Broj: 04-309/20-843/4
Podgorica, 28. februara 2020. godine

Direktorica,
Vesna Daković, s.r.