

254.

Na osnovu člana 30 stav 1 Zakona o sredstvima za zaštitu bilja („Službeni list CG” br. 51/08 i 18/14), Uprava za bezbjednost hrane, veterinu i fitosanitarne poslove utvrdila je

LISTU

AKTIVNIH SUPSTANCI DOZVOLJENIH ZA UPOTREBU U SREDSTVIMA ZA ZAŠTITU BILJA ZA 2021. GODINU*

1. Lista aktivnih supstanci dozvoljenih za upotrebu u sredstvima za zaštitu bilja:

Re dni br oj	Naziv aktivne supstance, identifikacioni brojevi / Common Name, Identification Numbers CAS (Chemical Abstracts Service) CIPAC (Collaborative International Pesticides Analytical Council)	Čistoća / Purity	IUPAC (International Union of Pure and Applied Chemistry) naziv	Namjena / Category	Rok odobrenja / Expiration of inclusion Napomena
1.	(E)-11-Tetradecen-1-yl acetate EN/CG CAS No 33189-72-9; CIPAC Nije dodijeljen ID 357	Review report (SANCO/2633/2008) rev.14 20 July 2018	(E)-11-tetradecen-1-yl acetate	AT	31/08/2021
2.	(E)-5-Decen-1-ol EN/CG CAS No 56578-18-8; CIPAC Nije dodijeljen ID 360	Review report (SANCO/2633/2008) rev.14 20 July 2018	(E)-5-decen-1-ol	AT	31/08/2021
3.	(E)-5-Decen-1-yl acetate EN/CG CAS No 38421-90-8; CIPAC Nije dodijeljen ID 1330	Review report (SANCO/2633/2008) rev.14 20 July 2018	(E)-5-decen-1-yl acetate	AT	31/08/2021
4.	(E)-8-Dodecen-1-yl acetate EN/CG CAS No 38363-29-0; CIPAC Nije dodijeljen ID 361	Review report (SANCO/2633/2008) rev.14 20 July 2018	(E)-8-dodecen-1-yl acetate	AT	31/08/2021
5.	(E,E)-7,9-Dodecadien-1-yl acetate EN/CG CAS No 54364-63-5; CIPAC Nije dodijeljen; ID 352	Review report (SANCO/2633/2008) rev.14 20 July 2018	(E,E)-7,9-dodecadien-1-yl acetate	AT	31/08/2021
6.	(E,E)-8,10-Dodecadien-1-ol EN/CG CAS No 33956-49-9; CIPAC Nije dodijeljen ID 362	Review report (SANCO/2633/2008) rev.14 20 July 2018	(E,E)-8,10-dodecadien-1-ol	AT	31/08/2021
7.	(E,Z)-2,13-Octadecadien-1-yl acetate EN/CG CAS No 86252-65-5; CIPAC Nije dodijeljen ID 349	Review report (SANCO/2633/2008) rev.14 20 July 2018	(E, Z)-2, 13-octadecadien-1- yl acetate	AT	31/08/2021
8.	(E,Z)-3,8-Tetradecadien-1-yl acetate EN/CG (Straight Chain Lepidopteran Pheromones) ID 1241	Review report (SANCO/2633/2008) rev.14 20 July 2018	(E,Z)-3,8-Tetradecadien-1-yl acetate	AT	31/08/2021
9.	(E,Z)-7,9-Dodecadien-1-yl acetate EN/CG CAS No 54364-62-4; CIPAC Nije dodijeljen ID 1328	Review report (SANCO/2633/2008) rev.14 20 July 2018	(E, Z)-7,9-dodecadien-1-yl acetate	AT	31/08/2021
10.	(E,Z)-8-Dodecen-1-yl acetate EN/CG CAS No Nije dostupno; CIPAC Nije dostupno ID 364	Review report (SANCO/2633/2008) rev.14 20 July 2018	(E/Z)-8-dodecen-1-yl acetate as individual isomers (E)-8-dodecen-1-yl acetate (Z)-8-dodecen-1-yl acetate	AT	31/08/2021
11.	(E,Z)-9-Dodecen-1-yl acetate EN/CG CAS No 16974-34-8 ID 1331	Review report (SANCO/2633/2008) rev.14 20 July 2018	(E/Z)-9-Dodecenylacetate	AT	31/08/2021
12.	(E,Z,Z)-3,8,11-Tetradecatrien-1-yl acetate EN/CG (Straight Chain Lepidopteran Pheromones) ID 1240	Review report (SANCO/2633/2008) rev.14 20 July 2018	(E,Z,Z)-3,8,11- Tetradecatrien-1-yl acetate	AT	31/08/2021
13.	(Z)-11-Hexadecen-1-ol EN/CG CAS No 56683-54-6; CIPAC Nije dodijeljen ID 366	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z)-11-hexadecen-1-ol	AT	31/08/2021
14.	(Z)-11-Hexadecen-1-yl acetate EN/CG CAS No 34010-21-4; CIPAC Nije dodijeljen ID 367	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z)-11-hexadecen-1-yl acetate	AT	31/08/2021
15.	(Z)-11-Hexadecenal EN/CG CAS No 53939-28-9; CIPAC 8173 ID 1017	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z)-11-hexadecenal	AT	31/08/2021

16.	(Z)-11-Tetradecen-1-yl acetate EN/CG CAS No 20711-10-8; CIPAC Nije dodijeljen ID 368	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z)-11-Tetradecen-1-yl acetate	AT	31/08/2021
17.	(Z)-13-Octadecenal EN/CG CAS No 58594-45-9; CIPAC 8235 ID 1341	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z)-13-octadecenal	AT	31/08/2021
18.	(Z)-7-Tetradecenal EN/CG CAS No 65128-96-3; CIPAC Nije dodijeljen ID 1342	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z)-7-tetradecenal	AT	31/08/2021
19.	(Z)-8-Dodecen-1-ol EN/CG CAS No 40642-40-8; CIPAC Nije dodijeljen ID 373	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z)-8-dodecen-1-ol	AT	31/08/2021
20.	(Z)-8-Dodecen-1-yl acetate EN/CG CAS No 28079-04-1; CIPAC Nije dodijeljen ID 374	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z)-8-dodecen-1-yl acetate	AT	31/08/2021
21.	(Z)-8-Tetradecen-1-ol EN/CG CAS No 64470-32-2 CIPAC Nije dodijeljen ID 1245	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z)-8-Tetradecen-1-ol	AT	31/08/2021
22.	(Z)-8-Tetradecen-1-yl acetate EN/CG CAS: 35835-80-4 CIPAC Nije dodijeljen ID 1246	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z)-8-Tetradecen-1-yl acetate	AT	31/08/2021
23.	(Z)-9-Dodecen-1-yl acetate EN/CG CAS No 16974-11-1; CIPAC 422 ID 357	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z)-9-dodecen-1-yl acetate	AT	31/08/2021
24.	(Z)-9-Hexadecenal EN/CG CAS No 56219-04-6; CIPAC Nije dodijeljen ID 376	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z)-9-hexadecenal	AT	31/08/2021
25.	(Z)-9-Tetradecen-1-yl acetate EN/CG CAS No 16725-53-4; CIPAC Nije dodijeljen ID 377	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z)-9-tetradecen-1-yl acetate	AT	31/08/2021
26.	(Z,E)-7,11-Hexadecadien-1-yl acetate EN/CG CAS No 51606-94-4; CIPAC Nije dodijeljen ID 353	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z, E)-7, 11-hexadecadien-1-yl acetate	AT	31/08/2021
27.	(Z,E)-9,11-Tetradecadien-1-yl-acetate EN/CG CAS N° 50767-79-8 ID 1226	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z,E)-9,11-tetradecadien1-yl-acetate	AT	31/08/2021
28.	(Z,E)-9,12-Tetradecadien-1-yl acetate EN/ CG CAS N° 31654-77-0 ID 356	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z, E)-9, 12-tetradecadien-1-yl acetate	AT	31/08/2021
29.	(Z,Z)-7,11-Hexadecadien-1-yl acetate EN/CG CAS No i) & ii) 53042-79-8 CIPAC Nije dodijeljen; ID 354	Review report (SANCO/2633/2008) rev.14 20 July 2018	(Z,Z)-7,11-hexadecadien-1-yl acetate	AT	31/08/2021
30.	1,4-Dimethylnaphthalene EN 1,4-Dimetilnaftalen CG CAS No 571-58-4; CIPAC No 822 ID 1203	≥ 980 g/kg	1,4-dimethylnaphthalene	PG	30/06/2025
31.	1-Decanol EN 1-Dekanol CG CAS No 112-30-1; CIPAC No 831 ID 826	≥ 960 g/kg	Decan-1-ol	PG	31/08/2024
32.	1-methylcyclopropene EN 1-metilciklopropen CG CAS N°3100-04-7; CIPAC N° Nije određen ID 390	≥ 980 g/kg (tehnički koncentrat) Sljedeće nečistoće izazivaju zabrinutost u toksikološkom smislu i ne smiju prelaziti sljedeću granicu u tehničkom materijalu (tehnički koncentrat): -1-hloro-2-metilpropen: najviše 0,2 g/kg, -3-hloro-2-metilpropen: najviše 0,2 g/kg. Za 1-metilciklopropen dobijen in situ toksikološki su relevantne nečistoće heptan i metilcikloheksan. Te nečistoće ne	1-methylcyclopropene	PG	31/07/2034 Dozvoljen za upotrebu isključivo kao sredstvo za regulisanje rasta bilja, za skladištenje nakon berbe u skladištima koja se mogu hermetički zatvoriti.

		bi trebale iznositi više od 10 %.			
33.	1-Naphthylacetamide (1-NAD) EN 1-Naftilacetamid (1-NAD) CAS No 86-86-2; CIPAC No 282 ID 391	≥ 980 g/kg	2-(1-naphthyl)acetamide	PG	31/12/2023
34.	1-Naphthylacetic acid (1-NAA) EN 1-Naftilacetik acid (1-NAA) CG CAS No 86-87-3; CIPAC No 313 ID 380	≥ 980 g/kg	1-naphthylacetic acid	PG	31/12/2023
35.	2,4-D EN 2,4-D CG CAS N° 94-75-7; CIPAC N° 1 ID 394	960 g/kg	(2,4-dichlorophenoxy) acetic acid	HB, PG	31/12/2030
36.	2,4-DB EN 2,4-DB CG CAS N° 94-82-6; CIPAC N° 83 ID 395	940 g/kg	4-(2,4-dichlorophenoxy) butyric acid	HB	31/10/2032
37.	2,5-Dichlorobenzoic acid methylester EN 2,5-Dihlorobenzoic acid metilester CG CAS No 2905-69-3; CIPAC No 686 ID 617	≥ 995 g/kg	methyl-2,5-dichlorobenzoate	FU,PG	31/08/2022
38.	2-Phenylphenol (incl. sodium salt orthophenyl phenol) EN 2-Fenilfenol (uključ. natrijumove soli ortofenil fenol) CG CAS No 90-43-7; CIPAC No 246 ID 1013	≥ 998 g/kg	biphenyl-2-ol	FU	31/12/2021
39.	6-Benzyladenine EN 6-Benziladenin CG CAS No 1214-39-7; CIPAC No 829 ID 1044	≥ 973 g/kg	N6-benzyladenine	PG	31/08/2024
40.	8-Hydroxyquinoline incl. Oxyquinoleine EN 8-Hidroksikvinolin uključ. Oksikvinolein CG CAS No 148-24-3 (8-hydroxyquinoline) CIPAC No 677 (8-hydroxyquinoline) ID 1047	≥ 990 g/kg	8-quinolinol	FU	31/12/2021
41.	Abamectin (aka avermectin) EN Abamektin CG CAS N° 71751-41-2 (abamectin) 65195-55-3 (avermectin B1a) 65195-56-4 (avermectin B1b) CIPAC N° 495 ID 1048	≥ 850 g/kg	Avermectin B1a (10E,14E,16E,22Z)- (1R,4S,5'S,6S,6'R,8R,12S,13 S,20R,21R,24S)-6'-[(S)-sec- butyl]-21,24-dihydroxy- 5',11,13,22-tetramethyl-2- oxo-3,7,19- trioxatetracyclo[15.6.1.14,8. 020,24]pentacosa- 10,14,16,22-tetraene-6-spiro- 2'-(5',6'-dihydro-2'H-pyran)- 12-yl 2,6-dideoxy-4-O-(2,6- dideoxy-3-O-methyl-α-L- arabino-hexopyranosyl)-3- O-methyl-α-L-arabino- hexopyranoside Avermectin B1b (10E,14E,16E,22Z)- (1R,4S,5'S,6S,6'R,8R,12S,13 S,20R,21R,24S)-21,24- dihydroxy-6'-isopropyl- 5',11,13,22-tetramethyl-2- oxo-3,7,19- trioxatetracyclo[15.6.1.14,8. 020,24]pentacosa- 10,14,16,22-tetraene-6-spiro- 2'-(5',6'-dihydro-2'H-pyran)- 12-yl 2,6-dideoxy-4-O-(2,6- dideoxy-3-O-methyl-α-L- arabino-hexopyranosyl)-3- O-methyl-α-L-arabino- hexopyranoside	AC, IN	30/04/2021
42.	ABE-IT 56 EN ABE-IT 56 CG (components of lysate of Saccharomyces cerevisiae strain DDSF623) ID 1307 <i>Aktivna supstanca niskog rizika/Low risk Active substance</i>	1 000 g/kg	Nije primjenljivo	FU	20/05/2034
43.	Acequinocyl EN	≥ 960 g/kg	3-dodecyl-1,4-dihydro-1,4-	AC	31/08/2024

	Acekvinocili CG CAS No 57960-19-7; CIPAC No 760 ID 1209		dioxo-2-naphthyl acetate		
44.	Acetamiprid EN Acetamiprid CG CAS N° 160430-64-8; CIPAC N° nije još dodjeljen ID 1050	≥ 990 g/kg	(E)-N1-[(6-chloro-3-pyridyl)methyl]-N2-cyano-N1-methylacetamidine	IN	28/02/2033
45.	Acetic acid EN Sirćetna kiselina CG CAS No: 64-19-7; CIPAC No: Nije dodijeljen ID 1051	≥ 980 g/kg	Acetic acid	HB	31/08/2022
46.	Acibenzolar-S-methyl (benzothiadiazole) EN Acibenzolar-s-metil CG CAS N° 135158-54-2; CIPAC N°597 ID 1053	970 g/kg	benzo[1,2,3]thiadiazole-7-carbothioic acid S-methyl ester	PA	31/03/2031
47.	Aclonifen EN Aklonifen CG CAS No 74070-46-5; CIPAC No 498 ID 1054 <i>Kandidat za supstituciju/Candidate for Substitution</i>	≥ 970 g/kg Nečistoća fenola je toksikološki značajna i uspostavljen je maksimalni nivo od 5 g / kg	2-chloro-6-nitro-3-phenoxyaniline	HB	31/07/2022
48.	Acrinathrin EN Akrinatrín CG CAS No 101007-06-1; CIPAC No 678 ID 1056	≥ 970 g/kg Nečistoće: 1,3-dicyclohexylurea: ne više od 2 g/kg	(S)-α-cyano-3-phenoxybenzyl (Z)-(1R,3S)-2,2-dimethyl-3-[2-(2,2,2-trifluoro-1-trifluoromethylethoxycarbonyl)vinyl]cyclopropanecarboxylate or (S)-α-cyano-3-phenoxybenzyl (Z)-(1R)-cis-2,2-dimethyl-3-[2-(2,2,2-trifluoro-1-trifluoromethylethoxycarbonyl)vinyl]cyclopropanecarboxylate	AC	31/12/2023
49.	Adoxophyes orana GV strain BV-0001 EN/CG CIPAC No 782 ID 863	Nijesu relevantne nečistoće	Nije primjenljivo	IN	31/01/2023
50.	Akanthomyces muscarius Ve6 (formerly Lecanicillium muscarium strain Ve6) EN/CG Culture collection: No CABI (=IMI) 268317, CBS 102071, ARSEF 5128 ID 265 <i>Aktivna supstanca niskog rizika/Low risk Active substance</i>	Nijesu relevantne nečistoće	Nije primjenljivo	IN	30/04/2021
51.	Ekstrakt crnog luka CG / Allium cepa extract EN CAS No Nije relevantno; CIPAC Nije relevantno ID 1424 <i>Osnovna supstanca/Basic substance</i>	The onion bulbs used to prepare the extract should be of food grade meeting the requirements of WHO monographs on selected medicinal plants (Volume 1, Geneva, 1999) on Bulbus Allii Cepae.	Nije primjenljivo	FU	
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
52.	Alpha-Cypermethrin (aka alphamethrin) EN Alfa-cipermetrin CG CAS N° 67375-30-8; CIPAC N° 454 ID 325 <i>Kandidat za supstituciju/Candidate for Substitution</i>	≥ 980 g/kg Proizvodna nečistoća heksana je toksikološki značajna i ne smije prelaziti 1 g/kg u tehničkom materijalu.	Racemate comprising: (R)-α-cyano-3-phenoxybenzyl (1S,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate and (S)-α-cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate ili (R)-α-cyano-3-phenoxybenzyl-(1S)-cis-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate i (S)-α-cyano-3-phenoxybenzyl-(1R)-cis-3-	IN	31/10/2026 Obratiti pažnju na: -zaštitu korisnika sredstva i obezbjeđivanje liče zaštitne opreme jer uslovi upotrebe propisuju primjenu istih; -procjenu rizika za potrošače; -zaštitu vodenih organizama, pčela i zglavkara koji ne pripadaju ciljanoj grupi. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika.

			(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate		
53.	Aluminium ammonium sulphate EN Aluminijum amonijum sulfat CG CAS No: 7784-26-1; CIPAC No: Nije dodijeljen ID 326	≥ 960 g/kg	Aluminium ammonium sulphate	RE	31/08/2021
54.	Aluminium phosphide EN Aluminijum fosfid CG CAS N° 20859-73-8; CIPAC N° 227 ID 1015	≥ 830 g/kg	Aluminium phosphide	IN, RO	31/08/2022
55.	Aluminium silicate (aka kaolin) EN Aluminijum silikat CG CAS No 1332-58-7; CIPAC No 841 ID 327	≥ 999,8 g/kg	Nije dostupno Hemijski naziv: Aluminium silicate	RE	31/08/2021
56.	Aluminium sulphate EN Aluminijum sulfat CG CAS No 10043-01-3; CIPAC Nije dostupno ID 328	Aluminium sulfate	970 g/kg	BA	31/05/2024
57.	Ametoctradin EN Ametoktradin CG CAS N° 865318-97-4 CIPAC N° 818 ID 705	≥ 980 g/kg Nečistoće amitrole i o-xylene su toksikološke relevantnosti i ne smiju 50 g/kg i 2 g/kg u odnosnom u tehničkom materijalu.	5-ethyl-6-octyl [1,2,4]triazolo[1,5-a]pyrimidin-7-amine	FU	31/07/2023
58.	Amidosulfuron EN Amidosulfuron CG CAS N° 120923-37-7; CIPAC N° 515 ID 330	≥ 970 g/kg	3-(4,6-dimethoxypyrimidin-2-yl)-1-(N-methyl-N-methylsulfonyl-aminosulfonyl)urea ili 1-(4,6 dimethoxy-pyrimidin-2-yl)-3-mesyl (methyl) sulfamoylurea	HB	31/12/2021
59.	Aminopyralid EN Aminopirialid CG CAS No 150114-71-9; CIPAC No 771 ID 865	≥ 920 g/kg Sljedeće relevantne nečistoće ne smiju prekoračiti određeni prag piclorama ≤ 40 g/kg	4-amino-3,6-dichloropyridine-2-carboxylic acid	HB	31/12/2024
60.	Amisulbrom EN Amisulburom CG CAS No 348635-87-0; CIPAC No 789 ID 335	≥ 985 g/kg Sljedeće relevantne nečistoće ne smiju prekoračiti : 3-bromo-6-fluoro-2-methyl-1-(1H-1,2,4-triazol-3-ylsulfonyl)-1H-indole: ≤ 2 g/kg	3-(3-bromo-6-fluoro-2-methylindol-1-ylsulfonyl)-N,N-dimethyl-1H-1,2,4-triazole-1-sulfonamide	FU	30/06/2024
61.	Ampelomyces quisqualis strain AQ10 EN Ampelomyces quisqualis strain AQ10 CG culture collection N° CNCM I-807 ID 345 <i>Aktivna supstanca niskog rizika/Low risk Active substance</i>	Nije primjenjivo	Nije primjenjljivo	FU	31/07/2033
62.	Aureobasidium pullulans (strains DSM 14940 and DSM 14941) EN Aureobasidium pullulans (sojevi DSM 14940 i DSM 14941) CG Collection broj: German Collection of Microorganisms i cell Cultures (DSMZ) with the accession broj DSM 14940 i DSM 14941 ID 417	Minimum 5,0 × 10 ⁹ CFU/g for each strain; Maximum 5,0 × 10 ¹⁰ CFU/g for each strain	Nije primjenjljivo	FU, BA	31/01/2024
63.	Azadirachtin (Margosa extract) EN Azadirachtin (Margosa elstrakt) CG CIPAC No Azadirachtin A: 627 CAS No Azadirachtin A: 11141-17-6 ID 420	111 g/kg azadirachtin A	Azadirachtin A: dimethyl (2aR,3S,4S,4aR,5S,7aS,8S,10R,10aS,10bR)-10-acetoxy-3,5-dihydroxy-4-[(1aR,2S,3aS,6aS,7S,7aS)-6ahydroxy-7a-methyl-3a,6a,7,7a-tetrahydro-2,7-methanofuro[2,3-b]oxireno[e]oxepin-1a(2H)-yl]-4-methyl-8-{{[(2E)-2-methylbut-2-enoyl]oxy}octahydro1H-naphtho[1,8a-c:4,5-b'c']difuran-5,10a(8H)-dicarboxylate	IN	31/08/2024
64.	Azimsulfuron EN Azimsulfuron CG	≥ 980 g/kg maksimalni nivo fenola 2 g/kg	1-(4,6-dimethoxypyrimidin-2-yl)-3-[1-methyl-4-(2-	HB	31/12/2021

	CAS N° 120162-55-2; CIPAC N° 584 ID 423		methyl-2H-tetrazol-5-yl)-pyrazol-5-ylsulfonfyl]-urea		
65.	Azoxystrobin EN Azoksitrobin CG CAS N° 131860-33-8; CIPAC N° 571 ID 428	≥ 930 g/kg maks. sadržaja toluena 2 g/kg maks. sadržaj Z-izomera 25 g/kg	Methyl (E)-2-{2[6-(2-cyanophenoxy)pyrimidin-4-yloxy] phenyl}-3-methoxyacrylate	FU	31/12/2024
66.	Bacillus amyloliquefaciens (former subtilis) str. QST 713 EN Bacillus amyloliquefaciens (former subtilis) str. QST 713 CG NRRL B -21661; CIPAC N° Nije dodijeljen ID 1018	Nije primjenljivo	Nije primjenljivo	BA, FU	30/04/2021
67.	Bacillus amyloliquefaciens MBI 600 EN Bacillus amyloliquefaciens MBI 600 CG Accession number in the National Collection of Industrial, Marine and Food Bacteria Ltd (NCIMB), Scotland: NCIMB 12376 Deposit number in the American Type Culture Collection (ATCC): SD-1414 ID 1198	Minimalna koncentracija: 5,0 × 1014 CFU/kg	Nije primjenljivo	FU	16/09/2026
68.	Bacillus amyloliquefaciens strain FZB24 EN Bacillus amyloliquefaciens strain FZB24 CG ID 1197 <i>Aktivna supstanca niskog rizika/Low risk Active substance</i>	Nije primjenljivo	Nije primjenljivo	FU	01/06/2032
69.	Bacillus amyloliquefaciens subsp. plantarum D747 EN Bacillus amyloliquefaciens subsp. plantarum D747 CG ID 1078	Minimalna koncentracija: 2,0 × 1011CFU/g	Nije primjenljivo	FU	31/03/2025
70.	Bacillus firmus I-1582 EN Bacillus firmus I-1582 CG Kolekcija broj: CNCMI-1582 ID 992	Minimalna koncentracija: 7,1 × 1010 CFU/g	Nije primjenljivo	NE	30/09/2023
71.	Bacillus pumilus QST 2808 EN Bacillus pumilus QST 2808 CG / ID 1079	≥ 1 × 10 ¹² CFU/kg	Nije primjenljivo	FU	31/08/2025
72.	Bacillus subtilis strain IAB/BS03 EN Bacillus subtilis soj IAB/BS03 CG Accession number in the Spanish Type Culture Collection (CECT), Spain: CECT 7254 Accession number in the German Type Culture Collection (DSMZ), Germany: DSM 24682 ID 1278 <i>Aktivna supstanca niskog rizika/Low risk Active substance</i>	Najmanja koncentracija: 1 × 10 ¹³ CFU/kg Najveća koncentracija: 5 × 10 ¹³ CFU/kg	Nije primjenljivo	FU	20/10/2034 Obratiti pažnju na: -specifikaciju komercijalno proizvedenog tehničkog materijala u sredstvima za zaštitu bilja, uključujući detaljan opis relevantnih sekundarnih metabolita; -zaštitu korisnika sredstva i operatera, uzimajući u obzir to da se smatra da mikroorganizmi mogu sami po sebi uzrokovati preosjetljivost, potrebno je osigurati da uslovi upotrebe uključuju primjenu odgovarajućih ličnih zaštitnih sredstava. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika.
73.	Bacillus thuringiensis subsp. Aizawai strains ABTS-1857 EN Bacillus thuringiensis subsp. Aizawai strain ABTS-1857 CG STRAIN: ABTS-1857 Culture collection: No SD-1372 ID 1269	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2021
74.	Bacillus thuringiensis subsp. Aizawai strains GC-91 EN Bacillus thuringiensis subsp. Aizawai strain GC-91 CG STRAIN: GC-91 Culture collection: No NCTC 11821 ID 1301	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2021
75.	Bacillus thuringiensis subsp. Aizawai strains ABTS-1857 and GC-91 EN Bacillus thuringiensis subsp. Aizawai strain ABTS-1857 i GC-91 CG	Nijesu relevantne nečistoće	Nije primjenljivo	IN	30/04/2021

	STRAIN: ABTS-1857 Culture collection: No SD-1372, STRAIN: GC-91 Culture collection: No NCTC 11821 ID 431				
76.	Bacillus thuringiensis subsp. Israeliensis (serotype H-14) strain AM65-52 EN <i>Bacillus thuringiensis subsp. Israeliensis (serotype H-14) soj AM65-52 CG</i> Culture collection: No ATCC-1276 ID 861	Nijesu relevantne nečistoće	Nije primjenljivo	IN	30/04/2021
77.	Bacillus thuringiensis subsp. Kurstaki strain ABTS 351 EN <i>Bacillus thuringiensis subsp. Kurstaki strain ABTS 351 CG</i> STRAIN: ABTS 351 Culture collection: No ATCC SD-1275 ID 1270	Nijesu relevantne nečistoće	Nije primjenljivo	IN	30/04/2021
78.	Bacillus thuringiensis subsp. Kurstaki strain EG 2348 EN <i>Bacillus thuringiensis subsp. Kurstaki strain EG 2348 CG</i> STRAIN: EG 2348 Culture collection: No NRRL B-18208 ID 1271	Nijesu relevantne nečistoće	Nije primjenljivo	IN	30/04/2021
79.	Bacillus thuringiensis subsp. Kurstaki strain PB 54 EN <i>Bacillus thuringiensis subsp. Kurstaki strain PB 54CG</i> STRAIN: PB 54 Culture collection: No CECT 7209 ID 1272	Nijesu relevantne nečistoće	Nije primjenljivo	IN	30/04/2021
80.	Bacillus thuringiensis subsp. Kurstaki strain SA 11 EN <i>Bacillus thuringiensis subsp. Kurstaki strain SA 11 CG</i> STRAIN: SA 11 Culture collection: No NRRL B-30790 ID 1273	Nijesu relevantne nečistoće	Nije primjenljivo	IN	30/04/2021
81.	Bacillus thuringiensis subsp. Kurstaki strain SA12 EN <i>Bacillus thuringiensis subsp. Kurstaki strain SA12 CG</i> STRAIN: SA 12 Culture collection: No NRRL B-30791 ID 1274	Nijesu relevantne nečistoće	Nije primjenljivo	IN	30/04/2021
82.	Bacillus thuringiensis subsp. Kurstaki sojevi ABTS 351, PB 54, SA 11, SA12 i EG 2348 CG / Bacillus thuringiensis subsp. Kurstaki strains ABTS 351, PB 54, SA 11, SA12 and EG 2348 EN STRAIN: ABTS 351 Culture collection: No ATCC SD-1275 STRAIN: PB 54 Culture collection: No CECT 7209 STRAIN: SA 11 Culture collection: No NRRL B-30790 STRAIN: SA 12 Culture collection: No NRRL B-30791 STRAIN: EG 2348 Culture collection: No NRRL B-18208 ID 432	Nijesu relevantne nečistoće	Nije primjenljivo	IN	30/04/2021
83.	Beauveria bassiana IMI389521 EN Beauveria bassiana IMI389521 CG Referentni broj u Zbirci genetskih resursa CABI: IMI389521 ID 1282	Najveći nivo beauvericina: 0,09 mg/kg	Nije primjenljivo	IN	19/02/2029 Obratiti pažnju na: -stabilnost kod skladištenja preparata ili više njih koji sadrže supstancu B. bassiana soj IMI389521, uključujući udio metabolita beauvericina nakon skladištenja; -sadržaj metabolita beauvericina proizvedenog u određenim uslovima primjene; -rizik koji predstavlja beauvericin u zaraženim

					insektima prisutnima u skladištenom zrnu; Potrebno je poduzeti mjere kako bi se osiguralo da takvi proizvodi ne uđu u lanac ishrane i hrane za životinje, uzimajući u obzir uobičajen nivo prisutnosti beauvericina na zrnima žitarica; -zaštitu korisnika sredstva i operatera, uzimajući u obzir to da se smatra da supstanca B. bassiana soj IMI389521, kao i svaki drugi mikroorganizam, može uzrokovati preosjetljivost. Strogo održavanje ekoloških uslova i analiza kontrole kvalitete tokom proizvodnog postupka kako bi se osiguralo poštovanje graničnih vrijednosti mikrobiološke kontaminacije iz radnog dokumenta SANCO/12116/2012 (2). Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika.
84.	Beauveria bassiana PPRI 5339 EN Beauveria bassiana PPRI 5339 CG Referentni broj u Zbirci kultura službe za istraživanja u području poljoprivrede (NRRL) međunarodnog depozitorija: NRRL 50757 ID 1281	Najveći nivo beauvericina: 0,5 mg/kg	Nije primjenjivo	IN	20/02/2029 U toj ukupnoj ocjeni obratiti pažnja na: -udio metabolita beauvericina na osnovu ispitivanja roka trajanja nakon skladištenja preparata (ili više) supstance B. bassiana soja PPRI 5339, -uticaj na oprašivače koji se unose u zaštićeni prostor nakon izlaganja preparatu (preparatima) različitom od preparata navedenog u prilog ovoj tvrdnji, -zaštita operatera i radnika, s obzirom na to da se smatra da supstanca B. bassiana soja PPRI 5339, kao i bilo koji drugi mikroorganizam, može izazvati preosjetljivost. Strogo održavanje uslova životne sredine i analiza kontrole kvaliteta tokom proizvodnog procesa kako bi se osiguralo poštovanje graničnih vrijednosti kontaminacije mikrobima u radnom dokumentu SANCO / 12116/2012 (2). Uslovi upotrebe, prema potrebi, uključuju mjere ublažavanja rizika.
85.	Beauveria bassiana strain 147 EN/CG ID 1183	Nijesu relevantne nečistoće	Nije primjenljivo	IN	06/06/2027
86.	Beauveria bassiana strain ATCC 74040 EN/CG STRAIN: ATCC 74040 Culture collection: No ATCC 74040 ID 1275	Maksimalni nivo beauvericin: 5 mg/kg	Nije primjenljivo	IN	30/04/2021
87.	Beauveria bassiana strain GHA EN/CG STRAIN: GHA Culture collection: No ATCC 74250 ID 1339	Maksimalni nivo beauvericin: 5 mg/kg	Nije primjenljivo	IN	30/04/2021
88.	Beauveria bassiana strain NPP111B005	Maksimalni nivo beauvericin:	Nije primjenljivo	IN	07/06/2027

	EN/CG ID 1184	5 mg/kg			
89.	Beauveria bassiana strains ATCC 74040 and GHA EN/CG STRAIN: ATCC 74040 Culture collection: No ATCC 74040 STRAIN: GHA Culture collection: No ATCC 74250 ID 1215	Maksimalni nivo beauvericin: 5 mg/kg	Nije primjenljivo	IN	30/04/2021
90.	Beer EN Pivo CG CAS N° 8029-31-0 ID 1415 <i>Osnovna supstanca/Basic substance</i>	Food grade quality	Not relevant / Nije relevantan	ML	Nije primjenljivo
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
91.	Beflubutamid EN Beflubutamid CG CAS N° 113614-08-7; CIPAC N° 662 ID 440	≥ 970 g/kg	(RS)-N-benzyl-2-(4-fluoro-3-trifluoromethylphenoxy) butanamide	HB	31/07/2021
92.	Benalaxyl-M EN Benalaxyl-M CG CAS No 98243-83-5; CIPAC No 766 ID 441	≥ 950 g/kg	Methyl N-(phenylacetyl)-N-(2,6-xylyl)-D-alaninate	FU	30/04/2024
93.	Benfluralin CG / Benfluralin EN CAS No 1861-40-1; CIPAC No 285 ID 444	≥ 960 g/kg Nečistoće: - ethyl-butyl-nitrosamine: max. 0,1 mg/kg	N-butyl-N-ethyl- α,α,α -trifluoro-2,6-dinitro-p-toluidine	HB	28/02/2022
94.	Bensulfuron EN Bensulfuron CG CAS No 83055-99-6; CIPAC No 502.201 ID 1019	≥ 975 g/kg	α -[(4,6-dimethoxypyrimidin-2-ylcarbamoyl)sulfamoyl]-o-toluic acid (bensulfuron) methyl α -[(4,6-dimethoxypyrimidin-2-ylcarbamoyl)sulfamoyl]-o-toluate (bensulfuron-methyl)	HB	31/10/2022
95.	Bentazone EN Bentazon CG CAS N° 25057-89-0; CIPAC N° 366 ID 451	960 g/kg	3-isopropyl-(1H)-2,1,3-benzothiadiazin-4-(3H)-one-2,2-dioxide	HB	31/05/2025
96.	Benthiavalicarb EN Benthiavlikarb CG CAS No 413615-35-7; CIPAC No 744 ID 452	≥ 910 g/kg Sljedeće fabričke nečistoće predstavljaju toksikološku zabrinutosti i svaka od njih ne smije premašiti određeni iznos u tehničkom materijalu : 6,6'-difluoro-2,2'-dibenzothiazole: < 3,5 mg/kg bis(2-amino-5-fluorophenyl) disulfide: < 14 mg/kg	[(S)-1-[(R)-1-(6-fluoro-1,3-benzothiazol-2-yl)ethyl]carbamoyl]-2-methylpropyl]carbamic acid	FU	31/07/2021
97.	Benzoic acid EN Benzoik acid CG CAS N° 65-85-0; CIPAC N° 622 ID 455	990 g/kg	benzoic acid	BA, FU, OT	31/08/2032
98.	Benzovindiflupyr EN Benzovindiflupir CG CAS N° 1072957-71-1; CIPAC N° nije primjenljivo ID 1204	960 g/kg (50/50) racemat	N-[(1RS,4SR)-9-(dichloromethylene)-1,2,3,4-tetrahydro-1,4-methanonaphthalen-5-yl]-3-(difluoromethyl)-1-methylpyrazole-4-carboxamide	FU	02/03/2023
99.	Bifenazate EN Bifenazat CG CAS N° 149877-41-8; CIPAC N° 736 ID 1349	≥ 950 g/kg	Isopropyl 2-(4-methoxybiphenyl-3-yl) hydrazinoformate	AC	31/07/2021
100.	Bifenox EN Bifenoks CG CAS No 42576-02-3; CIPAC No 413 ID 866	≥ 970 g/kg nečistoće: max. 3 g/kg 2,4-dichlorophenol max. 6 g/kg 2,4-dichloroanisole	Methyl 5-(2,4-dichlorophenoxy)-2-nitrobenzoate	HB	31/12/2021
101.	Bispyribac EN Bispiribak CG CAS No 125401-75-4; CIPAC No 748 ID 466	≥ 930 g/kg (označava se kao bispyribac-sodium)	2,6-bis(4,6-dimethoxypyrimidin-2-yloxy)benzoic acid	HB	31/07/2023
102.	Bixafen EN Biksafen CG CAS No 581809-46-3; CIPAC No 819 ID 675	≥ 950 g/kg	N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1-methylpyrazole-4-	FU	31/05/2025

			carboxamide		
103.	Blood meal EN Krvno brašno CG CAS No 90989-74-5; CIPAC 909 ID 468	≥ 990 g/kg	Nije dostupno	RE	31/08/2021
104.	Bordeaux mixture ENG Bordovska mješavina CG CAS N° 8011-63-0CIPAC N° 44.604 ID 470 <i>Kandidat za supstituciju/Candidate for Substitution</i>	≥ 245 g/kg	Nije primjenljivo	FU	31/12/2025
105.	Boscalid (formerly nicobifen) EN Boskalid CG CAS N° 188425-85-6; CIPAC N° 673 ID 472	≥ 960 g/kg	2-Chloro-N-(4'-chlorobiphenyl-2-yl) nicotinamide	FU	31/07/2021
106.	Bromadiolone EN Bromadiolon CG CAS N° 28772-56-7; CIPAC N° 371 ID 476 <i>Kandidat za supstituciju/Candidate for Substitution</i>	≥ 970 g/kg	3-[(1RS,3RS;1RS,3SR)- 3-(4'-bromobiphenyl-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-coumarin	RO	31/05/2021
107.	Bromuconazole EN Bromukonazol CG CAS No 116255-48-2; CIPAC No 680 ID 484 <i>Kandidat za supstituciju/Candidate for Substitution</i>	≥ 960 g/kg	1-[(2RS,4RS:2RS,4SR)-4-bromo-2-(2,4-dichlorophenyl)tetrahydrofurfuryl]-1H-1,2,4-triazole	FU	31/01/2024
108.	Bupirimate EN Bupirimat CG CAS No 41483-43-6; CIPAC No 261 ID 485	≥ 945 g/kg Nečistoće: Ethirimol: max. 2 g/kg Toluene: max. 3 g/kg	5-butyl-2-ethylamino-6-methylpyrimidine-4-yl dimethylsulfamate	FU	31/05/2024
109.	Buprofezin EN Buprofezin CG CAS N° 953030-84-7; CIPAC N° 681 ID 486	≥ 985 g/kg	(Z)-2-tert-butylimino-3-isopropyl-5-phenyl-1,3,5-thiadiazinan-4-one	IN	31/01/2023
110.	Calcium carbide EN Kalcijum karbid CG CAS No 75-20-7; CIPAC No Nije dodijeljen ID 494	≥ 765 g/kg Sadrži 0,08-0,52 g/kg Calcium Phosphide	Calcium carbide Calcium acetylide	RE	31/08/2022
111.	Calcium carbonate EN Kalcijum karbonat CG CAS No 471-34-1; CIPAC No Nije dodijeljen ID 495	≥ 995 g/kg	Calcium carbonate	RE	31/08/2021
112.	Calcium hydroxide EN Kalcijum hidroksid CG CAS No 1305-62-0 ID 497 <i>Osnovna supstanca/Basic substance</i>	920 g/kg Ocjena hrane / Food grade Sljedeće nečistoće predstavljaju toksikološku zabrinutost i ne smiju da pređu nivo ispod (izraženo u mg / kg suve materije): Barium 300 mg/kg Florid 50 mg/kg Arsen 3 mg/kg Olovo 2 mg/kg	Calcium Hydroxide	FU	Nije primjenljivo
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
113.	Candida oleophila strain O EN Candida oleophila soj O CG Collection broj: MUCL40654 ID 501	Nominalni sadržaj: 3 × 10 ¹⁰ CFU/g osušen proizvod Domet: 6 × 10 ⁹ – 1 × 10 ¹¹ CFU/g osušen proizvod	Nije primjenljivo	FU	30/09/2023
114.	Capric acid (CAS 334-48-5) EN Kaprinska kiselina CG CAS No 334-48-5 CIPAC No 8146 (Fatty acids C7-C18 and C18 unsaturated potassium salts) ID 502	838g/kg (Fatty Acids/salts) 990 g/Kg (Fatty Acid methyl esters)	Capric Acid	IN, AC, HB, PG	31/08/2021
115.	Caprylic Acid EN Kaprilna kiselina CG CAS No 124-07-2 CIPAC No 8146 (Fatty acids C7-C18 and C18 unsaturated potassium salts) ID 503	838g/kg (Fatty Acids/salts) 990 g/Kg (Fatty Acid methyl esters)	Caprylic Acid	IN, AC, HB, PG	31/08/2021
116.	Captan EN Kaptan CG	≥ 910 g/kg nečistoće:	N-(trichloromethylthio)cyclohe	FU	31/07/2021

	CAS N° 133-06-02 ; CIPAC N° 40 ID 505	- perchloromethylmercaptan (R005406): ne više od 5 g/kg - folpet: ne više od 10 g/kg - carbon tetrachloride: ne više od 0,01 g/kg	x-4-ene-1,2-dicarboximide		
117.	Carbetamide EN Karbetamid CG CAS No 16118-49-3; CIPAC No 95 ID 507 <i>Kandidat za supstituciju /Candidate for Substitution</i>	≥ 950 g/kg	(R)-1-(Ethylcarbamoyl)ethyl carbanilate	HB	31/05/2021
118.	Carbon dioxide (active substance) EN Karbon dioksid aktivna supstanca CG CAS No 124-38-9 ID 509	≥ 99,9 %	Carbon dioxide	IN, RO	31/08/2021
119.	Carboxin EN Karboksin CG CAS No 5234-68-4; CIPAC No 273 ID 514	≥ 970 g/kg	5,6-dihydro-2-methyl-1,4-oxathiine-3-carboxanilide	FU	31/05/2021
120.	Carfentrazone-ethyl EN Carfentrazon-etil CG CAS N° 128639-02-1 CIPAC N° 587 (carfentrazone) 587.202 (carfentrazone-ethyl) ID 515	≥ 910 g/kg	Ethyl (RS)-2-chloro-3-[2-chloro-4-fluoro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo1H-1,2,4-triazol-1-yl]phenyl]propionate	HB	31/07/2033
121.	Carvone EN Karvon CG CAS No 2244-16-8 (d-carvone = S-carvone = (+)-carvone) CIPAC No 602 ID 517	923 g/kg d-carvone	(S)-5-isopropenyl-2-methylcyclohex-2-en-1-one, Or (S)-p-mentha-6,8-dien-2-one	PG	31/07/2034 Obratiti pažnju na sledeće: -zaštitu korisnika sredstva i osigurati da uslovi upotrebe propisuju primjenu odgovarajućih ličnih zaštitnih sredstava. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika. Posebno bi trebalo razmotriti potreban vremenski razmak od primjene sredstava za zaštitu bilja koja sadrže karvon do ulaska u skladište.
122.	Cerevisane EN/CG CAS No: Nije dodijeljen; CIPAC No: 980 ID 1065 <i>Supstanca niskog rizika/Low risk Active substance</i>	≥ 924 g/kg	Nije relevantan	PA	23/04/2030
123.	Chitosan hydrochloride EN Citosan hidrohlorid CG CAS no: 9012-76-4 ID 1193 <i>Osnovna supstanca/Basic substance</i>	Evropska farmakopeja Max sadržaj teških metala: 40 ppm	Nije primjenljivo	BC, FU, ET	Nije primjenljivo
124.	Chlorantraniliprole EN Hlorantraniliprol CG CAS N° 500008-45-7; CIPAC N° 794 ID 526	≥ 950 g/kg Sljedeće nečistoće ne smiju preći navedene količine u tehničkom materijalu: Acetonitrile: ≤ 3 g/kg 3-picoline: ≤ 3 g/kg Methanesulfonic acid: ≤ 2 g/kg	3-bromo-4'-chloro-1-(3-chloro-2-pyridyl)-2'-methyl-6' (methylcarbamoyl) pyrazole-5-carboxanilide	IN	30/04/2024
125.	Chlormequat EN Hlormekvat CG CAS No 7003-89-6 (chlormequat); CIPAC No 143 (chlormequat) CAS No 999-81-5 (chlormequat chloride); CIPAC No 143.302 (chlormequat chloride) ID 539	≥ 636 g/kg Nečistoće 1,2-dichloroethane: max 0,1 g/kg (na suvom sadržaju chlormequat chloride) Chloroethene (vinylchloride): max 0,0005 g/kg (na suvom sadržaju chlormequat chloride)	2-chloroethyltrimethylammonium (chlormequat) 2-chloroethyltrimethylammonium chloride (chlormequat chloride)	PG	30/11/2021
126.	Chlorotoluron EN Hlorotoluron CG CAS N° 15545-48-9; CIPAC N° 217 ID 545 <i>Kandidat za supstituciju/Candidate for Substitution</i>	975 g/kg	3-(3-chloro-p-tolyl)-1,1-dimethylurea	HB	31/10/2021
127.	Chromafenozide EN Hromafenozid CG CAS No 143807-66-3; CIPAC No 775 ID 1213	≥ 935 g/kg Sljedeće relevantne nesčistoće ne smiju preći određeni prag u tehničkom materijalu: Butyl acetate (n-buthyl acetate, CAS No 123-86-4): ≤ 8 g/kg	N'-tert-butyl-5-methyl-N'-(3,5-xyloyl)chromane-6-carbohydrazide	IN	31/03/2025
128.	Clayed charcoal EN	Charcoal: as in Commission	Nije primjenljivo	OT	Nije primjenljivo

	Klaied harkoal CG CAS No 7440-44-0 activated charcoal 1333-86-4 carbon black 1302-78-9 bentonite CIPAC No and EEC No 231-153-3 (EINECS) activated charcoal 215-609-9 (EINECS) carbon black 215-108-5 (EINECS) bentonite ID 1225 <i>Osnovna supstanca/Basic substance</i>	Regulation (EU) No 231/20128 Bentonite: as in Commission Regulation (EU) No 1060/20139		protectant	
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
129.	Clethodim EN Kletodim CG CAS N° 99129-21-2; CIPAC N° 508 ID 561	≥ 930 g/kg Nečistoće: toluene max. 4 g/kg	(5RS)-2-[(1EZ)-1-[(2E)-3-chloroallyloxyimino]propyl]-5-[(2RS)-2-(ethylthio)propyl]-3-hydroxycyclohex-2-en-1-one	HB	31/05/2023
130.	Clodinafop EN Klodinafop CG CAS N° 114420-56-3; CIPAC N° 683 ID 562	≥ 950 g/kg (u obliku clodinafop-propargyl)	(R)-2-[4-(5-chloro-3-fluoro-2-pyridyloxy)-phenoxy]-propionic acid	HB	30/04/2021
131.	Clofentezine EN Klofentezin CG CAS No 74115-24-5; CIPAC No 418 ID 564	≥ 980 g/kg (suvi materijal)	3,6-bis(2-chlorophenyl)-1,2,4,5-tetrazine	AC	31/12/2021
132.	Clomazone EN Klomazon CG CAS N° 81777-89-1; CIPAC N° 509 ID 565	960 g/kg	S-benzyl dipropyl (thiocarbamat)	HB	31/10/2021
133.	Clonostachys rosea strain J1446 (Gliocladium catenulatum strain J1446) EN/CG Strain: J1446 culture collection N° DSM 9212 CIPAC N° Nije dodijeljen ID 766 <i>Aktivna supstanca niskog rizika/Low-risk active substance</i>		Nije primjenljivo	FU	31/03/2034 Obratiti pažnju na sledeće: -specifikaciju proizvedenog tehničkog materijala u sredstvima za zaštitu bilja, uključujući detaljan opis mogućih metabolita koji izazivaju zabrinutost, -zaštitu korisnika sredstva i radnika, uzimajući u obzir to da se smatra da mikroorganizmi mogu izazvati preosjetljivost, te obezbijediti uslovi upotrebe uključuju primjenu odgovarajuće lične zaštite, Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika.
134.	Clopyralid EN Klopivalid CG CAS N° 1702-17-6; CIPAC N° 455 ID 566	≥ 950 g/kg	3,6-dichloropyridine-2-carboxylic acid	HB	30/04/2021
135.	Coniothyrium minitans Strain CON/M/91-08 (DSM 9660) EN/CG Strain CON/M/91-08 (DSM 9660); CIPAC N° 614 ID 569	Nije primjenljivo	Nije primjenljivo	FU	31/07/2032
136.	Copper compounds EN Jedinjenja bakra CG Copper hydroxide: CAS N° 20427-59-2; CIPAC N° 44.305 Copper oxychloride: CAS N° 1332-65-6 or 1332-40-7; CIPAC N° 44.602 Bordeaux mixture: CAS N° 8011-63-0; CIPAC N° 44.604 Tribasic copper sulphate: CAS N° 12527-76-3 or 1333-22-8; CIPAC N° 44.306 Copper (I) oxide: CAS N° 1317-39-1; CIPAC N° 44.603 ID 1221 <i>Kandidat za supstituciju/Candidate for Substitution</i>	Copper hydroxide: ≥ 573 g/kg Copper oxychloride: ≥ 550 g/kg Bordeaux mixture: ≥ 245 g/kg Tribasic copper sulphate: ≥ 490 g/kg Copper (I) oxide: ≥ 820 g/kg	-copper (II) hydroxide or cupric hydroxide -dicopper (II) chloride trihydroxide -traditional mixture of copper (II) sulfate and calcium hydroxide -copper (II) hydroxide sulfate -copper (I) oxide or cuprous oxide	FU	31/12/2025
137.	Copper hydroxide EN Bakar – hidroksid CG CAS N° 20427-59-2; CIPAC N° 44.305	≥ 573 g/kg	Copper (II) hydroxide	FU	31/12/2025

	ID 571 <i>Kandidat za supstituciju/Candidate for Substitution</i>				
138.	Copper oxide EN Bakarni oksid CG CAS N° 1317-39-1; CIPAC N° 44.603 ID 580 <i>Kandidat za supstituciju/Candidate for Substitution</i>	≥ 820 g/kg	Copper oxide	FU	31/12/2025
139.	Copper oxychloride EN Bakar – oksihlorid CG CAS N° 1332-40-7; CIPAC N° 44.602 ID 572 <i>Kandidat za supstituciju/Candidate for Substitution</i>	≥ 550 g/kg	Dicopper chloride trihydroxide	FU	31/12/2025
140.	COS-OGA EN/CG CAS No: Nije dodijeljen; CIPAC No: 979 ID 1185	≥ 915 g/kg -OGA/COS odnos sastavljen između 1 i 1,6 - Stepen polimerizacije COS sastavljen između 5 i 10 - Stepen polimerizacije OGA sastavljen između 9 i 20 - Stepen metilacije OGA < 10 % - Stepen acetilacije COS < 50 %	Linear copolymer of α-1,4-D-galactopyranosyluronic acids i methylesterified galactopyranosyluronic acids (9 to 20 residues) sa linearnim copolymer β-1,4-linked 2-amino-2-deoxy-D-glucopyranose i 2-acetamido-2-deoxy-D-glucopyranose (5 to 10 residues).	FU	22/04/2030
141.	Cow Milk EN Kravlje mlijeko CG CAS No 8049-98-7; CIPAC No 418 ID 1255 <i>Osnovna supstanca/Basic substance</i>	Nije primjenljivo	Nije primjenljivo	FU and virucide	Nije primjenljivo
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
142.	Cyantraniliprole EN Ciantraniliprol CG CAS N° 736994-63-1 CIPAC N° Not allocated. ID 1083	≥ 940 g/kg IN-Q6S09 max. 1 mg/kg IN-RYA13 max. 20 mg/kg methanesulfonic acid max. 2 g/kg acetonitrile max. 2 g/kg heptane max. 7 g/kg 3-picoline max. 3 g/kg.	3-bromo-1-(3-chloro-2-pyridyl)-4'-cyano-2'-methyl-6'-(methylcarbamoyl) pyrazole-5-carboxanilide	IN	14/09/2026
143.	Cyazofamid EN Ciazofamid CG CAS N° 120116-88-3; CIPAC N° 653 ID 583	935 g/kg	4-chloro-2cyano-N,N-dimethyl-5-P-tolyimidazole-1-sulfonamide	FU	31/07/2021
144.	Cycloxydim EN Cikloksidim CG CAS No 101205-02-1 CIPAC No 510 ID 586	≥ 940 g/kg	(5RS)-2-[(EZ)-1-(ethoxyimino)butyl]-3-hydroxy-5-[(3RS)-thian-3-yl]cyclohex-2-en-1-one	HB	31/05/ 2023
145.	Cydia pomonella Granulovirus (CpGV) EN/CG ID 588	Kontaminirajući mikroorganizmi (<i>Bacillus cereus</i>) < 1 × 10 ⁶ CFU/g	Nije primjenljivo	IN	30/04/2021
146.	Cyflufenamid EN Ciflufenamid CG CAS No 180409-60-3; CIPAC No 759 ID 833	> 980 g/kg	(Z)-N-[α-(cyclopropylmethoxyimino) – 2,3-difluoro-6-(trifluoromethyl) benzyl]-2-phenylacetamide	FU	31/03/2023
147.	Cyflumetofen EN Ciflumetofen CG CAS No 400882-07-7; CIPAC No 721 ID 978	≥ 975 g/kg (racemic)	2-methoxyethyl (RS)-2-(4-tert-butylphenyl)-2-cyano-3-oxo-3-(α,α,α-trifluoro-o-tolyl)propionate	AC	31/05/2023 Sredstva za zaštitu bilja koja sadrže ciflumetofen odobravaju se za upotrebu samo ako se očekuje da nivo metabolita B3 u podzemnim vodama bude manja od 0,1 µg/L. Obratiti pažnja na: -zaštitu operatera i radnika, -zaštitu podzemnih voda, posebno od metabolita B3, ako se aktivna supstanca primjenjuje u područjima s osjetljivim zemljištem i/ili nepovoljnim klimatskim uslovima; -zaštitu vode za piće: -rizik za vodene organizme. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika za vodene

					organizme.
148.	Cyhalofop-butyl EN Cihalofop-butil CG CAS No 122008-85-9; CIPAC No 596 ID 590	950 g/kg	Butyl-(R)-2-[4(4-cyano-2-fluorophenoxy)phenoxy]propionate	HB	30/06/2032
149.	Cymoxanil EN Cimoksanil CG CAS N° 57966-95-7; CIPAC N° 419 ID 593	≥ 970 g/kg	1-[(E/Z)-2-cyano-2-methoxyiminoacetyl]-3-ethylurea	FU	31/08/2021
150.	Cypermethrin EN Cipermetrin CG CAS N° 52315-07-8 ; CIPAC N° 332 ID 834	900 g/kg	(RS)-α-cyano-3-phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane carboxylate (4 isomer pairs : cis-1, cis-2, trans-3, trans-4)	AC/IN	31/10/2021
151.	Cyproconazole EN Ciprokonazol CG CAS No 94361-06-5; CIPAC No 600 ID 594	≥ 940 g/kg	(2RS,3RS;2RS,3SR)-2-(4-chlorophenyl)-3-cyclopropyl-1-(1H-1,2,4-triazol-1-yl)butan-2-ol	FU	31/05/2021
152.	Cyprodinil EN Ciprodinil CG CAS N°121522-61-2; CIPAC N° 511 ID 1023	≥ 950 g/kg	(4-cyclopropyl-6-methylpyrimidin-2-yl)-phenylamine	FU	30/04/2021
153.	Daminozide EN Daminozid CG CAS N° 1596-84-5; CIPAC N° 330 ID 599	990 g/kg Nečistoće: - N-nitrosodimethylamine: ne više od 2,0 mg/kg - 1,1-dimethylhydrazide: ne više od 30 mg/kg	N-dimethylaminosuccinamic acid	PG	31/10/2021
154.	Dazomet EN Dazomet CG CAS N° 533-74-4; CIPAC N° 146 ID 835	≥ 950 g/kg	3,5-dimethyl-1,3,5-thiadiazinane-2-thione or tetrahydro-3,5-dimethyl-1,3,5-thiadiazine-2-thione	NE, FU,HB, ST	31/05/2023
155.	Deltamethrin EN Deltametrin CG CAS N° 52918-63-5; CIPAC N° 333 ID 602	980 g/kg	(S)-α-cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropane carboxylate	IN	31/10/2021
156.	Diammonium phosphate EN Diamonijum fosfat CG CAS N° 7783-28-0 ID 611 <i>Osnovna supstanca/Basic substance</i>	Enološka ocjena	Diammonium hydrogen phosphate	AC	Nije primjenjivo
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
157.	Dicamba EN Dikamba CG CAS N° 1918-00-9; CIPAC N° 85 ID 613	≥ 850 g/kg	3,6-dichloro-2-methoxybenzoic acid	HB	31/12/2021
158.	Dichlorprop-P EN Dihlorprop-P CG CAS N° 15165-67-0; CIPAC N° 476 ID 619	≥ 900 g/kg	(R)-2-(2,4-dichlorophenoxy)propanoic acid	HB	30/04/2021
159.	Diclofop EN Diklofop CG CAS No 40843-25-2 (parent); CIPAC No 358 (parent) CAS No 257-141-8 (diclofop-methyl); CIPAC No 358.201 (diclofop-methyl) ID 622	≥ 980 g/kg (izražen kao diclofop-methyl)	Diclofop (RS)-2-[4-(2,4-dichlorophenoxy)phenoxy]-propionic acid Diclofop-methyl methyl (RS)-2-[4-(2,4-dichlorophenoxy)phenoxy]-propionate	HB	31/05/2023
160.	Diethofencarb EN Dietofenkarb CG CAS No 87130-20-9; CIPAC No 513 ID 629	≥ 970 g/kg Nečistoće: Toluene: ne više od 1 g/kg	isopropyl 3,4-diethoxycarbanilate	FU	31/05/2021
161.	Difenoconazole EN Difenokonazol CG CAS N° 119446-68-3; CIPAC N° 687 ID 631	≥ 940 g/kg	3-chloro-4-[(2RS,4RS;2RS,4SR)-4-methyl-2-(1H-1,2,4-triazol-1-ylmethyl)-1,3-dioxolan-2-yl]phenyl 4-chlorophenyl ether	FU	31/12/2021
162.	Diffufenican EN Diflufenikan CG CAS N° 83164-33-4; CIPAC N° 462 ID 635	≥ 970 g/kg	2',4'-difluoro-2-(α,α,α-trifluoro-mtolylxy)nicotinilide	HB	31/12/2021
163.	Dimethachlor EN Dimetahlor CG	≥ 950 g/kg Nečistoća 2,6-dimethylaniline:	2-chloro-N-(2-methoxyethyl)acet-2',6'-	HB	31/12/2021

	CAS No 50563-36-5; CIPAC No 688 ID 639	Ne više od 0,5 g/kg	xylylide		
164.	Dimethenamid-P EN Dimetenamid-P CG CAS N° 163515-14-8; CIPAC N°638 ID 641	890 g/kg (prelimenarno) ≥ 930 g/kg Sledeća nečistoća izaziva zabrinutost u toksikološkom smislu i ne smije prelaziti sljedeću granicu u tehničkom materijalu: 1,1,1,2-tetrakloretan (TCE): ≤ 1,0 g/kg	S-2-chloro-N-(2,4-dimethyl-3-thienyl)-N-(2-methoxy-1-methylethyl)-acetamide	HB	31/08/2034 Posebna pažnja obratiti na: -zaštitu operatera i radnika tako da uslovi upotrebe po potrebi uključuju primjenu odgovarajuće lične zaštitne opreme, -zaštitu podzemnih voda, posebno u pogledu metabolita dimetenamida-P, -zaštitu vodenih organizama i malih sisara biljojeda. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika.
165.	Dimethomorph EN Dimetomorf CG CAS N°110488-70-5; CIPAC N°483 ID 644	≥ 965 g/kg	(E,Z) 4-[3-(4-chlorophenyl)-3-(3,4 dimethoxyphenyl)acryloyl]morpholine	FU	31/07/2021
166.	Dimoxystrobin EN Dimokistrobin CG CAS N° 149961-52-4; CIPAC N° 739 ID 868	≥ 980 g/kg	(E)-o-(2,5-dimethylphenoxyethyl)-2-methoxyimino-N-methylphenylacetamide	FU	31/01/2022
167.	Disodium phosphonate EN Dizodium fosfonat CG CAS No 13708-85-5; CIPAC No 808 ID 690	281-337 g/kg (TK) ≥ 917 g/kg (TC)	disodium phosphonate	FU	31/01/2026
168.	Dithianon EN Ditianon CG CAS N° 3347-22-6; CIPAC N° 153 ID 691	≥ 930 g/kg	5,10-dihydro-5,10-dioxonaphtho[2,3-b]-1,4-dithiine-2,3-dicarbonitrile	FU	31/05/2024
169.	Dodecan-1-ol EN Dodekan-1-ol CG Feromoni linearnog lanca za red Lepidoptera CG Straight Chain Lepidopteran Pheromones ENG ID 1064	Nije primjenljivo	Nije primjenljivo	AT	31/08/2021
170.	Dodecyl acetate EN/CG CAS No 112-66-3; CIPAC Nije dodijeljen; ID 837	Review report (SANCO/2633/2008) rev.14 20 July 2018	Dodecyl acetate;	AT	31/08/2021
171.	Dodemorph EN Dodemorf CG CAS No 1593-77-7; CIPAC No 300 ID 694	≥ 950 g/kg	cis/trans-[4-cyclododecyl]-2,6-dimethylmorpholine	FU	31/08/2022
172.	Dodine EN Dodin CG CAS N° 2439-10-3; CIPAC N° 101 ID 695	≥ 950 g/kg	1-dodecyl-guanidinium acetate	FU	31/05/2024
173.	E,Z-3,13-Oktadecadienil Acetat CG/ E,Z-3,13-Octadecadienyl Acetate EN CAS N°53120-26-6 ID 1227	560 g/kg < 5 g/kg of the additive BHT [2,6-di(1,1-dimethylethyl)-4-methylphenol]	(3E,13Z)-Octadeca3,13-dienyl acetate	AT	31/08/2021
174.	Ememaktin CG/ Emamectin EN CAS N°: emamectin: 119791-41-2 (bivši 137335-79-6) i 123997-28-4 ID 838 <i>Kandidat za supstituciju/Candidate for Substitution</i>	≥ 950 g/kg kao emamectin benzoate anhydrous (mješavina min. 920 g/kg emamectin B1a benzoate i max. 50 g/kg emamectin B1b benzoate)	Emamectin B1a: (10E,14E,16E)-(1R,4S,5'S,6S,6'R,8R,12S,13S,20R,21R,24S)-6'-[(S)-sec-butyl]-21,24-dihydroxy-5',11,13,22-tetramethyl-2-oxo-(3,7,19-trioxatetracyclo[15.6.1.14.8.020,24]pentacos-10,14,16,22-tetraene)-6-spiro-2'-(5',6'-dihydro-2H-pyran)-12-yl 2,6-dideoxy-3-O-methyl-4-O-(2,4,6-trideoxy-3-O-methyl-4-methylamino-α-L-lyxo-hexapyranosyl)-α-L-arabino-hexapyranoside	IN	30/11/2024
	emamectin benzoate: 155569-91-8 (bivši 137512-74-4 i 179607-18-2)		Emamectin B1b: (10E,14E,16E)-(1R,4S,5'S,6S,6'R,8R,12S,13		

			S,20R,21R,24S)-21,24-dihydroxy-6'-isopropyl-5',11,13,22-tetramethyl-2-oxo-(3,7,19-trioxatetracyclo[15.6.1.14,8.020,24]pentacosa-10,14,16,22-tetraene)-6-spiro-2'-(5',6'-dihydro-2'H-pyran)-12-yl 2,6-dideoxy-3-O-methyl-4-O-(2,4,6-trideoxy-3-O-methyl-4-methylamino- α -L-lyxohexapyranosyl)- α -L-arabino-hexapyranoside		
	emamectin B1a benzoate: 138511-97-4		Emamectin B1a benzoate: (10E,14E,16E)-(1R,4S,5'S,6S,6'R,8R,12S,13S,20R,21R,24S)-6'-[(S)-sec-butyl]-21,24-dihydroxy-5',11,13,22-tetramethyl-2-oxo-(3,7,19-trioxatetracyclo[15.6.1.14,8.020,24]pentacosa-10,14,16,22-tetraene)-6-spiro-2'-(5',6'-dihydro-2'H-pyran)-12-yl 2,6-dideoxy-3-O-methyl-4-O-(2,4,6-trideoxy-3-O-methyl-4-methylamino- α -L-lyxohexapyranosyl)- α -L-arabino-hexapyranoside benzoate		
	emamectin B1b benzoate: 138511-98-5		Emamectin B1b benzoate: (10E,14E,16E)-(1R,4S,5'S,6S,6'R,8R,12S,13S,20R,21R,24S)-21,24-dihydroxy-6'-isopropyl-5',11,13,22-tetramethyl-2-oxo-(3,7,19-trioxatetracyclo[15.6.1.14,8.020,24]pentacosa-10,14,16,22-tetraene)-6-spiro-2'-(5',6'-dihydro-2'H-pyran)-12-yl 2,6-dideoxy-3-O-methyl-4-O-(2,4,6-trideoxy-3-O-methyl-4-methylamino- α -L-lyxohexapyranosyl)- α -L-arabino-hexapyranoside benzoate		
	CIPAC No: emamectin: 791 emamectin benzoate: 791.412				
175.	Equisetum arvense L. CG / Equisetum arvense L. EN CAS No: Nije dodijeljen; CIPAC No: Nije dodijeljen ID 106 <i>Osnovna supstanca/Basic substance</i>	Evropska farmakopeja	Nije primjenljivo	FU	Nije primjenljivo
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
176.	Esfenvalerate EN Esfenvalerate CG CAS N° 66230-04-4; CIPAC N° 481 ID 84	830 g/kg	(S)- α -Cyano-3-phenoxybenzyl-(S)-2-(4-chlorophenyl)-3-methylbutyrate	IN	31/12/2022
177.	Ethephon EN Etefon CG CAS N° 16672-87-0; CIPAC N° 373 ID 89	≥ 910 g/kg (technical material — TC) Fabričke nečistoće MEPHA (Mono 2-chloroethyl ester, 2-chloroethyl phosphonic acid) i 1,2-Dichloroethane predstavljaju toksikološki rizik i ne smiju preći 20 g/kg odnosno 0,5 g/kg u proizvodu.	2-chloroethylphosphonic acid	PG	31/07/2021
178.	Ethofumesate EN Etofumesat CG CAS N° 26225-79-6; CIPAC N° 233 ID 94	960 g/kg	($\pm$)-2-ethoxy-2,3-dihydro-3,3-dimethylbenzofuran-5-ylmethanesulfonate	HB	31/10/2031
179.	Ethylene EN Etilen CG	≥ 90 % Relevantne nečistoće:	Ethylene	PG	31/08/2022

	CAS No 74-85-1; CIPAC No 839 ID 98	ethylene oxide, max sadržaj 1 mg/kg			
180.	Etofenprox EN Etofenproks CG CAS No 80844-07-1; CIPAC No 471 ID 101	≥ 980 g/kg	2-(4-ethoxyphenyl)-2-methylpropyl 3-phenoxybenzyl ether	IN	31/12/2021
181.	Ettoxazole EN Etoksazol CG CAS No 153233-91-1; CIPAC No 623 ID 102	≥ 948 g/kg	(RS)-5-tert-butyl-2-[2-(2,6-difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl] phenetole	IN	31/01/2028
182.	Etridiazole EN Etridiazol CG CAS No 2593-15-9; CIPAC No 518 ID 103	≥ 970 g/kg	ethyl-3-trichloromethyl-1,2,4-thiadiazol-5-yl ether	FU	31/05/2021
183.	Eugenol EN Eugenol CG CAS No 97-53-0; CIPAC No 967 ID 301	≥ 990 g/kg Relevantne nesčistoće: methyl eugenol maximum 0,1 % tehničkog materijala	4-allyl-2-methoxyphenol	FU	30/11/2023
184.	Extract from tea tree EN Ekstrat čajevca CG CAS No Tee Tree Oil 68647-73-4 ID 1191	Glavne komponente: terpinen-4-ol ≥ 300 g/kg γ-terpinene ≥ 100 g/kg α-terpinene ≥ 50 g/kg 1,8-cineol trace	Ulje čajevca je kompleks mješavine hemijskih supstanci Tee Tree Oil is a complex mixture of chemical substances	FU	31/08/2021
185.	Famoxadone EN Famoksadon CG CAS N° 131807-57-3; CIPAC N°594 ID 109	960 g/kg	3-anilino-5-methyl-5-(4-phenoxyphenyl)-1,3-oxazolidine-2,4-dione	FU	30/06/2021
186.	Fat distillation residues EN Ostaci masne destilacije CG CAS No: Nije dodijeljen; CIPAC No 915 ID 110	≥ 40 % of odcijepljene masne kiseline Relevantne nesčistoće: Ni maximum 200 mg/kg	Nije primjenljivo	RE	31/08/2021
187.	Fatty acids C7 to C20 (Pelargonic acid (CAS 112-05-0)) EN Masne kiseline C7 to C20 CG CAS No: 112-05-0 (Pelargonic Acid) 67701-09-1 (Fatty Acids C7-C18 and C18 unsaturated potassium salts) 124-07-2 (Caprylic Acid) 334-48-5 (Capric Acid) 143-07-7 (Lauric Acid) 112-80-1 (Oleic Acid) 85566-26-3 (Fatty Acids C8-C10 Me esters) 111-11-5 (Methyl octanoate) 110-42-9 (Methyl decanoate) CIPAC No: 8146 (Fatty acids C7-C18 and C18 unsaturated potassium salts) ID 113	889 g/kg (Pelargonic Acid) 838g/kg (Fatty Acids/salts) 990 g/kg (Fatty Acid methyl esters)	Nonanoic acid Caprylic Acid, Pelargonic Acid, Capric Acid, Lauric Acid, Oleic Acid (ISO in each case) Octanoic Acid, Nonanoic Acid, Decanoic Acid, Dodecanoic Acid, cis-9-Octadecenoic Acid (IUPAC in each case) Fatty Acids, C7-C10, Me esters	IN, AC, HB, PG	31/08/2021
188.	Fatty acids C7-C18 and C18 unsaturated potassium salts (CAS 67701-09-1) (Capric acid (CAS 334-48-5); Caprylic acid (CAS 124-07-2); Lauric acid (CAS 143-07-7); Oleic acid (CAS 112-80-1)) EN Masne kiseline C7 to C18 i C18 CG CAS No 112-05-0 (Pelargonic Acid) 67701-09-1 (Fatty acids C7-C18 i C18 unsaturated potassium salts) 112-05-0 (Pelargonic Acid) 67701-09-1 (Fatty Acids C7-C18 and C18 unsaturated potassium salts) 124-07-2 (Caprylic Acid) 334-48-5 (Capric Acid) 143-07-7 (Lauric Acid) 112-80-1 (Oleic Acid) 85566-26-3 (Fatty Acids C8-C10 Me esters) 111-11-5 (Methyl octanoate) 110-42-9 (Methyl decanoate) ID 846	889 g/kg (Pelargonic Acid) 838g/kg (Fatty Acids/salts) 990 g/kg (Fatty Acid methyl esters)	Nonanoic acid Caprylic Acid, Pelargonic Acid, Capric Acid, Lauric Acid, Oleic Acid (ISO in each case) Octanoic Acid, Nonanoic Acid, Decanoic Acid, Dodecanoic Acid, cis-9-Octadecenoic Acid (IUPAC in each case) Fatty Acids, C7-C10, Me esters	IN, AC, HB, PG	31/08/2021
189.	Fatty acids C8-C10 methyl esters (CAS	889 g/kg (Pelargonic Acid)	Nonanoic acid	IN, AC, HB,	31/08/2021

	85566-26-3) (Methyl octanoate (CAS 111-11-5); Methyl decanoate (CAS 110-42-9)) EN Masne kisjeline C8 to C10 CG CAS No 112-05-0 (Pelargonic Acid) 67701-09-1 (Fatty acids C7-C18 i C18 unsaturated potassium salts) 112-05-0 (Pelargonic Acid) 67701-09-1 (Fatty Acids C7-C18 and C18 unsaturated potassium salts) 124-07-2 (Caprylic Acid) 334-48-5 (Capric Acid) 143-07-7 (Lauric Acid) 112-80-1 (Oleic Acid) 85566-26-3 (Fatty Acids C8-C10 Me esters) 111-11-5 (Methyl octanoate) 110-42-9 (Methyl decanoate) ID 114	838g/kg (Fatty Acids/salts) 990 g/kg (Fatty Acid methyl esters)	Caprylic Acid, Pelargonic Acid, Capric Acid, Lauric Acid, Oleic Acid (ISO in each case) Octanoic Acid, Nonanoic Acid, Decanoic Acid, Dodecanoic Acid, cis-9-Octadecenoic Acid (IUPAC in each case) Fatty Acids, C7-C10, Me esters	PG	
190.	Fenazaquin EN Fenazakvin CG CAS N° 120928-09-8; CIPAC N° 693 ID 124	≥ 975 g/kg	4-tert-butylphenethyl quinazolin-4-yl ether	IN, AC	31/05/2023 Primjenjivati samo u zatvorenom prostoru
191.	Fenbuconazole EN Fenbukonazol CG CAS N° 114369-43-6; CIPAC N° 694 ID 125	≥ 965 g/kg	(R,S)4-(4-chlorophenyl)-2-phenyl-2-(1H-1,2,4-triazol-1-ylmethyl)butyronitrile	FU	30/04/2021
192.	Fenhexamid EN Fenheksamid CG CAS N° 126833-17-8; CIPAC N° 603 ID 4	≥ 950 g/kg	N-(2,3-dichloro-4-hydroxyphenyl)-1-methylcyclohexanecarboxamide	FU	31/12/2030
193.	Fenoxaprop-P EN Fenoksaprop-P CG CAS N° 113158-40-0; CIPAC N° 484 ID 9	≥ 920 g/kg	(R)-2[4-[(6-chloro-2-benzoxazolyl)oxy]-phenoxy]-propanoic acid	HB	31/12/2021
194.	Fenoxycarb EN Fenoksikarb CG CAS N° 79127-80-3; CIPAC N° 425 ID 10	≥ 970 g/kg Nečistoća: Toluene: max. 1 g/kg	Ethyl 2-(4-phenoxyphenoxy)ethyl carbamate	IN	31/05/2021
195.	Fenpicoxamid (formerly: Lyserphenvalpyr) EN Fenpikoksamid (bivši: Liserfenvalpir) CG CAS No 517875-34-2 CIPAC No 991 ID 1286	≥ 750 g/kg	(3S,6S,7R,8R)-8-benzyl-3-{3-[[isobutyryloxy)methoxy]-4-methoxypyridine-2-carboxamido}-6-methyl-4,9-dioxo-1,5-dioxonan-7-yl isobutyrate	FU	11/10/2028
196.	Fenpropidin EN Fenpropidin CG CAS No 67306-00-7; CIPAC No 520 ID 13	≥ 960 g/kg (racemate)	(R,S)-1-[3-(4-tert-butylphenyl)-2-methylpropyl]-piperidine	FU	31/12/2021
197.	Fenpyrazamine EN Fenpirazamin CG CAS No 473798-59-3; CIPAC No 832 ID 683	≥ 940 g/kg	S-allyl 5-amino-2,3-dihydro-2-isopropyl-3-oxo-4-(o-tolyl)pyrazole-1-carbothioate	FU	31/12/2022
198.	Fenpyroximate EN Fenpiroksimat CG CAS N° 134098-61-6; CIPAC N° 695 ID 14	> 960 g/kg	tert-butyl (E)-alpha-(1,3-dimethyl-5-phenoxy-pyrazol-4-ylmethyleneamino-oxy)-ptoluate	AC	30/04/2021
199.	Ferric phosphate EN Ferik fosfat CG CAS N° 10045-86-0; CIPAC N° 629 ID 23	990 g/kg	Ferric Phosphate	MO	31/12/2030
200.	Ferric phosphophosphate EN Ferik fosfatat CG CAS N° 10058-44-3; CIPAC N° nije dodjeljen ID 1310 <i>Aktivna supstanca niskog rizika/ Low risk Active substance</i>	802 g/kg Pure anhydrous active substance in technical active substance	ferric pyrophosphate	MO	03/08/2035
201.	Flazasulfuron EN Flazasulfuron CG CAS N° 104040-78-0; CIPAC N° 595 ID 819	940 g/kg	1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-(trifluoromethyl-2-pyridylsulphonyl)urea	HB	31/07/2032
202.	Flonicamid (IKI-220) EN Flonikamid (IKI-220) CG CAS No 158062-67-0; CIPAC No 763 ID 27	≥ 960 g/kg Nečistoća toluena ne smije prekoračiti 3 g/kg u tehničkom materijalu	N-cyanomethyl-4-(trifluoromethyl)nicotinamide	IN	31/08/2023

203.	Florasulam EN Florasulam CG CAS N° 145701-23-1; CIPAC N°616 ID 28	970 g/kg	2', 6', 8-Trifluoro-5-methoxy-[1,2,4]-triazolo [1,5-c] pyrimidine-2-sulfonanilide	HB	31/12/2030
204.	Florpyrauxifen-benzyl EN Florpirauksifen-benzil CG CAS No: 1390661-72-9 CIPAC No: 990.227 ID 1414	≥ 920 g/kg Nečistoća toluen ne smije prelaziti 3 g/kg u tehničkom materijalu.	benzyl 4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-5-fluoropyridine-2-carboxylate	IT	24/07/2029 Obratiti pažnja na: -zaštitu vodenog bilja i kopnenog bilja koje ne pripada ciljnoj grupi. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika, npr. zaštitne zone i/ili upotreba prskalica koje smanjuju zanošenje prilikom prskanja.
205.	Fluazifop-P EN Fluazifop-P CG CAS No 83066-88-0 (fluazifop-P); CIPAC No 467 (fluazifop-P) ID 31	≥ 900 g/kg in fluazifop- P-butyl Nečistoća 2-chloro-5-(trifluoromethyl) pyridine mne smije prelaziti 1,5 g/kg u proizvedenom materijalu.	(R)-2-{4-[5-(trifluoromethyl)- 2-pyridyloxy]phenoxy} propionic acid (fluazifop-P)	HB	31/12/2023
206.	Fluazinam EN Fluazinam CG CAS N° 79622-59-6; CIPAC N° 521 ID 32	≥ 960 g/kg Nečistoće: 5-chloro-N-(3-chloro- 5-trifluoromethyl-2-pyridyl)-α,α,α-trifluoro- 4,6-dinitro-o-toluidine — ne više od 2 g/kg	3-chloro-N-(3-chloro-5-trifluoromethyl-2-pyridyl)-α,α,α-trifluoro-2, 6-dinitro-p-toluidine	FU	28/02/2022
207.	Flubendiamide EN Flubendiamide CG CAS No 272451-65-7; CIPAC No 788 ID 33	≥ 960 g/kg	3-iodo-N'-(2-mesyl-1,1-dimethylethyl)-N-{4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]-o-tolyl} phthalamide	IN	31/08/2024
208.	Fludioxonil EN Fludioksonil CG CAS N° 131341-86-1; CIPAC N° 522 ID 37	950 g/kg	4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1Hpyrrole-3-carbonitrile	FU	31/10/2021
209.	Flufenacet (formerly fluthiamide) EN Flufenacet CG CAS N° 142459-58-3 ; CIPAC N°588 ID 1313	950 g/kg	(N-(4-Fluoro-phenyl)-N-isopropyl-2-(5-trifluoromethyl-[1,3,4]thiodiazol-2-yloxy)-acetamide	HB	31/10/2021
210.	Flumetralin EN Flumetralin CG CAS No 62924-70-3; CIPAC No 971 ID 718	980 g/kg Nečistoća Nitrosamina (izračunat kao nitroso-dimethylamine) ne smije prekoračiti 0,001 g/kg u tehničkom materijalu	N-(2-chloro-6-fluorobenzyl)-N-ethyl-α,α,α-trifluoro-2,6-dinitro-p-toluidine	PG	11/12/2022
211.	Flumioxazin EN Flumioksazin CG CAS N° 103361-09-7; CIPAC N°578 ID 720	960 g/kg	N-(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H-1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2-dicarboximide	HB	30/06/2021
212.	Fluometuron EN Flumeturon CG CAS No: 2164-17-2; CIPAC No: 159 ID 721	≥ 940 g/kg	1,1-dimethyl-3-(α,α,α -trifluoro-m-tolyl)urea	HB	31/05/2024
213.	Fluopicolide EN Fluopikolid CG CAS N° 239110-15-7; CIPAC N° 787 ID 722	≥ 970 g/kg Nečistoća toluena ne smije premašiti u proizvodima 3 g/kg	2,6-dichloro-N-[3-chloro- 5-(trifluoromethyl)-2-pyridylmethyl]benzamide	FU	31/05/2023
214.	Fluopyram EN Fluopiram CG CAS No 658066-35-4; CIPAC No 807 ID 723	≥ 960 g/kg	N-{2-[3-chloro-5-(trifluoromethyl)-2-pyridyl]ethyl}-α,α,α-trifluoro-o-toluamide	FU	31/01/2024
215.	Fluoxastrobin EN Fluksastrobin CG CAS No 361377-29-9; CIPAC No 746 ID 726	≥ 940 g/kg	(E)-{2-[6-(2-chlorophenoxy)-5-fluoropyrimidin-4-yloxy]phenyl}(5,6-dihydro-1,4,2-dioxazin-3-yl)methanone O-methyloxime	FU	31/07/2021
216.	Flupyradifurone EN Flupiradifuron CG CAS No: 951659-40-8; CIPAC No: 987 ID 1186	≥ 960 g/kg	4-[(6-chloro-3-pyridylmethyl)(2,2-difluoroethyl) amino]furan-2(5H)-one	IN	09/12/2025
217.	Fluquinconazole EN Flukvinkonazol CG CAS No 136426-54-5; CIPAC No 474	≥ 955 g/kg	3-(2,4-dichlorophenyl)-6-fluoro-2-(1H-1,2,4-triazol-1-yl)quinazolin-4(3H)-one	FU	31/12/2021

	ID 729				
218.	Flurochloridone EN Flurohloridon CG CAS No: 61213-25-0; CIPAC No: 430 ID 733	≥ 940 g/kg. Relevant nečistoće: Toluene: max 8 g/kg	(3RS,4RS;3RS,4SR)-3-chloro-4-chloromethyl-1-(α,α,α -trifluoro-m-tolyl)-2-pyrrolidone	HB	31/05/2021
219.	Fluroxypyr EN Fluroksipir CG CAS N° 69377-81-7; CIPAC N° 431 ID 734	≥ 950 g/kg (fluroxypyr-meptyl)	4-amino-3,5-dichloro-6-fluoro-2-pyridyloxyacetic acid	HB	31/12/2024
220.	Flutianil EN Flutianil CG CAS No [958647-10-4] CIPAC No 835 ID 1059	≥ 985 g/kg	(Z)-[3-(2-methoxyphenyl)-1,3-thiazolidin-2-ylidene]($\alpha,\alpha,\alpha,4$ -tetrafluoro-m-tolylthio)acetonitrile	FU	14/04/2029 Obratiti pažnju na: - zaštitu opratera i radnika, - rizik za vodene organizme, - rizik od podzemne vode od metabolita, ako se supstanca primenjuje u osjetljivom zemljištu ili klimatskim uslovima. Uslovi korišćenja uključuju mjere ublažavanja rizika, gdje je to neophodno.
221.	Flutolanil EN Flutolanil CG CAS No 66332-96-5; CIPAC No 524 ID 739	≥ 975 g/kg	α,α,α -trifluoro-3'-isopropoxy-o-toluanilide	FU	28/02/2022
222.	Flutriafol EN Flutriafol CG CAS No 76674-21-0; CIPAC N° 436 ID 740	≥ 920 g/kg (racemate) Bitne nečistoće: - dimethyl sulphate: maksimalni sadržaj 0,1g/kg - dimethylformamide: maksimalni sadržaj 1 g/kg - methanol: maksimalni sadržaj 1g/kg	(RS)-2,4'-difluoro- α -(1H-1,2,4- triazol-1-ylmethyl)benzhydrl alcohol	FU	31/08/2024
223.	Fluxapyroxad EN Fluksapiroksad CG CAS No 907204-31-3; CIPAC No 828 ID 989	≥ 950 g/kg Nečistoća toluena ne smije prekoračiti 1 g/kg u tehničkom materijalu	3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluorobiphenyl-2-yl)pyrazole-4-carboxamide	FU	31/05/2025
224.	Folpet EN Folpet CG CAS N° 133-07-3; CIPAC N° 75 ID 742	≥ 940 g/kg Nečistoće: - perchloromethylmercaptan (R005406): ne više od 3,5 g/kg - carbon tetrachloride ne više od 4 g/kg	N-(trichloromethylthio)phthalimide	FU	31/07/2021
225.	Foramsulfuron EN Foramsulfuron CG CAS N° 173159-57-4; CIPAC N° 659 ID 745	940 g/kg	1-(4,6-dimethoxypyrimidin-2-yl)-3-(2-dimethylcarbamoyl-5-formamidophenylsulfonyl)urea	HB	31/05/2035
226.	Forchlorfenuron EN Forhlorfenuron CG CAS N° 68157-60-8; CIPAC N° 633 ID 746	≥ 978 g/kg	1-(2-chloro-4-pyridinyl)-3-phenylurea	PG	31/05/2033
227.	Formetanate EN Formetanat CG CAS N°23422-53-9; CIPAC N° 697 ID 748	≥ 910 g/kg	3-dimethylaminomethyleneaminophenyl methylcarbamate	IN, AC	31/07/2021
228.	Fosetyl EN Fosetil CG CAS N°15845-66-6; CIPAC N°384 ID 751	50 g/kg (u obliku fosetyl-Al)	Ethyl hydrogen phosphonate		30/04/2021
229.	Fosthiazate EN Fostiazat CG CAS N° 98886-44-3 ; CIPAC N°585 ID 752	g/kg	(RS)-S-sec-butyl O-ethyl 2-oxo-1,3-thiazolidin-3-ylphosphonothioate		31/10/2021
230.	Fructose EN Fruktoza CG CAS No: 57-48-7 ID 1400 <i>Osnovna supstanca/Basic substance</i>	ena hrane / Food grade	β -D-fructofuranose		Nije primjenjivo
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
231.	Gamma-cyhalothrin EN Gama-cihalotrin CG CAS No 76703-62-3; CIPAC No 768 ID 1211	≥ 980 g/kg	(S)- α -cyano-3-phenoxybenzyl (1R,3R)-3-[(Z)-2-chloro-3,3,3-trifluoropropenyl]-2,2-dimethylcyclopropanecarboxylate or	IN	31/03/2025

			(S)- α -cyano-3-phenoxybenzyl (1R)-cis-3-[(Z)-2-chloro-3,3,3-trifluoropropenyl]-2,2-dimethylcyclopropanecarboxylate		
232.	Garlic extract EN Ekstrakt bijelog luka CG CAS No 8008-99-9; CIPAC No Nije dodijeljen ID 760	$\geq 99,9\%$	Ocjena hrane ekstrakt biljeog luka / Food grade garlic juice concentrate	RE	31/03/2025
233.	Geraniol EN Geraniol CG CAS No 106-24-1; CIPAC No 968 ID 1036	≥ 980 g/kg	(E) 3,7-dimethyl-2,6-octadien-1-ol	FU	30/11/2023
234.	Gibberellic acid EN Giberelinska kisjelina CG CAS No 77-06-5; CIPAC No 307 ID 764	≥ 850 g/kg	(3S,3aS,4S,4aS,7S,9aR,9bR,12S)-7,12-dihydroxy-3-methyl-6-methylene-2-oxoperhydro-4a,7-methano-9b,3-propenol(1,2-b)furan-4-carboxylic acid Alt: (3S,3aR,4S,4aS,6S,8aR,8bR,11S)-6,11-dihydroxy-3-methyl-12-methylene-2-oxo-4a,6-methano-3,8b-propenoperhydroindenol (1,2-b)furan-4-carboxylic acid	PG	31/08/2021
235.	Gibberellin EN Giberelin CG CAS No GA4: 468-44-0 GA7: 510-75-8 GA4A7 mixture: 8030-53-3 CIPAC No Nije dodijeljen ID 765	Review report (SANCO/2614/2008)	GA4: (3S,3aR,4S,4aR,7R,9aR,9bR,12S)-12-hydroxy-3-methyl-6-methylene-2-oxoperhydro-4a,7-methano-3,9b-propenoazuleno[1,2-b]furan-4-carboxylic acid GA7: (3S,3aR,4S,4aR,7R,9aR,9bR,12S)-12-hydroxy-3-methyl-6-methylene-2-oxoperhydro-4a,7-methano-9b,3-propenoazuleno[1,2-b]furan-4-carboxylic acid	PG	31/08/2021
236.	Glyphosate EN Glifosat CG CAS N° 1071-83-6 ; CIPAC N° 284 ID 811	950 g/kg	N-(phosphonomethyl)-glycin	HB	15/12/2022
237.	Halauxifen-methyl EN Halauksifen-metil CG CAS No: 943831-98-9; CIPAC No: 970.201 (halauxifen-methyl) 970 (halauxifen) ID 1413	≥ 930 g/kg	methyl 4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)pyridine-2-carboxylate	HB	05/08/2025
238.	Halosulfuron –methyl EN Halosulfuron metil CG CAS No 100785-20-1; CIPAC No 785.201 ID 83	≥ 980 g/kg	methyl 3-chloro-5-(4,6-dimethoxypyrimidin-2-ylcarbamoysulfamoyl)-1-methylpyrazole-4-carboxylate	HB	30/09/2023
239.	<i>Helicoverpa armigera</i> nucleopolyhedrovirus (HearNPV) EN/CG DSMZ broj: BV-0003 ID 771	Minimalna koncentracija: 1,44 $\times$ 10 ¹³ OB/l (occlusion bodies/l)	Nije primjenljivo	IN	31/05/2023
240.	Heptamaloxyloglucan EN Heptamaloksiloglukan CG CAS No 870721-81-6; CIPAC No Nije dostupno ID 772	≥ 780 g/kg Nečistoća Patulina ne smije prekoračiti 50 μ g/kg u tehničkom materijalu	Puni naziv IUPAC sa pojedinostima o identitetu i specifikaciji aktivnih supstanci su dati u njihovim izvještajima /Full IUPAC name with details on identity and specification of active substances are provided in their review reports. Xyl p: xylopyranosyl Glc p: glucopyranosyl Fuc p: fucopyranosyl Gal p: galactopyranosyl Glc-ol: glucitol	EL	31/05/2021
241.	Hexythiazox EN Heksitiazoks CG CAS N° 78587-05-0; CIPAC N° 439	≥ 976 g/kg (1:1 mixture of (4R, 5R) i (4S, 5S))	(4RS,5RS)-5-(4-chlorophenyl)-N-cyclohexyl-4-methyl-2-oxo-1,3-	AC. IN	31/05/2024

	ID 130		thiazolidine-3-carboxamide		
242.	Hydrogen peroxide EN/CG CAS No 7722-84-1 CIPAC No and EEC No Not applicable ID 131 <i>Osnovna supstanca/Basic substance</i>	Solution in water (<5 %) The hydrogen peroxide used to manufacture the solution shall have a purity according to the FAO JECFA specifications.	Hydrogen peroxide	FU, BC	Nije primjenljivo
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
243.	Hydrolysed proteins EN Hidrolizovani proteini CG CAS No Nije dodijeljen; CIPAC No Nije dodijeljen ID 132	Review report (SANCO/2615/2008)	Nije dostupno	IN AT	31/08/2021
244.	Hymexazol EN Himeksazol CG CAS No 10004-44-1; CIPAC No 528 ID 135	≥985 g/kg	5-methylisoxazol-3-ol (or 5-methyl-1,2-oxazol-3-ol)	FU	31/05/2023
245.	Imazalil (aka enilconazole) EN Imazalil CG CAS N° 73790-28-0, 35554-44-0; CIPAC N° 335 ID 1315	≥ 950 g/kg	(+)-1-(β-allyloxy-2,4-dichlorophenylethyl)imidazole or (+)-allyl 1-(2,4-dichlorophenyl)-2-imidazol-1-ylethyl ether	FU	31/12/2024
246.	Imazamox EN Imazamoks CG CAS N° 114311-32-9; CIPAC N° 619 ID 138	950 g/kg	(±)-2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)- 5-(methoxymethyl) nicotinic acid	HB	31/01/2025
247.	Indolylbutyric acid EN Indolilbuterna kisjelina CG CAS No 133-32-4; CIPAC No 830 ID 228	≥ 994 g/kg	4-(1H-indol-3-yl)butyric acid	PG	31/05/2023
248.	Indoxacarb EN Indoksakarb CG CAS N° 173584-44-6; CIPAC N° 612 ID 229	≥ 628 g/kg indoxacarb	(S)-7-chloro-3-[methoxycarbonyl-(4-trifluoromethoxy-phenyl)-carbamoyl]-2,5-dihydro-indeno[1,2-e][1,3,4]oxadiazine-4a(3H)-carboxylic acid methyl ester	IN	31/10/2021
249.	Iodosulfuron EN Jodosulfuron CG CAS N° 185119-76-0 (parent) 144550-36-7 (iodosulfuron-methyl-sodium) ; CIPAC N° 634 (parent) 634.501 (iodosulfuronmethyl) ID 231	910 g/kg	4-iodo-2-[3-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-ureidosulfonyl]benzoate	HB	31/03/2032
250.	Ipconazole EN Ipkonazol CG CAS No 125225-28-7 (mixture of diastereoisomers) 115850-69-6 (ipconazole cc, cis isomer) 115937-89-8 (ipconazole ct, trans isomer) CIPAC No 798 ID 233	≥ 955 g/kg Ipconazole cc: 875 – 930 g/kg Ipconazole ct: 65 – 95 g/kg	(1RS,2SR,5RS;1RS,2SR,5SR)-2-(4-chlorobenzyl)-5-isopropyl-1-(1H-1,2,4-triazol-1-ylmethyl) cyclopentanol	FU	31/08/2024
251.	Iprovalicarb EN Iprovalikarb CG CAS N° 140923-17-7; CIPAC N°620 ID 235	950 g/kg	{2-Methyl-1-[1-(4-methylphenyl)ethylcarbonyl]propyl}- carbamic acid isopropylester	FU	31/03/2031
252.	Iron sulphate EN Gvožđe sulfat CG Iron(II)sulfate anhydrous: CAS No 7720-78-7 Iron(II)sulfate monohydrate: CAS No 17375-41-6 Iron(II)sulfate heptahydrate: CAS No 7782-63-0 CIPAC No 837 ID 237	Iron(II)sulfate anhydrous: ≥ 350 g/kg ukupnog gvožđa. Relevantne nečistoće: arsenic, 18 mg/kg cadmium, 1,8 mg/kg chromium, 90 mg/kg lead, 36 mg/kg mercury, 1,8 mg/kg izražen na osnovu bezvodne verzije	Iron(II)sulphate or iron(2+) sulfate	HB	31/08/2020
253.	Isaria fumosorosea Apopka strain 97 (formely Paecilomyces fumosoroseus) EN Isaria fumosorosea Apopka strain 97 (formely Paecilomyces fumosoroseus) CG Deposited in the American Type Culture Collection (ATCC) under the name Paecilomyces fumosoroseus Apopka ATCC 20874 ID 938 <i>Aktivna supstanca niskog rizika/Low risk</i>	Minimalna koncentracija: 1,0 × 10 ⁸ CFU/ml Maksimalna koncentracija: 2,5 × 10 ⁹ CFU/ml	Nije primjenljivo	IN	31/12/2030

	<i>Active substance</i>				
254.	Isofetamid EN Izofetamit CG CAS N° 875915-78-9; CIPAC N° 972 ID 1199	≥ 950 g/kg	N-[1,1-dimethyl-2-(4-isopropoxy-o-tolyl)-2-oxoethyl]-3-methylthiophene-2-carboxamide	FU	15/09/2026
255.	Isopyrazam EN Izopirazamin CG CAS No 881685-58-1(syn-isomer: 683777-13-1/anti-isomer: 683777-14-2) CIPAC No 963 ID 1024 <i>Kandidat za supstituciju/Candidate for Substitution</i>	≥ 920 g/kg U rasponu od 78:15 % to 100:0 % syn- to anti-isomers	A mixture of 3-(difluoromethyl)-1-methyl-N-[(1RS,4SR,9RS)-1,2,3,4-tetrahydro-9-isopropyl-1,4-methanonaphthalen-5-yl]pyrazole-4-carboxamide (syn-isomer – 50:50 mix of two enantiomers) i 3-(difluoromethyl)-1-methyl-N-[(1RS,4SR,9SR)-1,2,3,4-tetrahydro-9-isopropyl-1,4-methanonaphthalen-5-yl]pyrazole-4-carboxamide (anti-isomer– 50:50 mix of two enantiomers) In a range of 78:15 % to 100:0 % syn to anti.	FU	31/03/2023
256.	Isoxaben EN Izoksaben CG CAS No: 82558-50-7; CIPAC No: 701 ID 248	≥ 910 g/kg Toluene: ≤ 3 g/kg	N-[3-(1-ethyl-1-methylpropyl)-1,2-oxazol-5-yl]-2,6-dimethoxybenzamide	HB	31/08/2024
257.	Isoxaflutole EN Isoksaflutol CG CAS N° 141112-29-0; CIPAC N°575 ID 249	950 g/kg ≥ 972 g/kg	5-cyclopropyl-4-(2-methylsulfonyl-4-trifluoromethylbenzoyl) isoxazole (5-cyclopropyl-1,2-oxazol-4-yl)(α,α,α-trifluoro-2-mesyl-p-tolyl)methanone	HB	31/07/2034 Obratiti pažnja na: -zaštitu podzemnih voda ako se aktivna supstanca primjenjuje u područjima s osjetljivim zemljištem i/ili nepovoljnim klimatskim uvloima; -zaštitu vodenih organizama, divljih sisara i neciljnog kopnenog bilja. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika.
258.	Kieselgur (diatomaceous earth) EN Kieselgur (Diatomejska zemlja) CG CAS No 61790-53-2; CIPAC No 647 ID 255	Proizvod sadrži 100 % diatomejske zemlje. Maximum 0,1 % čestica kristalnog silicijumdioksida sa prečnikom ispod 50 µm	Kieselgur (no IUPAC name) Diatomaceous earth Amorphous silicon dioxide Silica Diatomite	IN	31/01/2036
259.	Kresoxim-methyl EN Kresoksim-metil CG CAS N°143390-89-0; CIPAC N° 568 ID 257	≥ 910 g/kg - methanol: max. 5 g/kg - methyl chloride: max. 1 g/kg - toluene: max. 1 g/kg	Methyl (E)-2-methoxyimino-2-[2-(o-tolylloxymethyl) phenyl]acetate	FU	31/12/2024
260.	L-ascorbic acid EN L-askorbinska kiselina CG CAS No 50-81-7 CIPAC No 774 ID 412	Sledeće nečistoće su relevantne i ne smiju da pređu određeni prag: Methanol: ≤ 3 g/kg Teški metali: ≤ 10 mg/kg (expressed as Pb)	(5R)-5-[(1S)-1,2-dihydroxyethyl]-3,4-dihydroxyfuran-2(5H)-one (European Pharmacopoeia, 2005)	FU	30/06/2024
261.	L-cysteine EN L-cistein CG CAS No 52-89-1 (L-cysteine hydrochloride) 7048-04-6 (L-cysteine hydrochloride monohydrate) CIPAC No 200-157-7 (EINECS, L-cysteine hydrochloride) 615-117-8 (EINECS, L-cysteine hydrochloride monohydrate) ID 1291 <i>Osnovna supstanca/Basic substance</i>	Min. 98.0 % L-cysteine hydrochloride (on anhydrous basis) <i>Food grade in conformity with Commission Regulation (EU) No 231/2012 of 9 March 2012 laying down specifications for food additives listed in Annexes II and III to Regulation (EC) No 1333/2008 of the European Parliament and of the Council.</i> <i>To be used in a mixture with matrix (wheat flour, food grade) at a concentration of maximum 8% (of L-cysteine hydrochloride, on anhydrous basis).</i>	L-cysteine hydrochloride (1:1)	IN	Ne primjenjivo
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
262.	Lambda-Cyhalothrin EN	810 g/kg	A 1:1 mixture of:	IN	31/03/2023

	Lambda-cihalotrin CG CAS N° 91465-08-6; CIPAC N° 463 ID 259 <i>Kandidat za supstituciju/Candidate for Substitution</i>		(S)- α -cyano-3-phenoxybenzyl (Z)-(1R,3R)-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarboxylate, I (R)- α -cyano-3-phenoxybenzyl (Z)-(1S,3S)-3-(2-chloro-3,3,3-trifluoropropenyl)-2,2-dimethylcyclopropanecarboxylate		
263.	Laminarin EN Laminarin CG CAS N° 9008-22-4 ; CIPAC N° 671 ID 260 <i>Aktivna supstanca niskog rizika/Low risk Active substance</i>	≥ 860 g/kg suve materije	(1→3)- β -D-glucan (according to IUPAC-IUB Joint Commission on Biochemical Nomenclature)	EL	28/02/2033
264.	Lauric acid (CAS 143-07-7) EN Laurinska kiselina (CAS 143-07-7) CG ID 262 <i>Aktivna supstanca niskog rizika/Low risk Active substance</i>	838g/kg (Fatty Acids/salts) 990 g/kg (Fatty Acid methyl esters)	Lauric Acid	IN, AC, HB, PG	31/08/2021
265.	Lavandulyl senecioate EN Lavandin senecionat CG CAS No 23960-07-8 ID 1223 <i>Aktivna supstanca niskog rizika/Low risk Active substance</i>	894 g/kg	(RS)-5-methyl-2-(prop-1-en-2-yl) hex-4-en-1-yl 3-methylbut-2-enoate	AT	03/06/2035
266.	Lecithins EN Lecitini CG CAS No: 8002-43-5; CIPAC No: E322 ID 1208 <i>Osnovna supstanca/Basic substance</i>	Kao što je opisano u Annexu Regulation (EU) No 231/2012.	Nije dodijeljen	FU	Nije primjenjivo
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
267.	Lenacil EN Lenacil CG CAS No 2164-08-1; CIPAC No 163 ID 267 <i>Kandidat za supstituciju/Candidate for Substitution</i>	≥ 975 g/kg	3-cyclohexyl-1,5,6,7-tetrahydrocyclopentapyrimidine-2,4(3H)-dione	HB	31/12/2021
268.	Lime sulphur (calcium polysulphid) EN Krečni sumpor CG CAS No 1344 - 81 – 6; CIPAC No 17 ID 269	≥ 290 g/kg	Calcium polysulfide	FU, IN, AC	31/05/2024
269.	Magnesium phosphide EN Magnesium fosfid CG CAS N° 12057-74-8; CIPAC N° 228 ID 272	≥ 880 g/kg	Magnesium phosphide	IN, RO	30/08/2022
270.	Malathion EN Malation CG CAS N° 121-75-5; CIPAC N° 12 ID 273	≥ 950 g/kg Nečistoće: Isomalathion: ne više od 2 g/kg	diethyl (dimethoxyphosphinothioylthio)succinate or S-1,2-bis(ethoxycarbonyl)ethyl O,O- dimethyl phosphorodithioate racemate	IN, AC	30/04/2022 Dozvoljen je za upotrebu samo kao insekticid u staklenicima sa trajnom konstrukcijom. Dozvoljen je samo za profesionalnu upotrebu. Pažnju obratiti na: (a) ispuštanje iz zaštićenog prostora kondenzovane vode, vode koja se sliva, zemljišta i vještačkih supstrata kako bi se spriječio rizik za vodene organizme i druge organizme koji ne pripadaju ciljanoj grupi; (b) zaštitu kolonija oprašivača namjerno postavljenih u zaštićeni prostor; (c) zaštitu opertera i radnika tako da uslovi upotrebe po potrebi uključuju primjenu odgovarajuće lične zaštitne opreme; (d) zaštitu potrošača u slučaju prerađenih proizvoda.

271.	Maleic hydrazide EN Maleik hidrazid CG CAS N° 123-33-1; CIPAC N° 310 ID 820	940 g/kg	6-hydroxy-2H-pyridazin-3-one	PG	31/10/2032
272.	Maltodextrin EN Maltodekstrin CG CAS No 9050-36-6; CIPAC No 801 ID 274	≥ 910 g/kg	Nije primjenljivo	IN	30/09/2023
273.	Mandestrobin EN Mandestrobin CG CAS No: 173662-97-0; CIPAC No: Nije dostupno ID 1200	≥ 940 g/kg (na osnovu suve mase) Xylenes (ortho, meta, para), ethyl benzene max. 5 g/kg (TK)	(RS)-2-methoxy-N-methyl-2-[α-(2,5-xylyloxy)-o-tolyl]acetamide	FU	09/12/2025
274.	Mandipropamid EN Mandipropamid CG CAS N° 374726-62-2; CIPAC N° nije još dodjeljen ID 996	930 g/kg; N-{2-[4-(2-chloro-allyloxy)-3-methoxy-phenyl]-ethyl}-2-(4-chlorophenyl)-2-prop-2-ynyloxy-acetamide maximum 0.1 g/kg	2-(4-chloro-phenyl)-N-[2-(3-methoxy-4-prop-2-ynyloxy-phenyl)-ethyl]-2-prop-2-ynyloxy-acetamide	FU	31/07/2023
275.	MCPA EN/CG CAS N° 94-74-6; CIPAC N° 2 ID 1324	≥ 930 g/kg	4-chloro-o-tolyloxyacetic acid	HB	31/10/2021
276.	MCPB EN/CG CAS N° 94-81-5; CIPAC N° 50 ID 279	≥ 920 g/kg	4-(4-chloro-o-tolyloxy)butyric acid	HB	31/10/2021
277.	Mecoprop-P EN Mekoprop-P CG CAS N° 16484-77-8; CIPAC N° 475 ID 282	860 g/kg	(R)-2-(4-chloro-o-tolyloxy)-propionic acid	HB	31/01/2022
278.	Mefentrifluconazole EN Mefentriflukonazol CG CAS No: 1417782-03-6 CIPAC No: Not assigned ID 1332	≥ 970 g/kg Nečistoća N, N-dimetilformamida ne sme prelaziti 0,5 g / kg u tehničkom materijalu. Nečistoća toluena ne smije prelaziti 1 g / kg u tehničkom materijalu Nečistoća 1,2,4- (1H) -triazol ne sme prelaziti 1 g / kg u tehničkom materijalu	(2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol	FU	20/03/2029 Pažnju obratiti na: -zaštitu operatora, osiguravajući da uslovi korišćenja uključuju upotrebu odgovarajuće lične zaštitne opreme; - zaštita vodenih organizama. Uslovi upotrebe uključuju mjere ublažavanja rizika, poput zaštitnih zona i/ili vegetativnih traka, gdje je to prikladno.
279.	Mepanipyrin EN Mepanipirim CG CAS N° 110235-47-7; CIPAC N° 611 ID 284	960 g/kg	N-(4-methyl-6-prop-1-ynyloxy)pyrimidin-2-yl)aniline	FU	30/04/2021
280.	Mepiquat EN Mepikvat CG CAS No 15302-91-7; CIPAC No 440 ID 286	≥ 990 g/kg	1,1-dimethylpiperidinium chloride (mepiquat chloride)	PG	28/02/2021
281.	Meptyldinocap EN Meptildinokap CG CAS No 6119-92-2; CIPAC No 811 ID 823	≥ 900 g/kg (mješavina trans- i cis-isomers sa definisanim opsegom odnosa od 25:1 do 20:1) Relevantne nečistoće: 2,6-dinitro-4-[(4RS)-octan-4-yl]phenyl (2E/Z)-but-2-enoate max sadržaj 0,4 g/kg	Mixture of 75-100 % (RS)-2-(1-methylheptyl)-4,6-dinitrophenyl crotonate i 25-0 % (RS)-2-(1-methylheptyl)-4,6-dinitrophenyl isocrotonate	FU	31/03/2025
282.	Mesosulfuron EN Mesosulfuron CG CAS N° 400852-66-6 ; CIPAC N° 441 ID 203	930 g/kg	2-[(4,6-dimethoxypyrimidin-2-yl)carbamoyl]sulfamoyl]-α-(methanesulfonamido)-p-toluic acid	HB	30/06/2032
283.	Mesotrione EN Mesotriion CG CAS N° 104206-8 ; CIPAC N° 625 ID 204	920 g/kg Fabričke nečistoće 1-cyano-6-(methylsulfonyl)-7-nitro-9H-xanthen-9-one predstavljaju toksikološki rizik i moraju biti ispod 0.0002 % (w/w) u proizvodu.	2-(4-mesyl-2-nitrobenzoyl) cyclohexane -1,3-dione	HB	31/05/2032
284.	Metaflumizone EN Metaflumizon CG CAS No 139968-49-3; CIPAC No 779 ID 205	≥ 945 g/kg (90-100 % E-isomer 10-0 % Z-isomer) Sledeća relevantna nečistoćashall ne smije premašiti određeni prag: Hydrazine ≤ 1 mg/kg 4-(trifluoromethoxy)phenyl isocyanate ≤ 100 mg/kg	(EZ)-2'-[2-(4-cyanophenyl)-1-(α,α,α-trifluoro-m-tolyl)ethylidene]-4-(trifluoromethoxy)carbaniloh ydrazide	IN	31/12/2024

		Toluene ≤ 2 g/kg			
285.	Metalaxyl EN Metalaksil CG CAS N° 57837-19-1; CIPAC N°365 ID 1318	950 g/kg Nečistoća 2,6-dimethyl-aniline predstavlja toksikološki rizik i ne smije preći 1 g/kg.	Methyl N-(methoxyacetyl)-N-(2,6- xylyl)-DL-alaninate	FU	30/06/2023
286.	Metalaxyl-M EN Metalaksil-M CG CAS N° 70630-17-0; CIPAC N°580 ID 206	910 g/kg	Methyl (R)-2-[(2,6-dimethylphenyl)methoxyacetyl] amino} propionate	FU	31/05/2035 Ograničavanje upotrebe sjemena tretiranog sredstvima za zaštitu bilja u skladu sa Uredbom (EZ) br. 1107/2009 o stavljanju sredstava za zaštitu bilja na tržište. Sjeme tretirano sredstvima za zaštitu bilja koja sadrže metalaksil-M smije se sijati samo u zatvorenom prostoru/staklenici.
287.	Metaldehyde EN Metaldehid CG CAS N° 108-62-3 (tetramer) 9002-91-9 (homopolymer); CIPAC N° 62 ID 207	≥ 985 g/kg acetaldehyde max. 1,5 g/kg	r-2, c-4, c-6, c-8-tetramethyl-1,3,5,7- tetroxocane	MO	31/05/2023
288.	Metam (incl. -potassium and -sodium) EN Metam (uključujući – kalijum i – natrijum) CG CAS No 144-54-7; CIPAC No 20 ID 208	≥ 965 g/kg Izražen kao metam-natrijum na osnovu suve mase ≥ 990 g/kg Izražen kao metam-kalijum na osnovu suve mase Relevant nečistoće: methyisothiocyanate (MITC) -max. 12 g/kg on dry weight basis (metam-sodium), -max. 0,42 g/kg on dry weight basis (metam-potassium). N,N'-dimethylthiourea (DMTU) -max. 23 g/kg na osnovu suve mase (metam-sodium), -max. 6 g/kg na osnovu suve mase (metam-potassium).	Methyldithiocarbamic acid	FU, IN, HB, NE	30/06/2022
289.	Metamitron EN Metamitron CG CAS N° 41394-05-2; CIPAC N° 381 ID 209	≥ 960 g/kg	4-amino-4,5-dihydro-3-methyl-6-phenyl-1,2,4-triazin-5-one	HB	31/08/2022
290.	Metarhizium anisopliae var. anisopliae strain BIPESCO 5/F52 EN/CG (formerly Metarhizium anisopliae) STRAIN: BIPESCO 5/F52 Culture collection: No M.a. 43; No 275-86 (acronyms V275 or KVL 275); No KVL 99-112 (Ma 275 or V 275); No DSM 3884; No ATCC 90448; No ARSEF 1095 ID 1319	Nijesu relevantne nečistoće	Nije primjenljivo	IN	30/04/2021
291.	Metazachlor EN Metazahlor CG CAS No 67129-08-2; CIPAC No 411 ID 210	≥ 940 g/kg Fabrička nečistoća toluene predstavljaju toksikološki rizik i uspostavljen je maksimalni nivo od 0,05 % .	2-chloro-N-(pyrazol-1-ylmethyl)acet-2',6'-xylidide	HB	31/07/2021
292.	Metconazole EN Metkonazol CG CAS N°125116-23-6; CIPAC N°706 ID 211	≥ 940 g/kg (cis- trans isomera)	(1RS,5RS:1RS,5SR)-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol	FU, PG	30/04/2021
293.	Methoxyfenozide EN Metoksifenozyd CG CAS N° 161050-58-4; CIPAC N°656 ID 1321 <i>Kandidat za supstituciju/Candidate for substitution</i>	≥ 970 g/kg Sledeće nečistoće ne smiju prelaziti sledeće nivoe u tehničkom materijalu: Tert-butilhidrazin $< 0,001$ g/kg RH-116267 < 2 g/kg	<u>N-tert</u> -Butyl-N'-(3-methoxy- <u>o</u> -toluoyl)-3,5-xylohydrazide	IN	31/03/2026 Dozvoljena je samo upotreba u zaštićenom prostoru. Pažnju obratiti na: -zaštitu podzemnih voda kada se supstanca primenjuje u regionima sa ranjivim zemljišnim i / ili klimatskim uslovima; -rizik od nakupljanja u zemljištu; -zaštitu neciljnih zglavkara, prebivališta sedimenata i

					vodenih organizama; Uslovi korišćenja uključuju mjere ublažavanja rizika, gdje je to neophodno.
294.	Methyl decanoate (CAS 110-42-9) EN Metil dekanate (CAS 110-42-9) CG CAS No 110-42-9 (Methyl decanoate) ID 221	990 g/kg (Fatty Acid methyl esters)	Decanoic Acid	IN, AC, HB, PG	31/08/2021
295.	Methyl octanoate (CAS 111-11-5) EN Metil octanoate (CAS 111-11-5) CG CAS No 111-11-5 ID 847	838g/kg (Fatty Acids/salts) 990 g/Kg (Fatty Acid methyl esters)	methyl octanoate	IN, AC, HB, PG	31/08/2021
296.	Metiram EN Metiram CG CAS N° 9006-42-2; CIPAC N° 478 ID 1385	≥ 840 g/kg Fabrička nečistoća ethylene thiourea predstavlja toksikološki rizik i ne smije preći 0,5 %sadržaja metirama.	Zinc ammoniate ethylenebis(dithiocarbamate) – poly[ethylenebis(thiuramdis ulfide)]	FU	31/01/2022
297.	Metobromuron EN Metobromuron CG CAS No 3060-89-7; CIPAC No 168 ID 1212	≥ 978 g/kg	3-(4-bromophenyl)-1- methoxy-1-methylurea	HB	31/12/2024
298.	Metosulam EN Metosulam CG CAS No 139528-85-1; CIPAC No 707 ID 877	≥ 980 g/kg	2',6'-dichloro-5,7- dimethoxy-3'- methyl[1,2,4]triazolo [1,5-a]pyrimidine-2- sulfonanilide	HB	30/04/2021
299.	Metrafenone EN Metrafenon CG CAS N° 220899-03-6; CIPAC N° 752 ID 1195	≥ 940 g/kg	3'-bromo-2,3,4,6'- tetramethoxy-2',6- dimethylbenzophenone	FU	30/04/2021
300.	Metribuzin EN Metribuzin CG CAS N°21087-64-9; CIPAC N° 283 ID 845 <i>Kandidat za supstituciju/Candidate for Substitution</i>	≥ 910 g/kg	4-amino-6-tert-butyl-3- methylthio-1,2,4-triazin- 5(4H)-one	HB	31/07/2021
301.	Metschnikowia fruticola EN Metschnikova fruktikola CG CAS No - nije primjenljivo CIPAC No - nije primjenljivo ID 1306	Nije primjenljivo	Nije primjenljivo	FU	27/12/2028
302.	Metsulfuron methyl EN Metsulfuron metil CG CAS N° 74223-64-6; CIPAC N° 441.201 ID 880 <i>Kandidat za supstituciju/Candidate for Substitution</i>	960 g/kg	Methyl 2-(4-methoxy-6- methyl-1,3,5-triazin-2- ylcarbamoysulfamoyl) benzoate	HB	31/03/2023
303.	Milbemectin EN Milbemektin CG Milbemectin je mješavina M.A ₃ i M.A ₄ CAS N° M.A ₃ :51596-10-2 M.A ₄ : 51596-11-3 CIPAC N° 660 ID 882	≥ 950 g/kg	M.A ₃ : (10E,14E,16E,22Z)- (1R,4S,5'S,6R,6'R,8R,13R,2 0R,21R,24S)-21,24- dihydroxy-5',6',11,13,22- pentamethyl-3,7,19- trioxatetracyclo[15.6.1.1 ^{4,8} .0 ² 0,24] pentacosa-10,14,16,22- tetraene-6-spiro-2'- tetrahydropyran-2-one M.A ₄ : (10E,14E,16E,22Z)- (1R,4S,5'S,6R,6'R,8R,13R,2 0R,21R,24S)-6'-ethyl-21,24- dihydroxy-5',11,13,22- tetramethyl-3,7,19- trioxatetracyclo[15.6.1. 1 ^{4,8} 0 ^{20,24}] pentacosa- 10,14,16,22-tetraene-6-spiro- 2'-tetrahydropyran-2-one	IN	31/07/2021
304.	Mild Pepino Mosaic Virus isolate VC 1 EN/CG German Collection of Micro-organisms and Cell Cultures (DSMZ) Reference no. DSM 26973. ID 1287 <i>Aktivna supstanca niskog rizika/Low risk Active substance</i>	Minimalna i maksimalna koncentracija: 10-50 mg/L 1.5x10 ¹¹ to 7.5x10 ¹¹ virus particles/mL	Nije primjenljivo	EL	29/03/2032
305.	Mild Pepino Mosaic Virus isolate VX 1 EN/CG	Minimalna i maksimalna koncentracija:	Nije primjenljivo	EL	29/03/2032

	German Collection of Micro-organisms and Cell Cultures (DSMZ) Reference no. DSM 26973. ID 1288 <i>Aktivna supstanca niskog rizika/Low risk Active substance</i>	10-50 mg/L 1.5x10 ¹¹ to 7.5x10 ¹¹ virus particles/mL			
306.	Mustard seeds powder EN Prah sjemena slačice CG CAS No 84929-33-9 (Brassica alba seed extract) 93062-78-3 (Brassica juncea seed extract) 90064-15-6 (Brassica nigra seed extract) CIPAC No and EEC No 284-517-9 (Brassica alba seed extract) 296-833-4 (Brassica juncea seed extract) 290-076-3 (Brassica nigra seed extract) ID 1416 <i>Osnovna supstanca/Basic substance</i>	Čistoća zavisi od porijekla	Nije primjenljivo	FU	Nije primjenljivo
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
307.	Myclobutanil EN Miklobutanil CG CAS N° 88671-89-0; CIPAC N° 442 ID 893	≥ 925 g/kg Nečistoća 1-methyl-pyrrolidin-2-one ne smije preći 1g/kg u proizvodu.	2- <i>p</i> -chlorophenyl-2-(1 <i>H</i> -1,2,4-triazol-1-ylmethyl) hexanenitrile; 2-(4-chlorophenyl)-2-(1 <i>H</i> -1,2,4-triazol-1-ylmethyl) hexanenitrile	FU	31/05/2021
308.	n-hexadecanyl acetate EN/CG (Straight Chain Lepidopteran Pheromones) ID 1229	Review report (SANCO/2633/2008) rev.14 20 July 2018	n-hexadecanyl acetate (Straight Chain Lepidopteran Pheromones)	AT	31/08/2021
309.	n-Tetradecylacetate EN n-Tetradecylacetat CG (Straight Chain Lepidopteran Pheromones) ID 1253	Nije primjenljivo	Nije primjenljivo	AT	31/08/2021
310.	Napropamide EN Napropamide CG CAS No 15299-99-7 ID 900	≥ 980 g/kg	7-chloro-3-methylquinoline-8-carboxylic acid	HB	31/12/2023
311.	Nicosulfuron EN Nikosulfuron CG CAS N° 111991-09-4; CIPAC N° 709 ID 904	≥ 930 g/kg	2-[(4,6-dimethoxypyrimidin-2-ylcarbamoyl)sulfamoyl]-N,Ndimethylnicotinamide ili 1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-dimethylcarbamoyl-2-pyridylsulfonyl)urea	HB	31/12/2021
312.	Oleic acid (CAS 112-80-1) EN Oleinska kiselina (CAS 112-80-1) CG CAS No: 112-80-1 (Oleic Acid) ID 919	838g/kg (Fatty Acids/salts) 990 g/kg (Fatty Acid methyl esters)	Oleic Acid (ISO in each case)	IN, AC, HB, PG	31/08/2021
313.	Onion oil EN Ulje crnog luka CG CAS No 8002-72-0 CIPAC, EINECS 232-498-2(EINECS) ID 1304 <i>Osnovna supstanca/Basic substance</i>	Food grade Not relevant (complex mixture)	Not applicable (complex mixture) Nije primjenljivo (složena smjesa)	RL	Nije primjenljivo
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
314.	Orange oil EN Ulje pomorandže CG CAS No 8028-48-6 (Orange extract) 5989-27-5 (D-limonene); CIPAC No 902 ID 39	≥ 945 g/kg (of D-limonene) Aktivna supstanca treba da bude u skladu sa specifikacijama F. Eur. (Evropske farmakopeje) 5.0 (Aurantii dulcis aetheroleum) i ISO 3140:2011(E)	(R)-4-isopropenyl-1-methylcyclohexene or p-mentha-1,8-diene	IN	30/04/2024
315.	Oryzalin EN Orizalin CG CAS No 19044-88-3; CIPAC No 537 ID 925	≥ 960 g/kg N-nitrosodipropylamine: ≤ 0,1 mg/kg Toluene: ≤ 4 g/kg	3,5-dinitro-N4,N4-dipropylsulfanilamide	HB	31/05/2021
316.	Oxamyl EN Oksamil CG CAS N°23135-22-0; CIPAC N°342 ID 930	970 g/kg	N,N-dimethyl-2-methylcarbamoyloxyimino-2-(methylthio) acetamide	IN, NE	31/01/2022
317.	Oxathiapiprolin EN Oksatiapiprolin CG CAS No 1003318-67-9	≥ 950 g/kg	1-(4-{4-[(5RS)-5-(2,6-difluorophenyl)-4,5-dihydro-1,2-oxazol-3-	FU	03/03/2027

	CIPAC No 985 ID 1290		yl]-1,3-thiazol-2-yl}-1-piperidyl)-2-[5-methyl-3-(trifluoromethyl)-1H-pyrazol-1-yl]ethanone		
318.	Oxyfluorfen EN Oksifluorfen CG CAS No 42874-03-3 CIPAC No 538 ID 935	≥ 970 g/kg Nečistoće: N,N-dimethylnitrosamine: ne više od 50 µg/kg	2-chloro- α,α,α -trifluoro- <i>p</i> -tolyl 3-ethoxy-4-nitrophenyl ether	HB	31/12/2024
319.	Paclobutrazol EN Paklobutrazol CG CAS No 76738-62-0; CIPAC No 445 ID 937	≥ 930 g/kg	(2RS,3RS)-1-(4-chlorophenyl)-4,4-dimethyl-2-(1H-1,2,4-triazol-1-yl)pentan-3-ol	PG	31/05/2023
320.	<i>Paecilomyces fumosoroseus</i> strain Fe9901 EN/CG Collection broj: USDA-ARS collection of Entomopathogenic Fungal Cultures U.S. Plant Soil i Nutrition laboratory. New York. Accession No ARSEF 4490 ID 939	Minimum 1,0 × 10 ⁹ CFU/g Maximum 3,0 × 10 ⁹ CFU/g	Nije primjenljivo	IN	31/12/2024
321.	Paraffin oil/(CAS 64742-46-7) EN Mineralna ulja CG CAS N° 64742-46-7; CIPAC N° Nije određen ID 943	Evropska farmakopeja 6.0	paraffin oil	IN, AC	31/12/2021
322.	Paraffin oil/(CAS 72623-86-0) EN Mineralna ulja CG CAS N° 72623-86-0; CIPAC N° Nije određen ID 947	Evropska farmakopeja 6.0	paraffin oil	IN, AC	31/12/2021
323.	Paraffin oil/(CAS 8042-47-5) EN Mineralna ulja CG CAS N° 8042-47-5; CIPAC N° Nije određen ID 949	Evropska farmakopeja 6.0	paraffin oil	IN, AC	31/12/2021
324.	Paraffin oil/(CAS 97862-82-3) EN Mineralna ulja CG CAS N° 97862-82-3 CIPAC N° Nije određen ID 950	Evropska farmakopeja 6.0	paraffin oil	IN, AC	31/12/2021
325.	<i>Pasteuria nishizawae</i> Pn1 EN/CG Culture collection: ATCC Safe Deposit (SD-5833) CIPAC No Nije određen ID 1309	Minimalna koncentracija 1 × 10 ¹¹ spores/g	Not applicable Nije primjenljivo	NE	14/10/2033
326.	Pelargonic acid (CAS 112-05-0) EN/CG CAS No: 112-05-0 (Pelargonic Acid) CIPAC No: 8146 (Fatty acids C7-C18 and C18 unsaturated potassium salts) ID 959	889 g/kg (Pelargonic Acid)	Pelargonic Acid	IN, AC, HB, PG	31/08/2021
327.	Penconazole EN Penkonazol CG CAS N° 66246-88-6 ; CIPAC N° 446 ID 960	≥ 950 g/kg	1-(2,4-dichloro- <i>b</i> -propylphenethyl)-1H-1,2,4-triazole	FU	31/12/2021
328.	Pencycuron EN Pensikuron CG CAS No 66063-05-6; CIPAC No 402 ID 1192	≥ 980 g/kg	1-(4-chlorobenzyl)-1-cyclo-pentyl-3-phenylurea	FU	31/05/2021
329.	Pendimethalin EN Pendimetalin CG CAS N° 40487-42-1; CIPAC N° 357 ID 961	900 g/kg	N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidene	HB	30/11/2024
330.	Penflufen EN Penflufen CG CAS No 494793-67-8; CIPAC No 826 ID 853	≥ 950 g/kg 1:1 (R:S) odnos enantiomera	2'-[(RS)-1,3-dimethylbutyl]-5-fluoro-1,3-dimethylpyrazole-4-carboxanilide	FU	31/05/2025
331.	Penoxsulam EN Penoksulam CG CAS No 219714-96-2; CIPAC No 758 ID 962	> 980 g/kg Nečistoća Bis-CHYMP 2-chloro-4-[2-(2-chloro-5-methoxy-4-pyrimidinyl)hydrazino]-5-methoxypyrimidine ne smije prekoračiti 0,1 g/kg u tehničkom materijalu	3-(2,2-difluoroethoxy)-N-(5,8-dimethoxy[1,2,4]triazolo[1,5- <i>c</i>]pyrimidin-2-yl)- α,α,α -trifluorotoluene-2-sulfonamide	HB	31/07/2023

332.	Penthiopyrad EN Pentiopirad CG CAS No 183675-82-3; CIPAC No 824 ID 982	≥ 980 g/kg (50:50 racemic mixture)	(RS)-N-[2-(1,3-dimethylbutyl)-3-thienyl]-1-methyl-3-(trifluoromethyl)pyrazole-4-carboxamide	FU	31/05/2025
333.	Pepino mosaic virus strain CH2 isolate 1906 EN Pepino mosaic virus soj CH2 isolate 1906 CG GenBank, accession broj JN835466 CIPAC No: Nije dodijeljen ID 1187	Minimalna koncentracija 5 × 105 viral genomskih kopija per µL	Nije primjenljivo	EL	07/08/2030
334.	Pethoxamid EN Petoksamid CG CAS N° 106700-29-2; CIPAC N° 655 ID 869	≥ 940 g/kg	2-Chloro-N-(2-ethoxyethyl)-N-(2-methyl-1-phenylprop-1-enyl)acetamide	HB	30/11/2033
335.	Phenmedipham EN Fenmedifam CG CAS N° 13684-63-4; CIPAC N° 77 ID 973	Min. 970 g/kg	Methyl 3-(3-methylcarbaniloyloxy)carbanilate; 3-methoxycarbonylaminophenyl 3'-methylcarbanilate	HB	31/07/2021
336.	Phlebiopsis gigantea strain FOC PG 410.3 EN/CG Culture collection: No IMI 390101 ID 1294 <i>Aktivna supstanca niskog rizika/Low risk Active substance</i>	Nijesu relevantne nečistoće	Nije primjenljivo	FU	31/08/2035
337.	Phlebiopsis gigantea strain VRA 1835 EN/CG ID 1295 <i>Aktivna supstanca niskog rizika/Low risk Active substance</i>	Nijesu relevantne nečistoće	Nije primjenljivo	FU	31/08/2035
338.	Phlebiopsis gigantea strain VRA 1984 EN/CG ID 1296 <i>Aktivna supstanca niskog rizika/Low risk Active substance</i>	Nijesu relevantne nečistoće	Nije primjenljivo	FU	31/08/2035
339.	Phosmet EN Fosmet CG CAS N°732-11-6; CIPAC N° 318 ID 850	≥ 950 g/kg Nečistoće: - phosmet oxon: ne više od 0,8 g/kg - iso phosmet: ne više od 0,4 g/kg	O,O-dimethyl S-phthalimidomethyl phosphorodithioate; N-(dimethoxyphosphinothioylthiomethyl)phthalimide	IN	31/07/2021
340.	Phosphane EN Fosfan CG CAS No 7803-51-2; CIPAC No 127 ID 854	≥ 994 g/kg Relevantna nečistoća arsane ne smije premašiti 0,023 g/kg u tehničkom materijalu	Phosphane	IN	31/03/2023
341.	Picloram EN Pikloram CG CAS No 1918-02-1; CIPAC No 174 ID 290	≥ 920 g/kg	4-amino-3,5,6-trichloropyridine-2-carboxylic acid	HB	31/12/2021
342.	Picolinafen EN Pikolinafen CG CAS No 137641-05-5; CIPAC No 639 ID 291	970 g/kg	4'-Fluoro-6-[(α,α,α-trifluorom-tolyl)oxy]picolinanilide	HB	30/06/2031
343.	Pinoxaden EN Pinoksaden CG CAS N° 243973-20-8; CIPAC N° 776 ID 292	≥ 970 g/kg Toluene max. sadržaj 1 g/kg	8-(2,6-diethyl-p-tolyl)-1,2,4,5-tetrahydro-7-oxo-7H-pyrazolo[1,2-d][1,4,5]oxadiazepin-9-yl 2,2-dimethylpropionate	HB	30/06/2026
344.	Pirimicarb EN Pirimikarb CG CAS N°23103-98-2; CIPAC N°231 ID 997	≥ 950 g/kg	2-dimethylamino-5,6-dimethylpyrimidin-4-yl dimethylcarbamate	IN	30/04/2021
345.	Pirimiphos-methyl EN Pirimifos-metil CG CAS N°29232-93-7; CIPAC N° 239 ID 294	> 880 g/kg	O-2-diethylamino-6-methylpyrimidin-4-yl O,O-dimethylphosphorothioate	IN	31/07/2021
346.	Plant oils / Citronella oil EN Ulje citronele CG CAS No 8000-29-1; CIPAC No 905 ID 296	Suma sledeće nečistoće ne smije premašiti 0,1 % od tehničkog materijala: methyl eugenol i methyl-isoeugenol.	Citronella Oil je kompleks mješavina hemijskih supstanci. Onovne komponente su: Citronellal (3,7-dimethyl-6-octenal). Geraniol ((E)-3,7-dimethyl-2,6-octadien-1-ol). Citronellol (3,7-dimethyl-6-octan-2-ol). Geranyl acetate (3,7-	HB	31/08/2022

			dimethyl-6-octen-1-yl acetate).		
347.	Plant oils - Clove oil EN Ulje karanfilica CG CAS No 94961-50-2 (clove oil) 97-53-0 (Eugenol — main component) CIPAC No Nije dodijeljen ID 298	≥ 800 g/kg	Clove Oil je kompleks mješavina hemijskih supstanci. Osnovna komponenta je eugenol.	RE	31/08/2022
348.	Plant oils / Rape seed oil EN Biljno ulje – ulje uljane repice CG CAS N° 8002-13-9; CIPAC N° nije još dodijeljen ID 870	Ulje uljane repice je kompleks mješavina masnih kiselina	Rape seed oil	IN	31/08/2021
349.	Plant oils - Spear mint oil EN Ulje od nane CG CAS No 8008-79-5; CIPAC No Nije dodijeljen ID 44	≥ 550 g/kg as L-Carvone	Spearmint oil	OT	31/08/2022
350.	Potassium hydrogen carbonate EN Kalijum hidrogen karbonat CG CAS No 298-14-6; CIPAC No 853 ID 51	≥ 99,5 % Nečistoće: Pb max. 10 mg/kg As max. 3 mg/kg	Potassium hydrogen carbonate	FU	31/08/2021
351.	Potassium phosphonates (formerly potassium phosphite) EN Kalijum fosfonati CG CAS No 13977-65-6 for potassium hydrogen phosphonate 13492-26-7 for dipotassium phosphonate Mixture: none CIPAC No 756 (for potassium phosphonates) ID 53	31,6 to 32,6 % phosphonate ions (suma hidrogenfosfonatom i fosfatnih iona) 17,8 to 20,0 % kalijum ≥ 990 g/kg na osnovu suve mase	Potassium hydrogen phosphonate, Dipotassium phosphonate	FU	30/09/2023
352.	Prochloraz EN Prohloraz CG CAS No 67747-09-5 CIPAC No 538 ID 59	≥ 970 g/kg	N-propyl-N-[2-(2,4,6-trichlorophenoxy) ethyl]imidazole-1-carboxamide	FU	31/12/2023
353.	Profoxydim EN Profoksidim CG CAS No 139001-49-3; CIPAC No 621 ID 62	≥ 940 g/kg	2 - [(1 E/Z) - [(2 R S) - 2 - (4 - chlorophenoxy) propoxyimino] butyl] - 3 - hydroxy - 5 - [(3 R S; 3 S R) - tetrahydro - 2 H - thiopyran - 3 - yl] cyclohex - 2 - enone	HB	31/07/2021
354.	Prohexadione EN Proheksadion CG CAS N° 127277-53-6; CIPAC N° 567 ID 63	≥ 890 g/kg (u obliku prohex-adione-calcium)	Calcium 3,5-dioxo-4-propionylcyclohexanecarboxylate	PG	31/12/2022
355.	Propamocarb EN Propamokarb CG CAS N° 24579-73-5; CIPAC N° 399 ID 67	≥ 920 g/kg	Propyl 3-(dimethylamino) propylcarbamate	FU	31/07/2021
356.	Propaquizafop EN Propakvizafop CG CAS N° 111479-05-1; CIPAC N° 173 ID 70	≥ 920 g/kg Toluene maksimalni sadržaj 5 g/kg	2-isopropylideneamino-oxyethyl (R) -2-[4-(6-chloroquinoxalin-2-yloxy)phenoxy] propionate	HB	30/11/2021
357.	Propoxycarbazon EN Propoksikarbazon CG CAS N°145026-81-9 ; CIPAC N° 655 ID 708	974 g/kg (u obliku aspropoxycarbazon-sodium)	2-(4,5-dihydro-4-methyl-5-oxo-3-propoxy-1H-1,2,4-triazol-1-yl)carboxamidosulfonylbenzoic acid-methylester	HB	31/08/2032
358.	Propyzamide EN Propizamid CG CAS N° 23950-58-5; CIPAC N° 315 ID 709	920 g/kg	3,5-dichloro-N-(1,1-dimethyl-prop-2-ynyl)benzamide	HB	30/06/2025
359.	Proquinazid EN Prokvinazid CG CAS N° 189278-12-4; CIPAC N° 764 ID 710	> 950 g/kg	6-iodo-2-propoxy-3-propylquinazolin-4(3H)-one	FU	31/07/2022
360.	Prosulfocarb EN Prosulfokarb CG CAS No 52888-80-9; CIPAC No 539 ID 711	970 g/kg	S-benzyl dipropyl(thiocarbamat)	HB	31/10/2021
361.	Prosulfuron EN Prosulfuron CG CAS No 94125-34-5; CIPAC No 579 ID 712	950 g/kg	1-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)-3-[2-(3,3,3-trifluoropropyl)-phenylsulfonyl]-urea	HB	30/04/2024

362.	Prothioconazole EN Protikonazol CG CAS N° 178928-70-6; CIPAC N° 745 ID 713	≥ 970 g/kg Sljedeće proizvodne nečistoće se smatraju toksikološkom zabrinutosti i svaki od njih ne smije premašiti određeni iznos u tehničkom materijalu: Toluene: < 5 g/kg; Prothioconazole - desthio (2-(1-chlorocyclopropyl)1-(2-chlorophenyl)-3-(1,2,4-triazol-1-yl)-propan-2-ol): < 0,5 g/kg (LOD)	(RS)-2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-1,2,4-triazole-3-thione	FU	31/07/2021
363.	Pseudomonas chlororaphis strain MA342 EN/CG CIPAC N° 574 ID 716	Količina sekundarnog metabolita 2,3-deepoxy-2,3-didehydro-rhizoxin (DDR) u fermentatu u trenutku formulacije ne smije preći LOQ (2 mg/l).	Nije primjenljiv	FU	30/04/2021
364.	Pseudomonas sp. Strain DSMZ 13134 EN/CG Collection broj: DSMZ 13134 ID 1084	Minimum koncentracija: 3 × 1014 cfu/kg	Nije primjenljivo	FU	31/01/2025
365.	Purpureocillium lilacinum strain 251 (former Paecilomyces lilacinus strain 251) EN/CG Samson 1974 strain 251 (AGAL: No 89/030550) CIPAC No 753 ID 864		Nije primjenljivo	NE	31/07/2021
366.	Pyraclostrobin EN/CG CAS N° 175013-18-0; CIPAC N° 657 ID 1219	975 g/kg Fabrička nečistoća dimethyl sulfate (DMS) predstavlja toksikološki rizik i koncentracija ne smije biti veća od 0,0001 % u proizvodu.	methyl N-(2-{{1-(4-chlorophenyl)-1H-pyrazol-3-yl}oxymethyl}phenyl) N-methoxy carbamate	FU, PG	31/01/2022
367.	Pyraflufen-ethyl EN Pirafufen-etil CG CAS N° 129630-19-9 ; CIPAC N°605 ID 1088	956 g/kg	Ethyl 2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetate	HB	31/03/2031
368.	Pyrethrins EN Piretrini CG CAS N° 8003-34-7; CIPAC N° 32 ID 1092	Ekstrakt A: ≥ 500 g/kg Pyrethrina Ekstrakt B: ≥ 480 g/kg Pyrethrina	Piretrini su kompleks mješavina različitih hemijskih supstanci	IN	31/08/2022
369.	Pyridaben EN Piridaben CG CAS N° 96489-71-3; CIPAC N° 583 ID 1093	> 980 g/kg	2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloropyridazin-3(2H)-one	AC, IN	30/04/2023
370.	Pyridalyl EN Piridalil CG CAS No 179101-81-6; CIPAC No 792 ID 1095	≥ 910 g/kg	2,6-dichloro-4-(3,3-dichloroallyloxy)phenyl 3-[5-(trifluoromethyl)-2-pyridyloxy]propyl ether	IN	30/06/2024
371.	Pyridate EN Piridat CG CAS No: 55512-33-9; CIPAC No: 447 ID 1407	≥ 900 g/kg	O-6-chloro-3-phenylpyridazin-4-yl S-octyl thiocarbonate	HB	31/12/2030
372.	Pyrimethanil EN Pirimetanil CG CAS N°53112-28-0; CIPAC N° 714 ID 1098	≥ 975 g/kg Fabrička nečistoća cyanamide predstavlja toksikološki rizik i ne smije preći 0,5 g/kg u proizvodu.	N-(4,6-dimethylpyrimidin-2-yl) aniline	FU	30/04/2021
373.	Pyriofenone EN Pirofenon CG CAS No 688046-61-9; CIPAC No 827 ID 862	≥ 965g/kg	(5-chloro-2-methoxy-4-methyl-3-pyridyl)(4,5,6-trimethoxy-o-tolyl)methanone	FU	31/01/2025
374.	Pyriproxyfen EN Piriproksifen CG CAS No 95737-68-1; CIPAC No 715 ID 1100	≥ 970 g/kg	4-phenoxyphenyl (RS)-2-(2-pyridyloxy)propylether	IN	31/12/2035
375.	Pyroxulam EN Piroksulam CG CAS No 422556-08-9; CIPAC No 793 ID 1101	≥ 965 g/kg	N-(5,7-dimethoxy[1,2,4]triazolo[1,5-a]pyrimidin-2-yl)-2-methoxy-4-(trifluoromethyl)pyridine-3-sulfonamide	HB	30/04/2025
376.	Pythium oligandrum M1 EN/CG STRAINS: M1 Culture collection No ATCC 38472 ID 1102	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2021
377.	Quartz sand EN	≥ 915 g/kg	Quarz, Quartz,	RE	31/08/2021

	Kvarcni pijesak CG CAS No 14808-60-7; CIPAC No Nije dodijeljen ID 1104	Maximum 0,1 % čestica kristalnog silicij dioksida (sa prečnikom ispod 50 um.)	Siliciumdioxid, Silica, Silicon dioxide, SiO2		
378.	Quinmerac EN Kvinmerak CG CAS No 90717-03-6; CIPAC No 563 ID 1107	≥ 980 g/kg	7-chloro-3-methylquinoline-8-carboxylic acid	HB	30/04/2024
379.	Quizalofop-P-ethyl EN Kvizalofop-P-etil CG CAS No 100646-51-3; CIPAC No 641.202 ID 1113	≥ 950 g/kg	ethyl (R)-2-[4-(6-chloroquinoxalin-2-yloxy)phenoxy]propionate	HB	30/11/2021
380.	Quizalofop-P-tefuryl EN Kvizalofop-P-tefuril CG CAS No 119738-06-6; CIPAC No 641.226 ID 1114	≥ 795 g/kg	(RS)-Tetrahydrofurfuryl (R)-2-[4-(6-chloroquinoxalin-2-yloxy)phenoxy]propionate	HB	30/11/2021
381.	Repellents by smell of animal or plant origin/ fish oil EN Repelenti sa mirisom životinjskog ili biljnog porijekla – riblje ulje CG CAS No 100085-40-3; CIPAC No 918 ID 856	≥ 99 % Relevantne nesčistoće: Dioxine max. 6 pg/kg za stočnu hranu Hg max. 0,5 mg/kg hranu za životinje dobijenu od ribe i ostalih plodova mora obradom Cd max. 2 mg/kg hrane životinjskog porijekla, osim u hrani za kućne ljubimce Pb max. 10 mg/kg PCBs max. 5 mg/kg	Fish oil	RE	31/08/2021
382.	Repellents by smell of animal or plant origin/ sheep fat EN Repelenti sa mirisom životinjskog ili biljnog porijekla – ovčja mast CG / CAS No 98999-15-6; CIPAC No Nije dodijeljen ID 1120	Čista ovčja mast sadrži maksimum 0,18 % w/w/vode.	Sheep Fat	RE	31/08/2021
383.	Rescalure EN Reskalure CG CAS No: 67601-06-3; CIPAC No: Nije dostupno ID 1188	≥ 750 g/kg Odnos (3S,6R)/(3S,6S) treba da bude u opsegu 55/45 do 45/55. Opseg čistoće za svaki izomer treba da bude 337,5 g/kg do 412,5 g/kg.	(3S,6R)-(3S,6S)-6-isopropenyl-3-methyldec-9-en-1-yl acetate	IN	18/12/2025
384.	Rimsulfuron EN Rimsulfuron CG CAS N°122931-48-0 (rimsulfuron); CIPAC N°716 ID 1122	≥ 960 g/kg (u obliku rimsulfuron)	1-(4-6 dimethoxypyrimidin-2-yl)-3-(3-ethylsulfonyl-2-pyridylsulfonyl) urea	HB	30/04/2021
385.	S-Absciscic acid EN S-absicinska kisjelina CG CAS No 21293-29-8; CIPAC No Nije dodijeljen ID 1202	960 g/kg	(2Z,4E)-5-[(1S)-1-hydroxy-2,6,6-trimethyl-4-oxocyclohex-2-en-1-yl]-3-methylpenta-2,4-dienoic acid or (7E,9Z)-(6S)-6-hydroxy-3-oxo-11-apo-ε-caroten-11-oic acid	PG	30/06/2024
386.	S-Metolachlor EN S-Metolahlor CG CAS N° 87392-12-9 (S-isomer) 178961-20-1 (R-isomer) CIPAC N° 607 ID 1137	≥ 960 g/kg	Mješavina : (aRS, 1 S)-2-chloro-N-(6-ethyl-o-tolyl)-N-(2-methoxy-1 methylethyl)acetamide (80-100%) i: (aRS, 1 R)-2-chloro-N-(6-ethyl-o-tolyl)-N-(2-methoxy-1-methylethyl)acetamide (200%)	HB	31/07/2021
387.	Saccharomyces cerevisiae strain LAS02 EN/CG Accession number in the collection of the 'Collection Nationale de Cultures de Microorganismes' (CNCM) of the Pasteur Institute: CNCM I-3936 ID 1196 <i>Aktivna supstanca niskog rizika/Low risk Active substance</i>	Minimalna koncentracija: 1 × 10 ¹³ CFU/kg	Nije primjenljivo	FU	06/07/2031
388.	Salix spp. cortex EN Salix spp. cortex CG CAS No: Nije dodijeljen; CIPAC No: Nije dodijeljen	Evropska farmakopeja	Nije primjenljivo	FU	Nije primjenljivo

	ID 874 Osnovna supstanca/Basic substance				
389.	Sedaxane EN Sedaksan CG CAS No 874967-67-6 (trans isomer: 599197-38-3/cis isomer: 599194-51-1); CIPAC No 833 ID 1392	≥ 960 g/kg Sedaxane (opseg 820-890 g/kg za 2 trans-isomera i opseg 100-150 g/kg za 2 cis-isomera 50:50 mješavine entatiomera)	mixture of 2 cis-isomers 2'-[(1RS,2RS)-1,1'-bicycloprop-2-yl]-3-(difluoromethyl)-1-methylpyrazole-4-carboxanilide i 2 trans-isomers 2'-[(1RS,2SR)-1,1'-bicycloprop-2-yl]-3-(difluoromethyl)-1-methylpyrazole-4-carboxanilide	FU	31/01/2024
390.	Silthiofam EN Siltiofam CG CAS N° 175217-20-6; CIPAC N°635 ID 859	950 g/kg	N-allyl-4,5-dimethyl-2-(trimethylsilyl)thiophene-3-carboxamide	FU	30/06/2033
391.	Sintofen (aka Cintofen) EN Sinotefen CG CAS No 130561-48-7; CIPAC No 717 ID 1027	≥ 980 g/kg Nečistoće: 2-methoxyethanol, ne više od 0,25 g/kg N,N-dimethylformamide, ne više od 1,5 g/kg	1-(4-chlorophenyl)-1,4-dihydro-5-(2-methoxyethoxy)-4-oxocinnoline-3-carboxylic acid	PG	31/05/2024
392.	Sodium 5-nitroguaiacolate EN Natrijum 5-nitroguaiolate CG CAS No 67233-85-6; CIPAC broj Nije dodijeljen ID 860	≥ 980 g/kg	Sodium 2-methoxy-5-nitrophenolate	PG	31/10/2022
393.	Sodium chloride EN Natrijum hlorid CG So, morska so CAS No 7647-14-5 CIPAC No 231-598-3 ID 1141 <i>Osnovna supstanca/Basic substance</i>	970 g/kg, food grade	Sodium chloride	HB	Nije primjenljivo
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
394.	Sodium hydrogen carbonate (basic substance) EN Natrijum hidrogen karbonat CG CAS No: 144-55-8 CIPAC broj Nije dodijeljen ID 1148 <i>Osnovna supstanca/Basic substance</i>	Nije primjenljivo	Sodium hydrogen carbonate	FU	Nije primjenljivo
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
395.	Sodium hydrogen carbonate (low risk active substance) EN Natrijum hidrogen karbonat (aktivna supstanca niskog rizika) CG CAS No 144-55-8 CIPAC broj Nije dodijeljen ID 1235	990 g/kg	Sodium hydrogen carbonate	FU	01/10/2035
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
396.	Sodium o-nitrophenolate EN Natrijum o-nitrofenolat CG CAS No 824-39-5; CIPAC broj Nije dodijeljen ID 1155	≥ 980 g/kg Sledeće nečistoće predstavljaju toksikološku zabrinutost:: Phenol Max sadržaj: 0,1 g/kg 2,4 dinitrophenol max sadržaj: 0,14 g/kg 2,6 dinitrophenol max sadržaj: 0,32 g/kg	Sodium 2-nitrophenolate; sodium o-nitrophenolate	PG	31/10/2022
397.	Sodium p-nitrophenolate EN Natrijum p-nitrofenolat CG CAS No 824-78-2; CIPAC broj Nije dodijeljen ID 1157	≥ 998 g/kg Sledeće nečistoće predstavljaju toksikološku zabrinutost: Phenol max sadržaj: 0,1 g/kg 2,4 dinitrophenol max sadržaj: 0,07 g/kg 2,6 dinitrophenol max sadržaj: 0,09 g/kg	Sodium 4-nitrophenolate; sodium p-nitrophenolate	PG	31/10/2022
398.	Sodium silver thiosulphate EN Natrijum srebro tiosulfat CG CAS No Nije dodijeljen; CIPAC No 762 ID 1135	≥ 10,0 g Ag/kg Izražen kao srebro (Ag)	Nije primjenljivo	PG	30/04/2024
399.	Spinetoram EN	≥ 830 g/kg	XDE-175-J (Major factor)	IN	30/06/2024

	Spinetoram CG CAS No 935545-74-7; CIPAC No 802 ID 1166	50-90 % XDE-175-J; i 50-10 % XDE-175-L Limit tolerancije (g/kg): XDE-175-J = 581-810 XDE-175-L = 83-270	(2R,3aR,5aR,5bS,9S,13S,14R,16aS, 16bR)-2-(6-deoxy-3-O-ethyl-2,4-di-O-methyl- α -L-mannopyranosyloxy)-13-[(2R,5S,6R)-5-(dimethylamino)tetrahydro-6-methylpyran-2-yloxy]-9-ethyl-2,3,3a,4,5,5a,5b,6,9,10,11,12,13,14,16a,16b-hexadecahydro-14-methyl-1H-as-indaceno[3,2-d]oxacyclododecine-7,15-dione		
400.	Spinosad EN Spinosad CG CAS N° 131929-60-7 (Spinosyn A) 131929-63-0 (Spinosyn D) CIPAC N° 636 ID 1167	≥ 850 g/kg	Spinosyn A: (2R,3aS,5aR,5bS,9S,13S,14R,16aS,16bR)-2-(6-deoxy-2,3,4-tri-O-methyl- α -L-mannopyranosyloxy)-13-(4-dimethylamino-2,3,4,6-tetradeoxy- β -D-erythro-pyranosyloxy)-9-ethyl-2,3,3a,5a,5b,6,7,9,10,11,12,13,14,15,16a,16b-hexadecahydro-14-methyl-1H-8-oxacyclododeca[b]as-indacene-7,15-dione Spinosyn D: (2S,3aR,5aS,5bS,9S,13S,14R,16aS,16bS)-2-(6-deoxy-2,3,4-tri-O-methyl- α -L-mannopyranosyloxy)-13-(4-dimethylamino-2,3,4,6-tetradeoxy- β -D-erythro-pyranosyloxy)-9-ethyl-2,3,3a,5a,5b,6,7,9,10,11,12,13,14,15,16a,16b-hexadecahydro-4,14-dimethyl-1H-8-oxacyclododeca[b]as-indacene-7,15-dione Spinosad is a mixture of 50-95% spinosyn A i 5-50% spinosyn D	IN	30/04/2021
401.	Spiromesifen EN Spiromesifen CG CAS No 283594-90-1; CIPAC No 747 ID 1169	≥ 965 g/kg (racemic) Nečistoća N,N-dimethylacetamide predstavlja toksikološku zabrinutost ne smije premašiti 4 g/kg u tehničkom materijalu	3-mesityl-2-oxo-1-oxaspiro[4.4]non-3-en-4-yl 3,3-dimethylbutyrate	AC, IN	30/09/2023
402.	Spirotetramat EN Spirotetramat CG CAS No 203313-25-1; CIPAC No 795 ID 1170	≥ 970 g/kg	cis-4-(ethoxycarbonyloxy)-8-methoxy-3-(2,5-xylyl)-1-azaspiro[4.5]dec-3-en-2-one	IN	30/04/2024
403.	Spiroxamine EN Spiroksamin CG CAS N° 1181134-30-8 ; CIPAC N° 572 ID 1171	≥ 940 g/kg (diastereomeri A i B kombinovani)	(8-tert-Butyl-1,4-dioxa-spiro[4.5] decan-2-ylmethyl)-ethyl-propyl-amine	FU	31/12/2023
404.	Spodoptera littoralis nucleopolyhedrovirus (SpliNPV) EN DSMZ broj: BV-0005 ID 1173	Maksimum koncentracija: 1 × 10 ¹² OB/l (virusnih opni/occlusion bodies/l)	Nije primjenljivo	IN	31/05/2023
405.	Straight Chain Lepidopteran Pheromones EN Feromoni linearnog lanca za red Lepidoptera CG ID 1174	Review report (SANCO/2633/2008) rev.14 20 July 2018	Acetate group:	AT	31/08/2021
406.	Streptomyces K61 (formerly S. griseoviridis) EN/CG STRAIN: K61 Culture collection: No DSM 7206 ID 1411	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2021
407.	Streptomyces lydicus WYEC 108 EN/CG Collection broj: American Type Culture Collection (USDA) ATCC 55445 ID 1081	Minimum koncentracija: 5,0 × 10 ⁸ CFU/g	Nije primjenljivo	FU, BA	31/12/2025
408.	Sucrose EN Saharoza CG CAS No: 57-50-1 ID 1206	Ocjena hrane	α -D-glucopyranosyl-(1→2)- β -D-fructofuranoside or β -D-fructofuranosyl-(2→1)- α -D-glucopyranoside	EL	Nije primjenljivo

409.	Sulcotrione EN Sulkotriion CG CAS No 99105-77-8; CIPAC No 723 ID 1177	≥ 950 g/kg Nečistoće: —hydrogen cyanide: ne više od 80 mg/kg —toluene: ne više od 4 g/kg	2-(2-chloro-4-mesylbenzoyl)cyclohexane-1,3-dione	HB	31/08/2022
410.	Sulfosulfuron EN Sulfosulfuron CG CAS No: 141776-32-1; CIPAC No: 601 ID 1412	≥ 980 g/kg Sledeće relevantne nečistoće ne smiju premašiti određeni prag u tehničkom materijalu: Phenol: < 2 g/kg	1-(4,6-dimethoxypyrimidin-2-yl)-3-(2-ethylsulfonylimidazo[1,2-a]pyridine-3-ylsulfonyl)urea	HB	31/12/2030
411.	Sulfoxaflor EN Sulfoksa flor CG CAS No: 946578-00-3; CIPAC No: 820 ID 1058	≥ 950 g/kg	[methyl(oxo){1-[6-(trifluoromethyl)-3-pyridyl]ethyl}-λ6-sulfanylidene]cyanamide	IN	18/08/2025
412.	Sulfuryl fluoride EN Sulfuril fluorid CG CAS No 002699-79-8; CIPAC No 757 ID 1180	> 994 g/kg	Sulfuryl fluoride	IN	31/10/2023
413.	Sulphur EN Sumpor CG CAS N° 7704-34-9; CIPAC N° 18 ID 1028	≥ 990 g/kg	sulphur	FU, AC	31/12/2021
414.	Sunflower oil EN Suncokretovo ulje CG CAS N° 8001-21-6 ID 45 <i>Osnovna supstanca/Basic substance</i>	Ocjena hrane / Food grade	Nije primjenljivo	FU	Nije primjenljivo
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
415.	Talc E553b EN Talk E553b CG CAS No 14807-96-6 ID 1419 <i>Osnovna supstanca/Basic substance</i>	Specifications as food grade must comply with those laid down for Talc E553b in the Commission Regulation (EU) No 231/2012 Loss on drying : Not more than 0,5 % (105 °C, 1 hour) Acid soluble matter: Not more than 6% Water soluble matter: Not more than 0,2 % Acid-soluble iron: Not detectable	Magnesium hydrogen metasilicate silicate mineral	IN, FU	Nije primijenljivo
PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.					
416.	Tau-Fluvalinate EN Tau-Fluvalinat CG CAS No 102851-06-9; CIPAC No 786 ID 1373	≥ 920 g/kg (1:1 ratio of R-α-cyano i S-α-cyano isomers) Nečistoće: Toluene: ne više od 5 g/kg	(RS)-α-cyano-3-phenoxybenzyl N-(2-chloro-α,α-trifluoro-p-tolyl)-D-valinate (Isomer ratio 1:1)	IN	31/05/2024
417.	Tebuconazole EN Tebukonazol CG CAS N° 107534-96-3; CIPAC N° 494 ID 779	≥ 905 g/kg	(RS)-1-p-chlorophenyl-4,4-dimethyl-3-(1H-1,2,4-triazol-1-ylmethyl)-pentan-3-ol	FU	31/08/2021
418.	Tebufenozide EN Tebufenozid CG CAS N° 112410-23-8; CIPAC N° 724 ID 780	≥ 970 g/kg Relevantana nečistoća: t-butyl hydrazine < 0,001 g/kg	N-tert-butyl-N'-(4-ethylbenzoyl)-3,5-dimethylbenzohydrazide	IN	31/05/2024
419.	Tebufenpyrad EN Tebufenpirad CG CAS No 119168-77-3; CIPAC No 725 ID 1374	≥ 980 g/kg	N-(4-tert-butylbenzyl)-4-chloro-3-ethyl-1-methylpyrazole-5-carboxamide	AC	31/10/2022
420.	Tefluthrin EN Teflutrin CG CAS N° 79538-32-2; CIPAC N° 451 ID 784	≥ 920 g/kg Hexachloro-benzene: ne više od 1 mg/kg	2,3,5,6-tetrafluoro-4-methyl-benzyl (1RS, 3RS)-3-[(Z)-2-chloro-3,3,3-trifluoroprop-1-enyl]-2,2-dimethylcyclopropanecarboxylate. Tefluthrin is a 1:1 mixture of Z-(1R, 3R) i Z-(1S, 3S) enantiomers.	IN	31/12/2024
421.	Tembotrione EN Tembotrion CG CAS No 335104-84-2; CIPAC No 790 ID 1218	≥ 945 g/kg Sledeće relevantne nečistoće ne smiju premašiti određeni prag u tehničkom materijalu: Toluene: ≤ 10 g/kg HCN: ≤ 1 g/kg	2-{2-chloro-4-mesyl-3-[(2,2,2-trifluoroethoxy)methyl]benzoyl}cyclohexane-1,3-dione	HB	30/04/2024
422.	Terbuthylazine EN Terbutilazin CG	≥ 950 g/kg Nečistoće:	N2-tert-butyl-6-chloro-N4-ethyl-1,3,5-triazine-2,4-	HB	31/12/2024

	CAS No 5915-41-3; CIPAC No 234 ID 788	Propazine ne više od 10 g/kg Atrazine ne više od 1 g/kg Simazine ne više od 30 g/kg	diamine		
423.	Terpenoid blend QRD-460 Terpenoidna mješavina CG CAS No: α -terpinene: 99-86-5 p-cymene: 99-87-6 d-limonene: 5989-27-5 CIPAC No: 982 ID 1060	Nominalna koncentracija svake komponente u aktivnoj supstanci kao proizvedena treba biti kao što slijedi: — α -terpinene: 59,7 %; —p-cymene: 22,4 %; —d-limonene: 17,9 %. Svaka komponenta treba da ima minimum čistoće kao što slijedi: — α -terpinene: 89 %; —p-cymene: 97 %; —d-limonene: 93 %	Terpenoid blend QRD 460 je mješavina tri komponente: — α -terpinene: 1-isopropyl-4-methylcyclohexa-1,3-diene; —p-cymene: 1-isopropyl-4-methylbenzene; —d-limonene: (R)-4-isopropenyl-1-methylcyclohexene.	AC, IN	10/08/2025
424.	Tetraconazole EN Tetrakonazol CG CAS No 112281-77-3; CIPAC No 726 ID 790	≥ 950 g/kg (racemična smješa) Nečistoća toluena: ne više od 13 g/kg	(RS)-2-(2,4-dichlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propyl-1,1,2,2-tetrafluoroethyl ether	FU	31/12/2021
425.	Tetradecan-1-ol EN/CG CAS No 112-72-1; CIPAC Nije dodijeljen ID 1384	Review report (SANCO/2633/2008) rev.14 20 July 2018	tetradecan-1-ol	AT	31/08/2021
426.	Thiabendazole EN Tiabendazol CG CAS N° 148-79-8; CIPAC N° 323 ID 795	985 g/kg	2-Thiazol-4-yl-1H-benzimidazole	FU	31/03/2032
427.	Thiencarbazone-methyl EN Tienkarbazon metil CG CAS No 317815-83-1; CIPAC No 797 ID 800	≥ 950 g/kg	Methyl 4-[(4,5-dihydro-3-methoxy-4-methyl-5-oxo-1H-1,2,4-triazol-1-yl)carbonylsulfamoyl]-5-methylthiophene-3-carboxylate	HB	30/06/2024
428.	Thifensulfuron-methyl EN Tifensulfuron-metil CG CAS N° 79277-27-3; CIPAC N° 452 ID 842	960 g/kg	Methyl 3-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoyl)thiophene-2-carboxylate	HB	31/10/2031
429.	Thymol EN Timol CG CAS No 89-83-8; CIPAC No 969 ID 1082	≥ 990 g/kg	5-methyl-2-propan-2-yl-phenol	FU	30/11/2023
430.	Tolclofos-methyl EN Tolklofos-metil CG CAS N°57018-04-9 ; CIPAC N°479 ID 143	≥ 960 g/kg Sljedeća nečistoća izaziva zabrinutost u toksikološkom smislu i ne smije prelaziti sljedeću granicu u tehničkom materijalu: Metanol: najviše 1 g/kg	O-2,6-dichloro-p-tolyl O,O-dimethyl phosphorothioate O-2,6-dichloro-4-methylphenyl O,O-dimethyl phosphorothioate	FU	31/08/2034 Samo za upotrebu na ukrasnom bilju i na krompiru. Obratiti pažnja na: -rizik za vodene organizme i sisare, -rizik za potrošače, posebno s obzirom na potencijalni rizik od metabolita DM-TM-CH2OH u krompiru, -rizik za operatera, radnike i druge prisutne osobe. Uslovi upotrebe prema potrebi uključuju mjere za smanjenje rizika.
431.	Tri-allate EN Tri-alat CG CAS No 2303-17-5; CIPAC No 97 ID 154 <i>Kandidat za supstituciju/Candidate for Substitution</i>	≥ 940 g/kg NDIPA (Nitroso-diisopropylamine) max. 0,02 mg/kg	S-2,3,3-trichloroallyl di-isopropyl (thiocarbamate)	HB	31/12/2021
432.	Triazoxide EN Triazoxid CG CAS No 72459-58-6; CIPAC No 729 ID 159 <i>Kandidat za supstituciju/Candidate for Substitution</i>	≥ 970 g/kg Nečistoće: toluene: ne više od 3 g/kg	7-chloro-3-imidazol-1-yl-1,2,4-benzotriazine 1-oxide	FU	30/09/2021
433.	Tribasic copper sulfate EN Trobazni bakar sulfat CG CAS N° 12527-76-3 or 1333-22-8; CIPAC N° 44.306 ID 1222 <i>Kandidat za supstituciju/Candidate for Substitution</i>	≥ 490 g/kg	copper(II) hydroxide sulfate	FU	31/12/2025
434.	Tribenuron (aka metometuron) EN/CG CAS N°106040-48-6 (tribenuron) ;	950 g/kg (u obliku tribenuron-methyl)	2-[4-methoxy-6-methyl-1,3,5-triazin-2-	HB	30/01/2034

	CIPAC N°546 ID 160		yl(methyl)carbamoylsulfamoyl lbenzoic acid		
435.	Trichoderma asperellum (formerly T. harzianum) strain ICC012 EN STRAIN: ICC012 Culture collection No CABI CC IMI 392716 ID 1396	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2021
436.	Trichoderma asperellum (formerly T. harzianum) strain T25 EN/CG STRAIN: Trichoderma asperellum (formerly T. viride T25) T25 Culture collection No CECT 20178 ID 1397	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2021
437.	Trichoderma asperellum (formerly T. harzianum) strain TV1 EN/CG STRAIN: Trichoderma asperellum (formerly T. viride TV1) TV1 Culture collection No MUCL 43093 ID 1398	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2021
438.	Trichoderma asperellum (formerly T. harzianum) strains ICC012, T25 and TV1 EN/CG STRAIN: ICC012 Culture collection No CABI CC IMI 392716 STRAIN: Trichoderma asperellum (formerly T. viride T25) T25 Culture collection No CECT 20178 STRAIN: Trichoderma asperellum (formerly T. viride TV1) TV1 Culture collection No MUCL 43093 ID 165	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2021
439.	Trichoderma asperellum (strain T34) EN CECT broj: 20417 ID 674	1 × 1010 cfu/g	Nije primjenljivo	FU	31/05/2023
440.	Trichoderma atroviride (formerly T. harzianum) strain IMI 206040 EN/CG STRAIN: IMI 206040 Culture collection No IMI 206040, ATCC 20476; ID 1297	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2021
441.	Trichoderma atroviride (formerly T. harzianum) strain T11 EN/CG STRAIN: T11 Culture collection: No Spanish type culture collection CECT 20498, identical with IMI 352941 ID 1298	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2021
442.	Trichoderma atroviride (formerly T. harzianum) strain T11 and IMI 206040 EN/CG STRAIN: IMI 206040 Culture collection No IMI 206040, ATCC 20476; STRAIN: T11 Culture collection: No Spanish type culture collection CECT 20498, identical with IMI 352941 ID 166	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2021
443.	Trichoderma atroviride strain I-1237 EN/CG CNCM broj: I-1237 ID 167	1x10 ⁹ cfu/g (1x10 ¹⁰ spores/g)	Nije primjenljivo	FU	31/05/2023
444.	Trichoderma atroviride strain SC1 EN/CG Accession number CBS 122089 in the collection of the Centraalbureau voor Schimmelcultures (CBS) in Utrecht, The Netherlands CIPAC No: 988 ID 1205	Minimalna koncentracija 1 × 1010 CFU/g	Nije primjenljivo	FU	06/07/2031
445.	Trichoderma gamsii (formerly T. viride) strain ICC080 EN/CG STRAINS: ICC080 Culture collection No IMI CC broj 392151 CABI ID 168	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2021

446.	Trichoderma harzianum strain ITEM 908; Culture collection No CBS 118749 ID 1402	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2021
447.	Trichoderma harzianum strain T-22 Culture collection No ATCC 20847 ID 1403	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2021
448.	Trichoderma harzianum soj T-22 i ITEM 908 (Trichoderma harzianum Rifai) EN/CG ID 169	Nijesu relevantne nečistoće	Nije primjenljivo	FU	30/04/2021
449.	Triclopyr EN CAS N°055335-06-3; CIPAC N°376 ID 170	≥ 960 g/kg (kao Triclopyr butoxyethyl ester)	3,5,6-trichloro-2-pyridyloxyacetic acid	HB	30/04/2021
450.	Trifloxystrobin EN Trifloksistrobin CG CAS N° 141517-21-7; CIPAC N° 617 ID 176	960 g/kg	Methyl (E)-methoxyimino- {(E)-a-[1-a-(a,a,a-trifluoro-m-tolyl)ethylideneaminoxy]-o-tolyl}acetate	FU	31/07/2033
451.	Triflumuron EN/CG CAS No 64628-44-0; CIPAC No: 548 ID 1007	≥ 955 g/kg Nečistoće: —N,N'-bis-[4-(trifluoromethoxy)phenyl]urea: ne više od 1 g/kg —4-trifluoro-methoxyaniline: ne više od 5 g/kg	1-(2-chlorobenzoyl)-3-[4-trifluoromethoxyphenyl]urea	IN	31/03/2021
452.	Triflurosulfuron EN/CG CAS No 126535-15-7; CIPAC No 731 ID 179	≥ 960 g/kg N,N-dimethyl-6-(2,2,2-trifluoroethoxy)-1,3,5-triazine-2,4-diamine Max. 6 g/kg	2-[4-dimethylamino-6-(2,2,2-trifluoroethoxy)-1,3,5-triazin-2-ylcarbamoylsulfamoyl]-m-toluic acid	HB	31/12/2021
453.	Trinexapac (aka cimetacarb ethyl) EN/CG CAS N°104273-73-6; CIPAC N°732.202 ID 183	≥ 940g/kg (u obliku trinexapac-ethyl)	4-(cyclopropyl-hydroxymethylene)-3,5-dioxo-cyclohexanecarboxylic acid	PG	30/04/2021
454.	Triticonazole EN/CG CAS N°131983-72-7; CIPAC N°652 ID 185	≥ 950 g/kg	(±) - (E) -5-(4-chlorobenzylidene) -2,2-dimethyl-1-(1 <i>H</i> -1,2,4-triazol-1-ylmethyl) cyclopentanol	FU	30/04/2021
455.	Tritosulfuron EN/CG CAS No 142469-14-5; CIPAC No 735 ID 186	≥ 960 g/kg Sljedeće fabričke nečistoće se smatraju toksikološkom zabrinutosti i svaka od njih ne smije premašiti određeni iznos u tehničkom materijalu: 2-Amino-4-methoxy-6-(trifluormethyl)-1,3,5-triazine: <0,2 g/kg	1-(4-methoxy-6-trifluoromethyl-1,3,5-triazin-2-yl)-3-(2-trifluoromethyl-benzenesulfonyl)urea	HB	30/11/2021
456.	Urea EN/CG CAS No 57-13-6; CIPAC No 913 ID 187	≥ 98 % w/w	Urea	AT, FU	31/08/2021
457.	Urtica spp. EN Kopriva CG CAS No 84012-40-8 (Urtica dioica extract) 90131-83-2 (Urtica urens extract) ID 1224 Osnovna supstanca/Basic substance PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.	European Pharmacopeia	Not applicable Nije primjenljivo	AC, FU, IN	
458.	Valifenalate (formerly Valiphenal) EN Valifenalat CG CAS No 283159-90-0; CIPAC No 857 ID 189	≥ 980 g/kg	Methyl N-(isopropoxycarbonyl)-L-valyl-(3 <i>RS</i>)-3-(4-chlorophenyl)-β-alaninate	FU	30/06/2024
459.	Verticillium albo-atrum (formerly Verticillium dahliae) strain WCS850 EN/CG STRAIN: Verticillium albo-atrum izolovan WCS850 Culture collection No CBS 276.92 ID 192 Supstanca niskog rizika/Low risk Active substance	Nijesu relevantne nečistoće	Nije primjenljivo	FU	31/10/2034
460.	Vinegar EN Sirće CG CAS No: 90132-02-8 ID 1207 Osnovna supstanca/Basic substance	Ocjena hrane sadrži maksimum 10 % sirćetne kiseline	Nije dostupno	BA, FU	Vinegar shall be used in accordance with the specific conditions included in the conclusions of the review report on vinegar (SANCO/12896/2014) and

					in particular Appendices I and II thereof
	PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.				
461.	Whey EN Surutka CG CAS N° 92129-90-3 ID 1399 <i>Osnovna supstanca/Basic substance</i>	CODEX STAN 289-1995	Nije primjenjivo	FU	Nije primjenjivo
	PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.				
462.	Z,Z-3,13-Octadecadienyl Acetate EN Z,Z-3,13-Oktadecadienil Acetat CG CAS: 53120-27-7 ID 1228	870 g/kg < 5 g/kg of the additive BHT [2,6-di(1,1-dimethyl-ethyl)-4-methylphenol]	(3Z,13Z)-Octadeca3,13-dienyl acetate	AT	31/08/2021
463.	Cink fosfid CG/ Zinc phosphide EN CAS No 1314-84-7; CIPAC No 69 ID 199	≥ 800 g/kg	Trizinc diphosphide	RO	30/04/2024
464.	Ziram EN Ciram CG CAS N° 137-30-4; CIPAC N° 31 ID 1008	950 g/kg (FAO specifikacija) - arsenika: maximum 250 mg/kg - vode: maximum 1,5 %	Zinc bis (dimethyldithiocarbamate)	FU, RE	30/04/2021
465.	Zoksamid CG/ Zoxamide EN CAS N° 156052-68-5; CIPAC N°640 ID 200	950 g/kg	(RS)-3,5-Dichloro-N-(3-chloro-1-ethyl-1-methylacetonyl)-p-toluamide	FU	30/06/2033
466.	Zucchini Yellow Mosaik Virus CG, slab soj / Zucchini Yellow Mosaik Virus, weak strain EN ATCC pristupni broj: PV-593 ID 202	≥ 0,05 mg/l	Nije primjenljivo	EL	31/05/2023
	PRIPREMA ZA UPOTREBU: U skladu sa recepturom objavljenom na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove.				

Oznaka	Naziv CG	Naziv EN
AC	Akaricid	Acaricide
AL	Algicid	Algicide
AT	Atraktant	Attractant
BA	Baktericid	Bactericide
DE	Desikant	Desiccant
EL	Aktivator odbrambenog mehanizma bilja	Elicitor
FU	Fungicid	Fungicide
HB	Herbicid	Herbicide
IN	Insekticid	Insecticide
MO	Moluskocid	Molluscicide
NE	Nematiocid	Nematicide
OT	Drugi tretman	Other treatment
PA	Biljni aktivator	Plant activator
PG	Regulator rasta	Plant growth regulator
PR	Rezidba	Pruning
RE	Repellent	Repellant
RO	Rodenticid	Rodenticide
SA	Safener	Safener
ST	Tretman zemljišta	Soil treatment
SY	Sinergist	Synergist
VI	Virus inokulacija	Virus inoculation

2. Ako u toku 2021.godine dođe do promjene statusa aktivnih supstanci, prema podacima objavljenim od strane Evropske komisije, njihov status objavljuje se na internet stranici Uprave za bezbjednost hrane, veterinu i fitosanitarne poslove i čini sastavni dio ove Liste.

3. Ova lista objaviće se u "Službenom listu Crne Gore".

* U ovu Listu prenešena je Uredba Komisije (EU) Br. 540/2011 od 25. Maja 2011 za implementaciju Uredbe (EC) br. 1107/2009 Evropskog Parlamenta i Savjeta vezano za listu odobrenih supstanci /Commission Implementing Regulation (EU) No 540/2011 of 25. May 2011 implementing Regulation (EC) No 1107/2009 of the European Parliament and of the Council as regards the list of approved active substances i Celexi: 32019R0151, 32019R0158, 32019R0336, 32019R0706, 32019R0717, 32019R1085, 32019R1101, 32019R1137, 32019R1605, 32019R1705, 32019R1690, 32019R1085, 32019R0139, 32019R0147, 32019R0337, 32019R0481, 32019R0676, 32019R1138, 32020R0023, 32020R0103, 32020R0421, 32020R0616, 32020R0617, 32020R0653, 32020R0642, 32020R0646, 32020R0869, 32020R0892, 32020R0968, 32020R1003, 32020R1004, 32020R1018, 32020R1160, 32020R1246, 32020R1263, 32020R1276, 32020R1280, 32020R1293, 32020R1498, 32020R1511, 32020R0653, 32020R0642, 32020R0646, 32020R1004, 32020R1018, 32020R1263, 32020R0653, 32020R0616, 32020R0617, 32020R0616, 32020R0968, 32020R1003, 32020R0017, 32020R0018, 32020R1295.

Broj: 04-309/21-609
Podgorica, 18. februara 2021. godine

Direktorica,
Vesna Daković, s.r.