
First published in the *Government Gazette*, Electronic Edition, on 5th November 2003 at 5:00 pm.

No. S 513

PROTECTED AREAS AND PROTECTED PLACES ACT
(CHAPTER 256)

PROTECTED PLACES
(NO. 11) ORDER 2003

ARRANGEMENT OF PARAGRAPHS

Paragraph

1. Citation and commencement
 2. Premises declared to be protected place
- The Schedule
-

In exercise of the powers conferred by section 5(1) of the Protected Areas and Protected Places Act, the Minister for Home Affairs hereby makes the following Order:

Citation and commencement

1. This Order may be cited as the Protected Places (No. 11) Order 2003 and shall come into operation on 5th November 2003.

Premises declared to be protected place

2. The premises described in the second column of the Schedule are hereby declared to be a protected place for the purposes of the Act, and no person shall be in those premises unless he is in possession of a pass-card or permit issued by the authority specified in the first column of the Schedule or has received the permission of an authorised officer on duty at the premises to enter the premises.

 THE SCHEDULE

<i>First column</i>	<i>Second column</i>
The Authority	Protected Place
Chief Commando Officer	HENDON CAMP.

All that area comprised in part of State Land Lots 1613C, 1722V, 3676N and 4082T in Mukim No. 31 and the sea-bed within the territorial waters of Singapore containing an area of about 23,3616 square metres and bounded approximately as follows:

Commencing at a point of the perimeter fence which is 41,012.559 metres North and 44,303.078 metres East of the Singapore Land Authority origin of co-ordinates (30,000 metres North, 30,000 metres East), the boundaries run along successive lines of bearings and distances approximately as follows:

<i>Bearing</i>	<i>Distance in metres</i>
240° 54' 59"	12.123 (along a fence)
239° 11' 53"	14.233 (along a fence)
238° 38' 21"	9.620 (along a fence)
238° 15' 59"	12.461 (along a fence)
237° 35' 28"	9.971 (along a fence)
234° 19' 47"	10.048 (along a fence)
232° 46' 18"	4.988 (along a fence)
229° 34' 16"	12.434 (along a fence)
228° 39' 57"	12.584 (along a fence)
227° 32' 38"	12.417 (along a fence)
224° 35' 48"	12.404 (along a fence)
222° 02' 51"	12.451 (along a fence)
221° 13' 00"	12.588 (along a fence)
217° 51' 36"	14.837 (along a fence)
215° 52' 45"	12.533 (along a fence)
214° 40' 29"	10.236 (along a fence)
210° 23' 01"	27.198 (along a fence)
206° 37' 48"	17.562 (along a fence)
207° 09' 25"	11.486 (along a fence)
202° 51' 35"	4.883 (along a gate)
200° 34' 32"	20.953 (along a fence)

 THE SCHEDULE — *continued*

<i>First column</i>		<i>Second column</i>
The Authority		Protected Place
	<i>Bearing</i>	<i>Distance in metres</i>
	199° 08' 43"	7.834 (along a fence)
	203° 22' 36"	1.140 (along a fence)
	199° 31' 12"	1.519 (along a fence)
	197° 31' 54"	10.103 (across a road access)
	193° 07' 49"	37.761 (along a fence)
	188° 19' 49"	19.891 (along a fence)
	184° 46' 43"	19.918 (along a fence)
	181° 28' 13"	19.809 (along a fence)
	178° 23' 23"	19.812 (along a fence)
	176° 34' 50"	42.481 (along a fence)
	176° 30' 06"	42.069 (along a fence)
	176° 34' 23"	50.185 (along a fence)
	176° 31' 00"	49.922 (along a fence)
	176° 34' 32"	45.065 (along a fence)
	177° 42' 57"	7.385 (along a gate)
	176° 41' 07"	33.703 (along a fence)
	176° 34' 00"	44.689 (along a fence)
	175° 52' 37"	12.619 (along a fence)
	176° 54' 13"	12.454 (along a fence)
	173° 46' 50"	2.933 (along a fence)
	177° 46' 03"	10.045 (along a fence)
	176° 31' 58"	8.892 (along a fence)
	176° 28' 05"	40.319 (along a fence)
	176° 40' 25"	48.901 (along a fence)
	176° 31' 24"	45.208 (along a fence)
	330° 10' 58"	35.435 (along a fence)
	330° 29' 43"	46.545 (along a fence)
	330° 31' 18"	47.500 (along a fence)
	330° 27' 35"	50.027 (along a fence)

THE SCHEDULE — *continued*

<i>First column</i>		<i>Second column</i>
The Authority		Protected Place
	<i>Bearing</i>	<i>Distance in metres</i>
	330° 21' 39"	51.007 (along a fence)
	330° 24' 35"	50.004 (along a fence)
	330° 23' 00"	47.529 (along a fence)
	330° 20' 17"	49.139 (along a fence)
	330° 27' 06"	55.799 (along a fence)
	58° 32' 42"	5.310 (along a fence)
	329° 59' 35"	45.086 (along a fence)
	330° 00' 14"	44.836 (along a fence)
	329° 49' 47"	54.886 (along a fence)
	330° 00' 17"	47.426 (along a fence)
	330° 01' 35"	48.683 (along a fence)
	329° 50' 47"	46.066 (along a fence)
	330° 11' 34"	47.510 (along a fence)
	330° 04' 06"	50.134 (along a fence)
	59° 53' 22"	19.884 (along a fence)
	330° 17' 03"	40.793 (along a fence)
	53° 51' 15"	9.103 (along a fence)
	62° 46' 23"	0.206 (along a fence)
	358° 01' 57"	42.371 (along edge of steel bridge)
	358° 08' 04"	18.892 (along edge of steel bridge)
	357° 57' 24"	16.321 (along edge of steel bridge)
	284° 11' 12"	5.412 (along a fence)
	291° 57' 48"	19.517 (along a fence)
	308° 09' 12"	2.362 (along a fence)
	338° 16' 22"	34.181 (along a fence)
	338° 29' 48"	12.192 (along a fence)
	342° 49' 33"	33.973 (along a fence)
	345° 45' 56"	36.533 (along a fence)

 THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>
The Authority	Protected Place
<i>Bearing</i>	<i>Distance in metres</i>
342° 16' 00"	16.977 (along a fence)
335° 48' 43"	2.488 (along a fence)
327° 00' 12"	2.378 (along a fence)
318° 19' 02"	4.784 (along a fence)
303° 28' 05"	2.586 (along a fence)
290° 40' 55"	31.183 (along a fence)
291° 20' 05"	30.282 (along handrail)
221° 58' 52"	0.192 (along edge of jetty)
195° 19' 37"	0.645 (along edge of jetty)
285° 20' 07"	0.833 (along edge of jetty)
198° 18' 08"	0.723 (along edge of jetty)
199° 33' 00"	3.678 (along edge of steps)
293° 32' 12"	1.250 (along edge of steps)
14° 04' 46"	2.346 (along edge of steps)
288° 01' 34"	29.977 (along edge of jetty)
252° 40' 59"	11.910 (along edge of jetty)
162° 43' 42"	0.996 (along edge of jetty)
252° 57' 09"	2.763 (along edge of jetty)
343° 58' 43"	0.976 (along edge of jetty)
252° 36' 43"	16.481 (along edge of jetty)
161° 27' 42"	0.936 (along edge of jetty)
252° 27' 18"	2.750 (along edge of jetty)
344° 14' 29"	0.464 (along edge of jetty)
258° 23' 20"	0.764 (along edge of jetty)
331° 57' 55"	0.489 (along edge of jetty)
252° 28' 23"	11.235 (along edge of ramp)

THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>
The Authority	Protected Place
<i>Bearing</i>	<i>Distance in metres</i>
252° 44' 06"	19.943 (along edge of ramp)
344° 13' 49"	9.982 (along edge of ramp)
72° 53' 55"	19.733 (along edge of ramp)
72° 36' 10"	11.159 (along edge of ramp)
4° 17' 04"	0.610 (along edge of jetty)
71° 52' 00"	0.601 (along edge of jetty)
337° 51' 26"	0.432 (along edge of jetty)
72° 35' 28"	22.817 (along edge of jetty)
341° 50' 39"	4.839 (along edge of jetty)
308° 29' 45"	1.571 (along edge of jetty)
34° 58' 58"	1.285 (along edge of jetty)
296° 18' 09"	6.070 (along edge of jetty)
306° 18' 47"	0.480 (along edge of jetty)
26° 50' 37"	3.228 (along edge of jetty)
295° 37' 10"	0.160 (along edge of jetty)
269° 25' 00"	0.140
296° 18' 55"	2.546 (along edge of steps)
26° 06' 56"	8.084 (along edge of steps)
121° 00' 50"	2.561 (along edge of steps)
121° 00' 50"	0.104
25° 59' 49"	3.067 (along edge of jetty)
115° 15' 28"	0.201 (along edge of jetty)
26° 08' 22"	0.326 (along edge of jetty)
27° 12' 49"	2.190 (along edge of steps)

 THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>
The Authority	Protected Place
<i>Bearing</i>	<i>Distance in metres</i>
115° 27' 57"	4.373 (along edge of steps)
27° 52' 26"	0.130 (along edge of jetty)
116° 05' 45"	3.168 (along edge of jetty)
205° 45' 00"	5.327 (along edge of jetty)
135° 32' 55"	4.994 (along edge of jetty)
116° 04' 31"	9.529 (along edge of jetty)
106° 50' 27"	1.248 (along edge of jetty)
94° 00' 18"	1.668 (along edge of jetty)
72° 06' 41"	9.548 (along edge of jetty)
342° 36' 52"	0.312 (along edge of jetty)
48° 40' 32"	3.781 (along edge of jetty)
136° 01' 55"	1.521 (along edge of jetty)
48° 54' 23"	9.705 (along edge of jetty)
23° 43' 38"	8.594 (along a fence)
114° 56' 21"	1.681 (along a fence)
27° 53' 28"	2.350 (along a fence)
114° 19' 01"	1.994 (along a gate)
179° 07' 54"	2.523 (along a fence)
112° 31' 41"	14.600 (along a fence)
197° 31' 40"	7.297 (along a fence)
178° 42' 57"	2.468 (along a fence)
142° 23' 01"	2.385 (along a fence)
123° 04' 28"	21.945 (along a fence)
118° 44' 22"	2.447 (along a fence)
113° 26' 59"	50.884 (along a fence)
113° 04' 13"	48.626 (along a fence)
83° 56' 17"	1.340 (along a fence)
120° 36' 15"	4.905 (along a fence)
112° 19' 45"	19.426 (along a fence)

THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>
The Authority	Protected Place
<i>Bearing</i>	<i>Distance in metres</i>
106° 10' 46"	2.383 (along a fence)
82° 35' 09"	2.385 (along a fence)
102° 31' 06"	2.516 (along a fence)
132° 11' 54"	2.466 (along a fence)
116° 26' 46"	2.397 (along a fence)
105° 34' 26"	12.150 (along a fence)
103° 12' 02"	2.488 (along a fence)
100° 27' 47"	14.523 (along a fence)
98° 23' 35"	14.582 (along a fence)
98° 30' 19"	18.606 (along a fence)
194° 18' 53"	12.231 (along a fence)
194° 15' 57"	6.720 (along a gate)
183° 20' 14"	2.858 (along a fence)
106° 45' 11"	37.437 (along a fence)
106° 32' 18"	8.349 (along a gate)
106° 51' 00"	47.495 (along a fence)
106° 49' 51"	45.062 (along a fence)
106° 55' 37"	14.901 (along a fence)
103° 09' 03"	44.822 (along a fence)
103° 02' 15"	27.547 (along a fence)
103° 55' 27"	2.650 (along a fence)
108° 05' 07"	11.897 (across road access)
100° 38' 51"	20.078 (along edge of traffic island)
107° 10' 50"	38.010 (across a road access)
99° 03' 05"	9.972 (along a fence)
97° 21' 09"	7.427 (along a fence)
93° 12' 47"	7.542 (along a fence)
87° 16' 37"	9.993 (along a fence)
82° 32' 39"	17.506 (along a fence)


 THE SCHEDULE — *continued*

<i>First column</i>	<i>Second column</i>	
The Authority	Protected Place	
	<i>Bearing</i>	<i>Distance in metres</i>
	96° 37' 51"	20.377 (along a fence)
	91° 14' 19"	5.943 (along a fence)
	89° 14' 02"	32.142 (along a fence)
	93° 32' 13"	5.034 (along a fence)
	95° 31' 32"	17.571 (along a fence)
	101° 34' 05"	4.920 (along a fence)
	109° 36' 11"	12.585 (along a fence)
	95° 44' 27"	19.814 (along a fence)
	107° 37' 47"	5.853 (along a fence)
	110° 06' 55"	4.580 (along a fence)
	114° 52' 56"	2.729 (along a fence)
	121° 50' 10"	2.357 (along a fence)
	129° 06' 46"	2.518 (along a fence)
	135° 27' 05"	2.555 (along a fence)
	147° 39' 36"	2.477 (along a fence)
	151° 18' 44"	2.484 (along a fence)
	158° 34' 50"	2.560 (along a fence)

to the point of commencement.

The boundaries of "HENDON CAMP" are more particularly delineated on Survey Plan No. Q3009GB1 filed in the office of the Director, Building and Infrastructure, Defence Science and Technology Agency, Singapore.

THE SCHEDULE — *continued*



Made this 22nd day of October 2003.

TAN GUONG CHING
*Permanent Secretary,
Ministry of Home Affairs,
Singapore.*

[DSTA BI/4-2-86; MHA(PS) 12/2/01 TF 5;
AG/LEG/SL/256/2002/1 Vol. 3]