

Statutory Instrument 2002 No. 2723

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

© Crown Copyright 2002

The legislation contained on this web site is subject to Crown Copyright protection. It may be reproduced free of charge provided that it is reproduced accurately and that the source and copyright status of the material is made evident to users.

It should be noted that the right to reproduce the text of Statutory Instruments does not extend to the Royal Arms and the Queen's Printer imprints.

The text of this Internet version of the Statutory Instrument has been prepared to reflect the text as it was Made. The authoritative version is the Queen's Printer copy published by The Stationery Office Limited as the **The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002**, ISBN 0 11 042953 2. [Purchase this item](#). For details of how to obtain an official copy see [How to obtain The Stationery Office Limited titles](#).

To ensure fast access over slow connections, large documents have been segmented into "chunks". Where you see a "continue" button at the bottom of the page of text, this indicates that there is another chunk of text available.

STATUTORY INSTRUMENTS

2002 No. 2723

AGRICULTURE, ENGLAND AND WALES

PESTICIDES, ENGLAND AND WALES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

Made

31st October 2002

Laid before Parliament

1st November 2002

Coming into force

30th November 2002

The Secretary of State for Environment, Food and Rural Affairs and the National Assembly for Wales, acting jointly (the National Assembly for Wales acting in relation to Wales only), being designated^[1] for the purposes of section 2(2) of the European Communities Act 1972^[2] in relation to the common agricultural policy of the European Community, in exercise of the powers conferred on them by that section, make the following Regulations:

Title, commencement and extent

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations

2002; they extend to England and Wales only, and shall come into force on 30th November 2002.

Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 1999

2. - (1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 1999^[3] shall be amended in accordance with this regulation.

(2) In regulation 2(1), for the definition of the Residues Directives there shall be substituted the following definition:

" 'the Residues Directives' means Council Directive 86/362/EEC^[4], Council Directive 86/363/EEC^[5] and Council Directive 90/642/EEC^[6], in each case amended as at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002."

(3) For paragraph (b) of regulation 6 there shall be substituted the following paragraph -

" (b) the procedure to be followed for sampling for the determination of pesticide residues shall -

(i) be that set out in the Annex to Commission Directive 2002/63/EC^[7] for the residues covered by Part 2 of Schedule 2; and

(ii) so far as is practicable, be that set out in the Codex Alimentarius Commission 'Recommended Method of Sampling for the Determination of Pesticide Residues for compliance with MRLs; CAC/GL 33-1999' for the residues not covered by Part 2 of Schedule 2;"

(4) In Schedule 1 there shall be inserted at the appropriate places in columns 1 and 2 the following entries (the entries for Dimethoate and Quintozene being substituted for the existing ones):

| <i>Column 1</i> | <i>Column 2</i> |
|--------------------|--|
| <i>Pesticide</i> | <i>Residues</i> |
| Bentazone | Bentazone (sum of bentazone and conjugates 6-OH-and 8-OH-bentazone expressed as bentazone) |
| Dimethoate | Dimethoate (sum of dimethoate and omethoate expressed as dimethoate) |
| Formothion | Formothion |
| Lindane | Lindane (Hexachloro-cyclohexane [gamma]) |
| Metsulfuron methyl | Metsulfuron methyl |
| Oxydemeton methyl | Oxydemeton methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton methyl) |
| Pyridate | Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate) |
| Quintozene | Quintozene (sum of quintozene, and pentachloroaniline expressed as quintozene) |

(5) In Part I of Schedule 2 the following pesticide columns together with any residue level inserted under the respective columns shall be deleted -

(a) Hexachlorocyclohexane (HCH g) and Quintozene as at 1st December 2002;

(b) Dimethoate as at 1st January 2003;

(c) Parathion as at 1st May 2003.

(6) For Part 2 of Schedule 2 there shall be substituted the Schedule to these Regulations.

Signed on behalf of the National Assembly for Wales.

D. Elis-Thomas

Presiding Officer, National Assembly for Wales

24th October 2002

Whitty

Parliamentary Under Secretary of State, Department for Environment, Food and Rural Affairs

31st October 2002

SCHEDULE

Regulation 2(6)

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Acephate</i> | <i>Aldicarb</i> | <i>Aldrin & dieldrin</i> | <i>Aminotriazole (Amitrole)</i> | <i>Amitraz</i> | <i>Aramite</i> | <i>Atrazine</i> | <i>Azimsulfuron</i> | <i>Azinphos-ethyl</i> | <i>Azoxystrobin</i> |
|--|--|-----------------|-----------------|------------------------------|---------------------------------|----------------|----------------|-----------------|---------------------|-----------------------|---------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | | |
| | Grapefruit | 1 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Lemons | 1 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Limes | 1 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Mandarins (incl clementines & similar hybrids) | 1 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Oranges | 1 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Pomelos | 1 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Others | 1 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | |
| | Almonds | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Brazil nuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | |
|----------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Cashew nuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Chestnuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Coconuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Hazelnuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Macadamia nuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Pecans | 0.02* | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Pine nuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Pistachios | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Walnuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1* |
| iii) POME FRUIT | | | | | | | | | | | |
| | Apples | 1 | 0.05* | | 0.05* | 0.5 | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Pears | 1 | 0.05* | | 0.05* | 0.5 | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Quinces | 1 | 0.05* | | 0.05* | 0.5 | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 1 | 0.05* | | 0.05* | 0.5 | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| iv) STONE FRUIT | | | | | | | | | | | |
| | Apricots | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Cherries | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.2 | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Plums | 2 | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | | | |
| a) | Table & wine grapes | | | | | | | | | | |
| | Table grapes | 0.02* | 0.05* | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 2 | |
| | Wine grapes | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 2 |
| b) | Strawberries (other than wild) | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 2 |
| c) | Cane Fruit (other than wild) | | | | | | | | | | |
| | Blackberries | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Dewberries | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Loganberries | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Raspberries | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| d) | Other small fruit & berries (other than wild) | | | | | | | | | | |
| | Bilberries | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Cranberries | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Currants (red, black & white) | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | |
|-----|--|-------|-------|--|-------|-------|-------|------|-------|-------|-------|
| | Gooseberries | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| e) | Wild berries & wild fruit | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| vi) | MISCELLANEOUS FRUIT | | | | | | | | | | |
| | Avocados | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Bananas | 0.02* | 0.1 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 2 |
| | Dates | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Figs | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Kiwi fruit | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Kumquats | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Litchis | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Mangoes | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Olives (table consumption) | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Olives (oil extract) | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Papaya | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Passion fruit | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Pineapples | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Pomegranates | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| 2. | Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | |
| i) | ROOT AND TUBER VEGETABLES | | | | | | | | | | |
| | Beetroot | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Carrots | 0.02* | 0.1 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.2 |
| | Celeriac | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Horseradish | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.2 |
| | Jerusalem artichokes | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Parsnips | 0.02* | 0.1 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.2 |
| | Parsley root | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.2 |
| | Radishes | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Salsify | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.2 |
| | Sweet potatoes | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Swedes | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Turnips | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Yams | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| ii) | BULB VEGETABLES | | | | | | | | | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | |
|--------------------------|------------------|-------|-------|--|-------|----------------------|-------|------|-------|----------------------|-------|
| | Garlic | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Onions | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Shallots | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Spring onions | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | | | | |
| a) | | | | | | | | | | | |
| Solanacea | | | | | | | | | | | |
| | Tomatoes | 0.5 | 0.05* | | 0.05* | 0.5 | 0.01* | 0.1* | 0.02* | 0.05* | 2 |
| | Peppers | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 2 |
| | Chilli peppers | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 2 |
| | Aubergines | 0.5 | 0.05* | | 0.05* | 0.5 | 0.01* | 0.1* | 0.02* | 0.05* | 2 |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| b) | | | | | | | | | | | |
| Cucurbits-edible peel | | | | | | | | | | | |
| | Cucumbers | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Gherkins | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Courgettes | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 |
| c) | | | | | | | | | | | |
| Cucurbits-inedible peel | | | | | | | | | | | |
| | Melons | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.5 |
| | Squashes | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.5 |
| | Watermelons | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.5 |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.5 |
| d) | | | | | | | | | | | |
| | Sweet corn | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | | | | |
| a) | | | | | | | | | | | |
| Flowering Brassicas | | | | | | | | | | | |
| | Broccoli | 2 | 0.05* | | 0.05* | 0.05* ⁰⁰² | 0.01* | 0.1* | 0.02* | 0.05* ⁰⁰² | 0.05* |
| | Cauliflower | 2 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 2 | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| b) | | | | | | | | | | | |
| Head Brassicas | | | | | | | | | | | |
| | Brussels sprouts | 2 | 0.2 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Head cabbage | 2 | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 2 | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| c) | | | | | | | | | | | |
| Leafy Brassicas | | | | | | | | | | | |
| | Chinese cabbage | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Kale | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | | |
|------------------------------------|----------------------|-------|-------|--|-------|----------------------|----------------------|------|-------|----------------------|-------|--|
| d) | Kohlrabi | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | | | |
| a) | Lettuce & similar | | | | | | | | | | | |
| | Cress | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 3 | |
| | Lamb's lettuce | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 3 | |
| | Lettuce | 1 | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 3 | |
| | Scarole | 0.02* | 0.05* | | 0.05* | 0.05* ⁰⁰³ | 0.01* ⁰⁰³ | 0.1* | 0.02* | 0.05* ⁰⁰³ | 3 | |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 3 | |
| b) | Spinach & similar | | | | | | | | | | | |
| | Spinach | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| | Beet leaves (chard) | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| c) | Watercress | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| d) | Witloof | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.2 | |
| e) | Herbs | | | | | | | | | | | |
| | Chervil | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| | Chives | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| | Parsley | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| | Celery leaves | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | | | | |
| | Beans (with pods) | 3 | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 | |
| | Beans (without pods) | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| | Peas (with pods) | 3 | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.5 | |
| | Peas (without pods) | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.2 | |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
|) STEM VEGETABLES | | | | | | | | | | | | |
| | Asparagus | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| | Cardoons | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| | Celery | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 5 | |
| | Fennel | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| | Globe artichokes | 0.2 | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 1 | |
| | Leeks | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1 | |
| | Rhubarb | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* | |
| viii) FUNGI | | | | | | | | | | | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | |
|-----------------|--|-------|-------|------|-------|-------|-------|------|-------|-------|-------|
| a) | Cultivated mushrooms | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| b) | Wild mushrooms | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| 3. PULSES | | | | | | | | | | | |
| | Beans | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1 |
| | Lentils | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1 |
| | Peas | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1 |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.1 |
| 4. OILSEEDS | | | | | | | | | | | |
| | Linseed | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Peanuts | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Poppy seed | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Sesame seed | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Sunflower seed | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Rape seed | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Soya bean | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Mustard seed | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Cotton seed | 0.02* | 0.05* | | 0.05* | 1 | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | | 0.05* | 0.05* | 0.01* | 0.1* | 0.1* | 0.05* | 0.05* |
| 5. POTATOES | | | | | | | | | | | |
| | Early potatoes | 0.02* | 0.5 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| | Ware potatoes | 0.02* | 0.5 | | 0.05* | 0.05* | 0.01* | 0.1* | 0.02* | 0.05* | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.05* | 0.02 | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.05* | | 0.1* | 20 | 0.1* | 0.1* | 0.1* | 0.1* | 20 |

⁰⁰²Broccoli includes calabrese.

⁰⁰³Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Barban</i> | <i>Benalaxyl</i> | <i>Benfuracarb</i> | <i>Bentazone</i> | <i>Binapacryl</i> | <i>Biphenthrin</i> | <i>Bromophos-ethyl</i> | <i>Bromopropylate</i> | <i>Camphector (Taxaphene)</i> |
|--|--|---------------|------------------|--------------------|---------------------------------|-------------------|--------------------|------------------------|-----------------------|-------------------------------|
| | | | | | <i>Applying from 1 Jan 2003</i> | | | | | |
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | |
| | Grapefruit | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | |
|--------------------------------------|--|-------|-------|-------|------|-------|--|-------|--|------|
| | Lemons | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Limes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Mandarins (incl clementines & similar hybrids) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Oranges | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Pomelos | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | |
| | Almonds | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Brazil nuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Cashew nuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Chestnuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Coconuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Hazelnuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Macadamia nuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Pecans | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Pine nuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Pistachios | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Walnuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| iii) POME FRUIT | | | | | | | | | | |
| | Apples | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Pears | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Quinces | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| iv) STONE FRUIT | | | | | | | | | | |
| | Apricots | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Cherries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Peaches (incl nectarines & similar hybrids) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Plums | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | | |
| a) | Table & wine grapes | | | | | | | | | |
| | Table grapes | 0.05* | 0.2 | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Wine grapes | 0.05* | 0.2 | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| b) | Strawberries (other than wild) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| c) | Cane Fruit (other than wild) | | | | | | | | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | |
|-----|---|-------|-------|-------|------|-------|--|-------|--|------|
| | Blackberries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Dewberries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Loganberries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Raspberries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| d) | Other small fruit & berries (other than wild) | | | | | | | | | |
| | Bilberries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Cranberries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Currants (red, black & white) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Gooseberries | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| e) | Wild berries & wild fruit | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| vi) | MISCELLANEOUS FRUIT | | | | | | | | | |
| | Avocados | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Bananas | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Dates | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Figs | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Kiwi fruit | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Kumquats | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Litchis | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Mangoes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Olives (table consumption) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Olives (oil extract) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Papaya | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Passion fruit | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Pineapples | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Pomegranates | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| 2. | Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | |
| i) | ROOT AND TUBER VEGETABLES | | | | | | | | | |
| | Beetroot | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Carrots | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Celeriac | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Horseradish | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Jerusalem artichokes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Parsnips | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | |
|--------------------------|-------------------------|-------|-------|-------|------|-------|--|-------|--|------|
| | Parsley root | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Radishes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Salsify | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Sweet potatoes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Swedes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Turnips | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Yams | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| ii) BULB VEGETABLES | | | | | | | | | | |
| | Garlic | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Onions | 0.05* | 0.2 | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Shallots | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Spring onions | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| iii) FRUITING VEGETABLES | | | | | | | | | | |
| a) | Solanacea | | | | | | | | | |
| | Tomatoes | 0.05* | 0.2 | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Peppers | 0.05* | 0.2 | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Chilli peppers | 0.05* | 0.2 | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Aubergines | 0.05* | 0.2 | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| b) | Cucurbits-edible peel | | | | | | | | | |
| | Cucumbers | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Gherkins | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Courgettes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| c) | Cucurbits-inedible peel | | | | | | | | | |
| | Melons | 0.05* | 0.1 | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Squashes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Watermelons | 0.05* | 0.1 | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| d) | Sweet corn | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| iv) BRASSICA VEGETABLES | | | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | | | |
| | Broccoli | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Cauliflower | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | |
|------------------------------------|----------------------|----------|-------|-------|------|-------|--|-------|--|------|
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| b) | Head Brassicas | | | | | | | | | |
| | Brussels sprouts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Head cabbage | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| c) | Leafy Brassicas | | | | | | | | | |
| | Chinese cabbage | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Kale | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | * | | 0.05* | | 0.1* |
| d) | Kohlrabi | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | |
| a) | Lettuce & similar | | | | | | | | | |
| | Cress | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Lamb's lettuce | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Lettuce | 0.05* | 0.05 | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Scarole | 0.05*005 | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| b) | Spinach & similar | | | | | | | | | |
| | Spinach | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Beet leaves (chard) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| c) | Watercress | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| d) | Witloof | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| e) | Herbs | | | | | | | | | |
| | Chervil | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Chives | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Parsley | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Celery leaves | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | | |
| | Beans (with pods) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Beans (without pods) | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Peas (with pods) | 0.05* | 0.05* | 0.05* | 0.5 | 0.05* | | 0.05* | | 0.1* |
| | Peas (without pods) | 0.05* | 0.05* | 0.05* | 0.2 | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | |
|----------------------|--|-------|-------|-------|------|-------|---|-------|------|------|
| vii) STEM VEGETABLES | | | | | | | | | | |
| | Asparagus | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Cardoons | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Celery | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Fennel | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Globe artichokes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Leeks | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Rhubarb | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| viii) FUNGI | | | | | | | | | | |
| a) | Cultivated mushrooms | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| b) | Wild mushrooms | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| 3. PULSES | | | | | | | | | | |
| | Beans | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Lentils | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Peas | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| 4. OILSEEDS | | | | | | | | | | |
| | Linseed | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Peanuts | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Poppy seed | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Sesame seed | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Sunflower seed | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Rape seed | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Soya bean | 0.05* | 0.05* | 0.05* | 0.1 | 0.05* | | 0.05* | | 0.1* |
| | Mustard seed | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Cotton seed | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Others | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| 5. POTATOES | | | | | | | | | | |
| | Early potatoes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| | Ware potatoes | 0.05* | 0.05* | 0.05* | 0.1* | 0.05* | | 0.05* | | 0.1* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.1* | 0.1* | 0.1 | 0.1* | 5 | 0.1* | 0.1* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 5 | 0.1* | 0.1* | | 0.1* | | 0.1* |

⁰⁰⁵Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

TD>Chives

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Captafol</i> | <i>Carbendazim</i> | <i>Carbofuran</i> | <i>Carbosulfan</i> | <i>Cartap</i> | <i>Chlorbenside</i> | <i>Chlorbufam</i> |
|---|--|-----------------|--------------------|-------------------|--------------------|---------------|---------------------|-------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | |
| | Grapefruit | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Lemons | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Limes | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Mandarins (incl clementines & similar hybrids) | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Oranges | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Pomelos | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 5 | 0.3 | 0.05* | | 0.01* | 0.05* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Brazil nuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Cashew nuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Chestnuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Coconuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Hazelnuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Macadamia nuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pecans | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pine nuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pistachios | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Walnuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| iii) POME FRUIT | | | | | | | | |
| | Apples | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pears | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Quinces | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| iv) STONE FRUIT | | | | | | | | |
| | Apricots | 0.02* | 1 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Cherries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.02* | 1 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Plums | 0.02* | 0.5 | 0.1* | 0.05* | | 0.01* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
|---|---|-------|------|------|-------|--|-------|-------|
| v) BERRIES AND SMALL FRUIT | | | | | | | | |
| a) | Table & wine grapes | | | | | | | |
| | Table grapes | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Wine grapes | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| b) | Strawberries (other than wild) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| c) | Cane Fruit (other than wild) | | | | | | | |
| | Blackberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Dewberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Loganberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Raspberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| d) | Other small fruit & berries (other than wild) | | | | | | | |
| | Bilberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Cranberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Currants (red, black & white) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Gooseberries | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| e) | Wild berries & wild fruit | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| vi) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Bananas | 0.02* | 1 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Dates | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Figs | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Kiwi fruit | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Kumquats | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Litchis | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Mangoes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Olives (table consumption) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Olives (oil extract) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Papaya | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Passion fruit | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pineapples | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Pomegranates | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | |
|------------------------------|-------------------------|-------|------|------|-------|--|-------|-------|
| i) ROOT AND TUBER VEGETABLES | | | | | | | | |
| | Beetroot | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Carrots | 0.02* | 0.1* | 0.3 | 0.1 | | 0.01* | 0.05* |
| | Celeriac | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Horseradish | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Jerusalem artichokes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Parsnips | 0.02* | 0.1* | 0.3 | 0.1 | | 0.01* | 0.05* |
| | Parsley root | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Radishes | 0.02* | 0.1* | 0.5 | 0.05* | | 0.01* | 0.05* |
| | Salsify | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Sweet potatoes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Swedes | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Turnips | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Yams | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | |
| | Garlic | 0.02* | 0.1* | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Onions | 0.02* | 0.1* | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Shallots | 0.02* | 0.1* | 0.3 | 0.05* | | 0.01* | 0.05* |
| | Spring onions | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | |
| a) | | | | | | | | |
| | Solanacea | | | | | | | |
| | Tomatoes | 0.02* | 0.5 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Peppers | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Chilli peppers | 0.02* | 0.1* | 0.1* | | | 0.01* | 0.05* |
| | Aubergines | 0.02* | 0.5 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| b) | | | | | | | | |
| | Cucurbits-edible peel | | | | | | | |
| | Cucumbers | 0.02* | 1 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Gherkins | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Courgettes | 0.02* | 0.3 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| c) | | | | | | | | |
| | Cucurbits-inedible peel | | | | | | | |
| | Melons | 0.02* | 0.5 | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Squashes | 0.02* | 0.5 | 0.2 | 0.05* | | 0.01* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | |
|------------------------------------|---------------------|-------|------|-------|-------|-------|----------------------|----------------------|
| | Watermelons | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| d) | Sweet corn | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | |
| | Broccoli | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Cauliflower | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| b) | Head Brassicas | | | | | | | |
| | Brussels sprouts | 0.02* | 0.5 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Head cabbage | 0.02* | 3 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | | 3 | 0.1* | 0.05* | | 0.01* | 0.05* |
| c) | Leafy Brassicas | | | | | | | |
| | Chinese cabbage | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Kale | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| d) | Kohlrabi | 0.02* | 0.1* | 0.2 | 0.05* | | 0.01* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | |
| a) | Lettuce & similar | | | | | | | |
| | Cress | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Lamb's lettuce | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Lettuce | 0.02* | 5 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Scarole | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* ⁰⁰⁷ | 0.05* ⁰⁰⁷ |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| b) | Spinach & similar | | | | | | | |
| | Spinach | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Beet leaves (chard) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| c) | Watercress | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| d) | Witloof | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| e) | Herbs | | | | | | | |
| | Chervil | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* | |
| | Parsley | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Celery leaves | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | |
|-------------------------------|----------------------|-------|------|------|-------|--|-------|-------|
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Beans (without pods) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Peas (with pods) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Peas (without pods) | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Cardoons | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Celery | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Fennel | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Globe artichokes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Leeks | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Rhubarb | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| viii) FUNGI | | | | | | | | |
| a) | Cultivated mushrooms | 0.02* | 1 | 0.1* | 0.05* | | 0.01* | 0.05* |
| b) | Wild mushrooms | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| 3. PULSES | | | | | | | | |
| | Beans | 0.02* | 2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Lentils | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Peas | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| 4. OILSEEDS | | | | | | | | |
| | Linseed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Peanuts | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Poppy seed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Sesame seed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Sunflower seed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Rape seed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Soya bean | 0.02* | 0.2 | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Mustard seed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Cotton seed | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| | Others | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| 5. POTATOES | | | | | | | | |
| | Early potatoes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | |
|-----------------|--|-------|------|------|-------|------|-------|-------|
| | Ware potatoes | 0.02* | 0.1* | 0.1* | 0.05* | | 0.01* | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.1* | 0.2* | 0.1* | 0.1* | 0.1* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 10 | 1 | | 0.1* | 0.1* |

⁰⁰⁷Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

| Group to which food belongs | Groups include the following products | Chlordane | Chlorfenson | Chlormequat | Chlorobenzilate | Chlorothalonil | Chloroxuron | Chlorpyrifos |
|---|--|-----------|-------------|-------------|-----------------|----------------|-------------|--------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | |
| | Grapefruit | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Lemons | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.2 |
| | Limes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Mandarins (incl clementines & similar hybrids) | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 2 |
| | Oranges | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Pomelos | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Brazil nuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Cashew nuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Chestnuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Coconuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Hazelnuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Macadamia nuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Pecans | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Pine nuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Pistachios | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Walnuts | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | | | | |
| | Apples | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.5 |
| | Pears | | 0.01* | 0.5 | 0.02* | 1 | 0.05* | 0.5 |
| | Quinces | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.5 |
| | Others | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.5 |
| iv) STONE FRUIT | | | | | | | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | |
|----------------------------|---|--|-------|-------|-------|-------|-------|-------|
| | Apricots | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* |
| | Cherries | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.3 |
| | Peaches (incl nectarines & similar hybrids) | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.2 |
| | Plums | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.2 |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | |
| a) | Table & wine grapes | | | | | | | |
| | Table grapes | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.5 |
| | Wine grapes | | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.5 |
| b) | Strawberries (other than wild) | | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.2 |
| c) | Cane Fruit (other than wild) | | | | | | | |
| | Blackberries | | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 0.5 |
| | Dewberries | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Loganberries | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Raspberries | | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 0.5 |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| d) | Other small fruit & berries (other than wild) | | | | | | | |
| | Bilberries | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Cranberries | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.05* |
| | Currants (red, black & white) | | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 1 |
| | Gooseberries | | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 1 |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| e) | Wild berries & wild fruit | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| vi) MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Bananas | | 0.01* | 0.05* | 0.02* | 0.2 | 0.05* | 3 |
| | Dates | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Figs | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Kiwi fruit | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 2 |
| | Kumquats | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Litchis | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Mangoes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Olives (table consumption) | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Olives (oil extract) | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Papaya | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Passion fruit | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | |
|---|----------------------|--|-------|-------|-------|-------|-------|-------|
| | Pineapples | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Pomegranates | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | |
| | Beetroot | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Carrots | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.1 |
| | Celeriac | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* |
| | Horseradish | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Jerusalem artichokes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Parsnips | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Parsley root | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Radishes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.2 |
| | Salsify | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Sweet potatoes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Swedes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Turnips | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Yams | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | |
| | Garlic | | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* |
| | Onions | | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.2 |
| | Shallots | | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* |
| | Spring onions | | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | |
| a) | | | | | | | | |
| Solanacea | | | | | | | | |
| | Tomatoes | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 |
| | Peppers | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 |
| | Chilli peppers | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 |
| | Aubergines | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 |
| | Others | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.5 |
| b) | | | | | | | | |
| Cucurbits-edible peel | | | | | | | | |
| | Cucumbers | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* |
| | Gherkins | | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| | Courgettes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | |
|------------------------------------|-------------------------|--|----------------------|-------|----------------------|-------|----------------------|-------|
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| c) | Cucurbits-inedible peel | | | | | | | |
| | Melons | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* |
| | Squashes | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* |
| | Watermelons | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 1 | 0.05* | 0.05* |
| d) | Sweet corn | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | |
| | Broccoli | | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.05* |
| | Cauliflower | | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 0.05* |
| b) | Head Brassicas | | | | | | | |
| | Brussels sprouts | | 0.01* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* |
| | Head cabbage | | 0.01* | 0.05* | 0.02* | 3 | 0.05* | 1 |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| c) | Leafy Brassicas | | | | | | | |
| | Chinese cabbage | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.5 |
| | Kale | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| d) | Kohlrabi | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | |
| a) | Lettuce & similar | | | | | | | |
| | Cress | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Lamb's lettuce | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Lettuce | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Scarole | | 0.01* ⁰⁰⁹ | 0.05* | 0.02* ⁰⁰⁹ | 0.01* | 0.05* ⁰⁰⁹ | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| b) | Spinach & similar | | | | | | | |
| | Spinach | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Beet leaves (chard) | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| c) | Watercress | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| d) | Witloof | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| e) | Herbs | | | | | | | |
| | Chervil | | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | |
|-------------------------------|----------------------|--|-------|-------|-------|-------|-------|-------|
| | Chives | | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| | Parsley | | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| | Celery leaves | | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 5 | 0.05* | 0.05* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | |
| | Beans (with pods) | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Beans (without pods) | | 0.01* | 0.05* | 0.02* | 0.05 | 0.05* | 0.05* |
| | Peas (with pods) | | 0.01* | 0.05* | 0.02* | 2 | 0.05* | 0.05* |
| | Peas (without pods) | | 0.01* | 0.05* | 0.02* | 0.3 | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| vii) STEM VEGETABLES | | | | | | | | |
| | Asparagus | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Cardoons | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Celery | | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 0.05* |
| | Fennel | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Globe artichokes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 1 |
| | Leeks | | 0.01* | 0.05* | 0.02* | 10 | 0.05* | 0.05* |
| | Rhubarb | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| viii) FUNGI | | | | | | | | |
| a) | Cultivated mushrooms | | 0.01* | 10 | 0.02* | 2 | 0.05* | 0.05* |
| b) | Wild mushrooms | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| 3. PULSES | | | | | | | | |
| | Beans | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Lentils | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Peas | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| 4. OILSEEDS | | | | | | | | |
| | Linseed | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Peanuts | | 0.01* | 0.1* | 0.02* | 0.05 | 0.05* | 0.05* |
| | Poppy seed | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Sesame seed | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Sunflower seed | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Rape seed | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Soya bean | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Mustard seed | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | |
|-----------------|--|-------|-------|-------|-------|-------|-------|-------|
| | Cotton seed | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Others | | 0.01* | 0.1* | 0.02* | 0.01* | 0.05* | 0.05* |
| 5. POTATOES | | | | | | | | |
| | Early potatoes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| | Ware potatoes | | 0.01* | 0.05* | 0.02* | 0.01* | 0.05* | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.02* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | | 0.1* | 0.1* | 0.1* | 50 | 0.1* | 0.1* |

⁰⁰⁹Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Chlorpyrifos-methyl</i> | <i>Chlozolinate</i> | <i>Cyfluthrin</i> | <i>Cypermethrin</i> | <i>Daminozide</i> | <i>DDT</i> | <i>Deltamethrin</i> | <i>Diallate</i> | <i>Diazinon</i> |
|---|--|----------------------------|---------------------------------|-------------------|---------------------|-------------------|------------|---------------------|-----------------|-----------------|
| | | | <i>Applying from 1 Jan 2003</i> | | | | | | | |
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | |
| | Grapefruit | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 1 |
| | Lemons | 0.3 | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Limes | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Mandarins (incl clementines & similar hybrids) | 1 | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Oranges | 0.5 | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 1 |
| | Pomelos | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 1 |
| | Others | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | |
| | Almonds | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Brazil nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Cashew nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Chestnuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Coconuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Hazelnuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Macadamia nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pecans | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pine nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Pistachios | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Walnuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | | | | | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | |
|----------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Apples | 0.5 | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.3 |
| | Pears | 0.5 | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.3 |
| | Quinces | 0.5 | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Others | 0.5 | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| iv) STONE FRUIT | | | | | | | | | | |
| | Apricots | 0.05* | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Cherries | 0.05* | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.3 |
| | Peaches (incl nectarines & similar hybrids) | 0.5 | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Plums | 0.05* | 0.05* | 0.2 | 1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.1 |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | | |
| a) | Table & wine grapes | | | | | | | | | |
| | Table grapes | 0.2 | 0.05* | 0.3 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Wine grapes | 0.2 | 0.05* | 0.3 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| b) | Strawberries (other than wild) | 0.5 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| c) | Cane Fruit (other than wild) | | | | | | | | | |
| | Blackberries | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Dewberries | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Loganberries | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Raspberries | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| d) | Other small fruit & berries (other than wild) | | | | | | | | | |
| | Bilberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.2 |
| | Cranberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Currants (red, black & white) | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.2 | 0.05* | 0.2 |
| | Gooseberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.2 | 0.05* | 0.2 |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| e) | Wild berries & wild fruit | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| vi) MISCELLANEOUS FRUIT | | | | | | | | | | |
| | Avocados | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Bananas | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Dates | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Figs | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Kiwi fruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.2 |
| | Kumquats | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Litchis | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | |
|---|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Mangoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Olives (table consumption) | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.05* | 0.02* |
| | Olives (oil extract) | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.05* | 0.02* |
| | Papaya | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Passion fruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Pineapples | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Pomegranates | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | |
| | Beetroot | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Carrots | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.2 |
| | Celeriac | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Horseradish | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Jerusalem artichokes | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Parsnips | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Parsley root | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Radishes | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Salsify | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Sweet potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Swedes | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Turnips | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Yams | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| ii) BULB VEGETABLES | | | | | | | | | | |
| | Garlic | 0.05* | 0.05* | 0.02* | 0.1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Onions | 0.05* | 0.05* | 0.02* | 0.1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Shallots | 0.05* | 0.05* | 0.02* | 0.1 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Spring onions | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| iii) FRUITING VEGETABLES | | | | | | | | | | |
| a) | Solanacea | | | | | | | | | |
| | Tomatoes | 0.5 | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 |
| | Peppers | 0.5 | 0.05* | 0.3 | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 |
| | Chilli peppers | 0.5 | 0.05* | 0.3 | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 |
| | Aubergines | 0.5 | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | |
|------------------------------------|-------------------------|----------|----------------------|-------|-------|-------|-------|-------|----------------------|-------|
| | Others | 0.5 | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.5 |
| b) | Cucurbits-edible peel | | | | | | | | | |
| | Cucumbers | 0.05* | 0.05* | 0.1 | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Gherkins | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Courgettes | TD>0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| c) | Cucurbits-inedible peel | | | | | | | | | |
| | Melons | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Squashes | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Watermelons | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| d) | Sweet corn | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| iv) BRASSICA VEGETABLES | | | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | | | |
| | Broccoli | 0.05* | 0.05* ⁰¹¹ | 0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Cauliflower | 0.05* | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| b) | Head Brassicas | | | | | | | | | |
| | Brussels sprouts | 0.05* | 0.05* | 0.2 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Head cabbage | 0.05* | 0.05* | 0.2 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.2 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| c) | Leafy Brassicas | | | | | | | | | |
| | Chinese cabbage | 0.05* | 0.05* | 0.3 | 1 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Kale | 0.05* | 0.05* | 0.3 | 1 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.3 | 1 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| d) | Kohlrabi | 0.05* | 0.05* | 0.02* | 0.2 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | |
| a) | Lettuce & similar | | | | | | | | | |
| | Cress | 0.05* | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Lamb's lettuce | 0.05* | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Lettuce | 0.05* | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Scarole | 0.05* | 0.05* ⁰¹² | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* ⁰¹² | 0.02* |
| | Others | 0.05* | 0.05* | 0.5 | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| b) | Spinach & similar | | | | | | | | | |
| | Spinach | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Beet leaves (chard) | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | |
|-------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Others | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| c) | Watercress | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| d) | Witloof | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| e) | Herbs | | | | | | | | | |
| | Chervil | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Chives | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Parsley | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Celery leaves | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | | |
| | Beans (with pods) | 0.05* | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.02* |
| | Beans (without pods) | 0.05* | 0.05* | 0.05 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Peas (with pods) | 0.05* | 0.05* | 0.05 | 0.5 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Peas (without pods) | 0.05* | 0.05* | 0.05 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.05 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| vii) STEM VEGETABLES | | | | | | | | | | |
| | Asparagus | 0.05* | 0.05* | 0.02* | 0.1 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Cardoons | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Celery | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Fennel | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Globe artichokes | 0.05* | 0.05* | 0.02* | 2 | 0.02* | 0.05* | 0.1 | 0.05* | 0.02* |
| | Leeks | 0.05* | 0.05* | 0.02* | 0.5 | 0.02* | 0.05* | 0.2 | 0.05* | 0.02* |
| | Rhubarb | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| viii) FUNGI | | | | | | | | | | |
| a) | Cultivated mushrooms | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| b) | Wild mushrooms | 0.05* | 0.05* | 0.02* | 1 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| 3. PULSES | | | | | | | | | | |
| | Beans | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | 0.02* |
| | Lentils | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | 0.02* |
| | Peas | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | 0.02* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 1 | 0.05* | 0.02* |
| 4. OILSEEDS | | | | | | | | | | |
| | Linseed | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Peanuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Poppy seed | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | |
|-----------------|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Sesame seed | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Sunflower seed | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Rape seed | 0.05* | 0.05* | 0.05 | 0.2 | 0.05* | 0.05* | 0.1 | 0.05* | 0.05* |
| | Soya bean | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Mustard seed | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Cotton seed | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* |
| 5. POTATOES | | | | | | | | | | |
| | Early potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* |
| | Ware potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.02* | 0.05* | 0.5 | 0.05* | 0.02* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.1* | 0.1* | 0.5 | 0.1* | 0.2 | 5 | 0.1* | 0.05* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 20 | 30 | 0.1* | 0.05* | 5 | 0.1* | 0.05* |

⁰¹¹ Broccoli includes calabrese

⁰¹² Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

| Group to which food belongs | Groups include the following products | 1,2 - Dibromoethane | Dichlorprop | Dichlorvos | Dicofol | 1,1-Dichloro-2,2-bis-(4-ethyl-phenyl)-ethane | Dimethoate | Dinoseb | Dinoterb |
|---|--|---------------------|-------------|------------|---------|--|--------------------------|---------|----------|
| | | | | | | | Applying from 1 Jan 2003 | | |
| <i>1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts</i> | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | 0.01* | 0.05* | | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Lemons | 0.01* | 0.05* | | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Limes | 0.01* | 0.05* | | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Mandarins (incl clementines & similar hybrids) | 0.01* | 0.05* | | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Oranges | 0.01* | 0.05* | | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Pomelos | 0.01* | 0.05* | | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 2 | 0.01* | 0.02* | 0.05* | 0.05* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Brazil nuts | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Cashew nuts | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Chestnuts | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |
| | Coconuts | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | |
|----------------------------|---|-------|-------|--|-------|-------|---|-------|-------|-------|
| | Hazelnuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Macadamia nuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Pecans | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Pine nuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Pistachios | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Walnuts | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | | | | | | |
| | Apples | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Pears | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Quinces | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| iv) STONE FRUIT | | | | | | | | | | |
| | Apricots | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Cherries | 0.01* | 0.05* | | 0.02* | 0.01* | 1 | | 0.05* | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Plums | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | | |
| a) | Table & wine grapes | | | | | | | | | |
| | Table grapes | 0.01* | 0.05* | | 2 | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Wine grapes | 0.01* | 0.05* | | 2 | 0.01* | | 0.02* | 0.05* | 0.05* |
| b) | Strawberries (other than wild) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| c) | Cane Fruit (other than wild) | | | | | | | | | |
| | Blackberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Dewberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Loganberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Raspberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| d) | Other small fruit & berries (other than wild) | | | | | | | | | |
| | Bilberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Cranberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Currants (red, black & white) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Gooseberries | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| e) | Wild berries & wild fruit | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|---|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| vi) MISCELLANEOUS FRUIT | | | | | | | | | |
| | Avocados | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Bananas | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Dates | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Figs | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Kiwi fruit | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Kumquats | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Litchis | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Mangoes | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Olives (table consumption) | 0.01* | 0.05* | | 0.02* | 0.01* | 2 | 0.05* | 0.05* |
| | Olives (oil extract) | 0.01* | 0.05* | | 0.02* | 0.01* | 2 | 0.05* | 0.05* |
| | Papaya | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Passion fruit | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Pineapples | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Pomegranates | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | |
| | Beetroot | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Carrots | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Celeriac | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Horseradish | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Jerusalem artichokes | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Parsnips | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Parsley root | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Radishes | 0.01* | TD> | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | |
| | Salsify | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Sweet potatoes | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Swedes | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Turnips | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Yams | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | | |
| | Garlic | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Onions | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Shallots | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|------------------------------------|-------------------------|-------|-------|--|-------|-------|-------|-------|----------------------|
| | Spring onions | 0.01* | 0.05* | | 0.02* | 0.01* | 2 | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | | |
| a) | Solanacea | | | | | | | | |
| | Tomatoes | 0.01* | 0.05* | | 1 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Peppers | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Chilli peppers | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Aubergines | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| b) | Cucurbits-edible peel | | | | | | | | |
| | Cucumbers | 0.01* | 0.05* | | 0.2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Gherkins | 0.01* | 0.05* | | 0.2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Courgettes | 0.01* | 0.05* | | 0.2 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.2 | 0.01* | 0.02* | 0.05* | 0.05* |
| c) | Cucurbits-inedible peel | | | | | | | | |
| | Melons | 0.01* | 0.05* | | 0.5 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Squashes | 0.01* | 0.05* | | 0.5 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Watermelons | 0.01* | 0.05* | | 0.5 | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.5 | 0.01* | 0.02* | 0.05* | 0.05* |
| d) | Sweet corn | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | | |
| | Broccoli | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* ⁰¹⁴ |
| | Cauliflower | 0.01* | 0.05* | | 0.02* | 0.01* | 0.2 | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| b) | Head Brassicas | | | | | | | | |
| | Brussels sprouts | 0.01* | 0.05* | | 0.02* | 0.01* | 0.3 | 0.05* | 0.05* |
| | Head cabbage | 0.01* | 0.05* | | 0.02* | 0.01* | 1 | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| c) | Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Kale | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| d) | Kohlrabi | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | |
|-------------------------------|----------------------|-------|-------|--|-------|----------------------|--|----------------------|-------|----------------------|
| a) | Lettuce & similar | | | | | | | | | |
| | Cress | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Lamb's lettuce | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Lettuce | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.5 | 0.05* | 0.05* |
| | Scarole | 0.01* | 0.05* | | 0.02* | 0.01* ⁰¹⁵ | | 0.02* ⁰¹⁵ | 0.05* | 0.05* ⁰¹⁵ |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| b) | Spinach & similar | | | | | | | | | |
| | Spinach | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Beet leaves (chard) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| c) | Watercress | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| d) | Witloof | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| e) | Herbs | | | | | | | | | |
| | Chervil | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Chives | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Parsley | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Celery leaves | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | | |
| | Beans (with pods) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Beans (without pods) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Peas (with pods) | 0.01* | 0.05* | | 0.02* | 0.01* | | 1 | 0.05* | 0.05* |
| | Peas (without pods) | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| vii) STEM VEGETABLES | | | | | | | | | | |
| | Asparagus | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Cardoons | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Celery | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Fennel | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Globe artichokes | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Leeks | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Rhubarb | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| viii) FUNGI | | | | | | | | | | |
| a) | Cultivated mushrooms | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |
| b) | Wild mushrooms | 0.01* | 0.05* | | 0.02* | 0.01* | | 0.02* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | |
|-----------------|--|-------|-------|------|-------|-------|-------|----------------------|-------|------|
| 3. PULSES | | | | | | | | | | |
| | Beans | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | |
| | Lentils | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | |
| | Peas | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | |
| | Others | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | |
| 4. OILSEEDS | | | | | | | | | | |
| | Linseed | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* | |
| | Peanuts | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* | |
| | Poppy seed | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* | |
| | Sesame seed | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* | |
| | Sunflower seed | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* | |
| | Rape seed | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* | |
| | Soya bean | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* | |
| | Mustard seed | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* | |
| | Cotton seed | 0.01* | 0.05* | | 0.1 | 0.01* | 0.05* | 0.05* | 0.05* | |
| | Others | 0.01* | 0.05* | | 0.05* | 0.01* | 0.05* | 0.05* | 0.05* | |
| 5. POTATOES | | | | | | | | | | |
| | Early potatoes | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | |
| | Ware potatoes | 0.01* | 0.05* | | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.1* | 0.1* | 20 | 0.1* | 0.2 | 0.05* ⁰¹⁶ | 0.1* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.01* | 0.1* | | 50 | 0.1* | 0.05* | 0.1* | 0.1* | |

⁰¹⁴Liver and kidney.

⁰¹⁵Scarole includes broad-leaf endive.

⁰¹⁶The MRL for Dimethoate in tea is changing from the italicised figure on the 1st January 2003.

* Level at or about the limit of determination.

| Group to which food belongs | Groups include the following products | Dioxathion | Diphenylamine | Disulfoton | DNOC | Endosulfan | Endrin | Ethephon | Ethion |
|--|---------------------------------------|------------|---------------|------------|-------|------------|--------|----------|----------------------------------|
| | | | | | | | | | <i>Changing from 31 Dec 2002</i> |
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| | Lemons | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| | Limes | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|--------------------------------------|--|-------|-------|-------|-------|-------|-------|-------|--|
| | Mandarins (incl clementines & similar hybrids) | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| | Oranges | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| | Pomelos | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Brazil nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Cashew nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Chestnuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Coconuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Hazelnuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Macadamia nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Pecans | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Pine nuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Pistachios | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Walnuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.1* | |
| iii) POME FRUIT | | | | | | | | | |
| | Apples | 0.05* | 5 | 0.02* | 0.05* | 0.3 | 0.01* | 3 | |
| | Pears | 0.05* | 10 | 0.02* | 0.05* | 0.3 | 0.01* | 3 | |
| | Quinces | 0.05* | 0.05* | 0.02* | 0.05* | 0.3 | 0.01* | 3 | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.3 | 0.01* | 3 | |
| iv) STONE FRUIT | | | | | | | | | |
| | Apricots | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Cherries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 3 | |
| | Peaches (incl nectarines & similar hybrids) | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| | Plums | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | |
| a) | Table & wine grapes | | | | | | | | |
| | Table grapes | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| | Wine grapes | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| b) | Strawberries (other than wild) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| c) | Cane Fruit (other than wild) | | | | | | | | |
| | Blackberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Dewberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|-----|---|-------|-------|-------|-------|-------|-------|-------|-----|
| | Loganberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Raspberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| d) | Other small fruit & berries (other than wild) | | | | | | | | |
| | Bilberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Cranberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Currants (red, black & white) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 | |
| | Gooseberries | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| e) | Wild berries & wild fruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| vi) | MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Bananas | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Dates | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Figs | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Kiwi fruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Kumquats | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Litchis | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Mangoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Olives (table consumption) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Olives (oil extract) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | TD> |
| | Papaya | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Passion fruit | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Pineapples | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 2 | |
| | Pomegranates | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| 2. | Vegetables, fresh or uncooked, frozen or dry | | | | | | | | |
| i) | ROOT AND TUBER VEGETABLES | | | | | | | | |
| | Beetroot | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Carrots | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Celeriac | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Horseradish | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Jerusalem artichokes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Parsnips | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Parsley root | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Radishes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|--------------------------|-------------------------|-------|-------|-------|----------------------|-------|-------|-------|--|
| | Salsify | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Sweet potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Swedes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Turnips | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Yams | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| ii) BULB VEGETABLES | | | | | | | | | |
| | Garlic | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Onions | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Shallots | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Spring onions | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| iii) FRUITING VEGETABLES | | | | | | | | | |
| a) | Solanacea | | | | | | | | |
| | Tomatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 3 | |
| | Peppers | 0.05* | 0.05* | 0.02* | 0.05* | 1 | 0.01* | 3 | |
| | Chilli peppers | 0.05* | 0.05* | 0.02* | 0.05* | 1 | 0.01* | 3 | |
| | Aubergines | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| b) | Cucurbits-edible peel | | | | | | | | |
| | Cucumbers | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Gherkins | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Courgettes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| c) | Cucurbits-inedible peel | | | | | | | | |
| | Melons | 0.05* | 0.05* | 0.02* | 0.05* | 0.3 | 0.01* | 0.05* | |
| | Squashes | 0.05* | 0.05* | 0.02* | 0.05* | 0.3 | 0.01* | 0.05* | |
| | Watermelons | 0.05* | 0.05* | 0.02* | 0.05* | 0.3 | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.3 | 0.01* | 0.05* | |
| d) | Sweet corn | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| iv) BRASSICA VEGETABLES | | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | | |
| | Broccoli | 0.05* | 0.05* | 0.02* | 0.05* ⁰¹⁸ | 0.05* | 0.01* | 0.05* | |
| | Cauliflower | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| b) | Head Brassicas | | | | | | | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|------------------------------------|----------------------|-------|-------|-------|----------------------|-------|-------|-------|--|
| | Brussels sprouts | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Head cabbage | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| c) | Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Kale | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| d) | Kohlrabi | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | |
| a) | Lettuce & similar | | | | | | | | |
| | Cress | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Lamb's lettuce | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Lettuce | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Scarole | 0.05* | 0.05* | 0.02* | 0.05* ⁰¹⁹ | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| b) | Spinach & similar | | | | | | | | |
| | Spinach | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Beet leaves (chard) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| c) | Watercress | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| d) | Witloof | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| e) | Herbs | | | | | | | | |
| | Chervil | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Chives | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Parsley | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Celery leaves | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | |
| | Beans (with pods) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Beans (without pods) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Peas (with pods) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Peas (without pods) | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| vii) STEM VEGETABLES | | | | | | | | | |
| | Asparagus | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Cardoons | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|-----------------|--|-------|-------|-------|-------|-------|-------|-------|--------|
| | Celery | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Fennel | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Globe artichokes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Leeks | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Rhubarb | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| viii) FUNGI | | | | | | | | | |
| a) | Cultivated mushrooms | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| b) | Wild mushrooms | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| 3. PULSES | | | | | | | | | |
| | Beans | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Lentils | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Peas | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| 4. OILSEEDS | | | | | | | | | |
| | Linseed | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| | Peanuts | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| | Poppy seed | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| | Sesame seed | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| | Sunflower seed | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| | Rape seed | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| | Soya bean | 0.05* | 0.05* | 0.02* | 0.05* | 0.5 | 0.01* | 0.05* | |
| | Mustard seed | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| | Cotton seed | 0.05* | 0.05* | 0.02* | 0.05* | 0.3 | 0.01* | 2 | |
| | Others | 0.05* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01* | 0.05* | |
| 5. POTATOES | | | | | | | | | |
| | Early potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| | Ware potatoes | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.1* | 0.05* | 0.05* | 0.1* | 30 | 0.01* | 0.1* | 2 3 |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.05* | 0.05* | 0.1* | 0.1* | 0.1* | 0.1* | |

⁰¹⁸Broccoli includes calabrese.

⁰¹⁹Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

| Group to which food belongs | Groups include the following products | Fenarimol | Fenbutatin Oxide | Fenchlorphos | Fenitrothion | Fentin | Fenvalerate and Esfenvalerate | |
|---|--|-----------|------------------|--------------|--------------|--------|-------------------------------|--------------------------|
| | | | | | | | Sum of RR and SS isomers | Sum of RS and SR isomers |
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | |
| | Grapefruit | 0.02* | 5 | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Lemons | 0.02* | 5 | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Limes | 0.02* | 5 | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Mandarins (incl clementines & similar hybrids) | 0.02* | 5 | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Oranges | 0.02* | 5 | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Pomelos | 0.02* | 5 | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Others | 0.02* | 5 | 0.01* | | 0.05* | 0.02* | 0.02* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | |
| | Almonds | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Brazil nuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Cashew nuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Chestnuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Coconuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Hazelnuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Macadamia nuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Pecans | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Pine nuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Pistachios | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Walnuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| iii) POME FRUIT | | | | | | | | |
| | Apples | 0.3 | 2 | 0.01* | | 0.05* | 0.05 | 0.02* |
| | Pears | 0.3 | 2 | 0.01* | | 0.05* | 0.05 | 0.02* |
| | Quinces | 0.3 | 2 | 0.01* | | 0.05* | 0.05 | 0.02* |
| | Others | 0.3 | 2 | 0.01* | | 0.05* | 0.05 | 0.02* |
| iv) STONE FRUIT | | | | | | | | |
| | Apricots | 0.5 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Cherries | 1 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Peaches (incl nectarines & similar hybrids) | 0.5 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |
| | Plums | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|---|---|-------|-------|-------|--|-------|-------|-------|--|
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | |
| a) | Table & wine grapes | | | | | | | | |
| | Table grapes | 0.3 | 2 | 0.01* | | 0.05* | 0.1 | 0.02* | |
| | Wine grapes | 0.3 | 2 | 0.01* | | 0.05* | 0.1 | 0.02* | |
| b) | Strawberries (other than wild) | 0.3 | 1 | 0.01* | | 0.05* | 0.02* | 0.02* | |
| c) | Cane Fruit (other than wild) | | | | | | | | |
| | Blackberries | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Dewberries | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Loganberries | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Raspberries | 0.1 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| d) | Other small fruit & berries (other than wild) | | | | | | | | |
| | Bilberries | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Cranberries | 0.02* | 0.05* | 0.01* | | 0.05* | TD> | 0.02* | |
| | Currants (red, black & white) | 1 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Gooseberries | 1 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| e) | Wild berries & wild fruit | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| vi) MISCELLANEOUS FRUIT | | | | | | | | | |
| | Avocados | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Bananas | 0.3 | 3 | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Dates | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Figs | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Kiwi fruit | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Kumquats | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Litchis | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Mangoes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Olives (table consumption) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Olives (oil extract) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Papaya | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Passion fruit | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Pineapples | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Pomegranates | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|------------------------------|----------------------|-------|-------|-------|--|-------|-------|-------|--|
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | |
| | Beetroot | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Carrots | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Celeriac | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Horseradish | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Jerusalem artichokes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Parsnips | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Parsley root | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Radishes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Salsify | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Sweet potatoes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Swedes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Turnips | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Yams | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| ii) BULB VEGETABLES | | | | | | | | | |
| | Garlic | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Onions | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Shallots | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Spring onions | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| iii) FRUITING VEGETABLES | | | | | | | | | |
| a) | | | | | | | | | |
| Solanacea | | | | | | | | | |
| | Tomatoes | 0.5 | 1 | 0.01* | | 0.05* | 0.05 | 0.02* | |
| | Peppers | 0.5 | 1 | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Chilli peppers | 0.5 | 1 | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Aubergines | 0.02* | 1 | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| b) | | | | | | | | | |
| Cucurbits-edible peel | | | | | | | | | |
| | Cucumbers | 0.2 | 0.5* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Gherkins | 0.2 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Courgettes | 0.2 | 0.5 | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.2 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| c) | | | | | | | | | |
| Cucurbits-inedible peel | | | | | | | | | |
| | Melons | 0.05 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Squashes | 0.05 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|------------------------------------|---------------------|-------|-------|-------|--|-------|-------|-------|--|
| | Watermelons | 0.05 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.05 | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| d) | Sweet corn | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| iv) BRASSICA VEGETABLES | | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | | |
| | Broccoli | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Cauliflower | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| b) | Head Brassicas | | | | | | | | |
| | Brussels sprouts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05 | 0.02* | |
| | Head cabbage | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05 | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| c) | Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Kale | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| d) | Kohlrabi | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | |
| a) | Lettuce & similar | | | | | | | | |
| | Cress | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Lamb's lettuce | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Lettuce | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Scarole | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| b) | Spinach & similar | | | | | | | | |
| | Spinach | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Beet leaves (chard) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| c) | Watercress | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| d) | Witloof | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| e) | Herbs | | | | | | | | |
| | Chervil | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Chives | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Parsley | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Celery leaves | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|-------------------------------|----------------------|-------|-------|-------|--|-------|-------|-------|--|
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | |
| | Beans (with pods) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Beans (without pods) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Peas (with pods) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Peas (without pods) | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| vii) STEM VEGETABLES | | | | | | | | | |
| | Asparagus | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Cardoons | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Celery | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Fennel | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Globe artichokes | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Leeks | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Rhubarb | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| viii) FUNGI | | | | | | | | | |
| a) | Cultivated mushrooms | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| b) | Wild mushrooms | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| 3. PULSES | | | | | | | | | |
| | Beans | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Lentils | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Peas | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.02* | 0.02* | |
| 4. OILSEEDS | | | | | | | | | |
| | Linseed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* | |
| | Peanuts | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* | |
| | Poppy seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* | |
| | Sesame seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* | |
| | Sunflower seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* | |
| | Rape seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* | |
| | Soya bean | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* | |
| | Mustard seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* | |
| | Cotton seed | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* | |
| | Others | 0.02* | 0.05* | 0.01* | | 0.05* | 0.05* | 0.05* | |
| 5. POTATOES | | | | | | | | | |
| | Early potatoes | 0.02* | 0.05* | 0.01* | | 0.1 | 0.02* | 0.02* | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | |
|-----------------|--|-------|-------|-------|-----|------|-------|-------|--|--|
| | Ware potatoes | 0.02* | 0.05* | 0.01* | | 0.1 | 0.02* | 0.02* | | |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.05* | 0.1* | 0.1* | 0.5 | 0.1* | 0.05* | 0.05* | | |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 5 | 0.1* | 0.1* | | 0.5 | 0.05* | 0.05* | | |

* Level at or about the limit of determination.

| Group to which food belongs | Groups include the following products | Flucythrinate | Flupyrsulfuron-methyl | Fluroxypyr and its esters expressed as furoxypyr | Folpet | Formothion | Furathiocarb | Glyphosate | Heptachlor | Hexachlorobenzene (HCB) | Hexachlorocyclohexane (HCH) |
|-----------------------------|---------------------------------------|---------------|-----------------------|--|--------|--------------------------|--------------|------------|------------|-------------------------|-------------------------------|
| | | | | | | Applying from 1 Jan 2003 | | | | | |
| | | | | | | | | | | | Sum of alpha and beta isomers |

1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts

| | | | | | | | | | | | |
|--------------------------------------|--|--|-------|-------|--|-------|-------|------|-------|--|--|
| i) CITRUS FRUIT | | | | | | | | | | | |
| | Grapefruit | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Lemons | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Limes | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Mandarins (incl clementines & similar hybrids) | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Oranges | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Pomelos | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | |
| | Almonds | | 0.02* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| | Brazil nuts | | 0.02* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| | Cashew nuts | | 0.02* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| | Chestnuts | | 0.02* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| | Coconuts | | 0.02* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| | Hazelnuts | | 0.02* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| | Macadamia nuts | | 0.02* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| | Pecans | | 0.02* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| | Pine nuts | | 0.02* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| | Pistachios | | 0.02* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| | Walnuts | | 0.02* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| iii) POME FRUIT | | | | | | | | | | | |
| | Apples | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Pears | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | |
|----------------------------|---|--|-------|-------|----|-------|-------|------|-------|--|--|
| | Quinces | | 0.02* | 0.05* | p; | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| iv) STONE FRUIT | | | | | | | | | | | |
| | Apricots | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Cherries | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Peaches (incl nectarines & similar hybrids) | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Plums | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | | | |
| a) | Table & wine grapes | | | | | | | | | | |
| | Table grapes | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Wine grapes | | 0.02* | 0.05* | 10 | 0.02* | 0.05* | 0.1* | 0.01* | | |
| b) | Strawberries (other than wild) | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| c) | Cane Fruit (other than wild) | | | | | | | | | | |
| | Blackberries | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Dewberries | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Loganberries | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Raspberries | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| d) | Other small fruit & berries | | | | | | | | | | |
| | Bilberries | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Cranberries | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Currants (red, black & white) | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Gooseberries | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| e) | Wild berries & wild fruit | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| vi) MISCELLANEOUS FRUIT | | | | | | | | | | | |
| | Avocados | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Bananas | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Dates | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Figs | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Kiwi fruit | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Kumquats | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Litchis | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Mangoes | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Olives (table consumption) | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | |
|---|----------------------|--|-------|-------|--|-------|-------|------|-------|--|--|
| | Olives (oil extract) | | 0.02* | 0.05* | | 0.02* | 0.05* | 2 | 0.01* | | |
| | Papaya | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Passion fruit | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Pineapples | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Pomegranates | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | | |
| | Beetroot | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Carrots | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Celeriac | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Horseradish | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Jerusalem artichokes | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Parsnips | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Parsley root | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Radishes | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Salsify | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Sweet potatoes | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Swedes | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Turnips | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Yams | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| ii) BULB VEGETABLES | | | | | | | | | | | |
| | Garlic | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Onions | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Shallots | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Spring onions | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| iii) FRUITING VEGETABLES | | | | | | | | | | | |
| a) | | | | | | | | | | | |
| | Solanacea | | | | | | | | | | |
| | Tomatoes | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Peppers | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Chilli peppers | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Aubergines | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | |
|------------------------------------|-------------------------|--|-------|-------|--|----------------------|-------|------|-------|--|--|
| b) | Cucurbits-edible peel | | | | | | | | | | |
| | Cucumbers | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Gherkins | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Courgettes | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| c) | Cucurbits-inedible peel | | | | | | | | | | |
| | Melons | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Squashes | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Watermelons | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| d) | Sweet corn | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| iv) BRASSICA VEGETABLES | | | | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | | | | |
| | Broccoli | | 0.02* | 0.05* | | 0.02* | 0.1 | 0.1* | 0.01* | | |
| | Cauliflower | | 0.02* | 0.05* | | 0.02* | 0.1 | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.1 | 0.1* | 0.01* | | |
| b) | Head Brassicas | | | | | | | | | | |
| | Brussels sprouts | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Head cabbage | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| c) | Leafy Brassicas | | | | | | | | | | |
| | Chinese cabbage | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Kale | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| d) | Kohlrabi | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | | |
| a) | Lettuce & similar | | | | | | | | | | |
| | Cress | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Lamb's lettuce | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Lettuce | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Scarole | | 0.02* | 0.05* | | 0.02* ⁰²² | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| b) | Spinach & similar | | | | | | | | | | |
| | Spinach | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Beet leaves (chard) | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | |
|-------------------------------|----------------------|--|-------|-------|--|-------|-------|------|-------|--|--|
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| c) | Watercress | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| d) | Witloof | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| e) | Herbs | | | | | | | | | | |
| | Chervil | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Chives | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Parsley | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Celery leaves | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | | | |
| | Beans (with pods) | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Beans (without pods) | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Peas (with pods) | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Peas (without pods) | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| vii) STEM VEGETABLES | | | | | | | | | | | |
| | Asparagus | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Cardoons | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Celery | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Fennel | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Globe artichokes | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Leeks | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Rhubarb | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| viii) FUNGI | | | | | | | | | | | |
| a) | Cultivated mushrooms | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| b) | Wild mushrooms | | 0.02* | 0.05* | | 0.02* | 0.05* | 50 | 0.01* | | |
| 3. PULSES | | | | | | | | | | | |
| | Beans | | 0.02* | 0.05* | | 0.02* | 0.05* | 2 | 0.01* | | |
| | Lentils | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Peas | | 0.02* | D> | | 0.02* | 0.05* | 3 | 0.01* | | |
| | Others | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| 4. OILSEEDS | | | | | | | | | | | |
| | Linseed | | 0.05* | 0.05* | | 0.05* | 0.05* | 10 | 0.01* | | |
| | Peanuts | | 0.05* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| | Poppy seed | | 0.05* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | |
|-----------------|--|------|-------|-------|--|-------|-------|------|-------|-------|-----|
| | Sesame seed | | 0.05* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| | Sunflower seed | | 0.05* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| | Rape seed | | 0.05* | 0.05* | | 0.05* | 0.05* | 10 | 0.01* | | |
| | Soya bean | | 0.05* | 0.05* | | 0.05* | 0.05* | 20 | 0.01* | | |
| | Mustard seed | | 0.05* | 0.05* | | 0.05* | 0.05* | 10 | 0.01* | | |
| | Cotton seed | | 0.05* | 0.05* | | 0.05* | 0.05* | 10 | 0.01* | | |
| | Others | | 0.05* | 0.05* | | 0.05* | 0.05* | 0.1* | 0.01* | | |
| 5. POTATOES | | | | | | | | | | | |
| | Early potatoes | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| | Ware potatoes | | 0.02* | 0.05* | | 0.02* | 0.05* | 0.1* | 0.01* | | |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.05* | 0.1* | | 0.05* | 0.1* | 0.1* | 0.02* | 0.01* | 0.2 |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | | 0.05* | 0.1* | | 0.05* | 5 | 0.1* | 0.01* | | |

⁰²²Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

>0.02*

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Imazalil</i> | <i>Iprodione</i> | <i>Kresoxim-methyl</i> | <i>Lambda-cyhalothrin</i> | <i>Lindane</i> | <i>Malathion</i> | <i>Maleic-hydrizide</i> | <i>Maneb Mancozeb Metiram Propineb Zineb</i> |
|---|--|-----------------|------------------|------------------------|---------------------------|----------------|------------------|-------------------------|--|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | 5 | 0.02* | 0.05* | 0.1 | 0.01* | | 1* | 5 |
| | Lemons | 5 | 5 | 0.05* | 0.02* | 0.01* | | 1* | 5 |
| | Limes | 5 | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 5 |
| | Mandarins (incl clementines & similar hybrids) | 5 | 2 | 0.05* | 0.02* | 0.01* | | 1* | 5 |
| | Oranges | 5 | 0.02* | 0.05* | 0.1 | 0.01* | | 1* | 5 |
| | Pomelos | 5 | 0.02* | 0.05* | 0.1 | 0.01* | | 1* | 5 |
| | Others | 5 | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 5 |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Brazil nuts | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Cashew nuts | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Chestnuts | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Coconuts | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Hazelnuts | 0.02* | 0.2 | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Macadamia nuts | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|----------------------------|---|-------|-------|-------|-------|-------|--|----|-------|
| | Pecans | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Pine nuts | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Pistachios | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Walnuts | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| | Others | 0.02* | 0.02* | 0.1* | 0.05* | 0.01* | | 1* | 0.1* |
| iii) POME FRUIT | | | | | | | | | |
| | Apples | 5 | 10 | 0.2 | 0.1 | 0.01* | | 1* | 3 |
| | Pears | 5 | 10 | 0.2 | 0.1 | 0.01* | | 1* | 3 |
| | Quinces | 5 | 10 | 0.2 | 0.1 | 0.01* | | 1* | 3 |
| | Others | 5 | 10 | 0.2 | 0.1 | 0.01* | | 1* | 3 |
| iv) STONE FRUIT | | | | | | | | | |
| | Apricots | 0.02* | 5 | 0.05* | 0.2 | 0.01* | | 1* | 2 |
| | Cherries | 0.02* | 5 | 0.05* | 0.1 | 0.01* | | 1* | 1 |
| | Peaches (incl nectarines & similar hybrids) | 0.02* | 5 | 0.05* | 0.2 | 0.01* | | 1* | 2 |
| | Plums | 0.02* | 5 | 0.05* | 0.1 | 0.01* | | 1* | 1 |
| | Others | 0.02* | 5 | 0.05* | 0.1 | 0.01* | | 1* | 0.05* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | |
| a) | Table & wine grapes | | | | | | | | |
| | Table grapes | 0.02* | 10 | 1 | 0.2 | 0.01* | | 1* | 2 |
| | Wine grapes | 0.02* | 10 | 1 | 0.2 | 0.01* | | 1* | 2 |
| b) | Strawberries (other than wild) | 0.02* | 10 | 0.2 | 0.5 | 0.01* | | 1* | 2 |
| c) | Cane Fruit (other than wild) | | | | | | | | |
| | Blackberries | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Dewberries | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Loganberries | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Raspberries | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Others | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| d) | Other small fruit & berries (other than wild) | | | | | | | | |
| | Bilberries | 0.02* | 10 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Cranberries | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Currants (red, black & white) | 0.02* | 10 | 1 | 0.1 | 0.01* | | 1* | 5 |
| | Gooseberries | 0.02* | 10 | 1 | 0.1 | 0.01* | | 1* | 5 |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| e) | Wild berries & wild fruit | 0.02* | 0.02* | 0.05* | 0.2 | 0.01* | | 1* | 0.05* |
| vi) MISCELLANEOUS FRUIT | | | | | | | | | |
| | Avocados | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|---|----------------------------|-------|-------|-------|-------|-------|--|----|-------|
| | Bananas | 2 | 3 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Dates | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Figs | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Kiwi fruit | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Kumquats | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Litchis | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Mangoes | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Olives (table consumption) | 0.02* | 0.02* | 0.2 | 0.02* | 0.01* | | 1* | 5 |
| | Olives (oil extract) | 0.02* | 0.02* | 0.2 | 0.02* | 0.01* | | 1* | 5 |
| | Papaya | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Passion fruit | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Pineapples | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Pomegranates | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | |
| | Beetroot | 0.02* | 0.5 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Carrots | 0.02* | 0.3 | 0.05* | 0.02* | 0.01* | | 30 | 0.2 |
| | Celeriac | 0.02* | 0.02* | 0.05* | 0.1 | 0.01* | | 1* | 0.2 |
| | Horseradish | 0.02* | 0.1 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Jerusalem artichokes | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Parsnips | 0.02* | 0.1 | 0.05* | 0.02* | 0.01* | | 30 | 0.05* |
| | Parsley root | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Radishes | 0.02* | 0.3 | 0.05* | 0.1 | 0.01* | | 1* | 0.2 |
| | Salsify | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.2 |
| | Sweet potatoes | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Swedes | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Turnips | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Yams | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | | |
| | Garlic | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 10 | 0.5 |
| | Onions | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 10 | 0.5 |
| | Shallots | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 10 | 0.5 |
| | Spring onions | 0.02* | 3 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 10 | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|------------------------------------|-------------------------|-------|-------|-------|--------------------|-------|--|----|-------|
| iii) FRUITING VEGETABLES | | | | | | | | | |
| a) | Solanacea | | | | | | | | |
| | Tomatoes | 0.5 | 5 | 0.5 | 0.1 | 0.01* | | 1* | 3 |
| | Peppers | 0.02* | 5 | 1 | 0.1 | 0.01* | | 1* | 2 |
| | Chilli peppers | 0.02* | 5 | 1 | 0.1 | 0.01* | | 1* | 2 |
| | Aubergines | 0.02* | 5 | 0.5 | 0.5 | 0.01* | | 1* | 2 |
| | Others | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 1* | 2 |
| b) | Cucurbits-edible peel | | | | | | | | |
| | Cucumbers | 0.2 | 2 | 0.05* | 0.1 | 0.01* | | 1* | 0.5 |
| | Gherkins | 0.2 | 2 | 0.05* | 0.1 | 0.01* | | 1* | 2 |
| | Courgettes | 0.2 | 2 | 0.05* | 0.1 | 0.01* | | 1* | 2 |
| | Others | 0.2 | 2 | 0.05* | 0.1 | 0.01* | | 1* | 0.05* |
| c) | Cucurbits-inedible peel | | | | | | | | |
| | Melons | 2 | 0.3 | 0.2 | 0.05 | 0.01* | | 1* | 0.5 |
| | Squashes | 0.02* | 0.02* | 0.2 | 0.05 | 0.01* | | 1* | 0.5 |
| | Watermelons | 0.02* | 0.02* | 0.2 | 0.05 | 0.01* | | 1* | 0.5 |
| | Others | 0.02* | 0.02* | 0.2* | 0.05 | 0.01* | | 1* | 0.5 |
| d) | Sweet corn | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | | |
| | Broccoli | 0.02* | 0.05 | 0.05* | 0.1 ⁰²⁴ | 0.01* | | 1* | 1 |
| | Cauliflower | 0.02* | 0.05 | 0.05* | 0.1 | 0.01* | | 1* | 1 |
| | Others | 0.02* | 0.05 | 0.05* | 0.1 | 0.01* | | 1* | 1 |
| b) | Head Brassicas | | | | | | | | |
| | Brussels sprouts | 0.02* | 0.5 | 0.05* | 0.05 | 0.01* | | 1* | 1 |
| | Head cabbage | 0.02* | 5 | 0.05* | 0.2 | 0.01* | | 1* | 1 |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 1 |
| c) | Leafy Brassicas | | | | | | | | |
| | Chinese cabbage | 0.02* | 5 | 0.05* | 0.02* | 0.01* | | 1* | 0.5 |
| | Kale | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.5 |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.5 |
| d) | Kohlrabi | 0.02* | 0.1 | 0.05* | 0.02* | 0.01* | | 1* | 0.1* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | |
| a) | Lettuce & similar | | | | | | | | |
| | Cress | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |
| | Lamb's lettuce | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|-------------------------------|----------------------|-------|-------|-------|-------|----------|--|----|-------|
| | Lettuce | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |
| | Scarole | 0.02* | 10 | 0.05* | 1025 | 0.01*025 | | 1* | 5 |
| | Others | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |
| b) | Spinach & similar | | | | | | | | |
| | Spinach | 0.02* | 0.02* | 0.05* | 0.5 | 0.01* | | 1* | 0.05* |
| | Beet leaves (chard) | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| c) | Watercress | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.3 |
| d) | Witloof | 0.02* | 2 | 0.05* | 0.02* | 0.01* | | 1* | 0.2 |
| e) | Herbs | | | | | | | | |
| | Chervil | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |
| | Chives | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |
| | Parsley | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |
| | Celery leaves | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |
| | Others | 0.02* | 10 | 0.05* | 1 | 0.01* | | 1* | 5 |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | |
| | Beans (with pods) | 0.02* | 5 | 0.05* | 0.2 | 0.01* | | 1* | 1 |
| | Beans (without pods) | 0.02* | | 0.05* | 0.02* | 0.01* | | 1* | 0.1 |
| | Peas (with pods) | 0.02* | 1 | 0.05* | 0.2 | 0.01* | | 1* | 1 |
| bsp; | Peas (without pods) | 0.02* | 0.2 | 0.05* | 0.2 | 0.01* | | 1* | 0.1 |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| vii) STEM VEGETABLES | | | | | | | | | |
| | Asparagus | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Cardoons | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Celery | 0.02* | 0.02* | 0.05* | 0.3 | 0.01* | | 1* | 0.5 |
| | Fennel | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Globe artichokes | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Leeks | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 3 |
| | Rhubarb | 0.02* | 0.2 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Others | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| viii) FUNGI | | | | | | | | | |
| a) | Cultivated mushrooms | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| b) | Wild mushrooms | 0.02* | 0.02* | 0.05* | 0.5 | 0.01* | | 1* | 0.05* |
| 3. PULSES | | | | | | | | | |
| | Beans | 0.02* | 0.2 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Lentils | 0.02* | 0.2 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|-----------------|--|-------|-------|-------|-------|-------|-----|------|-------|
| | Peas | 0.02* | 0.2 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Others | 0.02* | 0.2 | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| 4. OILSEEDS | | | | | | | | | |
| | Linseed | 0.02* | 0.1 | 0.1* | 0.02* | 0.01* | | 1* | 0.1* |
| | Peanuts | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* | |
| | Poppy seed | 0.02* | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* |
| | Sesame seed | 0.02* | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* |
| | Sunflower seed | 0.02* | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* |
| | Rape seed | 0.02* | 0.5 | 0.1* | 0.02* | 0.01* | | 1* | 0.5 |
| | Soya bean | 0.02* | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* |
| | Mustard seed | 0.02* | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* |
| | Cotton seed | 0.02* | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* |
| | Others | 0.02* | 0.02* | 0.1* | 0.02* | 0.01* | | 1* | 0.1* |
| 5. POTATOES | | | | | | | | | |
| | Early potatoes | 0.02* | 0.02* | 0.05* | 0.02* | 0.01* | | 1* | 0.05* |
| | Ware potatoes | 5 | 0.02* | 0.05* | 0.02* | 0.01* | | 50 | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.1* | 0.1* | 1 | 0.05* | 0.5 | 1* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 0.1* | 0.1* | 10 | 0.05* | | 1* | 25 |

⁰²⁴Broccoli includes calabrese.

⁰²⁵Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

| Group to which food belongs | Groups include the following products | Mecarbam | Metalaxyl | Methamid-ophos | Methidathion | Methomyl thiodicarb | Methoxychlor | Methyl bromide | Metsulfuron-methyl |
|--|--|----------|-----------|----------------|--------------|---------------------|--------------|----------------|--------------------------|
| | | | | | | | | | Applying from 1 Jan 2003 |
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | |
| | Grapefruit | 0.05* | 0.5 | 0.2 | 2 | 0.5 | 0.01* | 0.05* | 0.05* |
| | Lemons | 0.05* | 0.05* | 0.2 | 2 | 1 | 0.01* | 0.05* | 0.05* |
| | Limes | 0.05* | 0.05* | 0.2 | 2 | 1 | 0.01* | 0.05* | 0.05* |
| | Mandarins (incl clementines & similar hybrids) | 0.05* | 0.05* | 0.2 | 2 | 1 | 0.01* | 0.05* | 0.05* |
| | Oranges | 0.05* | 0.5 | 0.2 | 2 | 0.5 | 0.01* | 0.05* | 0.05* |
| | Pomelos | 0.05* | 0.5 | 0.2 | 2 | 0.5 | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.2 | 2 | 0.05* | 0.01* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|--------------------------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | |
| | Almonds | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | | 0.05* |
| | Brazil nuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | | 0.05* |
| | Cashew nuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | | 0.05* |
| | Chestnuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | | 0.05* |
| | Coconuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | | 0.05* |
| | Hazelnuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | | 0.05* |
| | Macadamia nuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | | 0.05* |
| | Pecans | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | | 0.05* |
| | Pine nuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | | 0.05* |
| | Pistachios | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | | 0.05* |
| | Walnuts | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | | 0.05* |
| iii) POME FRUIT | | | | | | | | | |
| | Apples | 0.05* | 1 | 0.05 | 0.3 | 0.2 | 0.01* | 0.05* | 0.05* |
| | Pears | 0.05* | 1 | 0.05 | 0.3 | 0.2 | 0.01* | 0.05* | 0.05* |
| | Quinces | 0.05* | 1 | 0.05 | 0.3 | 0.2 | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 1 | 0.05 | 0.3 | 0.2 | 0.01* | 0.05* | 0.05* |
| iv) STONE FRUIT | | | | | | | | | |
| | Apricots | 0.05* | 0.05* | 0.1 | 0.2 | 0.2 | 0.01* | | 0.05* |
| | Cherries | 0.05* | 0.05* | 0.01* | 0.02* | 0.1 | 0.01* | | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | 0.05* | 0.05* | 0.05 | 0.2 | 0.2 | 0.01* | | 0.05* |
| | Plums | 0.05* | 0.05* | 0.3 | 0.2 | 0.5 | 0.01* | | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.2 | 0.05* | 0.01* | | 0.05* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | |
| a) | Table & wine grapes | | | | | | | | |
| | Table grapes | 0.05* | 2 | 0.01* | 0.5 | 0.05* | 0.01* | | 0.05* |
| | Wine grapes | 0.05* | 1 | 0.01* | 0.5 | 1 | 0.01* | | 0.05* |
| b) | Strawberries (other than wild) | 0.05* | 0.5 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| c) | Cane Fruit (other than wild) | | | | | | | | |
| | Blackberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Dewberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Loganberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Raspberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| d) | Other small fruit & berries (other than wild) | | | | | | | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|-----|--|-------|-------|-------|-------|-------|-------|-------|-------|
| | Bilberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Cranberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Currants (red, black & white) | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Gooseberries | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| e) | Wild berries & wild fruit | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| vi) | MISCELLANEOUS FRUIT | | | | | | | | |
| | Avocados | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Bananas | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Dates | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Figs | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | | 0.05* |
| | Kiwi fruit | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Kumquats | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Litchis | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Mangoes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Olives (table consumption) | 0.05* | 0.05* | 0.01* | 1 | 0.05* | 0.01* | 0.05* | 0.05* |
| | Olives (oil extract) | 0.05* | 0.05* | 0.01* | 1 | 0.05* | 0.01* | 0.05* | 0.05* |
| | Papaya | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Passion fruit | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Pineapples | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Pomegranates | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| 2. | Vegetables, fresh or uncooked, frozen or dry | | | | | | | | |
| i) | ROOT AND TUBER VEGETABLES | | | | | | | | |
| | Beetroot | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Carrots | 0.05* | 0.1 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Celeriac | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Horseradish | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Jerusalem artichokes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Parsnips | 0.05* | 0.1 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Parsley root | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Radishes | 0.05* | 0.05* | 0.01* | 0.02* | 0.5 | 0.01* | 0.05* | 0.05* |
| | Salsify | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Sweet potatoes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Swedes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Turnips | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|--------------------------|-------------------------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Yams | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | | |
| | Garlic | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Onions | 0.05* | 0.5 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Shallots | 0.05* | 0.5 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Spring onions | 0.05* | 0.2 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | | |
| a) | Solanacea | | | | | | | | |
| | Tomatoes | 0.05* | 0.05* | 0.5 | 0.02* | 0.5 | 0.01* | 0.05* | 0.05* |
| | Peppers | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Chilli peppers | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Aubergines | 0.05* | 0.05* | 0.2 | 0.02* | 0.5 | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| b) | Cucurbits-edible peel | | | | | | | | |
| | Cucumbers | 0.05* | 0.5 | 1 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Gherkins | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Courgettes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| c) | Cucurbits-inedible peel | | | | | | | | |
| | Melons | 0.05* | 0.2 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Squashes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Watermelons | 0.05* | 0.2 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| d) | Sweet corn | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | | |
| | Broccoli | 0.05* | 0.1 | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Cauliflower | 0.05* | 0.1 | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.1 | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| b) | Head Brassicas | | | | | | | | |
| | Brussels sprouts | 0.05* | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Head cabbage | 0.05* | 1 | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| c) | Leafy Brassicas | | | | | | | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|------------------------------------|----------------------|-------|-------|-------|-------|-------|----------------------|-------|-------|
| | Chinese cabbage | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Kale | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| d) | Kohlrabi | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | |
| a) | Lettuce & similar | | | | | | | | |
| | Cress | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Lamb's lettuce | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Lettuce | 0.05* | 1 | 0.2 | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| | Scarole | 0.05* | 1 | 0.01* | 0.02* | 0.05* | 0.01* ⁰²⁷ | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| b) | Spinach & similar | | | | | | | | |
| | Spinach | 0.05* | 0.05* | 0.01* | 0.02* | 2 | 0.01* | TD> | 0.05* |
| | Beet leaves (chard) | 0.05* | 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| c) | Watercress | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| d) | Witloof | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| e) | Herbs | | | | | | | | |
| | Chervil | 0.05* | 1 | 0.01* | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| | Chives | 0.05* | 1 | 0.01* | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| | Parsley | 0.05* | 1 | 0.01* | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| | Celery leaves | 0.05* | 1 | 0.01* | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 1 | 0.01* | 0.02* | 2 | 0.01* | 0.05* | 0.05* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | |
| | Beans (with pods) | 0.05* | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Beans (without pods) | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Peas (with pods) | 0.05* | 0.05* | 0.5 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Peas (without pods) | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| vii) STEM VEGETABLES | | | | | | | | | |
| | Asparagus | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Cardoons | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Celery | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Fennel | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Globe artichokes | 0.05* | 0.05* | 0.1 | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Leeks | 0.05* | 0.2 | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | |
|-----------------|--|-------|-------|-------|-------|-------|-------|-------|-------|
| | Rhubarb | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| viii) FUNGI | | | | | | | | | |
| a) | Cultivated mushrooms | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| b) | Wild mushrooms | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| 3. PULSES | | | | | | | | | |
| | Beans | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | | 0.05* |
| | Lentils | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | | 0.05* |
| | Peas | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | | 0.05* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | | 0.05* |
| 4. OILSEEDS | | | | | | | | | |
| | Linseed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* | 0.1* |
| | Peanuts | 0.05* | 0.05* | 0.01* | 0.02* | 0.1 | 0.01* | 0.1* | 0.1* |
| | Poppy seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* | 0.1* |
| | Sesame seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* | 0.1* |
| | Sunflower seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* | 0.1* |
| | Rape seed | 0.05* | 0.05* | 0.01* | 0.05* | 0.05* | 0.01* | 0.1* | 0.1* |
| | Soya bean | 0.05* | 0.05* | 0.01* | 0.02* | 0.1 | 0.01* | 0.1* | 0.1* |
| | Mustard seed | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* | 0.1* |
| | Cotton seed | 0.05* | 0.05* | 0.1 | 0.02* | 0.1 | 0.01* | 0.1* | 0.1* |
| | Others | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.1* | 0.1* |
| 5. POTATOES | | | | | | | | | |
| | Early potatoes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| | Ware potatoes | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* | 0.01* | 0.05* | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.05* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.1* | 10 | 2 | 3 | 10 | 0.1* | 0.05* | 0.1* |

⁰²⁷ Scarole includes broad-leaf endive.

* Level at or about the limit of determination.

TD>Bilberries

| Group to which food belongs | Groups include the following products | Monocroto-phos | Monolinuron | Omethoate | Oxydemeton-methyl | Paraquat | Parathion | Permethrin | Phorate | Phosmet | Phoxim | Pirimiphos-methyl | Procymidone |
|--|---------------------------------------|----------------|-------------|-----------|--------------------------|----------|--------------------------|------------|---------|---------|--------|-------------------|-------------|
| | | | | | Applying from 1 Jan 2003 | | Applying from 1 May 2003 | | | | | | |
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | | | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | | | |
|--------------------------------------|--|--|-------|--|-------|-------|-------|-------|-------|--|--|-------|-------|
| | Grapefruit | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 1 | 0.02* |
| | Lemons | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 1 | 0.02* |
| | Limes | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 1 | 0.02* |
| | Mandarins (incl clementines & similar hybrids) | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 2 | 0.02* |
| | Oranges | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 1 | 0.02* |
| | Pomelos | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 1 | 0.02* |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 1 | 0.02* |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | | | |
| | Almonds | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Brazil nuts | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Cashew nuts | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Chestnuts | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Coconuts | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Hazelnuts | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Macadamia nuts | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Pecans | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Pine nuts | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Pistachios | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Walnuts | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | | | | | | | | | |
| | Apples | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Pears | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 1 |
| | Quinces | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| iv) STONE FRUIT | | | | | | | | | | | | | |
| | Apricots | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 2 |
| | Cherries | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Peaches (incl nectarines & similar hybrids) | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 2 |
| | Plums | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 2 |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 2 |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | | | | | |
| a) | Table & wine grapes | | | | | | | | | | | | |
| | Table grapes | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 5 |
| | Wine grapes | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 2 | 5 |
| b) | Strawberries (other than wild) | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 5 |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | | | |
|---|-------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|--|-------|-------|-------|
| c) | Cane Fruit (other than wild) | | | | | | | | | | | | |
| | Blackberries | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Dewberries | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Loganberries | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Raspberries | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | 0.05* | 10 | |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| d) | Other small fruit & berries | | | | | | | | | | | | |
| | (other than wild) | | | | | | | | | | | | |
| | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* | |
| | Cranberries | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Currants (red, black & white) | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Gooseberries | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| e) | Wild berries & wild fruit | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| vi) MISCELLANEOUS FRUIT | | | | | | | | | | | | | |
| | Avocados | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Bananas | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Dates | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Figs | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Kiwi fruit | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | 2 | 5 | |
| | Kumquats | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Litchis | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Mangoes | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Olives (table consumption) | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Olives (oil extract) | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Papaya | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Passion fruit | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Pineapples | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Pomegranates | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | | | | |
| | Beetroot | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Carrots | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | 1 | 0.02* | |
| | Celeriac | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | | | |
|--------------------------|-------------------------|--|-------|-------|-------|-------|-------|-------|-------|--|--|-------|-------|
| | Horseradish | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Jerusalem artichokes | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Parsnips | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Parsley root | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Radishes | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Salsify | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Sweet potatoes | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Swedes | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Turnips | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Yams | | 0.05* | nbsp; | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| ii) BULB VEGETABLES | | | | | | | | | | | | | |
| | Garlic | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.2 |
| | Onions | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.2 |
| | Shallots | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.2 |
| | Spring onions | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| iii) FRUITING VEGETABLES | | | | | | | | | | | | | |
| a) | Solanacea | | | | | | | | | | | | |
| | Tomatoes | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 1 | 2 |
| | Peppers | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 1 | 2 |
| | Chilli peppers | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 1 | 2 |
| | Aubergines | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 2 |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 2 |
| b) | Cucurbits-edible peel | | | | | | | | | | | | |
| | Cucumbers | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.1 | 1 |
| | Gherkins | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 1 |
| | Courgettes | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 1 |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 1 |
| c) | Cucurbits-inedible peel | | | | | | | | | | | | |
| | Melons | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 1 | 1 |
| | Squashes | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 1 |
| | Watermelons | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 1 |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 1 |
| d) | Sweet corn | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| iv) BRASSICA VEGETABLES | | | | | | | | | | | | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | | | |
|------------------------------------|----------------------|--|----------------------|--|---------------------|-------|----------------------|----------------------|-------|--|--|-------|-------|
| a) | Flowering Brassicas | | | | | | | | | | | | |
| | Broccoli | | 0.05* ⁰²⁹ | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 1 | 0.02* |
| | Cauliflower | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 1 | 0.02* |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 1 | 0.02* |
| b) | Head Brassicas | | | | | | | | | | | | |
| | Brussels sprouts | | 0.05* | | 0.05 | 0.05* | 0.05* | 0.05* | 0.05* | | | 2 | 0.02* |
| | Head cabbage | | 0.05* | | 0.05 | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| c) | Leafy Brassicas | | | | | | | | | | | | |
| | Chinese cabbage | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Kale | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| d) | Kohlrabi | | 0.05* | | 0.05 | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | | | | |
| a) | Lettuce & similar | | | | | | | | | | | | |
| | Cress | | 0.05* | | 0.05 | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 5 |
| | Lamb's lettuce | | 0.05* | | 0.05 | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 5 |
| | Lettuce | | 0.05* | | 0.05 | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 5 |
| | Scarole | | 0.05* ⁰³⁰ | | 0.05 ⁰³⁰ | 0.05* | 0.05* ⁰³⁰ | 0.05* ⁰³⁰ | 0.05* | | | 0.05* | 5 |
| | Others | | 0.05* | | 0.05 | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 5 |
| b) | Spinach & similar | | | | | | | | | | | | |
| | Spinach | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Beet leaves (chard) | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| c) | Watercress | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| d) | Witloof | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 2 |
| e) | Herbs | | | | | | | | | | | | |
| | Chervil | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Chives | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Parsley | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Celery leaves | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | | | | | |
| | Beans (with pods) | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 2 |
| | Beans (without pods) | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | | | |
|----------------------|--|------|-------|-----|-------|-------|-------|-------|-------|------|------|-------|------------|
| | Peas (with pods) | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 1 |
| | Peas (without pods) | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.3 |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| vii) STEM VEGETABLES | | | | | | | | | | | | | |
| | Asparagus | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Cardoons | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Celery | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Fennel | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Globe artichokes | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Leeks | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Rhubarb | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| viii) FUNGI | | | | | | | | | | | | | |
| a) | Cultivated mushrooms | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 2 | 0.02* |
| b) | Wild mushrooms | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| 3. PULSES | | | | | | | | | | | | | |
| | Beans | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Lentils | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Peas | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.2 |
| | Others | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| 4. OILSEEDS | | | | | | | | | | | | | |
| | Linseed | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Peanuts | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.1 | | | 0.05* | 0.05* |
| | Poppy seed | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Sesame seed | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Sunflower seed | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 1/0.05*031 |
| | Rape seed | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 1 |
| | Soya bean | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 1 |
| | Mustard seed | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Cotton seed | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.05* |
| 5. POTATOES | | | | | | | | | | | | | |
| | Early potatoes | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| | Ware potatoes | | 0.05* | | 0.02* | 0.05* | 0.05* | 0.05* | 0.05* | | | 0.05* | 0.02* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.1* | 0.1 | 0.05* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.1* | 0.05* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | | 0.1* | | 0.05* | 0.1* | 0.1* | 0.1* | 0.1* | | | 0.05* | 0.1* |

⁰²⁹Broccoli includes calabrese.

⁰³⁰Scarole includes broad-leaf endive

⁰³¹Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.

* Level at or about the limit of determination.

D>0.02*

| Group to which food belongs | Groups include the following products | Profenophos | Prohexadione and its salts expressed as prohexadione | Propargite | Propham | Propiconazole | Propoxur | Propyzamide | Pymetrozine | Pyrazophos | Pyridate | Quinalphos | Quintozene | Spiroxamine | Tecnazene | TEPP | Thiabendazole |
|--|--|-------------|--|------------|---------|---------------|----------|-------------|-------------|------------|--------------------------|------------|------------|-------------|--------------------------|-------|---------------|
| | | | | | | | | | | | Applying from 1 Jan 2003 | | | | Applying from 1 Jan 2003 | | |
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | | | | | | | | | | | | | |
| i) CITRUS FRUIT | | | | | | | | | | | | | | | | | |
| | Grapefruit | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.3 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Lemons | | 0.05* | | 0.05* | 0.05* | 0.3 | 0.02* | 0.3 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Limes | | 0.05* | | 0.05* | 0.05* | 0.3 | 0.02* | 0.3 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Mandarins (incl clementines & similar hybrids) | | 0.05* | | 0.05* | 0.05* | 0.3 | 0.02* | 0.3 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Oranges | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.3 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Pomelos | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.3 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.3 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| ii) TREE NUTS (shelled or unshelled) | | | | | | | | | | | | | | | | | |
| | Almonds | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Brazil nuts | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Cashew nuts | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Chestnuts | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Coconuts | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Hazelnuts | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Macadamia nuts | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Pecans | | 0.05* | | 0.05* | 5* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Pine nuts | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|-------|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Pistachios | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Walnuts | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.1* |
| iii) POME FRUIT | | | | | | | | | | | | | | | | | |
| | Apples | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Pears | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Quinces | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| iv) STONE FRUIT | | | | | | | | | | | | | | | | | |
| | Apricots | | 0.05* | | 0.05* | 0.2 | 0.05* | 0.02* | 0.05 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Cherries | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Peaches (incl nectarines & similar hybrids) | | 0.05* | | 0.05* | 0.2 | 0.05* | 0.02* | 0.05 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Plums | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| v) BERRIES AND SMALL FRUIT | | | | | | | | | | | | | | | | | |
| a) | Table & wine grapes | | | | | | | | | | | | | | | | |
| | Table grapes | | 0.05* | | 0.05* | 0.5 | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 1 | 0.05* | 0.01* | 0.05* |
| | Wine grapes | | 0.05* | | 0.05* | 0.5 | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 1 | 0.05* | 0.01* | 0.05* |
| b) | Strawberries (other than wild) | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| c) | Cane Fruit (other than wild) | | | | | | | | | | | | | | | | |
| | Blackberries | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Dewberries | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Loganberries | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Raspberries | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| d) | Other small fruit & berries (other than wild) | | | | | | | | | | | | | | | | |
| | Bilberries | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Cranberries | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Currants (red, black & white) | | 0.05* | | 0.05* | 0.05* | 0.2 | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Gooseberries | | 0.05* | | 0.05* | 0.05* | 0.2 | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | | | | | | | |
|---|----------------------------|--|-------|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| e) | Wild berries & wild fruit | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| vi) | MISCELLANEOUS FRUIT | | | | | | | | | | | | | | | | |
| | Avocados | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 15 |
| | Bananas | | 0.05* | | 0.05* | 0.1 | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Dates | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Figs | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Kiwi fruit | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Kumquats | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Litchis | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Mangoes | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 5 |
| | Olives (table consumption) | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Olives (oil extract) | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Papaya | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 10 |
| | Passion fruit | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Pineapples | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Pomegranates | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | | | | | | | | | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | | | | | | | | | | | | | |
| | Beetroot | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Carrots | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Celeriac | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Horseradish | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Jerusalem artichokes | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Parsnips | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Parsley root | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Radishes | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Salsify | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Sweet potatoes | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Swedes | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | | | | | | | |
|--------------------------|-------------------------|--|-------|--|----------------------|-------|-------|-------|-------|----------------------|-------|-------|-------|-------|----------------------|-------|-------|
| | Turnips | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Yams | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| ii) BULB VEGETABLES | | | | | | | | | | | | | | | | | |
| | Garlic | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Onions | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Shallots | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Spring onions | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| iii) FRUITING VEGETABLES | | | | | | | | | | | | | | | | | |
| a) | Solanacea | | | | | | | | | | | | | | | | |
| | Tomatoes | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Peppers | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Chilli peppers | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 1 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | |
| | Aubergines | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| b) | Cucurbits-edible peel | | | | | | | | | | | | | | | | |
| | Cucumbers | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Gherkins | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Courgettes | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.5 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| c) | Cucurbits-inedible peel | | | | | | | | | | | | | | | | |
| | Melons | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Squashes | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Watermelons | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.2 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| d) | Sweet corn | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | | | | | | | | | | | | | |
| a) | Flowering Brassicas | | | | | | | | | | | | | | | | |
| | Broccoli | | 0.05* | | 0.05* ⁰³³ | 0.05* | 0.5 | 0.02* | 0.02* | 0.05* ⁰³³ | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* ⁰³³ | 0.01* | 5 |
| | Cauliflower | | 0.05* | | 0.05* | 0.05* | 0.5 | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.5 | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| b) | Head Brassicas | | | | | | | nbsp; | | | | | | | | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | | | | | | | |
|------------------------------------|----------------------|--|-------|--|----------------------|-------|-------|-------|-------|----------------------|-------|-------|----------------------|-------|----------------------|-------|-------|
| | Brussels sprouts | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Head cabbage | | 0.05* | | 0.05* | 0.05* | 0.5 | 0.02* | 0.05 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| c) | Leafy Brassicas | | | | | | | | | | | | | | | | |
| | Chinese cabbage | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Kale | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.2 | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* | |
| d) | Kohlrabi | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | | | | | | | | | | | | | |
| a) | Lettuce & similar | | | | | | | | | | | | | | | | |
| | Cress | | 0.05* | | 0.05* | 0.05* | 0.05* | 1 | 1 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Lamb's lettuce | | 0.05* | | 0.05* | 0.05* | 0.05* | 1 | 1 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Lettuce | | 0.05* | | 0.05* | 0.05* | 0.05* | 1 | 1 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Scarole | | 0.05* | | 0.05* ⁰³⁴ | 0.05* | 0.05* | 1 | 1 | 0.05* ⁰³⁴ | 0.05* | 0.05* | 0.02* ⁰³⁴ | 0.05* | 0.05* ⁰³⁵ | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 1 | 1 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| b) | Spinach & similar | | | | | | | | | | | | | | | | |
| | Spinach | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Beet leaves (chard) | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| c) | Watercress | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| d) | Witloof | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| e) | Herbs | | | | | | | | | | | | | | | | |
| | Chervil | | 0.05* | | 0.05* | 0.05* | 0.05* | 1 | 1 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Chives | | 0.05* | | 0.05* | 0.05* | 0.05* | 1 | 1 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Parsley | | 0.05* | | 0.05* | 0.05* | 0.05* | 1 | 1 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Celery leaves | | 0.05* | | 0.05* | 0.05* | 0.05* | 1 | 1 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 1 | 1 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| vi) LEGUME VEGETABLES (fresh) | | | | | | | | | | | | | | | | | |
| | Beans (with pods) | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Beans (without pods) | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | | | | | | | |
|----------------------|----------------------|--|-------|--|-------|-------|-------|-------|-------|-------|-------|-------|---------------------|-------|-------|-------|-------|
| | Peas (with pods) | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Peas (without pods) | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| vii) STEM VEGETABLES | | | | | | | | | | | | | | | | | |
| | Asparagus | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Cardoons | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Celery | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Fennel | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Globe artichokes | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Leeks | | 0.05* | | 0.05* | 0.05* | 1 | 0.02* | 0.02* | 0.05* | 1 | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Rhubarb | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| viii) FUNGI | | | | | | | | | | | | | | | | | |
| a) | Cultivated mushrooms | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 10 |
| b) | Wild mushrooms | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| 3. PULSES | | | | | | | | | | | | | | | | | |
| | Beans | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Lentils | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Peas | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| 4. OILSEEDS | | | | | | | | | | | | | | | | | |
| | Linseed | | 0.1* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Peanuts | | 0.1* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05 ⁰³⁵ | 0.05* | 0.05* | 0.01* | 0.05* |
| | Poppy seed | | 0.1* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Sesame seed | | 0.1* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Sunflower seed | | 0.1* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Rape seed | | 0.1* | | 0.05* | 0.05* | 0.05* | 0.1 | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Soya bean | | 0.1* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Mustard seed | | 0.1* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Cotton seed | | 0.1* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.05 | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| | Others | | 0.1* | | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |
| 5. POTATOES | | | | | | | | | | | | | | | | | |
| | Early potatoes | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | | | | | | | | |
|-----------------|--|------|-------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|
| | Ware potatoes | | 0.05* | | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.01* | 15 |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, Camellia sinensis) | 0.1* | 0.1* | 5 | 0.1* | 0.1* | 0.1* | 0.05* | 0.1* | 0.1* | 0.1* | 0.1* | 0.05* | 0.1* | 0.1* | 0.02* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | | 0.1* | | 0.1* | 0.1* | 0.1* | 0.05* | 5 | 0.1* | 0.1* | 0.1* | 0.05* | 0.1* | 0.1* | 0.02* | 0.1* |

⁰³³Broccoli includes calabrese.

⁰³⁴Scarole includes broad-leaf endive.

⁰³⁵MRL is based on Codex MRL.

* Level at or about the limit of determination.

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Triazophos</i> | <i>Triforine</i> | <i>2,4,5-T</i> | <i>Vinclozolin</i> |
|---|--|-------------------|------------------|----------------|--------------------|
| 1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts | | | | | |
| i) CITRUS FRUIT | | | | | |
| | Grapefruit | 0.02* | 0.05* | 0.05* | 0.05* |
| | Lemons | 0.02* | 0.05* | 0.05* | 0.05* |
| | Limes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Mandarins (incl clementines & similar hybrids) | 0.02* | 0.05* | 0.05* | 0.05* |
| | Oranges | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pomelos | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| ii) TREE NUTS (shelled or unshelled) | | | | | |
| | Almonds | 0.02* | 0.05* | 0.05* | 0.05* |
| | Brazil nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cashew nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Chestnuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Coconuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Hazelnuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Macadamia nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pecans | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pine nuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pistachios | 0.02* | 0.05* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | |
|----------------------------|---|-------|-------|-------|-------|
| | Walnuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| iii) POME FRUIT | | | | | |
| | Apples | 0.02* | 2 | 0.05* | 1 |
| | Pears | 0.02* | 2 | 0.05* | 1 |
| | Quinces | 0.02* | 2 | 0.05* | 1 |
| | Others | 0.02* | 2 | 0.05* | 1 |
| iv) STONE FRUIT | | | | | |
| | Apricots | 0.02* | 2 | 0.05* | 2 |
| | Cherries | 0.02* | 2 | 0.05* | 0.5 |
| | Peaches (incl nectarines & similar hybrids) | 0.02* | 2 | 0.05* | 0.05* |
| | Plums | 0.02* | 1 | 0.05* | 2 |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| v) BERRIES AND SMALL FRUIT | | | | | |
| a) | Table & wine grapes | | | | |
| | Table grapes | 0.02* | 0.05* | 0.05* | 5 |
| | Wine grapes | 0.02* | 0.05* | 0.05* | 5 |
| b) | Strawberries (other than wild) | 0.02* | 0.05* | 0.05* | 5 |
| c) | Cane Fruit (other than wild) | | | | |
| | Blackberries | 0.02* | 0.05* | 0.05* | 5 |
| | Dewberries | 0.02* | 0.05* | 0.05* | 5 |
| | Loganberries | 0.02* | 0.05* | 0.05* | 5 |
| | Raspberries | 0.02* | 0.05* | 0.05* | 5 |
| | Others | 0.02* | 0.05* | 0.05* | 5 |
| d) | Other small fruit & berries (other than wild) | | | | |
| | Bilberries | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cranberries | 0.02* | 0.05* | 0.05* | 0.05* |
| | Currants (red, black & white) | 0.02* | 2 | 0.05* | 10 |
| | Gooseberries | 0.02* | 2 | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| e) | Wild berries & wild fruit | 0.02* | 0.05* | 0.05* | 0.05* |
| vi) MISCELLANEOUS FRUIT | | | | | |
| | Avocados | 0.02* | 0.05* | 0.05* | 0.05* |
| | Bananas | 0.02* | 0.05* | 0.05 | 0.05* |
| | Dates | 0.02* | 0.05* | 0.05* | 0.05* |
| | Figs | 0.02* | 0.05* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | |
|---|----------------------------|-------|-------|-------|-------|
| | Kiwi fruit | 0.02* | 0.05* | 0.05* | 10 |
| | Kumquats | 0.02* | 0.05* | 0.05* | 0.05* |
| | Litchis | 0.02* | 0.05* | 0.05* | 0.05* |
| | Mangoes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Olives (table consumption) | 0.02* | 0.05* | 0.05* | 0.05* |
| | Olives (oil extract) | 0.02* | 0.05* | 0.05* | 0.05* |
| | Papaya | 0.02* | 0.05* | 0.05* | 0.05* |
| | Passion fruit | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pineapples | 0.02* | 0.05* | 0.05* | 0.05* |
| | Pomegranates | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| 2. Vegetables, fresh or uncooked, frozen or dry | | | | | |
| i) ROOT AND TUBER VEGETABLES | | | | | |
| | Beetroot | 0.02* | 0.05* | 0.05* | 0.05* |
| | Carrots | 0.02* | 0.05* | 0.05* | 0.5 |
| | Celeriac | 0.02* | 0.05* | 0.05* | 0.05* |
| | Horseradish | 0.02* | 0.05* | 0.05* | 0.05* |
| | Jerusalem artichokes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Parsnips | 0.02* | 0.05* | 0.05* | 0.05* |
| | Parsley root | 0.02* | 0.05* | 0.05* | 0.05* |
| | Radishes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Salsify | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sweet potatoes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Swedes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Tumips | 0.02* | 0.05* | 0.05* | 0.05* |
| | Yams | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| ii) BULB VEGETABLES | | | | | |
| | Garlic | 0.02* | 0.05* | 0.05* | 1 |
| | Onions | 0.02* | 0.05* | 0.05* | 1 |
| | Shallots | 0.02* | 0.05* | 0.05* | 1 |
| | Spring onions | 0.02* | 0.05* | 0.05* | 1 |
| | Others | 0.02* | 0.05* | 0.05* | 1 |
| iii) FRUITING VEGETABLES | | | | | |
| a) | | | | | |
| | Solanacea | | | | |
| | Tomatoes | 0.02* | 0.05* | 0.05* | 0.05* |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | |
|------------------------------------|-------------------------|-------|-------|-------|-------|
| | Peppers | 0.02* | 0.05* | 0.05* | 3 |
| | Chilli peppers | 0.02* | 0.05* | 0.05* | 3 |
| | Aubergines | 0.02* | 0.05* | 0.05* | 3 |
| | Others | | 0.05* | 0.05* | 3 |
| b) | Cucurbits-edible peel | | | | |
| | Cucumbers | 0.02* | 0.5 | 0.05* | 1 |
| | Gherkins | 0.02* | 0.5 | 0.05* | 1 |
| | Courgettes | 0.02* | 0.5 | 0.05* | 1 |
| | Others | 0.02* | 0.5 | 0.05* | 1 |
| c) | Cucurbits-inedible peel | | | | |
| | Melons | 0.02* | 0.05* | 0.05* | 1 |
| | Squashes | 0.02* | 0.05* | 0.05* | 1 |
| | Watermelons | 0.02* | 0.05* | 0.05* | 1 |
| | Others | 0.02* | 0.05* | 0.05* | 1 |
| d) | Sweet corn | 0.02* | 0.05* | 0.05* | 0.05* |
| iv) BRASSICA VEGETABLES | | | | | |
| a) | Flowering Brassicas | | | | |
| | Broccoli | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cauliflower | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| b) | Head Brassicas | | | | |
| | Brussels sprouts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Head cabbage | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| c) | Leafy Brassicas | | | | |
| | Chinese cabbage | 0.02* | 0.05* | 0.05* | 2 |
| | Kale | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| d) | Kohlrabi | 0.02* | 0.05* | 0.05* | 0.05* |
| v) LEAF VEGETABLES AND FRESH HERBS | | | | | |
| a) | Lettuce & similar | | | | |
| | Cress | 0.02* | 0.05* | 0.05* | 5 |
| | Lamb's lettuce | 0.02* | 0.05* | 0.05* | 5 |
| | Lettuce | 0.02* | 0.05* | 0.05* | 5 |
| | Scarole | 0.02* | 0.05* | 0.05* | 5 |
| | Others | 0.02* | 0.05* | 0.05* | 5 |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | |
|-------------------------------|----------------------|-------|-------|-------|-------|
| b) | Spinach & similar | | | | |
| | Spinach | 0.02* | 0.05* | 0.05* | 0.05* |
| | Beet leaves (chard) | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| c) | Watercress | 0.02* | 0.05* | 0.05* | 0.05* |
| d) | Witloof | 0.02* | 0.05* | 0.05* | 2 |
| e) | Herbs | | | | |
| | Chervil | 0.02* | 0.05* | 0.05* | 0.05* |
| | Chives | 0.02* | 0.05* | 0.05* | 0.05* |
| | Parsley | 0.02* | 0.05* | 0.05* | 0.05* |
| | Celery leaves | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| vi) LEGUME VEGETABLES (fresh) | | | | | |
| | Beans (with pods) | 0.02* | 0.05* | 0.05* | 2 |
| | Beans (without pods) | 0.02* | 0.05* | 0.05* | 0.5 |
| | Peas (with pods) | 0.02* | 0.05* | 0.05* | 2 |
| | Peas (without pods) | 0.02* | 0.05* | 0.05* | 0.3 |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| vii) STEM VEGETABLES | | | | | |
| | Asparagus | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cardoons | 0.02* | 0.05* | 0.05* | 0.05* |
| | Celery | 0.02* | 0.05* | 0.05* | 0.05* |
| | Fennel | 0.02* | 0.05* | 0.05* | 0.05* |
| | Globe artichokes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Leeks | 0.02* | 0.05* | 0.05* | 0.05* |
| | Rhubarb | 0.02* | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| viii) FUNGI | | | | | |
| a) | Cultivated mushrooms | 0.02* | 0.05* | 0.05* | 0.05* |
| b) | Wild mushrooms | 0.02* | 0.05* | 0.05* | 0.05* |
| 3. PULSES | | | | | |
| | Beans | 0.02* | 0.05* | 0.05* | 0.5 |
| | Lentils | 0.02* | 0.05* | 0.05* | 0.05* |
| | Peas | 0.02* | 0.05* | 0.05* | 0.5 |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| 4. OILSEEDS | | | | | |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | |
|-----------------|--|-------|-------|-------|-------|
| | Linseed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Peanuts | 0.02* | 0.05* | 0.05* | 0.05* |
| | Poppy seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sesame seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Sunflower seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Rape seed | 0.02* | 0.05* | 0.05* | 1 |
| | Soya bean | 0.02* | 0.05* | 0.05* | 0.05* |
| | Mustard seed | 0.02* | 0.05* | 0.05* | 0.05* |
| | Cotton seed | 0.1 | 0.05* | 0.05* | 0.05* |
| | Others | 0.02* | 0.05* | 0.05* | 0.05* |
| 5. POTATOES | | | | | |
| | Early potatoes | 0.02* | 0.05* | 0.05* | 0.05* |
| | Ware potatoes | 0.02* | 0.05* | 0.05* | 0.05* |
| 6. TEA | (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>) | 0.05* | 0.1* | 0.05* | 0.1* |
| 7. HOPS (dried) | including hop pellets & unconcentrated powder | 0.05* | 30 | 0.05* | 40 |

* Level at or about the limit of determination.

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Acephate</i> | <i>Aldicarb</i> | <i>Aldrin & Dieldrin</i> | <i>Amitraz</i> | <i>Aramite</i> | <i>Azimsulfuron</i> | <i>Azinphos-ethyl</i> | <i>Azoxystrobin</i> | <i>Barban</i> |
|------------------------------------|---|-----------------|-----------------|------------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|----------------------|
| 8. CEREALS | | | | | | | | | | |
| | Wheat | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.3 | 0.05* |
| | Rye | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.3 | 0.05* |
| | Barley | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.3 | 0.05* |
| | Sorghum | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Oats | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.3 | 0.05* |
| | Triticale | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.3 | 0.05* |
| | Maize | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Buckwheat | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Millet | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | 0.05* |
| | Rice ⁰³⁸ | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 5 | 0.05* |
| | Other cereals ⁰³⁹ | 0.02* | 0.05* | 0.01 | 0.02* | 0.01* | 0.02* | 0.05* | 0.05* | 0.05* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | |
| | Meat, fat & preparations of meat ⁰⁴⁰ | 0.02* | 0.01* | 0.2 | 0.02* ⁰⁴¹ | 0.01* | | 0.05* | 0.05* | 0.05* |
| | Milk ⁰⁴² & | 0.02* | 0.01* | 0.006 | | 0.01* | | 0.05* | 0.01* | 0.05* |
| | Dairy produce ⁰⁴³ | | 0.01* | | | | | | | |
| | Eggs ⁰⁴⁴ | 0.02* | 0.01* | 0.02 | 0.02* | 0.01* ⁰⁴⁵ | | 0.05* ⁰⁴⁵ | 0.05* | 0.05* ⁰⁴⁵ |

⁰³⁸Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

⁰³⁹Other cereals do not include rice.

⁰⁴⁰Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

⁰⁴¹Poultrymeat only.

⁰⁴²These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

⁰⁴³

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk. - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

⁰⁴⁴Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

⁰⁴⁵For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

| Group to which food belongs | Groups include the following products | Benalaxyl | Benfuracarb | Bentazone | Captafol | Carbaryl | Carbendazim | Carbofuran | Carbon disulphide | Carbon tetrachloride |
|-----------------------------|---------------------------------------|-----------|-------------|--------------------------|----------|----------|-------------|------------|-------------------|----------------------|
| | | | | Applying from 1 Jan 2003 | | | | | | |
| 8. CEREALS | | | | | | | | | | |
| | Wheat | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Rye | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Barley | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Sorghum | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Oats | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Triticale | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Maize | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Buckwheat | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Millet | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |

| | | | | | | | | | | |
|------------------------------|---|-------|-------|-------|-------|------|------|------|-----|-----|
| | Rice ⁰⁴⁷ | 0.05* | 0.05* | 0.1* | 0.05* | 1 | 0.1* | 0.1* | 0.1 | 0.1 |
| | Other cereals ⁰⁴⁸ | 0.05* | 0.05* | 0.1* | 0.05* | 0.5 | 0.1* | 0.1* | 0.1 | 0.1 |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | |
| | Meat, fat & preparations of meat ⁰⁴⁹ | 0.05* | 0.05* | 0.05* | | 0.1* | 0.1* | | | |
| | Milk ⁰⁵⁰ & | 0.05* | 0.05* | 0.02* | | | 0.1* | 0.1* | | |
| | Dairy produce ⁰⁵¹ | | | | | | | | | |
| | Eggs ⁰⁵² | 0.05* | 0.05* | 0.05* | | | 0.1* | 0.1* | | |

⁰⁴⁷Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

⁰⁴⁸Other cereals do not include rice.

⁰⁴⁹Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

⁰⁵⁰These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

⁰⁵¹

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

⁰⁵²Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

* Level at or about the limit of determination.

| Group to which food belongs | Groups include the following products | Carbosulfan | Chlorbufam | Chlordane | Chlorfenson | Chlorobenzilate | Chloroxuron | Chlorbenside |
|-----------------------------|---------------------------------------|-------------|------------|-----------|-------------|-----------------|-------------|--------------|
| 8. CEREALS | | | | | | | | |
| | Wheat | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Rye | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Barley | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Sorghum | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Oats | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Triticale | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Maize | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |

| | | | | | | | | |
|------------------------------|---|-------|----------------------|-------|----------------------|---------------------|----------------------|----------------------|
| | Buckwheat | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Millet | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Rice ⁰⁵⁴ | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| | Other cereals ⁰⁵⁵ | 0.05* | 0.05* | 0.02 | 0.01* | 0.02* | 0.05* | 0.01* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | |
| | Meat, fat & preparations of meat ⁰⁵⁶ | 0.05* | 0.05* | 0.05 | 0.05* | 0.1* | 0.05* | 0.05* |
| | Milk ⁰⁵⁷ & | 0.05* | 0.05* | 0.002 | 0.05* | 0.1* | 0.05* | 0.05* |
| | Dairy produce ⁰⁵⁸ | | | | | | | |
| | Eggs ⁰⁵⁹ | 0.05* | 0.05* ⁰⁶⁰ | 0.005 | 0.05* ⁰⁶⁰ | 0.1* ⁰⁶⁰ | 0.05* ⁰⁶⁰ | 0.05* ⁰⁶⁰ |

⁰⁵⁴Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

⁰⁵⁵Other cereals do not include rice.

⁰⁵⁶Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

⁰⁵⁷These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

⁰⁵⁸

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

⁰⁵⁹Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

⁰⁶⁰For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

| Group to which food belongs | Groups include the following products | Chlormequat | Chlorothalonil | Chlorpyrifos | Chlorpyrifos-methyl | Chlozolinate | Cyfluthrin | Cypermethrin | Daminozide | DDT |
|-----------------------------|---------------------------------------|-------------|----------------|--------------|---------------------|--------------------------|------------|--------------|------------|------|
| | | | | | | Applying from 1 Jan 2003 | | | | |
| 8. CEREALS | | | | | | | | | | |
| | Wheat | 2 | 0.1 | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2002

| | | | | | | | | | | |
|------------------------------|---|----------------------|-------|----------------------|-------|-------|-------|----------------------|-------|------|
| | Rye | 2 | 0.1 | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| | Barley | 2 | 0.1 | 0.2 | 3 | 0.05* | 0.02* | 0.2 | 0.02* | 0.05 |
| | Sorghum | 0.05* | 0.01* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| | Oats | 5 | 0.1 | 0.05* | 3 | 0.05* | 0.02* | 0.2 | 0.02* | 0.05 |
| | Triticale | 2 | 0.1 | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| | Maize | 0.05* | 0.01* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| | Buckwheat | 0.05* | 0.01* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| | Millet | 0.05* | 0.01* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| | Rice ⁰⁶² | 0.05* | 0.01* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| | Other cereals ⁰⁶³ | 0.05* | 0.01* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.02* | 0.05 |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | |
| | Meat, fat & preparations of meat ⁰⁶⁴ | 0.05 ⁰⁶⁵ | 0.01* | 0.05* ⁰⁶⁶ | 0.05* | | 0.05 | 0.05* ⁰⁶⁶ | 0.05* | 1 |
| | | 0.2 ⁰⁶⁷ | | | | | | 0.2 ⁰⁶⁸ | | |
| | | 0.1 ⁰⁶⁹ | | | | | | | | |
| | | 0.05* ⁰⁷⁰ | | | | | | | | |
| | Milk ⁰⁷¹ & | 0.05 | 0.01* | 0.01* | 0.01* | | 0.02* | 0.02 | 0.05* | 0.04 |
| | Dairy produce ⁰⁷² | | | | | | | | | |
| | Eggs ⁰⁷³ | 0.05* | 0.01* | 0.01* | 0.01* | | 0.02* | 0.05* | 0.05* | 0.05 |

⁰⁶²Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

⁰⁶³Other cereals do not include rice.

⁰⁶⁴Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

⁰⁶⁵Chicken liver.

⁰⁶⁶Poultrymeat only.

⁰⁶⁷Cattle kidney.

⁰⁶⁸Other meat products.

⁰⁶⁹Cattle liver.

⁰⁷⁰Meat and meat products other than those at footnotes 10, 11 and 12.

071 These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

072

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

073 Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

* Level at or about the limit of determination.

| Group to which food belongs | Groups include the following products | Deltamethrin | 1,1-dichloro-2,2-bis (4-ethyl-phenyl)-ethane | Diallate | Diazinon | 1,2-Dibromo ethane | Dichlorvos | Dicofol | Dimethoate | Dinoterb | Disulfoton | DNOC |
|-------------------------------------|---|----------------------|--|----------|----------|--------------------|------------|----------------------|--------------------------|----------|------------|-------|
| | | | | | | | | | Applying from 1 Jan 2003 | | | |
| 8. CEREALS | | | | | | | | | | | | |
| | Wheat | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.3 | 0.05* | 0.1 | 0.05* |
| | Rye | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.3 | 0.05* | 0.02* | 0.05* |
| | Barley | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.2 | 0.05* |
| | Sorghum | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.2 | 0.05* |
| | Oats | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Triticale | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.3 | 0.05* | 0.02* | 0.05* |
| | Maize | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Buckwheat | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Millet | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Rice ⁰⁷⁵ | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.02* | 0.05* |
| | Other cereals ⁰⁷⁶ | 1 | 0.01* | 0.05* | 0.02* | 0.01* | 2 | 0.02* | 0.02* | 0.05* | 0.02* | 0.05* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | | | |
| | Meat, fat & preparations of meat ⁰⁷⁷ | 0.05* ⁰⁷⁸ | 0.01* | 0.2* | | | | 0.5 ⁰⁷⁹ | | 0.05 | 0.02* | 0.05* |
| | | | | | | | | 0.1 ⁰⁷⁸ | | | | |
| | | | | | | | | 0.05* ⁰⁸⁰ | | | | |
| | | | | | | | | 1 ⁰⁸¹ | | | | |
| | Milk ⁰⁸² & | | 0.01* | 0.2* | 0.01* | | | 0.02 | | 0.05* | 0.02 | 0.05* |
| | Dairy produce ⁰⁸³ | | | | | | | | | | | |

| | | | | | | | | | | | |
|--|---------------------|-------|----------------------|---------------------|--|--|-------|--|----------------------|-------|----------------------|
| | Eggs ⁰⁸⁴ | 0.05* | 0.01* ⁰⁸⁵ | 0.2* ⁰⁸⁵ | | | 0.05* | | 0.05* ⁰⁸⁵ | 0.02* | 0.05* ⁰⁸⁵ |
|--|---------------------|-------|----------------------|---------------------|--|--|-------|--|----------------------|-------|----------------------|

⁰⁷⁵Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

⁰⁷⁶Other cereals do not include rice.

⁰⁷⁷Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

⁰⁷⁸Poultrymeat only.

⁰⁷⁹Meat of cattle, sheep and goats.

⁰⁸⁰Other than meat or liver of cattle, sheep and goats, and poultrymeat.

⁰⁸¹Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol(PP'-FW152), expressed as dicofol.

⁰⁸²These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

083

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

⁰⁸⁴Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

⁰⁸⁵For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

| Group to which food belongs | Groups include the following products | Endosulfan | Endrin | Ethephon | Fenarimol | Fenbutatin oxide | Fentin | Fenvalerate and Esfenvalerate | |
|-----------------------------|---------------------------------------|------------|--------|----------|-----------|------------------|--------|-------------------------------|--------------------------|
| | | | | | | | | Sum of RR and SS isomers | Sum of RS and SR isomers |
| 8. CEREALS | | | | | | | | | |
| | Wheat | 0.05* | 0.01 | 0.2 | 0.02* | 0.05* | 0.05* | 0.05 | 0.02* |
| | Rye | 0.05* | 0.01 | 0.5 | 0.02* | 0.05* | 0.05* | 0.05 | 0.02* |
| | Barley | 0.05* | 0.01 | 0.5 | 0.02* | 0.05* | 0.05* | 0.2 | 0.05 |
| | Sorghum | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |

| | | | | | | | | | |
|------------------------------|---|---------------------|--------|-------|----------------------|-------|-------|----------------------|----------------------|
| | Oats | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.2 | 0.05 |
| | Triticale | 0.05* | 0.01 | 0.2 | 0.02* | 0.05* | 0.05* | 0.05 | 0.02* |
| | Maize | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| | Buckwheat | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| | Millet | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| | Rice ⁰⁸⁷ | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| | Other cereals ⁰⁸⁸ | 0.05* | 0.01 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | |
| | Meat, fat & preparations of meat ⁰⁸⁹ | 0.1 ⁰⁹⁰ | 0.05 | 0.05* | 0.02* ⁰⁹¹ | 0.05* | 0.05* | 0.2 ⁰⁹⁰ | 0.05 ⁰⁹⁰ |
| | | | | | | | | 0.02* ⁰⁹² | 0.02* ⁰⁹² |
| | Milk ⁰⁹³ & | 0.004 | 0.0008 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* | 0.02* |
| | Dairy produce ⁰⁹⁴ | | | | | | | | |
| | Eggs ⁰⁹⁵ | 0.1* ⁰⁹⁶ | 0.005 | 0.05* | 0.02* | 0.05* | 0.05* | 0.02* ⁰⁹⁶ | 0.02* ⁰⁹⁶ |

⁰⁸⁷Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

⁰⁸⁸Other cereals do not include rice.

⁰⁸⁹Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

⁰⁹⁰All meat except poultrymeat.

⁰⁹¹All meat except liver and kidney.

⁰⁹²Poultrymeat only.

⁰⁹³These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

⁰⁹⁴

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

⁰⁹⁵Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

⁰⁹⁶For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Flupyrsulfuron-methyl</i> | <i>Fluroxypyr and its esters expressed as fluroxypyr</i> | <i>Formothion</i> | <i>Furathiocarb</i> | <i>Glyphosate</i> | <i>Heptachlor</i> | <i>Hexachlorobenzene (HCB)</i> | <i>Hexachlorocyclohexane (HCH)</i> | <i>Hexachlorocyclohexane (HCH)</i> |
|------------------------------------|---|------------------------------|--|---------------------------------|---------------------|---------------------|-------------------|--------------------------------|------------------------------------|------------------------------------|
| | | | | <i>Applying from 1 Jan 2003</i> | | | | | <i>Alpha isomer</i> | <i>Beta isomer</i> |
| 8. CEREALS | | | | | | | | | Sum of alpha and beta isomers | |
| | Wheat | 0.02* | 0.1 | 0.02* | 0.05* | 5 | 0.01 | 0.01 | 0.02 | |
| | | | | | | | | | | |
| | Rye | 0.02* | 0.1 | 0.02* | 0.05* | 5 | 0.01 | 0.01 | 0.02 | |
| | | | | | | | | | | |
| | Barley | 0.02* | 0.1 | 0.02* | 0.05* | 20 | 0.01 | 0.01 | 0.02 | |
| | | | | | | | | | | |
| | Sorghum | 0.02* | 0.05* | 0.02* | 0.05* | 20 | 0.01 | 0.01 | 0.02 | |
| | | | | | | | | | | |
| | Oats | 0.02* | 0.1 | 0.02* | 0.05* | 20 | 0.01 | 0.01 | 0.02 | |
| | | | | | | | | | | |
| | Triticale | 0.02* | 0.1 | 0.02* | 0.05* | 5 | 0.01 | 0.01 | 0.02 | |
| | | | | | | | | | | |
| | Maize | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | |
| | | | | | | | | | | |
| | ckwheat | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | |
| | | | | | | | | | | |
| | Millet | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | |
| | | | | | | | | | | |
| | Rice ⁰⁹⁸ | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | |
| | | | | | | | | | | |
| | Other cereals ⁰⁹⁹ | 0.02* | 0.05* | 0.02* | 0.05* | 0.1* | 0.01 | 0.01 | 0.02 | |
| | | | | | | | | | | |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | |
| | Meat, fat & preparations of meat ¹⁰⁰ | | 0.05* | | 0.05* | 0.5 ¹⁰¹ | 0.2 | 0.2 | 0.2 | 0.1 |
| | | | 0.5 ¹⁰² | | | 2 ¹⁰³ | | | | |
| | | | | | | 0.1* ¹⁰⁴ | | | | |

| | | | | | | | | | | |
|--|------------------------------|--|----------------------|--|-------|------|-------|------|-------|-------|
| | | | | | | | | | | |
| | | | | | | | | | | |
| | Milk ¹⁰⁵ & | | 0.05* | | 0.05* | 0.1* | 0.004 | 0.01 | 0.004 | 0.003 |
| | | | | | | | | | | |
| | Dairy produce ¹⁰⁶ | | | | | | | | | |
| | | | | | | | | | | |
| | Eggs ¹⁰⁷ | | 0.05* ¹⁰⁸ | | 0.05* | 0.1* | 0.02 | 0.02 | 0.02 | 0.01 |

⁰⁹⁸Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

⁰⁹⁹Other cereals do not include rice.

¹⁰⁰Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

¹⁰¹Pig kidney.

¹⁰²Kidney.

¹⁰³Cattle, goat and sheep kidney.

¹⁰⁴Other meat products.

¹⁰⁵These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

¹⁰⁶

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

¹⁰⁷Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

¹⁰⁸For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Hydrogen cyanide</i> | <i>Hydrogen phosphide</i> | <i>Imazalil</i> | <i>Inorganic bromide</i> | <i>Iprodione</i> | <i>Kresoxim-methyl</i> | <i>Lambda-cyhalothrin¹¹⁰</i> | | | |
|------------------------------------|---|-------------------------|---------------------------|-----------------|--------------------------|------------------|-------------------------|---|--|--|--|
| 8. CEREALS | | | | | | | | | | | |
| | Wheat | 15 | 0.1 | 0.02* | 50 | 0.5 | 0.05* | 0.02* | | | |
| | Rye | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* | | | |
| | Barley | 15 | 0.1 | 0.02* | 50 | 1 | 0.05* | 0.05 | | | |
| | Sorghum | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* | | | |
| | Oats | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* | | | |
| | Triticale | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* | | | |
| | Maize | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* | | | |
| | Buckwheat | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* | | | |
| | Millet | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* | | | |
| | Rice ¹¹¹ | 15 | 0.1 | 0.02* | 50 | 3 | 0.05* | 0.02* | | | |
| | Other cereals ¹¹² | 15 | 0.1 | 0.02* | 50 | 0.02* | 0.05* | 0.02* | | | |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | | |
| | Meat, fat & preparations of meat ¹¹³ | | | 0.02* | | 0.05* | 0.02* ¹¹⁴¹¹⁵ | 0.5 ¹¹⁶ | | | |
| | | | | | | | 0.05 ¹¹⁴¹¹⁷ | 0.02* ¹¹⁸ | | | |
| | Milk ¹¹⁹ & | | | 0.02* | | 0.05* | 0.05* ¹²⁰ | 0.05 | | | |
| | Dairy produce ¹²¹ | | | | | | | | | | |
| | Eggs ¹²² | | | 0.02* | | 0.05* | 0.02* ¹²³ | 0.02* | | | |

¹¹⁰For animal products the MRLs relate to cyhalothrin (sum of isomers).

¹¹¹Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

¹¹²Other cereals do not include rice.

¹¹³Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

¹¹⁴The residue definition for this MRL is: 2-methoxyimino-2-[2-(0-tolyloxymethyl)phenyl]acetic acid.

¹¹⁵Meat, liver, fat.

¹¹⁶All meat except poultrymeat.

¹¹⁷Kidney.

Poultrymeat only.

¹¹⁹These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

¹²⁰The residue definition for this MRL is: 2-[2-(4-hydroxy-2-methylphenoxy)methyl]phenyl]-2-methoxy-iminoacetic acid

121

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

¹²²Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

¹²³For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Lindane</i> | <i>Malathion</i> | <i>Maneb Mancozeb Metiram Propineb Zineb</i> | <i>Mecarbam</i> | <i>Metalaxyl</i> | <i>Methamidophos</i> | <i>Methidathion</i> | <i>Methomylthiodicarb</i> |
|------------------------------------|---|------------------------|------------------|--|-----------------|------------------|----------------------|---------------------|---------------------------|
| 8. CEREALS | | | | | | | | | |
| | Wheat | 0.01* | 8 | 1 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Rye | 0.01* | 8 | 1 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Barley | 0.01* | 8 | 2 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Sorghum | 0.01* | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Oats | 0.01* | 8 | 2 | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Triticale | 0.01* | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Maize | 0.01* | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Buckwheat | 0.01* | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Millet | 0.01* | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Rice ¹²⁵ | 0.01* | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| | Other cereals ¹²⁶ | 0.01* | 8 | 0.05* | 0.05* | 0.05* | 0.01* | 0.02* | 0.05* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | |
| | Meat, fat & preparations of meat ¹²⁷ | 0.7 ¹²⁸ 129 | | 0.05* | | 0.05* | 0.01* | 0.02* | 0.02 |
| | | 0.02 ¹³⁰ | | | | | | | |
| | Milk ¹³¹ & | 0.001* | | 0.05* | | 0.05* | 0.01* | 0.02* | 0.02 |

| | | | | | | | | | |
|--|------------------------------|--------------------|--|-------|--|-------|-------|-------|-------|
| | Dairy produce ¹³² | | | | | | | 0.02* | 0.02* |
| | Eggs ¹³³ | 0.1 ¹²⁹ | | 0.05* | | 0.05* | 0.01* | 0.02* | 0.02 |

¹²⁵Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

¹²⁶Other cereals do not include rice.

¹²⁷Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

¹²⁸Poultrymeat only.

¹²⁹These MRLs are based on Codex MRLs (extraneous residue limits) and do not result from the use of plant protection products.

¹³⁰All meat except poultrymeat.

¹³¹These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

132

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

¹³³Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

* Level at or about the limit of determination.

| Group to which food belongs | Groups include the following products | Methoxychlor | Methyl bromide | Metsulfuron-methyl | Monolinuron | Oxydemeton-methyl | Parathion | Permethrin | Phorate | Phosphamidon | Pirimiphos-methyl | Procymidone |
|-----------------------------|---------------------------------------|--------------|----------------|---------------------------------|-------------|---------------------------------|---------------------------------|------------|---------|--------------|-------------------|-------------|
| | | | | <i>Applying from 1 Jan 2003</i> | | <i>Applying from 1 Jan 2003</i> | <i>Applying from 1 May 2003</i> | | | | | |
| 8. CEREALS | | | | | | | | | | | | |
| | Wheat | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| | Rye | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| | Barley | 0.01* | 0.1 | 0.05* | 0.05* | 0.1 | 0.05* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| | Sorghum | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| | Oats | 0.01* | 0.1 | 0.05* | 0.05* | 0.1 | 0.05* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| | Triticale | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |

| | | | | | | | | | | | | |
|------------------------------|---|----------------------|-----|-------|----------------------|-------|-------|-------|-------|------|-------|-------|
| | Maize | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| | Buckwheat | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| | Millet | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| | Rice ¹³⁵ | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| | Other cereals ¹³⁶ | 0.01* | 0.1 | 0.05* | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.05 | 5 | 0.02* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | | | |
| | Meat, fat & preparations of meat ¹³⁷ | 0.01* | | | 0.05* | 0.02* | 0.05* | 0.5 | 0.05* | | 0.05* | 0.05* |
| | Milk ¹³⁸ & | 0.01* | | | 0.05* | 0.02* | 0.05* | 0.05 | 0.02* | | 0.05* | 0.05* |
| | Dairy produce ¹³⁹ | | | | | | | | | | 0.05* | |
| | Eggs ¹⁴⁰ | 0.01* ¹⁴¹ | | | 0.05* ¹⁴¹ | 0.02* | 0.05* | 0.05 | 0.05* | | 0.05* | 0.05* |

¹³⁵Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

¹³⁶Other cereals do not include rice.

¹³⁷Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

¹³⁸These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

¹³⁹

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

¹⁴⁰Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

¹⁴¹For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

| Group to which food belongs | Groups include the following products | Prohexadione and its salts expressed as prohexadione | Propiconazole | Propham | Propoxur | Propyzamide | Pymetrozine | Pyrazophos | Pyrethrins | Pyridate | Quintozene | Spiroxamine | Tecnazene | Thiabendazole | Triazophos | Trichlorfon |
|-----------------------------|---------------------------------------|--|---------------|---------|----------|-------------|-------------|------------|------------|-----------------|------------|-------------|-----------------|---------------|------------|-------------|
| | | | | | | | | | | Applying from 1 | | | Applying from 1 | | | |

| | | | | | | | | | | Jan 2003 | | | Jan 2003 | | | |
|------------------------------|---|----------------------|----------------------|----------------------|-------|--------------------------|-------|---------------------|---|--------------------|-------|--------------------------|----------------------|--------------------|----------------------|-----|
| 8. CEREALS | | | | | | | | | | | | | | | | |
| | Wheat | 0.2 | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.1 |
| | Rye | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.1 |
| | Barley | 0.2 | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.3 | 0.05* | 0.05* | 0.02* | 0.1 |
| | Sorghum | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.1 |
| | Oats | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.3 | 0.05* | 0.05* | 0.02* | 0.1 |
| | Triticale | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.1 |
| | Maize | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.1 |
| | Buckwheat | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.1 |
| | Millet | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.1 |
| | Rice ¹⁴³ | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.1 |
| | Other cereals ¹⁴⁴ | 0.05* | 0.05* | 0.05* | 0.05* | 0.02* | 0.02* | 0.05* | 3 | 0.05* | 0.02* | 0.05* | 0.05* | 0.05* | 0.02* | 0.1 |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | | | | | | | | | | | | | | |
| | Meat, fat & preparations of meat ¹⁴⁵ | 0.05* | 0.1 ¹⁴⁶ | 0.05* | 0.05* | 0.05* ¹⁴⁷ 148 | 0.01* | 0.02* | | 0.05* | 0.01* | 0.05* ¹⁴⁹ 150 | 0.05* | 0.1 ¹⁵¹ | 0.02* | |
| | | | 0.05* ¹⁵² | | | 0.02* ¹⁵³ 148 | | | | 0.4 ¹⁵⁴ | | 0.2 ¹⁵⁰ 155 | | | | |
| | Milk ¹⁵⁶ & | 0.01* | 0.01* | 0.05* | 0.05* | 0.01* ¹⁵⁷ | 0.01* | 0.02* | | 0.05* | 0.01* | 0.02 ¹⁵⁰ | 0.05* | | 0.02* | |
| | Dairy produce ¹⁵⁸ | | | | | | | | | | | | | | 0.02* | |
| | Eggs ¹⁵⁹ | 0.05* ¹⁶⁰ | 0.05* | 0.05* ¹⁶⁰ | 0.05* | 0.02* ¹⁵⁷ | 0.01* | 0.1* ¹⁶⁰ | | 0.05* | 0.01* | 0.05* ¹⁶⁰ 150 | 0.05* ¹⁶⁰ | 0.1* | 0.02* ¹⁶⁰ | |

¹⁴³Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

¹⁴⁴Other cereals do not include rice.

¹⁴⁵Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

¹⁴⁶Ruminant liver.

¹⁴⁷Fat, liver and kidney.

¹⁴⁸The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide.

¹⁴⁹All meat except liver and kidney.

¹⁵⁰The residues definition for this MRL is: spiroxamine carboxylic acid expressed as spiroxamine.

¹⁵¹With the exception of meat and other ovine, bovine and caprine products.

¹⁵²All meat except ruminant liver.

¹⁵³Other than fat, liver and kidney.

¹⁵⁴All kidney except poultry kidney.

¹⁵⁵Liver and kidney.

¹⁵⁶These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

¹⁵⁷Meat and meat products other than those at footnotes 10, 11 and 12.

158

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

¹⁵⁹Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

¹⁶⁰For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.

* Level at or about the limit of determination.

| <i>Group to which food belongs</i> | <i>Groups include the following products</i> | <i>Triforine</i> | <i>Vinclozolin</i> |
|------------------------------------|--|------------------|--------------------|
| 8. CEREALS | | | |
| | Wheat | 0.1 | 0.05* |
| | Rye | 0.1 | 0.05* |
| | Barley | 0.1 | 0.05* |
| | Sorghum | 0.05* | 0.05* |
| | Oats | 0.1 | 0.05* |
| | Triticale | 0.1 | 0.05* |
| | Maize | 0.05* | 0.05* |

| | | | |
|------------------------------|---|-------|-------|
| | Buckwheat | 0.05* | 0.05* |
| | Millet | 0.05* | 0.05* |
| | Rice ¹⁶² | 0.05* | 0.05* |
| | Other cereals ¹⁶³ | 0.05* | 0.05* |
| 9. PRODUCTS OF ANIMAL ORIGIN | | | |
| | Meat, fat & preparations of meat ¹⁶⁴ | 0.05* | 0.05* |
| | Milk ¹⁶⁵ & | 0.05* | 0.05* |
| | Dairy produce ¹⁶⁶ | | |
| | Eggs ¹⁶⁷ | 0.05* | 0.05* |

¹⁶²Paddy or rough rice, husked rice and semi-milled or wholly milled rice

¹⁶³Other cereals do not include rice.

¹⁶⁴Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

¹⁶⁵These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

¹⁶⁶

For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

¹⁶⁷Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

* Level at or about the limit of determination.

EXPLANATORY NOTE

(This note is not part of the Order)

These Regulations, which extend to England and Wales only, are made under section 2(2) of the European Communities Act 1972 and further amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 1999 (S.I.1999/3483) (the principal Regulations).

Part 2 of Schedule 2 to the principal Regulations is consolidated (regulation 2(6)) to take account of changes and additions to the EC maximum residue levels that have been set at an EC level since the last consolidation of this Part by S.I. 2001/1113.

These Regulations add new residue levels in Part 2 of Schedule 2 that have been set by recent amendments to the three Commission Directives: Council Directive 86/362/EEC, Council Directive 86/363/EEC and Council Directive 90/642/EEC. The following new or substituted maximum residue levels are implemented in Part 2 of Schedule 2 in these Regulations (regulation 2(6)) -

Commission Directive 2002/42/EC (OJ No. L134, 22.5.2002 p. 29) for bentazone and pyridate;

Commission Directive 2002/66/EC (OJ No. L192, 20.7.2002 p. 47) for lindane, quinterozone, parathion and permethrin;

Commission Directive 2002/71/EC (OJ No. L225, 22.8.2002 p. 21) for formothion, dimethoate and oxydemeton-methyl;

Commission Directive 2002/76/EC (OJ No. L240, 7.9.2002 p. 45) for metsulfuron methyl;

The definition of "the Residues Directives" is updated to take account of the latest Directives being implemented (regulation 2(2)).

Regulation 2(3) substitutes a new regulation 6(b) in the principal Regulations. The new regulation 6(b)(i) provides for the Sampling Procedure as contained in the Annex to Commission Directive 2002/63/EC to apply for the determination of pesticide residues set by the Community (Part 2 of Schedule 2). The new regulation 6(b)(ii) provides for the sampling of pesticide residues still set nationally to be carried out, so far as is practicable, in accordance with the methods and procedures recommended by the Codex Alimentarius Commission "Recommended methods of sampling for the determination of pesticide residues for compliance with MRLs; CAC/GL 33 -1999". Copies are available from their website from their list of standards at www.codexalimentarius.net. Alternatively the document is available from the Department for Environment, Food and Rural Affairs library situated at Nobel House, 17 Smith Square, London SW1P 3JR (E-mail: defra.library@defra.gsi.gov.uk).

These Regulations remove certain pesticide residues, that had previously been set nationally by virtue of powers contained in the Food and Environment Protection Act 1985, from the list contained in Part 1 of Schedule 2 to the principal Regulations as they have been replaced by Community levels (regulation 2(5)).

No Regulatory Impact Assessment has been produced for these Regulations.

Notes:

[1] S.I. 1972/1811 in the case of the Secretary of State and S.I. 1999/2788 in the case of the National Assembly for Wales.[back](#)

[2] 1972 c. 68.[back](#)

[3] S.I. 1999/3483, amended by S.I. 2001/1113, S.I. 2001/2420, S.I. 2001/3834 and S.I. 2002/1767.[back](#)

[4] OJ No. L221, 7.8.86, p. 37. The last amending instrument is Commission Directive 2002/76/EC (OJ No. L240, 7.9.2002, p. 45).[back](#)

[5] OJ No. L221, 7.8.86, p. 43. The last amending instrument is Commission Directive 2002/71/EC (OJ No. L275, 22.8.2002, p. 21).[back](#)

[6] OJ No. L350, 14.12.90, p. 71. The last amending instrument is Commission Directive 2002/76/EC.[back](#)

[7] OJ No. L187, 16.7.2002, p. 30.[back](#)

ISBN 0 11 042953 2

[Other UK SIs](#) | [Home](#) | [National Assembly for Wales Statutory Instruments](#) | [Scottish Statutory Instruments](#) | [Statutory Rules of Northern Ireland](#) | [Her Majesty's Stationery Office](#)

We welcome your [comments](#) on this site

© Crown copyright 2002

Prepared 29 November 2002