2006 No. 1742

AGRICULTURE, ENGLAND AND WALES

PESTICIDES, ENGLAND AND WALES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) **Regulations 2006**

Made	29th June 2006
Laid before Parliament	5th July 2006
Coming into force in accordance with	regulation 1(3) and (4)

The Secretary of State for Environment, Food and Rural Affairs and the National Assembly for Wales, being designated(\mathbf{a}) for the purposes of section 2(2) of the European Communities Act 1972(b) in relation to the common agricultural policy of the European Community, acting jointly (the National Assembly for Wales acting in relation to Wales only), in exercise of the powers conferred on them by that section, make the following Regulations:

Citation, interpretation and commencement

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2006.

(2) In these Regulations "the Principal Regulations" means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 2005(c).

(3) Subject to paragraph (4), these Regulations shall come into force on 27th July 2006.

(4) Regulation 3 shall come into force on 15th September 2006.

Amendments coming into force on 27th July 2006

2.—(1) The Principal Regulations are amended as follows.

(2) In regulation 2(1) (interpretation), for the definition of "the Residues Directives" substitute the following definition-

> ""the Residues Directives" means Directive 76/895(d), Directive 86/362(e), Directive 86/363(f) and Directive 90/642(g), in each case as amended at the date of the making of

⁽a) S.I. 1972/1811 and, in the case of the National Assembly for Wales, S.I. 2005/2766.

⁽b) 1972 c.68.

⁽c) S.I. 2005/3286, amended by S.I. 2006/958.

⁽d) OJ No. L340, 9.12.1976, p.26, as last amended by Commission Directive 2005/70/EC (OJ No. L276, 21.10.2005, p.35).

 ⁽a) OJ NO. L210, 718.1710, p.22, as last amended by Commission Directive 2006/30/EC (OJ No. L2210, 14.3.2006, p.7).
 (b) OJ No. L221, 7.8.1986, p.37, as last amended by Commission Directive 2006/30/EC (OJ No. L75, 14.3.2006, p.7).
 (c) OJ No. L221, 7.8.1986, p.43, as last amended by Commission Directive 2006/30/EC (OJ No. L75, 14.3.2006, p.7).

⁽g) OJ No. L350, 14.12.1990, p.71, as last amended by Commission Directive 2006/30/EC (OJ No. L75, 14.3.2006, p.7).

the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2006.".

(3) In Schedule 2 (maximum residue levels), for the entries in the columns relating to the pesticides Carbofuran and Diquat substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations.

(4) In Schedule 3, in paragraph 4 (oil seeds), in column 2, beneath "Soya bean" insert "Hemp seed".

Amendments coming into force on 15th September 2006

3.—(1) Schedules 1, 2 and 3 of the Principal Regulations are amended as follows.

(2) In Schedule 1 (pesticide residues), for the entry for Benomyl, Carbendazim and Thiophanate-methyl, substitute the entry for Benomyl and Carbendazim and the entry for Thiophanate-methyl set out in Schedule 2 to these Regulations.

(3) In Schedule 2—

- (a) for the column relating to Benomyl, Carbendazim and Thiophanate-methyl, substitute the column relating to Benomyl and Carbendazim set out in Schedule 1 to these Regulations;
- (b) insert, in the appropriate place to preserve the alphabetical ordering, the column of maximum permitted levels of residue for the pesticide Thiophanate-methyl set out in Schedule 1 to these Regulations;
- (c) at the end, insert as footnote 46 the footnote numbered (46) set out at the end of the footnotes to Schedule 1 to these Regulations.

(4) In Schedule 3, in paragraph 2(iii)(a) (solanacea), in column 2, beneath "Aubergines" insert "Okra".

28th June 2006

D.Elis-Thomas Presiding Officer National Assembly for Wales

Jeff Rooker Minister of State Department for Environment, Food and Rural Affairs

29th June 2006

SCHEDULE 1

Regulations 2(3) and 3(3)

ENTRIES SUBSTITUTED OR INSERTED IN SCHEDULE 2 TO THE PRINCIPAL REGULATIONS

Group to which food belongs	Groups include the following products	Benomyl/ Carbendazim	Carbofuran	Diquat	Thiophanate- methyl
¥	RESH, DRIED OR UNC	OOKED, PRE	SERVED BY I	FREEZING	ΝΟΤ
	IG ADDED SUGAR: NU				
i) CITRUS FR	UIT				
	Grapefruit	0.1^*	0.3	0.05^{*}	0.1^{*}
	Lemons	0.1^*	0.3	0.05^{*}	0.1^{*}
	Limes	0.1^*	0.3	0.05^{*}	0.1^{*}
	Mandarins (inc				
	clementines &	*		*	*
	similar hybrids)	0.1^{*}_{*}	0.3	0.05^{*}_{*}	0.1^{*}_{*}
	Oranges	0.1^{*}_{*}	0.3	0.05^{*}_{*}	0.1^{*}_{*}
	Pomelos	0.1^{*}_{*}	0.3	0.05^{*}_{*}	0.1^{*}_{*}
	Others	0.1^{*}	0.3	0.05^{*}	0.1^{*}
ii) TREE NUT	S (shelled or unshelled)	*	*	*	
	Almonds	0.1*	0.02^{*}_{*}	0.05^{*}_{*}	0.2
	Brazil nuts	0.1*	0.02^{*}_{+}	0.05^{*}_{*}	0.2
	Cashew nuts	0.1	0.02^{*}	0.05^{*}	0.2
	Chestnuts	0.1*	0.02^{*}	0.05^{*}	0.2
	Coconuts	0.1^*	0.02^{*}	0.05^{*}	0.2
	Hazelnuts	0.1^*	0.02^{*}	0.05^{*}	0.2
	Macadamia nuts	0.1^*	0.02^{*}	0.05^{*}	0.2
	Pecans	0.1^{*}	0.02^{*}	0.05^{*}	0.2
	Pine nuts	0.1^{*}	0.02^{*}	0.05^{*}	0.2
	Pistachios	0.1^{*}	0.02^{*}	0.05^{*}	0.2
	Walnuts	0.1^*	0.02^{*}	0.05^{*}	0.2
	Others	0.1^*	0.02^{*}	0.05^{*}	0.2
iii) POME FRU	JIT				
	Apples	0.2	0.02^{*}	0.05^{*}	0.5
	Pears	0.2	0.02^{*}	0.05^{*}	0.5
	Quinces	0.2	0.02^{*}	0.05^{*}	0.5
	Others	0.2	0.02^{*}	0.05^{*}	0.5
iv) STONE FR					
,	Apricots	0.2	0.02^{*}	0.05^{*}	2
	Cherries	0.5	0.02^{*}	0.05^{*}	0.3
	Peaches (inc				
	nectarines & similar				
	hybrids)	0.2	0.02^{*}	0.05^{*}	2
	Plums	0.5	0.02^{*}	0.05^{*}	0.3
	Others	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
v) BERRIES A	ND SMALL FRUIT				
,	a) Table & wine grapes				
	Table grapes	0.3	0.02^{*}	0.05^{*}	0.1^{*}

Group to which food belongs		Groups include the following products	Benomyl/ Carbendazim	Carbofuran	Diquat	Thiophanate- methyl
		Wine grapes	0.5	0.02^{*}	0.05*	3
	b)	Strawberries (other than wild)	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
	c)	Cane fruit (other than wild)				
		Blackberries	0.1^{*}	0.02^{*}	0.05^*	0.1^*
		Dewberries	0.1^*	0.02^{*}	0.05^{*}	0.1^{*}
		Loganberries	0.1*	0.02*	0.05*	0.1*
		Raspberries	0.1*	0.02*	0.05*	0.1*
		Others	0.1*	0.02*	0.05*	0.1*
	d)	Other small fruit & berries (other than wild)				
		Bilberries	0.1^*	0.02^{*}	0.05^{*}	0.1^{*}
		Cranberries	0.1*	0.02^{*}	0.05*	0.1*
		Currants (red, black				
		& white)	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
		Gooseberries	0.1*	0.02^{*}	0.05^{*}	0.1*
		Others	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
	e)	Wild berries & wild				
	-)	fruit	0.1^{*}	0.02^{*}	0.05^{*}	0.1*
i) MISCELL	AN	EOUS FRUIT				
/		Avocados	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
		Bananas	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
		Dates	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
		Figs	0.1^*	0.02^{*}	0.05^{*}	0.1^{*}
		Kiwi fruit	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
		Kumquats	0.1*	0.02*	0.05*	0.1*
		Litchis	0.1*	0.02*	0.05*	0.1^{*}
		Mangoes	0.1*	0.02^{*}	0.05*	0.1^{*}
		Olives (Table	0.1	0.02	0.02	0.11
		Consumption)	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
		Olives (Oil Extract)	0.1*	0.02^{*}	0.05*	0.1^{*}
		Papaya	0.1*	0.02^{*}	0.05*	0.1^{*}
		Passion fruit	0.1*	0.02^{*}	0.05^{*}	0.1^{*}
		Pineapples	0.1*	0.02^{*}	0.05^{*}	0.1*
		Pomegranates	0.1*	0.02^{*}	0.05^{*}	0.1^{*}
		Others	0.1*	0.02^{*}	0.05^{*}	0.1^{*}
VECETAI	ріб	S, FRESH OR UNCO			0.05	0.1
		JBER VEGETABLES				
		Beetroot	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
		Carrots	0.1*	0.02^{*}	0.05^{*}	0.1^{*}
		Cassava	0.1 0.1 [*]	0.02^{*}	0.03^{*}	$0.1 \\ 0.1^{*}$
		Cassava Celeriac	$0.1 \\ 0.1^*$	$0.02 \\ 0.02^{*}$	0.03°	$0.1 \\ 0.1^{*}$
		Horseradish	$0.1 \\ 0.1^*$	$0.02 \\ 0.02^{*}$	0.03°	$0.1 \\ 0.1^{*}$
		Jerusalem artichokes	$0.1 \\ 0.1^{*}$	$0.02 \\ 0.02^*$	$0.03 \\ 0.05^{*}$	$0.1 \\ 0.1^{*}$
			$0.1 \\ 0.1^*$	$0.02 \\ 0.02^*$	$0.05 \\ 0.05^{*}$	$0.1 \\ 0.1^*$
		Parsnips				
		Parsley root	0.1*	0.02^{*}	0.05*	0.1^{*}
		Radishes	0.1^{*}	0.02^*	0.05^*	0.1^{*}

	Broups include the ollowing products	Benomyl/ Carbendazim	Carbofuran	Diquat	Thiophanate methyl
oolongs	Salsify	0.1*	0.02*	0.05*	0.1*
	Sweet potatoes	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
	Swedes	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
	Turnips	0.1^{*}	0.02^{*}	0.05^{*}	0.1*
	Yams	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
	Others	0.1^{*}	0.02*	0.05*	0.1*
i) BULB VEGET					
.) 2022 (2021	Garlic	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
	Onions	0.1*	0.02^{*}	0.05*	0.1*
	Shallots	0.1*	0.02^{*}	0.05^{*}	0.1*
	Spring onions	0.1*	0.02^{*}	0.05^{*}	0.1^*
	Others	0.1*	0.02^{*}	0.05^{*}	0.1^{*}
ii) FRUITING VE		0.1	0.02	0.05	0.1
a)	Solanacea				
a)	Tomatoes	0.5	0.02^{*}	0.05^{*}	2
	Peppers	0.1*	0.02^{*}	0.05^{*}	0.1^{*}
	Chilli peppers	0.1*	0.02^{*}	0.05^{*}	0.1^{*}
	Aubergines	0.5	0.02^{*}	0.05^{*}	2
	Okra	2	0.02^{*}	0.05^{*}	1
	Others	0.1^{*}	0.02^{*}	0.05^{*}	0.1*
b)	Cucurbits-edible peel	0.1	0.02	0.05	0.1
	Cucumbers	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
	Gherkins	0.1	0.02^{*}	0.05^{*}	$0.1 \\ 0.1^{*}$
	Courgettes	0.1	0.02^{*}	0.05^{*}	$0.1 \\ 0.1^*$
	Others	0.1	0.02^{*}	0.05^{*}	$0.1 \\ 0.1^{*}$
c)	Cucurbits-inedible peel	0.1	0.02	0.05	0.1
	Melons	0.1^{*}	0.02^{*}	0.05^{*}	0.3
	Squashes	0.1*	0.02^{*}	0.05^{*}	0.3
	Watermelons	0.1*	0.02*	0.05^{*}	0.3
	Others	0.1*	0.02^{*}	0.05^{*}	0.3
d)	Sweet corn	0.1*	0.02^{*}	0.05^{*}	0.1*
v) BRASSICA VI		0.1	0.02	0.05	0.1
a)	Flowering Brassicas				
	Broccoli	$0.1^{*(13)}$	0.02^{*}	0.05* (13)	0.1* (13)
	Cauliflower	0.1*	0.02^{*}	0.05*	0.1*
	Others	0.1*	0.02^{*}	0.05^{*}	0.1*
b)	Head Brassicas	011	0.02	0100	
0)	Brussels sprouts	0.5	0.02^{*}	0.05^{*}	1
	Head cabbage	0.1*	0.02*	0.05^{*}	0.1^{*}
	Others	0.1*	0.02	0.05^{*}	0.1
c)	Leafy Brassicas	0.1	0.02	0.00	v.1
0)	Chinese cabbage	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
	Kale	0.1	0.02^{*}	0.05^{*}	$0.1 \\ 0.1^{*}$
	Others	0.1	0.02^{*}	0.05^{*}	$0.1 \\ 0.1^*$
d)	Kohlrabi	0.1	0.02^{*}	0.05^{*}	$0.1 \\ 0.1^{*}$
	ABLES AND FRESH		0.02	0.00	0.1

Group to which food belongs		Groups include the following products	Benomyl/ Carbendazim	Carbofuran	Diquat	Thiophanate- methyl
0	a)	Lettuce & similar				
		Cress	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
		Lamb's lettuce	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
		Lettuce	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
		Scarole	$0.1^{*(6)}$	0.02^{*}	$0.05^{*\ (6)}$	$0.1^{*(6)}$
		Others	0.1^*	0.02^{*}	0.05^{*}	0.1^{*}
	b)	Spinach & similar				
		Spinach	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
		Beet leaves (chard)	0.1^*	0.02^{*}	0.05^*	0.1^{*}
		Others	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
	c)	Watercress	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
	d)	Witloof	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
	e)	Herbs				
	-)	Chervil	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
		Chives	0.1*	0.02*	0.05*	0.1*
		Parsley	0.1^{*}	0.02^{*}	0.05*	0.1^{*}
		Celery leaves	0.1*	0.02^{*}	0.05^{*}	0.1*
		Others	0.1*	0.02^{*}	0.05^*	0.1*
vi) I EGUME	VE	GETABLES (fresh)	0.1	0.02	0.05	0.1
VI) LEGUME	V LV	Beans (with pods)	0.2	0.02^{*}	0.05^{*}	0.1^{*}
		Beans (with pous) Beans (without	0.2	0.02	0.05	0.1
		pods)	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
		Peas (with pods)	0.2	0.02^{*}	0.05^{*}	0.1*
		Peas (with pods)	0.1*	0.02^{*}	0.05^{*}	0.1^{*}
		Others	0.1	0.02^{*}	0.05^{*}	0.1 0.1 [*]
vii) STEM VI	GE		0.1	0.02	0.05	0.1
	JUL		0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
		Asparagus Cardoons	$0.1 \\ 0.1^{*}$	0.02^{*}	0.03^{*}	0.1 0.1 [*]
			$0.1 \\ 0.1^*$	$0.02 \\ 0.02^{*}$	0.03^{*}	0.1 0.1 [*]
		Celery	$0.1 \\ 0.1^*$		$0.05 \\ 0.05^{*}$	$0.1 \\ 0.1^*$
		Fennel		0.02^{*}		
		Globe artichokes	0.1*	0.02^{*}	0.05*	0.1*
		Leeks	0.1*	0.02^{*}	0.05*	0.1*
		Rhubarb	0.1*	0.02*	0.05*	0.1*
		Others	0.1^{*}	0.02^*	0.05^*	0.1^{*}
viii) FUNGI	,	~				
	a)	Cultivated	0.1^{*}	0.02*	0.05*	0.1*
	1 \	mushrooms		0.02^{*}	0.05*	0.1*
	b)	Wild mushrooms	0.1^{*}	0.02^*	0.05^*	0.1^*
3. PULSES			*	*		*
		Beans	0.1^{*}_{*}	0.02^{*}_{*}	0.2	0.1^{*}_{*}
		Lentils	0.1^{*}_{*}	0.02^{*}_{*}	0.2	0.1^{*}_{*}
		Peas	0.1*	0.02^{*}_{*}	0.2	0.1^{*}_{*}
		Others	0.1^*	0.02^{*}	0.2	0.1^{*}
4. OILSEED	S					
		Linseed	0.1^{*}	0.1	5	0.1^{*}
		Peanuts	0.1^{*}	0.1	0.1^{*}	0.1^{*}
		Poppy seed	0.1^{*}	0.1	0.1^{*}	0.1^{*}
			0.1^{*}			

Group to which food belongs	Groups include the following products	Benomyl/ Carbendazim	Carbofuran	Diquat	Thiophanate- methyl
8-	Sunflower seed	0.1*	0.1	1	0.1*
	Rape seed	0.1^{*}	0.1	2	0.1^{*}
	Soya bean	0.2	0.1	0.2	0.3
	Mustard seed	0.1^{*}	0.1	0.5	0.1^{*}
	Cotton seed	0.1^{*}	0.1	0.1^{*}	0.1^{*}
	Hemp seed	0.1^{*}	0.1	0.5	0.1^{*}
	Others	0.1^{*}	0.1	0.1^{*}	0.1^{*}
5. POTATOES					
	Early potatoes	0.1^{*}	0.02^{*}	0.05^{*}	0.1^{*}
	Ware potatoes	0.1^*	0.02^{*}	0.05^{*}	0.1^{*}
6. TEA	1				
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.05*	0.1*	0.1^{*}
7. HOPS (dried					
	including hop pellets & unconcentrated	*	*	*	*
	powder	0.1^*	0.05^*	0.1^*	0.1^{*}
8. CEREALS			*	*	
	Wheat	0.1	0.02^{*}	0.05^{*}_{*}	0.05
	Rye	0.1	0.02^{*}	0.05^{*}	0.05
	Barley	2	0.02^{*}	10	0.3
	Sorghum	0.01^{*}	0.02^{*}	0.05^{*}	0.01^{*}
	Oats	2	0.02^{*}	2	0.3
	Triticale	0.1	0.02^{*}	0.05^{*}	0.05
	Maize	0.01^*	0.02^{*}	1	0.01^{*}
	Buckwheat	0.01^{*}	0.02^{*}	0.05^{*}	0.01^{*}
	Millet	0.01^*	0.02^{*}	1	0.01^{*}
	Rice ⁽¹⁾	0.01^{*}	0.02^{*}	0.05^{*}	0.01^{*}
	Others	0.01^{*}	0.02^{*}	0.05^{*}	0.01^{*}
). PRODUCTS	OF ANIMAL ORIGIN	[
	Meat, edible offal, fat & preparations of meat and edible	* 40		*	* (10)
	offal ⁽²⁾ Milk ⁽³⁾ & Dairy	0.05* (46)	0.1^{*}	0.05^{*}	0.05* (46)
	produce ⁽⁴⁾	0.05* (46)	0.1^{*}	0.05^{*}	0.05^{*} ⁽⁴⁶⁾
	Eggs ⁽⁵⁾	0.05^{*} ⁽⁴⁶⁾	0.1*	0.05*	$0.05^{*(46)}$
0. SPICES	00				
	Cumin seed				
	Juniper seed				
	Nutmeg				
	Pepper, black and				
	white				
	Vanilla pods				
	Spices - others				
UNITS:					

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

^{*} Level at or about the limit of determination.

FOOTNOTES:

⁽¹⁾ Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

 $^{(2)}$ Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

⁽³⁾ These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

⁽⁴⁾ For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of other animal origin; and for butter, cheese or curd.

Whether made from cow's milk or other milk or a combination, the following levels apply:

— if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;

— if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

⁽⁵⁾ Birds eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

⁽⁶⁾ Scarole includes broad-leaf endive.

⁽¹³⁾ Broccoli includes calabrese.

⁽⁴⁶⁾ The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

SCHEDULE 2

Regulation 3(2)

ENTRIES SUBSTITUTED IN SCHEDULE 1 TO THE PRINCIPAL REGULATIONS

Column 1	Column 2
Pesticide	Residue
Benomyl and Carbendazim	 (1) for products of plant origin other than cereals: sum of benomyl and carbendazim, expressed as carbendazim (2) for cereals: benomyl and carbendazim,
	 (2) for corecus: soliding and carbondazim, expressed as carbondazim (3) for foodstuffs of animal origin: for carbondazim only: carbondazim and thiophanate-methyl, expressed as carbondazim
Thiophanate-methyl	 for products of plant origin: thiophanate- methyl for foodstuffs of animal origin: carbendazim and thiophanate-methyl, expressed as carbendazim

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 2005 (S.I. 2005/3286).

The Regulations implement Commission Directives 2006/4/EC (OJ No. L23, 27.1.2006, p.69), 2006/9/EC (OJ No. L22, 26.1.2006, p.24) and 2006/30/EC (OJ No. L75, 14.3.2006, p.7).

Regulation 2, which comes into force on 27th July 2006, makes amendments which substitute certain new maximum residue levels in Schedule 2 to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 2005 (S.I. 2005/3286) ("the Principal Regulations"). These are maximum residue levels for residues of the pesticides Carbofuran and Diquat.

Regulation 3, which comes into force on 15th September 2006, amends-

- (a) Schedule 1, which identifies the substances residues of which are taken into account in the measuring of residue levels for each pesticide, by replacing the entry for the pesticide group Benomyl, Carbendazim and Thiophanate-methyl with two entries, one for Benomyl and Carbendazim, and a separate one for Thiophanate-methyl; and
- (b) Schedule 2, by substituting new maximum residue levels for residues of those pesticides.

A Regulatory Impact Assessment (RIA) was prepared in respect of the Principal Regulations, which provides a basis for establishing the impact of amendments to the Principal Regulations of the kind made by these Regulations. A transposition note has been prepared in respect of these Regulations. Copies of the assessment and the transposition note can be obtained from the Pesticides Safety Directorate, Room 308, Mallard House, Kings Pool, 3 Peasholme Green, York Y01 7PX or via the website www.pesticides.gov.uk. Copies have been placed in the library of each House of Parliament.

£3.00

© Crown copyright 2006

Printed and published in the UK by The Stationery Office Limited under the authority and superintendence of Carol Tullo, Controller of Her Majesty's Stationery Office and Queen's Printer of Acts of Parliament.

E0886 7/2006 160886T 19585