

2006 No. 2922

AGRICULTURE, ENGLAND AND WALES

PESTICIDES, ENGLAND AND WALES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 3) Regulations 2006

Made - - - - *6th November 2006*

Laid before Parliament *10th November 2006*

Coming into force in accordance with regulation 1(3) to (7)

The Secretary of State for Environment, Food and Rural Affairs and the National Assembly for Wales, are designated^(a) for the purposes of section 2(2) of the European Communities Act 1972^(b) in relation to the common agricultural policy of the European Community.

Acting jointly (the National Assembly for Wales acting in relation to Wales only), in exercise of the powers conferred on them by that section, they make the following Regulations:

Citation, interpretation and commencement

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 3) Regulations 2006.

(2) In these Regulations “the principal Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 2005^(c).

(3) Subject to paragraphs (4) to (7), these Regulations shall come into force on 9th December 2006.

(4) Regulation 4 shall come into force on 30th December 2006.

(5) Regulation 5 shall come into force on 21st January 2007.

(6) Regulation 6 shall come into force on 21st April 2007.

(7) Regulation 7 shall come into force on 30th December 2007.

Amendments to the principal Regulations

2. The principal Regulations are amended in accordance with regulations 3 to 7.

(a) S.I. 1972/1811 and, in the case of the National Assembly for Wales, S.I. 2005/2766.

(b) 1972 c.68.

(c) S.I. 2005/3286, as amended by S.I. 2006/985 and S.I. 2006/1742.

Amendments coming into force on 9th December 2006

3.—(1) In regulation 2(1) (interpretation), for the definition of “the Residues Directives” substitute the following definition—

““the Residues Directives” means Directive 76/895(a), Directive 86/362(b), Directive 86/363(c) and Directive 90/642(d), in each case as amended at the date of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 3) Regulations 2006”.

(2) In Schedule 2 (maximum residue levels)—

- (i) for the entries in the columns relating to the pesticides Benomyl and Carbendazim, Chloromequat, Cyazofamid, Fenbutatin Oxide, Fenhexamid, Linuron, Pymetrozine, Thiophanate-methyl and Triadimefon and Triadimenol, substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations;
- (ii) in the column relating to the pesticide Oxadiargyl, for the entry for the food group 2(v)(a) Lettuce, substitute “0.01*”.

(3) In Schedule 3, in paragraph 2(v)(a) (lettuce and similar), in column 2, beneath “Scarole” insert “Ruccola” and beneath that insert “Leaves and stems of brassica”.

Amendments coming into force on 30th December 2006

4. Schedules 1 and 2 of the principal Regulations are amended as follows—

- (a) in Schedule 1 (pesticide residues), for the entry relating to Deltamethrin, substitute the entry for Deltamethrin set out in Schedule 2 to these Regulations; and
- (b) in Schedule 2—
 - (i) for the entries in the columns relating to Carbaryl, Deltamethrin, Endosulfan, Fenitrothion and Methidathion, substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations;
 - (ii) at the end, insert as footnote 47 the footnote numbered (47) set out on page 25 to these Regulations.

Amendment coming into force on 21st January 2007

5. Schedules 1 and 2 of the principal Regulations are amended as follows—

- (a) in Schedule 1—
 - (i) for the entry for Cyfluthrin, substitute the entry for Cyfluthrin set out in Schedule 2 to these Regulations;
 - (ii) in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Fenthion set out in Schedule 2 to these Regulations;
- (b) in Schedule 2—
 - (i) for the entries in the columns relating to Abamectin, Atrazine, Azinphos-ethyl, Cyfluthrin, Ethephon, Fenpropimorph, Methamidophos, Methomyl thiodicarb, Myclobutanil, Paraquat, Thiabendazole, Triazophos and Trifloxystrobin substitute the entries in the columns relating to those pesticides set out in Schedule 1 to these Regulations;
 - (ii) in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Fenthion set out in Schedule 1 to these Regulations; and
- (c) in Schedule 3, in paragraph 3 (pulses), in column 2, beneath “Peas” insert “Lupins”.

(a) OJ No. L340, 9.12.1976, p.26, as last amended by Commission Directive 2006/59/EC (OJ No. L175, 29.6.2006, p.61).

(b) OJ No. L221, 7.8.1986, p.37, as last amended by Commission Directive 2006/61/EC (OJ No. L206, 27.7.2006, p.12).

(c) OJ No. L221, 7.8.1986, p.43, as last amended by Commission Directive 2006/61/EC (OJ No. L206, 27.7.2006, p.12).

(d) OJ No. L350, 14.12.1990, p.71, as last amended by Commission Directive 2006/61/EC (OJ No. L206, 27.7.2006, p.12).

Amendment coming into force on 21st April 2007

6. Schedules 1 and 2 of the principal Regulations are amended as follows—
- (a) in Schedule 1, in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Pyraclostrobin set out in Schedule 2 to these Regulations; and
 - (b) in Schedule 2—
 - (i) for the column relating to Glyphosate substitute the two columns relating to Glyphosate set out in Schedule 1 to these Regulations;
 - (ii) in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Pyraclostrobin set out in Schedule 1 to these Regulations.

Amendment coming into force on 30th December 2007

7. Schedules 1 and 2 of the principal Regulations are amended as follows—
- (a) in Schedule 1, in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Oxamyl set out in Schedule 2 to these Regulations; and
 - (b) In Schedule 2, in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Oxamyl set out in Schedule 1 to these Regulations.

Amendment to and revocation of part of regulation 6 of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2006

8. In regulation 6 (amendments coming into force on 21st April 2007) of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2006(a)—

- (a) in paragraphs (a)(ii) and (b)(ii), “Pyraclostrobin” is deleted; and
- (b) paragraph (b)(i) is revoked.

24th October 2006

D Elis-Thomas
Presiding Officer
National Assembly for Wales

6th November 2006

Jeff Rooker
Minister of State
Department for Environment, Food and Rural Affairs

(a) S.I. 2006/985.

SCHEDULE 1

Regulations 3 to 8

ENTRIES SUBSTITUTED OR INSERTED IN SCHEDULE 2 TO THE PRINCIPAL REGULATIONS

Index to pesticides

<i>Pesticides name</i>	<i>Page</i>
Abamectin - Cyfluthrin	P5
Deltamethrin - Fenthion	P15
Glyphosate - Oxamyl	P26
Paraquat - Trifloxystrobin	P37

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR; NUTS									
i) CITRUS FRUIT									
	Grapefruit	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Lemons	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Limes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Mandarins (inc clementines & similar hybrids)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Oranges	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Pomelos	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
ii) TREE NUTS (shelled or unshelled)									
	Almonds	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
	Brazil nuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
	Cashew nuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
	Chestnuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
	Coconuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
	Hazelnuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
	Macadamia nuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
	Pecans	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
	Pine nuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
	Pistachios	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
	Walnuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
	Others	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.01*	0.02*
iii) POME FRUIT									
	Apples	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.2
	Pears	0.01*	0.05*	0.02*	0.2	0.05*	0.2*	0.01*	0.2

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>	
iv) STONE FRUIT	Quinces	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.2	
	Others	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.2	
	Apricots	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.3	
	Cherries	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.2	
	Peaches	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.3	
	(including nectarines & similar hybrids)									
	Plums	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.2	
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
	v) BERRIES AND SMALL FRUIT									
	a)	Table & wine grapes								
Table grapes		0.01*	0.05*	0.02*	0.3	0.05*	0.05*	0.5*	0.3	
b)	Wine grapes	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.5*	0.3	
	Strawberries (other than wild)									
c)	0.1		0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
	Cane Fruit (other than wild)									
d)	Blackberries	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
	Dewberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
	Loganberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
	Raspberries	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
	Other small fruit & berries (other than wild)									
	Bilberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
	Cranberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
	Currants (red, black & white)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	
	Gooseberries	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
e)	Wild berries & wild fruit	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
vi)	MISCELLANEOUS FRUIT								
	Avocados	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Bananas	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Dates	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Figs	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Kiwi fruit	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Kumquats	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Litchis	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Mangoes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Olives (table consumption)	0.01*	0.05*	0.02*	0.1*	5	0.1*	0.01*	0.02*
	Olives (oil extract)	0.01*	0.05*	0.02*	0.1*	5	0.1*	0.01*	0.02*
	Papaya	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.02*
	Passion fruit	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Pineapples	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Pomegranates	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY									
i)	ROOT AND TUBER VEGETABLES								
	Beetroot	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Carrots	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Cassava	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Celeriac	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Horseradish	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
	Jerusalem artichokes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Parsnips	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Parsley root	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Radishes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Salsify	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Sweet potatoes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Swedes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Turnips	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Yams	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
ii)	BULB VEGETABLES								
	Garlic	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Onions	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Shallots	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Spring onions	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
iii)	FRUITING VEGETABLES								
a)	Solanacea								
	Tomatoes	0.02	0.05*	0.02*	0.5	0.5	0.05*	0.2*	0.05
	Peppers	0.05	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
	Chili peppers	0.05	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
	Aubergines	0.02	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.02*
	Okra	0.01*	0.05*	0.02*	2	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
b)	Cucurbits-edible peel								
	Cucumbers	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.1
	Gherkins	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
	Courgettes	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
	Others	0.02	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
c)	Cucurbits-inedible peel								
	Melons	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
	Squashes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
	Watermelons	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.1*	0.02*
d)	Sweet corn	0.01*	0.1	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
iv) BRASSICA VEGETABLES									
a)	Flowering Brassicas	0.01*(13)							
	Broccoli	0.01*	0.05*	0.02*	0.1*(13)	0.05*	0.05*	0.01*(13)	0.05
	Cauliflower	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05
b)	Head Brassicas								
	Brussels sprouts	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	0.01*	0.2
	Head cabbage	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.2
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.2
c)	Leafy Brassicas								
	Chinese cabbage	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
	Kale	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.3
d)	Kohlrabi	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
v)	LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar								
	Cress	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
	Lamb's lettuce	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
	Lettuce	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
	Scarole	0.1 ⁽⁶⁾	0.05*	0.02*	0.1*(6)	0.05*	0.05*	0.01*(6)	0.5
	Ruccola	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
	Leaves and stems of brassica	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
	Others	0.1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.5
b)	Spinach & similar								
	Spinach	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Beet leaves (chard)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
c)	Watercress	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
d)	Witloof	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
e)	Herbs								
	Chervil	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Chives	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Parsley	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Celery leaves	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
vi)	LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.05

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
	Beans (without pods)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05
	Peas (with pods)	0.01*	0.05*	0.02*	0.2	0.05*	0.05*	0.01*	0.05
	Peas (without pods)	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05
vii) STEM VEGETABLES									
	Asparagus	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Cardoons	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Celery	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Fennel	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Globe artichokes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Leeks	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Rhubarb	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
viii) FUNGI									
	a) Cultivated mushrooms	0.01*	0.05*	0.02*	0.1*	0.05*	10	0.01*	0.02*
	b) Wild mushrooms	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
3. PULSES									
	Beans	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Lentils	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Peas	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Lupins	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Others	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
4. OILSEEDS									
	Linseed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
	Peanuts	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
	Poppy seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
	Sesame seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
	Sunflower seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
	Rape seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.05
	Soya bean	0.02*	0.05*	0.02*	0.2	0.05*	0.1*	0.02*	0.02*
	Mustard seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
	Cotton seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
	Hemp seed	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
	Others	0.02*	0.05*	0.02*	0.1*	0.05*	0.1*	0.02*	0.02*
5. POTATOES									
	Early potatoes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
	Ware potatoes	0.01*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.02*
6. TEA									
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.02*	0.1*	0.05*	0.1*	0.1*	0.1*	0.02*	0.1*
7. HOPS (dried)									
	including hop pellets & unconcentrated powder	0.05	0.1*	0.05*	0.1*	0.1*	0.1*	0.02*	20
8. CEREALS									
	Wheat	0.01*	0.05*	0.05*	0.1	0.5	2	0.02*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Atrazine</i>	<i>Azinphos-ethyl</i>	<i>Benomyl/Carbendazim</i>	<i>Carbaryl</i>	<i>Chlormequat</i>	<i>Cyazofamid</i>	<i>Cyfluthrin</i>
	Rye	0.01*	0.05*	0.05*	0.1	0.5	2	0.02*	0.02*
	Barley	0.01*	0.05*	0.05*	2	0.5	2	0.02*	0.02*
	Sorghum	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*
	Oats	0.01*	0.05*	0.05*	2	0.5	5	0.02*	0.02*
	Triticale	0.01*	0.05*	0.05*	0.1	0.5	2	0.02*	0.02*
	Maize	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*
	Buckwheat	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*
	Millet	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*
	Rice ⁽¹⁾	0.01*	0.05*	0.05*	0.01*	1	0.05*	0.02*	0.02*
	Other cereals	0.01*	0.05*	0.05*	0.01*	0.5	0.05*	0.02*	0.02*
9. PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat & preparations of meat ⁽²⁾	0.02 ⁽¹²⁾ 0.01* ⁽⁹⁾		0.01*	0.05* ⁽⁴⁶⁾	0.05*	0.05 ⁽¹⁸⁾ 0.2 ⁽¹⁹⁾ 0.1 ⁽¹²⁾ 0.05* ⁽⁹⁾		0.05
	Milk ⁽³⁾ & Dairy produce ⁽⁴⁾	0.005*		0.01*	0.05* ⁽⁴⁶⁾	0.05*	0.05		0.02*
	Eggs ⁽⁵⁾	0.01*		0.01*	0.05* ⁽⁴⁶⁾	0.05*	0.05*		0.02*
10. SPICES									
	Cumin seed								
	Juniper seed								
	Nutmeg								
	Pepper, black and white								
	Vanilla pods								
	Spices - others								

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (12) Liver of bovine animals.
- (18) Liver of chicken.
- (19) Kidney of bovine animals.
- (46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Ethephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropiimorph</i>	<i>Fenthion</i>
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR; NUTS									
i) CITRUS FRUIT									
	Grapefruit	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3
	Lemons	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3
	Limes	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3
	Mandarins	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3
	(inc clementines & similar hybrids)								
	Oranges	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3
	Pomelos	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3
	Others	0.05*	0.05*	0.05*	5	0.05*	0.01*	0.05*	3
ii) TREE NUTS (shelled or unshelled)									
	Almonds	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
	Brazil nuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
	Cashew nuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
	Chestnuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
	Coconuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
	Hazelnuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
	Macadamia nuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
	Pecans	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
	Pine nuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
	Pistachios	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
	Walnuts	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.05*	0.1*	0.1	0.05*	0.05*	0.01*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Ethephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenprophimorph</i>	<i>Fenthion</i>
iii) POME FRUIT									
	Apples	0.2	0.05*	0.5	2	0.05*	0.01*	0.05*	0.01*
	Pears	0.1	0.3	0.05*	2	0.05*	0.01*	0.05*	0.01*
	Quinces	0.1	0.05*	0.05*	2	0.05*	0.01*	0.05*	0.01*
	Others	0.1	0.05*	0.05*	2	0.05*	0.01*	0.05*	0.01*
iv) STONE FRUIT									
	Apricots	0.1	0.05*	0.05*	0.05*	5	0.01*	0.05*	0.01*
	Cherries	0.2	0.05*	3	0.05*	5	0.01*	0.05*	2
	Peaches	0.1	0.05*	0.05*	0.05*	5	0.01*	0.05*	0.01*
	(including nectarines & similar hybrids)								
	Plums	0.1	0.05*	0.05*	0.05*	1	0.01*	0.05*	0.01*
	Others	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
v) BERRIES AND SMALL FRUIT									
a)	Table & wine grapes								
	Table grapes	0.2	0.5	1	2	5	0.01*	0.05*	0.01*
	Wine grapes	0.2	0.5	1	2	5	0.01*	0.05*	0.01*
b)	Strawberries (other than wild)								
		0.2	0.05*	0.05*	1	5	0.01*	1	0.01*
c)	Cane Fruit (other than wild)								
	Blackberries	0.5	0.05*	0.05*	5	10	0.01*	1	0.01*
	Dewberries	0.05*	0.05*	0.05*	0.05*	10	0.01*	1	0.01*
	Loganberries	0.05*	0.05*	0.05*	0.05*	10	0.01*	1	0.01*
	Raspberries	0.5	0.05*	0.05*	5	10	0.01*	1	0.01*
	Others	0.05*	0.05*	0.05*	0.05*	10	0.01*	1	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Ethephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropiimorph</i>	<i>Fenthion</i>
d)	Other small fruit & berries (other than wild)								
	Bilberries	0.05*	0.05*	0.05*	0.05*	5	0.01*	1	0.01*
	Cranberries	0.05*	0.05*	0.05*	0.05*	5	0.01*	1	0.01*
	Currants (red, black & white)	0.5	0.05*	5	0.05*	5	0.01*	1	0.01*
	Gooseberries	0.2	0.05*	0.05*	0.05*	5	0.01*	1	0.01*
	Others	0.05*	0.05*	0.05*	0.05*	5	0.01*	1	0.01*
e)	Wild berries & wild fruit								
		0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
vi)	MISCELLANEOUS FRUIT								
	Avocados	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Bananas	0.05*	0.05*	0.05*	3	0.05*	0.01*	2	0.01*
	Dates	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Figs	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Kiwi fruit	0.2	0.05*	0.05*	0.05*	10	0.01*	0.05*	0.01*
	Kumquats	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Litchis	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Mangoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Olives (table consumption)	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	1
	Olives (oil extract)	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	1
	Papaya	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Passion fruit	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Pineapples	0.05*	0.05*	2	0.05*	0.05*	0.01*	0.05*	0.01*
	Pomegranates	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.05*	0.05	0.01*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Ethephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropiomorph</i>	<i>Fenthion</i>
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY									
i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Carrots	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Cassava	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Celeriac	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Horseradish	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Jerusalem artichokes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Parsnips	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Parsley root	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Radishes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Salsify	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Sweet potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Swedes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Turnips	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Yams	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
ii) BULB VEGETABLES									
	Garlic	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Onions	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Shallots	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Spring onions	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Ethephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropiimorph</i>	<i>Fenthion</i>
iii) FRUITING VEGETABLES									
a)	Solanacea								
	Tomatoes	0.3	0.5	1	1	1	0.01*	0.05*	0.01*
	Peppers	0.2	1	3	1	2	0.01*	0.05*	0.01*
	Chili peppers	0.2	1	3	1	2	0.01*	0.05*	0.01*
	Aubergines	0.3	0.05*	0.05*	1	1	0.01*	0.05*	0.01*
	Okra	0.3	0.05*	0.05*	1	0.05*	0.01*	0.05*	0.01*
	Others	0.2	0.05*	0.05*	1	0.05*	0.01*	0.05*	0.01*
b)	Cucurbits-edible peel								
	Cucumbers	0.2	0.05*	0.05*	0.5	1	0.01*	0.05*	0.01*
	Gherkins	0.2	0.05*	0.05*	0.05*	1	0.01*	0.05*	0.01*
	Courgettes	0.2	0.05*	0.05*	0.5	1	0.01*	0.05*	0.01*
	Others	0.2	0.05*	0.05*	0.05*	1	0.01*	0.05*	0.01*
c)	Cucurbits-inedible peel								
	Melons	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Squashes	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Watermelons	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
d)	Sweet corn	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
iv) BRASSICA VEGETABLES									
a)	Flowering Brassicas								
	Broccoli	0.1	0.05*	0.05*	0.05*(13)	0.05*(13)	0.01*	0.05*(13)	0.01*
	Cauliflower	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
b)	Head Brassicas								
	Brussels	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.5	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Ethephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropiomorph</i>	<i>Fenthion</i>
	sprouts								
	Head cabbage	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
c)	Leafy Brassicas								
	Chinese cabbage	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Kale	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
d)	Kohlrabi								
		0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar								
	Cress	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Lamb's lettuce	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Lettuce	0.5*	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Scarole	0.5	0.05*	0.05*	0.05*(6)	30(6)	0.01*	0.05*(6)	0.01*
	Ruccola	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Leaves and stems of brassica	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Others	0.5*	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
b)	Spinach & similar								
	Spinach	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Beet leaves (chard)	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.5	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
c)	Watercress								
		0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Ethephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropiomorph</i>	<i>Fenthion</i>
d)	Witloof	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
e)	Herbs								
	Chervil	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Chives	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Parsley	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Celery leaves	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
	Others	0.5	0.05*	0.05*	0.05*	30	0.01*	0.05*	0.01*
vi)	LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Beans (without pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Peas (with pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Peas (without pods)	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
vii)	STEM VEGETABLES								
	Asparagus	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Cardoons	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Celery	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Fennel	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Globe artichokes	0.1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Leeks	0.2	0.05*	0.05*	0.05*	0.05*	0.01*	1	0.01*
	Rhubarb	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Ethephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropiimorph</i>	<i>Fenthion</i>
viii)	FUNGI								
	a) Cultivated mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	b) Wild mushrooms	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
3.	PULSES								
	Beans	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Lentils	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Peas	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Lupins	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Others	1	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
4.	OILSEEDS								
	Linseed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Peanuts	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Poppy seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Sesame seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Sunflower seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Rape seed	0.1	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Soya bean	0.05*	0.5	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Mustard seed	0.1	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Cotton seed	0.05*	5	2	0.05*	0.1*	0.01*	0.05*	0.02*
	Hemp seed	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
	Others	0.05*	0.1*	0.1*	0.05*	0.1*	0.01*	0.05*	0.02*
5.	POTATOES								
	Early potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*
	Ware potatoes	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Ethephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenpropiimorph</i>	<i>Fenthion</i>
6. TEA									
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	5	30	0.1*	0.1*	0.1*	0.5	0.1*	0.1*
7. HOPS (dried)									
	including hop pellets & unconcentrate d powder	5	0.1*	0.1*	0.1*	0.1*	0.02*	10	0.1*
8. CEREALS									
	Wheat	2	0.05*	0.2	0.05*	0.05*		0.5 ⁽²⁴⁾	
	Rye	2	0.05*	0.5	0.05*	0.05*		0.5	
	Barley	2	0.05*	0.5	0.05*	0.05*		0.5	
	Sorghum	2	0.05*	0.05*	0.05*	0.05*		0.05*	
	Oats	2	0.05*	0.05*	0.05*	0.05*		0.5	
	Triticale	2	0.05*	0.2	0.05*	0.05*		0.5	
	Maize	2	0.05*	0.05*	0.05*	0.05*		0.05*	
	Buckwheat	2	0.05*	0.05*	0.05*	0.05*		0.05*	
	Millet	2	0.05*	0.05*	0.05*	0.05*		0.05*	
	Rice ⁽¹⁾	2	0.05*	0.05*	0.05*	0.05*		0.05*	
	Other cereals	2	0.05*	0.05*	0.05*	0.05*		0.05* ⁽²⁵⁾	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Deltamethrin</i>	<i>Endosulfan</i>	<i>Ethephon</i>	<i>Fenbutatin oxide</i>	<i>Fenhexamid</i>	<i>Fenitrothion</i>	<i>Fenprophimorph</i>	<i>Fenthion</i>
9. PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat & preparations of meat ⁽²⁾	0.03* ⁽¹¹⁾ 0.1 ⁽⁴⁷⁾ 0.5 ⁽⁹⁾	0.1 ⁽¹⁷⁾	0.05*	0.05*	0.05*		0.3 ⁽²⁶⁾ 0.05 ⁽²⁷⁾ 0.01* ⁽²⁸⁾ 0.02 ⁽²⁹⁾ 0.01 ⁽⁹⁾ 0.01	0.05*
	Milk ⁽³⁾ & Dairy produce ⁽⁴⁾	0.05	0.004	0.05*	0.05*	0.05*			0.01*
	Eggs ⁽⁵⁾	0.05*	0.1* ⁽⁷⁾	0.05*	0.05*	0.05*		0.01*	
10. SPICES									
	Cumin seed								
	Juniper seed								
	Nutmeg								
	Pepper, black and white								
	Vanilla pods								
	Spices -others								

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

⁽¹⁾ Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

⁽²⁾ Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

⁽³⁾ These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (7) For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (11) All liver and kidney.
- (26) Liver of bovine animals, sheep, goats and swine.
- (27) Kidney of bovine animals, sheep, goats and swine.
- (28) Meat of poultry, fat and edible offal.
- (29) Meat of bovine animals, sheep, goats and swine.
- (47) Poultry and poultry products.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR; NUTS									
i) CITRUS FRUIT									
	Grapefruit	0.1*	0.05*	0.05*	0.01*	2	0.5	3	0.01*
	Lemons	0.1*	0.05*	0.05*	0.01*	2	1	3	0.01*
	Limes	0.1*	0.05*	0.05*	0.01*	2	1	3	0.01*
	Mandarins (inc clementines & similar hybrids)	0.5	0.5	0.05*	0.01*	2	1	3	0.02
	Oranges	0.5	0.5	0.05*	0.01*	2	0.5	3	0.01*
	Pomelos	0.1*	0.05*	0.05*	0.01*	2	0.5	3	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	2	0.05*	3	0.01*
ii) TREE NUTS (shelled or unshelled)									
	Almonds	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Brazil nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Cashew nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Chestnuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Coconuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Hazelnuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Macadamia nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Pecans	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Pine nuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Pistachios	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Walnuts	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*	0.01*
iii) POME FRUIT									
	Apples	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.01*
	Pears	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
	Quinces	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.5	0.01*
iv) STONE FRUIT									
	Apricots	0.1*	0.05*	0.05*	0.1	0.02*	0.2	0.3	0.01*
	Cherries	0.1*	0.05*	0.05*	0.01*	0.02*	0.1	1	0.01*
	Peaches (including nectarines & similar hybrids)	0.1*	0.05*	0.05*	0.05	0.05	0.2	0.5	0.01*
	Plums	0.1*	0.05*	0.05*	0.01*	0.2	0.5	0.5	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
v) BERRIES AND SMALL FRUIT									
a)	Table & wine grapes								
	Table grapes	0.5	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
	Wine grapes	0.5	0.05*	0.05*	0.01*	0.02*	1	1	0.01*
b)	Strawberries (other than wild)								
		0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
c)	Cane Fruit (other than wild)								
	Blackberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
	Dewberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Loganberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Raspberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
d)	Other small fruit & berries (other than wild)								
	Bilberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Cranberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Currants (red, black & white)	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
	Gooseberries	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	1	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
e)	Wild berries & wild fruit	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
vi)	MISCELLANEOUS FRUIT								
	Avocados	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Bananas	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	2	0.01*
	Dates	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Figs	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Kiwi fruit	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Kumquats	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Litchis	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Mangoes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Olives (table consumption)	0.1*	0.05*	0.05*	0.01*	1	0.05*	0.02*	0.01*
	Olives (oil extract)	1	1	0.05*	0.01*	1	0.05*	0.02*	0.01*
	Papaya	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Passion fruit	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Pineapples	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Pomegranates	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY								
i)	ROOT AND TUBER VEGETABLES								
	Beetroot	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Carrots	0.1*	0.05*	0.2	0.01*	0.02*	0.05*	0.2	0.01*
	Cassava	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
	Celeriac	0.1*	0.05*	0.5	0.01*	0.02*	0.05*	0.02*	0.01*
	Horseradish	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*
	Jerusalem artichokes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Parsnips	0.1*	0.05*	0.2	0.01*	0.02*	0.05*	0.2	0.01*
	Parsley root	0.1*	0.05*	0.2	0.01*	0.02*	0.05*	0.2	0.01*
	Radishes	0.1*	0.05*	0.05*	0.01*	0.02*	0.5	0.02*	0.01*
	Salsify	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Sweet potatoes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Swedes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Turnips	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Yams	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
ii) BULB VEGETABLES									
	Garlic	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Onions	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Shallots	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Spring onions	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
iii) FRUITING VEGETABLES									
a) Solanacea									
	Tomatoes	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.3	0.02
	Peppers	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.5	0.02
	Chili peppers	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.5	0.02
	Aubergines	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.3	0.02
	Okra	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
b)	Cucurbits-edible peel								
	Cucumbers	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.02
	Gherkins	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.02
	Courgettes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.03
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.01*
c)	Cucurbits-inedible peel								
	Melons	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*
	Squashes	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*
	Watermelons	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.2	0.01*
d)	Sweet corn	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
iv) BRASSICA VEGETABLES									
a)	Flowering Brassicas								
	Broccoli	0.1*(1,3)	0.05*(1,3)	0.05*(1,3)	0.02	0.02*	0.2	0.02*(1,3)	0.01*
	Cauliflower	0.1*	0.05*	0.05*	0.02	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.02	0.02*	0.05*	0.02*	0.01*
b)	Head Brassicas								
	Brussels sprouts	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Head cabbage	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
c)	Leafy Brassicas								
	Chinese cabbage	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Kale	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>	
d)	Kohlrabi	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
v)	LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar									
	Cress	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
	Lamb's lettuce	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	5	0.01*	
	Lettuce	0.1*	0.05*	0.05*	0.01*	0.02*	0.3	0.02*	0.01*	
	Scarole	0.1*(6)	0.05*(6)	0.05*(6)	0.01*	0.02*	0.05*	0.02*(6)	0.01*	
	Ruccola	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
	Leaves and stems of brassica	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
b)	Spinach & similar									
	Spinach	0.1*	0.05*	0.05*	0.01*	0.02*	0.05	0.02*	0.01*	
	Beet leaves (chard)	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
c)	Watercress	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
d)	Witloof	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*	
e)	Herbs									
	Chervil	0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*	
	Chives	0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*	
	Parsley	0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*	
	Celery leaves	0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*	
	Others	0.1*	0.05*	1	0.01*	0.02*	0.3	0.02*	0.01*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)	0.1*	0.05*	0.05*	0.5	0.02*	0.05*	0.3	0.01*
	Beans (without pods)	0.1*	0.05*	0.1	0.01*	0.02*	0.05*	0.02*	0.01*
	Peas (with pods)	0.1*	0.05*	0.05*	0.5	0.02*	0.05*	0.02*	0.01*
	Peas (without pods)	0.1*	0.05*	0.1	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
vii) STEM VEGETABLES									
	Asparagus	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Cardoons	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Celery	0.1	0.05*	0.1*	0.01*	0.02*	0.05*	0.02*	0.01*
	Fennel	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Globe artichokes	0.1*	0.05*	0.05*	0.1	0.02*	0.05*	0.5	0.01*
	Leeks	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Rhubarb	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
viii) FUNGI									
	a) Cultivated mushrooms	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	b) Wild mushrooms	50	20	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
3. PULSES									
	Beans	2	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Lentils	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
	Peas	10	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Lupins	10	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Others	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
4. OILSEEDS									
	Linseed	10	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*
	Peanuts	0.1*	0.05*	0.1*	0.01*	0.02*	0.1	0.05*	0.02*
	Poppy seed	0.1*	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*
	Sesame seed	0.1*	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*
	Sunflower seed	20	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*
	Rape seed	10	0.05*	0.1*	0.01*	0.05	0.05*	0.05*	0.02*
	Soya bean	20	10	0.1*	0.2	0.02*	0.1	0.05*	0.02*
	Mustard seed	10	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*
	Cotton seed	10	0.05*	0.1*	0.2	0.02*	0.1	0.05*	0.02*
	Hemp seed	0.1*	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*
	Others	0.1*	0.05*	0.1*	0.01*	0.02*	0.05*	0.05*	0.02*
5. POTATOES									
	Early potatoes	0.5	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Ware potatoes	0.5	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
6. TEA									
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	2	0.05*	0.1*	0.02*	0.1*	0.1*	0.05*	0.02

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
7. HOPS (dried)									
	including hop pellets & unconcentrated powder	0.1*	0.05*	0.1*	0.02*	0.1*	10	2	0.02
8. CEREALS									
	Wheat	10	5	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Rye	10	5	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Barley	20	10	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Sorghum	20	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Oats	20	10	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Triticale	10	5	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Maize	1	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Buckwheat	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Millet	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Rice ⁽¹⁾	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
	Other cereals	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.02*	0.01*
9. PRODUCTS OF ANIMAL ORIGIN									
		2 ⁽¹⁹⁾	0.2 ⁽¹⁹⁾		0.01*	0.02*	0.02*	0.01*	
	Meat, fat & preparations of meat ⁽²⁾	0.2 ⁽¹²⁾ 0.5 ⁽³¹⁾ 0.1 ⁽⁴⁴⁾	0.5 ⁽¹²⁾ 0.2 ⁽¹⁵⁾ 0.1 ⁽⁴⁴⁾						
	Milk ⁽³⁾ & Dairy produce ⁽⁴⁾	0.1*	0.1		0.01*	0.02*	0.02*	0.01*	
	Eggs ⁽⁵⁾	0.1*	0.01*		0.01*	0.02*	0.02*	0.01*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Glyphosate (except trimesium salt)</i>	<i>Glyphosate (as trimesium salt)</i>	<i>Linuron</i>	<i>Methamidophos</i>	<i>Methidathion</i>	<i>Methomyl/thiodicarb</i>	<i>Myclobutanil</i>	<i>Oxamyl</i>
	Cumin seed Juniper seed Nutmeg Pepper, black and white Vanilla pods Spices -others								

10. SPICES

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

⁽¹⁾ Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

⁽²⁾ Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

⁽³⁾ These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

⁽⁴⁾ For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

⁽⁵⁾ Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

⁽¹²⁾ Liver of bovine animals.

⁽¹⁵⁾ Meat of bovine animals.

⁽¹⁹⁾ Kidney of bovine animals.

⁽³¹⁾ Kidney of swine.

⁽⁴³⁾ Except liver and kidney of bovine animals, and kidney of swine and poultry.

⁽⁴⁴⁾ Kidney of poultry.

⁽⁴⁵⁾ Except liver, kidney and meat of bovine animals, and kidney of poultry.

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimefon and Triadimenol</i>	<i>Triazophos</i>	<i>Trifloxystrobin</i>
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR; NUTS									
i) CITRUS FRUIT									
	Grapefruit	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3
	Lemons	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3
	Limes	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3
	Mandarins (inc clementines & similar hybrids)	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3
	Oranges	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3
	Pomelos	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3
	Others	0.02*	0.3	1	5	0.1*	0.1*	0.01*	0.3
ii) TREE NUTS (shelled or unshelled)									
	Almonds	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
	Brazil nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
	Cashew nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
	Chestnuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
	Coconuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
	Hazelnuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
	Macadamia nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
	Pecans	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
	Pine nuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
	Pistachios	0.02*	0.02*	1	0.1*	0.2	0.2*	0.01*	0.02*
	Walnuts	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
	Others	0.02*	0.02*	0.02*	0.1*	0.2	0.2*	0.01*	0.02*
iii) POME FRUIT									
	Apples	0.02*	0.02*	0.3	5	0.5	0.2	0.01*	0.5
	Pears	0.02*	0.02*	0.3	5	0.5	0.1*	0.01*	0.5

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimefon and Triadimenol</i>	<i>Triazophos</i>	<i>Trifloxystrobin</i>	
iv) STONE FRUIT	Quinces	0.02*	0.02*	0.3	0.05*	0.5	0.1*	0.01*	0.5	
	Others	0.02*	0.02*	0.3	0.05*	0.5	0.1*	0.01*	0.5	
	Apricots	0.02*	0.05	0.2	0.05*	2	0.1*	0.01*	1	
	Cherries	0.02*	0.02*	0.2	0.05*	0.3	0.1*	0.01*	1	
	Peaches	0.02*	0.05	0.2	0.05*	2	0.1*	0.01*	1	
	(including nectarines & similar hybrids)									
	Plums	0.02*	0.02*	0.1	0.05*	0.3	0.1*	0.01*	0.2	
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
	v) BERRIES AND SMALL FRUIT	a) Table & wine grapes								
		Table grapes	0.02*	0.02*	1	0.05*	0.1*	2	0.01*	5
Wine grapes		0.02*	0.02*	2	0.05*	3	2	0.01*	5	
b) Strawberries (other than wild)										
Strawberries (other than wild)		0.02*	0.02*	0.5	0.05*	0.1*	0.5	0.01*	0.5*	
c) Cane Fruit (other than wild)										
Blackberries		0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
Dewberries		0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
Loganberries		0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
Raspberries		0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
Others		0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*	
d) Other small fruit & berries (other than wild)										
Bilberries		0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*	
Cranberries		0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*	
Currants (red, black & white)		0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	1	
Gooseberries		0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	1	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimefon and Triadimenol</i>	<i>Triazophos</i>	<i>Trifloxystrobin</i>
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*
e)	Wild berries & wild fruit	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
vi)	MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.02*
	Bananas	0.02*	0.02*	0.02*	5	0.1*	0.2	0.01*	0.05
	Dates	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Figs	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Kiwi fruit	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Kumquats	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Litchis	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Mangoes	0.02*	0.02*	0.05	5	0.1*	0.1*	0.01*	0.02*
	Olives (table consumption)	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Olives (oil extract)	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Papaya	0.02*	0.02*	0.05	10	1	0.1*	0.01*	0.02*
	Passion fruit	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Pineapples	0.02*	0.02*	0.02*	0.05*	0.1*	3	0.01*	0.02*
	Pomegranates	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY									
i)	ROOT AND TUBER VEGETABLES								
	Beetroot	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Carrots	0.02*	0.02*	0.1	0.05*	0.1*	0.1*	0.01*	0.02*
	Cassava	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.02*
	Celeriac	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Horseradish	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pyrimetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimefon and Triadimenol</i>	<i>Triazophos</i>	<i>Trifloxystrobin</i>
	Jerusalem artichokes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Parsnips	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*
	Parsley root	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Radishes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Salsify	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Sweet potatoes	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.02*
	Swedes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Turnips	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Yams	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
ii) BULB VEGETABLES									
	Garlic	0.02*	0.02*	0.2	0.05*	0.1*	0.1*	0.01*	0.02*
	Onions	0.02*	0.02*	0.2	0.05*	0.1*	0.5	0.01*	0.02*
	Shallots	0.02*	0.02*	0.2	0.05*	0.1*	0.1*	0.01*	0.02*
	Spring onions	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
iii) FRUITING VEGETABLES									
a) Solanacea									
	Tomatoes	0.02*	0.5	0.2	0.05*	2	0.3	0.01*	0.5
	Peppers	0.02*	1	0.5	0.05*	0.1*	0.5	0.01*	0.02*
	Chili peppers	0.02*	1	0.5	0.05*	0.1*	0.5	0.01*	0.02*
	Aubergines	0.02*	0.5	0.2	0.05*	2	0.1*	0.01*	0.02*
	Okra	0.02*	0.02*	0.02*	0.05*	1	0.1*	0.01*	0.02*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
b) Cucurbits-edible peel									
	Cucumbers	0.02*	0.5	0.02*	0.05*	0.1*	0.1*	0.01*	0.2
	Gherkins	0.02*	0.5	0.02*	0.05*	0.1*	0.1*	0.01*	0.2

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pyrimetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimefon and Triadimenol</i>	<i>Triazophos</i>	<i>Trifloxystrobin</i>
	Courgettes	0.02*	0.5	0.02*	0.05*	0.1*	0.1*	0.01*	0.2
	Others	0.02*	0.5	0.02*	0.05*	0.1*	0.1*	0.01*	0.2
c)	Cucurbits-inedible peel								
	Melons	0.02*	0.2	0.02*	0.05*	0.3	0.1*	0.01*	0.3
	Squashes	0.02*	0.2	0.02*	0.05*	0.3	0.1*	0.01*	0.02*
	Watermelons	0.02*	0.2	0.02*	0.05*	0.3	0.1*	0.01*	0.02*
	Others	0.02*	0.2	0.02*	0.05*	0.3	0.1*	0.01*	0.02*
d)	Sweet corn	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
iv) BRASSICA VEGETABLES									
a)	Flowering Brassicas								
	Broccoli	0.02*	0.02*(13)	0.1(13)	5(13)	0.1*(13)	0.1*(13)	0.01*	0.02*(13)
	Cauliflower	0.02*	0.02*	0.1	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	0.02*	0.1	0.05*	0.1*	0.1*	0.01*	0.02*
b)	Head Brassicas								
	Brussels sprouts	0.02*	0.02*	0.2	0.05*	1	0.1*	0.01*	0.02*
	Head cabbage	0.02*	0.05	0.2	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
c)	Leafy Brassicas								
	Chinese cabbage	0.02*	0.2	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Kale	0.02*	0.2	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	0.2	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
d)	Kohlrabi	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pyrimetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimefon and Triadimenol</i>	<i>Triazophos</i>	<i>Trifloxystrobin</i>
v) LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar								
	Cress	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
	Lamb's lettuce	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
	Lettuce	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
	Scarole	0.02*	2 ⁽⁶⁾	2 ⁽⁶⁾	0.05* ⁽⁶⁾	0.1* ⁽⁶⁾	0.1* ⁽⁶⁾	0.01*	0.02* ⁽⁶⁾
	Ruccola	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
	Leaves and stems of brassica	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	2	2	0.05*	0.1*	0.1*	0.01*	0.02*
b)	Spinach & similar								
	Spinach	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Beet leaves (chard)	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
c)	Watercress	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
d)	Witloof	0.02*	0.02*	0.02*	1	0.1*	0.1*	0.01*	0.02*
e)	Herbs								
	Chervil	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*
	Chives	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*
	Parsley	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*
	Celery leaves	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	1	2	0.05*	0.1*	0.1*	0.01*	0.02*
vi)	LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.5

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimefon and Triadimenol</i>	<i>Triazophos</i>	<i>Trifloxystrobin</i>
	Beans (without pods)	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Peas (with pods)	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Peas (without pods)	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	1	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
vii) STEM VEGETABLES									
	Asparagus	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Cardoons	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Celery	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Fennel	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Globe artichokes	0.02*	0.02*	0.02*	0.05*	0.1*	1	0.01*	0.02*
	Leeks	0.02*	0.02*	0.5	0.05*	0.1*	0.1*	0.01*	0.02*
	Rhubarb	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
viii) FUNGI									
	a) Cultivated mushrooms	0.02*	0.02*	0.02*	10	0.1*	0.1*	0.01*	0.02*
	b) Wild mushrooms	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
3. PULSES									
	Beans	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*
	Lentils	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*
	Peas	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*
	Lupins	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*
	Others	0.02*	0.02*	0.3	0.05*	0.1*	0.1*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Paraquat</i>	<i>Pyrimetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimefon and Triadimenol</i>	<i>Triazophos</i>	<i>Trifloxystrobin</i>
4. OILSEEDS									
	Linseed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
	Peanuts	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
	Poppy seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
	Sesame seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
	Sunflower seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
	Rape seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
	Soya bean	0.02*	0.02*	0.02*	0.05*	0.3	0.2*	0.01*	0.05*
	Mustard seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
	Cotton seed	0.02*	0.05	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
	Hemp seed	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
	Others	0.02*	0.02*	0.02*	0.05*	0.1*	0.2*	0.01*	0.05*
5. POTATOES									
	Early potatoes	0.02*	0.02*	0.02*	0.05*	0.1*	0.1*	0.01*	0.02*
	Ware potatoes	0.02*	0.02*	0.02*	15	0.1*	0.1*	0.01*	0.02*
6. TEA									
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1*	0.05*	0.1*	0.1*	0.2*	0.02*	0.05*
7. HOPS (dried)									
	including hop pellets & unconcentrated powder	0.05*	15	10	0.1*	0.1*	10	0.02*	30
8. CEREALS									
	Wheat	0.02*	0.02*	0.1	0.05*	0.05	0.2	0.02*	0.05

<i>Group to which food belongs</i>	<i>Paraquat</i>	<i>Pymetrozine</i>	<i>Pyraclostrobin</i>	<i>Thiabendazole</i>	<i>Thiophanate-methyl</i>	<i>Triadimefon and Triadimenol</i>	<i>Triazophos</i>	<i>Trifloxystrobin</i>
Rye	0.02*	0.02*	0.1	0.05*	0.05	0.2	0.02*	0.05
Barley	0.02*	0.02*	0.3	0.05*	0.3	0.2	0.02*	0.3
Sorghum	0.02*	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
Oats	0.02*	0.02*	0.3	0.05*	0.3	0.2	0.02*	0.02*
Triticale	0.02*	0.02*	0.1	0.05*	0.05	0.2	0.02*	0.05
Maize	0.02*	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
Buckwheat	0.02*	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
Millet	0.02*	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
Rice ⁽¹⁾	0.02*	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
Other cereals	0.02*	0.02*	0.02*	0.05*	0.01*	0.1*	0.02*	0.02*
9. PRODUCTS OF ANIMAL ORIGIN								
Meat, fat & preparations of meat ⁽²⁾	0.01*	0.01*	0.05*	0.1	0.05* ⁽⁴⁶⁾	0.1*	0.01*	0.01*
Milk ⁽³⁾ & Dairy produce ⁽⁴⁾	0.01*	0.01*	0.01*		0.05* ⁽⁴⁶⁾	0.1*	0.01*	
Eggs ⁽⁵⁾	0.01*	0.01*	0.05*	0.1*	0.05* ⁽⁴⁶⁾	0.1*	0.01*	0.01*
10. SPICES								
Cumin seed								
Juniper seed								
Nutmeg								
Pepper, black and white								
Vanilla pods								
Others								

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

(1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

(2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

(3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

(4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

(5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

(46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

SCHEDULE 2

Regulations 5 to 8

ENTRIES SUBSTITUTED OR INSERTED IN SCHEDULE 1 TO THE PRINCIPAL REGULATIONS

Column 1 <i>Pesticide</i>	Column 2 <i>Residue</i>
Deltamethrin	(1) for products of plant origin other than cereals and for foodstuffs of animal origin: deltamethrin (cis-deltamethrin)
Cyfluthrin	(2) for cereals: deltamethrin cyfluthrin including other mixtures of constituent isomers (sum of isomers)
Fenthion	fenthion and its oxygen analogue, their sulfoxides and sulfones expressed as parent
Oxamyl	oxamyl
Pyraclostrobin	pyraclostrobin

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 2005 (S.I. 2005/3286) (“the principal Regulations”).

The Regulations implement Commission Directives 2006/53/EC (OJ No. L154, 8.6.2006, p.11), 2006/59/EC (OJ No. L175, 29.6.2006, p.61), 2006/60/EC (OJ No. L206, 27.7.2006, p.1) and 2006/61/EC (OJ No. L206, 27.7.2006, p.12).

The Regulations come into force in stages on dates from 9th December 2006 to 30th December 2007.

The Regulations substitute or insert:

- (a) new residue definition for certain pesticides in Schedule 1 to the principal regulations which identifies the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) new maximum residue levels for certain pesticides in Schedule to the principal Regulations.

A Regulatory Impact Assessment (RIA) was prepared in 2005 when the principal Regulations were previously consolidated and provides a basis for establishing the impact of amendments to the principal Regulations of the kind made by these Regulations. A consultation in 2003 indicated that compliance costs were virtually unchanged from those quoted in the 1999 RIA. Copies of the assessment can be obtained from the Pesticides Safety Directorate, Room 308, Mallard House, Kings Pool, 3 Peasholme Green, York YO1 7PX or via the website www.pesticides.gov.uk. Copies have been placed in the library of each House of Parliament.