

2007 No. 2083

AGRICULTURE, ENGLAND AND WALES

PESTICIDES, ENGLAND AND WALES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2007

Made - - - - *19th July 2007*

Laid before Parliament *26th July 2007*

Laid before the National Assembly for Wales *26th July 2007*

Coming into force in accordance with regulation 1(3) to (6)

The Secretary of State and the Welsh Ministers are designated^(a) for the purposes of section 2(2) of the European Communities Act 1972^(b) in relation to the common agricultural policy.

Acting jointly, the Secretary of State and the Welsh Ministers (the Welsh Ministers acting in relation to Wales only), in exercise of the powers conferred on them by that section, make the following Regulations.

Citation, interpretation and commencement

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) (No. 2) Regulations 2007.

(2) In these Regulations—

“the 2007 Amendment Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2007^(c); and

“the principal Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 2005^(d).

(3) Subject to paragraphs (4) to (6), these Regulations shall come into force on 16th August 2007.

^(a) In relation to England, S.I. 1972/1811. In relation to Wales, S.I. 2005/2766: by virtue of sections 59(1) and 162 of and paragraphs 28 and 30 of Schedule 11 to the Government of Wales Act 2006 (c.32), functions conferred on the National Assembly for Wales by this designation are exercisable by the Welsh Ministers.

^(b) 1972 c.68.

^(c) S.I. 2007/971.

^(d) S.I. 2005/3286, as amended by S.I. 2006/985, S.I. 2006/1742, S.I. 2006/2922 and S.I. 2007/971.

- (4) Regulation 8 shall come into force on 28th August 2007.
- (5) Regulation 9 shall come into force on 2nd September 2007.
- (6) Regulation 10 shall come into force on 21st January 2008.

Amendments to the 2007 Amendment Regulations coming into force on 16th August 2007

2. The 2007 Amendment Regulations are amended in accordance with regulations 3 to 5.
3. In regulation 4 (amendments coming into force on 21st January 2008)—
 - (a) in paragraph (a), for “insert the entries for the pesticides Desmedipham and Phenmedipham”, substitute “insert the entry for the pesticide Desmedipham”; and
 - (b) in paragraph (b)(i), for “insert the entries in the columns relating to the pesticides Desmedipham and Phenmedipham”, substitute “insert the entries in the column relating to the pesticide Desmedipham”.
4. In Schedule 1 (entries inserted in Schedule 1 to the principal Regulations), omit the entry for the pesticide Phenmedipham in column 1 and the residue entries (1) and (2) relating to that pesticide in column 2.
5. In Schedule 2 (entries substituted or inserted in Schedule 2 to the principal Regulations), omit the column for the pesticide Phenmedipham.

Amendments to the principal Regulations

6. The principal Regulations are amended in accordance with regulations 7 to 10.

Amendments coming into force on 16th August 2007

7. Schedules 1 and 2 of the principal Regulations are amended as follows—
 - (a) in Schedule 1 (pesticide residues), in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Phenmedipham set out in Schedule 1 to these Regulations;
 - (b) in Schedule 2 (maximum residue levels) of the principal Regulations—
 - (i) for the entries in the columns relating to the pesticides Abamectin, Bifenthrin, Lambda-cyhalothrin, Linuron, Methomyl Thiodicarb and Pymetrozine, substitute the entries in the columns relating to those pesticides set out in Schedule 2 to these Regulations;
 - (ii) for the entries in the column relating to the pesticide Penconazole, substitute the entries in the column headed “Penconazole: Applying from 16 August 2007” relating to that pesticide set out in Schedule 2 to these Regulations;
 - (iii) in the appropriate place in the alphabetical sequence, insert the column headed “Phenmedipham: Applying from 16 August 2007” relating to that pesticide set out in Schedule 2 to these Regulations; and
 - (iv) for the entries in the columns relating to the pesticide Atrazine for food group 8 (Cereals), substitute the entries in the column headed “Atrazine: Applying from 16 August 2007” relating to that pesticide set out in Schedule 2 to these Regulations.

Amendments coming into force on 28th August 2007

8. Schedule 2 of the principal Regulations is amended as follows—
 - (a) for the entries in the column relating to the pesticides Benomyl/Carbendazim, substitute the entries in the column relating to those pesticides set out in Schedule 2 to these Regulations; and

- (b) for the entry in the column relating to the pesticide Penconazole for the food group 1(v)(b) (Strawberries (other than wild)), substitute the entry in the column relating to that pesticide headed “Penconazole: Applying from 28 August 2007” set out in Schedule 2 to these Regulations.

Amendments coming into force on 2nd September 2007

9. Schedule 1 (pesticide residues) and Schedule 2 (maximum residue levels) of the principal Regulations are amended as follows—

- (a) in Schedule 1—
- (i) for the entry for Mevinphos, substitute the entry for Mevinphos set out in Schedule 1 to these Regulations; and
 - (ii) in the appropriate place in the alphabetical sequence, insert the entries for the pesticides Acetamiprid, Imazosulfuron, S-metholachlor, Methoxyfenozide, Milbemectin, Thiaclopid and Tribenuron-methyl set out in Schedule 1 to these Regulations; and
- (b) in Schedule 2—
- (i) for the entries in the columns relating to the pesticides Aldicarb, Mevinphos and Phosphamidon, substitute the entries in the columns relating to those pesticides set out in Schedule 2 to these Regulations;
 - (ii) in the appropriate place in the alphabetical sequence, insert the entries in the columns relating to the pesticides Acetamiprid, Imazosulfuron, S-metholachlor, Methoxyfenozide, Milbemectin, Thiaclopid and Tribenuron-methyl set out in Schedule 2 to these Regulations; and
 - (iii) at the end, add as footnote 49 the footnote numbered (49) set out at the end of Schedule 2 to these Regulations.

Amendments coming into force on 21st January 2008

10. In Schedule 2 (maximum residue levels) of the principal Regulations, for the column headed “Phenmedipham: Applying from 16 August 2007”, substitute the column headed “Phenmedipham: Applying from 21 January 2008” set out in Schedule 2 to these regulations.

18th July 2007 *Jane Davidson*
Minister for Sustainability and Rural Development, one of the Welsh Ministers

19th July 2007 *Phil Woolas*
Minister of State
Department for Environment, Food and Rural Affairs

SCHEDULE 1

Regulations 7 and 9

**ENTRIES SUBSTITUTED OR INSERTED IN SCHEDULE 1 OF THE
PRINCIPAL REGULATIONS**

<i>Column 1</i> <i>Pesticide</i>	<i>Column 2</i> <i>Residue</i>
Acetamiprid	(1) for products of plant origin: acetamiprid (2) for foodstuffs of animal origin: acetamiprid and IM-2-1 metabolite

Imazosulfuron	imazosulfuron
S-metholachlor	Metholachlor including other mixtures of constituent isomers including S-metholachlor (sum of isomers)
Methoxyfenozone	methoxyfenozone
Mevinphos	mevinphos, sum of E- and Z-isomers
Milbemectin	(1) for products of plant origin other than cereals: sum of MA4+8,9Z-MA4, expressed as milbemectin (2) for cereals: milbemectin
Phenmedipham	(1) for products of plant origin: phenmedipham (2) for foodstuffs of animal origin: phenmedipham (Methyl-N-(3-hydroxyphenyl) carbamate (MHPC) expressed as phenmedipham)
Thiacloprid	thiacloprid
Tribenuron-methyl	tribenuron-methyl

SCHEDULE 2

Regulations 7, 8, 9 and 10

ENTRIES SUBSTITUTED OR INSERTED IN SCHEDULE 2 TO THE PRINCIPAL REGULATIONS

Abamectin-Linuron

<i>Group to which the food belongs</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Atrazine: Applying from 16 August 2007</i>	<i>Benomyl/ Carbendazim</i>	<i>Bifenthrin</i>	<i>Imazosulfuron</i>	<i>Lambda-cyhalothrin</i>	<i>Linuron</i>
--	------------------	--------------------	-----------------	---	-----------------------------	-------------------	----------------------	---------------------------	----------------

1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS

i) CITRUS FRUIT

Grapefruit	0.01*	1	0.02*	0.5	0.1	0.01*	0.1	0.05*	0.05*
Lemons	0.01*	1	0.02*	0.5	0.1	0.01*	0.2	0.05*	0.05*
Limes	0.01*	1	0.02*	0.5	0.1	0.01*	0.2	0.05*	0.05*
Mandarins (inc clementines & similar hybrids)	0.01*	1	0.02*	0.5	0.1	0.01*	0.2	0.05*	0.05*
Oranges	0.01*	1	0.02*	0.5	0.1	0.01*	0.1	0.05*	0.05*
Pomelos	0.01*	1	0.02*	0.5	0.1	0.01*	0.1	0.05*	0.05*
Others	0.01*	1	0.02*	0.5	0.1	0.01*	0.02*	0.05*	0.05*

ii) TREE NUTS (Shelled or Unshelled)

Almonds	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*
Brazil nuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*
Cashew nuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*
Chestnuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*
Coconuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*
Hazelnuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*
Macadamia nuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Atrazine: Applying from 16 August 2007</i>	<i>Benomyl/ Carbendazim</i>	<i>Bifenthrin</i>	<i>Imazosulfuron</i>	<i>Lambda-cyhalothrin</i>	<i>Linuron</i>	
	Pecans	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*	
	Pine nuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*	
	Pistachios	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*	
	Walnuts	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*	
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*	
iii)	POME FRUIT										
	Apples	0.01*	0.1	0.02*	0.2	0.3	0.01*	0.05*	0.1	0.05*	
	Pears	0.01*	0.1	0.02*	0.2	0.3	0.01*	0.05*	0.1	0.05*	
	Quinces	0.01*	0.1	0.02*	0.2	0.3	0.01*	0.05*	0.1	0.05*	
	Others	0.01*	0.1	0.02*	0.2	0.3	0.01*	0.05*	0.1	0.05*	
iv)	STONE FRUIT										
	Apricots	0.01*	0.1	0.02*	0.2	0.2	0.01*	0.05*	0.2	0.05*	
	Cherries	0.01*	0.2	0.02*	0.5	0.2	0.01*	0.05*	0.1	0.05*	
	Peaches (inc nectarines & similar hybrids)	0.01*	0.1	0.02*	0.2	0.2	0.01*	0.05*	0.2	0.05*	
	Plums	0.01*	0.02*	0.02*	0.5	0.2	0.01*	0.05*	0.1	0.05*	
	Others	0.01*	0.01*	0.02*	0.1*	0.2	0.01*	0.05*	0.1	0.05*	
v)	BERRIES AND SMALL FRUIT										
a)	Table & wine grapes										
	Table grapes	0.01*	0.01*	0.02*	0.3	0.2	0.01*	0.05*	0.2	0.05*	
	Wine grapes	0.01*	0.01*	0.02*	0.5	0.2	0.01*	0.05*	0.2	0.05*	
b)	Strawberries (other than wild)										
	Strawberries	0.1	0.01*	0.02*	0.1*	0.5	0.01*	0.05*	0.5	0.05*	
c)	Cane fruit (other than wild)										
	Blackberries	0.1	0.01*	0.02*	0.1*	0.3	0.01*	0.05*	0.02*	0.05*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Atrazine: Applying from 16 August 2007</i>	<i>Benomyl/ Carbendazim</i>	<i>Bifenthrin</i>	<i>Imazosulfuron</i>	<i>Lambda- cyhalothrin</i>	<i>Linuron</i>
	Dewberries	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Loganberries	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Raspberries	0.1	0.01*	0.02*	0.1*	0.3	0.01*	0.02*	0.05*	
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
d)	Other small fruit & berries (other than wild)									
	Bilberries	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Cranberries	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Currants (red, black & white)	0.01*	0.01*	0.02*	0.1*	0.5	0.01*	0.1	0.05*	
	Gooseberries	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.1	0.05*	
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
e)	Wild berries & wild fruit	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.2	0.05*	
vi)	MISCELLANEOUS FRUIT									
	Avocados	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Bananas	0.01*	0.01*	0.02*	0.1*	0.1	0.01*	0.02*	0.05*	
	Dates	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Figs	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Kiwi fruit	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Kumquats	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Litchis	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Mangoes	0.01*	0.01*	0.02*	0.1*	0.3	0.01*	0.02*	0.05*	
	Olives (Table Consumption)	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5	0.05*	
	Olives (Oil Extract)	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5	0.05*	
	Papaya	0.05	0.01*	0.02*	0.2	0.5	0.01*	0.02*	0.05*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Atrazine: Applying from 16 August 2007</i>	<i>Benomyl/ Carbendazim</i>	<i>Bifenthrin</i>	<i>Imazosulfuron</i>	<i>Lambda-cyhalothrin</i>	<i>Linuron</i>
	Passion fruit	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Pineapples	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Pomegranates	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY										
i) ROOT AND TUBER VEGETABLES										
	Beetroot	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Carrots	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.2	
	Cassava	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Celeriac	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.1	0.5	
	Horseradish	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Jerusalem artichokes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Parsnips	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.2	
	Parsley root	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.2	
	Radishes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.1	0.05*	
	Salsify	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Sweet potatoes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Swedes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Turnips	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Yams	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
ii) BULB VEGETABLES										
	Garlic	0.01*	0.01*	0.05	0.1*	0.05*	0.01*	0.02*	0.05*	
	Onions	0.01*	0.01*	0.05	0.1*	0.05*	0.01*	0.02*	0.05*	
	Shallots	0.01*	0.01*	0.05	0.1*	0.05*	0.01*	0.02*	0.05*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Atrazine: Applying from 16 August 2007</i>	<i>Benomyl/ Carbendazim</i>	<i>Bifenthrin</i>	<i>Imazosulfuron</i>	<i>Lambda- cyhalothrin</i>	<i>Linuron</i>
	Spring onions	0.01*	0.01*	0.05	0.1*	0.05*	0.01*	0.05*	0.05*	0.05*
	Others	0.01*	0.01*	0.05	0.1*	0.05*	0.01*	0.02*	0.05*	0.05*
iii) FRUITING VEGETABLES										
a) Solanacea										
	Tomatoes	0.02	0.1	0.02*	0.5	0.2	0.01*	0.1	0.05*	0.05*
	Peppers	0.05	0.3	0.02*	0.1*	0.2	0.01*	0.1	0.05*	0.05*
	Chilli Peppers	0.05	0.3	0.02*	0.1*	0.2	0.01*	0.1	0.05*	0.05*
	Aubergines	0.02	0.1	0.02*	0.5	0.2	0.01*	0.5	0.05*	0.05*
	Okra	0.01*	0.01*	0.02*	2	0.2	0.01*	0.02*	0.05*	0.05*
	Others	0.01*	0.01*	0.02*	0.1*	0.2	0.01*	0.02*	0.05*	0.05*
b) Cucurbits-edible peel										
	Cucumbers	0.02	0.3	0.02*	0.1*	0.1	0.01*	0.1	0.05*	0.05*
	Gherkins	0.02	0.3	0.02*	0.1*	0.1	0.01*	0.1	0.05*	0.05*
	Courgettes	0.02	0.3	0.02*	0.1*	0.1	0.01*	0.1	0.05*	0.05*
	Others	0.02	0.3	0.02*	0.1*	0.1	0.01*	0.1	0.05*	0.05*
c) Cucurbits-inedible peel										
	Melons	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05	0.05*	0.05*
	Squashes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05	0.05*	0.05*
	Watermelons	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05	0.05*	0.05*
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05	0.05*	0.05*
d) Sweet corn										
	Sweet corn	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.05	0.05*	0.05*
iv) BRASSICA VEGETABLES										
a) Flowering Brassicas										
	Broccoli	0.01*(13)	0.01*	0.02*	0.1*(13)	0.2(13)	0.01*	0.1(13)	0.05*(13)	0.05*
	Cauliflower	0.01*	0.01*	0.02*	0.1*	0.2	0.01*	0.1	0.05*	0.05*
	Others	0.01*	0.01*	0.02*	0.1*	0.2	0.01*	0.1	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Atrazine: Applying from 16 August 2007</i>	<i>Benomyl/ Carbendazim</i>	<i>Bifenthrin</i>	<i>Imazosulfuron</i>	<i>Lambda-cyhalothrin</i>	<i>Linuron</i>
b)	Head Brassicas									
	Brussels sprouts	0.01*	0.01*	0.02*	0.5	1	0.01*	0.05	0.05*	
	Head cabbage	0.01*	0.01*	0.02*	0.1*	1	0.01*	0.2	0.05*	
	Others	0.01*	0.01*	0.02*	0.1*	1	0.01*	0.02*	0.05*	
c)	Leafy Brassicas									
	Chinese cabbage	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	1	0.05*	
	Kale	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	1	0.05*	
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	1	0.05*	
	Kohlrabi	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
d)	LEAF VEGETABLES AND FRESH HERBS									
a)	Lettuce & similar									
	Cress	0.1	0.01*	0.02*	0.1*	2	0.01*	1	0.05*	
	Lamb's lettuce	0.1	5	0.02*	0.1*	2	0.01*	1	0.05*	
	Lettuce	0.1	5	0.02*	0.1*	2	0.01*	1	0.05*	
	Scarole	0.1 ⁽⁶⁾	0.01*	0.02* ⁽⁶⁾	0.1* ⁽⁶⁾	2 ⁽⁶⁾	0.01*	1 ⁽⁶⁾	0.05* ⁽⁶⁾	
	Ruccola	0.1	0.01*	0.02*	0.1*	2	0.01*	1	0.05*	
	Leaves and stems of brassica, including turnip greens	0.1	0.01*	0.02*	0.1*	2	0.01*	1	0.05*	
b)	Spinach & similar									
	Spinach	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5	0.05*	
	Beet leaves (chard)	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5	0.05*	

<i>Group to which food belongs</i>	<i>Groups to which the following products</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Atrazine: Applying from 16 August 2007</i>	<i>Benomyl/ Carbendazim</i>	<i>Bifenthrin</i>	<i>Imazosulfuron</i>	<i>Lambda-cyhalothrin</i>	<i>Linuron</i>
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5	0.05*	
c)	Watercress	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
d)	Witloof	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
e)	Herbs									
	Chervil	1	0.01*	0.02*	0.1*	0.05*	0.01*	1	1	
	Chives	1	0.01*	0.02*	0.1*	0.05*	0.01*	1	1	
	Parsley	1	0.01*	0.02*	0.1*	0.05*	0.01*	1	1	
	Celery leaves	1	0.01*	0.02*	0.1*	0.05*	0.01*	1	1	
	Others	1	0.01*	0.02*	0.1*	0.05*	0.01*	1	1	
vi)	LEGUME VEGETABLES (Fresh)									
	Beans (with pods)	0.01*	0.01*	0.02*	0.2	0.5	0.01*	0.2	0.05*	
	Beans (without pods)	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.1	
	Peas (with pods)	0.01*	0.01*	0.02*	0.2	0.1	0.01*	0.2	0.05*	
	Peas (without pods)	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.2	0.1	
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
vii)	STEM VEGETABLES									
	Asparagus	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Cardoons	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Celery	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.3	0.1	
	Fennel	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.3	0.1	
	Globe artichokes	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Leeks	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.3	0.05*	
	Rhubarb	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Atrazine: Applying from 16 August 2007</i>	<i>Benomyl/ Carbendazim</i>	<i>Bifenthrin</i>	<i>Imazosulfuron</i>	<i>Lambda- cyhalothrin</i>	<i>Linuron</i>
viii) FUNGI	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	a) Cultivated mushrooms	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	b) Wild mushrooms	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.5	0.05*	
3. PULSES	Beans	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Lentils	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Peas	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Lupins	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
	Others	0.01*	0.01*	0.02*	0.1*	0.05*	0.01*	0.02*	0.05*	
4. OILSEEDS	Linseed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Peanuts	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Poppy seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Sesame seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Sunflower seed (with shell)	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Rape seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Soya bean	0.02*	0.01*	0.05*	0.2	0.1*	0.01*	0.02*	0.1*	
	Mustard seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Cotton seed	0.02*	0.02	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Hemp seed	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	
	Others	0.02*	0.01*	0.05*	0.1*	0.1*	0.01*	0.02*	0.1*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Atrazine: Applying from 16 August 2007</i>	<i>Benomyl/ Carbendazim</i>	<i>Bifenthrin</i>	<i>Imazosulfuron</i>	<i>Lambda-cyhalothrin</i>	<i>Linuron</i>
5. POTATOES	Early potatoes	0.01*	0.1*	0.05*	0.01*	0.02*	0.05*
	Ware potatoes	0.01*	0.1*	0.05*	0.01*	0.02*	0.05*
6. TEA	(dried leaves & stalks, fermented or otherwise, Camellia sinensis)	0.02*	0.1*	5	0.02*	1	0.1*
7. HOPS (Dried)	including hop pellets & unconcentrated powder	0.05	0.1*	10	0.02*	10	0.1*
8. CEREALS	Wheat	0.01*	0.1	0.5	0.01*	0.02	0.05*
	Rye	0.01*	0.1	0.05*	0.01*	0.02	0.05*
	Barley	0.01*	2	0.5	0.01*	0.05	0.05*
	Sorghum	0.01*	0.01*	0.05*	0.01*	0.02	0.05*
	Oats	0.01*	2	0.5	0.01*	0.02	0.05*
	Triticale	0.01*	0.1	0.5	0.01*	0.02	0.05*
	Maize	0.01*	0.01*	0.05	0.01*	0.02	0.05*
	Buckwheat	0.01*	0.01*	0.05*	0.01*	0.02	0.05*
	Millet	0.01*	0.01*	0.05*	0.01*	0.02	0.05*
	Rice(1)	0.01*	0.01*	0.05*	0.01*	0.02	0.05*
	Others	0.01*	0.01*	0.05*	0.01*	0.02	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Abamectin</i>	<i>Acetamiprid</i>	<i>Aldicarb</i>	<i>Atrazine: Applying from 16 August 2007</i>	<i>Benomyl/ Carbendazim</i>	<i>Bifenthrin</i>	<i>Imazosulfuron</i>	<i>Lambda-cyhalothrin</i>	<i>Linuron</i>
9. PRODUCTS OF ANIMAL ORIGIN										
	Meat, edible	0.02 ^{*(12)}	0.05 ^{*(10)}	0.01*		0.05 ^{*(46)}	0.1 ⁽¹⁶⁾		0.02 ^{*(14)}	
	offal, fat & preparations of meat & edible offal(2)	0.01 ^{*(9)}	0.1 ⁽⁴²⁾ 0.2 ⁽³⁰⁾ 0.05 ^{*(49)} 0.05*				0.05 ⁽⁹⁾		0.5 ⁽¹⁷⁾	
	Eggs ⁽⁵⁾	0.01*	0.05*	0.01*		0.05 ^{*(46)}	0.01*		0.02*	
10. SPICES										
	Cumin seed									
	Juniper seed									
	Nutmeg									
	Pepper, black and white									
	Vanilla pods									
	Spices - others									

⁽⁵⁾ Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

⁽⁶⁾ Scarole includes broad-leaf endive.

⁽⁹⁾ All other meat, edible offal, fat and preparations of meat and edible offal.

⁽¹⁰⁾ All meat.

⁽¹²⁾ Liver of bovine animals.

⁽¹³⁾ Broccoli includes calabrese.

⁽¹⁴⁾ Meat of poultry.

⁽¹⁶⁾ Fat of bovine animals.

⁽¹⁷⁾ Except poultry.

⁽³⁰⁾ All kidney.

(42) All liver.

(46) The figure of 0.05 is the total MRL for Carbendazim and Thiophanate-methyl taken together and expressed as carbendazim.

(49) All fat.

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

S-metholachlor-Penconazole

<i>Group to which food belongs</i>	<i>S-metholachlor</i>	<i>Methomyl, Thiodicarb</i>	<i>Methoxyfenozide</i>	<i>Mevinphos</i>	<i>Milbemectin</i>	<i>Penconazole: Applying from 16 August 2007</i>	<i>Penconazole: Applying from 28 August 2007</i>
------------------------------------	-----------------------	-----------------------------	------------------------	------------------	--------------------	--	--

1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS

i) CITRUS FRUIT

Grapefruit	0.05*	0.5	1	0.01*	0.05*	0.05*	0.05*
Lemons	0.05*	1	1	0.01*	0.05*	0.05*	0.05*
Limes	0.05*	1	1	0.01*	0.05*	0.05*	0.05*
Mandarins (inc clementines & similar hybrids)	0.05*	1	1	0.01*	0.05*	0.05*	0.05*
Oranges	0.05*	0.5	1	0.01*	0.05*	0.05*	0.05*
Pomelos	0.05*	0.5	1	0.01*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	1	0.01*	0.05*	0.05*	0.05*
ii) TREE NUTS (Shelled or Unshelled)							
Almonds	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.05*
Brazil nuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.05*
Cashew nuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.05*
Chestnuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>S-metholachlor</i>	<i>Methomyl, Thiodicarb</i>	<i>Methoxyfenozide</i>	<i>Mevinphos</i>	<i>Milbemectin</i>	<i>Penconazole: Applying from 16 August 2007</i>	<i>Penconazole: Applying from 28 August 2007</i>
Coconuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.05*
Hazelnuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.05*
Macadamia nuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.05*
Pecans	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.05*
Pine nuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.05*
Pistachios	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.05*
Walnuts	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	0.05*
iii) POME FRUIT							
Apples	0.05*	0.2	2	0.01*	0.05*	0.2	0.2
Pears	0.05*	0.2	2	0.01*	0.05*	0.2	0.2
Quinces	0.05*	0.2	2	0.01*	0.05*	0.2	0.2
Others	0.05*	0.2	2	0.01*	0.05*	0.2	0.2
iv) STONE FRUIT							
Apricots	0.05*	0.2	0.02*	0.01*	0.05*	0.1	0.1
Cherries	0.05*	0.1	0.02*	0.01*	0.05*	0.05*	0.05*
Peaches (inc nectarines & similar hybrids)	0.05*	0.2	0.3	0.01*	0.05*	0.1	0.1
Plums	0.05*	0.5	0.02*	0.01*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
v) BERRIES AND SMALL FRUIT							
a) Table & wine grapes							
Table grapes	0.05*	0.05*	1	0.01*	0.05*	0.2	0.2
Wine grapes	0.05*	1	1	0.01*	0.05*	0.2	0.2

<i>Group to which food belongs</i>	<i>S-metholachlor</i>	<i>Methomyl, Thiodicarb</i>	<i>Methoxyfenozide</i>	<i>Mevinphos</i>	<i>Milbemectin</i>	<i>Penconazole: Applying from 16 August 2007</i>	<i>Penconazole: Applying from 28 August 2007</i>
b) Strawberries (other than wild)	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.5
c) Cane fruit (other than wild)							
Blackberries	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Dewberries	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Loganberries	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Raspberries	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
d) Other small fruit & berries (other than wild)							
Bilberries	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Cranberries	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Currants (red, black & white)	0.05*	0.05*	0.02*	0.01*	0.05*	0.5*	
Gooseberries	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
e) Wild berries & wild fruit	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
vi) MISCELLANEOUS FRUIT							
Avocados	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Bananas	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Dates	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Figs	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Kiwi fruit	0.05*	0.05*	1	0.01*	0.05*	0.05*	
Kumquats	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Litchis	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Mangoes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	

<i>Group to which food belongs</i>	<i>S-metholachlor</i>	<i>Methomyl, Thiodicarb</i>	<i>Methoxyfenozide</i>	<i>Mevinphos</i>	<i>Milbemectin</i>	<i>Penconazole: Applying from 16 August 2007</i>	<i>Penconazole: Applying from 28 August 2007</i>
Olives (Table Consumption)	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Olives (Oil Extract)	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Papaya	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Passion fruit	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Pineapples	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Pomegranates	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY							
i) ROOT AND TUBER VEGETABLES							
Beetroot	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Carrots	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Cassava	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Celertiac	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Horseradish	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Jerusalem artichokes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Parsnips	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Parsley root	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Radishes	0.05*	0.5	0.02*	0.01*	0.05*	0.05*	0.05*
Salsify	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Sweet potatoes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Swedes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Turnips	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Yams	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>S-metholachlor</i>	<i>Methomyl, Thiodicarb</i>	<i>Methoxyfenozide</i>	<i>Mevinphos</i>	<i>Milbemectin</i>	<i>Penconazole: Applying from 16 August 2007</i>	<i>Penconazole: Applying from 28 August 2007</i>
ii) BULB VEGETABLES							
Garlic	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Onions	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Shallots	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Spring onions	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
iii) FRUITING VEGETABLES							
a) Solanacea							
Tomatoes	0.05*	0.2	2	0.01*	0.05*	0.1	0.1
Peppers	0.05*	0.2	1	0.01*	0.05*	0.2	0.2
Chilli Peppers	0.05*	0.2	1	0.01*	0.05*	0.2	0.2
Aubergines	0.05*	0.2	0.5	0.01*	0.05*	0.1	0.1
Okra	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
b) Cucurbits-edible peel							
Cucumbers	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.1
Gherkins	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.1
Courgettes	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.1
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.1
c) Cucurbits-inedible peel							
Melons	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.1
Squashes	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.1
Watermelons	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.1
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.1	0.1
Sweet corn	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>S-metholachlor</i>	<i>Methomyl, Thiodicarb</i>	<i>Methoxyfenozide</i>	<i>Mevinphos</i>	<i>Milbemectin</i>	<i>Penconazole: Applying from 16 August 2007</i>	<i>Penconazole: Applying from 28 August 2007</i>
iv) BRASSICA VEGETABLES							
a) Flowering Brassicas							
Broccoli	0.05*	0.2 ⁽¹³⁾	0.02*	0.01* ⁽¹³⁾	0.05*	0.05* ⁽¹³⁾	
Cauliflower	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
b) Head Brassicas							
Brussels sprouts	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Head cabbage	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
c) Leafy Brassicas							
Chinese cabbage	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Kale	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
d) Kohlrabi	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
v) LEAF VEGETABLES AND FRESH HERBS							
a) Lettuce & similar							
Cress	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Lamb's lettuce	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	
Lettuce	0.05*	0.3	0.02*	0.01*	0.05*	0.05*	
Scarole	0.05*	0.05* ⁽⁶⁾	0.02*	0.01* ⁽⁶⁾	0.05*	0.05* ⁽⁶⁾	
Ruccola	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	

<i>Group to which food belongs</i>	<i>S-metholachlor</i>	<i>Methomyl, Thiodicarb</i>	<i>Methoxyfenozide</i>	<i>Mevinphos</i>	<i>Milbemectin</i>	<i>Penconazole: Applying from 16 August 2007</i>	<i>Penconazole: Applying from 28 August 2007</i>
Leaves and stems of brassica, including turnip greens	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*
Others	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*
b) Spinach & similar							
Spinach	0.05*	0.05	0.02*	0.01*	0.05*		0.05*
Beet leaves (chard)	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*
Others	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*
c) Watercress	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*
d) Witloof	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*
e) Herbs							
Chervil	0.05*	0.3	0.02*	0.01*	0.05*		0.05*
Chives	0.05*	0.3	0.02*	0.01*	0.05*		0.05*
Parsley	0.05*	0.3	0.02*	0.01*	0.05*		0.05*
Celery leaves	0.05*	0.3	0.02*	0.01*	0.05*		0.05*
Others	0.05*	0.3	0.02*	0.01*	0.05*		0.05*
vi) LEGUME VEGETABLES (Fresh)							
Beans (with pods)	0.05*	0.05*	0.2	0.01*	0.05*		0.05*
Beans (without pods)	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*
Peas (with pods)	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*
Peas (without pods)	0.05*	0.05*	0.02*	0.01*	0.05*		0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>S-metholachlor</i>	<i>Methomyl, Thiodicarb</i>	<i>Methoxyfenozide</i>	<i>Mevinphos</i>	<i>Milbemectin</i>	<i>Penconazole: Applying from 16 August 2007</i>	<i>Penconazole: Applying from 28 August 2007</i>
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
vii) STEM VEGETABLES								
	Asparagus	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Cardoons	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Celery	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Fennel	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Globe artichokes	0.05*	0.05*	0.02*	0.01*	0.05*	0.2	
	Leeks	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Rhubarb	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
viii) FUNGI								
a)	Cultivated mushrooms	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
b)	Wild mushrooms	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
3. PULSES								
	Beans	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Lentils	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Peas	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Lupins	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
4. OILSEEDS								
	Linseed	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.05*
	Peanuts	0.1*	0.1	0.05*	0.01*	0.1*	0.05*	0.05*
	Poppy seed	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.05*
	Sesame seed	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>S-metholachlor</i>	<i>Methomyl, Thiodicarb</i>	<i>Methoxyfenozide</i>	<i>Mevinphos</i>	<i>Milbemectin</i>	<i>Penconazole: Applying from 16 August 2007</i>	<i>Penconazole: Applying from 28 August 2007</i>
	Sunflower seed (with shell)	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.05*
	Rape seed	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.05*
	Soya bean	0.1*	0.1	2	0.01*	0.1*	0.05*	0.05*
	Mustard seed	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.05*
	Cotton seed	0.1*	0.1	2	0.01*	0.1*	0.05*	0.05*
	Hemp seed	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.05*
	Others	0.1*	0.05*	0.05*	0.01*	0.1*	0.05*	0.05*
5. POTATOES	Early potatoes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05	0.05
	Ware potatoes	0.05*	0.05*	0.02*	0.01*	0.05*	0.05	0.05
6. TEA	(dried leaves & stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.05*	0.02*	0.1*	0.1*	0.1*
7. HOPS (Dried)	including hop pellets & unconcentrated powder	0.1*	10	0.05*	0.02*	0.1*	0.5	0.5
8. CEREALS	Wheat	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Rye	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*
	Barley	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>S-metholachlor</i>	<i>Methomyl, Thiodicarb</i>	<i>Methoxyfenozide</i>	<i>Mevinphos</i>	<i>Milbemectin</i>	<i>Penconazole: Applying from 16 August 2007</i>	<i>Penconazole: Applying from 28 August 2007</i>
Sorghum	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
Oats	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
Triticale	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
Maize	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
Buckwheat	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
Millet	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
Rice ⁽¹⁾	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
Others	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	
9. PRODUCTS OF ANIMAL ORIGIN							
Meat, edible							
offal, fat & preparations of meat & edible offal ⁽²⁾	0.02*		0.01*			0.05*	
Milk ⁽³⁾ & Dairy produce ⁽⁴⁾							0.01
Eggs ⁽⁵⁾	0.02*	0.01*					0.05
	0.02*	0.01*					0.05*
10. SPICES							
Cumin seed							
Juniper seed							
Nutmeg							
Pepper, black and white							
Vanilla pods							
Spices - others							

⁽¹⁾ Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

(2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

(3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

(4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

(5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

(6) Scarole includes broad-leaf endive.

(13) Broccoli includes calabrese.

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

Phenmedipham-Tribenuron-methyl

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Phenmedipham: Applying from 16 August 2007</i>	<i>Phenmedipham: Applying from 21 January 2008</i>	<i>Phosphamidon</i>	<i>Pymetrozine</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
------------------------------------	--	---	--	---------------------	--------------------	--------------------	--------------------------

1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS

i) CITRUS FRUIT

Grapefruit	0.05*	0.05*	0.01*	0.3	0.02*	0.01*	0.01*
Lemons	0.05*	0.05*	0.01*	0.3	0.02*	0.01*	0.01*
Limes	0.05*	0.05*	0.01*	0.3	0.02*	0.01*	0.01*
Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.01*	0.3	0.02*	0.01*	0.01*
Oranges	0.05*	0.05*	0.01*	0.3	0.02*	0.01*	0.01*
Pomelos	0.05*	0.05*	0.01*	0.3	0.02*	0.01*	0.01*

<i>Group to which food belongs</i>	<i>Phenmedipham: Applying from 16 August 2007</i>	<i>Phenmedipham: Applying from 21 January 2008</i>	<i>Phosphamidon</i>	<i>Pymetrozine</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
Others	0.05*	0.05*	0.01*	0.3	0.02*	0.01*
ii) TREE NUTS (Shelled or Unshelled)						
Almonds	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Brazil nuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Cashew nuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Chestnuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Coconuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Hazelnuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Macadamia nuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Pecans	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Pine nuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Pistachios	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Walnuts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
iii) POME FRUIT						
Apples	0.05*	0.05*	0.01*	0.02*	0.3	0.01*
Pears	0.05*	0.05*	0.01*	0.02*	0.3	0.01*
Quinces	0.05*	0.05*	0.01*	0.02*	0.3	0.01*
Others	0.05*	0.05*	0.01*	0.02*	0.3	0.01*
iv) STONE FRUIT						
Apricots	0.05*	0.05*	0.01*	0.05	0.3	0.01*
Cherries	0.05*	0.05*	0.01*	0.02*	0.3	0.01*
Peaches (inc nectarines & similar hybrids)	0.05*	0.05*	0.01*	0.05	0.3	0.01*
Plums	0.05*	0.05*	0.01*	0.02*	0.1	0.01*

<i>Group to which food belongs</i>	<i>Phenmedipham: Applying from 16 August 2007</i>	<i>Phenmedipham: Applying from 21 January 2008</i>	<i>Phosphamidon</i>	<i>Pymetrozine</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
v) BERRIES AND SMALL FRUIT						
a) Table & wine grapes						
Table grapes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Wine grapes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
b) Strawberries (other than wild)	0.1	0.1	0.01*	0.5	0.5	0.01*
c) Cane fruit (other than wild)						
Blackberries	0.05*	0.05*	0.01*	3	1	0.01*
Dewberries	0.05*	0.05*	0.01*	0.02*	1	0.01*
Loganberries	0.05*	0.05*	0.01*	0.02*	1	0.01*
Raspberries	0.05*	0.05*	0.01*	3	1	0.01*
Others	0.05*	0.05*	0.01*	0.02*	1	0.01*
d) Other small fruit & berries (other than wild)						
Bilberries	0.05*	0.05*	0.01*	0.02*	1	0.01*
Cranberries	0.05*	0.05*	0.01*	0.02*	1	0.01*
Currants (red, black & white)	0.05*	0.05*	0.01*	0.1	1	0.01*
Gooseberries	0.05*	0.05*	0.01*	0.02*	1	0.01*
Others	0.05*	0.05*	0.01*	0.02*	1	0.01*
e) Wild berries & wild fruit	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
vi) MISCELLANEOUS FRUIT						
Avocados	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Bananas	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Dates	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Figs	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Phenmedipham: Applying from 16 August 2007</i>	<i>Phenmedipham: Applying from 21 January 2008</i>	<i>Phosphamidon</i>	<i>Pymetrozine</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
Kiwi fruit	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Kumquats	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Litchis	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Mangoes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Olives (Table Consumption)	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Olives (Oil Extract)	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Papaya	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Passion fruit	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Pineapples	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Pomegranates	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY						
i) ROOT AND TUBER VEGETABLES						
Beetroot	0.1	0.1	0.01*	0.02*	0.02*	0.01*
Carrots	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Cassava	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Celeriac	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Horseradish	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Jerusalem artichokes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Parsnips	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Parsley root	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Radishes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Salsify	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Sweet potatoes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Phenmedipham: Applying from 16 August 2007</i>	<i>Phenmedipham: Applying from 21 January 2008</i>	<i>Phosphamidon</i>	<i>Pymetrozine</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
Swedes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Turnips	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Yams	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
ii) BULB VEGETABLES						
Garlic	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Onions	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Shallots	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Spring onions	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
iii) FRUITING VEGETABLES						
a) Solanacea						
Tomatoes	0.05*	0.05*	0.01*	0.5	0.5	0.01*
Peppers	0.05*	0.05*	0.01*	1	1	0.01*
Chilli Peppers	0.05*	0.05*	0.01*	1	1	0.01*
Aubergines	0.05*	0.05*	0.01*	0.5	0.5	0.01*
Okra	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
b) Cucurbits-edible peel						
Cucumbers	0.05*	0.05*	0.01*	0.5	0.3	0.01*
Gherkins	0.05*	0.05*	0.01*	0.5	0.3	0.01*
Courgettes	0.05*	0.05*	0.01*	0.5	0.3	0.01*
Others	0.05*	0.05*	0.01*	0.5	0.3	0.01*
c) Cucurbits-inedible peel						
Melons	0.05*	0.05*	0.01*	0.2	0.2	0.01*
Squashes	0.05*	0.05*	0.01*	0.2	0.02*	0.01*
Watermelons	0.05*	0.05*	0.01*	0.2	0.2	0.01*

<i>Group to which food belongs</i>	<i>Phenmedipham: Applying from 16 August 2007</i>	<i>Phenmedipham: Applying from 21 January 2008</i>	<i>Phosphamidon</i>	<i>Pymetrozine</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
Others	0.05*	0.05*	0.01*	0.2	0.02*	0.01*
d) Sweet corn	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
iv) BRASSICA VEGETABLES						
a) Flowering Brassicas						
Broccoli	0.05*(13)	0.05*(13)	0.01*(13)	0.02*(13)	0.02*	0.01*
Cauliflower	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
b) Head Brassicas						
Brussels sprouts	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Head cabbage	0.05*	0.05*	0.01*	0.05	0.02*	0.01*
Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
c) Leafy Brassicas						
Chinese cabbage	0.05*	0.05*	0.01*	0.2	0.02*	0.01*
Kale	0.05*	0.05*	0.01*	0.2	0.02*	0.01*
Others	0.05*	0.05*	0.01*	0.2	0.02*	0.01*
d) Kohlrabi	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
v) LEAF VEGETABLES AND FRESH HERBS						
a) Lettuce & similar						
Cress	0.05*	0.05*	0.01*	2	2	0.01*
Lamb's lettuce	0.05*	0.05*	0.01*	2	2	0.01*
Lettuce	0.05*	0.05*	0.01*	2	2	0.01*
Scarole	0.05*(6)	0.05*(6)	0.01*(6)	2(6)	2	0.01*
Ruccola	0.05*	0.05*	0.01*	2	2	0.01*

<i>Group to which food belongs</i>	<i>Phenmedipham: Applying from 16 August 2007 to 21 January 2008</i>	<i>Phenmedipham: Applying from 21 January 2008</i>	<i>Phosphamidon</i>	<i>Pymetrozine</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
Leaves and stems of brassica, including turnip greens	0.05*	0.05*	0.01*	2	2	0.01*
Others	0.05*	0.05*	0.01*	2	2	0.01*
b) Spinach & similar						
Spinach	0.5	0.5	0.01*	0.02*	0.02*	0.01*
Beet leaves (chard)	0.5	0.5	0.01*	0.02*	0.02*	0.01*
Others	0.5	0.5	0.01*	0.02*	0.02*	0.01*
c) Watercress	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
d) Witloof	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
e) Herbs						
Chervil	7	7	0.01*	1	3	0.01*
Chives	7	7	0.01*	1	3	0.01*
Parsley	7	7	0.01*	1	3	0.01*
Celery leaves	7	7	0.01*	1	3	0.01*
Others	7	7	0.01*	1	3	0.01*
vi) LEGUME VEGETABLES (Fresh)						
Beans (with pods)	0.05*	0.05*	0.01*	1	1	0.01*
Beans (without pods)	0.05*	0.05*	0.01*	1	0.02*	0.01*
Peas (with pods)	0.05*	0.05*	0.01*	1	0.02*	0.01*
Peas (without pods)	0.05*	0.05*	0.01*	1	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Phenmedipham: Applying from 16 August 2007</i>	<i>Phenmedipham: Applying from 21 January 2008</i>	<i>Phosphamidon</i>	<i>Pymetrozine</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
Others	0.05*	0.05*	0.01*	1	0.02*	0.01*
vii) STEM VEGETABLES						
Asparagus	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Cardoons	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Celery	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Fennel	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Globe artichokes	0.2	0.2	0.01*	0.02*	0.02*	0.01*
Leeks	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Rhubarb	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
viii) FUNGI						
a) Cultivated mushrooms	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
b) Wild mushrooms	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
3. PULSES						
Beans	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Lentils	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Peas	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Lupins	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Others	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
4. OILSEEDS						
Linseed	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
Peanuts	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
Poppy seed	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
Sesame seed	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Phenmedipham: Applying from 16 August 2007</i>	<i>Phenmedipham: Applying from 21 January 2008</i>	<i>Phosphamidon</i>	<i>Pymetrozine</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
Sunflower seed (with shell)	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
Rape seed	0.1*	0.1*	0.01*	0.02*	0.3	0.01*
Soya bean	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
Mustard seed	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
Cotton seed	0.1*	0.1*	0.01*	0.05	0.05*	0.01*
Hemp seed	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
Others	0.1*	0.1*	0.01*	0.02*	0.05*	0.01*
5. POTATOES						
Early potatoes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Ware potatoes	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
6. TEA						
(dried leaves & stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.02*	0.1*	0.05*	0.02*
7. HOPS (Dried)						
including hop pellets & unconcentrated powder	0.1*	0.1*	0.02*	15	0.05*	0.02*
8. CEREALS						
Wheat	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Rye	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Barley	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*
Sorghum	0.05*	0.05*	0.01*	0.02*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Phenmedipham: Applying from 16 August 2007 to 21 January 2008</i>	<i>Phenmedipham: Applying from 21 January 2008</i>	<i>Phosphamidon</i>	<i>Pymetrozine</i>	<i>Thiacloprid</i>	<i>Tribenuron-methyl</i>
Oats	0.05*	0.01*	0.02*	0.02*	0.02*	0.01*
Triticale	0.05*	0.01*	0.02*	0.02*	0.02*	0.01*
Maize	0.05*	0.01*	0.02*	0.02*	0.02*	0.01*
Buckwheat	0.05*	0.01*	0.02*	0.02*	0.02*	0.01*
Millet	0.05*	0.01*	0.02*	0.02*	0.02*	0.01*
Rice ⁽¹⁾	0.05*	0.01*	0.02*	0.02*	0.02*	0.01*
Others	0.05*	0.01*	0.02*	0.02*	0.02*	0.01*
9. PRODUCTS OF ANIMAL ORIGIN						
Meat, edible offal, fat & preparations of meat & edible offal ⁽²⁾	0.05*		0.01*		0.05 ⁽¹⁰⁾ 0.3 ⁽¹¹⁾ 0.05 ⁽⁴⁹⁾ 0.01	
Milk ⁽³⁾ & Dairy produce ⁽⁴⁾	0.05*					
Eggs ⁽⁵⁾	0.05*					
10. SPICES						
Cumin seed						
Juniper seed						
Nutmeg						
Pepper, black and white						
Vanilla pods						
Spices - others						

⁽¹⁾ Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (10) Type text here for footnote
- (11) Type text here for footnote
- (13) Broccoli includes calabrese.
- (49) All fat.

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 2005 (SI 2005/3286) (“the principal Regulations”) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) (Amendment) Regulations 2007 (S.I. 2007/971) (“the 2007 Amendment Regulations”).

The Regulations implement Commission Directives 2007/7/EC (OJ No L43, 15.2.2007, p 19), 2007/8/EC (OJ No L63, 1.3.2007, p.9), 2007/9/EC (OJ No L63, 1.3.2007, p 17), 2007/11/EC (OJ No L63, 1.3.2007, p 26) and 2007/12/EC (OJ No L59, 27.2.2007, p 75).

The Regulations come into force on 16th August 2007, 28th August 2007, 2nd September 2007, and 21st January 2008.

The Regulations substitute or insert:

- (a) new residue definitions for certain pesticides in Schedule 1 to the principal Regulations which identify the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) new maximum residue levels for certain pesticides in Schedule 2 to the principal Regulations.

A Regulatory Impact Assessment (RIA) was prepared in 2005 when the principal Regulations were previously consolidated and provides a basis for establishing the impact of amendments to the principal Regulations of the kind made by these Regulations. A consultation in 2003 indicated that compliance costs were virtually unchanged from those quoted in the 1999 RIA. Copies of the assessment can be obtained from the Pesticides Safety Directorate, Room 308, Mallard House, Kings Pool, 3 Peasholme Green, York YO1 7PX or via the website www.pesticides.gov.uk. Copies have been placed in the library of each House of Parliament.