FOOD SAFETY AND STANDARDS (CONTAMINANTS, TOXINS AND RESIDUES) REGULATIONS, 2011

CHAPTER 1 GENERAL

1.1: Short title and commencement-

1.1.1 : These regulations may be called the Food Safety and Standards (Contaminants, toxins and Residues) Regulations, 2011.

1.1.2 : These regulations shall come into force on or after 5th August, 2011.

1.2: Definitions-

1.2.1 : In these regulations unless the context otherwise requires:

1. "Crop contaminant" means any substance not intentionally added to food, but which gets added to articles of food in the process of their production (including operations carried out in crop husbandry, animal husbandry and veterinary medicine), manufacture, processing, preparation, treatment, packing, packaging transport orholding of articles of such food as a result of environmental contamination

CHAPTER 2 CONTAMINANTS, TOXINS AND RESIDUES

2.1 : METAL CONTAMINANTS

15[2.1.1

1. Chemicals described in monographs of the Indian Pharmacopoeia when used in foods, shall not contain metal contaminants beyond the limits specified in the appropriate monographs of the Indian Pharmacopoeia for the time being in force.

2. Notwithstanding anything contained in clause (1) above, no article of food specified in column (2) of the table below shall contain any metal specified in excess of the quantity specified in column (3) of the said table:

Name of metal contaminant	Article of food	Parts per Million (mg/kg or mg/L)	
(1)	(2)	(3)	
1. Lead	Agar		5.0
	Alginic acid		5.0

All types of sugars, sugar syrup, invert sugar and direct consumption coloured sugars with	5.0
sulphated ash content exceeding 1.0 percent	
Alumina used in preparation of lake colour	10
Aluminium lake of Sunset Yellow FCF	10
Ammonium hydrogen carbonate	2.0
Anhydrous dextrose and dextrose	0.5
monohydrate, refined white sugar (sulphated ash content not exceeding 0.03 per cent)	
Annatto	10
Ascorbic acid	2.0
Ascorbyl palmitate	2.0
Aspertame (Aspartyl phenyl alanine methyl ester)	10
Assorted subtropical fruits, edible peel	0.1
Assorted subtropical fruits, inedible peel	0.1
Baking powder	10
Benzoic acid	2.0
Berries and other small fruits	0.2
Beta-apo-8'-carotenal	2.0
Beta-carotene	10
Bivalve molluscs	1.5
Brassica vegetables excluding Kale	0.3
Brewed vinegar and synthetic vinegar	0.01
Brilliant blue FCF	10
Bulb vegetables	0.1
Butylated hydroxyanisole	2.0
Calcium alginate	5.0
Calcium propionate	5.0
Canned carrots	1.0
Canned green beans and canned wax beans	1.0
Canned green peas	1.0
Canned mushrooms	1.0
Canned palmito	1.0
Canned sweetcorn	1.0
Canned tomatoes	1.0
Canned asparagus	1.0
Canned chestnuts and canned chestnut purée	1.0

Canned fish, canned meats, edible gelatin, meat	5.0
extracts and hydrolysed protein, dried or	
dehydrated vegetables (other than onions)	1.0
Canned fruit cocktail	1.0
Canned grapefruit	1.0
Canned mandarin oranges	1.0
Canned mangoes	1.0
Canned mature processed peas	1.0
Canned pineapple	1.0
Canned raspberries	1.0
Canned strawberries	1.0
Canned tropical fruit salad	1.0
Caramel	5.0
Carbonated water , expressed in mg/L	10
Carmoisine	10
Carrageenan	5.0
Cattle, edible offal of	0.5
Cephalopods	1.0
Cereal grains, except buckwheat, canihua and	0.2
quinoa	
Chlorophyll	10
Citric acid	0.5
Citrus fruits	0.1
Cocoa powder	5.0 on dry fat
	free
	substance
Concentrated as ft drivelas (hert a st in she din s	basis
Concentrated soft drinks (but not including	0.5
drinks)	
Concentrates used in the manufacture of soft	2.0
drinks, lime juice and lemon juice	
Corned beef, Luncheon meat, Cooked ham,	2.5
Chopped meat, Canned chicken, Canned	
mutton and Goat meat and other related meat	
products	
Crustaceans	0.5
Dehydrated onions, dried herbs and spices,	10 on dry
curry powder and mix masalas, flavourings,	matter basis
aiginic acid, alignates, agar, carrageen and	
Dicalcium phosphate	4.0
Dodogyl gallato	4.0 2.0
Edible fats and oils (adible fats and oils not	<u> </u>
covered by individual standards)	0.1

Edible molasses, caramel liquid, solid glucose	5.0
and starch conversion products with a	
sulphated ash content exceeding 1.0 per cent	
Edible oils and fats	0.5
Erythrosine	10
Ethylester of Beta-apo-8'-carotenoic acid	2.0
Fast green FCF	10
Fish	0.3
Food colours other than caramel	10 on dry
	colouring
	matter basis
Foods not specified	2.5
Fruit and vegetable juice (including tomato juice, but not including lime juice and lemon juice)	1.0
Fruit Juices (including nectars; ready to drink)	0.05
Fruiting vegetables other than	0.1
cucurbits(excluding mushrooms)	
Fruiting vegetables, cucurbits	0.1
Fumaric acid	2.0
Gaur gum	2.0
Glycerol esters of Wood rosin	1.0
Gum Arabic or Acacia gum	3.0
Gum ghatti	5.0
Gum karaya	2.0
Hard boiled sugar confectionery	2.0
Ice-cream, iced lollies and similar frozen	1.0
Indigo carmine	10
Infant formula (ready to use)	0.02
Infant milk substitutes and Infant foods	0.02
Iron fortified common salt	2.0
I on for the continuou sait	2.0
Jain (in uit preserves) and jennes	1.0
	2.0
Lactic acid	2.0
Leaty vegetables (including brassica leafy vegetables but excluding spinach)	0.3
Legume vegetables	0.2
Liquid pectin, chemicals not otherwise specified, used as ingredients or in the preparation or processing of food	10
Malic acid	2.0
Manga chutnay	1.0
mango chuthey	1.0

Margarine		0.1
Meat of ca	ttle, sheep and pig (also applies to	0.1
fat from m	ieat)	
Milks (Cor	ncentration factor shall be applied to	0.02
partially c	r wholly dehydrated milks)	
Minarine	(Low Fat Spread)	0.1
Mineral O	il (High viscosity)	1.0
Mineral O	il (Low viscosity)	1.0
Monosodi	um L-glutamate	1.0
Named Ar	imal fats (lard, rendered pork fat,	0.1
premier ju	is (suet) and edible tallow)	
Natural m	ineral water, expressed in mg/L	0.01
Octyl galla	te	2.0
Olive oil, V	Virgin olive oil, Extra virgin olive oil,	0.1
Ordinary	virgin olive oil, Refined olive oil,	
Refined of	ive pomace oil and Olive pomace oil	0.5
Other veg	etables	2.5
Packaged	drinking water (other than mineral	0.01
Water J, ex	pressed in mg/L	2.0
Peculi		2.0
Phosphor		4.0
PICKIEd CU	cumbers (Cucumber pickles)	1.0
Pig, edible		0.5
Polyglyce	ol esters of fatty acids	2.0
Polyglyce	ol esters of interesterified ricinoleic	2.0
acid Domo frui	ta l	0.1
Polite II ul		0.1
Ponceau 4	·K	10
Potassium	liodate	10
Potassium	i metabisuipnite	2.0
Potassium	nitrate	2.0
Potassium	initrite	2.0
Poultry fa	ts	0.1
Poultry m	eat	0.1
Poultry, e	lible offal of	0.5
Processed	tomato concentrates	1.5
Propyl gal	late	2.0
Propylene	glycol	2.0
Pulses		0.2
Raw sugar	rs except those sold for direct	5.0
consumpt	ion or used for manufacturing	
purpose o	ther than the manufacture of refined	
sugar		
Riboflavin		20
Root and t	uber vegetables	0.1

Saco	harin sodium	10
Salt,	food grade	2.0
Seco	ondary milk products (as consumed)	0.02
Sodi	um alginate	5.0
Sodi	um ascorbate	2.0
Sodi	um benzoate	2.0
Sodi	um carboxymethyl cellulose	2.0
Sodi hydr	um carboxymethyl cellulose, enzyme rolysed	3.0
Sodi	um hydroxide	2.0
Sodi	um metabisulphite	2.0
Sodi	um propionate	5.0
Soli	l pectin	50
Sort	vic acid	2.0
Sort	bitol	1.0
Stev	iol glycoside	1.0
Stor	e fruits	0.1
Sucr	alose	10
Sulp	hur dioxide	5.0
Sun	set yellow	10
Sun	set yellow dye used in preparation of lake	10
Synt	hetic food colour-preparation and	10
mixt	cures	10
Tab	e olives	1.0
Tart	razine	10
Теа		5.0 on dry
		matter basis
Tita	nium dioxide	2.0
Trag	gacanth gum	2.0
Tris	odium citrate	2.0
Turi	neric whole and powder	10
Veg	etable Oils, crude (oils of arachis	0.1
(Gro	oundnut), babasu, coconut, cotton seed,	
grap	be seed, maize, mustard seed, palm kernel,	
pain	n, rape seed, safflower seed, sesame seed,	
stea	rin and superolein and other oils but	
excl	uding cocoa butter)	
Vege	etable Oils, edible (oils of arachis	0.1
(Gre	oundnut), babasu, coconut, cotton seed,	
grap	e seed, maize, mustard seed, palm kernel,	
palm	n, rape seed, safflower seed, sesame seed,	
SOVA	i bean, and sunflower seed, and paim olein,	
Stea	ini and supervient and other ons but	

	excluding cocoa butter)	
	Wine	0.2
	Yeast and yeast products	5.0 on dry
		matter basis
2. Copper	Ammonium hydrogen carbonate	5.0
	Annatto	30
	Brewed vinegar and synthetic vinegar	0.01
	Caramel	20
	Carbonated water , expressed in mg/L	1.5
	Chicory-dried or roasted, coffee beans,	
	flavourings/pectin liquid	30
	Chlorophyll	30
		70 on fat free
		substance
	Cocoa powder	basis
		30 on dry
	Colouring matter	colouring
	Concentrates for soft drinks	
	Edible gelatin	20
	Earlie gelatin	30
	Hand hailed augen confection any	50
	Hard bolled sugar contectionery	5.U
	Infant milk substitute and Infant foods	less than 2.8)
	Iron fortified common salt	2.0
	luice of orange, grape, apple, tomato,	2.0
	pineapple and lemon	5.0
	Mineral water , expressed in mg/L	1.0
	Olive oil, Virgin olive oil ,Extra virgin olive oil,	
	Ordinary virgin olive oil, Refined olive oil,	
	Refined olive pomace oil and Olive pomace oil	0.1
	Packaged drinking water (other than mineral	0.05
	water), expressed in mg/L	0.05
	Solid Pectin	300
	Polyglycerol esters of fatty acids	25
	Polyglycerol esters of Interesterified ricinoleic	25
	Pulp and pulp products of any fruit	5.0
	Soft drinks excluding concentrates and	5.0
	Carbonated Water , expressed in mg/L	7.0
	Tea	150
	Toddy	5.0

		50 on dried
		total solids
	Tomato ketchup	basis
		100 on dried
	Tomato puree, paste, powder, and cocktails	tomato solids
	Turmeric whole and powder	5.0
	Vegetables	30
		60 on dry
	Yeast and yeast products	matter basis
3. Arsenic	Agar	3.0
	Alginic acid	3.0
	Alumina used in preparation of lake colour	1.0
	Aluminium lake of Sunset Yellow FCF	1.0
	Ammonium hydrogen carbonate	0.6
	Annatto	3.0
	Ascorbyl palmitate	3.0
	Aspertame (Aspartyl phenyl alanine methyl	
	ester)	3.0
	Benzoic acid	3.0
	Beta –apo-8'-carotenal	3.0
	Beta-carotene	3.0
	Brewed vinegar and synthetic vinegar	0.1
	Brilliant blue FCF	3.0
	Butylated hydroxyanisole	3.0
	Calcium alginate	3.0
	Caramel	3.0
	Carbonated water, expressed in mg/L	0.25
	Carmoisine	3.0
	Carrageenan	3.0
	Chicory-dried or roasted	4.0
	Chlorophyll	3.0
	Citric acid	3.0
	Dehydrated onions, edible gelatin, liquid	
	pectin	2.0
	Dicalcium phosphate	3.0
	Dodecyl gallate	3.0
	Dried herbs, finings and clearing agents, solid	
	pectin all grades, spices	5.0
	Edible fats and oils (edible fats and oils not	
	covered by individual standards)	0.1
	Erythrosine	3.0
	Ethylester of Beta-apo-8'-carotenoic acid	3.0
	Fast Green FCF	3.0
	Fish and Crustaceans	76

	50 on dry
	colouring
Food colouring other than synthetic colouring	matter basis
Foods not specified	1.1
Fumaric acid	3.0
Gaur gum	3.0
Glycerol esters of wood rosin	3.0
Gum Arabic or Acacia gum	2.0
Gum Ghatti	3.0
Gum Karaya	3.0
Hard hoiled sugar confectionery	<u> </u>
Ice-cream iced lollies and similar frozen	1.0
confections	0.5
Indigo carmine	3.0
Infant milk substitute and Infant foods	0.05
Iron fortified common salt	1.0
luice of orange grape apple tomato	1.0
pineapple and lemon	0.2
L (+)- Tartaric acid	3.0
Malic acid	3.0
Margarine	0.1
Milk	0.1
Minarine (Low Fat Spread)	0.1
Mineral Oil (High viscosity)	10
Mineral Oil (Low viscosity)	1.0
Molluses	86
Monosodium L-glutamate	2.0
Named Animal fats (lard rendered nork fat	2.0
premier ius (suet) and edible tallow)	0.1
Natural mineral water, expressed in mg/L	0.01
Octyl gallate	3.0
Olive oil, Virgin olive oil ,Extra virgin olive oil,	
Ordinary virgin olive oil, Refined olive oil,	
Refined olive pomace oil and Olive pomace oil	0.1
Packaged drinking water (other than mineral	
water) , expressed in mg/L	0.01
Pectin	5.0
Phosphoric acid	2.0
Polyglycerol esters of fatty acids	3.0
Polyglycerol esters of interesterified ricinoleic	
acid	3.0
Ponceau 4R	3.0
Potassium iodate	3.0
Potassium nitrate	3.0
Potassium nitrite	3.0

	Preservatives, anti-oxidants, emulsifying and	3.0 on dry
	stabilising agents and synthetic food colours	matter basis
	Propyl gallate	3.0
	Propylene glycol	3.0
	Pulp and pulp products of any fruit	0.2
	Riboflavin	5.0
	Saccharin sodium	2.0
	Sodium alginate	3.0
	Sodium ascorbate	3.0
	Sodium benzoate	3.0
	Sodium carbournetbul colluloco	2.0
	Sodium propionate	3.0
	Solum propionate	3.0
	Soft drink intended for consumption after	05
	Corbin asid	2.0
		3.0
	Sorbitol	3.0
	Steviol glycoside	1.0
	Sucralose	3.0
	Sulphur dioxide	3.0
	Sunset yellow	3.0
	Sunset yellow dye used in preparation of lake	
	colour	3.0
	Synthetic food colour-preparation and	2.0
	mixtures	3.0
	Tartrazine	3.0
	Titanium dioxide	1.0
	Tragacanth gum	3.0
	Trisodium citrate	3.0
	Turmeric whole and powder	0.1
	Vegetables	1.1
	Vegetable oils, crude (oils of arachis	
	(Groundnut), babasu, coconut, cotton seed,	
	grape seed, maize, mustard seed, palm kernel,	
	palm, rapeseed, safflower seed, sesame seed,	
	soya bean, and sunflower seed, and palm olein,	0.1
	stearin and superolein).	0.1
	Vegetable oils, edible (oils of arachis	
	(Groundnut), babasu, coconut, cotton seed,	
	grape seeu, marze, mustaru seeu, pann kerner,	
	sova hean and sunflower seed and nalm olein	
	stearin and superolein)	0.1
4.Tin	Canned (citrus fruits, stone fruits, vegetables,	
	fruit cocktail, mangoes, pineapple, raspberries,	
	strawberries, tropical fruit salad).	250
	Canned beverages	150

Canned fish products	200
	250
Canned foods other than beverages	250
Canned mushrooms	250
Canned tomatoes	250
Cooked cured chopped meat (for products in	
other containers)	50
Cooked cured chopped meat (for products in	
tinplate containers)	250
Cooked cured ham (for products in other	۲O
Containers)	50
containers	200
Cooked cured pork shoulder (for products in	200
other containers)	50
Cooked cured pork shoulder (for products in	
tinplate containers)	200
Corned beef (for products in other containers)	50
Corned beef (for products in tinplate	
containers)	200
Corned beef, Luncheon meat, Cooked ham,	
Chopped meat, Canned chicken, Canned	250
Foods not specified	250
Foods not specified	250
Hard bolled Sugar confectionery	5.0
Infant milk substitute and infant foods	5.0
Jam, Jellies and Marmalade	250
Juice of orange, apple, tomato, pineapple and	250
Luncheon meat (for products in other	230
containers)	50
Luncheon meat (for products in tinplate	
containers)	200
Mango Chutney	250
Pickled cucumber	250
Processed and canned food products	250
Processed tomato concentrates	250
Pulp and pulp products of any fruit	250
Table Olives	250
Turmeric whole and powder	0.01
5. Cadmium Bivalve Molluscs	2.0
Brassica vegetables	0.05
Bulb vegetables	0.05
Carrageenan	1.5
Cephalopods	2.0
Cereal grains, except buckwheat, canibua and	0.1

	Quinoa (excluding wheat and rice; and bran	
	and germ)	
	Crustaceans	0.5
	Fish	0.3
	Foods not specified	1.5
	Fruiting vegetables other than cucurbits	
	(excluding tomatoes and edible fungi)	0.05
	Fruiting vegetables, cucurbits	0.05
	Infant milk substitute and Infant foods	0.1
	Leafy vegetables	0.2
	Legume vegetables	0.1
	Natural mineral water, expressed in mg/L	0.003
	Other vegetables	1.5
	Packaged drinking water (other than mineral	
	water), expressed in mg/L	0.003
	Potato, peeled	0.1
	Pulses, excluding soybean dry	0.1
	Rice, polished	0.4
	Root and tuber vegetables, excluding potato	
	and celeriac	0.1
	Salt, food grade	0.5
	Stalk and stem vegetables	0.1
	Turmeric whole and powder	0.1
	Wheat	0.2
6. Mercury	Alumina used in preparation of lake colour	1.0
	Aluminium lake of Sunset yellow FCF	1.0
	Caramel	0.1
	Carrageenan	1.0
	Fast green FCF	0.01
	Fish	0.5
	Foods not specified	1.0
	Natural mineral water, expressed in mg/L	0.001
	Non-predatory fish, crustaceans, cephalopods,	
	molluscs	0.5
	Packaged drinking water (other than mineral	
	water), expressed in mg/L	0.001
	Predatory fish (Tuna, Marlin, Sword Fish,	
	Elasmobranch)	1.0
	Salt, food grade	0.1
	Sodium hydroxide	1.5
	Titanium oxide	1.0
	Vegetables	1.0
7. Methyl Mercury		
(Calculated as the		0.05
element)	All foods	0.25

8. Chromium	All fishery products	12
	Brilliant blue FCF	50
	Fast green FCF	50
	Gelatin	10
	Mineral water, expressed in mg/L	0.05
	Packaged drinking water (other than mineral water), expressed in mg/L	0.05
	Refined sugar	0.02
	Vegetables	1.0
9. Nickel	All hydrogenated, partially hydrogenated, interesterified vegetable oils and fats such as vanaspati, table margarine, bakery and industrial margarine, bakery shortening, fat spread and partially hydrogenated margarine, bakery shortening, fat spread and partially hydrogenated soyabean oil	1.5
	Mineral water, expressed in mg/L	0.02
	Packaged drinking water (other than mineral water), expressed in mg/L	0.02
	Sorbitol	2.0
	Vegetables	1.0
10.Selenium	Mineral water , expressed in mg/L	0.05
	Packaged drinking water (other than mineral water), expressed in mg/L	0.01
	Potassium metabisulphite	5.0
	Sodium metabisulphite	5.0
	Sulphur dioxide	20
11.Antimony	Mineral water , expressed in mg/L	0.005
	Packaged drinking water (other than mineral water), expressed in mg/L	0.005
	Titanium dioxide	2.0
	Vegetables	1.0"]

Table

2.2 Crop contaminants and naturally occurring toxic substances

2.2.1

¹⁵[1. No article of food specified in column (3) of the Table below shall contain any crop contaminant specified in the corresponding entry in column (2) thereof in excess of quantities specified in the corresponding entry in column (4) of the said Table:

Table				
S.No.	Name of the Contaminants	Article of the food	Limit µg/kg	
(1)	(2)	(3)	(4)	
		Cereal and cereal products	15	
		Dried figs	10	
		Arecanut or Betelnut	15	
		Nuts:		
		Nuts for further processing	15	
		Ready to eat	15	
1	Total Aflatoxins	Oilseeds or oil:		
		Oilseeds for further processing	15	
		Ready to eat	15	
		Pulses	15	
		Spices/Spice Mix	30	
		Food product containing any of the above	20	
		mentioned food articles	20	
		Arecanut or Betelnut	10	
	-	Cereal and cereal products	10	
		Dried figs	10	
		Nuts:		
		Nuts for further processing	10	
		Ready to eat	10	
2	Aflatoxin B1	Oilseeds or oil:		
		Oilseeds for further processing	10	
		Ready to eat	10	
		Pulses	10	
		Spices/Spice Mix	15	
		Food product containing any of the above	10	
		mentioned food articles	10	
		Milk (Liquid)	0.5	
3	Aflatoxin M1	Skimmed milk powder	6	
		Whole milk powder	4	

4	Ochratoxin A	Wheat, rye, barley	20
		Apple juice	50
5	Patulin	Apple juice used as an ingredient in other	50
		beverages	50
6	Deoxynivalenol	Wheat	1000".]

² [2. Naturally occurring Toxic Substances:

	Name of naturally occuring	gArticle of food	Maximum limits
Sl.No	toxic substances (NOTS)	_	(ppm)
(1)	(2)	(3)	(4)
1	Agaric acid	Food containing mushrooms	100
		Alcoholic beverages	100
2	Hydrocyanic acid	Nougat, marzipan or its substitutes or similar products	5
		Canned stone fruits	5
		Alcoholic beverages	5
		Confectionery	5
		Stone fruit juices	5
		¹⁰ [Sago, Cassava flour, Tapioca flour, Manihot flour and their products	10]
3	Hypericine	Alcoholic beverages	1
4	Saffrole	Meat preparations and meat products, including poultry and game	10
		Fish preparations and fish products	10
		Soups and sauces	10
		Non-alcoholic beverages	10
		Food containing mace and nutmeg	10
		Alcoholic beverages	10]

Table

⁵ [3. Polychlorinated biphenyls (PCBs) and Polycyclic Aromatic Hydrocarbon (PAH) compounds in Fish and Fishery Products:

Sl.No.	Name of the contaminants	Article of food	Limit
(1)	(2)	(3)	(4)
1.	Polychlorinated biphenyls (Sum of PCB28, PCB52, PCB101, PCB138, PCB153 and PCB180)	Inland and Migratory Fish	2.0 ppm

2.	Polychlorinated biphenyls (Sum of PCB28, PCB52, PCB101, PCB138, PCB153 and PCB180)	Marine Fish, Crustaceans and molluscs	0.5 ppm
3.	Benzo(a)pyrene	Smoked Fishery Products	5.0 ppb]

2.3: Residues

¹⁴ [2.3.1. Restriction on the use of insecticides:

(1) The expression "insecticide" shall have the meaning assigned to it in the Insecticide Act, 1968 (46 of 1968).

(2) Subject to the provisions of clause (3), no insecticides shall be used directly on articles of food:

Provided that nothing in this regulation shall apply to the fumigants which are registered and recommended for use as such on articles of food by the Registration Committee, constituted under section 5 of the Insecticides Act, 1968 (46 of 1968).

(3) The insecticide specified in column (2) of the table shall not exceed the Maximum Residue Limits (MRL) prescribed in column (4), for the article of food specified in column (3) of the said table, namely:-

		Table	
Sl. No.	Name of the Insecticide	Food	Maximum Residue
			Limit (MRL)
			in mg/kg
(1)	(2)	(3)	(4)
1.	2,4-Dichlorophenoxy Acetic Acid	Sugarcane	0.05
		Food grains	Maize-0.05, Wheat-2
			and Rice-0.1and other
			food grains- 0.01
		Milled food grains	0.01
		Potato	0.2
		Milk and Milk products	0.05
		Meat and Poultry	0.2
		Eggs	0.05 (shell free basis)
		Fruits	2
2.	Acephate (expressed as mixture of	Rice	1
	Methamidophos and acephate).	Safflower seed	2
		Cottonseed	2
		Milk and Milk products	0.02
		Meat and Meat products	0.05
3.	Acetamiprid	Chilli	2
		Dried Chilli	20
		Rice	0.01
		Okra	0.1
		Cabbage	0.7
		Milk and Milk products	0.02
		Meat and Meat products	0.05
		Cotton seed Oil	0.1

4.	Alachlor	Cotton seed	0.05
		Groundnut	0.05
		Maize	0.1
		Soya bean	0.1
5.	Alpha cypermethrin	Cotton seed Oil	0.05
		Pine apple	0.5
6.	Alpha naphthyl Acetic Acid	Tomato	0.1
		Chilli	0.2
		Dried Chilli	2
		Mango	0.05
		Cotton seed Oil	0.05
		Grapes	0.05
		Pineapple	05
7	Ametroctradin	Granes	6
<i>,</i> .		Potato	0.05
		Cucumber	0.4
		Tomato	0.3
8	Anilophos	Rice	0.1
9	Atrazine	Maize	0.1
		Sugarcane	0.01
10	Azimsulfuron	Rice	0.23
10.	Azovystrohin	Granes	2
11.	120xy300011	Tomato	1
		Mango	07
		Chilli	1
		Dried Chilli	10
		Cucumber	0.05*
		Potato	7
		Milk and Milk products	0.01
		Cumin	0.03*
		Maize	0.03*
		Wheat	0.03
		Rice	0.03*
		Onion	0.05
12	Benfuracarh	Red Gram	0.05
12.	bennardearb	Rice	0.05
13	Sum of benomyl and carbendazim	Food grains	0.5
10.	expressed as carbendazim	Milled food grains	0.1
		Vegetables	0.5
		Mango	2
		Banana (whole)	1
		Other fruits	5
		Cottonseed	0.1
		Groundnut	0.1
		Sugar beet	0.1
		Dry fruits	0,1
		Eggs	0 1 (shell free basis)
		Meat and Poultry	0.1 (carcass fat basis)

		Milk and Milk products	0.1 (F)
14.	Bensulfuron Methyl	Rice	0.01
15.	Beta Cyfluthrin	Okra	0.01*
		Brinjal	0.2
		Cotton seed	0.7
		Soya bean	0.03
		Soya bean Oil	0.01*
16.	Bifenthrin	Sugarcane	0.03
		Rice	0.05
		Apple	0.5
		Теа	30
		Cotton seed	0.5
		Milk and Milk products	0.2
17	Bispyribac Sodium	Rice	0.05
18	Bitertanol	Wheat	0.05
10.	Ditertanoi	Groundnut	0.05
		Milk and Milk products	0.05
		Meat and Meat products	0.05
		Too	0.05
		Apple	0.03
10	Bunrofozin	Cotton good Oil	0.4
19.	bupiolezin	Chilli	0.01
		Dried Chilli	20
		Mango	20
		Grange	1
		Olmo	1
		DKId	0.01
		Mills and Mills products	0.03
20	Butachlor		0.01
20.	Cantan	Dies	0.03
<u> </u>	Captali	Fruit and Vogotables	U.J Charriag 2E Crapag 2E
		Fi ult allu Vegetables	and Molons-10 other
			fruits & othor
			vegetables 15
		Black gram	0.01*
22	Carbaryl	Sesamum	0.01
22.	Carbaryi	Fich	0.03
		Food grains	Wheat-2 0 and Maize-
			0.02 other food grains
			1 5
		Milled food grains	0.01
		Okra and leafy vegetables	10
		Potato	0.2
		Other vegetables	5
		Cotton seed (whole)	1
		Majze coh (kernels)	1
		Rice	25
		Maize	05
1		riuize	0.5

		Chilli	5
		Dried Chilli	50
		Citrus (Orange)	15
		Milk and Milk products	0.05
23.	Carbendazim	Food grains	Wheat-0.05, Rice-2.0
		0	and other food grains
			0.1
		Milled food grains	0.1
		Vegetables	0.5
		Mango	5
		Banana (whole)	1
		Other fruits	5
		Cotton seed	0.1
		Groundnut	0.1
		Sugar beet	0.1
		Dry fruits	0.1
		Eggs	0.1(shell free basis)
		Meat & Poultry	0.1(Carcass fat basis)
		Milk and Milk products	0.1 (F)
		Potato	0.01*
		Теа	0.5
		Grapes	3
		Rice	2*
24.	Carbofuran (sum of carbofuran	Food grains	0.10
	and 3-hydroxy carbofuran	Milled food grains	0.03
	expressed as carbofuran)	Fruits & Vegetables	0.10
		Oil seeds	0.10
		Sugarcane	0.10
		Meat & Poultry	0.10 (carcass fat basis)
		Milk and Milk products	0.05 (fat basis)
25.	Carbosulfan	Chilli	2
		Dried Chilli	20
		Rice	0.2
26.	Carfentrazone Ethyl	Wheat	0.01
		Rice	0.1*
		Теа	0.02*
27.	Carpropamid	Rice	1
28.	Cartap Hydrochloride	Rice	0.5
29.	Chlorantraniliprole	Bengal Gram	0.03*
		Black Gram	0.03*
		Bitter Gourd	0.03*
		Okra	0.3
		Soya bean	0.03*
		Pigeon pea	0.03*
		Tomato	0.6
		Chilli	0.6
		Dried Chilli	6
		Brinjal	0.6

		Rice	0.4
		Cabbage	2
		Sugarcane	0.5
		Cotton	0.3
		Milk and Milk products	0.05
		Meat and Meat products	0.2
		Groundnut	0.03*
		Groundnut Oil	0.03*
		Maize	0.03*
30.	Chlorfenapyr	Chilli	0.05
		Dried Chilli	0.5
		Cabbage	0.05
31.	Chlorfluazuron	Cabbage	0.1*
		Cotton seed	0.01*
32.	Chlorimuron ethyl	Rice	0.01
	-	Soya bean seed	0.01
		Wheat	0.05
33.	Chlormequat Chloride (CCC)	Potato	0.1
		Brinjal	0.1
		Grape	0.05*
		Cotton seed	1
34.	Chlorothalonil	Groundnut	0.1
		Potato	0.1
		Milk and Milk products	0.07
		Meat and Meat products	0.02
35.	Chlorpropham	Potato	30
36.	Chlorpyriphos	Теа	2
		Food grains	Wheat-0.5, Rice-0.5 and
			Food grains 0.05
		Milled food grains	0.01
		Fruits	Stawberry-0.03, Plum-
			0.5, Pomefruit-1.0 and
			other Fruits 0.5
		Potatoes and Onions	Potato-2.0, Onions 0.01
		Cauliflower and Cabbage	1
		Other vegetables	0.2
		Meat and Poultry (carcass	0.1
		fat)	
		Milk and Milk products	0.02
		Cotton seed	0.3
		Cotton seed oil (crude)	0.05
		Carbonated Water	0.001
37.	Chlothianidin (Chlothianidin and	Sugarcane	0.4
	its metabolites	Cotton seed	0.02
	Thiazolymethylguanidine (TMG),	Cotton seed Oil	0.02
	Thiazolymethylurea (TZMU), Methylnitroguanidine (MNG) TMG)	Rice	0.5
		Теа	0.7
		Milk and Milk products	0.02

		Meat and Meat products	0.02
38.	Chromafenozide	Rice	0.03*
39.	Cinmethylene	Rice	0.05
40.	Clodinafop-propargyl	Soya bean	0.05*
		Wheat	0.1
41.	Clomazone	Rice	0.01
		Soya bean seed	0.01
		Sova bean seed oil	0.01
42.	Copper Hydroxide (Copper	Rice	\$
	determined as elemental copper)	Potato	\$
		Grapes	\$
43.	Copper Oxychloride(Copper	Fruit	\$
_	determined as elemental copper)	Potato	\$
		Other vegetables	\$
		Areca nut	\$
		Cardamom	\$
		Coconut	\$
		Coffee	\$
		Penner	\$
		Paddy	\$
44	Copper Sulphate (Copper	Coffee	\$
11.	determined as elemental conner	Cardamom	\$
	acter minea as cremental copper	Citrus	\$
		Coconut	\$
		Guava	\$
		Danava	\$
		Реа	\$
		Granes	\$
45	Cuprous Oxide (Copper	Paddy	\$
15.	determined as elemental conner)	Potato	\$
		Areca nut	\$
		Chilli	\$
		Citrus	\$
		Coffee	\$
		Grapes	\$
46	Cvantranilinole	Grapes	0.01
10.	cyantrannipole	Pomegranate seed	0.01
		Pomegranate Juice	0.01
		Cabhage	2
		Chilli	05
		Dried Chilli	5
		Tomato	0.5
		Gherkin	0.3
		Okra	0.5
		Brinial	0.06
		Cotton seed or Cotton seed	1 5
		Oil	1.0
47.	Cvazofamid	Potato	0.02*
47.	Cyazofamid	Cotton seed or Cotton seed Oil Potato	0.02*

		Tomato	0.01*
		Grapes	1
48.	Cyhalofop-butyl	Rice	0.5
49.	Cymoxanil	Tomato	0.01*
		Potato	0.01
		Grapes	0.1
		Citrus	0.05*
		Gherkin	0.05*
		Cucumber	0.1
50.	Cypermethrin (sum of isomers)	Rice	2
	(Fat soluble residue)	Cottonseed Oil	0.01
		Wheat grains	2
		Milled wheat grains	0.01
		Brinjal	0.2
		Cabbage	2
		Okra	0.5
		Oil seeds except groundnut	0.2
		Meat and Poultry	2
		Milk and Milk products	0.05
	(a) Alpha Cypermethrin	Cotton seed Oil	0.05
51.	Deltamethrin (Decamethrin)	Chilli	0.05
		Dried Chilli	0.5
		Red gram	0.01
		Mango	0.01
		Теа	5
		Okra	0.05
		Tomato	0.3
		Brinjal	0.3
		Groundnut	0.01*
		Cotton seed	0.1
		Food grains	2.0
		Milled food grains	Milled Food grains- 0.2
		_	and Wheat Flour-0.3
		Rice	2.0
		Wheat	2.0
		Milk and Milk products	0.05
		Meat and Meat products	0.5
52.	Diafenthiuron	Cardamom	0.5
		Brinjal	1
		Chilli	0.05
		Dried Chilli	0.5
		Cotton seed Oil	1
		Cabbage	1
		Citrus	0.2
53.	Dichlorvos (DDVP) (content of di-	Food grains	Wheat-7.0, Rice-7.0 and
	chloroacetaldehyde (D.C.A.) be		other Food grains-1
	reported where possible)	Milled food grains	0.25
		Vegetables	0.15

		Fruits	0.1
		Milk and Milk products	0.01
		Groundnut seeds	0.05
		Groundnut Oil	0.2
		Mustard seed or Mustard	0.01
		Oil	
54.	Diclofop (sum diclofop-methyl and	Wheat	0.1
	diclofop acid expressed as		
	diclofop-methyl)"		
55.	Diclosulam	Soya bean	0.05*
56.	Dicofol (sum of o,p' and p,p'	Fruits and Vegetables	5
	isomers)"	Теа	40
		Chilli	1
		Dried Chilli	10
57.	Difenoconazole	Chilli	0.01
		Dried Chilli	0.1
		Rice	0.01
		Pomegranate	0.8
		Milk and Milk products	0.02
		Meat and Meat products	0.2
		Apple	0.01
		Grapes	3
		Maize	0.01*
		Wheat	0.02
		Tomato	0.2
58.	Diflubenzuron	Cotton seed	0.2
59.	Dimethoate	Mustard	0.01
		Fruits and Vegetables	2
		Chilli	0.5
		Dried Chilli	5
		Milk and Milk products	0.05
		Meat and Meat products	0.05
60.	Dimethomorph	Grapes	2
	r r	Potato	0.05
		Cucumber	0.2
		Tomato	0.2
61.	Dinocap	Mango	0.1
62.	Dinotefuran	Rice	8
		Cotton seed Oil	0.05*
		Milk and Milk products	0.1
63.	Dithianon	Apple	0.1
64.	Dithiocarbamates(the residue	Chilli	1
	tolerance limit are determined and	Dry chilli	10
	expressed as mg/CS2/kg and refer		Wheat-1.0 and other
	separately to the residues arising	rood grains	Food Grains-0.2
	from any or each group of	Milled food grains	0.05
	dithiocarbamates)	Potato	0.2
	(b) Ethylene bis- dithiocarbamates	Cherries	1

	resulting from the use of		3
	mancozeb, maneb or zineb	Oth or fruits	
	(including zineb derived from		
	nabam plus zinc sulphate)		
	(c) Mancozeb	Chilli	1
		Dried Chilli	10
		Cauliflower	0.02
		Groundnut	0.1
		Cumin	10
		Black pepper	2
		Mustard seed	0.1
		Gherkin	0.1*
		Onion	4
		Milk and Milk products	0.05
		Meat and Meat products	0.1
		Mango	2
		Granes	 5
		Citrus	0.05*
		Cucumber	0.00
		Top	2
		Rice	0.5*
	(d) Matiram as CS2	Chilli	1
	(u) Methani as C52	Dry chilli	10
		Crapos	5
		Dotato	0.2
		Tomato	<u> </u>
		Croundrut good	0.1
		Groundnut seed	0.1
		Mills and Mills products	0.1
		Onion	0.05
		Apple	0.05*
		Cotton good	0.05
		Cotton seed	0.05
		Controll Seed Off	10
		Cumin	10
		Banana Dia dia gram	
			0.05
		Lucumber Developmente	
		Pomegranate	0.05*
		Green gram	0.05*
	Lej Zineb as CS2		
	.		0.1*
65.	Diuron	Sugarcane	0.02
		Lottonseea	
		Banana	0.1
		Maize	0.5
		Litrus (Sweet Orange)	1
		Grapes	1
66.	Dodine	Apple	5

67.	Edifenphos	Rice	0.02
	*	Rice bran	1
		Eggs	0.01(shell free basis)
		Meat and poultry	0.02 (carcass fat basis)
		Milk and Milk products	0.01(F)
68.	Emamectin Benzoate	Cotton seed	0.02
		Cotton seed oil	0.02
		Okra	0.05
		Groundnut oil	0.05
		Milk and Milk products	0.01*
		Теа	0.01*
69.	Epoxyconazole	Ground nut oil	0.05*
		Groundnut cake	0.05*
		Maize	0.01*
		Cumin	0.01*
		coffee	0.05*
		wheat	0.01*
		Soya bean	0.05*
		Soya bean Oil	0.05*
		Rice	0.05*
70.	Ethephon	Pomegranate	0.05
	-	Pine apple	2
		Coffee	0.1
		Tomato	2
		Mango	2
71.	Ethion(Residues to be determined	Gram	0.01
	as ethion and its oxygen analogue	Pigeon Pea	0.01
	and expressed as ethion)	Soya bean Seed	0.01
		Теа	5
		Cucumber and Squash	0.5
		Other Vegetables	1
		Cottonseed	0.5
		Milk and Milk products	0.5 (F)
		Meat and Poultry	0.2 (carcass fat basis)
		Eggs	0.2 (shell free basis)
		Dry fruits	0.1 (shell free basis)
		Food grains	0.03
		Milled food grains	0.01
		Peaches	1
		Other fruits	2
72.	Ethofenprox (Etofenprox)	Rice	0.01
		Milk and Milk products	0.02
		Meat and Meat products	0.5
73.	Ethoxysulfuron	Rice	0.01
74.	Etoxazole	Brinjal	0.2
		Теа	15
75.	Famoxadone	Grapes	2
		Potato	0.05

		Tomato	2
		Gherkin	0.3
76.	Fenamidone	Potato	0.02
70.		Grapes	0.6
		Gherkin	0.2
		Tomato	1 5
77	Fenarimol	Apple	5
79	Fonazaquin	Apple	0.2
70.	renazayum		0.2
		Ullilli Driod Chilli	<u> </u>
			<u> </u>
		UKra Drinial	0.01
		Brinjai	0.01
		Tomato	0.01
		Tea	3
79.	Fenobucarb (BPMC)	Rice	0.01
80.	Fenoxaprop-p-ethyl	Cotton seed	0.02
		Black gram	0.01
		Rice	0.02*
		Wheat	0.02
		Soya bean seed	0.02
		Onion	0.05*
		Groundnut	0.01*
81.	Fenpropathrin	Brinjal	0.2
		Okra	0.5
		Chilli	0.2
		Теа	2
		Green tea	2
		Rice	0.03*
		Cottonseed oil	3
		Milk and Milk products	0.1
		Meat and Meat products	0.02
82.	Fenpyroximate	Chilli	1
		Dried Chilli	10
		Green Tea	2
		Coconut Water	0.02
		Теа	2
83	Fenvalerate (Fat soluble residue)	Cauliflower	2
05.		Brinial	2
		Okra	2
		Cotton seed	0.2
		Cottonseed Oil	0.1
		Meat and Poultry	10 (carcass fat hasis)
		Milk and Milk products	Λ Λ1 (F)
04	Finronil	Cotton seed Oil	
04.	1.1b10111	Digo	0.01
			0.01
		UIIIII Dried Chilli	0.01
			0.1
		Sugarcane	0.01

		Cabbage	0.02
		Grapes	0.01*
		Milk and Milk products	0.02
		Meat and Meat products	0.01
		Wheat	0.01*
		Onion	0.04
85.	Flonicamid	Rice	0.05*
		Cotton seed Oil	0.02*
86.	Fluazifop-p-butyl	Sova bean	0.05
		Cotton seed Oil	0.01*
		Groundnut	0.01*
		Groundnut oil	0.01*
87.	Flubendiamide	Brinial	0.1
0/1		Bengal Gram	10
		Cotton seed Oil	1.5
		Rice	0.1
		Cabbage	4
		Tomato	2
		Pigeon neo	1.0
		Black Gram	1.0
		Chilli	0.02
		Dried Chilli	0.02
		Mills and Mills products	0.2
		Tea	50
		Sovahoan	0.07
		Sova bean Oil	0.07
		Sova bean cake	0.07
88	Fluchloralin	Cotton seed	0.07
00.		Sova hean	0.05
80	Flufenacet	Rice	0.05
90	Flusilazole	Rice	0.03
50.		Chilli	0.01
		Dried Chilli	0.01
		Milk and Milk products	0.05
		Meat and Meat products	1
		Groundnut	0.05*
		Annle	0.05
		Granes	0.05
91	Fluvalinate	Cotton seed Oil	0.05
, , , ,		Теа	0.00
92	Forchlorfenuron	Granes	0.01
92.	Fosetyl-Al	Grapes	10
, , , ,		Cardamom	0.2
94	Glufosinate Ammonium	Cotton seed Oil	0.05*
71.		Теа	0.01
		Milk and Milk products	0.02
95	Glyphosate	Tea	1
	p	Rice	0.01

		Meat and Meat products	0.05
96.	Halosulfuron methyl	Sugarcane	0.03*
		Maize	0.01*
		Bottle Gourd	0.01*
97.	Hexaconazole	Mango	0.02
-		Rice	0.02
		Ground nut seed	0.02
		Теа	0.02
		Granes	0.1
		Chilli	0.5
		Dried Chilli	5
		Potato	0.02
		Sova bean	0.02
		Apple	0.02
		Blackgram	0.1
98	Hevazinone	Sugarcano	0.02
<u> </u>	Hoyythiozoy	Tea	15
<i>.</i>		Chilli	0.01
		Dried Chilli	0.01
		Applo	0.1
100	Hudrogon Guanamida	Cranas	0.0
100.	liyul ogen Cyanannue	Sugarcano	0.01
101	Jadaqulfuran Mathul Sadium	Wheat	0.03
101.	Inconstitution Methyl Soulum	Sovahoan	0.01
102.	imazethapyi	Soyabean Soyabean oil	0.03
		Soyabean on	0.1
102	Imidaalaarid	Groundhut on Citrus (Asid Lime)	0.1
103.	imidacioprid	Crowndrast Sood	1
		Mango	1
		Mango Sugaragena	0.2
		Sugarcane	0.1
		UKra Sunflower Sood	
		Chilli	0.3
		UIIIII Dei ad Chilli	0.3
			3
		Grapes	1
		Tomato	1
		Cucumber	
		Cotton seed Oil	0.05
		KICE	0.05
		Brinjal	0.2
		Milk and Milk products	0.1
		Meat and Meat products	0.1
		Soya bean	3.0
		Soya bean Oil	0.01*
104.	Indoxacarb	Tomato	0.5
		Chilli	0.01
		Dried Chilli	0.1
		Pigeon pea	0.1

		Chick Pea	0.2
		Rice	0.05
		Sova bean	0.5
		Cottonseed	1
		Cottonseed Oil	0.1
		Cabbage	3
		Milk and Milk products	0.1
		Meat and Meat products	2
105.	Iprobenfos (Kitazin)	Rice	0.2
106.	Iprodione	Rape seed	0.5
2001		Mustard seed	0.5
		Rice	10
		Tomato	5
		Grapes	10
107.	Isoprothiolane	Rice	0.1
108	Isoproturon	Wheat	01
100.	Kasugamycin	Rice	0.05
107.	in a subality citi	Tomato	0.05
110	Kresovim Methyl	Milk and Milk products	0.05
110.		Meat and Meat products	0.01
		Maize	0.02*
		Wheat	0.02
		Chilli	0.05
		Dried Chilli	15
		Potato	0.02*
		Sova bean	0.02
		Sova bean Oil	0.02
		Sova bean Cake	0.02*
		Cotton seed Oil	0.02*
111	Lambda cyhalothrin	Brinial	0.2
		Tomato	0.1
		Rice	1
		Okra	2
		Red Gram	0.05
		Bengal Gram	0.05
		Chilli	0.05
		Dried Chilli	0.5
		Groundnut seed	0.01
		Onion	0.01
		Sova bean	0.01
		Mango	0.2
		Grapes	0.05
		Cotton seed Oil	0.05
		Теа	0.05*
		Maize	0.01*
112	Linuron	Pea	0.05
113	Lufenuron	Cauliflower	0.1
		Cotton seed	0.01

		Black Gram	0.02*
		Chilli	0.05
		Dried Chilli	0.5
		Cabbage	0.3
		Pigeon pea	0.01
114.	Malathion (Malathion to be	Food grains	Wheat-10.0, Maize-0.05
	determined and expressed as		and other food grains-4
	combined residues of malathion	Milled food grains	1
	and malaoxon)	Fruits	4
		Vegetables	3
		Dried fruits	8
		Carbonated Water	0.01
115.	Mandipropamid	Grapes	2
		Tomato	0.3
		Potato	0.05*
116.	Mepiquat Chloride	Potato	0.1
		Cotton seed	0.5
		Cotton seed Oil	0.5
117.	Mesosulfuron Methyl	Wheat	0.01
118.	Metaflumizone	Cabbage	0.05
119.	Metalaxyl	Pearl Millet (Bajra)	0.05
		Maize	0.05
		Sorghum	0.05
120.	Metalaxyl-M	Potato	0.05*
		Grapes	1
		Black pepper	0.5
		Mustard Seed	0.01
		Chilli	0.02
		Dried Chilli	0.2
		Tomato	0.5
121.	Methabenzthiazuron	Wheat	0.5
122.	Methomyl	Tomato	1
		Pigeon pea seeds	0.05
		Chilli	0.05
		Dried Chilli	0.5
		Groundnut seed	0.05
		Grapes	0.3
		Soya bean	0.2
		Milk and Milk products	0.02
		Meat and Meat products	0.02
123.	Methyl Chlorophenoxy Acetic Acid	Rice	0.05
	(MCPA)	Wheat	0.2
		Milk and Milk products	0.04
124.	Methyl Parathion (combined	Rice	0.01
	residues of methyl parathion and	Black Gram	0.01
	its oxygen analogue to be	Cotton seed oil	0.01
	determined and expressed as	Mustard seed or Mustard	0.01
	methyl parathion)	oil	

125. Metolachlor	Soya bean Oil	0.05
	Milk and Milk products	0.01*
126. Metribuzin	Tomato	0.05*
	Sugarcane	0.01*
	Potato	0.05*
	Soya bean Oil	0.1
	Wheat	0.03
127. Metsulfuron Methyl	Rice	0.01
	Wheat	0.1
	Sugarcane	0.02
128. Milbemectin	Chilli	0.01
	Dried Chilli	0.1
129. Monocrotophos	Food grains	0.03
	Milled food grains	0.01
	Citrus fruits	0.2
	Other fruits	1
	Cotton seed	0.1
	Cotton seed Oil (raw)	0.05
	Meat and Poultry	0.02
	Milk and Milk products	0.02
	Eggs	0.02 (shell free basis)
	Coffee (Raw beans)	0.1
	Chilli	0.2
	Dried Chilli	2
	Cardamom	0.5
130. Myclobutanil	Apple	0.01
	Chilli	0.2
	Dried Chilli	2
	Groundnut seed	0.1
	Grapes	1
131. Novaluron	Chilli	0.01
	Dried Chilli	0.1
	Chickpea	0.01
	Cotton seed	0.5
	Cotton seed Oil	0.01
	Tomato	0.01
	Cabbage	0.7
132. Orthosulfamuron	Paddy	0.1
133. Oxadiargyl	Mustard Seed	0.05
	Onion	0.1
	Cumin	0.01
	Rice	0.1
	Sunflower seed	0.05*
	Sunflower Oil	0.05*
134. Oxadiazon	Rice	0.03
135. Oxydemeton-Methyl	Cotton seed oil	0.01
	Chilli	2
	Dried chilli	20

		Mustard oil	0.01
		Food grains	Wheat-0.02, Rye-0.02
		5	and other Food grains-
			0.02
		Milk and Milk products	0.01
		Meat and Meat products	0.05
136.	Oxyfluorfen	Rice	0.05
		Groundnut Oil	0.05
		Mentha	0.01
		Теа	0.2
		Potato	0.01
		Onion	0.05
137.	Paclobutrazol	Mango	0.01
138.	Paraquat dichloride (Determined	Food grains	Sorghum-0.03 and
	as Paraquatcations)		other food grains- 0.1
		Milled food grains	0.03
		Potato	0.2
		Other vegetables	0.05
		Cotton seed	2
		Cotton seed oil (edible	0.05
		refined)	
		Milk and Milk products	0.01
		(whole)	
		Fruits	0.05
		Теа	0.2
139.	Penconazole	Grapes	0.4
		Black gram seed	0.02
		Mango	0.05
		Apple	0.1
		Milk and Milk products	0.01
		Meat and Meat products	0.05
140.	Pencycuron	Rice	0.01
141.	Pendimethalin	Wheat	0.05
		Rice	0.05
		Soyabean Oil	0.05
		Cotton seed Oil	0.05
		Chilli	0.05*
		Dried Chilli	0.5
		Onion	0.4
		Red gram	0.05*
142.	Penoxuslum	Rice	0.1*
143.	Permethrin	Cucumber	0.5
		Cotton seed	0.5
		Soya bean	0.05
		Sunflower Seed	1
144.	Phenthoate	Food grains	0.05
		Milled food grains	0.01
		Oilseeds	0.03

		Edible oils	0.01
		Eggs	0.05 (shell free basis)
		Meat and Poultry	0.05 (carcass fat basis)
		Milk and Milk products	0.01 (F)
145.	Phorate (sum of Phorate, its	Food Grains	0.05
	oxygen analogue and their	Milled food grains	0.01
	sulphoxides and sulphones,	Tomato	0.1
	expressed as phorate)	Fruits	0.05
		Oil seeds	0.05
		Sugarcane	0.05
		Eggs	0.05 (shell free basis)
		Meat & Poultry	0.02* (carcass fat basis)
		Milk and Milk products	0.05 (F)
		Green gram	0.01*
		Cotton seed Oil	0.05
146.	Phosalone	Pears	2
		Citrus fruits	1
		Other fruits	Apple-5.0, Pome fruit-
			2.0 and other fruits- 2.0
		Potato	0.1
		Other vegetables	1
		Rapeseed or Mustard Oil	0.05
		(crude)	
147.	Picoxystrobin	Rice	0.05*
		Grapes	0.05*
		Chilli	0.05*
		Dried Chilli	0.5
		Soya bean	0.05*
		Soya bean Oil	0.05*
		Cumin	0.05*
		Wheat	0.05*
148.	Pinoxaden	Wheat	0.7
149.	Pretilachlor	Rice	0.05
150.	Pirimiphos-methyl	Rice	0.5
		Food grains except Rice	7
		Milled food grains except	1
		rice	
		Eggs	0.05 (shell free basis)
		Meat & Poultry	0.05 (carcass fat basis)
		Milk and Milk products	0.05 (F)
151.	Protenotos	Lotton seed oil	3
		Soya bean	0.01*
450		ivieat and Meat products	0.05
152.	Pronexadione calcium	Apple	0.01*
153.	Propaquizatop	Black gram	0.01
		Soya bean	0.01
		Onion	0.01*
154.	Propargite	Brinjal	2

		Chilli	2
		Dried Chilli	20
		Apple	3
		Теа	10
155.	Propiconazole	Теа	0.1
	F	Groundnut seed	0.1
		Rice	0.05
		Sova bean seed	0.07
		Wheat	0.05
		Milk and Milk products	0.01
		Meat and Meat products	0.01
156	Pronineh	Rice	0.05
150.	Горшев	Tomato	1
		Apple	1
		Pomegranate	05
		Potato	0.5
		Chilli	2
		Dried Chilli	20
		Granos	0.5
157	Duraclastrahin	Grapes	2
157.	r ylaciosti obili	Potato	0.05*
		Tomato	0.03
		Chilli	0.5
		Unini Dry chilli	0.05
			0.5
		Soya bean	0.05
		Lotton Mills and Mills products	0.02*
			0.05
		Onion Croundrut oil	1.5
			0.05*
		Ground nut cake	0.05*
		Apple	0.5
		Corn	0.02*
		Cumin	0.02*
		Banana	0.02*
		Black gram	0.02*
		Cucumber	0.2
		coffee	0.05*
		Wheat	0.01*
		Pomegranate	0.02*
		Green gram	0.02*
450		Kice	0.02*
158.	Pyrazosulturon ethyl	KICE	0.01
159.	Pyridalyl	Lotton seed Oil	0.02
		Labbage	0.02
		Okra	0.02
		Chilli	0.02
		Dried Chilli	0.2
160.	Pyriproxyfen	Cotton seed	0.05

		Cotton seed Oil	0.03*
		Brinjal	0.02
		Okra	0.03
		Chilli	0.02
		Dried Chilli	0.2
161	Pyrithiolac Sodium	Cotton seed Oil	0.02
162	Pymetrozine	Rice	0.02
163	Ouinalphos	Cauliflower	0.1
105.	Quinaipilos	Citrus	0.1
		Bongal Gram	0.05
			0.05
		Mustard sood oil	0.05
			0.1
		Soya bean	0.05
		Groundnut oil	0.3
		Rice	0.01
		Pigeon pea	0.01
		Cardamom	0.01
		Теа	0.01
		Fish	0.01
		Chilli	0.2
		Dried Chilli	2
164.	Quizalofop ethyl	Cotton seed	0.1
		Soya bean seed	0.05
		Onion	0.01*
		Groundnut	0.1
		Black Gram	0.01*
165.	Ouizalofop-P-tefurvl	Sova bean Seed	0.02
		Cotton seed or Cotton seed	0.05*
		oil	
166.	Sodium Aceflourofen	Sova bean	0.05*
167.	Spinosad	Cotton seed oil	0.02
	r ·····	Cabhage	2
		Cauliflower	0.02
		Red gram	0.01
		Chilli	0.01
		Dried Chilli	0.1
		Meat and Meat products	2
168	Sniromesifen	Tomato	0.7
100.	Sphomesnen	Cottonsood	0.7
		Apple	0.7
		Apple Brinial	0.01
		Chilli	0.3
		UIIIII Dried Chilli	0.1
			1 70
			/0
		Green Tea	70
		Ukra	0.03
169.	Sulfosulfuron	Wheat	0.02
170.	Tebuconazole	Kice	1.5

		Groundnut seed	0.15
		Groundnut oil	0.05
		Wheat	0.15
		Milk and Milk products	0.01
		Tomato	2
		Meat and Meat products	0.05
		Onion	0.15
		Sova bean	0.15
		Mango	0.2
		Grapes	6
		Chilli	0.4
		Dry Chilli	4
		Cotton seed Oil	2
		Annle	1
		Banana	15
		Black Gram	0.01*
		Maize	0.01
		Cabhage	1 0
171	Thiscloprid	Catton sood	0.05
1/1.	Thaclopild	Cotton sood Oil	0.05
			0.03
		Rrinial	0.02
			0.7 F
		lea Couchean acad	5
		Soya bean seed	0.03*
		Apple	0.7
		Milk and Milk products	0.05
		Meat and Meat products	0.1
		Chilli	0.02
. = 0			0.2
172.	Thifluzamide	Rice	0.05
173.	Thiodicarb	Cabbage	0.02
		Brinjal	0.05
		Red Gram	0.05
		Black Gram	0.03
		Chilli	0.01
		Dried Chilli	0.1
		Cotton seed oil	0.02
		Meat and Meat products	0.02
174.	Thiamethoxam	Rice	0.02
		Okra	0.5
		Cotton seed Oil	0.01
		Brinjal	0.3
		Tomato	0.70
		Wheat	0.05
		Теа	20
		Mango	0.20
		Potato	0.30
		Mustard seed	0.01
		Cumin	0.01
------	----------------------------------	-------------------------------------	------------
		Acid Lime	0.5
		Milk and Milk products	0.05
		Meat and Meat products	0.02
		Groundnut	0.05*
		Groundnut Oil	0.05*
		Sugarcane	0.05*
		Maize	0.05*
		Sova bean	0.05*
		Sova bean Oil	0.05*
		Chilli	0.5
		Dried Chilli	5
175.	Thiometon(Residues determined	Food grains	0.03
	as thiometon its sulfoxide and	Milled food grains	0.01
	sulphone expressed as thiometon)	Fruits	0.5
		Potato Carrots and Sugar	0.05
		heets	0100
		Other vegetables	05
176	Thiophopoto Mothul		F
170.	i nophanate-metnyi	Papaya	כ 7
		r apaya Milli and Milli producto	/ 0.0F
		Mik and Mik products	0.05
		Pottle gourd	0.03
			0.02*
		Pigeon pea	0.03*
		Cucumber	0.2
177	Talfanarrad	Grapes	3 0.01*
1//.	Tonenpyrau	Olmo	0.01
170	Trichlorfon	UKra East grains	0.7
178.		Food grains Milled feed grains	0.05
		Sugar boot	0.01
		Sugar Deel	0.05
		Oil agoda	0.1
		Ull seeds	0.1
		Edible off (Refined)	0.05
			0.1
170	Triacontanol	Milk and Milk products	0.05
1/9.	Triadimaton	Mink and Mink products	0.01
180.	i nadimeion		0.5
		red Cranos	0.1
		Mille and Mille and durate	<u> </u>
		Milk and Milk products	0.01*
		Chilli	0.02
			0.4
		Dried Unilii	4
		Lonee	0.02*
		Mango	0.03*
4.01		Soya bean	0.02*
181.	l rifloxystrobin	lomato	1

		Wheat	0.2
		Mango	0.4
		Grapes	3
		Chilly	0.4
		Dry Chilly	4
		Cotton seed Oil	0.02
		Apple	0.7
		Banana	0.1
		Maize	0.1
		Cabbage	0.5
182.	Triallate	Wheat	0.05
183.	Triasulfuron	Wheat	0.01*
184.	Triazophos	Chilli	0.2
2011		Dried Chilli	2
		Rice	0.6
		Cotton seed oil	1
		Sova bean oil	0.05
185.	Tricyclazole	Rice	3
1001		Chilli	0.3
		Dried Chilli	3
186.	Tridemorph	Wheat	0.1
2001		Grapes	0.5
		Mango	0.05
187.	Trifluralin	Wheat	0.05
188.	Validamycin	Rice	0.01
189.	Fluopicolide	Grapes	2.0
190.	Tembotrione	Maize	0.02*
191.	Propanil	Rice	0.05*
192.	Fluopyram and its metabolites	Grapes	2
193.	Topramezone	Corn	0.05*
194.	Thiocyclam Hydrogen Oxalate	Rice	0.01*
195.	2,4-D Amine Salt	Теа	0.05*
196.	Ametyrn	Sugarcane	0.05*
197.	Fomesafen	Soya bean	0.02*
		Sova bean oil	0.02*
		Ground nut	0.02*
		Ground nut oil	0.02*
198.	Imazamox	Ground nut	0.01*
		Ground nut oil	0.01*
199.	Spinetoram and its metabolites	Chilli	0.05
	(Spinosyn-J and Spinosyn-L)	Dry Chilli	0.5
		Cottonseed Oil	0.02
		Soya bean	0.02
		Soya bean Oil	0.02
200.	Sodium Para Nitro Phenolate	Tomato	0.3
		Cottonseed	0.5*
		Cottonseed oil	0.5*
201.	Bentazone	Soya bean	0.05*

		Soya bean oil	0.05*
		Rice	0.05*
202.	Cyflumetofen	Теа	0.05*
203.	Boscalid	Grapes	5
204.	Flucetosulfuron	Rice	0.02*
205.	Haloxyfop-R Methyl	Soya bean	2
		Soya bean Oil	0.02*
		Soya bean deoiled Cake	0.02*
206.	Sulfentrazone and its metabolite	Soya bean	0.2
	Desmethylsulfentrazone and 3-	Soya bean Oil	0.2
	Hydroxymethylsulfentrazone	Soya bean deoiled Cake	0.2
207.	Spirotetramat	Okra	1.0
		Brinjal	1.0
		Chilli	2
		Dry Chilli	20
208.	Metrafenone	Grapes	5
209.	Fluxapyroxad	Grapes	3.0
		Apple	0.9
		Rice	5
210.	Tetraconazole	Watermelon	0.01*
211.	Abamectin	Grapes	0.05*
		Chilli	0.05*
		Dry Chilli	0.5
212.	Flupyradifurone and its	Okra	0.8
	metabolites Difluroacetic Acid and		
	Difluroethylamino-furanone		
213.	Sulfoxaflor	Cotton seed and Cotton	0.4
		seed Oil	
		Rice	0.01*

* Maximum Residue Limit fixed at Limit of Quantification (LOQ)

F: Maximum Residue Limit Calculation on Fat Basis

\$: The limit shall be for copper in the regulations 2.1 metal contaminants of the Food Safety and Standards (Contaminants, Toxins And Residues) Regulations, 2011 and as amended from time to time.

Note: Tolerance limit of 0.01 mg/kg shall apply in cases of pesticides for which MRL have not been fixed.]

2.3.2 : ANTIBIOTIC AND OTHER PHARMA-COLOGICALLY ACTIVE SUBSTANCES

1) The amount of antibiotic mentioned in column (2), on the sea foods including shrimps, prawns or any other variety of fish and fishery products, shall not exceed the tolerance limit prescribed in column (3) of the table given below:—

Table

S.No.	Name of Antibiotics	Tolerance limit mg/kg
		(ppm)
(1)	(2)	(3)
1.	Tetracycline	0.1
2.	Oxytetracycline	0.1
3.	Trimethoprim	0.05
4.	Oxolinic acid	0.3

¹³[(2) Following antibiotics and veterinary drugs are not permitted to be used at any stage of processing of meat and meat products, poultry and eggs, sea foods including shrimps, prawns or any variety of fish and fishery products. The Extraneous Maximum Residue Limit of 0.001 mg/kg will be applicable except for Chloramphinicol for which it shall be 0.0003 mg/kg (0.3 ug/kg).

1. Nitrofurans including-

- (i) Furaltadone
- (ii) Furazolidone
- (iii) Nitrofurnatoin
- (iv) Nitrofurazone
- 2. Chloramphenicol
- 3. Sulphamethoxazole
- 4. Aristolochia spp and preparations thereof
- 5. Chloroform
- 6. Chloropromazine
- 7. Colchicine
- 8. Dapsone.
- 9. Dimetridazole
- 10. Metronidazole
- 11. Ronidazole
- 12. Ipronidazole and other nitromidazoles
- 13. Clenbuterol
- 14. Diethylstibestrol
- 15. Glycopeptides
- 16. Stilbenes and other steroids
- 17. Crystal Violet
- 18. Malachite Green

19. Carbadox]

¹ [(3) The limit of antibiotics mentioned in column (2), in Honey on the basis of Limit of Quantification, shall not exceed the tolerance limit prescribed in column (3) when determined by the LC-MS/MS method in the table given below:—

Sr.No.	Name of Antibiotics	Tolerance Limit (microgram/kg)
(1)	(2)	(3)
1.	Chloramphenicol	0.3*
2.	Nitrofurans and its metabolites	0.5* either individually or collectively
3.	Sulphonamides and its metabolites	5.0* either individual or collectively
4.	Streptomycin	5.0*
5.	Tetracycline	5.0*
	(a) Oxytetracycline	5.0*
	(b) Chlortetracycline	5.0*
6.	Ampicillin	5.0*
7.	Enrofloxacin	5.0*
8.	Ciprofloxacin	5.0*
9.	Erythromycin	5.0*
10.	Tylosin	5.0*

Table

٦

* Limit of Quantification on the basis of LC-MS/MS method.]

¹³[(4) The antibiotics and veterinary drugs specified in column (2) shall not exceed the tolerance limit specified in column (4) for the article of food in column (3) of the Table below, namely:-

TABLE

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		<mark>(mg/Kg)</mark>
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
<mark>1.</mark>	Ampicillin	(I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk	<mark>0.01</mark>
<mark>2.</mark>	<u>Cloxacillin</u>	(I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk	<mark>0.01</mark>
<mark>3.</mark>	<mark>Colistin</mark>	<mark>Cattle</mark>	
		Fat	<mark>0.15</mark>
		Muscle	<mark>0.15</mark>
		<mark>Kidney</mark>	<mark>0.2</mark>
		Liver	<mark>0.15</mark>
		Milk	<mark>0.05</mark>
		Pig	
		Muscle	<mark>0.15</mark>
		<mark>Fat</mark>	<mark>0.15</mark>
		Liver	<mark>0.15</mark>
		Kidney	<mark>0.2</mark>
		Sheep	
		Liver	<mark>0.15</mark>
		Milk	<mark>0.05</mark>
		Muscle	<mark>0.15</mark>
		<u>Kidney</u>	<mark>0.2</mark>
		Fat	<mark>0.15</mark>
		Goat	
		Kidney	0.2

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		<mark>(mg/Kg)</mark>
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
		Muscle	<mark>0.15</mark>
		Liver	<mark>0.15</mark>
		Fat	<mark>0.15</mark>
		Rabbit	
		Fat	0.15
		Muscle	0.15
			0.15
		Kidney	<mark>0.2</mark>
		Chicken	<u></u>
		Kidney	0.2
		Liver	<u>0.15</u>
		Eggs	0.3
		Taulas	0.15 0.15
		Musclo	015
		Livor	0.15
		Kidney	0.13 0.2
		Fat	0.15
<mark>4.</mark>	Dihvdrostreptomycin	Cattle	
T.	Streptomycin		
		Muscle	<mark>0.6</mark>
		Liver	<mark>0.6</mark>
		Kidney	1
		Fat	<mark>0.6</mark>
		Milk	0.02
		Chicken	
		<mark>Muscle</mark>	<mark>0.6</mark>
		Liver	<mark>0.6</mark>
		Kidney	1
		Fat	<mark>0.6</mark>
		Pig	
		<mark>Muscle</mark>	<mark>0.6</mark>
		Liver	<mark>0.6</mark>
		Kidney	1

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		(mg/Kg)
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
		Fat	<mark>0.6</mark>
		Charac	
		Sneep	
		Muscle	<mark>0.6</mark>
		Liver	<mark>0.6</mark>
		Kidney	1
		<mark>Fat</mark>	<mark>0.6</mark>
		<mark>Milk</mark>	<mark>0.2</mark>
<mark>5.</mark>	Chlortetracycline/Oxytetracy	Cattl	e e
	cline/Tetracycline	Muscle	0.2
		Liver	<mark>0.6</mark>
		<mark>Kidney</mark>	<mark>1.2</mark>
		Milk	0.1
		Muscle	<mark>0.2</mark>
		<mark>Giant prawn(<i>Paeneus</i></mark>	<mark>0.2</mark>
		monodon)(muscle)	
		Pig	
		Muscle	0.2
		Liver	0.6
		Kidney Doultr	<u>1.2</u>
		Musclo	
		Liver	0.2
		Kidney	1.2
		Eggs	0.4
		Sheep	
		Muscle	0.2
		Liver	<mark>0.6</mark>
		Kidney	<mark>1.2</mark>
		Milk	<mark>0.1</mark>
<mark>6.</mark>	<mark>Erythromycin</mark>	Chicker	<mark>n</mark>
		Muscle	0.1
		Liver	<u>0.1</u>
		Kidney	0.1
		Eggs	<u>0.05</u>
		Muscle	
		Livor	0.1 0.1
		Kidney	0.1

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		(mg/Kg)
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
		Fat	<mark>0.1</mark>
<mark>7.</mark>	Flumequine	Cattle	
		Muscle	<mark>0.5</mark>
		Liver	<mark>0.5</mark>
		Kidney	<mark>3</mark>
		<mark>Fat</mark>	<mark>1</mark>
		Chicken	
		Muscle	<mark>0.5</mark>
		Liver	<mark>0.5</mark>
		<u>Kidney</u>	<mark>3</mark>
		Fat	<mark>1</mark>
		Pig	
		Muscle	0.5
		Liver	<u>0.5</u>
		Kidney	3
		Fat	<u> </u>
		Sheep	
		Muscle	0.5
		Liver	0.5
		Kidney	<u>3</u>
			0.5
<mark>8.</mark>	Lincomycin	Cattle	
		Milk	<mark>0.15</mark>
		Chicken	
		Muscle	<mark>0.2</mark>
		Liver	<mark>0.5</mark>
		Kidney	<mark>0.5</mark>
		Fat	<mark>0.1</mark>
		Pig	0.0
		Muscle	0.2
			0.5 1 F
		Kidney	1.5 0.4
		Fat	0.1
<mark>9.</mark>	Neomycin	Cattle	
		Liver	<u>0.5</u>
		Milk	<u>1.5</u>
		Kidney	10
		Fat	0.5
		Muscle	<mark>0.5</mark>
		Chicken	
		Liver	<mark>0.5</mark>

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		(mg/Kg)
<mark>(1)</mark>	(2)	(3)	(4)
		Eggs	<mark>0.5</mark>
		Muscle	<mark>0.5</mark>
		Kidney	<mark>10</mark>
		Fat	<mark>0.5</mark>
		<mark>Duck</mark>	
		Fat	0.5
		Liver	0.5
		<u>Kidney</u>	10
		Muscle	0.5 0.5
		Goat	
		Liver	0.5
		Kidney	<u>10</u>
		Fat	0.5
		Muscle	0.5
		Pig	4.0
		Kidney	
			0.5
			0.5
		Fat	0.5 0.5
		Sneep	10
		Kidney	
			0.5 0.5
		Turkov	0.5 0.5
		Livor	
		Muscle	0.5
		Kidney	10
		indicy	
		Fat	<mark>0.5</mark>
<mark>10.</mark>	Salinomycicin	(I) All edible animal tissues.	0.01
		tissues	
		(III) Milk	
<mark>11.</mark>	Spectinomycin	Cattle	
		Musels	
		Liver	0.5 2
		Kidney	5
		Fat	2
		Milk	0.2
		Chicken	
		Muscle	0.5
		Liver	2

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		(mg/Kg)
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
		<mark>Kidney</mark>	<mark>5</mark>
		Fat	<mark>2</mark>
		Eggs	<mark>2</mark>
		Pig	
		Muscle	<mark>0.5</mark>
		Liver	<u> </u>
		Kidney	5 2
			<mark>2</mark>
		Sheep	
			0.5 2
		Kidney	<u> </u>
		Fat	<u> </u>
12.	Sulphadiazine	(I) All edible animal tissues	0.01
<u></u> .	ourphuala2me	(II) Fats derived from animal	
		tissues	
		(III) Milk	
<mark>13.</mark>	<mark>Sulphathiazole Sodium</mark>	(I) All edible animal tissues	<mark>0.01</mark>
		(II) Fats derived from animal	
		tissues	
4.4		(III) M1IK	0.04
<mark>14.</mark>	Trimethoprim	(I) All edible animal tissues	0.01
		animal tissues	
		(III) Milk	
15	Sulfadiazino	(I) All adible animal tissues	0.01
15.	Sunauazine	(II) Fats derived from animal	0.01
		tissues	
		(III) Milk	
<mark>16.</mark>	<mark>Sulfanilamide</mark>	(I) All edible animal tissues	<mark>0.01</mark>
		(II) Fats derived from animal	
		tissues	
4 1		(III) MIIK	0.04
<mark>17.</mark>	Sulfaguanidine		<mark>0.01</mark>
		(I) All edible animal tissues	
		(II) Fats derived from animal tissues	
		(III) Milk	
	Zinc Bacitracin	(I) All edible animal tissues	0.01
<mark>18.</mark>	(minimum 60IU/mg dried	(II) Fats derived from animal	
	substance)	tissues	
		(III) Milk	
<mark>19.</mark>	Amprolium		0.01

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		(mg/Kg)
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
		(I) All edible animal tissues	
		(II) Fats derived from animal	
		tissues (III) Mall	
20			
<mark>20.</mark>	Apramycin	(I) All edible animal tissues	
		animal tissues	
		(III) Milk	
			<mark>0.01</mark>
<mark>21.</mark>	Ceftiofur	Cattle	
		Muscle	<mark>1</mark>
		Liver	<u>2</u>
		Kidney	6
		Fat	2
		Milk	<u>0.1</u>
		Pig	1
			<u> </u>
		Liver Videou	<u> </u>
		Kidney Eat	<u> </u>
22	Cenhanirine	(1) All edible animal tissues	<u> </u>
<u> </u>	cephaph me	II) Fats derived from animal	0.01
		tissues	
		(III) Milk	
<mark>23.</mark>	Clopidol	(I) All edible animal tissues.	<mark>0.01</mark>
		II) Fats derived from animal	
		tissues	
0.4			
<mark>24.</mark>	Danofloxacin		0.2
			0.2
		Kidney	0.4 0.4
		Fat	0.1 01
		Pig	<u>0.1</u>
		Muscle	0.1
		Liver	0.05
		Kidney	<mark>0.2</mark>
		Fat	<mark>0.1</mark>
		Chicken	
		Muscle	<mark>0.2</mark>
		Liver	<mark>0.4</mark>
		Kidney	<mark>0.4</mark>
		Fat	0.1
<mark>25.</mark>	<u>Enrofloxacin</u>	(I) All edible animal tissues	<mark>0.01</mark>

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		(mg/Kg)
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
		(II) Fats derived from	
		animal tissues	
.		(III) Milk	2 2 4
<mark>26.</mark>	Ethopabate	() All adible animal tissues	<mark>0.01</mark>
		(I) All europe annual ussues (II) Eats derived from animal	
		(III) Milk	
<mark>27.</mark>	Flavophospholipol	(I) All edible animal tissues	<mark>0.01</mark>
	(Flavomycin)	(II) Fats derived from animal	
		tissues	
2.0		(III) Milk	
<mark>28.</mark>	Nicarbazin	Chicken	0.2
			0.2
			0.2
		Muscle	0.2
29	Monensin	Cattle	0.2
		Muscle	<mark>0.01</mark>
		Liver	0.1
		Kidney	<mark>0.01</mark>
		Fat	<mark>0.1</mark>
		<mark>Milk</mark>	<mark>0.002</mark>
		Sheep	
		Muscle	<u>0.01</u>
		Liver	0.02
		Kidney Ref	0.01
		Fat	<mark>0.1</mark>
		Muscle	0.01
		Liver	0.01
		Kidney	0.02
		Fat	0.1
		Chicken	
		Muscle	<mark>0.01</mark>
		Liver	<mark>0.01</mark>
		Kidney	<mark>0.01</mark>
		Fat	<mark>0.1</mark>
		Turkey	
		Muscle	0.01
		Liver	0.01
		Kianey Eat	0.01
			U.1
1		Quall	

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		(mg/Kg)
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
		Liver	0.01
		<u>Kidney</u>	0.01
		Muscle	<u>0.01</u>
		Fat	<mark>0.1</mark>
<mark>30.</mark>	Moxidectin	Cattle	
		Muscle	<mark>0.02</mark>
		Liver	0.1
		Kidney	0.05
		Fat	0.5
		Sheep	
			0.05
		Kidney	0.1
		Fat	0.00
31.	Sulphaquinoxaline	(I) All edible animal tissues	0.01
<u> </u>		(II) Fats derived from animal	
		tissues	
		(III) Milk	
<mark>32.</mark>	<mark>Sulfadimidine</mark>	Cattle	
		Milk	<mark>0.025</mark>
		Not specified	
		Muscle	0.1
		Fat	<u>0.1</u>
		Kidney	0.1
22		Liver	0.1
<mark>33.</mark>	1 IIIIICOSIII		01
		Liver	1
		Kidney	0.3
		Fat	0.1
		Pig	
		Muscle	<mark>0.1</mark>
		Liver	1.5
		Kidney	<mark>1</mark>
		Fat	<mark>0.1</mark>
		Sheep	4
		Musclo	
		Kidney	0.1 0.2
		Fat	0.3 0.1
		Chicken	
		Liver	2.4
		Kidney	0.6

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		(mg/Kg)
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
		Muscle	<mark>0.15</mark>
		Fat/Skin	<mark>0.25</mark>
		Turkey	
		Liver	<mark>1.4</mark>
		Kidney	<mark>1.2</mark>
		Muscle	<mark>0.1</mark>
		Fat	<mark>0.25</mark>
<mark>34.</mark>	Tylosin	Cattle	
		Muscle	<mark>0.1</mark>
		Liver	<mark>0.1</mark>
		Kidney	<mark>0.1</mark>
		Fat	<mark>0.1</mark>
		Pig	
		Muscle	<mark>0.1</mark>
		Liver	<mark>0.1</mark>
		<mark>Kidney</mark>	<mark>0.1</mark>
		<mark>Fat</mark>	<mark>0.1</mark>
		Sheep	
		Muscle	<mark>0.1</mark>
		Liver	<mark>0.1</mark>
		Kidney	<mark>0.1</mark>
		<u>Chicken</u>	
		Muscle	<mark>0.1</mark>
		Liver	<mark>0.1</mark>
		Kidney	<mark>0.1</mark>
		<mark>Fat/Skin</mark>	<u>0.1</u>
		Eggs	0.3
<mark>35.</mark>	Tyvalosin Tartrate		<mark>0.01</mark>
		(I) All edible animal tissues	
		(II) Fats derived from	
		(III) Milk	
	Virginiamucin	(iii) Milk	0.01
36	v ii gillialliyelli	(II) Fats derived from animal	0.01
<mark></mark>			
		(III) Milk	
37.	Acepromazine	(I) All edible animal tissues	0.01
		(II) Fats derived from animal	
		tissues	
		(III) Milk	
<u>38.</u>	Albendazole	Species not spec	<mark>ified</mark>
		Muscle	0.1
		Liver	<mark>5</mark>
		Kidney	<mark>5</mark>

<mark>S. No.</mark>	Name of the antibiotics and	Food	<mark>Tolerance limit</mark>
	veterinary drugs		(mg/Kg)
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
		Fat	<mark>0.1</mark>
		Milk	<mark>0.1</mark>
<mark>39.</mark>	Amitraz	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	0.01
<mark>40.</mark>	Aspirin	(I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk	<mark>0.01</mark>
<mark>41.</mark>	Buqarvaquone	(I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk	<mark>0.01</mark>
<mark>42.</mark>	Buserelin	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	0.01
<mark>43.</mark>	Butafosfane	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	<mark>0.01</mark>
<mark>44.</mark>	Butaphosphan	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	<mark>0.01</mark>
<mark>45.</mark>	Calcium Borogluconate	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	<mark>0.01</mark>
<mark>46.</mark>	Calcium Magnesium Borogluconate	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	<mark>0.01</mark>
<mark>47.</mark>	Carboprost tromethamine	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	0.01
<mark>48.</mark>	Cefquinone Sulphate	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	0.01
<mark>49.</mark>	Chloral hydrate	 (I) All edible animal tissues (II) Fats derived from animal tissues 	0.01

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		(mg/Kg)
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
		(III) Milk	
<mark>50.</mark>	Closprostenol Sodium	(I) All edible animal tissues	0.01
		(II) Fats derived from animal	
		tissues	
		(III) Milk	
<mark>51.</mark>	<mark>Closantel</mark>	Cattle	
		Muscle	1
		Liver	1
		Kidney	3
		Fat	<mark>3</mark>
		Sheep	
		Muscle	1.5
		Liver	<u>1.5</u>
		Kidney	<mark>5</mark>
		Fat	<mark>2</mark>
<mark>52.</mark>	Clenbutrol (Broncopulmin	Cattle	
	powder)	Muscle	0.0002
		Milk	0.00005
		Liver	0.0006
		Kidney	0.0006
		Fat	0.0002
		Horse	
		Muscle	0.0002
		Fat	0.0002
		Liver	0.0006
		Kidney	0.0006
<mark>53.</mark>	<u>Diethylcarbamazine</u>	(I) All edible animal tissues	<mark>0.01</mark>
		(II) Fats derived from animal	
		tissues (III) Mill	
	Dinitalmida	(II) All adible animal tissues	0.01
<mark>. 34.</mark>	Dimonnae	(I) All euloie allilliai ussues	0.01
		tissues	
		(III) Milk	
55.	Doramectin	Cattle	
<u>.</u>		Muscle	0.01
		Liver	0.1
		Kidney	0.03
		Fat	0.15
		Milk	0.015
		Pig	
		Muscle	0.005
		Liver	0.1
		Kidney	0.03

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		(mg/Kg)
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
		Fat	<mark>0.15</mark>
<mark>56.</mark>	Dexcloprostenolum	 (I) All edible animal tissues. (II) Fats derived from animal tissues tissues (III) Milk 	0.01
<mark>57.</mark>	Flunixin Meglumine	 (I) All edible animal tissues. (II) Fats derived from animal tissues tissues (III) Milk 	0.01
<mark>58.</mark>	Halofuginone	 (I) All edible animal tissues. (II) Fats derived from animal tissues tissues (III) Milk 	0.01
<mark>59.</mark>	Haloxon	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	0.01
<mark>60.</mark>	<mark>Ivermectin</mark>	Cattle	
		Milk	0.01
		Liver	0.8
		Fat	<mark>0.4</mark>
		Muscle	<mark>0.03</mark>
		<mark>Kidney</mark>	0.1
		Pig	
		Liver	<mark>0.015</mark>
		Fat	<mark>0.02</mark>
		Sheep	
		Liver	0.015
<u> </u>		Fat	0.02
<mark>61.</mark>	Kaolin	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	<u>0.01</u>
<mark>62.</mark>	Ketamine hydrochloride	 (I) All edible animal tissues. (II) Fats derived from animal tissues tissues (III) Milk 	<mark>0.01</mark>
<mark>63.</mark>	Levamisole	Cattle	·
		Muscle	0.01
		Liver	0.1
		Kidney	0.01
		Fat	0.01
		Pig	0.01
1		WIUSCIE	U.U1

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		(mg/Kg)
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
		Liver	<mark>0.1</mark>
		Kidney	0.01
		Fat	<mark>0.01</mark>
		Sheep	
		Muscle	<u>0.01</u>
		Liver	0.1
		Kidney	0.01
		rat De les	<mark>0.01</mark>
		Poultry	0.01
		Liver	0.01
		Kidney	<u>0.1</u> 0.01
		Fat	0.01
<mark>64</mark> .	Lithium Antimony	(I) All edible animal	0.01
<u>•</u>	Thiomalate	tissues	
		(II) Fats derived from	
		<mark>animal tissues</mark>	
		(III) Milk	
<mark>65.</mark>	Luprostiol	(I) All edible animal	<mark>0.01</mark>
		tissues	
		(II) Fats derived from	
		(III) Mille	
66	Madramicin	(II) All adible animal	0.01
<mark>00.</mark>	Maurannem	tissues	0.01
		(II) Fats derived from	
		animal tissues	
		(III) Milk	
<mark>67.</mark>	<mark>Magnesium Hypophosphite</mark>	(I) All edible animal tissues	<mark>0.01</mark>
		(II) Fats derived from	
		animal tissues	
<u> </u>			0.04
<mark>68.</mark>	Meloxicam	(I) All edible animal tissues	0.01
		(II) Fats derived from	
		(III) Milk	
<mark>69</mark> .	Menyramine	(I) All edible animal tissues	0.01
		(II) Fats derived from	
		animal tissues	
		(III) Milk	
<mark>70.</mark>	<mark>Methyl Hydroxybenzoate</mark>	(I) All edible animal tissues	0.01
		(II) Fats derived from	
		animal tissues	
		(III) Milk	
<mark>71.</mark>	<mark>Nandrolone Laurate</mark>	(I) All edible animal tissues	<mark>0.01</mark>

<mark>S. No.</mark>	Name of the antibiotics and	<mark>Food</mark>	Tolerance limit
	veterinary drugs		<mark>(mg/Kg)</mark>
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
		(II) Fats derived from	
		animal tissues	
		(III) Milk	
<mark>72.</mark>	Niclosamide	(I) All edible animal tissues	<mark>0.01</mark>
		(II) Fats derived from	
		(III) Milk	
<mark>73.</mark>	Nimesulide	(I) All edible animal tissues	0.01
		(II) Fats derived from	
		animal tissues	
		(III) Milk	0.04
<mark>74.</mark>	Nitroscanate	(I) All edible animal tissues	<mark>0.01</mark>
		(II) Fats derived from	
		(III) Milk	
<mark>75.</mark>	Nitroxynil	(I) All edible animal tissues	0.01
		(II) Fats derived from animal	
		tissues	
		(III) Milk	
<mark>76.</mark>	<mark>Oxybendazole</mark>	(I) All edible animal tissues	<mark>0.01</mark>
		(II) Fats derived from animal	
		(III) Milk	
<mark>77.</mark>	Febantel/Fenbendazole/Oxyf	Cattle	
	endazole	Muscle	<mark>0.1</mark>
		Liver	<mark>0.5</mark>
		<u>Kidney</u>	<mark>0.1</mark>
		Fat	<mark>0.1</mark>
		Milk	<mark>0.1</mark>
		Pig	0.1
			0.1 0.5
		Kidney	0.5 0.1
		Fat	0.1
		Sheep	
		Muscle	<mark>0.1</mark>
		Liver	<mark>0.5</mark>
		Kidney	<mark>0.1</mark>
		Fat	<u>0.1</u>
		Milk	<mark>0.1</mark>
		Goat	0.4
		Muscle Liver	<u>0.1</u> 0 5
		Kidney	0.3 0.1
		Liver Kidney Fat Milk	0.1 0.5 0.1 0.1 0.1 0.1
		Goat	
		Livor	
		Kidney	0.1

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		(mg/Kg)
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
		Fat	<mark>0.1</mark>
<mark>78.</mark>	<mark>Oxyclozanide</mark>	(I) All edible animal tissues	<mark>0.01</mark>
		(II) Fats derived from animal	
70	Darbandagala	(I) All adible animal tiggues	0.01
<mark>/9.</mark>	Parbenuazore	(I) All europe annual ussues	0.01
		tissues	
		(III) Milk	
<mark>80.</mark>	Pentobarbitone	(I) All edible animal tissues	<mark>0.01</mark>
		(II) Fats derived from	
		animal tissues	
01	Draziguantal	(III) MIIK	0.01
81.	Praziquantei	(I) All edible animal tissues	0.01
		animal tissues	
		(III) Milk	
<mark>82.</mark>	<mark>Pregnant Mare Serum</mark>	(I) All edible animal tissues	<mark>0.01</mark>
	<mark>Gonadotrophin</mark>	(II) Fats derived from animal	
		tissues (III) Mille	
<mark>83</mark>	Proligestone	(III) MIIK (I) All edible animal tissues	0.01
0.0.		(II) Fats derived from animal	0.01
		tissues	
		(III) Milk	
<mark>84.</mark>	Promazine Hydrochloride	(I) All edible animal tissues	<mark>0.01</mark>
		(II) Fats derived from animal	
		UISSUES (III) Milk	
85	Propofol	(I) All edible animal tissues	0.01
<mark></mark>		(II) Fats derived from	
		animal tissues	
		(III) Milk	
<mark>86.</mark>	Prosolvin	(I) All edible animal tissues	<mark>0.01</mark>
		(II) Fats derived from	
		$\frac{\text{animal tissues}}{(\text{III}) \text{ Milk}}$	
87	Rafoxanide	(I) All edible animal tissues	0.01
		(II) Fats derived from	0101
		animal tissues	
		(III) Milk	
<mark>88.</mark>	<mark>Semduramycin</mark>	(I) All edible animal tissues	<mark>0.01</mark>
		(II) Fats derived from animal	

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		(mg/Kg)
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
		<mark>tissues</mark> (III) Milk	
<mark>89.</mark>	Sulpha Chloropyrazine Sodium	(I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk	<mark>0.01</mark>
<mark>90.</mark>	<mark>Suramin</mark>	(II) All edible animal tissues (II) Fats derived from animal tissues (III) Milk	<mark>0.01</mark>
91.	Thiabendazole	Cattle	
× - -		Muscle	0.1
		Liver	0.1
		Kidney	0.1
		Fat	0.1
		Milk	0.1 mg/l
		Pig	·
		Muscle	<mark>0.1</mark>
		Liver	<mark>0.1</mark>
		Kidney	0.1
		Fat	<mark>0.1</mark>
		Sheep	
		Muscle	0.1
		Liver	0.1
		<u>Kidney</u>	0.1
		Fat	<mark>0.1</mark>
		Goat	
		Muscle	0.1
		Liver	0.1
		Kidney	0.1
			$\frac{0.1}{0.1}$
02	Tiamulin Hudrogon Fumarata	(I) All adible animal tissues	
<u>92.</u>		(II) Fats derived from animal tissues (III) Milk	0.01
<mark>93.</mark>	Totrazuril	(I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk	0.01
<mark>94.</mark>	Triclabendazole	Cattle	
		Muscle	<mark>0.25</mark>
		Liver	<mark>0.85</mark>
		Kidney	<mark>0.4</mark>

<mark>S. No.</mark>	Name of the antibiotics and	Food	Tolerance limit
	veterinary drugs		(mg/Kg)
<mark>(1)</mark>	(2)	<mark>(3)</mark>	(4)
		Fat/Skin	<mark>0.1</mark>
		Sheep	
		Muscle	<mark>0.2</mark>
		Liver	<mark>0.3</mark>
		Kidney	<mark>0.2</mark>
		Fat/Skin	<mark>0.1</mark>
<mark>95.</mark>	<u>Xylazine</u>	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	<mark>0.01</mark>
<mark>96.</mark>	Clorsulon	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	0.01
<mark>97.</mark>	Diminazene	Cattle	
		Muscle	<mark>0.5</mark>
		Liver	<mark>12</mark>
		Kidney	<u>6</u>
		Milk	<mark>0.15 mg/l</mark>
<mark>98.</mark>	Hydrocortisone	 (I) All edible animal tissues (II) Fats derived from animal tissues tissues (III) Milk 	<u>0.01</u>
<mark>99.</mark>	Phenazone	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	0.01
<mark>100.</mark>	Quinapyramine	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	0.01
101.	Cefphactril	 (I) All edible animal tissues. (II) Fats derived from animal tissues (III) Milk 	0.01
<u>102.</u>	Chlorpyridazine	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	<u>0.01</u>

<mark>S. No.</mark>	Name of the antibiotics and veterinary drugs	Food	Tolerance limit (mg/Kg)
<mark>(1)</mark>	<mark>(2)</mark>	<mark>(3)</mark>	<mark>(4)</mark>
103.	Tiaprost Trometamol	 (I) All edible animal tissues (II) Fats derived from animal tissues tissues (III) Milk 	<mark>0.01</mark>

Note: Edible animal tissues also include that of Fish.]

Substitution of highlighted provision

[(4) The antibiotics and veterinary drugs specified in column (2) shall not exceed the tolerance limit specified in column (4) for the article of food in column (3) of the Table below, namely: -

S. No.	Name of the antibiotics and veterinary drugs	Food	Tolerance limit (mg/Kg)
(1)	(2)	(3)	(4)
1.	Ampicillin	 (I) All edible animal tissues (II) Fats derived from animal tissues (III) Milk 	0.01
2.	Amprolium	 (I) All edible animal tissues except fish (II) Fats derived from animal tissues 	0.01
3	Apramycin	 (I) All edible animal tissues except fish (II) Fats derived from animal tissues (III) Milk 	0.01
4.	Albendzole	Species not specified	
		Muscle	0.1

Table

		Liver	5.0
		Kidney	5.0
		Fat	0.1
		Milk	0.1
		Fish	0.1
5.	Cloxacillin	 (I) All edible animal tissues (II) Fats derived from animal tissue 	0.01
6.	Chlortetracycline/Oxytetracycline/Tetracycline	Cattle	
		Muscle	0.2
		Liver	0.6
		Kidney	1.2
		Milk	0.1
		Giant prawn(Paeneus monodon)(muscle)	0.2
		Pig	1
		Muscle	0.2
		Liver	0.6
		Kidney	1.2
			Poultry
		Muscle	0.2
		Liver	0.6
		Kidney	1.2
		Eggs	0.4
		Sheep	
		Muscle	0.2
		Liver	0.6

		Kidnov	1.2
		Kluncy	1.2
		Milk	0.1
7.	Ceftiofur	Cattle	<u> </u>
		Muscle	1.0
		Liver	2.0
		Kidney	6.0
		Fat	2.0
		Milk	0.1 mg/l
		Pig	
		Muscle	1.0
		Liver	2.0
		Kidney	6.0
		Fat	2.0
8.	Cephapirine	 (I) All edible animal tissues except in fish. (II) Fats derived from animal tissues 	0.01
9.	Clopidol	 (I) All edible animal tissues except in fish. (II) Fats derived from animal tissues 	0.01
10.	Closantel	Cattle	
		Muscle	1.0
		Liver	1.0
		Kidney	3.0
		Fat	3.0
		Sheep	
		Muscle	1.5

		Liver	1.5
		Kidney	5.0
		Fat	2.0
11.	Cefphactril	(I) All edible animal tissues except	0.01
		fish.	
		(II) Fats derived	
		from animal	
		tissues	
		(III) Milk	
12.	Danofloxacin	Cattle	
		Muscle	0.2
		Liver	0.4
		Kidney	0.4
		Fat	0.1
		Pig	1
		Muscle	0.1
		Liver	0.05
		Kidney	0.2
		Fat	0.1
		Chicke	n
		Muscle	0.2
		Liver	0.4
		Kidney	0.4
		Fat	0.1
13.	Doramectin	Cattle	
		Muscle	0.01
		Liver	0.1
		Kidney	0.03
		Fat	0.15
		Milk	0.015

Muscle 0.005 Liver 0.1 Kidney 0.03 Fat 0.15 14. Diminazene Cattle Muscle 0.5 Liver Liver 12.0 Kidney Kidney 6.0 Milk 0.15 15. Erythromycin Chicken Muscle 0.1 Liver 0.1 Kidney 0.1 Kidney 0.1 15. Erythromycin Chicken Muscle 0.1 16. Fat 0.1 Kidney 0.1 16. Flumequine Cattle Muscle 0.5 Liver 0.5 Liver 0.1 16. Flumequine Cattle Muscle 0.1 16. Flumequine Cattle Muscle 0.5 Liver 0.5 Liver 0.5 Liver 0.5 Kidney 3.0 Eat 1.0 Chicken Chicken				Pig
Liver0.1Kidney0.03Fat0.1514.DiminazeneCattleMuscle0.5Liver12.0Kidney6.0Milk0.1515.ErythromycinChickenMuscle0.1Liver0.1Liver0.1ErythromycinChickenMuscle0.1Liver0.1Eggs0.05Turkey10Kidney0.1Edges0.05Itiver0.1Edges0.5Edges0.5Edges0.5Edges0.5Edges0.5Edges0.5Edges0.5Edges0.5Edges0.5Edges0.5Edges0.5Edges0.5Edges0.5Edges0.5Edges </th <th></th> <th></th> <th>Muscle</th> <th>0.005</th>			Muscle	0.005
Kidney 0.03 Fat 0.15 14. Diminazene Cattle Muscle 0.5 Liver 12.0 Kidney 6.0 Milk 0.15 15. Erythromycin Chicker Muscle 0.1 Liver 0.1 Liver 0.1 Kidney 0.1 Liver 0.1 Eggs 0.05 Turkey 0.1 Eggs 0.05 Turkey 0.1 Fat 0.1 Liver 0.1 Eggs 0.05 Turkey 0.1 Liver 0.1 Fat 0.1 Fat 0.1 Liver 0.5 Liver 0.5 Liver 0.5 Liver 0.5 Liver 0.5 Liver 0.5 Kidney <			Liver	0.1
Fat 0.15 14.DiminazeneCattleMuscle 0.5 Liver 12.0 Kidney 6.0 Milk 0.15 15.ErythromycinChickerMuscle 0.1 Liver 0.1 Liver 0.1 ErythromycinChickerMuscle 0.1 ErythromycinChickerMuscle 0.1 ErythromycinChickerMuscle 0.1 ErythromycinChickerMuscle 0.1 ErythromycinErythromycinFat 0.1 Chicker 0.1 ErythromycinErythromycinFat 0.1 Chicker 0.1 Erythromycin $ChickerFat0.1ErythromycinChickerFat0.1ErythromycinChickerFat0.1ErythromycinChickerFat0.1ErythromycinChicker$			Kidney	0.03
I4. Diminazene Catle Muscle 0.5 Liver 12.0 Kidney 6.0 Milk 0.15 15. Erythromycin Kidney 0.1 Liver 0.1 Liver 0.1 Liver 0.1 Erythromycin Muscle 0.1 Kidney 0.1 Eggs 0.05 Turkey 0.1 Eggs 0.05 Turkey 0.1 Eggs 0.1 Identity Fat 0.1 10 16. Flumequine Cattle Muscle 0.5 Liver 0.5 Liver 0.5			Fat	0.15
Muscle 0.5 Liver 12.0 Kidney 6.0 Milk 0.15 15. Erythromycin Chicken Muscle 0.1 Liver 0.1 Liver 0.1 Kidney 0.1 Erythromycin Chicken Muscle 0.1 Liver 0.1 Fat 0.1 Eggs 0.05 Turkey Muscle 0.1 Liver Kidney 0.1 Eggs 0.05 Turkey 0.1 Liver 0.1 Liver 0.1 Liver 0.1 Kidney 0.1 Fat 0.1 Liver 0.5 Liver 0.5 Liver 0.5 Liver 0.5 Kidney 3.0 Fat 1.0 Chicken 0.5	14.	Diminazene		Cattle
Liver 12.0 Kidney 6.0 Milk 0.15 15. Erythromycin Chicker Muscle 0.1 Liver 0.1 Liver 0.1 Kidney 0.1 Fat 0.1 Egs 0.05 Turkey 10 Kidney 0.1 Edite 10 Fat 0.1 Liver 0.1 Eggs 0.05 Turkey 10 Iver 0.1 Edite 0.1 Edite 0.1 Edite 0.1 Edite 0.1 Edite 0.1 Fat 0.1 Edite 0.1 Fat 0.5 Kidney 3.0 Fat 1.0 Chicker			Muscle	0.5
Kidney 6.0 Milk 0.15 15. Erythromycin Chicker Muscle 0.1 Liver 0.1 Kidney 0.1 Fat 0.1 Eggs 0.05 Turkey Muscle Muscle 0.1 Edges 0.05 Turkey Muscle 10.1 Edges Fat 0.1 Identities Chicker 16. Flumequine Cattle Muscle Muscle 0.5 Liver 0.5 Kidney 3.0 Fat 1.0			Liver	12.0
Milk 0.15 15. Erythromycin Chicken Muscle 0.1 Liver 0.1 Kidney 0.1 Fat 0.1 Eggs 0.05 Turkey Muscle Muscle 0.1 Edges 0.05 Turkey Muscle 16. Flumequine Cattle Muscle Muscle 0.5 Liver 0.5 Kidney 3.0 Fat 1.0			Kidney	6.0
15. Erythromycin Chicken Muscle 0.1 Liver 0.1 Kidney 0.1 Fat 0.1 Eggs 0.05 Turkey Muscle Muscle 0.1 Edges 0.05 Turkey Muscle 16. Flumequine Cattle Muscle Muscle 0.5 Liver 1.0 Chicken 0.5			Milk	0.15
Image: Nuscle interval of the second structure interval of the seco	15.	Erythromycin	(Chicken
Liver 0.1 Kidney 0.1 Fat 0.1 Eggs 0.05 Turkey Muscle 0.1 Liver 0.1 Liver 0.1 Kidney 0.1 Fat 0.1 Fat 0.1 Ver 0.1 Kidney 0.1 Fat 0.1 Ver 0.1 Fat 0.1 Fat 0.5 Liver 0.5 Liver 0.5 Kidney 3.0 Fat 1.0 Chicken 0.5			Muscle	0.1
Kidney 0.1 Fat 0.1 Eggs 0.05 Turkey Muscle 0.1 Liver 0.1 Kidney 0.1 Fat 0.1 Liver 0.1 Fat 0.1 Ion Fat Muscle 0.1 Liver 0.1 Example Cattle Muscle 0.5 Liver 0.5 Kidney 3.0 Fat 1.0 Ochicken 0.1			Liver	0.1
$\begin{tabular}{ c c c c } \hline Fat & 0.1 \\ \hline Eggs & 0.05 \\ \hline & $Turkey$ \\ \hline $Muscle & 0.1$ \\ \hline $Liver & 0.1$ \\ \hline $Liver & 0.1$ \\ \hline $Kidney & 0.1$ \\ \hline $Fat & 0.1$ \\ \hline $Fat & 0.1$ \\ \hline $16. $Flumequine $$ $Cattle$ \\ \hline $Muscle & 0.5$ \\ \hline $Liver & 0.5$ \\ \hline $Liver & 0.5$ \\ \hline $Liver & 0.5$ \\ \hline $Kidney & 3.0$ \\ \hline $Fat & 1.0$ \\ \hline $Chicken$ \\ \hline \end{tabular}$			Kidney	0.1
$\begin{tabular}{ c c c c } \hline Eggs & 0.05 \\ \hline & $Turkey$ \\ \hline $Muscle & 0.1$ \\ \hline $Liver & 0.1$ \\ \hline $Liver & 0.1$ \\ \hline $Kidney & 0.1$ \\ \hline $Fat & 0.1$ \\ \hline $Fat & 0.1$ \\ \hline $Muscle & 0.5$ \\ \hline $Liver & 0.5$ \\ \hline $Liver & 0.5$ \\ \hline $Liver & 0.5$ \\ \hline $Kidney & 3.0$ \\ \hline $Fat & 1.0$ \\ \hline $Chicken$ \\ \hline \end{tabular}$			Fat	0.1
$\begin{tabular}{ c c c c } \hline & & & & & & \\ \hline & & & & & & \\ \hline & & & &$			Eggs	0.05
$\begin{tabular}{ c c c c } \hline Muscle & 0.1 \\ \hline Liver & 0.1 \\ \hline Liver & 0.1 \\ \hline Kidney & 0.1 \\ \hline Fat & 0.1 \\ \hline I6. & Flumequine & Cattle \\ \hline Muscle & 0.5 \\ \hline Liver & 0.5 \\ \hline Liver & 0.5 \\ \hline Kidney & 3.0 \\ \hline Fat & 1.0 \\ \hline Chicken \\ \hline \end{tabular}$				Furkey
$\begin{tabular}{ c c c c } \hline Liver & 0.1 \\ \hline Kidney & 0.1 \\ \hline Fat & 0.1 \\ \hline Fat & 0.1 \\ \hline Muscle & 0.5 \\ \hline Liver & 0.5 \\ \hline Liver & 0.5 \\ \hline Kidney & 3.0 \\ \hline Fat & 1.0 \\ \hline Chicken \\ \hline \end{tabular}$			Muscle	0.1
Kidney 0.1 Fat 0.1 16. Flumequine Cattle Muscle Muscle 0.5 Liver 0.5 Kidney 3.0 Fat 1.0			Liver	0.1
Fat0.116.FlumequineCattleMuscle0.5Liver0.5Liver0.5Kidney3.0Fat1.0Chicken			Kidney	0.1
16. Flumequine Cattle Muscle 0.5 Liver 0.5 Kidney 3.0 Fat 1.0 Chicken			Fat	0.1
Muscle0.5Liver0.5Kidney3.0Fat1.0Chicken	16.	Flumequine		Cattle
Liver 0.5 Kidney 3.0 Fat 1.0 Chicken			Muscle	0.5
Kidney3.0Fat1.0Chicken			Liver	0.5
Fat 1.0 Chicken			Kidney	3.0
Chicken			Fat	1.0
			(Chicken
Muscle 0.5			Muscle	0.5

		Liver	0.5
		Kidney	3.0
		Fat	1.0
		Pig	
		Muscle	0.5
		Liver	0.5
		Kidney	3.0
		Fat	1.0
		Shee	p
		Muscle	0.5
		Liver	0.5
		Kidney	3.0
		Fat	1.0
		Trou	t
		Muscle	0.5
17.	Flunixin	 (I) All edible animal tissues except fish (II) Fats derived from animal tissues (III) Milk 	0.01
18.	Febantel/Fenbendazole/Oxyfendazole	Cattl	e
		Muscle	0.1
		Liver	0.5
		Kidney	0.1
		Fat	0.1
		Milk	0.1
		Pig	
		Muscle	0.1
1			i 1

		Liver	0.5
		Kidney	0.1
		Fat	0.1
			Sheep
		Muscle	0.1
		Liver	0.5
		Kidney	0.1
		Fat	0.1
		Milk	0.1
			Goat
		Muscle	0.1
		Liver	0.5
		Kidney	0.1
		Fat	0.1
19.	Ivermectin	Cat	tle
		Milk	0.01
		Liver	0.8
		Fat	0.4
		Muscle	0.03
		Kidney	0.1
		Pi	g
		Liver	0.015
		Fat	0.02
		She	eep
		Liver	0.015
		Fat	0.02
20.	Lincomycin	Cattle	
		Milk	0.15
		Chicken	

		Muscle	0.2
		Liver	0.5
		Kidney	0.5
		Fat	0.1
			Pig
		Muscle	0.2
		Liver	0.5
		Kidney	1.5
		Fat	0.1
21.	Levamisole		Cattle
		Muscle	0.01
		Liver	0.1
		Kidney	0.01
		Fat	0.01
			Pig
		Muscle	0.01
		Liver	0.1
		Kidney	0.01
		Fat	0.01
			Sheep
		Muscle	0.01
		Liver	0.1
		Kidney	0.01
		Fat	0.01
		F	Poultry
		Muscle	0.01
		Liver	0.1
		Livel Kidnov	0.1
		Kluney	0.01

22. Monensin $\begin{tabular}{ c c c } \hline Cattle \\ \hline Muscle 0.01 \\ \hline Liver 0.1 \\ \hline Kidney 0.01 \\ \hline Fat 0.1 \\ \hline Milk 0.002 \\ \hline Fat 0.1 \\ \hline Muscle 0.01 \\ \hline Liver 0.02 \\ \hline Kidney 0.01 \\ \hline Fat 0.1 \\ \hline Goat \\ \hline Muscle 0.01 \\ \hline Liver 0.02 \\ \hline Kidney 0.01 \\ \hline Fat 0.1 \\ \hline Chicken \\ \hline Muscle 0.01 \\ \hline Liver 0.02 \\ \hline Kidney 0.01 \\ \hline Fat 0.1 \\ \hline Chicken \\ \hline Muscle 0.01 \\ \hline Liver 0.02 \\ \hline Kidney 0.01 \\ \hline Fat 0.1 \\ \hline Chicken \\ \hline Muscle 0.01 \\ \hline Liver 0.01 \\ \hline Fat 0.1 \\ \hline Chicken \\ \hline Muscle 0.01 \\ \hline Liver 0.01 \\ \hline Kidney 0.01 \\ \hline Fat 0.1 \\ \hline Muscle 0.01 \\ \hline Kidney 0.01 \\ \hline Fat 0.1 \\ \hline Muscle 0.01 \\ \hline Kidney 0.01 \\ \hline Fat 0.1 \\ \hline Muscle 0.01 \\ \hline Fat 0.01 \\ \hline Muscle 0.01 \\ \hline Fat 0.01 \\ \hline Muscle 0.01$			Fat	0.01
Muscle 0.01 Liver 0.1 Kidney 0.01 Fat 0.1 Milk 0.002 Sheep Muscle 0.01 Liver 0.02 Kidney 0.01 Eat 0.1 Liver 0.02 Kidney 0.01 Fat 0.1 Goat Muscle 0.01 Liver 0.02 Kidney 0.01 Eat 0.1 Chicker Muscle 0.01 Eiver 0.01 Kidney 0.01 Eiver 0.01 Kidney 0.01 Fat 0.1 Turkey 0.01 Liver 0.01 Kidney 0.01 Kidney 0.01 Fat 0.1 Goat Muscle 0.01 Kidney 0.01 Kidney 0.01 K	22.	Monensin	Cattl	e
Liver 0.1 Kidney 0.01 Fat 0.1 Milk 0.002 Sheep 0.01 Liver 0.02 Kidney 0.01 Liver 0.02 Kidney 0.01 Liver 0.02 Kidney 0.01 Fat 0.1 Goat Goat Muscle 0.01 Liver 0.02 Kidney 0.01 Eiver 0.02 Kidney 0.01 Eiver 0.02 Kidney 0.01 Eat 0.1 Chicken Muscle Muscle 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Uiver 0.01 Kidney 0.01 Fat 0.01 Kidney 0.01 Fat 0.01 Kidney 0.01 Kidney 0.01 <tr td="" ttat<=""> Kidney</tr>			Muscle	0.01
Kidney 0.01 Fat 0.1 Milk 0.002 Sheep Muscle Muscle 0.01 Liver 0.02 Kidney 0.01 Fat 0.1 Goat Goat Muscle 0.01 Liver 0.02 Kidney 0.01 Eat 0.1 Goat Old Muscle 0.01 Liver 0.02 Kidney 0.01 Fat 0.1 Chicken Muscle Muscle 0.01 Liver 0.01 Fat 0.1 Turkey Muscle Muscle 0.01 Liver 0.01 Kidney 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Guail Quail			Liver	0.1
Fat 0.1 Milk 0.002 Sheep Muscle 0.01 Liver 0.02 Kidney 0.01 Fat 0.1 Goat Goat Muscle 0.01 Liver 0.02 Kidney 0.01 Liver 0.02 Kidney 0.01 Liver 0.02 Kidney 0.01 Liver 0.02 Kidney 0.01 Fat 0.1 Chicken Muscle 0.01 Liver 0.01 Liver 0.01 Fat 0.1 Turkey Muscle 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Turkey Muscle 0.01 Liver 0.01 Liver 0.01 Liver 0.01 Liver 0.01 Liver 0.01 Liver 0.01 Liver 0.01 Liver 0.01 Liver 0.01 Liver 0.01 Liver 0.1 Liver 0.1 Liver 0.1 Liver <t< td=""><td></td><th></th><td>Kidney</td><td>0.01</td></t<>			Kidney	0.01
Milk 0.002 Sheep Muscle 0.01 Liver 0.02 Kidney 0.01 Fat 0.1 $\overline{1000}$ $\overline{1000}$ Goat $\overline{1000}$ $\overline{1000}$ $\overline{1000}$ Kidney 0.01 $\overline{1000}$ $\overline{1000}$ Kidney 0.01 $\overline{1000}$ $\overline{1000}$ Kidney 0.01 $\overline{1000}$ $\overline{1000}$ Kidney 0.01 $\overline{11000}$ $\overline{1000}$ Kidney 0.01 $\overline{11000}$ $\overline{10000}$ Kidney 0.01 $\overline{11000}$ $\overline{10000}$ Fat 0.1000 $\overline{11000}$ $\overline{10000}$ Kidney 0.01000 $\overline{11000}$ $\overline{10000}$ Fat 0.010000 $\overline{100000}$ $\overline{100000}$ Fat $0.100000000000000000000000000000000000$			Fat	0.1
Sheep Muscle 0.01 Liver 0.02 Kidney 0.01 Fat 0.1 Goat Goat Muscle 0.01 Liver 0.02 Kidney 0.01 Liver 0.02 Kidney 0.01 Fat 0.1 Chicken 0.01 Fat 0.1 Liver 0.01 Liver 0.01 Liver 0.01 Liver 0.01 Fat 0.1 Turkey 0.01 Fat 0.1 Chicken 0.01 Kidney 0.01 Kidney 0.01 Liver 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Gaul Quai			Milk	0.002
Muscle 0.01 Liver 0.02 Kidney 0.01 Fat 0.1 Goat Goat Muscle 0.01 Liver 0.02 Kidney 0.01 Liver 0.02 Kidney 0.01 Fat 0.1 Chicken Muscle Muscle 0.01 Liver 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Wuscle 0.01 Fat 0.1 Uver 0.01 Fat 0.1 Liver 0.01 Fat 0.01 Liver 0.01 Fat 0.01 Kidney 0.01 Fat 0.1 Quail Quail			Shee	p
Liver 0.02 Kidney 0.01 Fat 0.1 Goat Muscle 0.01 Liver 0.02 Kidney 0.01 Fat 0.1 Chicker Muscle 0.01 Fat 0.1 Chicker Muscle 0.01 Liver 0.01 Liver 0.01 Fat 0.1 Fat 0.1 Fat 0.1 Verter 0.01 Fat 0.01 Liver 0.01 Fat 0.01 Liver 0.01 Fat 0.01 Liver 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Fat 0.1 Quail			Muscle	0.01
Kidney 0.01 Fat 0.1 Goat $Muscle$ Muscle 0.01 Liver 0.02 Kidney 0.01 Fat 0.1 Chicken Muscle 0.01 Liver 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Turkey 0.01 Fat 0.1 Turkey 0.01 Liver 0.01 Fat 0.01 Fat 0.01 Liver 0.01 Fat 0.01 Kidney 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Quail $Quail$			Liver	0.02
Fat 0.1 Goat Goat Muscle 0.01 Liver 0.02 Kidney 0.01 Fat 0.1 Chicken Muscle 0.01 Liver 0.01 Liver 0.01 Liver 0.01 Fat 0.1 Turkey 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Turkey 0.01 Liver 0.01 Fat 0.1 Gaular Fat Out Fat			Kidney	0.01
Goat Muscle 0.01 Liver 0.02 Kidney 0.01 Fat 0.1 Chicken Muscle 0.01 Liver 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Turkey 0.01 Fat 0.1 Liver 0.01 Kidney 0.01 Fat 0.1 Turkey Muscle Muscle 0.01 Fat 0.1 Liver 0.01 Fat 0.1 Fat 0.1 Quail Quail			Fat	0.1
Muscle 0.01 Liver 0.02 Kidney 0.01 Fat 0.1 Chicken Muscle 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Kidney 0.01 Fat 0.1 Fat 0.1 Vertex 0.01 Kidney 0.01 Fat 0.1 Turkey Muscle 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Fat 0.1 Quail Quail			Goa	t
Liver 0.02 Kidney 0.01 Fat 0.1 Chicken Muscle 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Fat 0.1 Turkey 0.01 Liver 0.01 Fat 0.01 Liver 0.01 Liver 0.01 Fat 0.01 Fat 0.01 Fat 0.1 Fat 0.1 Quail $Quail$			Muscle	0.01
Kidney 0.01 Fat 0.1 Chicken 0.01 Muscle 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Turkey 0.01 Liver 0.01 Fat 0.1 Turkey 0.01 Liver 0.01 Liver 0.01 Liver 0.01 Fat 0.01 Fat 0.1 Quail Quail			Liver	0.02
Fat 0.1 ChickenMuscle 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 TurkeyMuscle 0.01 LiverLiver 0.01 Liver 0.01 Liver 0.01 Fat 0.1 Fat 0.1 Guail $Quail$			Kidney	0.01
$\begin{tabular}{ c c c } \hline Chicken & \hline Chicken & \hline Muscle & 0.01 & \hline Liver & 0.01 & \hline Kidney & 0.01 & \hline Fat & 0.1 & \hline Turkey & \hline Muscle & 0.01 & \hline Liver & 0.01 & \hline Liver & 0.01 & \hline Liver & 0.01 & \hline Fat & 0.1 & \hline Quail & \hline Quail & \hline Urrer & Urre$			Fat	0.1
Muscle 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Turkey Muscle 0.01 Liver 0.01 Kidney 0.01 Fat 0.01 Liver 0.01 Fat 0.01 Kidney 0.01 Fat 0.1 Quail Quail			Chick	en
Liver 0.01 Kidney 0.01 Fat 0.1 TurkeyMuscle 0.01 Liver 0.01 Liver 0.01 Fat 0.1 Fat 0.1			Muscle	0.01
Kidney 0.01 Fat 0.1 TurkeyMuscle 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Quail $Quail$			Liver	0.01
Fat 0.1 TurkeyMuscle 0.01 Liver 0.01 Kidney 0.01 Fat 0.1 Quail $Quail$			Kidney	0.01
TurkeyMuscle0.01Liver0.01Kidney0.01Fat0.1Quail0.1			Fat	0.1
Muscle0.01Liver0.01Kidney0.01Fat0.1Quail0.1			Turke	ey
Liver0.01Kidney0.01Fat0.1Quail0.1			Muscle	0.01
Kidney0.01Fat0.1Quail			Liver	0.01
Fat0.1Quail			Kidney	0.01
Quail			Fat	0.1
			Quai	1

Liver0.0Kidney0.0Muscle0.0Fat0.123.MoxidectinCattleMuscle0.0Liver0.1Kidney0.0Fat0.5SheepMuscleMuscle0.0Liver0.1Kidney0.0Fat0.5SheepMuscleMuscle0.0Liver0.1Kidney0.0Fat0.5SheepMuscleMuscle0.0Liver0.1	01 01 01 1 02 1 05 5
Kidney 0.0 Muscle 0.0 Fat 0.1 23. Moxidectin Cattle Muscle 0.0 Liver 0.1 Kidney 0.0 Liver 0.1 Sheep Muscle 0.0 Liver 0.1 1 Muscle 0.0 1 Liver 0.1 1 Muscle 0.0 1 Liver 0.1 1 Muscle 0.0 1 Liver 0.1 1	01 01 1 02 1 05 5
Muscle 0.0 Fat 0.1 23. Moxidectin Cattle Muscle 0.0 Liver 0.1 Kidney 0.0 Fat 0.1 Kidney 0.0 Fat 0.1 Kidney 0.0 Fat 0.5 Liver 0.1 Liver 0.1 Liver 0.1 Liver 0.1 Liver 0.1	01 1 02 1 05 5
Fat0.123.MoxidectinCattleMuscle0.0Liver0.1Kidney0.0Fat0.5SheepMuscleMuscle0.0Liver0.1Liver0.1Liver0.1Liver0.1	1 02 1 05 5
23. Moxidectin Cattle Muscle 0.0 Liver 0.1 Kidney 0.0 Fat 0.5 Sheep Muscle 0.0 Liver 0.1	02 1 05 5
Muscle0.0Liver0.1Kidney0.0Fat0.5SheepMuscle0.0Liver0.1	02 1 05 5
Liver 0.1 Kidney 0.0 Fat 0.5 Sheep Muscle 0.0 Liver 0.1	1 05 5
Kidney0.0Fat0.5Sheep0.0Muscle0.0Liver0.1	5
Fat 0.3 Sheep Muscle 0.0 Liver 0.1	5
Sheep Muscle 0.0 Liver 0.1	
Muscle0.0Liver0.1	
Liver 0.1	05
	1
Kidney 0.0	05
Fat 0.5	5
24. Meloxicam (I) All edible animal tissues except fish 0.0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	01
25. Neomycin Cattle	
Liver 0.5	5
Milk 1.5	5
Kidney 10)
Fat 0.5	5
Muscle 0.5	5
Chicken	
Liver 0.5	5
Eggs 0.5	5

	Muscle	0.5
	Kidney	10
	Fat	0.5
	Duck	<u> </u>
	Fat	0.5
	Liver	0.5
	Kidney	10
	Muscle	0.5
	Goat	
	Liver	0.5
	Kidney	10
	Fat	0.5
	Muscle	0.5
	Pig	
	Kidney	10
	Liver	0.5
	Muscle	0.5
	Fat	0.5
	Sheep)
	Kidney	10
	Muscle	0.5
	Fat	0.5
	Liver	0.5
	Turke	y
	Liver	0.5
	Muscle	0.5
	Kidney	10
	Fat	0.5

26.	Nicarbazin	Chicken	
		Kidney	0.2
		Fat/Skin	0.2
		Liver	0.2
		Muscle	0.2
27.	Oxybendazole	 (I) All edible animal tissues except in Fish (II) Fats derived from animal tissues 	0.01
28.	Oxyclozanide	 (I) All edible animal tissues except Fish (II) Fats derived from animal tissues (III) Milk 	0.01
29.	Parbendazole	 (I) All edible animal tissues except Fish (II) Fats derived from animal tissues (III) Milk 	0.01
30.	Praziquantel	 (I) All edible animal tissues except Fish (II) Fats derived from animal tissues (III) Milk 	0.01
31.	Spectinomycin	Cattle	
		Muscle	0.5
		Liver	2.0
		Kidney	5.0
		Fat	2.0

		Milk	0.2 mg/l	
		Ch	Chicken	
		Muscle	0.5	
		Liver	2.0	
		Kidney	5.0	
		Fat	2.0	
		Eggs	2.0	
]	Pig	
		Muscle	0.5	
		Liver	2.0	
		Kidney	5.0	
		Fat	2.0	
		SI	Sheep	
		Muscle	0.5	
		Liver	2.0	
		Kidney	5.0	
		Fat	2.0	
32.	Sulfadiazine	 (I) All edible animal tissu (II) Fats derived from anima tissues (III) Milk 	0.01 ues d l	
33.	Sulfanilamide	 (I) All edible animal tissu (II) Fats derived from anima tissues (III) Milk 	ues d l	
34. 35.	Sulfaquinoxaline	 (I) All edible animal tissues except fish (II) Fats derived from animal tissues (III) Milk 	0.01	
------------	----------------------	--	-------	
		Milk	0.025	
		No Specif	ïed	
		Muscle	0.1	
		Fat	0.1	
		Kidney	0.1	
		Liver	0.1	
36.	Sulfa Chloropyrazine	 (I) All edible animal tissues except fish (II) Fats derived from animal tissues (III) Milk 	0.01	
37.	Thiabendazole	Cattle		
		Muscle	0.1	
		Liver	0.1	
		Kidney	0.1	
		Fat	0.1	
		Milk	0.1	
		Pig		
		Muscle	0.1	
		Liver	0.1	
		Kidney	0.1	
		Fat	0.1	
		Sheep	·	

		Muscle	0.1
		Liver	0.1
		Kidney	0.1
		Fat	0.1
		Goat	1
		Muscle	0.1
		Liver	0.1
		Kidney	0.1
		Fat	0.1
		Milk	0.1
38.	Triclabendazole		Cattle
		Muscle	0.25
		Liver	0.85
		Kidney	0.4
		Fat/Skin	0.1
		Sheep)
		Muscle	0.2
		Liver	0.3
		Kidney	0.2
		Fat/Skin	0.1
39.	Trimethoprim	 (I) All edible animal tissues except fish (II) Fats derived from animal tissues (III) Milk 	0.01
40.	Tylosin	Cattle	
		Muscle	0.1
		Liver	0.1
		Kidney	0.1
1/202120 1000			

		Fat	0.1
		Milk	0.1
		Pig	
		Muscle	0.1
		Liver	0.1
		Kidney	0.1
		Fat	0.1
		Sheep	
		Muscle	0.1
		Liver	0.1
		Kidney	0.1
		Chicker	1
		Muscle	0.1
		Liver	0.1
		Kidney	0.1
		Fat/Skin	0.1
		Eggs	0.3
41.	Virginiamycin	 (I) All edible animal tissues except fish (II) Fats derived from animal tissues (III) Milk 	0.01
42.	Xylazine	 (I) All edible animal tissues except fish (II) Fats derived from animal tissues 	0.01

43.	Zinc Bacitracin (minimum 60IU/mg dried substance)	 (I) All edible animal tissues except in Fish (II) Fats derived from animal tissues 	0.01]		
[Operationalized w.e.f. 1 st April,2019 vide Direction F.No. 1-100/SP(PAR)- Notification/Enf/FSSAI/2014 (Part file) dated 29 th March, 2019]					

⁵ [2.4. Limits of biotoxins in fish and fishery products:

Sl. No.	Name of the contaminants	Article of food	Limit (µg/kg)
(1)	(2)	(3)	(4)
1.	Paralytic Shellfish Poison (PSP)	Bivalve Molluscs	80 μg/100g (Saxitoxin Equivalent)
2.	Amnesic Shellfish Poison (ASP)	Bivalve Molluscs	20 μg/g (Domoic acid equivalent)
3.	Diarrhetic shellfish poison (DSP)	Bivalve Molluscs	160 μg of Okadaic acid equivalent/Kg
4.	Azaspiracid poison (AZP)	Bivalve Molluscs	160 μg of azaspiracid equivalent/Kg
5.	Brevetoxin (BTX)	Bivalve Molluscs	200 mouse units or equivalent/Kg]

⁶ [2.5 Other Contaminants

2.5.1 : The contaminant mentioned in column 2 on the foods mentioned in column 3, shall not exceed the Maximum Level prescribed in column 4 of the Table given below:

Sl.No.	Name of the contaminants	Food	Maximum level (mg/kg)
(1)	(2)	(3)	(4)
1.	Melamine	Powdered infant formula	1.0
		Liquid infant formula	0.15
		Other foods	2.5]

⁹ [2.5.2 Histamine in Fish and Fishery Products contaminants, toxins and Residues

Sl.No.	Family	Scientific Name	Common Name
1.	Carangidae	Alectis indica	Indian Threadfish
		Alepes spp.	Scad
		Atropus atropos	Cleftbelly trevally
		Carangoides bartholomaei	Yellow Jack
		Carangoides spp.	Trevally
		Caranx crysos	Blue runner
		Caranx spp.	Jack/Trevally
		Decapterus koheru	Koheru
		Decapterus russelli	Indian scad
		Decapterus spp.	Scad
		Elagatis bipinnulata	Rainbow Runner
		Megalaspis cordyla	Horse Mackerel/Torpedo Scad
		Nematistius pectoralis	Roosterfish
		Oligoplites saurus	Leather Jacket
		Pseudocaranx dentex	White trevally
		Scomberoides	Talang queenfish
		commersonnianus	
		Scomberoides spp.	Leather Jacket/Queen Fish
		Selene spp.	Moonfish
		Seriola dumerili	Greater/Japanese Amberjack or Rudder Fish
		Seriola lalandi	Yellowtail Amberjack
		Seriola quinqueradiata	Japanese Amberjack
		Seriola rivoliana	Longfin Yellowtail
		Seriola spp.	Amberjack or Yellowtail
		Trachurus capensis	Cape Horse Mackerel
		Trachurus japonicas	Japanese Jack Mackerel
		Trachurus murphyi	Chilean Jack Mackerel
		Trachurus novaezelandiae	Yellowtail Horse Mackerel
		Trachurus spp.	Jack Mackerel/Horse Mackerel
		Trachurus trachurus	Atlantic Horse Mackerel
		Uraspis secunda	Cottonmouth jack
2.	Chanidae	Chanos chanos	Milkfish
3.	Clupeidae	Alosa pseudoharengus	Alewife
		Alosa spp.	Herring
		Amblygaster sirm	Spotted Sardinella
		Anodontostoma chacunda	Chacunda gizzard shad
		Brevoortia patronus	Gulf Menhaden
		Brevoortia spp.	Menhaden

1. Fish species having potential to cause histamine poisoning

		Brevoortia tyrannus	Atlantic Menhaden
		Clupea bentincki	Araucanian herring
		Clupea harengus	Atlantic herring
		Clupea pallasii pallasii	Pacific herring
		<i>Clupea</i> spp.	Pichard/Shad/Herring
		Dorosoma spp.	Gizaard Shad
		Ethmalosa fimbriata	Bonga Shad
		Ethmidium maculatum	Pacific Menhaden
		Etrumeus sadina	Red-eye round herring
		Harengula spp.	Sprat/Herring
		Harengula thrissina	Pacific flatiron herring
		Hilsa spp.	Shad
		Nematolosa spp.	Gizzard Shad
		Opisthonema libertate	Pacific thread herring
		Opisthonema spp	Thread Herring
		Opisthopterus tardoore	Tardoore
		Sardina pilchardus	European Pilchard
		Sardinella aurita	Round Sardinella
		Sardinella gibbosa	Gold stripe Sardinella
		Sardinella longiceps	Indian Oil Sardine
		Sardinella maderensis	Madeiran Sardinella
		Sardinella spp.	Sardine
		Sardinops sagax	South American Pilchard
		Sardinops spp.	South American Pilchard
		Spratelloides gracilis	Silver-stripe round herring
		Tenualosa ilisha	Hilsa shad
		Tenualosa spp.	Shad
4	Coryphaenidae	Coryphaena hippurus	Mahi-Mahi /Dolphin fish
5	Engraulidae	Anchoa spp.	Anchovy
		Anchoviella spp.	Anchovy
		Cetengraulis mysticetus	Pacific anchoveta
		Engraulis capensis	Southern African anchovy
		Engraulis encrasicolus	European anchovy
		Engraulis japonicus	Japanese anchovy
		Engraulis ringens	Peruvian anchovy
		<i>Engraulis</i> spp.	Anchovy
		Stolephorus spp.	Anchovy
6	Istiophoridae	Istiompax indica	Black Marlin
		İstiophorus albicans	Atlantic sailfish
		Istiophorus platypterus	Indo-Pacific sailfish
		Kajikia albida	Atlantic white marlin
		Kajikia audax	Striped Marlin
		Makaira mazara	Indo-Pacific blue marlin
		Makaira spp.	Marlin/Sailfish
		Tetrapturus spp.	Marlin/Spearfish

		Tetrapturus spp.	Spearfish	
7	Mugilidae	Mugil cephalus	Flathead Grey Mullet	
8	Pristigasteridae	Ilisha spp.	Ilisha/Pellona	
	Pellona ditchella		Indian pellona	
9	Scombridae	Acanthocybium solandri	Wahoo	
		Auxis spp.	Bullet Tuna/Frigate Tuna	
		Cybiosarda elegans	Leaping Bonito	
		Euthynnus affinis	Little tuna or Kawakawa	
		<i>Euthynnus</i> spp.	Bonito	
		Gasterochisma melampus	Butterfly kingfish	
		Grammatorcynus spp.	Short Mackerel	
		Gymnosarda unicolor	Dogtooth tuna	
		Katsuwonus pelamis	Skipjack Tuna	
		Orcynopsis unicolor	Plain Bonito	
		Rastrelliger brachysoma	Short Mackerel	
		Rastrelliger kanagurta	Indian Mackerel	
		Sarda spp	Bonito	
		Scomber australasicus	Blue mackerel	
		Scomber japonicas	Chub mackerel	
		Scomber scombrus	Atlantic mackerel	
		Scomber spp.	Mackerel	
		Scomberomorus cavalla	King Mackerel	
		Scomberomorus	Narrow-barred Spanish mackerel	
		commerson		
		Scomberomorus guttatus	Indo-Pacific king mackerel/Spotted Spanish Mackerel	
		Scomberomorus niphonius	Japanese Spanish mackerel	
		Scomberomorus spp.	Spanish Mackerel	
		Scomeromorus lineolatus	Streaked seerfish	
		Thunnus alalunga	Albacore Tuna	
		Thunnus albacares	Yellowfin Tuna	
		Thunnus atlanticus	Blackfin Tuna	
		Thunnus maccoyi	Southern bluefin tuna	
		Thunnus obesus	Bigeye Tuna	
		Thunnus orientalis	Pacific bluefin tuna	
		Thunnus spp.	Tuna	
		Thunnus thynnus	Atlantic bluefin tuna	
		Thunnus tonggol	Longtail Tuna	
10	Xiphiidae	Xiphias gladius	Swordfish	

2. Limits of histamine level in fish and fishery products

S. No.	Product Category	Applicable to	Histamine Level
1.	Raw/Chilled/Frozen Finfish	Species with high amount of free	n=9, c=2; m=100 mg/kg, M=200 mg/kg
2.	Thermally Processed Fishery Products	histidine (Listed fish species with potential to cause histomine	n=9, c=2; m=100 mg/kg, M=200 mg/kg
3.	Smoked fishery products	fish poisoning)	n=9, c=2; m=100 mg/kg, M=200 mg/kg
4.	Fish Mince/Surimi and analogues		n=9, c=2; m=100 mg/kg, M=200 mg/kg
5.	Battered and breaded fishery products		n=9, c=2; m=100 mg/kg, M=200 mg/kg
6.	Other Ready to Eat fishery products		n=9, c=2; m=100 mg/kg, M=200 mg/kg
7.	Other value added fishery products		n=9, c=2; m=100 mg/kg, M=200 mg/kg
8.	Other fish based products		n=9, c=2; m=100 mg/kg, M=200 mg/kg
9.	Dried/ Salted and Dried fishery products		n=9, c=2; m=200 mg/kg, M=400 mg/kg
10.	Fermented Fishery products		n=9, c=2; m=200 mg/kg, M=400 mg/kg
11.	Fish Pickle		n=9, c=2; m=200 mg/kg, M=400 mg/kg

Where,

- n: Number of units comprising the sample
- c: Maximum allowable number of defective sample units
- m: Acceptable level in a sample

M: Specified level when exceeded in one or more samples would cause the lot to be rejected

Satisfactory, if the following requirements are fulfilled:

1. the mean value observed is $\leq m$

2. a maximum of c/n values observed are between m and M $\,$

3. no values observed exceed the limit of M,

Unsatisfactory, if the mean value observed exceeds m or more than c/n values are between m and M or one or more of the values observed are >M.

Note:

1. Inserted by notification no. F. No. 1-12/Sci.Panel/(Notification)/FSSAI/2012, dated the

3rdDecember, 2014

2. Substituted by notification no. F.No. P.15025/264/13-PA/FSSAI, dated the $4^{\rm th}$

November,2015

3. Inserted by notification no. F.No. 1-99/4/SP(Contaminants)/FSSAI/2014, dated the

4thNovember, 2015

4. Substituted by notification no. F.No.1-99/1/SP(contaminants)/FSSAI/2009, dated the 4thNovember, 2015

5. Inserted by notification no. F. No. 1-10(6)/Standards/SP (Fish and Fisheries

Products)/FSSAI-2013, dated the 4th January, 2016

6. Inserted by notification no. F. No. P. 15025/264/13-PA/FSSAI, dated the 5th January, 2016. 7. Inserted by notification no. F. No. P.15025/264/13-PA/FSSAI, dated the 3rd May, 2016

8. Omitted by Notification F. No.1-99/SP (Contaminants)/REG/FSSAI/201,5 dated the

10thOctober, 2016

9. Inserted by notification no. F. No. 1-10(2)/Standards/SP (Fish and Fisheries

Products)/FSSAI-2013, dated the 18th January, 2017

10. Inserted by notification no. F. No. P/15025/264/13-PA/FSSAI, dated the 21st July, 2017. 11. Inserted by notification no F. No. P.15025/264/13-PA/FSSAI-2017, dated 27th

December,2017.

12. omitted by notification no. 1-100/SPPAR-NOTIFICATION-CTR/FSSAI/2016, dated 19thMarch. 2018.

13. Inserted by notification no No. 1-100/SP(PAR)- Notification/Enf/FSSAI/2014, dated 20thJuly, 2018.

14. substituted by notification No. 1-SP(PAR)- Notification-pesticide/stds-FSSAI/2017,

dated 24^{th} December, 2018 and

15. substituted by F. No. Stds/SP/(Contaminants)/Notification-1/FSSAI-2018, dated 7th August,2020.