



Agricultural and Veterinary Chemicals Code (MRL Standard) Instrument 2019

made under subsection 6(1) for the purposes of subparagraph 5A(3)(b)(iii) of the Code scheduled to the

Agricultural and Veterinary Chemicals Code Act 1994

Compilation No. 20

Compilation date: 07 September 2021

Includes amendments up to: F2021L01239

Prepared by the Australian Pesticides and Veterinary Medicines Authority

About this compilation

This compilation

This is a compilation of the *Agricultural and Veterinary Chemicals Code (MRL Standard) Instrument 2019* that shows the text of the law as amended and in force on 07 September 2021 (the *compilation date*).

The notes at the end of this compilation (the *endnotes*) include information about amending laws and the amendment history of provisions of the compiled law.

Uncommenced amendments

The effect of uncommenced amendments is not shown in the text of the compiled law. Any uncommenced amendments affecting the law are accessible on the Legislation Register (www.legislation.gov.au). The details of amendments made up to, but not commenced at, the compilation date are underlined in the endnotes. For more information on any uncommenced amendments, see the series page on the Legislation Register for the compiled law.

Application, saving and transitional provisions for provisions and amendments

If the operation of a provision or amendment of the compiled law is affected by an application, saving or transitional provision that is not included in this compilation, details are included in the endnotes.

Modifications

If the compiled law is modified by another law, the compiled law operates as modified but the modification does not amend the text of the law. Accordingly, this compilation does not show the text of the compiled law as modified. For more information on any modifications, see the series page on the Legislation Register for the compiled law.

Self-repealing provisions

If a provision of the compiled law has been repealed in accordance with a provision of the law, details are included in the endnotes.

Contents

1 Name	1
3 Authority	1
4 Background	1
5 Definitions.....	1
7 Application of the <i>MRL Standard</i>	2
Schedule 1—The <i>MRL Standard</i>	3
Part 1—Preliminary	3
1 Explanation	3
2 Meat and milk [in the fat]	4
Part 2—The tables	5
1 Table 1—MRLs in food commodities	5
2 Table 2—Commodity portions	5
3 Table 3—Residue definitions	5
4 Table 4—Animal Feed Commodities	6
5 Table 5—MRLs not necessary.....	6
Table 1—MRLs in food commodities	6
Table 2—Portion of the commodity to which the MRL applies (and which is analysed)	201
Table 3—Residue definitions	207
Table 4—MRLs for pesticides in animal feed commodities	246
Table 5—Uses of substances where MRLs are not necessary	293

1 Name

This instrument is the *Agricultural and Veterinary Chemicals Code (MRL Standard) Instrument 2019*.

3 Authority

This instrument is made under subsection 6(1) for the purposes of subparagraph 5A(3)(b)(iii) of the Agvet Code.

4 Background

- (1) The *MRL Standard* set out in the Schedule lists MRLs of substances which may arise from the approved use of those substances or other substances, and provides the relevant residue definitions to which these MRLs apply.
- (2) The APVMA sets MRLs for agricultural and veterinary chemicals in agricultural produce, particularly produce entering the food chain. These MRLs are set at levels which are not likely to be exceeded if the agricultural or veterinary chemicals are used in accordance with their approved label instructions. At the time the MRLs are set the APVMA undertakes a dietary exposure evaluation to ensure the levels do not pose an undue hazard to human health.
- (3) In addition to the MRLs set by the APVMA (and its predecessor, the National Registration Authority for Agricultural and Veterinary Chemicals (NRA)), the *MRL Standard* includes recommendations made by the former Pesticides and Agricultural Chemicals Standing Committee (PACSC) of the National Health and Medical Research Council.
- (4) The *MRL Standard* also includes recommendations by the former Chemicals Safety Unit (CSU) of the Commonwealth Department of Human Services and Health. The CSU was responsible for recommending MRLs for agricultural chemicals in food and animal feedstuffs, and for maintaining the *MRL Standard*, from the disbandment of the PACSC until 30 June 1994, when this function was formally transferred to the then NRA on 1 July 1994. From 15 March 1994, the then NRA has set MRLs for agricultural chemicals in food and animal feedstuffs and has maintained the *MRL Standard*. On 30 July 2004 the name of the NRA was changed to the APVMA. Prior to the making of this Instrument, the APVMA published the *MRL Standard* on its website.

5 Definitions

- (1) An expression used in the Agvet Code Act and in this Instrument has the same meaning in this Instrument as in the Agvet Code Act.
- (2) In this instrument:

Agvet Code means the Agricultural and Veterinary Chemicals Code which is a Schedule to the Agvet Code Act;

Agvet Code Act means the *Agricultural and Veterinary Chemicals Code Act 1994*;

extraneous residue limit (ERL) refers to a pesticide residue arising from environmental sources (including former agricultural uses) other than the use of the chemical directly or indirectly on the food, agricultural commodity or animal feed. ERL means the maximum concentration of the pesticide residue that is recommended to be legally permitted or recognised as acceptable in or on a food, agricultural commodity or animal feed;

feed additive means any substance or agent added to the basic feed mix for continuous long-term administration to livestock for specific purposes, for example, enhancing production or maintenance or health above the levels obtained from the basic feed, improvement of storage qualities or the palatability of the basic feed mix;

good agricultural practice means the nationally recommended, authorised or registered use-pattern of chemicals, that is necessary for effective and reliable pest control under actual conditions at any stage of production, storage, transport, distribution and processing of food commodities and animal feed;

maximum residue limit (MRL) means the maximum concentration of a residue resulting from the registered use of an agricultural or veterinary chemical which is legally permitted or recognised as acceptable to be present in or on a food, agricultural commodity or animal feed;

the MRL Standard means the *MRL Standard - Maximum Residue Limits in Food and Animal Feedstuff* as set out in the Schedule;

primary feed commodity means a pasture, grain, forage or fodder in, or nearly in, its natural state intended for use by:

- (a) farmers as stockfeed for use without further processing for livestock animals, or after silaging or similar farm processes; or
- (b) stockfood manufacturers as a raw material for preparing compound feeds;

residue definition means the residue to which the MRL or ERL applies for each chemical as set out in Table 3 of the Schedule.

7 Application of the *MRL Standard*

Schedule 1 to this Instrument sets out the *MRL Standard – Maximum Residue Limits in Food and Animal Feedstuff*.

Schedule 1—The *MRL Standard*

Part 1—Preliminary

1 Explanation

- (1) An asterisk ‘*’ in the Tables to the Schedule denotes that the MRL or the ERL is set at or about the limit of analytical quantitation.
- (2) A ‘T’ in the Tables to the Schedule denotes that the MRL or ERL, residue definition or use is temporary to enable further experimental work to be carried out in Australia or overseas, and will be reconsidered at some future date. This symbol is also used in cases where an MRL or ERL is being phased out.
- (3) An ‘E’ in the Tables to the Schedule denotes an ERL.
- (4) The food commodity designations and their codes used in the Tables have been adopted from the Codex Classification of Foods and Animal Feeds (Part 4 of the Guide to Codex Recommendations Concerning Pesticide Residues, second edition, 1989) with minor modifications. The code is included in the MRL Standard entry to assist in associating Australian MRLs with Codex MRLs. Where a commodity does not have a Codex classification, it is entered in the MRL Standard without a code. Modification of a Codex classification is denoted by { }.
- (5) MRLs set for ‘groups’ of commodities are applicable to all members of the group as designated in the Codex classification.
- (6) Methods of analysis for measuring residues in food commodities must be appropriate to the residues defined in Table 3. Such methods are in most cases available in published manuals or in the chemical literature. Appropriate sources of methods for many compounds are available in the Guide to Codex Recommendations Concerning Residues. While the analyses are not confined to any particular method, they are subject to the necessary quality control procedures, including adequate recovery, minimal blank, a sufficiently low limit of analytical quantitation and absence of significant interferences. The analyst may choose any method appropriate to the compound, the commodity and the equipment, facilities and expertise available in the laboratory.
- (7) An MRL shall be regarded as being exceeded if the result of an analysis (by an experienced residue analyst on a sample taken according to official protocols), when rounded according to the Australian Standards SAA 2706-2003 to the number of significant figures in the MRL, exceeds the level set in the MRL Standard, taking into account the accuracy of the analysis.
- (8) For a food which is not specified but consists of, or contains, or is manufactured from one or more of the foods specified (e.g. fruit juice), the presence of residues

at a level not greater than the respective MRLs is considered acceptable where there is no evidence of concentration. Where there is evidence of concentration, separate MRLs may be set for the appropriate commodities (e.g. wine, wheat germ).

- (9) The concentration of MRLs and ERLs are expressed in milligrams per kilogram of the food, agricultural commodity or animal feed or milligrams per litre for liquids.
- (10) MRLs on food commodities (Table 1) are expressed on a "fresh-weight" or "as received" basis. MRLs on animal feeds (Table 4) are normally expressed on a "dry-weight" basis. Expression on a "dry weight" basis means that where the sample is analysed on a "fresh weight" basis, a moisture level is determined on a separate subsample and the residue is calculated as if it were all in the dried portion. However, it should be noted MRLs which apply to primary human food commodities also apply when these commodities are used as animal feed commodities.
- (11) As a matter of policy, MRLs are not set for residues in tobacco or in agricultural commodities used primarily for fibre production, such as flax, cotton balls, hemp, wool or mohair, or hides of leather as these are not food commodities.
- (12) In normal practice MRLs are not set for residues in agricultural commodities used primarily for human or veterinary drug or medicine production, since it is assumed that processing under good manufacturing practices will remove any residues which might constitute a toxicological hazard to human health.

2 Meat and milk [in the fat]

- (1) Where a MRL is determined for meat or milk and the chemical concerned is fat soluble, the commodity is designated with the qualification '[in the fat]'.
- (2) 'Meat' MRLs are expressed on a fat basis rather than on a whole product basis.
- (3) The approach followed in the MRL Standard is that a portion of adhering fat is analysed and the MRLs apply to the clean, dry fat.
- (4) When a MRL for cattle milk or milks is qualified by '[in the fat]', the MRL applies to the fat portion of the milk. Thus, MRLs are expressed on a fat basis. In a derived or manufactured milk product with a fat content of 2% or more, the MRL also applies to the fat portion. For a milk product with a fat content of less than 2%, the MRL applied should be 1/50 of that for 'milk [in the fat]' and should apply to the whole product.

Part 2—The tables

1 Table 1—MRLs in food commodities

- (1) Table 1 lists residues of substances which may occur in food commodities and for which a MRL or an ERL applies. The particular food commodity is set out in column 2 of Table 1 and the MRL (or the ERL) for that food commodity is in column 3.
- (2) Residues of a substance may arise from approved uses of that or another substance, or from extraneous contamination.

2 Table 2—Commodity portions

- (1) Table 2 lists the portion of the commodity to which the maximum residue limit applies (and which is analysed).
- (2) Table 2 is derived from the Codex Classification of Foods and Animal Feeds, second edition, 1989.
- (3) MRLs are in most cases stated in terms of a specific whole raw agricultural commodity as it moves in trade. In some instances a qualification is included that describes the part of the raw agricultural commodity to which the MRL applies. In other instances such qualifications are not provided. Therefore, unless otherwise specified, the portion of the raw agricultural commodity to which the MRL applies and which is to be prepared as the analytical sample for the determination of residues is as described in Table 2.

3 Table 3—Residue definitions

- (1) MRLs for a commodity are set for residues measured by a valid method of analysis. This method may measure the chemical or a derivative of the chemical and may include metabolites originating from the parent compound or other chemicals. In some cases, the nominal concentration of the parent compound is calculated from the measured concentration of a metabolite, but in other cases a derivative or metabolite is used as a measure of the residue.
- (1A) Unless otherwise stated, the residue definitions are established both for compliance with MRLs and for estimation of dietary intake for dietary risk assessment. Where separate definitions for compliance and for dietary risk are established they are identified and the compliance definition must be used for comparison with MRLs established in Table 1.
- (2) Table 3 sets out the residue to which the MRL applies for each chemical compound. Residue definitions for compounds which no longer have entries in Tables 1, 4 or 5 have been retained in Table 3 for reference as analyses may still be required for compounds whose use is no longer permitted.

4 Table 4—Animal Feed Commodities

- (1) Table 4 lists MRLs and ERLs for residues of substances that may occur in animal feed commodities. Residues of a substance may arise from approved uses of that or another substance, or from extraneous contamination. Entries in Table 4 are normally expressed on a dry weight basis.
- (2) Feed commodities that are also primary human food commodities have not been included in Table 4 and the MRLs for these commodities will also apply as MRLs when they are used as animal feed commodities. Examples of such commodities are the cereal grains, pulses, oil seeds and any other food commodity that is used as a substantial animal feed commodity. The entries in Table 4 should therefore be read in conjunction with the relevant entries in Table 1 when considering the MRLs (or ERLs) that apply to animal feed commodities.

5 Table 5—MRLs not necessary

- (1) Table 5 lists uses of substances where MRLs are not necessary.
- (2) MRLs are not necessary in situations where residues do not or should not occur in foods or animal feeds; or where the residues are identical to or indistinguishable from natural food components; or otherwise are of no toxicological significance.

Table 1—MRLs in food commodities

COMPOUND	FOOD	MRL (mg/kg)
Abamectin		
VD 0560	Adzuki bean (dry)	*0.02
TN 0660	Almonds	*0.01
FI 0326	Avocado	0.05
	Beetroot leaves	0.5
FB 0264	Blackberries	0.1
FB 0020	Blueberries	*0.02
VA 0035	Bulb vegetables [alliums]	0.05
VB 0041	Cabbages, head	T0.05
MF 0812	Cattle fat	0.1
MM 0812	Cattle meat	0.005
ML 0812	Cattle milk	0.02
MO 0812	Cattle, edible offal of	0.1

COMPOUND	FOOD	MRL (mg/kg)
VS 0624	Celery	T0.05
FC 0001	Citrus fruits	0.01
VD 0526	Common bean (dry) [navy bean (dry)]	*0.002
SO 0691	Cotton seed	*0.01
VC 0424	Cucumber	0.05
FB 0278	Currant, black	0.02
FI 0332	Custard apple	*0.01
DF 0269	Dried grapes (= currants, raisins and sultanas)	0.03
VC 0045	Fruiting vegetables, cucurbits {except Cucumber; Squash, summer [zucchini]}	0.02
VO 0050	Fruiting vegetables, other than cucurbits {except Mushrooms; Sweet corn (corn-on-the-cob)}	0.1
MF 0814	Goat fat	0.1
ML 0814	Goat milk	0.005
	Goat muscle	0.01
	Goat, kidney	0.01
	Goat, liver	0.05
FB 0269	Grapes	0.01
DH 1100	Hops, dry	0.1
VL 0053	Leafy vegetables {except Lettuce, leaf}	T0.5
VP 0060	Legume vegetables {except Peas (pods and succulent = immature seeds)}	T0.1
VL 0483	Lettuce, leaf	T1
FI 0343	Litchi	0.05
TN 0669	Macadamia nuts	T*0.01
GC 0645	Maize	T*0.01
VD 0536	Mung bean (dry)	*0.002
VO 0450	Mushrooms	0.05
FI 0350	Papaya [pawpaw]	0.1
FI 0351	Passion fruit	0.2
SO 0697	Peanut	T*0.002

COMPOUND	FOOD	MRL (mg/kg)
VP 0063	Peas (pods and succulent = immature seeds)	0.5
	Peppers, chili, other cultivars	T0.1
MM 0818	Pig meat [in the fat]	0.02
MO 1284	Pig, kidney	0.01
MO 1285	Pig, liver	0.02
FI 0353	Pineapple	T*0.002
FP 0009	Pome fruits	0.01
GC 0656	Popcorn	T*0.01
FB 0272	Raspberries, red, black	0.1
VS 0627	Rhubarb	T0.05
VR 0075	Root and tuber vegetables	*0.01
MM 0822	Sheep meat [in the fat]	0.05
MO 0822	Sheep, edible offal of	0.05
VD 0541	Soya bean (dry)	*0.002
VC 0431	Squash, summer [zucchini]	0.05
FB 0275	Strawberry	0.1
VO 0447	Sweet corn (corn-on-the-cob)	0.05
Acephate see also Methamidophos		
FI 0327	Banana	1
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	5
VB 0040		
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	0.2
TN 0669	Macadamia nuts	*0.1
	Meat (mammalian) {except Sheep meat}	0.2
MM 0095		
VO 0445	Peppers, sweet [capsicum]	5
VR 0589	Potato	0.5
MM 0822	Sheep meat	*0.01
VO 0448	Tomato	5
Acequinocyl		
DF 0240	Apricots, dried	1

COMPOUND	FOOD	MRL (mg/kg)
MO 0105	Edible offal (mammalian)	*0.02
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.02
DF 0247	Peach, dried	1
FP 0009	Pome fruits	0.7
DF 0014	Prunes	1
FS 0012	Stone fruits	0.7
Acetamiprid		
FP 0226	Apple	0.2
FI 0030	Assorted tropical and sub-tropical fruits – inedible peel	0.2
FS 0013	Cherries	2
FC 0001	Citrus fruits	1
SO 0691	Cotton seed	0.07
DF 0269	Dried grapes (= currants, raisins and sultanas)	0.2
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
FB 0269	Grapes	0.05
TN 0669	Macadamia nuts	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0305	Olives for oil production	T0.5
FP 0230	Pear	0.3
FP 0307	Persimmon, Japanese	T0.3
VR 0589	Potato	*0.05
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses {except Field pea (dry); Lupin (dry)}	0.1
FS 0012	Stone fruits {except Cherries}	0.5
FT 0305	Table olives	T0.5
Acibenzolar-S-methyl		
SO 0691	Cotton seed	*0.02

COMPOUND	FOOD	MRL (mg/kg)
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.005
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VO 0448	Tomato	1
Acifluorfen		
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	*0.01
VP 0060	Legume vegetables	0.1
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0697	Peanut	0.05
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	0.1
VD 0070	Pulses	0.1
Aclonifen		
GC 0640	Barley	T*0.01
MO 0105	Edible offal (mammalian)	T*0.01
PE 0112	Eggs	T*0.01
MM 0095	Meat (mammalian)	T*0.01
ML 0106	Milks	T*0.01
PM 0110	Poultry meat	T*0.01
PO 0111	Poultry, edible offal of	T*0.01
GC 0653	Triticale	T*0.01
GC 0654	Wheat	T*0.01
Afidopyropen		
VS 0620	Artichoke, globe	0.1
GC 0640	Barley	*0.01
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
FB 2005	Cane berries	T0.3

COMPOUND	FOOD	MRL (mg/kg)
VR 0577	Carrot	*0.01
VS 0624	Celery	3
SO 0691	Cotton seed	0.1
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.1
VC 0045	Fruiting vegetables, cucurbits	0.7
VO 0050	Fruiting vegetables, other than cucurbits	0.2
HS 0784	Ginger, root	*0.01
VL 0053	Leafy vegetables	5
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.01
HH 0740	Parsley	5
VR 0589	Potato	*0.01
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
SO 0495	Rape seed [canola]	*0.01
VS 0627	Rhubarb	0.1
FB 0275	Strawberry	0.2
GC 2090	Sweet corns	*0.01
VR 0508	Sweet potato	*0.01
GC 0654	Wheat	*0.01
Albendazole		
MM 0812	Cattle meat	*0.1
MO 0812	Cattle, edible offal of	*0.1
MM 0814	Goat meat	*0.1
MO 0814	Goat, edible offal of	*0.1
MM 0822	Sheep meat	0.2
MO 0822	Sheep, edible offal of	3
Aldrin and Dieldrin		
VS 0621	Asparagus	E0.1
FI 0327	Banana	E0.05
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages,	E0.1

COMPOUND	FOOD	MRL (mg/kg)
	flowerhead brassicas	
GC 0080	Cereal grains	E0.02
FC 0001	Citrus fruits	E0.05
WC 0143	Crustaceans	E0.1
WD 0120	Diadromous fish	E0.1
MO 0105	Edible offal (mammalian)	E0.2
VO 0440	Egg plant [aubergine]	E0.1
PE 0112	Eggs	E0.1
WF 0115	Freshwater fish	E0.1
VC 0045	Fruiting vegetables, cucurbits	E0.1
	Fruits	E0.05
VL 0482	Lettuce, head	E0.1
VL 0483	Lettuce, leaf	E0.1
WS 0125	Marine fish	E0.1
MM 0095	Meat (mammalian) [in the fat]	E0.2
ML 0106	Milks [in the fat]	E0.15
IM 0150	Molluscs, including cephalopods	E0.1
VA 0385	Onion, bulb	E0.1
SO 0697	Peanut	E0.05
VO 0445	Peppers, sweet [capsicum]	E0.1
HS 0792	Pimento fruit	E0.1
PM 0110	Poultry meat [in the fat]	E0.2
PO 0111	Poultry, edible offal of	E0.2
VL 0494	Radish leaves (including radish tops)	E0.1
VR 0075	Root and tuber vegetables	E0.1
GS 0659	Sugar cane	E*0.01
Aliphatic alcohol ethoxylates		
MM 0812	Cattle meat	*0.1
ML 0812	Cattle milk	1
MO 0812	Cattle, edible offal of	*0.1
Altrenogest		
MM 0818	Pig meat	*0.005
MO 0818	Pig, edible offal of	0.005

COMPOUND	FOOD	MRL (mg/kg)
Ametoctradin		
HH 0722	Basil	T20
VR 0574	Beetroot	0.3
VA 2031	Bulb onions	0.7
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
VC 0045	Fruiting vegetables, cucurbits	2
FB 0269	Grapes	3
VA 2032	Green onions	3
VL 0053	Leafy vegetables	50
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
SO 0698	Poppy seed	0.7
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
Ametryn		
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
FI 0353	Pineapple	*0.05
GS 0659	Sugar cane	0.05
Amicarbazone		
MO 0105	Edible offal (mammalian)	0.7
MM 0095	Meat (mammalian)	0.01
ML 0106	Milks	*0.01
GS 0659	Sugarcane	0.1
Aminoethoxyvinylglycine		
TN 0660	Almonds	*0.05
FP 0226	Apple	0.1
FS 0013	Cherries	*0.05
FS 0012	Stone fruits {except Cherries}	0.2
TN 0678	Walnuts	*0.05
Aminopyralid		

COMPOUND	FOOD	MRL (mg/kg)
GC 0080	Cereal grains	0.1
MO 0105	Edible offal (mammalian) {except Kidney}	0.02
PE 0112	Eggs	*0.01
	Kidney (mammalian)	0.3
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.01
CM 0654	Wheat bran, unprocessed	0.3
Amisulbrom		
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
DF 0269	Dried grapes (= currants, raisins and sultanas)	1
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
FB 0269	Grapes	0.5
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VR 0589	Potato	0.3
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Amitraz		
SO 0691	Cotton seed	*0.1
OC 0691	Cotton seed oil, crude	1
MO 0105	Edible offal (mammalian)	0.5
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.1
Amitrole		
FI 0326	Avocado	*0.01
FI 0327	Banana	*0.01
GC 0080	Cereal grains	*0.01

COMPOUND	FOOD	MRL (mg/kg)
FC 0001	Citrus fruits	*0.01
MO 0105	Edible offal (mammalian)	*0.01
FB 0269	Grapes	*0.01
DH 1100	Hops, dry	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0088	Oilseed	*0.01
FI 0350	Papaya [pawpaw]	*0.01
FI 0351	Passion fruit	*0.01
TN 0672	Pecan	*0.01
FP 0009	Pome fruits	*0.01
VR 0589	Potato	*0.05
VD 0070	Pulses	*0.01
FS 0012	Stone fruits	*0.02
Amoxicillin		
ML 0812	Cattle milk	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	0.05
MM 0095	Meat (mammalian)	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
ML 0822	Sheep milk	*0.01
Ampicillin		
ML 0812	Cattle milk	*0.01
MM 0816	Horse meat	*0.01
MO 0816	Horse, edible offal of	*0.01
Amprolium		
PE 0112	Eggs	4
PM 0110	Poultry meat	0.5
PO 0111	Poultry, edible offal of	1
Apramycin		
MO 0105	Edible offal (mammalian)	2
MM 0095	Meat (mammalian)	*0.05

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	1
Asulam		
FP 0226	Apple	*0.1
MO 0105	Edible offal (mammalian)	*0.1
DH 1100	Hops, dry	*0.1
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
SO 0698	Poppy seed	*0.1
VR 0589	Potato	0.4
GS 0659	Sugar cane	*0.1
Atrazine		
MO 0105	Edible offal (mammalian)	T*0.1
VD 0545	Lupin (dry)	*0.02
GC 0645	Maize	*0.1
MM 0095	Meat (mammalian)	T*0.01
ML 0106	Milks	T*0.01
VR 0589	Potato	*0.01
SO 0495	Rape seed [canola]	*0.02
GC 0651	Sorghum	*0.1
GS 0659	Sugar cane	*0.1
VO 0447	Sweet corn (corn-on-the-cob)	*0.1
Avilamycin		
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
Azamethiphos		
GC 0080	Cereal grains	0.1
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05

COMPOUND	FOOD	MRL (mg/kg)
CM 0654	Wheat bran, unprocessed	0.5
Azaperone		
MM 0818	Pig meat	0.2
MO 0818	Pig, edible offal of	0.2
Azimsulfuron		
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
GC 0649	Rice	*0.02
Azoxystrobin		
TN 0660	Almonds	*0.01
	Anise myrtle leaves (dried)	T3
FI 0326	Avocado	3
GC 0640	Barley	0.2
HH 0722	Basil	T50
FB 2250	Bayberries	T5
FT 2303	Bayberry, red	T5
VR 0574	Beetroot	T*0.005
FB 0264	Blackberries	T5
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
VA 0035	Bulb vegetables [alliums] {except Onion, bulb}	5
VR 0577	Carrot	0.2
FC 0001	Citrus fruits	3
FB 0277	Cloudberry	T5
SO 0691	Cotton seed	T0.05
FB 0266	Dewberries (including boysenberry and loganberry)	T5
DF 0269	Dried grapes (= currants, raisins and sultanas)	5

COMPOUND	FOOD	MRL (mg/kg)
MO 0105	Edible offal (mammalian)	0.03
VO 0440	Egg plant [aubergine]	T2
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	2
FB 0269	Grapes	2
VR 0583	Horseradish	0.5
VL 0053	Leafy vegetables	15
VP 0060	Legume vegetables	3
	Lemon myrtle leaves (dried)	T3
TN 0669	Macadamia nuts	*0.01
GC 0645	Maize	*0.01
FI 0345	Mango	0.5
MM 0095	Meat (mammalian) [in the fat]	0.02
ML 0106	Milks	0.005
GC 0647	Oats	0.1
VO 0442	Okra	T2
FT 0305	Olives	T2
VA 0385	Onion, bulb	0.2
FI 0351	Passion fruit	0.5
SO 0697	Peanut	0.05
OC 0697	Peanut oil, crude	0.1
VO 0051	Peppers	T2
	Peppers, chili, other cultivars	T2
SO 0698	Poppy seed	*0.02
VR 0589	Potato	0.05
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.3
VR 0494	Radish	0.5
SO 0495	Rape seed [canola]	0.01
FB 0272	Raspberries, red, black	T5
	Riberries	T1
GC 0649	Rice	T7

COMPOUND	FOOD	MRL (mg/kg)
GC 0650	Rye	0.1
VO 0447	Sweet corn (corn-on-the-cob)	*0.01
VO 0448	Tomato	T1
TN 0085	Tree nuts {except Almonds; Macadamia nuts}	2
GC 0653	Triticale	0.1
GC 0654	Wheat	0.1
Bacitracin		
PF 0840	Chicken fat	*0.5
PM 0840	Chicken meat	*0.5
PO 0840	Chicken, edible offal of	*0.5
PE 0112	Eggs	*0.5
ML 0106	Milks	*0.5
Benalaxyl		
VC 0045	Fruiting vegetables, cucurbits	0.2
VA 0381	Garlic	0.1
FB 0269	Grapes	0.5
VL 0482	Lettuce, head	*0.01
VL 0483	Lettuce, leaf	*0.01
VA 0385	Onion, bulb	0.1
VA 0388	Shallot	T0.5
VA 0389	Spring onion	T0.1
Bendiocarb		
FI 0327	Banana	*0.02
MM 0812	Cattle meat	0.1
MO 0812	Cattle, edible offal of	0.2
PE 0112	Eggs	0.05
ML 0106	Milks	0.1
PM 0110	Poultry meat	0.05
PO 0111	Poultry, edible offal of	0.1
Benfluralin		
VL 0482	Lettuce, head	T*0.05
VL 0483	Lettuce, leaf	T*0.05
FI 0353	Pineapple	T*0.01

COMPOUND	FOOD	MRL (mg/kg)
Bensulfuron-methyl		
GC 0649	Rice	*0.02
CF 0649	Rice bran, processed	*0.05
Bensulide		
VC 0045	Fruiting vegetables, cucurbits	*0.1
Bentazone		
VP 0061	Beans, except broad bean and soya bean	*0.1
VP 0522	Broad bean (green pods and immature seeds)	*0.1
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VP 0529	Garden pea, shelled	T*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
VA 0385	Onion, bulb	T0.1
SO 0697	Peanut	*0.1
VP 0538	Podded pea (young pods) [snow and sugar snap]	T0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	*0.01
GC 0649	Rice	*0.03
VO 0447	Sweet corn (corn-on-the-cob)	*0.1
Benzocaine		
	Abalone	*0.05
	Finfish	*0.05
Benzofenap		
GC 0649	Rice	*0.01
Benzovindiflupyr		
GC 0640	Barley	0.2
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian) [in the fat]	*0.01

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks	*0.01
PO 0111	Poultry, edible offal of	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
GC 0654	Wheat	0.01
Benzyl G penicillin		
MO 0105	Edible offal (mammalian)	*0.06
MM 0095	Meat (mammalian)	*0.06
ML 0106	Milks	*0.0015
Benzyladenine		
FP 0226	Apple	0.2
FP 0230	Pear	*0.005
TN 0678	Walnut	T*0.005
BHC (other than the g isomer, Lindane)		
GC 0080	Cereal grains	E0.1
WC 0143	Crustaceans	E0.01
WD 0120	Diadromous fish	E0.01
MO 0105	Edible offal (mammalian)	E0.3
PE 0112	Eggs	E0.1
WF 0115	Freshwater fish	E0.01
WS 0125	Marine fish	E0.01
MM 0095	Meat (mammalian) [in the fat]	E0.3
ML 0106	Milks [in the fat]	E0.1
IM 0150	Molluscs, including cephalopods	E0.01
SO 0697	Peanut	E0.1
PM 0110	Poultry meat [in the fat]	E0.3
PO 0111	Poultry, edible offal of	E0.3
GS 0659	Sugar cane	E*0.005
Bicyclopyrone		
GC 0640	Barley	0.02
MO 0105	Edible offal (mammalian)	2
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milk	*0.02

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
GC 0654	Wheat	0.02
CM 0654	Wheat bran, unprocessed	0.05
Bifenazate		
TN 0660	Almonds	0.1
FS 0240	Apricot	0.5
FI 0326	Avocado	T2
FB 0264	Blackberries	T7
FB 0277	Cloudberry	T7
FB 0266	Dewberries (including boysenberry and loganberry)	T7
DF 0269	Dried grapes (= currants, raisins and sultanas)	T2
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	1
VO 0050	Fruiting vegetables, other than cucurbits {except Mushrooms and Sweet corn (corn-on-the-cob)}	1
FB 0269	Grapes {except Wine-grapes}	T1
DH 1100	Hops, dry	T3
VL 0482	Lettuce, head	T20
VL 0483	Lettuce, leaf	T20
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
FS 0245	Nectarine	0.5
FI 0350	Papaya [pawpaw]	2
FS 0247	Peach	2
FS 0014	Plums (including prunes)	0.5
VP 0538	Podded pea (young pods) [snow and sugar snap]	T1
FP 0009	Pome fruits	2
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01

COMPOUND	FOOD	MRL (mg/kg)
FB 0272	Raspberries, red, black	T7
FB 0275	Strawberry	2
VP 0544	Yard-long bean (pods)	T1
Bifenthrin		
TN 0660	Almonds	T0.1
FP 0226	Apple	*0.05
FI 0326	Avocado	T0.1
FI 0327	Banana	0.1
FB 0264	Blackberries	T3
FB 0020	Blueberries	T3
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas {except Cabbages, head}	0.5
VB 0041	Cabbages, head	T0.5
VS 0624	Celery	T*0.01
GC 0080	Cereal grains	*0.02
FS 0013	Cherries	T3
VL 0465	Chervil	T0.5
	Chia	T0.2
FC 0001	Citrus fruits	*0.05
FB 0277	Cloudberry	T3
VP 0526	Common bean (pods and/or immature seeds)	0.7
SO 0691	Cotton seed	0.1
VC 0424	Cucumber	0.5
FB 0021	Currants, black, red, white	T3
FB 0266	Dewberries (including boysenberry and loganberry)	T3
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.05
VD 0561	Field pea (dry)	T*0.01
VC 0045	Fruiting vegetables, cucurbits {except Cucumber}	0.1
VO 0050	Fruiting vegetables, other than cucurbits	0.5

COMPOUND	FOOD	MRL (mg/kg)
HS 0784	Ginger, root	T*0.01
FB 0268	Gooseberry	T3
FB 0269	Grapes	*0.01
HH 0092	Herbs	T0.5
VL 0053	Leafy vegetables {except Chervil; Mizuna; Rucola [rocket]}	*0.01
VD 0545	Lupin (dry)	T*0.02
MM 0095	Meat (mammalian) [in the fat]	2
ML 0106	Milks	0.5
	Mizuna	T0.5
FT 0305	Olives	T0.5
FP 0230	Pear	0.5
VP 0063	Peas	*0.01
	Peppers, chili, other cultivars	0.5
FI 0353	Pineapple	*0.01
SO 0698	Poppy seed	*0.02
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses {except Field pea (dry); Lupin (dry)}	*0.02
SO 0495	Rape seed [canola]	*0.02
FB 0272	Raspberries, red, black	T3
VL 0496	Rucola [rocket]	T0.5
FS 0012	Stone fruits {except Cherries}	1
GS 0659	Sugar cane	T0.7
VR 0508	Sweet potato	*0.05
VF 0371	Truffle	T*0.01
Bioresmethrin		
FI 0345	Mango	T0.5
Bitertanol		
VP 0061	Beans, except broad bean and soya bean	0.5
MO 0105	Edible offal (mammalian)	3
PE 0112	Eggs	*0.01

COMPOUND	FOOD	MRL (mg/kg)
MM 0095	Meat (mammalian) [in the fat]	0.3
ML 0106	Milks	0.2
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Bixafen		
	All other foods	0.03
GC 0080	Cereal grains	*0.01
SO 0691	Cotton seed	T0.3
OC 0691	Cotton seed oil, crude	T0.5
MO 0105	Edible offal (mammalian)	0.7
PE 0112	Eggs	*0.02
VD 0545	Lupin (dry)	T0.1
MM 0095	Meat (mammalian) [in the fat]	0.2
FM 0183	Milk fats	0.5
ML 0106	Milks	0.05
SO 0088	Oilseed {except Cotton seed}	*0.01
PM 0110	Poultry meat [in the fat]	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses {except Lupin (dry)}	*0.01
Bixlozone		
GC 0640	Barley	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat [mammalian]	*0.01
ML 0106	Milks	*0.01
PO 0111	Poultry, Edible offal of	*0.01
PM 0110	Poultry meat	*0.01
SO 0495	Rape seed [canola]	*0.01
GC 0654	Wheat	*0.01
Boscalid		
VD 0560	Adzuki bean (dry)	T3
	All other foods	0.5
FB 0264	Blackberries	T10

COMPOUND	FOOD	MRL (mg/kg)
FB 0020	Blueberries	T15
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
VA 0035	Bulb vegetables [alliums] {except Onion, bulb}	T5
VS 0624	Celery	T15
FS 0013	Cherries	T3
VD 0524	Chick-pea (dry)	T3
FB 0277	Cloudberry	T10
FB 0266	Dewberries (including boysenberry and loganberry)	T10
DF 0269	Dried grapes (= currants, raisins and sultanas)	15
MO 0105	Edible offal (mammalian)	0.3
VC 0045	Fruiting vegetables, cucurbits	0.5
VO 0050	Fruiting vegetables, other than cucurbits	1
FB 0269	Grapes	4
VL 0053	Leafy vegetables	30
VP 0060	Legume vegetables	3
VD 0533	Lentil (dry)	T3
VD 0545	Lupin (dry)	T3
MM 0095	Meat (mammalian) [in the fat]	0.3
FM 0183	Milk fats	0.7
ML 0106	Milks	0.1
VA 0385	Onion, bulb	0.5
SO 0697	Peanut	T0.1
OR 0697	Peanut oil, edible	T0.7
TN 0675	Pistachio nut	T2
FP 0009	Pome fruits	2
FB 0272	Raspberries, red, black	T10
VR 0075	Root and tuber vegetables	1
	Silvanberries	T10
FB 4094	Youngberry	T10
Bromacil		

COMPOUND	FOOD	MRL (mg/kg)
VS 0621	Asparagus	*0.04
FC 0001	Citrus fruits	*0.04
MO 0105	Edible offal (mammalian)	*0.04
MM 0095	Meat (mammalian)	*0.04
ML 0106	Milks	*0.04
FI 0353	Pineapple	*0.04
Bromoxynil		
GC 0080	Cereal grains	*0.2
MO 0105	Edible offal (mammalian)	T3
PE 0112	Eggs	*0.02
VA 0381	Garlic	T*0.05
FB 0269	Grapes	*0.01
SO 3154	Hempseed	T*0.02
SO 0693	Linseed	*0.02
MM 0095	Meat (mammalian) [in the fat]	T1
ML 0106	Milks	T0.1
VA 0385	Onion, bulb	*0.01
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
GS 0659	Sugar cane	*0.02
TN 0678	Walnuts	T*0.01
Bupirimate		
FP 0226	Apple	1
VO 0440	Egg plant [aubergine]	1
VC 0045	Fruiting vegetables, cucurbits	1
VO 0051	Peppers	0.7
FB 0275	Strawberry	*0.01
VO 0448	Tomato	T1
Buprofezin		
	All other foods	0.1
VS 0624	Celery	T5
GC 0080	Cereal grains	*0.01
FC 0001	Citrus fruits	2

COMPOUND	FOOD	MRL (mg/kg)
SO 0691	Cotton seed	0.3
FI 0332	Custard apple	0.1
DF 0269	Dried grapes (= currants, raisins and sultanas)	1
MO 0105	Edible offal (mammalian)	*0.05
VC 0045	Fruiting vegetables, cucurbits	T2
VO 0050	Fruiting vegetables, other than cucurbits {except Tomato}	T2
FB 0269	Grapes	0.3
VL 0483	Lettuce, leaf	T10
FI 0343	Litchi	T0.5
FI 0345	Mango	0.2
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.01
SO 0088	Oilseed {except Cotton seed}	*0.01
OC 0305	Olive Oil, crude	T2
FT 0305	Olives	T0.5
FI 0351	Passion fruit	2
FP 0230	Pear	0.2
	Peppers, chili, other cultivars	T2
FT 0307	Persimmon, Japanese	1
VD 0070	Pulses	*0.01
VO 0448	Tomato	1
FT 0312	Tree tomato	T1
TN 0678	Walnut	T0.05
Butafenacil		
GC 0080	Cereal grains {except Rice}	*0.02
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.01
FB 0269	Grapes	T*0.02
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
FP 0009	Pome fruits	T*0.02
PM 0110	Poultry meat	*0.01

COMPOUND	FOOD	MRL (mg/kg)
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	*0.01
SO 0495	Rape seed [canola]	*0.01
FS 0012	Stone fruits	T*0.02
Butroxydim		
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VP 0060	Legume vegetables	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0088	Oilseed	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	*0.01
Cadusafos		
FI 0327	Banana	*0.01
FC 0001	Citrus fruits	*0.01
HS 0784	Ginger, root	0.1
GS 0659	Sugar cane	*0.01
VO 0448	Tomato	*0.01
Captan		
TN 0660	Almonds	0.3
FB 0018	Berries and other small fruits {except Blueberries; Grapes; Strawberries}	T30
FB 0020	Blueberries	20
VD 0524	Chick-pea (dry)	T0.1
VC 0424	Cucumber	T5
DF 0269	Dried grapes (= currants, raisins and sultanas)	15
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.02
FB 0269	Grapes	10
VD 0533	Lentil (dry)	T0.1

COMPOUND	FOOD	MRL (mg/kg)
VL 0483	Lettuce, leaf	T15
FC 0003	Mandarins	T3
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
VO 0444	Peppers, chili	T7
	Peppers, chili, other cultivars	T7
VO 0445	Peppers, sweet [capsicum]	T7
FP 0009	Pome fruits	10
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
FS 0012	Stone fruits	15
FB 0275	Strawberry	10
TN 0085	Tree nuts {except Almonds}	3
Carbaryl		
FI 0326	Avocado	2
GC 0640	Barley	15
VR 0574	Beetroot	0.5
SB 0715	Cacao beans	0.02
GC 0080	Cereal grains {except Barley; Rice; Sorghum}	5
TN 0665	Coconut	*0.01
SO 0691	Cotton seed	3
MO 0105	Edible offal (mammalian)	3
PE 0112	Eggs	*0.02
FI 0335	Feijoa	*0.01
VC 0045	Fruiting vegetables, cucurbits	*0.01
FB 0269	Grapes	*0.01
FT 0336	Guava	*0.01
TN 0666	Hazelnuts	0.01
FT 0300	Jaboticaba	*0.01
FI 0338	Jackfruit	*0.01
FC 0204	Lemon	3
FI 0343	Litchi	*0.01
FI 0342	Longan	*0.01

COMPOUND	FOOD	MRL (mg/kg)
TN 0669	Macadamia nuts	2
FI 0345	Mango	2
MM 0095	Meat (mammalian)	0.07
ML 0106	Milks	0.1
SO 0088	Oilseed {except Cotton seed}	0.1
FC 0004	Oranges, sweet, sour	3
TN 0672	Pecan	2
FP 0009	Pome fruits	0.2
VR 0589	Potato	0.1
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	0.2
VD 0070	Pulses	0.1
FI 0358	Rambutan	*0.01
FB 0272	Raspberries, red, black	15
GC 0649	Rice	7
GC 0651	Sorghum	10
FS 0012	Stone fruits {except Cherries}	0.5
FB 0275	Strawberry	*0.01
VR 0497	Swede	2
VR 0508	Sweet potato	0.1
VR 0506	Turnip, garden	2
CM 0654	Wheat bran, unprocessed	10
Carbendazim		
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.1
VA 0381	Garlic	T*0.01
TN 0669	Macadamia nuts	0.1
MM 0095	Meat (mammalian)	0.2
ML 0106	Milks	*0.1
VF 0450	Mushrooms	T1
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
VD 0070	Pulses	0.5

COMPOUND	FOOD	MRL (mg/kg)
Carbetamide		
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
PO 0111	Poultry, edible offal of	*0.05
PM 0110	Poultry meat	*0.05
VD 0070	Pulses	*0.01
Carbon disulfide		
GC 0080	Cereal grains	10
VD 0070	Pulses	T10
Carbonyl sulphide		
GC 0080	Cereal grains	T0.2
VD 0070	Pulses	T0.2
SO 0495	Rape seed [canola]	T0.2
Carboxin		
GC 0080	Cereal grains	0.1
Carfentrazone-ethyl		
FT 0026	Assorted tropical and sub-tropical fruits - edible peel	*0.05
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	*0.05
FB 0018	Berries and other small fruits {except Grapes}	*0.05
GC 0080	Cereal grains	*0.05
FC 0001	Citrus fruits	*0.05
SO 0691	Cotton seed	T*0.05
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
FB 0269	Grapes	*0.05
DH 1100	Hops, dry	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.025
FP 0009	Pome fruits	*0.05

COMPOUND	FOOD	MRL (mg/kg)
VR 0589	Potato	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
FS 0012	Stone fruits	*0.05
TN 0085	Tree nuts	*0.05
Ceftiofur		
MF 0812	Cattle fat	0.5
MM 0812	Cattle meat	0.1
ML 0812	Cattle milk	0.1
MO 0812	Cattle, edible offal of	2
Cefuroxime		
MM 0812	Cattle meat	*0.1
ML 0812	Cattle milk	*0.1
MO 0812	Cattle, edible offal of	*0.1
Cephalonium		
MM 0812	Cattle meat	*0.1
ML 0812	Cattle milk	*0.02
MO 0812	Cattle, edible offal of	*0.1
Cephapirin		
MM 0812	Cattle meat	*0.02
ML 0812	Cattle milk	*0.01
MO 0812	Cattle, edible offal of	*0.02
Chinomethionat see Oxythioquinox		
Chlorantraniliprole		
	All other foods	T0.1
FI 0326	Avocado	T2
FB 0020	Blueberries	T3
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
FB 2005	Cane berries	T1
VS 0624	Celery	5
FC 0001	Citrus fruits	T0.7

COMPOUND	FOOD	MRL (mg/kg)
	Coriander (leaves, stems and roots)	T20
SO 0691	Cotton seed	0.3
DF 0167	Dried fruits	2
MO 0105	Edible offal (mammalian)	0.02
PE 0112	Eggs	0.03
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits {except Peppers, Chili; Sweet corn (corn-on-the-cob)}	0.3
HS 0784	Ginger, root	T0.1
FB 0269	Grapes	0.3
SO 3154	Hempseed	T1
HH 0092	Herbs	T20
VL 0053	Leafy vegetables {except Lettuce, head; Rucola [rocket]}	15
VP 0060	Legume vegetables	1
VL 0482	Lettuce, head	3
SO 0693	Linseed	T0.5
GC 2091	Maize cereals	T*0.01
MM 0095	Meat (mammalian) [in the fat]	0.02
	Mexican tarragon	T20
FM 0183	Milk fats	0.1
ML 0106	Milks	0.02
VD 0536	Mung bean (dry)	0.7
SO 0697	Peanut	T0.02
VO 0444	Peppers, chili	1
FP 0009	Pome fruits	0.3
VR 0589	Potato	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses {except Mung bean (dry)}	0.07
GC 0649	Rice	T0.3
VS 0627	Rhubarb	5
VR 0075	Root and tuber vegetables {except Potato}	T0.5

COMPOUND	FOOD	MRL (mg/kg)
VL 0496	Rucola [rocket]	T20
SO 0700	Sesame seed	T0.5
FS 0012	Stone fruits	1
FB 0275	Strawberry	T2
GS 0659	Sugar cane	T0.5
SO 2091	Sunflower seeds	T0.1
VO 0447	Sweet corn (corn-on-the-cob)	*0.01
TN 0085	Tree nuts	0.1
Chlordane		
GC 0080	Cereal grains	E0.02
FC 0001	Citrus fruits	E0.02
OC 0691	Cotton seed oil, crude	E0.05
OR 0691	Cotton seed oil, edible	E0.02
WC 0143	Crustaceans	E0.05
WD 0120	Diadromous fish	E0.05
MO 0105	Edible offal (mammalian)	E0.02
PE 0112	Eggs	E0.02
WF 0115	Freshwater fish	E0.05
VC 0045	Fruiting vegetables, cucurbits	E0.05
OC 0693	Linseed oil, crude	E0.05
WS 0125	Marine fish	E0.05
MM 0095	Meat (mammalian) [in the fat]	E0.2
ML 0106	Milks [in the fat]	E0.05
IM 0150	Molluscs, including cephalopods	E0.05
FI 0353	Pineapple	E0.02
FP 0009	Pome fruits	E0.02
OC 0541	Soya bean oil, crude	E0.05
OR 0541	Soya bean oil, refined	E0.02
FS 0012	Stone fruits	E0.02
VR 0596	Sugar beet	E0.1
	Vegetables {except Fruiting vegetables, cucurbits; Sugar beet}	E0.02
Chlorfenapyr		
VB 0040	Brassica (cole or cabbage)	0.5

COMPOUND	FOOD	MRL (mg/kg)
	vegetables, head cabbages, flowerhead brassicas	
VL 0054	Brassica leafy vegetables {except Chinese cabbage}	T3
VL 0467	Chinese cabbage	3
SO 0691	Cotton seed	0.5
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian) [in the fat]	0.05
ML 0106	Milks	*0.01
	Mizuna	T3
VA 0387	Onion, Welsh	T1
FS 0247	Peach	1
FP 0009	Pome fruits	0.5
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
VL 0496	Rucola [rocket]	T5
VA 0388	Shallot	T1
VA 0389	Spring onion	T1
Chlorfenvinphos		
MM 0812	Cattle meat [in the fat]	T0.2
ML 0812	Cattle milk [in the fat]	T0.2
MO 0812	Cattle, edible offal of	T*0.1
MM 0813	Deer meat [in the fat]	T0.2
MM 0814	Goat meat [in the fat]	T0.2
MO 0814	Goat, edible offal of	T*0.1
MM 0822	Sheep meat [in the fat]	T0.2
MO 0822	Sheep, edible offal of	T*0.1
Chlorhexidine		
ML 0106	Milks	0.05
MF 0822	Sheep fat	*0.5
MM 0822	Sheep meat	*0.5
MO 0822	Sheep, edible offal of	*0.5
Chloridazon		

COMPOUND	FOOD	MRL (mg/kg)
VR 0574	Beetroot	*0.05
	Beetroot leaves	1
VL 0464	Chard [silver beet]	1
VL 0502	Spinach	1
Chlormequat		
GC 0640	Barley	T2
DF 0269	Dried grapes (= currants, raisins and sultanas)	0.75
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	0.1
FB 0269	Grapes	0.75
MM 0095	Meat (mammalian)	0.2
ML 0106	Milks	0.5
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	0.1
GC 0654	Wheat	5
Chloropicrin		
GC 0080	Cereal grains	*0.1
Chlorothalonil		
TN 0660	Almonds	T0.1
FS 0240	Apricot	7
VS 0621	Asparagus	T*0.1
FI 0327	Banana	3
FB 0018	Berries and other small fruits {except Currants, black; Grapes}	T10
VB 0402	Brussels sprouts	7
VR 0577	Carrot	7
VS 0624	Celery	10
FS 0013	Cherries	10
	Coriander (leaves, stems and roots)	T20
FB 0278	Currant, black	10
MO 0105	Edible offal (mammalian)	7
VO 0440	Egg plant [aubergine]	T10
PE 0112	Eggs	*0.05

COMPOUND	FOOD	MRL (mg/kg)
VA 0380	Fennel, bulb	5
HH 0731	Fennel, leaf	5
HS 0731	Fennel, seed	5
VC 0045	Fruiting vegetables, cucurbits	5
VR 0581	Galangal, greater	T7
VR 0582	Galangal, lesser	T7
VA 0381	Garlic	10
FB 0269	Grapes	10
VL 0053	Leafy vegetables {except Lettuce}	T100
VA 0384	Leek	T10
VL 0482	Lettuce, head	T10
VL 0483	Lettuce, leaf	T10
FI 0345	Mango	T1
MM 0095	Meat (mammalian) [in the fat]	2
ML 0106	Milks	0.05
FS 0245	Nectarine	7
VA 0385	Onion, bulb	10
VA 0387	Onion, Welsh	T10
FI 0350	Papaya [pawpaw]	10
HH 0740	Parsley	T20
FS 0247	Peach	30
SO 0697	Peanut	0.2
VP 0063	Peas	10
FI 0352	Persimmon, American	T5
FT 0307	Persimmon, Japanese	T5
TN 0675	Pistachio nut	T0.1
FS 0014	Plums (including prunes)	10
VR 0589	Potato	0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	3
GC 0649	Rice	T*0.1
VA 0388	Shallot	T10

COMPOUND	FOOD	MRL (mg/kg)
VA 0389	Spring onion	T10
SO 0702	Sunflower seed	T*0.01
VO 0448	Tomato	10
FT 0312	Tree tomato	T10
HS 0794	Turmeric, root	T7
	Vegetables {except Asparagus; Brussels sprouts; Carrot; Celery; Fennel bulb; Fruiting vegetables, cucurbits; Galangal, greater; Galangal, lesser; Garlic; Peas; Leafy vegetables; Leek; Onion, bulb; Potato; Pulses; Spring onion; Tomato}	T7
	Wasabi	T7
Chlorpropham		
VR 0589	Potato	30
Chlorpyrifos		
VS 0621	Asparagus	T0.5
FI 0326	Avocado	0.5
FI 0327	Banana	T0.5
FB 0020	Blueberries	*0.01
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.5
FB 2005	Cane berries	T*0.01
VR 0463	Cassava	T*0.02
VS 0624	Celery	T5
GC 0080	Cereal grains {except Sorghum}	T0.1
FC 0001	Citrus fruits	T0.5
SB 0716	Coffee beans	T0.5
SO 0691	Cotton seed	0.05
OC 0691	Cotton seed oil, crude	0.2
DF 0167	Dried fruits	T2
MO 0105	Edible offal (mammalian)	T0.1
PE 0112	Eggs	T*0.01
HS 0784	Ginger, root	*0.02
FB 0269	Grapes	T1

COMPOUND	FOOD	MRL (mg/kg)
FI 0341	Kiwifruit	2
VA 0384	Leek	T5
FI 0345	Mango	*0.05
MM 0095	Meat (mammalian) [in the fat]	T0.5
ML 0106	Milks [in the fat]	T0.2
SO 0089	Oilseed except peanut	T0.01
FT 0305	Olives	T*0.05
HH 0740	Parsley	0.05
FI 0351	Passion fruit	*0.05
SO 0697	Peanut	T*0.01
VO 0445	Peppers, sweet [capsicum]	T1
FI 0352	Persimmon, American	T1
FT 0307	Persimmon, Japanese	T1
FI 0353	Pineapple	T0.5
FP 0009	Pome fruits	T0.5
VR 0589	Potato	0.05
PM 0110	Poultry meat [in the fat]	T0.1
PO 0111	Poultry, edible offal of	T0.1
GC 0651	Sorghum	T3
FI 0367	Star apple	T*0.05
FS 0012	Stone fruits	T1
FB 0275	Strawberry	0.05
GS 0659	Sugar cane	T0.1
VR 0497	Swede	T0.3
VR 0508	Sweet Potato	T0.05
VR 0505	Taro	0.05
VO 0448	Tomato	T0.5
TN 0085	Tree nuts	T0.05
	Vegetables {except Asparagus; Brassica vegetables; Cassava; Celery, Leek; Peppers, sweet [capsicum]; Potato; Swede; Sweet potato; Taro; Tomato}	T*0.01
Chlorpyrifos-methyl		
GC 0080	Cereal grains {except Rice}	10

COMPOUND	FOOD	MRL (mg/kg)
SO 0691	Cotton seed	*0.01
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VD 0545	Lupin (dry)	10
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks [in the fat]	*0.05
SO 0088	Oilseed {except Cotton seed}	0.15
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses {except Lupin (dry)}	0.15
CM 0654	Wheat bran, unprocessed	20
CF 1210	Wheat germ	30
Chlorsulfuron		
GC 0080	Cereal grains	*0.05
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
Chlortetracycline		
MM 0812	Cattle meat	0.1
MO 1280	Cattle, kidney	0.6
MO 1281	Cattle, liver	0.3
PE 0112	Eggs	0.2
MM 0818	Pig meat	0.1
MO 1284	Pig, kidney	0.6
MO 1285	Pig, liver	0.3
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.6
Chlorthal-dimethyl		
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VL 0482	Lettuce, head	2
VL 0483	Lettuce, leaf	2
MM 0095	Meat (mammalian)	*0.05

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks	*0.05
HH 0740	Parsley	T2
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
	Vegetables {except Lettuce}	5
Cinmethylin		
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PO 0111	Poultry, edible offal of	*0.01
PM 0110	Poultry meat	*0.01
GC 0654	Wheat	*0.01
Clavulanic acid		
MM 0812	Cattle meat	*0.01
ML 0812	Cattle milk	*0.01
MO 0812	Cattle, edible offal of	*0.01
Clodinafop acid		
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.1
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
GC 0654	Wheat	*0.1
Clodinafop-propargyl		
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GC 0654	Wheat	*0.05

COMPOUND	FOOD	MRL (mg/kg)
Clofentezine		
TN 0660	Almonds	0.5
FI 0327	Banana	*0.01
MO 0105	Edible offal (mammalian)	T*0.05
DH 1100	Hops, dry	*0.2
MM 0095	Meat (mammalian)	T*0.05
ML 0106	Milks	T*0.05
FP 0009	Pome fruits	0.1
FS 0012	Stone fruits	0.1
VO 0448	Tomato	0.5
Clomazone		
VP 0061	Beans, except broad bean and soya bean	*0.05
VP 0526	Common bean (pods and/or immature seeds)	T*0.05
MO 0105	Edible offal (mammalian)	*0.03
PE 0112	Eggs	*0.03
VC 0045	Fruiting vegetables, cucurbits	*0.05
MM 0095	Meat (mammalian)	*0.03
ML 0106	Milks	*0.03
SO 0698	Poppy seed	*0.05
VR 0589	Potato	*0.05
PM 0110	Poultry meat	*0.03
PO 0111	Poultry, edible offal of	*0.03
SO 0495	Rape seed [canola]	*0.01
GC 0649	Rice	*0.01
Clopyralid		
VB 0404	Cauliflower	T0.2
GC 0080	Cereal grains	2
MO 0105	Edible offal (mammalian) {except Kidney}	0.5
DH 1100	Hops, dry	2
MO 0098	Kidney of cattle, goats, pigs and sheep	5
MM 0095	Meat (mammalian)	0.1

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks	0.05
SO 0698	Poppy seed	T1
SO 0495	Rape seed [canola]	0.5
Cloquintocet-mexyl		
GC 0080	Cereal grains	*0.1
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.1
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
SO 0698	Poppy seed	T*0.02
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
Clorsulon		
MM 0812	Cattle meat	*0.1
ML 0812	Cattle Milk	1.5
MO 0812	Cattle, edible offal of	*0.1
Closantel		
MM 0822	Sheep meat	2
MO 0822	Sheep, edible offal of	5
Clothianidin		
	All other foods	T0.1
TN 0660	Almonds	0.05
FI 0327	Banana	*0.02
FB 0020	Blueberries	T*0.01
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
GC 0080	Cereal grains {except Maize; Popcorn; Sorghum}	*0.02
FI 0331	Cherimoya	T0.1
FC 0001	Citrus fruits	0.5
VD 0526	Common bean (dry) [navy bean (dry)]	T0.1
SO 0691	Cotton seed	*0.02
FI 0332	Custard apple	T0.1

COMPOUND	FOOD	MRL (mg/kg)
DF 0269	Dried grapes (= currants, raisins and sultanas)	10
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
VC 0045	Fruiting vegetables, cucurbits	T0.5
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn on the cob); Mushrooms}	T0.7
FB 0269	Grapes {except Wine-grapes}	3
FI 0337	Llama	T0.1
VL 0053	Leafy vegetables	0.7
GC 0645	Maize	*0.01
FI 0345	Mango	T2
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.01
VD 0536	Mung bean (dry)	T0.1
SO 0305	Olives for oil production	T0.3
FI 0352	Persimmon, American	2
FT 0307	Persimmon, Japanese	2
FP 0009	Pome fruits	2
GC 0656	Popcorn	*0.01
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
SO 0495	Rape seed [canola]	*0.01
GC 0651	Sorghum	*0.01
FI 0365	Soursop	T0.1
VD 0541	Soya bean (dry)	T0.02
FS 0012	Stone fruits	3
FI 0368	Sugar apple	T0.1
GS 0659	Sugar cane	0.1
SO 0702	Sunflower seed	*0.01
VO 0447	Sweet corn (corn-on-the-cob)	0.02
FT 0305	Table olives	T0.3
FB 1236	Wine-grapes	0.07

COMPOUND	FOOD	MRL (mg/kg)
Cloxacillin		
ML 0812	Cattle milk	*0.01
Coumaphos		
MF 0812	Cattle fat	*0.02
ML 0812	Cattle milk	*0.01
FM 0812	Cattle milk fat	0.1
	Cattle muscle	*0.02
MO 1280	Cattle, kidney	*0.02
MO 1281	Cattle, liver	*0.02
Coumatetralyl		
MF 0818	Pig fat	T*0.001
MM 0818	Pig meat	T*0.001
MO 0818	Pig, edible offal of {except Liver}	T0.003
MO 1285	Pig, liver	T0.004
Cyanamide		
TN 0660	Almonds	*0.01
FP 0226	Apple	*0.02
FB 0020	Blueberries	*0.05
FB 0269	Grapes	*0.05
FI 0341	Kiwifruit	*0.1
FP 0230	Pear, oriental [nashi]	*0.1
FS 0014	Plums (including prunes)	*0.02
TN 0678	Walnuts	*0.02
Cyanazine		
VA 0035	Bulb vegetables [alliums]	*0.02
GC 0080	Cereal grains	*0.01
VA 0384	Leek	0.05
VP 0063	Peas	0.02
VP 0538	Podded pea (young pods) [snow and sugar snap]	T0.05
VR 0589	Potato	0.02
VD 0070	Pulses	*0.01
VO 0447	Sweet corn (corn-on-the-cob)	*0.02
Cyantraniliprole		

COMPOUND	FOOD	MRL (mg/kg)
	All other foods	0.05
VA 0035	Bulb vegetables [alliums] {except Onion, bulb}	7
VS 0624	Celery	T7
FC 0001	Citrus fruits	0.7
VP 0526	Common beans (pods and/or immature seeds)	T1
SO 0691	Cotton seed	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.5
VO 0050	Fruiting vegetables, other than cucurbits	2
MM 0095	Meat (mammalian) [in the fat]	*0.01
FM 0183	Milk fats	*0.01
ML 0106	Milks	*0.01
VA 0385	Onion, bulb	0.05
VR 0589	Potato	0.05
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
FB 0275	Strawberry	0.7
VR 0508	Sweet potato	T0.05
Cyazofamid		
HH 0722	Basil	T30
DH 0722	Basil, dry	T90
VB 0040	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, and Flowerhead Brassicas	2
VL 0054	Brassica Leafy Vegetables	15
VL 0464	Chard [silver beet]	T10
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
HH 0740	Parsley	T10

COMPOUND	FOOD	MRL (mg/kg)
SO 0698	Poppy seed	T*0.01
VR 0589	Potato	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VL 0502	Spinach	T10
Cyclanilide		
SO 0691	Cotton seed	0.2
OC 0691	Cotton seed oil, crude	*0.01
MO 0105	Edible offal (mammalian)	2
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	0.05
ML 0106	Milks	0.05
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Cyclanilprole		
FP 0226	Apple	0.1
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Cyflufenamid		
DF 0269	Dried grapes (= currants, raisins and sultanas)	0.5
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.1
FB 0269	Grapes	0.1
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
FB 0275	Strawberry	0.3

COMPOUND	FOOD	MRL (mg/kg)
Cyfluthrin		
FI 0326	Avocado	0.1
	Chia	T*0.05
FI 0332	Custard apple	T0.1
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
FI 0343	Litchi	T0.3
TN 0669	Macadamia nuts	0.05
MF 0100	Mammalian fats {except Milk fat}	0.5
FI 0345	Mango	T0.1
MM 0095	Meat (mammalian)	0.02
ML 0106	Milks	0.1
FI 0350	Papaya [pawpaw]	T0.2
FI 0352	Persimmon, American	T0.1
FT 0307	Persimmon, Japanese	T0.1
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
Cyhalofop-butyl		
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GC 0649	Rice	*0.01
Cyhalothrin		
GC 0640	Barley	0.2
VR 0574	Beetroot	*0.01
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.1
VB 0040		
GC 0080	Cereal grains {except Barley; Sorghum; Wheat}	*0.01
VL 0464	Chard [silver beet]	T0.5

COMPOUND	FOOD	MRL (mg/kg)
FC 0001	Citrus fruits	*0.01
	Coriander (leaves, stems and roots)	T1
SO 0691	Cotton seed	*0.02
VC 0424	Cucumber	T0.05
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
VA 0381	Garlic	*0.05
TN 0666	Hazelnuts	T*0.01
VP 0060	Legume vegetables	0.1
MM 0095	Meat (mammalian) [in the fat]	0.5
ML 0106	Milks [in the fat]	0.5
VA 0385	Onion, bulb	*0.05
VA 0387	Onion, Welsh	T0.05
HH 0740	Parsley	T1
VR 0589	Potato	*0.01
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses {except Soya bean (dry)}	0.2
VR 0494	Radish	*0.01
SO 0495	Rape seed [canola]	0.02
VA 0388	Shallot	T0.05
GC 0651	Sorghum	0.5
VD 0541	Soya bean (dry)	*0.02
VA 0389	Spring onion	T0.05
SO 0702	Sunflower seed	*0.01
VO 0448	Tomato	0.02
GC 0654	Wheat	*0.05
Cypermethrin		
VD 0560	Adzuki bean (dry)	T0.05
	All other foods	*0.01
VS 0621	Asparagus	0.5
FI 0326	Avocado	T0.2
VR 0574	Beetroot	T0.1

COMPOUND	FOOD	MRL (mg/kg)
FB 0020	Blueberries	T0.5
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
VD 0523	Broad bean (dry) [faba bean (dry)]	0.05
MM 0812	Cattle meat [in the fat]	0.5
MO 0812	Cattle, edible offal of	0.05
VS 0624	Celery	T1
GC 0080	Cereal grains {except Wheat}	1
VD 0524	Chick-pea (dry)	0.2
VD 0526	Common bean (dry) [navy bean (dry)]	0.05
	Coriander (leaves, stems and roots)	T5
SO 0691	Cotton seed	0.2
OC 0691	Cotton seed oil, crude	*0.02
MM 0813	Deer meat [in the fat]	T0.5
PE 0112	Eggs	0.05
VD 0561	Field pea (dry)	0.05
VC 0045	Fruiting vegetables, cucurbits	T0.3
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn on the cob); Tomato}	T1
MM 0814	Goat meat [in the fat]	0.5
MO 0814	Goat, edible offal of	0.05
FB 0269	Grapes	T0.05
SO 3154	Hempseed	T0.1
HH 0072	Herbs	T5
MM 0816	Horse meat [in the fat]	*0.05
MO 0816	Horse, edible offal of	*0.05
VL 0053	Leafy vegetables {except Lettuce, head}	T5
VA 0384	Leek	T0.5
VD 0533	Lentil (dry)	T0.05
VL 0482	Lettuce, head	2
	Linola oil, edible	0.1
	Linola seed	0.1

COMPOUND	FOOD	MRL (mg/kg)
SO 0693	Linseed	0.5
VD 0545	Lupin (dry)	*0.01
ML 0106	Milks [in the fat]	1
VD 0536	Mung bean (dry)	0.05
FT 0305	Olives	T*0.05
VA 0385	Onion, bulb	*0.01
VA 0387	Onion, Welsh	T0.5
SO 0697	Peanut	T*0.05
VP 0063	Peas	1
	Peppers, chili, other cultivars	T1
FI 0352	Persimmon, American	T0.2
F 0307	Persimmon, Japanese	T0.2
MM 0818	Pig meat [in the fat]	*0.05
MO 0818	Pig, Edible offal of	*0.05
FP 0009	Pome fruits	1
SO 0698	Poppy seed	T*0.05
VR 0589	Potato	*0.01
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
VR 0494	Radish	T0.05
SO 0495	Rape seed [canola]	0.2
OR 0495	Rape seed oil, edible	0.2
VA 0388	Shallot	T0.5
MM 0822	Sheep meat [in the fat]	0.5
MO 0822	Sheep, edible offal of	0.05
VD 0541	Soya bean (dry)	0.05
OC 0541	Soya bean oil, crude	0.1
VA 0389	Spring onion	T0.5
FS 0012	Stone fruits {except Cherries}	1
SO 0702	Sunflower seed	0.1
OC 0702	Sunflower seed oil, crude	0.1
VO 0447	Sweet corn (corn-on-the-cob)	0.05
VO 0448	Tomato	0.5

COMPOUND	FOOD	MRL (mg/kg)
GC 0654	Wheat	0.2
Cyproconazole		
GC 0640	Barley	*0.02
MO 0105	Edible offal (mammalian)	1
PE 0112	Eggs	*0.01
GC 0645	Maize	*0.01
MM 0095	Meat (mammalian)	0.03
ML 0106	Milks	*0.01
GC 0647	Oats	0.05
SO 0697	Peanut	0.02
VR 0589	Potato	*0.02
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.05
SO 0495	Rape seed [canola]	T0.02
GC 0650	Rye	*0.02
VD 0447	Sweet corn (corn-on-the-cob)	*0.01
GC 0653	Triticale	*0.02
GC 0654	Wheat	*0.02
Cyprodinil		
TN 0660	Almonds	*0.01
HH 0722	Basil	T5
FB 2250	Bayberries	T3
FT 2303	Bayberry, red	T3
FB 0264	Blackberries	T3
FB 0020	Blueberries	T3
VD 0523	Broad bean (dry) [faba bean (dry)]	T0.2
VA 0035	Bulb vegetables {except Fennel, bulb; Onion, bulb}	3
VD 0524	Chick-pea (dry)	T0.2
HH 0727	Chives	T3
FB 0277	Cloudberry	T3
VP 0526	Common bean (pods and/or immature seeds)	0.7

COMPOUND	FOOD	MRL (mg/kg)
VC 0424	Cucumber	0.5
FB 0266	Dewberries (including boysenberry and loganberry)	T3
DF 0269	Dried grapes (= currants, raisins and sultanas)	5
DH 0170	Dried herbs	T200
MO 0105	Edible offal (mammalian)	*0.01
VO 0440	Egg plant [aubergine]	T0.2
PE 0112	Eggs	T*0.01
FB 0269	Grapes	2
HH 0092	Herbs {except Basil; Chives}	T50
VL 0053	Leafy vegetables	10
FI 0343	Litchi	T2
MM 0095	Meat (mammalian)	*0.01
VC 0046	Melons, except watermelon	T0.2
ML 0106	Milks	*0.01
VA 0385	Onion, bulb	0.2
VP 0063	Peas (pods and succulent = immature seeds)	0.5
VO 0445	Peppers, sweet [capsicum]	0.7
TN 0675	Pistachio nut	T0.1
FP 0009	Pome fruits	0.05
PM 0110	Poultry meat	T*0.01
PO 0111	Poultry, edible offal of	T*0.01
FB 0272	Raspberries, red, black	T3
FS 0012	Stone fruits	*0.01
	Stone fruits (dried)	0.05
FB 0275	Strawberry	5
VO 0448	Tomato	T1
Cyromazine		
VB 0400	Broccoli	T1
MM 0812	Cattle meat	0.05
MO 0812	Cattle, edible offal of	0.05
PE 0112	Eggs	0.2

COMPOUND	FOOD	MRL (mg/kg)
VC 0045	Fruiting vegetables, cucurbits	T0.7
VO 0050	Fruiting vegetables, other than cucurbits {except Mushrooms; Sweet corn (corn-on-the-cob)}	T1
MM 0814	Goat meat	0.2
MO 0814	Goat, edible offal of	0.2
VP 0060	Legume vegetables	T1
VL 0482	Lettuce, head	T8
ML 0106	Milks	*0.01
VO 0450	Mushrooms	10
MM 0818	Pig meat	0.05
MO 0818	Pig, edible offal of	0.05
PM 0110	Poultry meat	0.05
PO 0111	Poultry, edible offal of	0.1
VR 0075	Root and tuber vegetables	T1
MM 0822	Sheep meat	0.2
MO 0822	Sheep, edible offal of	0.2
VS 0078	Stalk and stem vegetables	T7
2,4-D		
GC 0080	Cereal grains	0.2
FS 0013	Cherries	*0.05
FC 0001	Citrus fruits	5
MO 0105	Edible offal (mammalian)	7
PE 0112	Eggs	*0.05
FB 0269	Grapes	T*0.05
VP 0060	Legume vegetables	*0.05
MM 0095	Meat (mammalian) [in the fat]	0.7
ML 0106	Milks	0.1
SO 0088	Oilseed	*0.05
FP 0230	Pear	*0.05
VR 0589	Potato	0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	*0.05

COMPOUND	FOOD	MRL (mg/kg)
GS 0659	Sugar cane	5
TN 0678	Walnuts	*0.05
2,4-DB		
GC 0080	Cereal grains	*0.02
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	0.2
ML 0106	Milks	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
DDT		
GC 0080	Cereal grains	E0.1
WC 0143	Crustaceans	E1
WD 0120	Diadromous fish	E1
MO 0105	Edible offal (mammalian)	E5
PE 0112	Eggs	E0.5
WF 0115	Freshwater fish	E1
	Fruits	E1
WS 0125	Marine fish	E1
MM 0095	Meat (mammalian) [in the fat]	E5
ML 0106	Milks [in the fat]	E1.25
IM 0150	Molluscs, including cephalopods	E1
SO 0697	Peanut	E0.02
PM 0110	Poultry meat [in the fat]	E5
PO 0111	Poultry, edible offal of	E5
OR 0172	Vegetable oils, edible	E1
	Vegetables	E1
Decoquinatate		
	Chicken fat/skin	1
PM 0840	Chicken meat	0.5
	Chicken, kidney	0.8
	Chicken, liver	1
Deltamethrin		

COMPOUND	FOOD	MRL (mg/kg)
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
MM 0812	Cattle meat [in the fat]	0.5
MO 0812	Cattle, edible offal of	0.1
GC 0080	Cereal grains	2
PE 0112	Eggs	*0.01
VO 0050	Fruiting vegetables, other than cucurbits	0.1
MM 0814	Goat meat [in the fat]	0.2
MO 0814	Goat, edible offal of	0.1
VP 0060	Legume vegetables	0.1
ML 0106	Milks	0.05
SO 0088	Oilseed	0.1
MM 0818	Pig meat [in the fat]	0.1
MO 0818	Pig, edible offal of	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.1
MM 0822	Sheep meat [in the fat]	0.2
MO 0822	Sheep, edible offal of	0.1
VO 1275	Sweet corn (kernels)	0.1
CM 0654	Wheat bran, unprocessed	5
CF 1210	Wheat germ	3
Derquantel		
MF 0822	Sheep fat	0.0002
	Sheep muscle	0.0002
MO 1288	Sheep, kidney	0.0002
MO 1289	Sheep, liver	0.0002
Dexamethasone		
MM 0812	Cattle meat	0.1
ML 0812	Cattle milk	*0.05
MO 0812	Cattle, edible offal of	0.1
MM 0816	Horse meat	0.1

COMPOUND	FOOD	MRL (mg/kg)
MO 0816	Horse, edible offal of	0.1
MM 0818	Pig meat	0.1
MO 0818	Pig, edible offal of	0.1
Diafenthuron		
SO 0691	Cotton seed	0.2
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
VC 0045	Fruiting vegetables, cucurbits	0.5
VO 0050	Fruiting vegetables, other than cucurbits	0.5
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.02
SO 0697	Peanut	T0.3
PM 0110	Poultry meat [in the fat]	*0.02
PO 0111	Poultry, edible offal of	*0.02
SO 0495	Rape seed [canola]	*0.01
VD 0541	Soya bean (dry)	T0.3
Diazinon		
GC 0080	Cereal grains	0.1
FC 0001	Citrus fruits	0.7
	Coriander (leaves, stems and roots)	*0.05
HS 0779	Coriander, seed	*0.05
MO 0105	Edible offal (mammalian)	0.7
PE 0112	Eggs	*0.05
	Fruits {except Citrus fruits; Grapes; Olives; Peach}	0.5
FB 0269	Grapes	T2
FI 0341	Kiwifruit	0.5
MM 0095	Meat (mammalian) [in the fat]	0.7
ML 0106	Milks [in the fat]	0.5
OC 0305	Olive oil, crude	2
HH 0740	Parsley	*0.05
FS 0247	Peach	0.7
PM 0110	Poultry meat	*0.05

COMPOUND	FOOD	MRL (mg/kg)
PO 0111	Poultry, edible offal of	*0.05
VA 0388	Shallot	T0.5
VA 0389	Spring onion	T0.5
GS 0659	Sugar cane	0.5
VO 0447	Sweet corn (corn-on-the-cob)	0.7
TN 0085	Tree nuts	0.1
OC 0172	Vegetable oils, crude {except Olive oil, crude}	0.1
	Vegetables	0.7
Dicamba		
GC 0080	Cereal grains	*0.05
SO 0691	Cotton seed	T3
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	0.05
ML 0106	Milks	0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GS 0659	Sugar cane	0.1
DM 0659	Sugar cane molasses	2
Dichlobenil		
FB 0020	Blueberries	T1
FC 0001	Citrus fruits	0.1
FB 0021	Currants, black, red, white	T1
FB 0268	Gooseberry	T1
FB 0269	Grapes	0.1
FP 0009	Pome fruits	0.1
FB 0272	Raspberries, red, black	T1
FS 0012	Stone fruits	0.1
VO 0448	Tomato	0.1
Dichlofluanid		
FB 0018	Berries and other small fruits {except Grapes; Strawberries}	T50
FB 0269	Grapes	0.5

COMPOUND	FOOD	MRL (mg/kg)
SO 0697	Peanut	*0.02
FB 0275	Strawberry	10
VO 0448	Tomato	1
Dichlorprop-P		
FC 0001	Citrus fruits	0.2
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.05
Dichlorvos		
GC 0080	Cereal grains	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0088	Oilseed	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	*0.01
Diclofop-methyl		
GC 0080	Cereal grains	0.1
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VD 0545	Lupin (dry)	0.1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
SO 0088	Oilseed	0.1
VP 0063	Peas	0.1
SO 0698	Poppy seed	0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05

COMPOUND	FOOD	MRL (mg/kg)
Dicofol		
TN 0660	Almonds	5
SO 0691	Cotton seed	0.1
VC 0424	Cucumber	2
	Fruits {except Strawberry}	5
VC 0425	Gherkin	2
DH 1100	Hops, dry	5
FB 0275	Strawberry	1
DT 1114	Tea, green, black (black, fermented and dried)	5
VO 0448	Tomato	1
	Vegetables {except Cucumber; Gherkin; Tomato}	5
Dicyclanil		
MF 0822	Sheep fat	0.3
MM 0822	Sheep meat	0.3
MO 1288	Sheep, kidney	0.3
MO 1289	Sheep, liver	0.3
Didecyldimethylammonium chloride		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	20
Difenoconazole		
	Anise myrtle leaves (dried)	T10
VS 0621	Asparagus	*0.05
FI 0326	Avocado	0.5
FI 0327	Banana	*0.02
VR 0574	Beetroot	0.5
VL 0054	Brassica leafy vegetables	T5
VR 0577	Carrot	0.2
VR 0578	Celeriac	T1
VS 0624	Celery	3
GC 0080	Cereal grains	*0.01
VL 0464	Chard [silver beet]	T5
VL 0469	Chicory leaves (green and red	T5

COMPOUND	FOOD	MRL (mg/kg)
	cultivars)	
SB 0716	Coffee beans	T*0.01
	Coriander (leaves, stems and roots)	T20
SO 0691	Cotton seed	T0.05
DF 0269	Dried grapes (= currants, raisins and sultanas)	6
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VL 0476	Endive	T5
FB 0269	Grapes	2
	Lemon myrtle leaves (dried)	T10
TN 0669	Macadamia nuts	*0.01
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
	Mizuna	T5
FI 0350	Papaya [pawpaw]	1
HH 0749	Parsley	T20
FP 0009	Pome fruits	0.3
SO 0698	Poppy seed	T*0.01
VR 0589	Potato	*0.02
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
	Riberries	T1
VL 0502	Spinach	T5
VO 0448	Tomato	0.5
Diflubenzuron		
MM 0812	Cattle meat [in the fat]	*0.02
ML 0812	Cattle milk	0.05
MO 0812	Cattle, edible offal of	*0.02
	Fish muscle	T*0.002
VO 0450	Mushrooms	0.1
MM 0822	Sheep meat [in the fat]	0.05
ML 0822	Sheep milk	0.05
MO 1288	Sheep, kidney	0.05

COMPOUND	FOOD	MRL (mg/kg)
MO 1289	Sheep, liver	0.05
Diflufenican		
GC 0640	Barley	0.05
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	*0.02
FB 0269	Grapes	*0.002
MM 0095	Meat (mammalian) [in the fat]	0.05
ML 0106	Milks	0.01
GC 0647	Oats	0.05
VP 0063	Peas	0.05
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	0.05
GC 0650	Rye	0.05
GC 0653	Triticale	0.05
TN 0678	Walnuts	T*0.01
GC 0654	Wheat	0.02
Dimethenamid-P		
VP 0526	Common bean (pods and/or immature seeds)	*0.02
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
GC 0645	Maize	*0.02
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VA 0385	Onion, bulb	T*0.01
VP 0063	Peas	*0.02
SO 0698	Poppy seed	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	*0.02
VC 0429	Pumpkins	*0.02
SO 0495	Rape seed [canola]	T*0.01
VO 0447	Sweet corn (corn-on-the-cob)	*0.02

COMPOUND	FOOD	MRL (mg/kg)
Dimethoate see also Omethoate		
	Abiu	5
VS 0621	Asparagus	0.02
	Assorted tropical and sub-tropical fruits – inedible peel {except Avocado; Mango; Pineapple}	
FI 0030		5
FI 0326	Avocado	3
VR 0574	Beetroot	*0.1
FB 0264	Blackberries	T5
	Cactus fruit	5
GC 0080	Cereal grains	0.5
FC 0001	Citrus fruits	5
SO 0691	Cotton seed	*0.1
MO 0105	Edible offal (mammalian)	0.1
VO 0440	Egg plant [aubergine]	T0.2
PE 0112	Eggs	*0.05
VP 0060	Legume vegetables	2
FI 0345	Mango	1
MM 0095	Meat (mammalian)	*0.05
VC 0046	Melons, except watermelon	5
ML 0106	Milks	*0.05
	Oilseed {except Cotton seed; Peanut}	
SO 0088		0.2
OR 0305	Olive oil, refined	T0.3
SO 0305	Olives for oil production	T3
VA 0385	Onion, bulb	0.7
SO 0697	Peanut	0.02
VO 0445	Peppers, sweet [capsicum]	0.7
FI 0353	Pineapple	0.07
VR 0589	Potato	0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	0.7
FB 0272	Raspberries, red, black	T5

COMPOUND	FOOD	MRL (mg/kg)
VS 0627	Rhubarb	0.7
	Rollinia	5
	Santols	5
VC 0431	Squash, summer [zucchini]	0.7
FB 0275	Strawberry	*0.02
VR 0508	Sweet potato	0.1
VO 0448	Tomato	0.02
VR 0506	Turnip, garden	*0.2
FB 0019	Vaccinium berries, including bearberry	T5
VC 0432	Watermelon	5
CF 0654	Wheat bran, processed	1
Dimethomorph		
HH 0722	Basil	T2
VR 0574	Beetroot	0.3
VA 2031	Bulb onions	0.5
MO 0105	Edible offal (mammalian)	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.5
FB 0269	Grapes	2
VA 2032	Green onions	2
VL 0053	Leafy vegetables	15
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
	Mizuna	T10
HH 0740	Parsley	T20
VP 0063	Peas	1
SO 0698	Poppy seed	*0.02
VR 0589	Potato	*0.02
VR 0494	Radish	T0.3
Dinitolmide		
PF 0111	Poultry fats	2
PM 0110	Poultry meat	3
PO 0111	Poultry, edible offal of	6
Dinotefuran		

COMPOUND	FOOD	MRL (mg/kg)
SO 0691	Cotton seed	0.1
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
VD 0536	Mung bean (dry)	0.3
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
Diphenylamine		
FP 0226	Apple	10
MO 0105	Edible offal (mammalian) {except Liver}	*0.01
PE 0112	Eggs	0.05
MM 0099	Liver of cattle, goats, pigs and sheep	0.05
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks [in the fat]	*0.01
FP 0230	Pear	7
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
Diquat		
GC 0640	Barley	5
VP 0061	Beans, except broad bean and soya bean	1
VP 0522	Broad bean (green pods and immature seeds)	1
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
	Fruits	*0.05
DH 1100	Hops, dry	0.2
SO 0693	Linseed	*0.01
GC 0645	Maize	0.1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
GC 0647	Oats	5

COMPOUND	FOOD	MRL (mg/kg)
SO 0088	Oilseed {except Linseed; Poppy seed}	5
VA 0385	Onion, bulb	0.1
VP 0063	Peas	0.1
SO 0698	Poppy seed	*0.01
VR 0589	Potato	0.2
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	1
GC 0648	Quinoa	T5
GC 0649	Rice	5
CM 1205	Rice, polished	1
GC 0650	Rye	2
GC 0651	Sorghum	2
VR 0596	Sugar beet	0.1
GS 0659	Sugar cane	*0.05
TN 0085	Tree nuts	*0.05
GC 0653	Triticale	2
OC 0172	Vegetable oils, crude	1
	Vegetables {except Beans; Broad bean; Lupin (dry); Onion, bulb; Peas; Potato; Soya bean (dry); Sugar beet}	*0.05
GC 0654	Wheat	2
Dithianon		
FB 0020	Blueberries	T7
	Fruits {except Blueberries}	2
Dithiocarbamates (mancozeb, metham, metiram, thiram, zineb and ziram)		
TN 0660	Almonds	3
VS 0621	Asparagus	T1
FI 0326	Avocado	7
FI 0327	Banana	T15
HH 0722	Basil	T5
VP 0061	Beans, except broad bean and soya	2

COMPOUND	FOOD	MRL (mg/kg)
	bean	
VR 0574	Beetroot	1
FB 0018	Berries and other small fruits {except Strawberries}	T15
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
VP 0522	Broad bean (green pods and immature seeds)	2
VA 0035	Bulb vegetables [alliums] {except Garlic; Onions, bulb}	T10
VR 0577	Carrot	1
VS 0624	Celery	5
GC 0080	Cereal grains	0.5
FC 0001	Citrus fruits	0.2
VP 0526	Common bean (pods and/or immature seeds)	2
SO 0691	Cotton seed	10
FI 0332	Custard Apple	5
MO 0105	Edible offal (mammalian)	2
PE 0112	Eggs	*0.5
FT 0297	Fig	3
VC 0045	Fruiting vegetables, cucurbits	2
VO 0050	Fruiting vegetables, other than cucurbits {except Roselle [rosella]}	3
VA 0381	Garlic	4
HS 0784	Ginger, root	T3
VL 0053	Leafy vegetables	5
FI 0343	Litchi	5
FI 0345	Mango	7
MM 0095	Meat (mammalian)	*0.5
ML 0106	Milks	*0.2
SO 0305	Olives for oil production	T30
VA 0385	Onion, bulb	4
FI 0350	Papaya [pawpaw]	5
HH 0740	Parsley	5

COMPOUND	FOOD	MRL (mg/kg)
VR 0588	Parsnip	T1
FI 0351	Passion fruit (including granadilla]	3
SO 0697	Peanut	0.2
VP 0063	Peas (pods and succulent = immature seeds)	2
	Peppers, chili, other cultivars	T3
FT 0307	Persimmon, Japanese	3
TN 0675	Pistachio nut	T3
FP 0009	Pome fruits	3
SO 0698	Poppy seed	*0.2
VR 0589	Potato	1
PM 0110	Poultry meat	*0.5
PO 0111	Poultry, edible offal of	*0.5
VD 0070	Pulses	0.5
VR 0494	Radish	T1
VS 0627	Rhubarb	2
VO 0446	Roselle [rosella]	5
FS 0012	Stone fruits	3
FB 0275	Strawberry	5
SO 0702	Sunflower seed	T*0.05
FT 0305	Table olives	T30
FT 0312	Tree tomato	T5
TN 0678	Walnuts	T*0.2
Diuron		
VS 0621	Asparagus	2
FI 0327	Banana	0.5
GC 0080	Cereal grains	0.1
OC 0691	Cotton seed oil, crude	0.5
FT 0295	Date	T0.5
MO 0105	Edible offal (mammalian)	3
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.1
SO 0088	Oilseed	0.5
FI 0353	Pineapple	0.5

COMPOUND	FOOD	MRL (mg/kg)
VD 0070	Pulses	*0.05
GS 0659	Sugar cane	0.2
Dodine		
FP 0009	Pome fruits	5
FS 0012	Stone fruits	*0.05
Doramectin		
MF 0812	Cattle fat	0.1
MM 0812	Cattle meat	0.01
ML 0812	Cattle milk	0.05
MO 0812	Cattle, edible offal of	0.1
MM 0818	Pig meat [in the fat]	0.1
MO 1284	Pig, kidney	0.03
MO 1285	Pig, liver	0.05
MF 0822	Sheep fat	0.1
MM 0822	Sheep meat	0.02
MO 0822	Sheep, edible offal of	0.05
2,2-DPA		
FI 0326	Avocado	*0.1
FI 0327	Banana	*0.1
GC 0080	Cereal grains	*0.1
FC 0001	Citrus fruits	*0.1
SO 0691	Cotton seed	*0.1
FB 0021	Currants, black, red, white	15
MO 0105	Edible offal (mammalian)	0.2
FB 0269	Grapes	3
MM 0095	Meat (mammalian)	0.2
ML 0106	Milks	*0.1
FI 0350	Papaya [pawpaw]	*0.1
TN 0672	Pecan	*0.1
FP 0009	Pome fruits	*0.1
FS 0012	Stone fruits	1
GS 0659	Sugar cane	*0.1
SO 0702	Sunflower seed	*0.1

COMPOUND	FOOD	MRL (mg/kg)
	Vegetables	*0.1
Emamectin		
	Beetroot leaves	T0.5
FB 0020	Blueberries	T0.07
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.02
VB 0040		
VS 0624	Celery	T0.2
	Chia	T0.05
SO 0691	Cotton seed	0.005
MO 0105	Edible offal (mammalian)	0.02
VC 0045	Fruiting vegetables, cucurbits	0.01
	Fruiting vegetables, other than cucurbits {except Mushrooms; Sweet corn (corn-on-the-cob)}	0.1
VO 0050		
FB 0269	Grapes	*0.002
	Leafy vegetables {except Lettuce, head; Lettuce, leaf}	T0.5
VL 0053		
VP 0060	Legume vegetables	0.1
VL 0482	Lettuce, head	0.2
VL 0483	Lettuce, leaf	0.2
GC 2091	Maize cereals	T*0.01
MM 0095	Meat (mammalian) [in the fat]	0.01
FM 0183	Milk fats	0.01
ML 0106	Milks	*0.001
VD 0070	Pulses	*0.01
SO 0495	Rape seed [canola]	*0.01
	Root and tuber vegetables {except Potato}	*0.01
VR 0075		
FB 0275	Strawberry	0.05
VO 0447	Sweet corn (corn-on-the-cob)	*0.002
	Wheat, similar grains, and pseudocereals without husks	T*0.01
GC 2086		
Endothal		
SO 0691	Cotton seed	T2
MO 0105	Edible offal (mammalian)	T*0.05

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Eggs	T*0.05
MM 0095	Meat (mammalian)	T*0.05
ML 0106	Milks	T*0.01
PM 0110	Poultry meat	T*0.05
PO 0111	Poultry, edible offal of	T*0.05
Epoxiconazole		
FI 0326	Avocado	0.5
FI 0327	Banana	1
GC 0080	Cereal grains	0.05
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.005
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
GC 0654	Wheat	0.05
CM 0654	Wheat bran, unprocessed	0.3
CF 1210	Wheat germ	0.2
Eprinomectin		
MF 0812	Cattle fat	0.5
MM 0812	Cattle meat	0.1
ML 0812	Cattle milk	0.03
MO 0812	Cattle, edible offal of	2
MM 0813	Deer meat	0.1
	Deer, edible offal of	2
EPTC		
GC 0080	Cereal grains	*0.04
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
SO 0088	Oilseed	0.1
PM 0110	Poultry meat	*0.05

COMPOUND	FOOD	MRL (mg/kg)
PO 0111	Poultry, edible offal of	*0.05
	Vegetables	*0.04
Erythromycin		
MO 0105	Edible offal (mammalian)	*0.3
MM 0095	Meat (mammalian)	*0.3
ML 0106	Milks	*0.04
PM 0110	Poultry meat	*0.3
PO 0111	Poultry, edible offal of	*0.3
Ethephon		
FP 0226	Apple	1
FI 0327	Banana	T*0.05
GC 0640	Barley	1
FB 0020	Blueberries	T10
FS 0013	Cherries	15
SO 0691	Cotton seed	2
OC 0691	Cotton seed oil, crude	*0.1
FB 0278	Currant, black	1
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.2
FB 0269	Grapes	10
FI 0341	Kiwifruit	0.1
FI 0343	Lychee	T*0.05
TN 0669	Macadamia nuts	*0.1
FC 0003	Mandarins	2
FI 0345	Mango	T*0.02
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.1
FS 0245	Nectarine	0.01
FT 0305	Olives	T20
FC 0004	Oranges, sweet, sour	2
FI 0350	Papaya [pawpaw]	T1
FS 0247	Peach	0.5
FI 0353	Pineapple	2

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.2
GS 0659	Sugar cane	0.5
DM 0659	Sugar cane molasses	7
VO 0448	Tomato	2
TN 0678	Walnuts	T5
GC 0654	Wheat	T1
Ethion		
MM 0812	Cattle meat [in the fat]	2.5
MO 0812	Cattle, edible offal of	2.5
FC 0001	Citrus fruits	1
SO 0691	Cotton seed	0.1
OC 0691	Cotton seed oil, crude	0.05
FB 0269	Grapes	2
ML 0106	Milks [in the fat]	0.5
FP 0009	Pome fruits	1
FS 0012	Stone fruits	1
DT 1114	Tea, green, black (black, fermented and dried)	5
Ethofumesate		
VR 0574	Beetroot	0.1
VA 0035	Bulb vegetables [alliums]	*0.1
VL 0464	Chard [silver beet]	1
MO 0105	Edible offal (mammalian)	0.5
MM 0095	Meat (mammalian) [in the fat]	0.5
ML 0106	Milks [in the fat]	0.2
SO 0698	Poppy seed	*0.02
VL 0502	Spinach	T1
VR 0596	Sugar beet	0.1
Ethopabate		
PM 0110	Poultry meat	5
PO 0111	Poultry, edible offal of	15
Ethoxyquin		
WC 0143	Crustaceans	1

COMPOUND	FOOD	MRL (mg/kg)
WD 0120	Diadromous fish	1
MO 0105	Edible offal (mammalian)	1
PE 0112	Eggs	0.1
WF 0115	Freshwater fish	1
WS 0125	Marine fish	1
MM 0095	Meat (mammalian)	0.5
PM 0110	Poultry meat [in the fat]	0.5
PO 0111	Poultry, edible offal of	0.1
Ethoxysulfuron		
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
GS 0659	Sugar cane	*0.01
Ethyl formate		
DF 0167	Dried fruits	1
Ethylene dichloride		
GC 0080	Cereal grains	*0.1
Etofenprox		
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
PO 0111	Poultry, edible offal of	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
FS 0012	Stone fruits {except Cherries}	5
Etoxazole		
TN 0660	Almonds	*0.01
FI 0326	Avocado	T0.1
FI 0327	Banana	0.2
FB 2005	Cane berries	T0.5
VL 0465	Chervil	T1
FC 0001	Citrus fruits	0.5
	Coriander (leaves, stems and roots)	T1

COMPOUND	FOOD	MRL (mg/kg)
SO 0691	Cotton seed	0.2
FI 0332	Custard apple	T0.1
DF 0269	Dried grapes (= currants, raisins and sultanas)	0.7
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	T0.1
VO 0050	Fruiting vegetables, other than cucurbits	0.05
FB 0269	Grapes	0.2
HH 0092	Herbs	T1
DH 1100	Hops, dry	T3
	Ivy gourd	T0.1
GC 0645	Maize	T*0.01
FI 0345	Mango	T0.1
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.01
	Mizuna	T1
FI 0350	Papaya [pawpaw]	T0.1
FI 0351	Passion fruit	T0.1
VP 0538	Podded pea (young pods) [snow and sugar snap]	T*0.02
	Pointed gourd	T0.1
FP 0009	Pome fruits	0.2
GC 0656	Popcorn	T*0.01
PM 0110	Poultry meat [in the fat]	*0.02
PO 0111	Poultry, edible offal of	*0.01
VL 0496	Rucola [rocket]	T1
FS 0012	Stone fruits {except Cherries}	0.3
VO 1275	Sweet corn (kernels)	T*0.01
Fenamiphos		
	Aloe vera	*0.05
FI 0327	Banana	*0.05
FB 0275	Strawberry	*0.05

COMPOUND	FOOD	MRL (mg/kg)
Fenbendazole		
MM 0812	Cattle meat	*0.1
MO 0812	Cattle, edible offal of	*0.1
MM 0814	Goat meat	0.5
MO 0814	Goat, edible offal of	0.5
ML 0106	Milks	0.1
MM 0822	Sheep meat	0.5
MO 0822	Sheep, edible offal of	0.5
Fenbuconazole		
FI 0327	Banana	0.5
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
FS 0245	Nectarine	0.5
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
GC 0654	Wheat	*0.01
Fenbutatin oxide		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	5
FB 0018	Berries and other small fruits {except Grapes (excluding Wine-grapes)}	1
FC 0001	Citrus fruits	5
	Citrus peel	30
DF 0269	Dried grapes (= currants, raisins and sultanas)	T10
FB 0269	Grapes {except Wine-grapes}	T3
DH 1100	Hops, dry	20
FS 0245	Nectarine	3
FS 0247	Peach	3
FP 0009	Pome fruits	3
VO 0448	Tomato	T2
Fenhexamid		

COMPOUND	FOOD	MRL (mg/kg)
FB 0264	Blackberries	T20
FB 0020	Blueberries	T5
FS 0013	Cherries	T7
FB 0277	Cloudberry	T20
VC 0424	Cucumber	T10
FB 0266	Dewberries (including boysenberry and loganberry)	T20
DF 0269	Dried grapes (= currants, raisins and sultanas)	20
MO 0105	Edible offal (mammalian)	2
FB 0269	Grapes	10
VL 0482	Lettuce, head	T50
VL 0483	Lettuce, leaf	T50
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.01
VP 0063	Peas (pods and succulent = immature seeds)	T5
VO 0051	Peppers	T30
	Peppers, chili, other cultivars	T30
FB 0272	Raspberries, red, black	T20
FB 0275	Strawberry	10
VO 0448	Tomato	T2
Fenitrothion		
FP 0226	Apple	1
VB 0041	Cabbages, head	0.5
GC 0080	Cereal grains	10
FS 0013	Cherries	1
MO 0105	Edible offal (mammalian)	T*0.05
PE 0112	Eggs	*0.05
FB 0269	Grapes	1
VL 0482	Lettuce, head	0.5
VL 0483	Lettuce, leaf	0.5
MM 0095	Meat (mammalian) [in the fat]	T*0.05
ML 0106	Milks [in the fat]	T*0.05

COMPOUND	FOOD	MRL (mg/kg)
SO 0088	Oilseed	0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	0.1
CM 1206	Rice bran, unprocessed	T20
VO 0448	Tomato	0.5
CM 0654	Wheat bran, unprocessed	20
CF 1210	Wheat germ	20
Fenoxaprop-ethyl		
GC 0640	Barley	*0.01
VD 0524	Chick-pea (dry)	*0.01
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	0.05
ML 0106	Milks	0.02
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.1
GC 0649	Rice	T*0.02
GC 0650	Rye	*0.01
GC 0653	Triticale	*0.01
GC 0654	Wheat	*0.01
Fenoxycarb		
OC 0305	Olive oil, virgin	7
SO 0305	Olives for oil production	2
FP 0009	Pome fruits	2
FT 0305	Table olives	2
Fenpyrazamine		
DF 0269	Dried grapes (= currants, raisins and sultanas)	10
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.005
PM 0110	Poultry meat	*0.01

COMPOUND	FOOD	MRL (mg/kg)
PO 0111	Poultry, edible offal of	*0.01
FB 1235	Table-grapes	2
FB 1236	Wine-grapes	0.05
Fenpyroximate		
FP 0226	Apple	0.3
FP 0230	Pear	0.3
Fenvalerate		
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
VL 0054	Brassica leafy vegetables	1
VS 0624	Celery	2
GC 0080	Cereal grains	2
DF 0269	Dried grapes (= currants, raisins and sultanas)	0.5
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	0.02
FB 0269	Grapes	0.1
VP 0060	Legume vegetables	0.5
MM 0095	Meat (mammalian) [in the fat]	1
ML 0106	Milks	0.2
SO 0089	Oilseed except peanut	0.5
OC 0305	Olive oil, crude	T5
SO 0305	Olives for oil production	T1
PM 0110	Poultry meat [in the fat]	0.05
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	0.5
VO 0447	Sweet corn (corn-on-the-cob)	0.05
FT 0305	Table olives	T1
VO 0448	Tomato	0.2
CM 0654	Wheat bran, unprocessed	5
Fipronil		
VS 0621	Asparagus	0.2
FI 0030	Assorted tropical and sub-tropical fruits – inedible peel {except	T*0.01

COMPOUND	FOOD	MRL (mg/kg)
	Banana; Custard apple}	
FI 0327	Banana	*0.01
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.05
VR 0577	Carrot	T*0.01
VS 0624	Celery	T0.3
FC 0001	Citrus fruits	T*0.01
SO 0691	Cotton seed	*0.01
OC 0691	Cotton seed oil, crude	*0.01
FI 0332	Custard apple	T0.05
MO 0105	Edible offal (mammalian)	0.02
PE 0112	Eggs	0.02
HS 0784	Ginger, root	*0.01
FB 0269	Grapes {except Wine-grapes}	T*0.01
	Honey	0.01
VL 0482	Lettuce, head	T0.1
VL 0483	Lettuce, leaf	T0.1
MM 0095	Meat (mammalian) [in the fat]	0.1
ML 0106	Milks	0.01
VO 0450	Mushrooms	0.02
VR 0589	Potato	*0.01
PM 0110	Poultry meat [in the fat]	0.02
PO 0111	Poultry, edible offal of	*0.01
SO 2090	Rape seeds	*0.01
GC 0649	Rice	*0.005
GC 0651	Sorghum	0.01
VD 0541	Soya bean (dry)	T*0.01
FS 0012	Stone fruits	0.01
GS 0659	Sugar cane	*0.01
SO 0702	Sunflower seed	*0.01
VR 0497	Swede	0.1
VR 0508	Sweet potato	*0.01
VR 0506	Turnip, garden	0.1

COMPOUND	FOOD	MRL (mg/kg)
FB 1236	Wine-grapes	*0.01
Flamprop-methyl		
VD 0524	Chick-pea (dry)	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
GC 0653	Triticale	0.05
GC 0654	Wheat	0.05
Flavophospholipol		
MF 0812	Cattle fat	*0.01
MM 0812	Cattle meat	*0.01
ML 0812	Cattle milk	T*0.01
MO 1280	Cattle, kidney	*0.01
MO 1281	Cattle, liver	*0.01
PE 0112	Eggs	*0.02
Flonicamid		
FB 0264	Blackberries	T2
VA 0035	Bulb vegetables [alliums]	T0.2
SO 0691	Cotton seed	1
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
VC 0045	Fruiting vegetables, cucurbits	0.7
VO 0050	Fruiting vegetables, other than cucurbits	T0.5
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
FP 0009	Pome fruits	0.7
VR 0589	Potato	0.2
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
SO 0495	Rape seed [canola]	0.5

COMPOUND	FOOD	MRL (mg/kg)
FB 0272	Rasberries, red, black	T2
FB 0275	Strawberry	T2
Florasulam		
GC 0080	Cereal grains	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Florfenicol		
MM 0812	Cattle meat	0.3
MO 1280	Cattle, kidney	0.5
MO 1281	Cattle, liver	3
	Pig fat/skin	1
MM 0818	Pig meat	0.5
MO 1284	Pig, kidney	1
MO 1285	Pig, liver	3
Florpyrauxifen-benzyl		
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.02
PM 0110	Poultry meat [in the fat]	*0.02
PO 0111	Poultry, edible offal of	*0.02
GC 0649	Rice	*0.02
GC 0651	Sorghum	T*0.02
Fluazaindolizine		
	All other foods	0.1
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits	0.2

COMPOUND	FOOD	MRL (mg/kg)
HS 0783	Galangal, rhizomes	0.3
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PO 0111	Poultry, edible offal of	*0.01
PM 0110	Poultry meat	*0.01
VR 0075	Root and tuber vegetables	0.3
Fluazifop-p-butyl		
	Assorted tropical and sub-tropical fruits - inedible peel {except Avocado; Banana}	
FI 0030		0.05
FI 0326	Avocado	*0.02
FI 0327	Banana	*0.02
FB 0018	Berries and other small fruits	0.2
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	
VB 0040		1
VS 0624	Celery	*0.02
	Chia	T2
FC 0001	Citrus fruits	*0.02
	Coriander (leaves, stems and roots)	T2
FT 0295	Date	T0.2
MO 0105	Edible offal (mammalian)	*0.05
VO 0440	Egg plant [aubergine]	T0.7
PE 0112	Eggs	*0.05
VC 0045	Fruiting vegetables, cucurbits	0.1
HS 0783	Galangal, rhizomes	0.05
VA 0381	Garlic	0.05
HS 0784	Ginger, root	0.05
DH 1100	Hops, dry	0.05
	Leafy vegetables {except Lettuce, head}	
VL 0053		T2
VA 0384	Leek	T1
VP 0060	Legume vegetables	0.1
VL 0482	Lettuce, head	0.05
	Lotus root	T3

COMPOUND	FOOD	MRL (mg/kg)
VD 0545	Lupin (dry)	0.1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	0.1
SO 0088	Oilseed	0.5
FT 0305	Olives	T0.05
VA 0385	Onion, bulb	0.05
VA 0386	Onion, Chinese	0.05
VA 0387	Onion, Welsh	0.05
HH 0740	Parsley	T2
VO 0445	Peppers, sweet [capsicum]	*0.02
FP 0009	Pome fruits	*0.01
VR 0589	Potato	0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	0.5
VR 0075	Root and tuber vegetables {except Potato; Sweet potato; Taro; Yam bean; Yams}	T1
VA 0388	Shallot	0.05
VA 0389	Spring onion	0.05
FS 0012	Stone fruits	0.05
GS 0659	Sugar cane	T*0.1
VR 0508	Sweet potato	T0.3
VR 0505	Taro	T3
DT 1114	Tea, green, black (black, fermented and dried)	T50
VO 0448	Tomato	0.1
HS 0794	Turmeric, root	0.05
VR 0601	Water chestnut	T3
VR 0600	Yam bean	T3
VR 0600	Yams	T0.3
Fluazinam		
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.01

COMPOUND	FOOD	MRL (mg/kg)
FP 0009	Pome fruits	*0.01
VR 0589	Potato	*0.01
FB 0275	Strawberry	T*0.05
FB 1236	Wine-grapes	*0.05
Fluazuron		
MM 0812	Cattle meat [in the fat]	7
MO 0812	Cattle, edible offal of	0.5
Flubendazole		
	Chicken fat/skin	0.03
	Chicken liver	0.2
	Chicken kidney	0.1
	Chicken muscle	*0.02
PE 0112	Eggs	0.6
	Pig fat/skin	*0.02
MO 1285	Pig liver	0.4
MO 1284	Pig kidney	0.3
	Pig muscle	*0.02
Flubendiamide		
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	5
	Chia	1
VP 0526	Common bean (pods and/or immature seeds)	T2
SO 0691	Cotton seed	0.5
MO 0105	Edible offal (mammalian)	0.03
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn-on-the-cob)}	2
HH 0092	Herbs	20
VL 0053	Leafy vegetables {except Lettuce, head}	10
VL 0482	Lettuce, head	5
MM 0095	Meat (mammalian) [in the fat]	0.05

COMPOUND	FOOD	MRL (mg/kg)
FM 0183	Milk fats	0.05
ML 0106	Milks	*0.01
VR 0589	Potato	*0.02
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
VR 0075	Root and tuber vegetables {except Potato}	0.2
VS 0078	Stalk and stem vegetables	5
FB 0275	Strawberry	0.3
VO 0447	Sweet corn (corn-on-the-cob)	T*0.05
Fludioxonil		
FS 0240	Apricot	10
FI 0326	Avocado	2
FT 2303	Bayberry, red	T2
VR 0574	Beetroot	T0.2
FB 0018	Berries and other small fruits {except grapes}	5
VB 0400	Broccoli	T*0.01
VA 0035	Bulb vegetables {except Fennel, bulb; Onion, bulb}	3
TN 0664	Chestnuts	1
FC 0001	Citrus fruits	10
VP 0526	Common bean (pods and/or immature seeds)	0.7
SO 0691	Cotton seed	*0.05
VC 0424	Cucumber	0.5
DF 0269	Dried grapes (=currants, raisins and sultanas)	5
DH 0170	Dried herbs	T70
MO 0105	Edible offal (mammalian)	0.1
PE 0012	Eggs	*0.01
VO 0440	Egg plant [aubergine]	T0.2
FB 0269	Grapes	2
HH 0092	Herbs	T20
FI 0341	Kiwifruit	15

COMPOUND	FOOD	MRL (mg/kg)
VL 0053	Leafy vegetables	15
FI 0343	Litchi	T2
GC 0645	Maize	*0.02
FI 0345	Mango	3
MM 0095	Meat (mammalian)	0.05
VC 0046	Melons, except watermelon	T0.2
ML 0106	Milks	0.05
VA 0385	Onion, bulb	0.2
FI 0350	Papaya	T5
FS 0247	Peach	10
SO 0697	Peanut	T*0.01
VP 0063	Peas (pods and succulent = immature seeds)	0.5
VO 0445	Peppers, sweet [capsicum]	2
FI 0353	Pineapple	5
TN 0675	Pistachio nut	T0.2
FP 0009	Pome fruits	5
FI 0355	Pomegranate	5
VR 0589	Potato	0.03
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.1
SO 0495	Rape seed [canola]	T0.2
GC 0651	Sorghum	*0.01
FS 0012	Stone fruits {except Apricots; Peaches}	5
SO 0702	Sunflower seed	T*0.02
VO 0447	Sweet corn (corn-on-the-cob)	*0.02
VO 0448	Tomato	T1
Fluensulfone		
	All other foods	1
GC 0080	Cereal grains	0.05
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01

COMPOUND	FOOD	MRL (mg/kg)
VC 0045	Fruiting vegetables, cucurbits	0.5
VO 0050	Fruiting vegetables, other than cucurbits	1
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0088	Oilseed	0.05
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.05
VR 0075	Root and tuber vegetables	2
GS 0659	Sugar cane	*0.03
Flumethrin		
MM 0812	Cattle meat [in the fat]	0.2
MO 0812	Cattle, edible offal of	0.05
	Honey	T*0.005
MM 0816	Horse meat	0.1
MO 0816	Horse, edible offal of	0.1
ML 0106	Milks	0.05
Flumetsulam		
GC 0640	Barley	*0.05
MO 0105	Edible offal (mammalian)	0.3
PE 0112	Eggs	*0.1
VP 0528	Garden pea (young pods)	*0.1
GC 0645	Maize	*0.05
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
GC 0647	Oats	*0.05
SO 0697	Peanut	*0.05
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
VD 0070	Pulses	*0.05
GC 0650	Rye	*0.05
GC 0653	Triticale	*0.05
GC 0654	Wheat	*0.05

COMPOUND	FOOD	MRL (mg/kg)
Flumiclorac-pentyl		
SO 0691	Cotton seed	0.1
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Flumioxazin		
FI 0326	Avocado	*0.02
FI 0327	Banana	T*0.02
FB 0020	Blueberries	*0.02
VR 0577	Carrot	T*0.05
GC 0080	Cereal grains	*0.05
FC 0001	Citrus fruits	*0.05
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VA 0381	Garlic	T*0.02
FB 0269	Grapes	*0.01
DH 1100	Hops, dry	T*0.05
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
HH 0738	Mints	T*0.02
SO 0088	Oilseed	*0.1
FT 0305	Olives	*0.02
FP 0009	Pome fruits	*0.02
FI 0355	Pomegranate	*0.02
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	*0.1
FS 0012	Stone fruits	*0.02
GS 0659	Sugar cane	*0.01
TN 0085	Tree nuts	*0.02

COMPOUND	FOOD	MRL (mg/kg)
Flunixin		
MM 0812	Cattle meat [in the fat]	0.02
MO 1280	Cattle, kidney	0.02
MO 1281	Cattle, liver	0.02
Fluometuron		
GC 0080	Cereal grains	*0.1
FC 0001	Citrus fruits	0.5
SO 0691	Cotton seed	*0.1
FI 0353	Pineapple	*0.1
Fluopicolide		
	All other foods	0.01
HH 0722	Basil	T30
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	5
VA 0035	Bulb vegetables [alliums] {except Onion, bulb}	3
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.5
VL 0053	Leafy vegetables	30
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
VA 0385	Onion, Bulb	0.1
SO 0698	Poppy seed	0.5
VR 0589	Potato	0.05
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
Fluopyram		
TN 0660	Almonds	0.05
	All other foods	0.2
FI 0030	Assorted tropical and sub-tropical fruits – inedible peel {except Banana; Pineapple}	2
FI 0327	Banana	0.1

COMPOUND	FOOD	MRL (mg/kg)
FB 2005	Cane berries	3
GC 0080	Cereal grains	0.03
FS 0013	Cherries	3
VP 0526	Common bean (pods and/or immature seeds)	0.3
DF 0269	Dried grapes (= currants, raisins and sultanas)	3
MO 0105	Edible offal (mammalian)	0.7
PE 0112	Eggs	*0.02
FB 0269	Grapes	0.3
VL 0482	Lettuce, head	15
VL 0483	Lettuce, leaf	15
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.1
SO 0088	Oilseed	0.03
FP 0009	Pome fruits	1
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	0.03
FS 0012	Stone fruits {except Cherries}	2
FB 0275	Strawberry	2
Flupropanate		
MO 0105	Edible offal (mammalian)	*0.1
MM 0095	Meat (mammalian) [in the fat]	*0.1
ML 0106	Milks	0.1
Flupyradifurone		
	All other foods	0.2
FI 0326	Avocado	0.7
VP 0526	Common bean (pods and/or immature seeds)	2
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.5
VO 0050	Fruiting vegetables, other than cucurbits	1

COMPOUND	FOOD	MRL (mg/kg)
TN 0669	Macadamia nuts	*0.01
FI 0345	Mango	0.7
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.07
FI 0350	Papaya [pawpaw]	0.5
VR 0589	Potato	0.07
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VR 0508	Sweet potato	0.07
Fluquinconazole		
GC 0640	Barley	*0.02
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian) [in the fat]	0.5
ML 0106	Milks	*0.02
FP 0009	Pome fruits	0.3
PM 0110	Poultry meat [in the fat]	*0.02
PO 0111	Poultry, edible offal of	*0.02
SO 0495	Rape seed [canola]	*0.01
GC 0654	Wheat	*0.02
Fluralaner		
MF 0812	Cattle fat	T0.7
	Cattle muscle	T0.07
MO 1280	Cattle, kidney	T0.25
MO 1281	Cattle, liver	T0.6
PE 0840	Chicken eggs	1.3
	Chicken fat/skin	0.6
	Chicken kidney	0.4
PO 0840	Chicken liver	0.6
	Chicken muscle	0.06
MF 0822	Sheep fat	T*0.06
MM 0822	Sheep muscle	T*0.005
MO 1289	Sheep, kidney	T*0.025

COMPOUND	FOOD	MRL (mg/kg)
MO 1289	Sheep, liver	T*0.05
Fluroxypyr		
GC 0080	Cereal grains	0.2
MO 0105	Edible offal (mammalian) {except Kidney}	0.1
PE 0112	Eggs	*0.01
	Kidney (mammalian)	1
MM 0095	Meat (mammalian) [in the fat]	0.1
ML 0106	Milks	0.1
VA 0385	Onion, bulb	T0.03
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GS 0659	Sugar cane (in the juice)	0.2
VO 0447	Sweet corn (corn-on-the-cob)	0.2
Flutolanil		
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.05
VR 0589	Potato	0.05
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
Flutriafol		
	All other foods	0.5
GC 0640	Barley	0.2
GC 0080	Cereal grains {except Barley}	0.1
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.05
VP 0528	Garden pea (young pods)	*0.01
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
SO 0088	Oilseed {except Rape seed [canola]}	0.05
PM 0110	Poultry meat	*0.05

COMPOUND	FOOD	MRL (mg/kg)
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	0.05
SO 0495	Rape seed [canola]	0.07
GS 0659	Sugar cane	*0.01
Fluvalinate		
FP 0226	Apple	0.1
VS 0621	Asparagus	0.2
VR 0577	Carrot	T*0.01
VB 0404	Cauliflower	0.5
SO 0691	Cotton seed	0.1
	Honey	T*0.01
FS 0012	Stone fruits	0.05
FB 1235	Table-grapes	0.05
VO 0448	Tomato	0.5
Fluxapyroxad		
	All other foods	0.1
FP 0226	Apple	0.7
FI 0327	Banana	0.7
GC 0640	Barley	0.2
CM 0640	Barley bran, unprocessed	0.5
FS 0013	Cherries	3
MO 0105	Edible offal (mammalian)	0.03
PE 0112	Eggs	0.005
MM 0095	Meat (mammalian) [in the fat]	0.05
FM 0183	Milk fats	0.1
ML 0106	Milks	0.005
GC 0647	Oats	T0.2
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	T0.2
TN 0085	Tree nuts	0.07
GC 0654	Wheat	0.1
CM 0654	Wheat bran, unprocessed	0.2

COMPOUND	FOOD	MRL (mg/kg)
Fomesafen		
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
PO 0111	Poultry, Edible offal of	*0.02
PM 0110	Poultry meat	*0.02
VD 0070	Pulses	*0.01
Forchlorfenuron		
FP 0226	Apple	*0.01
FS 0013	Cherries	*0.01
FB 0269	Grapes	*0.01
Fosetyl		
FP 0226	Apple	1
FI 0326	Avocado	5
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.1
FI 0334	Durian	T5
VO 0050	Fruiting vegetables, other than cucurbits	T0.02
VL 0053	Leafy vegetables {except Rucola [rocket]; Spinach}	T0.2
FS 0247	Peach	1
FI 0353	Pineapple	5
VL 0496	Rucola [rocket]	T0.7
VL 0502	Spinach	T0.7
FS 0012	Stone fruits {except Cherries; Peaches}	T1
Glufosinate and Glufosinate ammonium		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	0.2
FB 0018	Berries and other small fruits	0.1
GC 0080	Cereal grains	*0.1
FC 0001	Citrus fruits	0.1

COMPOUND	FOOD	MRL (mg/kg)
SB 0716	Coffee beans	T*0.05
VP 0526	Common bean (pods and/or immature seeds)	T*0.05
SO 0691	Cotton seed	3
FT 0295	Date	*0.05
MO 0105	Edible offal (mammalian)	5
PE 0112	Eggs	*0.05
DH 1100	Hops, dry	T1
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	*0.05
	Native foods	*0.05
SO 0088	Oilseeds {except Cotton seed; Rape seed [canola]}	*0.1
FT 0305	Olives	*0.1
VO 0445	Peppers, sweet [capsicum]	*0.05
VP 0538	Podded pea (young pods) [snow and sugar snap]	T*0.05
FP 0009	Pome fruits	*0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.1
VD 0070	Pulses	*0.1
SO 0495	Rape seed [canola]	0.5
	Saffron	T*0.05
FS 0012	Stone fruits	*0.05
GS 0659	Sugar cane	*0.2
DT 1114	Tea, green, black (black, fermented and dried)	*0.05
VO 0448	Tomato	*0.05
TN 0085	Tree nuts	0.1
VF 0371	Truffle	T*0.2
Glyphosate		
VD 0560	Adzuki bean (dry)	10
FI 0326	Avocado	*0.05
	Babaco	*0.05
FI 0327	Banana	0.2

COMPOUND	FOOD	MRL (mg/kg)
GC 0640	Barley	20
FB 0018	Berries and other small fruits	*0.05
VA 0035	Bulb vegetables [alliums]	*0.1
GC 0080	Cereal grains {except Barley; Maize; Popcorn; Sorghum; Wheat}	T*0.1
FC 0001	Citrus fruits	0.5
SB 0716	Coffee beans	T0.2
SO 0691	Cotton seed	15
OC 0691	Cotton seed oil, crude	*0.1
VD 0527	Cowpea (dry)	10
FI 0332	Custard apple	*0.05
FT 0295	Date	T2
MO 0105	Edible offal (mammalian)	2
PE 0112	Eggs	*0.05
FT 0297	Fig	*0.05
VC 0045	Fruiting vegetables, cucurbits	*0.1
VO 0050	Fruiting vegetables, other than cucurbits	*0.1
	Guar bean (dry)	10
FT 0336	Guava	*0.05
	Honey	0.2
DH 1100	Hops, dry	*0.1
FI 0341	Kiwifruit	*0.05
VL 0053	Leafy vegetables	*0.1
VP 0060	Legume vegetables	*0.1
SO 0693	Linseed	T5
FI 0343	Litchi	0.2
GC 0645	Maize	T2
FI 0345	Mango	*0.05
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
	Monstero	*0.05
VD 0536	Mung bean (dry)	10
	Native foods	T2

COMPOUND	FOOD	MRL (mg/kg)
SO 0088	Oilseed {except Cotton seed, Linseed; Peanut; Poppy seed; Rape seed [canola]; Sesame seed; Sunflower seed}	T*0.1
FT 0305	Olives	*0.1
FI 0350	Papaya [pawpaw]	*0.05
FI 0351	Passion fruit	3
SO 0697	Peanut	*0.1
FI 0352	Persimmon, American	*0.05
FT 0307	Persimmon, Japanese	*0.05
FP 0009	Pome fruits	*0.05
GC 0656	Popcorn	T2
SO 0698	Poppy seed	T20
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	1
VD 0070	Pulses {except Cowpeas (dry); Adzuki beans (dry); Mungbeans (dry); Soya bean (dry)}	5
SO 0495	Rape seed [canola]	20
VR 0075	Rollinia	*0.05
	Root and tuber vegetables	*0.1
	Saffron	T*0.05
SO 0700	Sesame seed	T20
GC 0651	Sorghum	15
VD 0541	Soya bean (dry)	10
VS 0078	Stalk and stem vegetables	*0.01
FS 0012	Stone fruits	0.2
GS 0659	Sugar cane	T0.3
DM 0659	Sugar cane molasses	T5
SO 0702	Sunflower seed	T20
DT 1114	Tea, green, black (black, fermented and dried)	T20
TN 0085	Tree nuts	0.2
VF 0371	Truffle	T*0.05
GC 0654	Wheat	5
CM 0654	Wheat bran, unprocessed	20

COMPOUND	FOOD	MRL (mg/kg)
Guazatine		
FC 0001	Citrus fruits	5
VC 0046	Melons, except watermelon	10
VO 0448	Tomato	5
Halauxifen-methyl		
GC 0080	Cereal grains	*0.01
MO 0105	Edible offal (mammalian)	0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.01
Halofuginone		
MF 0812	Cattle fat	0.025
	Cattle muscle	0.01
MO 1280	Cattle, kidney	0.03
MO 1281	Cattle, liver	0.03
Halosulfuron-methyl		
SO 0691	Cotton seed	*0.05
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.01
GC 0645	Maize	*0.05
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
GC 0649	Rice	T*0.05
GC 0651	Sorghum	*0.05
VD 0541	Soya bean (dry)	T*0.01
GS 0659	Sugar cane	*0.05
Haloxypop		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	*0.05

COMPOUND	FOOD	MRL (mg/kg)
FB 0018	Berries and other small fruits	*0.05
	Chia	T3
FC 0001	Citrus fruits	*0.05
SO 0691	Cotton seed	0.1
OC 0691	Cotton seed oil, crude	0.2
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.01
SO 3154	Hempseed	T0.1
VL 0053	Leafy vegetables	T0.5
	Linola seed	0.1
SO 0693	Linseed	0.1
MM 0095	Meat (mammalian) [in the fat]	0.02
ML 0106	Milks	0.02
	Mizuna	T0.5
VA 0385	Onion, bulb	T0.2
SO 0697	Peanut	0.05
FT 0307	Persimmon, Japanese	*0.05
FP 0009	Pome fruits	*0.05
SO 0698	Poppy seed	T0.1
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	0.05
VD 0070	Pulses	0.1
SO 0495	Rape seed [canola]	0.1
SO 0700	Sesame seed	0.1
FS 0012	Stone fruits	*0.05
SO 0702	Sunflower seed	*0.05
TN 0085	Tree nuts	*0.05
HCB		
GC 0080	Cereal grains	E0.05
WC 0143	Crustaceans	E0.1
WD 0120	Diadromous fish	E0.1
MO 0105	Edible offal (mammalian)	E1
PE 0112	Eggs	E1

COMPOUND	FOOD	MRL (mg/kg)
WF 0115	Freshwater fish	E0.1
WS 0125	Marine fish	E0.1
MM 0095	Meat (mammalian) [in the fat]	E1
ML 0106	Milks [in the fat]	E0.5
IM 0150	Molluscs, including cephalopods	E0.1
SO 0697	Peanut	E0.01
PM 0110	Poultry meat [in the fat]	E1
PO 0111	Poultry, edible offal of	E1
Heptachlor		
VR 0577	Carrot	E0.2
GC 0080	Cereal grains	E0.02
FC 0001	Citrus fruits	E0.01
SO 0691	Cotton seed	E0.02
WC 0143	Crustaceans	E0.05
WD 0120	Diadromous fish	E0.05
MO 0105	Edible offal (mammalian)	E0.2
PE 0112	Eggs	E0.05
WF 0115	Freshwater fish	E0.05
WS 0125	Marine fish	E0.05
MM 0095	Meat (mammalian) [in the fat]	E0.2
ML 0106	Milks [in the fat]	E0.15
IM 0150	Molluscs, including cephalopods	E0.05
SO 0697	Peanut	E0.01
FI 0353	Pineapple	E0.01
VD 0541	Soya bean (dry)	E0.02
OC 0541	Soya bean oil, crude	E0.5
OR 0541	Soya bean oil, refined	E0.02
GS 0659	Sugar cane	E0.02
VO 0448	Tomato	E0.02
	Vegetables {except Carrot; Soya bean (dry); Tomato}	E0.05
Hexaconazole		
FP 0226	Apple	0.1
FB 0269	Grapes	0.05

COMPOUND	FOOD	MRL (mg/kg)
FP 0230	Pear	0.1
Hexazinone		
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GS 0659	Sugar cane	*0.1
Hexythiazox		
FB 0018	Berries and other small fruits {except Grapes}	1
MO 0105	Edible offal (mammalian)	*0.01
VC 0045	Fruiting vegetables, cucurbits	T0.05
VO 0050	Fruiting vegetables, other than cucurbits {except Mushrooms; Sweet corn (corn-on-the-cob)}	T1
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VP 0063	Peas	T*0.05
FP 0009	Pome fruits	1
VR 0589	Potato	T*0.02
FS 0012	Stone fruits	1
Imazalil		
PM 0840	Chicken meat	*0.01
PO 0840	Chicken, edible offal of	*0.01
FC 0001	Citrus fruits	10
PE 0112	Eggs	*0.01
VC 0046	Melons, except watermelon	10
VO 0450	Mushrooms	T1
FP 0009	Pome fruits	5
VR 0589	Potato	5
VO 0448	Tomato	0.5
Imazamox		

COMPOUND	FOOD	MRL (mg/kg)
VD 0560	Adzuki bean (dry)	T*0.05
GC 0640	Barley	*0.05
VD 0523	Broad bean (dry) [faba bean (dry)]	*0.01
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
VD 0561	Field pea (dry)	*0.05
VD 0533	Lentil (dry)	*0.01
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
VD 0536	Mung bean (dry)	T*0.05
SO 0697	Peanut	*0.05
SO 0698	Poppy seed	T*0.05
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.05
GC 0651	Sorghum	*0.02
VD 0541	Soya bean (dry)	*0.05
SO 0702	Sunflower seed	0.05
GC 0654	Wheat	*0.05
Imazapic (formerly known as Imazameth)		
GC 0640	Barley	0.02
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.01
SO 0697	Peanut	*0.1
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.05
GS 0659	Sugar cane	*0.05
GC 0654	Wheat	*0.05
Imazapyr		
GC 0640	Barley	0.7

COMPOUND	FOOD	MRL (mg/kg)
VD 0523	Broad bean (dry) [faba bean (dry)]	0.07
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
VD 0533	Lentil (dry)	*0.01
GC 0645	Maize	0.05
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.01
SO 0698	Poppy seed	T*0.05
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.05
GC 0651	Sorghum	0.02
SO 0702	Sunflower seed	*0.02
GC 0654	Wheat	*0.05
Imazethapyr		
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.1
VP 0060	Legume vegetables	*0.1
GC 0645	Maize	*0.05
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
SO 0697	Peanut	*0.1
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
VD 0070	Pulses	*0.1
Imidacloprid		
FP 0226	Apple	0.3
FI 0326	Avocado	0.2
FI 0327	Banana	0.5
VR 0574	Beetroot	T0.05
	Beetroot leaves	T1
FB 0020	Blueberries	T0.1
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages,	0.5

COMPOUND	FOOD	MRL (mg/kg)
	flowerhead brassicas	
VD 0523	Broad bean (dry) [faba bean (dry)]	*0.05
VR 0575	Burdock, greater	T0.05
VR 0577	Carrot	T0.05
VS 0624	Celery	T0.3
GC 0080	Cereal grains {except Maize; Popcorn; Sorghum}	*0.05
FC 0001	Citrus fruits	2
VD 0526	Common bean (dry) [navy bean (dry)]	T1
VP 0526	Common bean (pods and/or immature seeds)	2
SO 0691	Cotton seed	*0.02
FI 0332	Custard apple	T1
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.02
VD 0561	Field pea (dry)	*0.05
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn-on-the-cob)}	0.5
VR 0581	Galangal, greater	T0.05
VR 0582	Galangal, lesser	T0.05
VA 0381	Garlic	T0.5
	Ginger, Japanese	T0.05
HS 0784	Ginger, root	T0.3
TN 0666	Hazelnuts	T0.05
DH 1100	Hops, dry	T10
VL 0053	Leafy vegetables {except Lettuce, head}	20
VD 0533	Lentil (dry)	0.2
VL 0482	Lettuce, head	5
VD 0545	Lupin (dry)	0.2
GC 0645	Maize	0.05
FI 0345	Mango	0.2
MM 0095	Meat (mammalian)	0.05

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks	0.05
FI 0350	Papaya [pawpaw]	0.2
SO 0697	Peanut	*0.05
FT 0307	Persimmon, Japanese	T1
VP 0538	Podded pea (young pods) [snow and sugar snap]	T0.2
GC 0656	Popcorn	0.05
VR 0589	Potato	0.3
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VR 0591	Radish, Japanese	T0.05
SO 0495	Rape seed [canola]	*0.05
VS 0627	Rhubarb	T0.2
GC 0651	Sorghum	*0.02
FS 0012	Stone fruits	0.5
GS 0659	Sugar cane	*0.05
SO 0702	Sunflower seed	*0.02
VO 0447	Sweet corn (corn-on-the-cob)	*0.05
VR 0508	Sweet potato	0.3
VR 0505	Taro	T0.05
FT 0312	Tree tomato	T2
VR 0601	Yam bean	T0.05
VR 0600	Yams	T0.05
Imidocarb (dipropionate salt)		
MM 0812	Cattle meat	1
ML 0812	Cattle milk	0.2
MO 0812	Cattle, edible offal of	5
Indoxacarb		
VS 0621	Asparagus	*0.01
FT 2303	Bayberry, red	T1
FB 0018	Berries and other small fruits {except Grapes}	1
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2

COMPOUND	FOOD	MRL (mg/kg)
VS 0624	Celery	3
FS 0013	Cherries	1
	Chia	T0.5
SO 0691	Cotton seed	1
DF 0269	Dried grapes (= currants, raisins and sultanas)	2
MO 0105	Edible offal (mammalian) {except Kidney}	0.02
VO 0440	Egg plant [aubergine]	0.5
PE 0112	Eggs	*0.01
HH 0731	Fennel, leaf	5
VC 0045	Fruiting vegetables, cucurbits	0.2
FB 0269	Grapes	0.5
SO 3154	Hempseed	T*0.05
	Kidney (mammalian)	0.5
VL 0053	Leafy vegetables {except Lettuce, Head}	5
VL 0482	Lettuce, head	3
SO 0693	Linseed	T0.5
TN 0669	Macadamia nuts	T*0.01
GC 2091	Maize cereals	T*0.01
MM 0095	Meat (mammalian) [in the fat]	3
FM 0183	Milk fats	2
ML 0106	Milks	0.1
FT 0305	Olives	T0.2
SO 0697	Peanut	T0.02
VO 0051	Peppers	0.5
FP 0009	Pome fruits	2
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.2
SO 0495	Rape seed [canola]	T*0.05
SO 0699	Safflower seed	T0.5
FS 0012	Stone fruits {except Cherries}	2

COMPOUND	FOOD	MRL (mg/kg)
SO 0702	Sunflower seed	T1
VO 0447	Sweet corn (corn-on-the-cob)	*0.01
VO 0448	Tomato	0.2
TN 0678	Walnuts	T0.02
Inorganic bromide		
FI 0326	Avocado	75
GC 0080	Cereal grains	50
FC 0001	Citrus fruits	30
DF 0295	Dates, dried	100
DF 0167	Dried fruits {except Dried dates; Figs; Grapes; Peach; Prunes}	30
DF 0269	Dried grapes (= currants, raisins and sultanas)	100
DH 0170	Dried herbs	400
	Dried peach	50
DF 0297	Figs, dried	250
	Fruits {except Avocado; Citrus fruits; Dried fruits; Strawberry}	20
VO 0445	Peppers, sweet [capsicum]	50
DF 0014	Prunes	20
HS 0093	Spices	400
FB 0275	Strawberry	30
	Vegetables {except Peppers, sweet [capsicum]}	20
Iodosulfuron methyl		
GC 0640	Barley	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
GC 0654	Wheat	*0.01
loxynil		
VA 0381	Garlic	*0.02

COMPOUND	FOOD	MRL (mg/kg)
VA 0384	Leek	T2
VA 0385	Onion, bulb	*0.02
VA 0387	Onion, Welsh	T10
VA 0388	Shallot	T10
VA 0389	Spring onion	T10
GS 0659	Sugar cane	*0.02
Ipconazole		
GC 0080	Cereal grains	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Iprodione		
TN 0660	Almonds	*0.02
VP 0061	Beans, except broad bean and soya bean	T2
VR 0574	Beetroot	T0.1
FB 0018	Berries and other small fruits {except Grapes}	12
	Beetroot leaves	T20
VL 0054	Brassica leafy vegetables	15
VB 0400	Broccoli	T*0.05
VB 0402	Brussels sprouts	0.5
VR 0577	Carrot	T0.5
VR 0578	Celeriac	T0.7
VS 0624	Celery	2
VL 0464	Chard [silver beet]	T15
TN 0664	Chestnuts	T10
VL 0469	Chicory leaves	T20
VC 0424	Cucumber	T0.5
MO 0105	Edible offal (mammalian)	*0.1
VO 0440	Egg plant [aubergine]	T1

COMPOUND	FOOD	MRL (mg/kg)
VL 0476	Endive	T20
VA 0381	Garlic	T0.3
FB 0269	Grapes	20
FI 0341	Kiwifruit	10
VL 0482	Lettuce, head	5
VL 0483	Lettuce, leaf	5
VD 0545	Lupin (dry)	*0.1
TN 0669	Macadamia nuts	*0.01
FC 0003	Mandarins	T5
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
VA 0385	Onion, bulb	T0.7
HH 0740	Parsley	T20
FI 0351	Passion fruit	10
SO 0697	Peanut	0.05
OC 0697	Peanut oil, crude	0.05
VO 0051	Peppers	T3
	Peppers, chili, other cultivars	T3
TN 0675	Pistachio nut	T0.2
VP 0538	Podded pea (young pods) [snow and sugar snap]	T2
FP 0009	Pome fruits	3
VR 0589	Potato	*0.05
SO 0495	Rape seed [canola]	0.5
VD 0541	Soya bean (dry)	0.05
VL 0502	Spinach	T5
FS 0012	Stone fruits	10
FC 4029	Tangelo, large-sized cultivars	T5
VO 0448	Tomato	2
Isoeugenol		
Gr 0042	Fish (whole commodity)	100
Isofetamid		
FB 0018	Berries and other small fruits {except Grapes}	5

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Poultry eggs	*0.02
MO 0105	Edible offal (mammalian)	*0.02
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.02
FM 0183	Milk fats	*0.02
PO 0111	Poultry, edible offal of	*0.02
PM 0110	Poultry meat [in the fat]	*0.02
Isopyrazam		
TN 0660	Almonds	*0.01
MO 0105	Edible offal (mammalian)	*0.005
PE 0112	Eggs	*0.005
MM 0095	Meat (mammalian) [in the fat]	*0.005
ML 0106	Milks	*0.005
FP 0009	Pome fruits	0.7
PM 0110	Poultry meat [in the fat]	*0.005
PO 0111	Poultry, edible offal of	*0.005
Isoxaben		
FT 0026	Assorted tropical and sub-tropical fruits - edible peel	*0.01
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	*0.01
GC 0640	Barley	*0.01
FC 0001	Citrus fruits	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
FB 0269	Grapes	0.01
DH 1100	Hops, dry	*0.1
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
FP 0009	Pome fruits	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
FS 0012	Stone fruits	*0.01
TN 0085	Tree nuts	*0.01

COMPOUND	FOOD	MRL (mg/kg)
GC 0653	Triticale	*0.01
GC 0654	Wheat	*0.01
Isoxaflutole		
GC 0080	Cereal grains	*0.02
VD 0524	Chick-pea (dry)	*0.02
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
FI 0353	Pineapple	*0.02
SO 0698	Poppy seed	*0.02
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GS 0659	Sugar cane	*0.01
Ivermectin		
MM 0812	Cattle meat [in the fat]	0.2
ML 0812	Cattle milk	0.05
MO 1280	Cattle, kidney	0.06
MO 1281	Cattle, liver	0.5
	Deer kidney	*0.01
	Deer liver	*0.01
MM 0813	Deer meat [in the fat]	*0.01
MM 0816	Horse meat	*0.01
MO 0816	Horse, edible offal of	*0.01
MM 0818	Pig meat [in the fat]	0.02
MO 1284	Pig, kidney	*0.01
MO 1285	Pig, liver	*0.01
MM 0822	Sheep meat [in the fat]	0.02
MO 1288	Sheep, kidney	*0.01
MO 1289	Sheep, liver	0.015
Ketoprofen		
MM 0812	Cattle meat	*0.05
ML 0812	Cattle milk	*0.05

COMPOUND	FOOD	MRL (mg/kg)
MO 0812	Cattle, edible offal of	*0.05
Kitasamycin		
PE 0112	Eggs	*0.2
MM 0818	Pig meat	*0.2
MO 0818	Pig, edible offal of	*0.2
Kresoxim-methyl		
MO 0105	Edible offal (mammalian)	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.05
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.001
FP 0009	Pome fruits	0.1
Lasalocid		
ML 0812	Cattle milk	*0.01
MO 0105	Edible offal (mammalian)	0.7
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
	Poultry fat/skin	0.6
	Poultry kidney	0.7
	Poultry liver	1.2
	Poultry muscle	0.4
Levamisole		
MO 0105	Edible offal (mammalian)	1
PE 0112	Eggs	1
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks {except Goat milk}	0.3
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
Lincomycin		
ML 0812	Cattle milk	*0.02
MO 0105	Edible offal (mammalian) {except Sheep, edible offal of}	0.2
PE 0112	Eggs	0.2
ML 0814	Goat milk	*0.1
MM 0095	Meat (mammalian) {except Sheep	0.2

COMPOUND	FOOD	MRL (mg/kg)
	meat}	
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
Lindane		
FP 0226	Apple	E2
GC 0080	Cereal grains	E0.5
FS 0013	Cherries	E0.5
FB 0265	Cranberry	E3
WC 0143	Crustaceans	E1
WD 0120	Diadromous fish	E1
MO 0105	Edible offal (mammalian)	E2
PE 0112	Eggs	E0.1
WF 0115	Freshwater fish	E1
	Fruits {except Apple; Cherries; Cranberry; Grapes; Peach; Pineapple; Plums; Strawberry}	E0.5
FB 0269	Grapes	E0.5
WS 0125	Marine fish	E1
MO 0095	Meat (mammalian) [in the fat]	E2
ML 0106	Milks [in the fat]	E0.2
IM 0150	Molluscs, including cephalopods	E1
SO 0088	Oilseed except peanut	E0.05
FS 0247	Peach	E2
SO 0697	Peanut	E0.05
FI 0353	Pineapple	0.5
FS 0014	Plums (including prunes)	E0.5
PM 0110	Poultry meat [in the fat]	E0.7
PO 0111	Poultry, edible offal of	E0.7
FB 0275	Strawberry	E3
GS 0659	Sugar cane	E*0.002
	Vegetables	E2
Linuron		
VR 0578	Celeriac	T3
VS 0624	Celery	*0.05

COMPOUND	FOOD	MRL (mg/kg)
GC 0080	Cereal grains	*0.05
	Chia	T*0.05
	Coriander (leaves, stems and roots)	T1
HS 0779	Coriander, seed	0.2
MO 0105	Edible offal (mammalian)	1
PE 0112	Eggs	*0.05
VA 0384	Leek	*0.02
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
HH 0740	Parsley	T1
VR 0588	Parsnip	T0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
HS 0794	Turmeric, root	T*0.05
	Vegetables {except Celeriac; Celery; Leek; Parsnip}	*0.05
Lufenuron		
SO 0691	Cotton seed	T0.2
OC 0691	Cotton seed oil, crude	T0.5
MO 0105	Edible offal (mammalian)	T*0.01
PE 0112	Eggs	T0.05
MM 0095	Meat (mammalian) [in the fat]	T1
ML 0106	Milks	T0.2
PM 0110	Poultry meat [in the fat]	T1
PO 0111	Poultry, edible offal of	T*0.01
Maduramicin		
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	1
Maldison		
VD 0071	Beans (dry)	8
FB 0018	Berries and other small fruits {except Grapes; Strawberry}	10
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas {except	2

COMPOUND	FOOD	MRL (mg/kg)
	Cauliflower; Kohlrabi}	
VL 0054	Brassica leafy vegetables {except Kale}	2
VR 0577	Carrot	0.5
VB 0404	Cauliflower	0.5
VS 0624	Celery	2
GC 0080	Cereal grains	8
FC 0001	Citrus fruits	4
VC 0424	Cucumber	3
FB 0278	Currant, black	T2
DF 0167	Dried fruits	8
MO 0105	Edible offal (mammalian)	1
PE 0112	Eggs	1
VC 0045	Fruiting vegetables, cucurbits {except Cucumber}	2
VO 0050	Fruiting vegetables, other than cucurbits {except Peppers, sweet [capsicum]}	3
	Fruits {except Berries and other small fruits; Citrus fruits; Dried fruits; Stone fruits}	2
VP 0528	Garden pea (young pods)	0.5
FB 0269	Grapes	8
VL 0480	Kale	3
VB 0405	Kohlrabi	0.5
VA 0384	Leeks	2
VP 0060	Legume vegetables {except Garden pea}	2
VD 0533	Lentil (dry)	8
VL 0482	Lettuce, head	2
VL 0483	Lettuce, leaf	2
SO 0693	Linseed	10
MM 0095	Meat (mammalian) [in the fat]	1
ML 0106	Milks [in the fat]	1
VA 0385	Onion, bulb	2
VA 0387	Onion, Welsh	T0.1

COMPOUND	FOOD	MRL (mg/kg)
VO 0445	Peppers, sweet [capsicum]	T5
PM 0110	Poultry meat [in the fat]	1
PO 0111	Poultry, edible offal of	1
VD 0070	Pulses {except Beans (dry); Lentils (dry)}	2
SO 0495	Rape seed [canola]	10
SO 0699	Safflower seed	10
VA 0388	Shallot	T0.1
VA 0389	Spring onion	T0.1
FS 0012	Stone fruits	5
FB 0275	Strawberry	1
SO 0702	Sunflower seed	10
TN 0085	Tree nuts	8
CM 0654	Wheat bran, unprocessed	20
Maleic hydrazide		
VR 0577	Carrot	T40
VA 0381	Garlic	15
VA 0385	Onion, bulb	15
VR 0589	Potato	50
Mandestrobin		
VP 0061	Beans, except broad bean and soya bean	0.7
MO 0105	Edible offal (mammalian)	0.02
VL 0482	Lettuce, head	0.7
VL 0483	Lettuce, leaf	7
MM 0095	Meat (mammalian) [in the fat]	0.02
ML 0106	Milks	*0.02
FS 0012	Stone fruits	3
Mandipropamid		
HH 0722	Basil	T30
DF 0269	Dried grapes (= currants, raisins and sultanas)	2
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01

COMPOUND	FOOD	MRL (mg/kg)
FB 0269	Grapes	0.3
VL 0053	Leafy vegetables	30
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
	Mizuna	30
SO 0698	Poppy seed	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
MCPA		
GC 0080	Cereal grains	*0.02
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VD 0561	Field pea (dry)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VS 0627	Rhubarb	*0.02
MCPB		
GC 0080	Cereal grains	*0.02
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VD 0561	Field pea (dry)	*0.05
VP 0060	Legume vegetables	*0.02
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	*0.02
Mebendazole		
MO 0105	Edible offal (mammalian)	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	0.02

COMPOUND	FOOD	MRL (mg/kg)
Mefenpyr-diethyl		
GC 0080	Cereal grains	*0.01
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
Mefentrifluconazole		
FP 0226	Apple	1
GC 0640	Barley	T0.2
DF 0269	Dried grapes (= currants, raisins and sultanas)	3
MO 0105	Edible offal (mammalian)	T0.3
PE 0112	Eggs	*0.01
FB 0269	Grapes	1
MM 0095	Meat (mammalian) [in the fat]	T0.2
ML 0106	Milks	*0.01
GC 0647	Oats	T0.2
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	0.02
SO 0495	Rape seed [canola]	T0.05
TN 0085	Tree nuts	0.2
GC 0654	Wheat	T0.03
Meloxicam		
MM 0812	Cattle meat	*0.01
ML 0812	Cattle milk	0.005
MO 1280	Cattle, kidney	0.2
MO 1281	Cattle, liver	0.1
	Pig fat/skin	0.1
MM 0818	Pig meat	0.02
MO 1284	Pig, kidney	*0.01
MO 1285	Pig, liver	*0.01
MF 0822	Sheep fat	0.01

COMPOUND	FOOD	MRL (mg/kg)
MM 0822	Sheep meat	0.01
MO 1288	Sheep, kidney	0.01
MO 1289	Sheep, liver	0.01
Mepiquat		
SO 0691	Cotton seed	1
OC 0691	Cotton seed oil, crude	0.2
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	0.05
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.05
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
Mesosulfuron-methyl		
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
GC 0654	Wheat	*0.02
Mesotrione		
GC 0640	Barley	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
SO 0693	Linseed	T*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PO 0111	Poultry, edible offal of	*0.01
PM 0110	Poultry meat	*0.01
GC 0447	Sweet corn (corn-on-the-cob)	T*0.01
GC 0654	Wheat	*0.01
Metalaxyl		
VS 0621	Asparagus	0.05

COMPOUND	FOOD	MRL (mg/kg)
FI 0326	Avocado	0.5
HH 0722	Basil	T5
DH 0722	Basil, dry	T30
VR 0574	Beetroot	T*0.01
	Beetroot leaves	T0.1
	Berries and other small fruits {except Grapes}	T0.5
FB 0018		
VA 0035	Bulb vegetables [alliums]	0.1
GC 0080	Cereal grains	*0.01
TN 0664	Chestnuts	T0.05
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VC 0045	Fruiting vegetables, cucurbits	0.2
HS 0784	Ginger, root	0.5
FB 0269	Grapes	1
TN 0666	Hazelnuts	T*0.05
VL 0053	Leafy vegetables	0.3
TN 0669	Macadamia nuts	1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
FI 0350	Papaya [pawpaw]	*0.01
HH 0740	Parsley	T0.3
VO 0051	Peppers	T0.1
	Peppers, chili, other cultivars	T0.1
FI 0353	Pineapple	0.1
	Podded pea (young pods) [snow and sugar snap]	T0.1
VP 0538		
FP 0009	Pome fruits	0.2
SO 0698	Poppy seed	*0.02
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
FS 0012	Stone fruits	0.2
VO 0448	Tomato	T0.5
	Vegetables {except Asparagus; Beetroot; Bulb vegetables [alliums];	T0.1

COMPOUND	FOOD	MRL (mg/kg)
	Fruiting vegetables, cucurbits; Leafy vegetables; Peppers; Podded pea (young pods) [snow and sugar snap peas]; Tomato}	
TN 0678	Walnuts	T*0.01
Metaldehyde		
GC 0080	Cereal grains	1
	Fruits	1
	Herbs and spices	1
SO 0088	Oilseed	1
VD 0070	Pulses	1
DT 0171	Teas (tea and herb teas)	1
	Vegetables	1
Metamitron		
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
FP 0009	Pome fruits	0.01
Metazachlor		
	All other foods	1
GC 0080	Cereal grains	*0.03
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
SO 0088	Oilseed	*0.03
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	*0.03
Metcamifen		
MO 0105	Edible offal (mammalian)	*0.03
PE 0112	Eggs	*0.03
MM 0095	Meat (mammalian)	*0.03
ML 0106	Milks	*0.03
PO 0111	Poultry, edible offal of	*0.03

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat	*0.03
GC 0651	Sorghum	*0.01
Methabenzthiazuron		
VA 0381	Garlic	T*0.01
VA 0384	Leek	T*0.05
VA 0385	Onion, bulb	*0.05
VA 0387	Onion, Welsh	T0.5
VA 0388	Shallot	T0.5
VA 0389	Spring onion	T0.5
Methamidophos		
FI 0327	Banana	0.2
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
MO 0105	Edible offal (mammalian)	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VO 0445	Peppers, sweet [capsicum]	2
VR 0589	Potato	0.25
VO 0448	Tomato	2
Methiocarb		
FC 0001	Citrus fruits	0.1
	Fruits {except Citrus fruits; Grapes}	T0.1
FB 0269	Grapes	0.5
VF 0371	Truffle	T0.05
	Vegetables	0.1
	Wine	0.1
Methomyl see also Thiodicarb		
FP 0226	Apple	1
FI 0326	Avocado	*0.1
FB 0020	Blueberries	2
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
VL 0054	Brassica leafy vegetables	T0.7

COMPOUND	FOOD	MRL (mg/kg)
VS 0624	Celery	3
GC 0080	Cereal grains	*0.1
VL 0464	Chard [silver beet]	2
FS 0013	Cherries	2
	Chia	T1
VA 0386	Chinese onion	T1
FC 0001	Citrus fruits	1
	Coriander (leaves, stems and roots)	T10
SO 0691	Cotton seed	*0.1
DF 0269	Dried grapes (= currants, raisins and sultanas)	*0.05
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.02
VA 0380	Fennel bulb	T0.2
HH 0731	Fennel leaf	T3
VC 0045	Fruiting vegetables, cucurbits	0.1
VO 0050	Fruiting vegetables, other than cucurbits {except Peppers; Sweet corn (corn-on-the-cob)}	1
	Ginger, Japanese	T2
HS 0784	Ginger, root	*0.1
FB 0269	Grapes	2
DH 1100	Hops, dry	0.5
VA 0384	Leek	T0.5
VP 0060	Legume vegetables	1
VL 0482	Lettuce, head	2
VL 0483	Lettuce, leaf	2
SO 0693	Linseed	*0.1
TN 0669	Macadamia nuts	T1
FI 0345	Mango	T*0.01
MM 0095	Meat (mammalian)	0.05
ML 0106	Milks	0.05
HH 0738	Mints	0.5
VA 0385	Onion, bulb	T0.1

COMPOUND	FOOD	MRL (mg/kg)
VA 0387	Onion, Welsh	T2
HH 0740	Parsley	T10
SO 0697	Peanut	*0.05
FP 0230	Pear	3
VO 0051	Peppers	T2
	Peppers, chili, other cultivars	T2
FP 0307	Persimmon, Japanese	T0.05
FI 2540	Pitaya [dragon fruit]	T0.2
SO 0698	Poppy seed	*0.05
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	1
SO 0495	Rape seed [canola]	0.5
VR 0075	Root and tuber vegetables	1
SO 0700	Sesame seed	*0.1
VA 0388	Shallot	T2
VL 0502	Spinach	T0.7
VA 0389	Spring onion	T2
FS 0012	Stone fruits {except Cherries}	1
FB 0275	Strawberry	3
SO 0702	Sunflower seed	*0.1
VO 0447	Sweet corn (corn-on-the-cob)	0.1
HS 0794	Turmeric, root	T*0.02
Methoprene		
ML 0812	Cattle milk	0.1
GC 0080	Cereal grains	2
MO 0105	Edible offal (mammalian)	*0.01
MM 0095	Meat (mammalian) [in the fat]	0.3
CM 0654	Wheat bran, unprocessed	5
CF 1210	Wheat germ	10
Methoxyfenozide		
TN 0660	Almonds	0.2
FI 0326	Avocado	0.5

COMPOUND	FOOD	MRL (mg/kg)
FB 0020	Blueberries	2
FC 0001	Citrus fruits	1
SB 0716	Coffee beans	0.2
SO 0691	Cotton seed	3
VC 0424	Cucumber	T2
FI 0332	Custard apple	0.3
DF 0269	Dried grapes (= currants, raisins and sultanas)	6
MO 0105	Edible offal (mammalian)	*0.01
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn-on-the-cob)}	3
FB 0269	Grapes	2
FI 0341	Kiwifruit	2
VL 0482	Lettuce, head	T30
VL 0483	Lettuce, leaf	T30
FI 0343	Litchi	2
FI 0342	Longan	2
TN 0669	Macadamia nuts	0.05
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
FI 0352	Persimmon, American	1
FT 0307	Persimmon, Japanese	1
VP 0538	Podded pea (young pods) [snow and sugar snap]	T3
FP 0009	Pome fruits	0.5
VO 0447	Sweet corn (corn-on-the-cob)	T0.05
Methyl bromide		
GC 0080	Cereal grains	50
VC 0424	Cucumber	*0.05
DF 0167	Dried fruits	*0.05
	Fruits {except Jackfruit; Litchi; Mango; Papaya [pawpaw]}	T*0.05
HH 0092	Herbs	*0.05
FI 0338	Jackfruit	*0.05

COMPOUND	FOOD	MRL (mg/kg)
FI 0343	Litchi	*0.05
FI 0345	Mango	*0.05
FI 0350	Papaya [pawpaw]	*0.05
VO 0445	Peppers, sweet [capsicum]	*0.05
HS 0093	Spices	*0.05
	Vegetables {except Cucumber; Peppers}	T*0.05
Methyl isothiocyanate		
GC 0640	Barley	T0.1
SO 0495	Rape seed [canola]	T0.1
GC 0654	Wheat	T0.1
Methylbenzoate		
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
Metolachlor		
VD 0560	Adzuki bean (dry)	T*0.05
VP 0061	Beans, except broad bean and soya bean	*0.02
	Bergamot	T*0.05
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.02
VL 0054	Brassica leafy vegetables	*0.01
VR 0578	Celeriac	T*0.2
VS 0624	Celery	T0.05
GC 0080	Cereal grains {except Maize; Sorghum}	*0.02
VL 0464	Chard [silver beet]	T*0.01
VL 0465	Chervil	T*0.05
	Coriander (leaves and stems)	T*0.05
	Coriander, roots	T0.5
HS 0779	Coriander, seed	T*0.05
SO 0691	Cotton seed	*0.01
HS 0730	Dill seed	T*0.05
MO 0105	Edible offal (mammalian)	*0.05

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Eggs	*0.01
HS 0731	Fennel, seed	T*0.05
VC 0045	Fruiting vegetables, cucurbits	*0.05
VR 0581	Galangal, greater	T0.5
HH 0092	Herbs	T*0.05
	Kaffir lime leaves	T*0.05
	Lemon grass	T*0.05
DT 1111	Lemon verbena (dry leaves)	T*0.05
GC 0645	Maize	0.1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
	Mizuna	T*0.05
VA 0387	Onion, Welsh	*0.01
SO 0697	Peanut	*0.05
VR 0589	Potato	*0.01
PM 0110	Poultry meat	0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses {except Soya beans (dry); Adzuki beans (dry)}	*0.01
SO 0495	Rape seed [canola]	*0.02
VS 0627	Rhubarb	*0.05
	Rose and dianthus (edible flowers)	T*0.05
VL 0496	Rucola [rocket]	T*0.05
SO 0699	Safflower seed	*0.05
HH 4731	Salad burnett	T*0.05
SO 0700	Sesame seed	T*0.02
VA 0388	Shallot	*0.01
GC 0651	Sorghum	*0.05
VD 0541	Soya bean (dry)	*0.05
VL 0502	Spinach	T*0.01
VA 0389	Spring onion	*0.01
GS 0659	Sugar cane	*0.05
SO 0702	Sunflower seed	*0.05
VO 1275	Sweet corn (kernels)	0.1

COMPOUND	FOOD	MRL (mg/kg)
VR 0508	Sweet potato	*0.2
VO 0448	Tomato	T*0.01
HS 0794	Turmeric, root	T0.5
Metosulam		
GC 0080	Cereal grains	*0.02
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VD 0545	Lupin (dry)	*0.02
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0698	Poppy seed	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Metrafenone		
DF 0269	Dried grapes (= currants, raisins and sultanas)	3
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VC 0045	Fruiting vegetables, cucurbits	0.2
FB 0269	Grapes	1
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.01
VF 0450	Mushroom	T0.5
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
VO 0448	Tomato	T0.7
Metribuzin		
VS 0621	Asparagus	0.2
VR 0577	Carrot	T0.3
GC 0080	Cereal grains	*0.05
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
HS 0784	Ginger, root	T*0.01
MM 0095	Meat (mammalian)	*0.05

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks	*0.05
VP 0063	Peas {except Peas, shelled}	T*0.05
VP 0064	Peas, shelled	*0.05
FI 0353	Pineapple	*0.01
VR 0589	Potato	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses {except Soya bean (dry)}	*0.01
SO 0495	Rape seed [canola]	*0.02
VD 0541	Soya bean (dry)	*0.05
GS 0659	Sugar cane	*0.02
DM 0659	Sugar cane molasses	0.1
VO 0448	Tomato	0.1
Metsulfuron-methyl		
GC 0080	Cereal grains	*0.02
VD 0524	Chick-pea (dry)	*0.05
MO 0105	Edible offal (mammalian)	*0.1
SO 0693	Linseed	*0.02
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
VD 0536	Mung bean (dry)	0.2
SO 0698	Poppy seed	*0.01
SO 0699	Safflower seed	*0.02
Mevinphos		
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.05
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
Milbemectin		
MO 0105	Edible offal (mammalian)	*0.002
VO 0050	Fruiting vegetables, other than cucurbits	0.02

COMPOUND	FOOD	MRL (mg/kg)
MM 0095	Meat (mammalian) [in the fat]	*0.002
FM 0183	Milk fats	*0.0005
ML 0106	Milks	*0.0005
	Peppers, chili, other cultivars	0.02
FP 0009	Pome fruits	0.03
FS 0012	Stone fruits	0.1
FB 0275	Strawberry	0.2
Molinate		
GC 0649	Rice	*0.05
Monensin		
MM 0812	Cattle meat	*0.05
ML 0812	Cattle milk	*0.01
MO 0812	Cattle, edible offal of	*0.05
MM 0814	Goat meat	*0.05
MO 0814	Goat, edible offal of	*0.05
PM 0110	Poultry meat [in the fat]	*0.5
PO 0111	Poultry, edible offal of	*0.5
MF 0822	Sheep fat	0.07
	Sheep muscle	0.005
MO 1288	Sheep, kidney	0.015
MO 1289	Sheep, liver	0.2
Monepantel		
MF 0812	Cattle fat	7
MM 0812	Cattle meat	0.3
MO 1280	Cattle, kidney	1
MO 1281	Cattle, liver	2
ML 0106	Milks	*0.05
MF 0822	Sheep fat	7
	Sheep muscle	0.7
MO 1288	Sheep, kidney	2
MO 1289	Sheep, liver	5
Morantel		
MO 0812	Cattle, edible offal of	2

COMPOUND	FOOD	MRL (mg/kg)
MO 0814	Goat, edible offal of	2
MM 0095	Meat (mammalian)	0.3
ML 0106	Milks	*0.1
MO 0818	Pig, edible offal of	5
MO 0822	Sheep, edible offal of	2
Moxidectin		
MM 0812	Cattle meat [in the fat]	1
ML 0812	Cattle milk [in the fat]	2
MO 0812	Cattle, edible offal of	0.5
MM 0813	Deer meat [in the fat]	1
	Deer, edible offal of	0.2
MM 0822	Sheep meat [in the fat]	0.5
MO 0822	Sheep, edible offal of	0.05
MSMA		
GS 0659	Sugar cane	0.3
Myclobutanil		
VS 0621	Asparagus	T0.02
MO 0105	Edible offal (mammalian)	*0.01
FB 0269	Grapes	1
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
FP 0009	Pome fruits	0.5
FB 0275	Strawberry	2
Naphthalene acetic acid		
FP 0226	Apple	1
FP 0230	Pear	1
FI 0353	Pineapple	1
FI 0358	Rambutan	T*0.05
Naphthalophos		
MM 0822	Sheep meat	*0.01
MO 0822	Sheep, edible offal of	*0.01
Napropamide		
TN 0660	Almonds	*0.1

COMPOUND	FOOD	MRL (mg/kg)
HH 0722	Basil	T*0.1
FB 0018	Berries and other small fruits	*0.1
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T*0.1
MO 0105	Edible offal (mammalian)	*0.08
PE 0112	Eggs	*0.08
MM 0095	Meat (mammalian)	*0.08
ML 0106	Milks	*0.08
PM 0110	Poultry meat	*0.08
PO 0111	Poultry, edible offal of	*0.08
SO 0495	Rape seed [canola]	*0.01
FS 0012	Stone fruits	*0.1
VO 0448	Tomato	*0.1
Narasin		
MM 0812	Cattle meat	0.05
MO 0812	Cattle, edible offal of	0.05
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
Neomycin		
PE 0112	Eggs	T0.5
MO 0098	Kidney of cattle, goats, pigs and sheep	T10
MO 0099	Liver of cattle, goats, pigs and sheep	T0.5
MF 0100	Mammalian fats {except Milk fat}	T0.5
MM 0095	Meat (mammalian)	T0.5
ML 0106	Milks	T1.5
	Poultry, kidney	T10
	Poultry, liver	T0.5
PM 0110	Poultry meat	T0.5
Nicarbazin		
	Chicken fat/skin	10
	Chicken muscle	5
	Chicken, kidney	20

COMPOUND	FOOD	MRL (mg/kg)
	Chicken, liver	35
PE 0112	Eggs	0.3
Niclosamide		
MO 0105	Edible offal (mammalian)	T*0.01
PE 0112	Eggs	T*0.01
MM 0095	Meat (mammalian)	T*0.01
ML 0106	Milks	T*0.01
PM 0110	Poultry meat	T*0.01
PO 0111	Poultry, edible offal of	T*0.01
GC 0649	Rice	T*0.01
Nitrothal-isopropyl		
FP 0226	Apple	1
Nitroxynil		
MM 0812	Cattle meat	1
MO 0812	Cattle, edible offal of	1
MM 0814	Goat meat	1
MO 0814	Goat, edible offal of	1
MM 0822	Sheep meat	1
MO 0822	Sheep, edible offal of	1
Norflurazon		
VS 0621	Asparagus	0.05
FC 0001	Citrus fruits	0.2
SO 0691	Cotton seed	0.1
FB 0269	Grapes	0.1
FP 0009	Pome fruits	*0.2
FS 0012	Stone fruits	*0.2
TN 0085	Tree nuts	*0.2
Norgestomet		
MO 0105	Edible offal (mammalian)	*0.0001
MM 0095	Meat (mammalian)	*0.0001
Novaluron		
FP 0226	Apple	0.3
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages,	0.3

COMPOUND	FOOD	MRL (mg/kg)
	flowerhead brassicas	
FS 0013	Cherries	3
SO 0691	Cotton seed	T1
OC 0691	Cotton seed oil, crude	T2
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VO 0050	Fruiting vegetables, other than cucurbits	0.2
VL 0053	Leafy vegetables	5
MM 0095	Meat (mammalian) [in the fat]	0.1
FM 0183	Milk fats	0.2
ML 0106	Milks	*0.01
FP 0230	Pear	0.3
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
FS 0012	Stone fruits {except Cherries}	0.5
Novobiocin		
MM 0812	Cattle meat	*0.1
ML 0812	Cattle milk	*0.1
MO 0812	Cattle, edible offal of	*0.1
ODB		
MM 0822	Sheep meat [in the fat]	*0.01
MO 0822	Sheep, edible offal of	*0.01
Olaquinox		
MM 0818	Pig meat	0.3
MO 0818	Pig, edible offal of	0.3
Oleandomycin		
MO 0105	Edible offal (mammalian)	*0.1
MM 0095	Meat (mammalian)	*0.1
Omethoate		
	Abiu	2
VS 0621	Asparagus	*0.002
FI 0030	Assorted tropical and sub-tropical fruits – inedible peel {except Avocado; Mango; Pineapple}	2

COMPOUND	FOOD	MRL (mg/kg)
FI 0326	Avocado	0.1
VR 0574	Beetroot	*0.05
FB 0264	Blackberries	T3
	Cactus fruit	2
GC 0080	Cereal grains	*0.05
FC 0001	Citrus fruits	0.5
SO 0691	Cotton seed	*0.05
MO 0105	Edible offal (mammalian)	0.1
VO 0440	Egg plant [aubergine]	T0.07
PE 0112	Eggs	*0.05
VP 0060	Legume vegetables	1
FI 0345	Mango	0.1
MM 0095	Meat (mammalian)	*0.05
VC 0046	Melons, except watermelon	0.2
ML 0106	Milks	*0.05
SO 0088	Oilseed {except Cotton seed, Peanut}	0.05
OR 0305	Olive oil, refined	T0.2
SO 0305	Olives for oil production	T2
VA 0385	Onion, bulb	0.5
SO 0697	Peanut	*0.01
VO 0445	Peppers, sweet [capsicum]	0.3
FI 0353	Pineapple	0.03
VR 0589	Potato	0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	0.1
FB 0272	Raspberries, Red, Black	T3
VS 0627	Rhubarb	0.3
	Rollinia	2
	Santols	2
VC 0431	Squash, summer [zucchini]	0.2
FB 0275	Strawberry	*0.01
VR 0508	Sweet potato	0.05

COMPOUND	FOOD	MRL (mg/kg)
VO 0448	Tomato	0.02
VR 0506	Turnip, garden	*0.1
FB 0019	Vaccinium berries, including Bearberry	T2
VC 0432	Watermelon	0.2
CF 0654	Wheat bran, processed	0.05
Oryzalin		
GC 0080	Cereal grains	*0.01
SB 0716	Coffee beans	T0.1
	Fruits	0.1
VA 0381	Garlic	T*0.05
HS 0784	Ginger, root	T*0.05
SO 0495	Rape seed [canola]	*0.05
TN 0085	Tree nuts	0.1
Oxabetrinil		
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.1
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.05
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
Oxadixyl		
VC 0045	Fruiting vegetables, cucurbits	0.5
FB 0269	Grapes	2
VL 0053	Leafy vegetables	T5
VA 0385	Onion, bulb	0.5
Oxamyl		
FI 0327	Banana	0.2
GC 0080	Cereal grains	*0.02
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
VA 0387	Onion, Welsh	T0.5

COMPOUND	FOOD	MRL (mg/kg)
VO 0445	Peppers, sweet [capsicum]	1
PF 0111	Poultry fats	*0.02
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VA 0388	Shallot	T0.5
VA 0389	Spring onion	T0.5
VR 0508	Sweet potato	0.2
VO 0448	Tomato	*0.05
Oxathiapiprolin		
HH 0722	Basil	T10
DH 0722	Basil, dry	T90
FB 0264	Blackberries	T0.5
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
VA 0035	Bulb vegetables [alliums] {except Onion, bulb}	1
	Cardoon	15
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.2
VL 0053	Leafy vegetables {except Lettuce, head}	15
VL 0482	Lettuce, head	2
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
VA 0385	Onion, bulb	0.02
SO 0698	Poppy seed	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
FB 0272	Raspberries, red, black	T0.5
Oxfendazole		
MO 0105	Edible offal (mammalian)	3
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	0.1

COMPOUND	FOOD	MRL (mg/kg)
Oxycarboxin		
VP 0061	Beans, except broad bean and soya bean	5
FB 0020	Blueberries	T10
VP 0522	Broad bean (green pods and immature seeds)	5
Oxyclozanide		
MM 0812	Cattle meat	0.5
MO 0812	Cattle, edible offal of	2
MM 0814	Goat meat	0.5
MO 0814	Goat, edible offal of	2
ML 0106	Milks	0.05
MM 0822	Sheep meat	0.5
MO 0822	Sheep, edible offal of	2
Oxyfluorfen		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	*0.01
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
VA 0035	Bulb vegetables [alliums]	*0.05
GC 0080	Cereal grains	*0.05
SB 0716	Coffee beans	T0.05
SO 0691	Cotton seed	*0.05
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	0.05
FB 0269	Grapes	0.05
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
FT 0305	Olives	0.05
FP 0009	Pome fruits	0.05
PM 0110	Poultry meat [in the fat]	0.2
PO 0111	Poultry, edible offal of	*0.01
FS 0012	Stone fruits	0.05
TN 0085	Tree nuts	0.05

COMPOUND	FOOD	MRL (mg/kg)
Oxytetracycline		
	Fish muscle	T0.2
	Honey	0.3
MO 0098	Kidney of cattle, goats, pigs and sheep	0.6
MO 0099	Liver of cattle, goats, pigs and sheep	0.3
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.1
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.6
Paclobutrazol		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel {except Avocado; Mango}	*0.01
FI 0326	Avocado	0.1
VC 0045	Fruiting vegetables, cucurbits	T*0.01
VO 0050	Fruiting vegetables, other than cucurbits {except Fungi; Mushrooms; Sweet corn (corn-on-the-cob)}	T*0.01
FI 0345	Mango	T1
FP 0009	Pome fruits	1
VR 0589	Potato	T*0.01
FS 0012	Stone fruits	*0.01
Paracetamol		
	Pig fat/skin	*0.1
MO 1284	Pig kidney	*0.1
MO 1285	Pig liver	*0.1
	Pig muscle	*0.1
Paraquat		
GC 0080	Cereal grains {except Maize; Rice}	*0.05
SO 0691	Cotton seed	0.2
OR 0691	Cotton seed oil, edible	0.05
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.01

COMPOUND	FOOD	MRL (mg/kg)
	Fruits {except Olives}	*0.05
DH 1100	Hops, dry	0.2
GC 0645	Maize	0.1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
SO 0088	Oilseed {except Cotton seed; Peanut}	*0.05
FT 0305	Olives	1
SO 0697	Peanut	*0.01
SO 0703	Peanut, whole	*0.01
VR 0589	Potato	0.2
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	1
GC 0649	Rice	10
CM 1205	Rice, polished	0.5
GS 0659	Sugar cane	*0.05
TN 0085	Tree nuts	*0.05
	Vegetables {except Potato, Pulses}	*0.05
Penconazole		
VB 0402	Brussels sprouts	0.05
FB 0269	Grapes	0.1
FP 0009	Pome fruits	0.1
Pencycuron		
VR 0589	Potato	0.05
Pendimethalin		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	*0.05
GC 0640	Barley	*0.05
FB 0018	Berries and other small fruits	*0.05
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	*0.05
VA 0035	Bulb vegetables [alliums]	*0.05

COMPOUND	FOOD	MRL (mg/kg)
VR 0577	Carrot	T0.3
FC 0001	Citrus fruits	*0.05
FT 0295	Date	T*0.05
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
DH 1100	Hops, dry	*0.1
VL 0053	Leafy vegetables	*0.05
VP 0060	Legume vegetables	T0.2
GC 0645	Maize	*0.05
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0088	Oilseed	*0.05
FT 0305	Olives	*0.05
HH 0740	Parsley	T*0.05
FP 0009	Pome fruits	*0.05
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	*0.05
GC 0649	Rice	*0.05
VR 0075	Root and tuber vegetables {except Carrot}	*0.05
FS 0012	Stone fruits	*0.05
GS 0659	Sugar cane	*0.05
VO 0447	Sweet corn (corn-on-the-cob)	*0.05
VO 0448	Tomato	*0.05
TN 0085	Tree nuts	*0.05
GC 0654	Wheat	*0.05
Penflufen		
GC 0080	Cereal grains	*0.01
VD 0524	Chick-pea (dry)	T*0.01
SO 0691	Cotton seed	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VD 0533	Lentil (dry)	T*0.01

COMPOUND	FOOD	MRL (mg/kg)
VD 0545	Lupin (dry)	T*0.01
MM 0095	Meat (mammalian) [in the fat]	*0.01
FM 0183	Milk fats	*0.01
ML 0106	Milks	*0.01
VR 0589	Potato	*0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.01
VD 0541	Soya bean (dry)	T*0.01
Penthiopyrad		
FB 2250	Bayberries	T5
FT 2303	Bayberry, red	T5
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	7
VL 0054	Brassica leafy vegetables	70
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	1
VO 0050	Fruiting vegetables, other than cucurbits	5
VL 0053	Leafy vegetables {except Brassica leafy vegetables; Lettuce, head}	50
VL 0482	Lettuce, head	10
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VA 0385	Onion, bulb	1
VA 0387	Onion, Welsh	5
FP 0009	Pome fruits	0.5
VR 0589	Potato	0.1
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VR 0075	Root and tuber vegetables {except Potato}	2
VA 0388	Shallot	5

COMPOUND	FOOD	MRL (mg/kg)
VA 0389	Spring onion	5
FS 0012	Stone fruits	5
FB 0275	Strawberry	5
TN 0085	Tree nuts	0.1
Permethrin		
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas {except Brussels sprouts}	
VB 0040	Brussels sprouts	1
VB 0402	Brussels sprouts	2
VS 0624	Celery	5
GC 0080	Cereal grains	2
VD 0526	Common bean (dry) [navy bean (dry)]	0.1
VP 0526	Common bean (pods and/or immature seeds)	0.5
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	0.1
VL 0482	Lettuce, head	5
VL 0483	Lettuce, leaf	5
SO 0693	Linseed	0.1
MM 0095	Meat (mammalian) [in the fat]	1
ML 0106	Milks	0.05
VO 0450	Mushrooms	2
VP 0063	Peas	1
SO 0698	Poppy seed	T0.2
VR 0589	Potato	0.05
PM 0110	Poultry meat [in the fat]	0.1
SO 0495	Rape seed [canola]	0.2
VS 0627	Rhubarb	1
GS 0659	Sugar cane	*0.1
VO 0447	Sweet corn (corn-on-the-cob)	*0.05
VO 0448	Tomato	0.4
CM 0654	Wheat bran, unprocessed	5
CF 1210	Wheat germ	2

COMPOUND	FOOD	MRL (mg/kg)
Phenmedipham		
VR 0574	Beetroot	0.5
VL 0464	Chard [silver beet]	2
MO 0105	Edible offal (mammalian)	*0.1
VL 0053	Leafy vegetables {except Chard [silver beet]}	T1
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
	Radicchio	T1
Phorate		
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas {except Brussels Sprouts; Broccoli, Head cabbages; Cauliflowers}	T*0.01
VB 0040	Broccoli	0.5
VB 0041	Cabbages, head	0.5
VR 0577	Carrot	0.5
VB 0404	Cauliflower	0.5
VS 0624	Celery	T*0.01
	Coriander (leaves, stems and roots)	T*0.01
SO 0691	Cotton seed	0.5
MO 0105	Edible offal (mammalian)	*0.05
VO 0440	Egg plant [aubergine]	0.5
PE 0112	Eggs	*0.05
VL 0053	Leafy vegetables	T*0.01
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
	Mizuna	T*0.01
VA 0385	Onion, bulb	0.5
VA 0387	Onion, Welsh	0.5
HH 0740	Parsley	T*0.01
VO 0051	Peppers	0.5
VR 0589	Potato	0.5
PM 0110	Poultry meat	*0.05

COMPOUND	FOOD	MRL (mg/kg)
PO 0111	Poultry, edible offal of	*0.05
VA 0388	Shallot	0.5
VA 0389	Spring onion	0.5
VR 0508	Sweet potato	0.5
VO 0448	Tomato	0.5
Phosmet		
MM 0812	Cattle meat [in the fat]	1
MO 0812	Cattle, edible offal of	1
GC 0080	Cereal grains	*0.05
MM 0814	Goat meat	*0.05
MO 0814	Goat, edible offal of	*0.05
ML 0106	Milks [in the fat]	0.2
MM 0818	Pig meat	0.1
MO 0818	Pig, edible offal of	0.1
MM 0822	Sheep meat	*0.05
MO 0822	Sheep, edible offal of	*0.05
Phosphine		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	T*0.01
FB 0018	Berries and other small fruits	T*0.01
GC 0080	Cereal grains	*0.1
	Dried foods {except Dried fruits; Dried vegetables}	*0.01
DF 0167	Dried fruits	*0.01
DV 0168	Dried vegetables	*0.01
VA 0381	Garlic	T*0.01
	Honey	*0.01
VP 0060	Legume vegetables	T*0.01
SO 0088	Oilseed	*0.01
SO 0697	Peanut	*0.01
VD 0070	Pulses	*0.01
VR 0075	Root and tuber vegetables	T*0.01
SB 0091	Seeds for beverages	T*0.01
HS 0093	Spices	*0.01

COMPOUND	FOOD	MRL (mg/kg)
GS 0659	Sugar cane	*0.01
TN 0085	Tree nuts	*0.01
Phosphorous acid		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel {except Avocado; Passionfruit}	T100
FI 0326	Avocado	500
HH 0092	Basil	T300
VA 0035	Brassica (cole or cabbage) vegetables, head cabbages {except Flowerhead brassicas}	T1
FC 0001	Bulb vegetables [alliums]	T10
MO 0105	Citrus fruits	100
HH 0731	Coriander (leaves, stems and roots)	T300
VB 0042	Edible offal (mammalian)	5
VC 0045	Fennel, leaf	T300
VO 0050	Flowerhead brassicas	50
HS 0783	Fruiting vegetables, cucurbits	T100
HS 0784	Fruiting vegetables, other than cucurbits	T100
FB 0018	Galangal, rhizomes	T100
VL 0053	Ginger, root	T100
MM 0095	Grapes	200
HH 0740	Leafy vegetables	T150
FI 0351	Meat (mammalian)	1
FS 0247	Parsley	T300
VP 0064	Passion fruit	T500
SO 0698	Peach	100
VR 0589	Peas, shelled	T100
VS 0627	Poppy seed	100
VR 0075	Potato	T700
FS 0012	Rhubarb	T100
	Root and tuber vegetables {except Potato}	T100
	Stone fruits {except Cherries; Peach}	T100

COMPOUND	FOOD	MRL (mg/kg)
FB 0275	Strawberry	T500
VO 0448	Tomato	T100
TN 0085	Tree nuts	3000
Picloram		
GC 0080	Cereal grains	0.2
MO 0105	Edible offal (mammalian)	5
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
GS 0659	Sugar cane	*0.01
Picolinafen		
GC 0080	Cereal grains	*0.02
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
VD 0561	Field pea (dry)	*0.02
VD 0545	Lupin (dry)	*0.02
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.01
PM 0110	Poultry meat [in the fat]	*0.02
PO 0111	Poultry, edible offal of	*0.02
Pinoxaden		
GC 0640	Barley	0.1
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
GC 0654	Wheat	0.1
CM 0654	Wheat bran, unprocessed	0.5
Piperonyl butoxide		
CM 0081	Bran, unprocessed of cereal grain	40
ML 0812	Cattle milk	0.05
GC 0080	Cereal grains	20

COMPOUND	FOOD	MRL (mg/kg)
DF 0167	Dried fruits	8
DV 0168	Dried vegetables	8
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	*0.1
	Fruits	8
HH 0092	Herbs	8
MO 0095	Meat (mammalian)	0.1
SO 0088	Oilseed	8
PM 0110	Poultry meat [in the fat]	*0.5
PO 0111	Poultry, edible offal of	*0.5
TN 0085	Tree nuts	8
	Vegetables	8
CF 1210	Wheat germ	50
Pirimicarb		
TN 0660	Almonds	0.05
FB 0264	Blackberries	T2
VR 0578	Celeriac	0.1
VS 0624	Celery	15
GC 0080	Cereal grains	*0.02
SO 0691	Cotton seed	0.05
OC 0691	Cotton seed oil, crude	T0.1
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.1
	Fruits {except Blackberries}	0.5
VL 0053	Leafy vegetables	7
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
VA 0387	Onion, Welsh	T7
	Peppers, chili, other cultivars	1
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
VD 0070	Pulses	*0.02
SO 0495	Rape seed [canola]	0.2

COMPOUND	FOOD	MRL (mg/kg)
SO 0700	Sesame seed	T0.05
VA 0388	Shallot	T7
VA 0389	Spring onion	T7
VO 0447	Sweet corn (corn-on-the-cob)	0.1
TN 0085	Tree nuts {except Almonds}	T*0.05
	Vegetables {except Celeriac; Celery; Leafy vegetables; Onion, Welsh; Pulses; Shallot; Spring onion; Sweet corn (corn-on-the-cob)}	1
Pirimiphos-methyl		
GC 0640	Barley	7
CM 0081	Bran, unprocessed of cereal grain	20
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
GC 0645	Maize	7
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
GC 0646	Millet	10
GC 0647	Oats	7
SO 0697	Peanut	5
OR 0697	Peanut oil, edible	15
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GC 0649	Rice	10
CM 0649	Rice, husked	2
CM 1205	Rice, polished	1
GC 0650	Rye	10
GC 0651	Sorghum	10
GC 0653	Triticale	10
GC 0654	Wheat	10
CF 1210	Wheat germ	30
Praziquantel		
	Fish muscle	T*0.02
MM 0822	Sheep meat	*0.05

COMPOUND	FOOD	MRL (mg/kg)
MO 0822	Sheep, edible offal of	*0.05
Procaine penicillin		
MO 0105	Edible offal (mammalian)	*0.1
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.0025
Prochloraz		
FI 0326	Avocado	5
FI 0327	Banana	5
FI 0331	Cherimoya	T1
FI 0332	Custard apple	T1
FI 0337	llama	T1
VL 0482	Lettuce, head	2
VL 0483	Lettuce, leaf	T3
FI 0343	Litchi	T1
FI 0345	Mango	5
VO 0450	Mushrooms	3
FI 0350	Papaya [pawpaw]	5
FI 0353	Pineapple	2
TN 0675	Pistachio nut	T0.5
FI 0365	Soursop	T1
FI 0368	Sugar apple	T1
GS 0659	Sugar cane	*0.05
Procymidone		
VD 0523	Broad bean (dry) [faba bean (dry)]	T10
VD 0526	Common bean (dry) [navy bean (dry)]	T10
MO 0105	Edible offal (mammalian)	T0.05
PE 0112	Eggs	T*0.01
VA 0381	Garlic	T5
VD 0533	Lentil (dry)	0.5
VD 0545	Lupin (dry)	T*0.01
MM 0095	Meat (mammalian) [in the fat]	T0.2
ML 0106	Milks	T0.02
VA 0385	Onion, bulb	T0.2

COMPOUND	FOOD	MRL (mg/kg)
VO 0051	Peppers	T2
VR 0589	Potato	T0.1
PM 0110	Poultry meat [in the fat]	T0.1
PO 0111	Poultry, edible offal of	T*0.01
SO 0495	Rape seed [canola]	T1
OC 0495	Rape seed [canola] oil, crude	T2
FS 0012	Stone fruits	T10
FB 1236	Wine-grapes	T2
Profenofos		
ML 0812	Cattle milk	*0.01
SO 0691	Cotton seed	1
OR 0691	Cotton seed oil, edible	0.3
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
Profoxydim		
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GC 0649	Rice	0.05
Prohexadione-calcium		
FP 0226	Apple	*0.02
FS 0013	Cherries	*0.01
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
Prometryn		
ML 0812	Cattle milk	*0.05

COMPOUND	FOOD	MRL (mg/kg)
GC 0080	Cereal grains	*0.1
	Coriander (leaves, stems and roots)	T1
HS 0779	Coriander, seed	T1
SO 0691	Cotton seed	*0.1
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
SO 0697	Peanut	*0.1
SO 0702	Sunflower seed	*0.1
	Vegetables	*0.1
Propachlor		
VR 0574	Beetroot	*0.05
	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.6
VB 0040		
GC 0080	Cereal grains {except Sorghum}	0.05
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	*0.02
VA 0381	Garlic	2.5
	Leafy vegetables {except Lettuce, head; Lettuce, leaf}	T1
VL 0053		
VA 0384	Leek	*0.02
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.02
	Mizuna	T1
VA 0385	Onion, bulb	0.7
VA 0387	Onion, Welsh	T1
PM 0110	Poultry meat [in the fat]	*0.02
PO 0111	Poultry, edible offal of	*0.02
VR 0494	Radish	*0.02
VA 0388	Shallot	T1
GC 0651	Sorghum	0.2
VA 0389	Spring onion	T1
VR 0497	Swede	*0.02
VO 0447	Sweet corn (corn-on-the-cob)	0.05

COMPOUND	FOOD	MRL (mg/kg)
VR 0506	Turnip, garden	*0.02
Propamocarb		
HH 0722	Basil	T150
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	30
VA 0035	Bulb vegetables [alliums] {except Onion, bulb}	30
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	5
VO 0050	Fruiting vegetables, other than cucurbits	T0.3
VL 0053	Leafy vegetables	70
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VA 0385	Onion, bulb	0.5
SO 0698	Poppy seed	5
VR 0589	Potato	0.05
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Propanil		
MM 0812	Cattle meat	*0.1
MO 0812	Cattle, edible offal of	*0.1
PE 0112	Eggs	*0.1
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	3
GC 0649	Rice	2
MM 0822	Sheep meat	*0.1
MO 0822	Sheep, edible offal of	*0.1
Propaquizafop		
MO 0105	Edible offal (mammalian)	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.01

COMPOUND	FOOD	MRL (mg/kg)
SO 0088	Oilseed	*0.05
VP 0063	Peas	*0.05
VD 0070	Pulses	*0.05
Propargite		
FP 0226	Apple	3
FI 0327	Banana	3
SO 0691	Cotton seed	0.2
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.1
DH 1100	Hops, dry	3
MM 0095	Meat (mammalian) [in the fat]	*0.1
ML 0106	Milks	*0.1
FI 0351	Passion fruit	3
FP 0230	Pear	3
PM 0110	Poultry meat [in the fat]	*0.1
PO 0111	Poultry, edible offal of	*0.1
FS 0012	Stone fruits	3
FB 0275	Strawberry	7
	Vegetables	3
Propazine		
	Vegetables	*0.1
Propetamphos		
MM 0822	Sheep meat [in the fat]	*0.01
MO 0822	Sheep, edible offal of	*0.01
Propiconazole		
TN 0660	Almonds	0.2
FI 0326	Avocado	*0.02
FI 0327	Banana	0.2
VR 0574	Beetroot	*0.02
FB 0020	Blueberries	2
VS 0624	Celery	T5
GC 0080	Cereal grains	*0.05
VL 0464	Chard [silver beet]	T0.5

COMPOUND	FOOD	MRL (mg/kg)
VL 0469	Chicory leaves (green and red cultivars)	T1
FC 0001	Citrus fruits	7
MO 0105	Edible offal (mammalian)	1
PE 0112	Eggs	*0.05
VL 0476	Endive	T1
	Gai lum	T1
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	*0.01
	Mint oil	*0.02
VO 0450	Mushrooms	*0.05
HH 0740	Parsley	T30
SO 0697	Peanut	*0.05
FI 0353	Pineapple	0.05
SO 0698	Poppy seed	*0.01
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
	Radicchio	T1
VR 0494	Radish	T0.2
VD 0541	Soya bean (dry)	T0.2
VL 0502	Spinach	T0.7
FS 0012	Stone fruits	2
GS 0659	Sugar cane	*0.02
SO 0702	Sunflower seed	T0.5
VO 0447	Sweet corn (corn-on-the-cob)	*0.02
TN 0085	Tree nuts {except Almonds}	T0.2
Propineb		
VS 0624	Celery	2
FC 0001	Citrus fruits	10
DF 0269	Dried grapes (= currants, raisins and sultanas)	30
MO 0105	Edible offal (mammalian)	*0.05
VC 0045	Fruiting vegetables, cucurbits	2
FB 0269	Grapes	20

COMPOUND	FOOD	MRL (mg/kg)
VL 0482	Lettuce, head	10
VL 0483	Lettuce, leaf	10
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
VA 0385	Onion, bulb	2
VR 0589	Potato	0.3
VO 0448	Tomato	5
Propylene oxide		
TN 0660	Almonds	100
Propyzamide		
VL 0469	Chicory leaves (green and red cultivars)	*0.2
MO 0105	Edible offal (mammalian)	*0.2
PE 0112	Eggs	*0.05
VL 0476	Endive	*0.2
VL 0482	Lettuce, head	1
VL 0483	Lettuce, leaf	1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
SO 0698	Poppy seed	0.02
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	*0.01
GC 0648	Quinoa	T0.02
SO 0495	Rape seed [canola]	0.02
SO 0699	Safflower seed	T0.02
Proquinazid		
DF 0269	Dried grapes (= currants, raisins and sultanas)	2
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits {except Peppers, sweet [capsicum]}	0.3

COMPOUND	FOOD	MRL (mg/kg)
FB 0269	Grapes	0.5
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VO 0445	Peppers, sweet [capsicum]	0.2
FP 0009	Pome fruits	0.3
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Prosulfocarb		
GC 0640	Barley	*0.01
VR 0577	Carrot	T*0.01
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	0.02
ML 0106	Milks	0.02
VR 0589	Potato	*0.01
PM 0110	Poultry meat	0.02
PO 0111	Poultry, edible offal of	0.02
VD 0070	Pulses	*0.01
SO 0699	Safflower seed	T*0.01
GC 0654	Wheat	*0.01
Prothioconazole		
CM 0081	Bran, unprocessed of cereal grain	0.5
GC 0080	Cereal grains	0.3
SO 0691	Cotton seed	T0.2
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian) [in the fat]	0.02
ML 0106	Milks	*0.004
SO 0697	Peanut	*0.02
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	*0.02
SO 0495	Rape seed [canola]	*0.02

COMPOUND	FOOD	MRL (mg/kg)
VC 0432	Watermelon	T0.2
CF 1210	Wheat germ	0.5
Prothiofos		
FI 0327	Banana	*0.01
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.2
FP 0230	Pear	0.05
Pydiflumetofen		
	All other foods	0.05
FB 0018	Berries and other small fruits {except grapes and strawberries}	3
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.5
VL 0054	Brassica leafy vegetables	15
VS 0624	Celery	T15
GC 0080	Cereal grains {except Maize and Popcorn}	T3
DF 0269	Dried grapes (=currants, raisins and sultanas)	5
MO 0105	Edible offal (mammalian)	0.02
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	T0.5
VO 0050	Fruiting vegetables, other than cucurbits {except Mushrooms; Sweet corn (corn-on-the-cob)}	T0.7
FB 0269	Grapes	2
VL 0053	Leafy vegetables {except Brassica leafy vegetables}	T30
VP 0060	Legume vegetables	T0.5
GC 0645	Maize	T0.02
MM 0095	Meat (mammalian) [in the fat]	0.02
ML 0106	Milks	*0.01
SO 0697	Peanut	T0.03
FP 0009	Pome fruits	T0.2
GC 0656	Popcorn	T0.02

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.4
SO 0495	Rape seed [canola]	T0.07
VR 0075	Root and tuber vegetables	T0.05
FB 0275	Strawberry	2
VO 0447	Sweet corn (corn-on-the-cob)	T*0.01
Pymetrozine		
TN 0660	Almonds	*0.01
VR 0574	Beetroot	*0.02
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
VD 0523	Broad bean (dry) [faba bean (dry)]	T0.02
VS 0624	Celery	0.2
SO 0691	Cotton seed	*0.02
OR 0691	Cotton seed oil, edible	*0.02
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	1
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn and Mushroom}	0.5
VL 0053	Leafy vegetables	5
VD 0545	Lupin (dry)	T0.02
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
TN 0675	Pistachio nut	*0.01
VP 0538	Podded pea (young pods) [snow and sugar snap]	0.3
VR 0589	Potato	*0.02
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
FS 0012	Stone fruits	*0.05
FB 0275	Strawberry	T0.3

COMPOUND	FOOD	MRL (mg/kg)
VO 0447	Sweet corn (corn-on-the-cob)	*0.01
Pyraclofos		
MF 0822	Sheep fat	0.5
	Sheep muscle	*0.01
MO 1288	Sheep, kidney	*0.01
MO 1289	Sheep, liver	*0.01
Pyraclostrobin		
FI 0327	Banana	*0.02
FB 0264	Blackberries	T3
FB 0020	Blueberries	T5
VL 0054	Brassica leafy vegetables	T3
VB 0401	Broccoli, Chinese	T1
GC 0080	Cereal grains	*0.01
FS 0013	Cherries	1
VD 0524	Chick-pea (dry)	T0.5
FB 0277	Cloudberry	T3
FI 0332	Custard apple	T3
FB 0266	Dewberries (including boysenberry and loganberry)	T3
DF 0269	Dried grapes (= currants, raisins and sultanas)	5
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	*0.05
VO 0050	Fruiting vegetables, other than cucurbits	0.3
FB 0269	Grapes	2
VD 0533	Lentil (dry)	T0.5
FI 0343	Litchi	T2
FI 0345	Mango	0.1
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.01
VD 0536	Mung bean (dry)	T0.2
SO 0305	Olives for oil production	T0.3
OC 0305	Olive oil, crude	T1

COMPOUND	FOOD	MRL (mg/kg)
FI 0350	Papaya [pawpaw]	T0.5
FI 0351	Passion fruit	T1
TN 0675	Pistachio nut	T1
FP 0009	Pome fruits	1
SO 0698	Poppy seed	*0.05
VR 0589	Potato	*0.02
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
FB 0272	Raspberries, red, black	T3
	Silvanberries	T3
SO 0702	Sunflower seed	T0.3
FT 0305	Table olives	T0.3
TN 0085	Tree nuts {except Pistachio nut; Walnut}	0.07
TN 0678	Walnuts	T0.01
FB 4094	Youngberry	T3
Pyraflufen-ethyl		
GC 0080	Cereal grains	*0.02
SO 0691	Cotton seed	*0.05
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	*0.02
Pyrasulfotole		
CM 0081	Bran, unprocessed of cereal grain	0.03
GC 0080	Cereal grains	*0.02
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01

COMPOUND	FOOD	MRL (mg/kg)
PO 0111	Poultry, edible offal of	*0.01
Pyrethrins		
GC 0080	Cereal grains	3
DF 0167	Dried fruits	1
DV 0168	Dried vegetables	1
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
HH 0731	Fennel, leaf	1
	Fruits	1
MM 0095	Meat (mammalian) [in the fat]	*0.05
ML 0106	Milks	*0.05
SO 0088	Oilseed	1
OC 0305	Olive oil, crude	T3
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
TN 0085	Tree nuts	1
	Vegetables	1
Pyridaben		
FI 0327	Banana	0.5
FB 0269	Grapes	5
FP 0009	Pome fruits	0.5
FS 0012	Stone fruits	0.5
FB 0275	Strawberry	1
TN 0085	Tree nuts	T*0.05
Pyridate		
VD 0524	Chick-pea (dry)	*0.05
MO 0105	Edible offal (mammalian)	*0.2
PE 0112	Eggs	*0.2
MM 0095	Meat (mammalian)	*0.2
ML 0106	Milks	*0.2
PM 0110	Poultry meat	*0.2
PO 0111	Poultry, edible offal of	*0.2
Pyrimethanil		

COMPOUND	FOOD	MRL (mg/kg)
FI 0327	Banana	2
FB 0018	Berries and other small fruits {except Grapes, Strawberries}	T5
FC 0001	Citrus fruits	10
VC 0424	Cucumber	5
MO 0105	Edible offal (mammalian)	*0.05
FB 0269	Grapes	5
VL 0053	Leafy vegetables {except Lettuce, head; Lettuce, leaf}	T5
VL 0482	Lettuce, head	20
VL 0483	Lettuce, leaf	20
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
VO 0445	Peppers, sweet [capsicum]	1
VP 0538	Podded pea (young pods) [snow and sugar snap]	T10
FP 0009	Pome fruits	15
VR 0589	Potato	*0.01
FB 0275	Strawberry	5
VO 0448	Tomato	1
Pyriofenone		
	All other foods	0.05
DF 0269	Dried grapes (= currants, raisins and sultanas)	2
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.7
FB 0269	Grapes	0.5
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Pyriproxyfen		
FI 0030	Assorted tropical and sub-tropical fruits – inedible peel	0.3

COMPOUND	FOOD	MRL (mg/kg)
VP 2060	Beans with pods	T0.3
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	T0.7
VL 0465	Chervil	T5
FC 0001	Citrus fruits	0.3
	Coriander (leaves, stems and roots)	T5
SO 0691	Cotton seed	*0.01
OC 0691	Cotton seed oil, crude	*0.02
DF 0269	Dried grapes (= currants, raisins and sultanas)	0.05
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	0.05
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits	1
VR 0581	Galangal, greater	T*0.05
VR 0582	Galangal, lesser	T*0.05
FB 0269	Grapes	0.02
HH 0092	Herbs	T5
	Kaffir lime leaves	T5
	Lemon balm	T5
	Lemon grass	T5
DT 1111	Lemon verbena (dry leaves)	T5
VL 0483	Lettuce, leaf	5
TN 0669	Macadamia nuts	*0.01
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.02
	Mizuna	T5
OC 0305	Olive oil, crude	3
SO 0305	Olives for oil production	1
FP 0307	Persimmon, Japanese	T0.2
PM 0110	Poultry meat [in the fat]	0.1
PO 0111	Poultry, edible offal of	0.1
	Rose and dianthus (edible flowers)	T5

COMPOUND	FOOD	MRL (mg/kg)
VL 0496	Rucola [rocket]	T5
FB 0275	Strawberry	T0.5
VR 0508	Sweet potato	*0.05
FT 0305	Table olives	1
HS 0794	Turmeric, root	T*0.05
Pyrithiobac sodium		
SO 0691	Cotton seed	*0.01
OC 0691	Cotton seed oil, crude	*0.01
OR 0691	Cotton seed oil, edible	*0.01
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
Pyroxasulfone		
GC 0080	Cereal grains	*0.01
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.002
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	*0.01
SO 0699	Safflower seed	T*0.01
Pyroxsulam		
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
SO 0698	Poppy seed	T*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01

COMPOUND	FOOD	MRL (mg/kg)
GC 0650	Rye	*0.01
GC 0653	Triticale	*0.01
GC 0654	Wheat	*0.01
Quinoxifen		
GC 0640	Barley	*0.01
VL 0464	Chard [silver beet]	T3
DF 0269	Dried grapes (= currants, raisins and sultanas)	2
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
FB 0269	Grapes	0.5
MM 0095	Meat (mammalian) [in the fat]	0.1
FM 0183	Milk fats	0.2
ML 0106	Milks	0.01
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
FB 0275	Strawberry	T*0.01
Quintozene		
VP 0061	Beans, except broad bean and soya bean	0.01
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.2
VP 0522	Broad bean (green pods and immature seeds)	0.01
VD 0526	Common bean (dry) [navy bean (dry)]	0.2
SO 0691	Cotton seed	0.03
MO 0105	Edible offal (mammalian)	*0.1
PE 0112	Eggs	*0.03
VL 0482	Lettuce, head	0.3
VL 0483	Lettuce, leaf	0.3
MM 0095	Meat (mammalian) [in the fat]	*0.2
ML 0106	Milks	*0.02
SO 0697	Peanut	0.3
VR 0589	Potato	0.2

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat [in the fat]	*0.1
PO 0111	Poultry, edible offal of	*0.1
VO 0448	Tomato	0.1
Quizalofop-ethyl		
VR 0574	Beetroot	0.02
VB 0041	Cabbages, head	*0.01
VR 0577	Carrot	*0.02
VB 0404	Cauliflower	*0.05
VP 0526	Common bean (pods and/or immature seeds)	*0.02
VC 0424	Cucumber	*0.02
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.02
FB 0269	Grapes	*0.02
SO 3154	Hempseed	T*0.02
MM 0095	Meat (mammalian)	*0.02
VC 0046	Melons, except watermelon	*0.02
ML 0106	Milks	0.1
VA 0385	Onion, bulb	*0.02
SO 0697	Peanut	*0.02
FI 0353	Pineapple	*0.05
VR 0589	Potato	*0.01
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	0.2
VC 0429	Pumpkins	*0.02
VR 0494	Radish	*0.02
SO 0495	Rape seed [canola]	*0.02
SO 0702	Sunflower seed	*0.05
VO 0448	Tomato	*0.02
Quizalofop-P-tefuryl		
VR 0574	Beetroot	0.02
VB 0041	Cabbages, head	*0.01
VR 0577	Carrot	*0.02

COMPOUND	FOOD	MRL (mg/kg)
VB 0404	Cauliflower	*0.05
VP 0526	Common bean (pods and/or immature seeds)	*0.02
VC 0424	Cucumber	*0.02
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.02
FB 0269	Grapes	*0.02
MM 0095	Meat (mammalian)	*0.02
VC 0046	Melons, except watermelon	*0.02
ML 0106	Milks	0.1
VA 0385	Onion, bulb	*0.02
SO 0697	Peanut	*0.02
FI 0353	Pineapple	*0.05
VR 0589	Potato	*0.01
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses	0.2
VC 0429	Pumpkins	*0.02
VR 0494	Radish	*0.02
SO 0495	Rape seed [canola]	*0.02
SO 0702	Sunflower seed	*0.05
VO 0448	Tomato	*0.02
Ractopamine		
MF 0818	Pig fat	0.05
MM 0818	Pig meat	0.05
MO 1284	Pig, kidney	0.2
MO 1285	Pig, liver	0.2
	Turkey kidney	0.3
	Turkey liver	0.3
PM 0848	Turkey muscle	0.02
PF 0848	Turkey fat/skin	0.05
Rimsulfuron		
VO 0448	Tomato	*0.05
Robenidine		

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
Saflufenacil		
CM 0081	Bran, unprocessed of cereal grain	0.5
GC 0080	Cereal grains {except Rice}	0.2
FC 0001	Citrus fruits	*0.03
MO 0105	Edible offal (mammalian)	7
PE 0112	Eggs	*0.01
VP 0060	Legume vegetables	*0.03
SO 0693	Linseed	T0.5
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
	Oilseed {except Linseed}	*0.03
FP 0009	Pome fruits	*0.03
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.2
GC 0649	Rice	*0.01
TN 0085	Tree nuts	*0.03
Salinomycin		
MM 0812	Cattle meat	*0.05
MO 0812	Cattle, edible offal of	0.5
PE 0112	Eggs	*0.02
MM 0818	Pig meat	*0.1
MO 0818	Pig, edible offal of	*0.1
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.5
Sedaxane		
GC 0080	Cereal grains	*0.01
SO 0691	Cotton seed	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks	*0.01
SO 0698	Poppy seed	T*0.01
VR 0589	Potato	0.1
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
Semduramicin		
	Chicken fat/skin	0.5
PM 0840	Chicken meat	*0.05
	Chicken, kidney	0.2
	Chicken, liver	0.5
Sethoxydim		
VS 0621	Asparagus	1
GC 0640	Barley	*0.1
VP 0061	Beans, except broad bean and soya bean	T0.5
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
VP 0522	Broad bean (green pods and immature seeds)	*0.1
VS 0624	Celery	0.1
	Chia	T0.7
	Coriander (leaves, stems and roots)	*0.1
HS 0779	Coriander, seed	*0.1
SO 0691	Cotton seed	0.2
MO 0105	Edible offal (mammalian)	*0.05
VO 0440	Egg plant [aubergine]	T0.1
PE 0112	Eggs	*0.05
VC 0045	Fruiting vegetables, cucurbits	*0.1
VA 0381	Garlic	0.3
TN 0666	Hazelnuts	T*0.03
SO 3154	Hempseed	T0.5
DH 1100	Hops, dry	T0.3
VL 0053	Leafy vegetables {except Lettuce, head; Lettuce, leaf}	T0.5

COMPOUND	FOOD	MRL (mg/kg)
VA 0384	Leek	0.7
VL 0482	Lettuce, head	0.2
VL 0483	Lettuce, leaf	0.2
SO 0693	Linseed	0.5
VD 0545	Lupin (dry)	0.2
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
VA 0385	Onion, bulb	0.3
VA 0387	Onion, Welsh	0.7
SO 0697	Peanut	3
VP 0063	Peas (pods and succulent = immature seeds)	T0.7
VO 0051	Peppers	T2
	Peppers, chili, other cultivars	T2
SO 0698	Poppy seed	0.2
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses {except Lupin (dry)}	*0.1
GC 0648	Quinoa	T0.5
	Radicchio	T0.5
SO 0495	Rape seed [canola]	0.5
VS 0627	Rhubarb	0.1
VR 0075	Root and tuber vegetables	1
SO 0699	Safflower seed	T0.5
SO 0700	Sesame seed	T0.5
VA 0388	Shallot	0.7
VA 0389	Spring onion	0.7
SO 0702	Sunflower seed	*0.1
VO 0448	Tomato	0.1
GC 0654	Wheat	*0.1
Simazine		
VS 0621	Asparagus	*0.1
VD 0523	Broad bean (dry) [faba bean (dry)]	*0.01
VP 0522	Broad bean (green pods and	*0.01

COMPOUND	FOOD	MRL (mg/kg)
	immature seeds)	
VD 0524	Chick-pea (dry)	*0.05
VP 0524	Chick-pea (green pods)	*0.05
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.01
	Fruits	*0.1
HS 0784	Ginger, root	T*0.05
VA 0384	Leek	*0.01
VD 0545	Lupin (dry)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.02
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.02
TN 0085	Tree nuts	*0.1
Spectinomycin		
MO 0105	Edible offal (mammalian) {except Sheep, edible offal of}	*1
PE 0112	Eggs	2
MM 0095	Meat (mammalian) {except Sheep meat}	*1
PM 0110	Poultry meat	*1
PO 0111	Poultry, edible offal of	*1
Spinetoram		
TN 0060	Almonds	*0.01
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	0.3
FT 2303	Bayberry, Red	T0.5
FB 0018	Berries and other small fruits	0.5
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.2
VA 0035	Bulb vegetables [alliums]	0.1
SB 0715	Cacao beans	*0.01
FT 0291	Carob	0.1

COMPOUND	FOOD	MRL (mg/kg)
FC 0001	Citrus fruits	0.2
SB 0716	Coffee beans	*0.01
	Coriander (leaves, stems and roots)	5
HS 0779	Coriander, seed	5
SO 0691	Cotton seed	*0.01
HS 0730	Dill seed	5
DF 0269	Dried grapes (= currants, raisins and sultanas)	1
MO 0105	Edible offal (mammalian)	0.2
PE 0112	Eggs	*0.01
HS 0731	Fennel, seed	5
FT 0297	Fig	T0.1
VC 0045	Fruiting vegetables, cucurbits	0.05
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn-on-the-cob)}	0.1
	Ginger, Japanese	T1
HS 0784	Ginger, root	T0.02
HH 0092	Herbs	1
	Kaffir lime leaves	5
VL 0053	Leafy vegetables	0.7
VP 0060	Legume vegetables	0.2
	Lemon grass	5
DT 1111	Lemon verbena (dry leaves)	5
GC 2091	Maize cereals	T*0.01
MM 0095	Meat (mammalian) [in the fat]	2
FM 0183	Milk fats	0.2
ML 0106	Milks	0.01
	Mizuna	0.7
SO 0305	Olives for oil production	T0.07
FP 0009	Pome fruits	0.1
PM 0110	Poultry meat [in the fat]	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	0.01

COMPOUND	FOOD	MRL (mg/kg)
SO 0495	Rape seed [canola]	*0.01
VR 0075	Root and tuber vegetables	0.02
GC 2089	Sorghum grains and millet	T*0.01
VS 0078	Stalk and stem vegetables	2
FS 0012	Stone fruits	0.2
VO 0447	Sweet corn (corn-on-the-cob)	*0.01
FT 0305	Table Olives	T0.07
TN 0085	Tree nuts {except Almonds}	0.02
HS 0794	Turmeric, root	0.02
Spinosad		
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	0.3
VP 0061	Beans, except broad bean and soya bean	0.5
	Bergamot	5
FB 0018	Berries and other small fruits {except Grapes}	0.7
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	0.5
VS 0624	Celery	2
GC 0080	Cereal grains	1
VL 0465	Chervil	5
FC 0001	Citrus fruits	0.3
SB 0716	Coffee beans	*0.01
HS 0779	Coriander, seed	5
SO 0691	Cotton seed	*0.01
HS 0730	Dill seed	5
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	0.05
HS 0731	Fennel, seed	5
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn-on-the-cob)}	0.2
VR 0581	Galangal, greater	0.02

COMPOUND	FOOD	MRL (mg/kg)
FB 0269	Grapes	0.5
HH 0092	Herbs	5
VL 0053	Leafy vegetables	5
DT 1111	Lemon verbena (dry leaves)	5
MM 0095	Meat (mammalian) [in the fat]	2
FM 0183	Milk fats	0.7
ML 0106	Milks	0.1
VP 0063	Peas	0.5
FP 0009	Pome fruits	0.5
PM 0110	Poultry meat [in the fat]	0.5
PO 0111	Poultry, edible offal of	0.05
VD 0070	Pulses	0.01
VS 0627	Rhubarb	2
VR 0075	Root and tuber vegetables	0.02
FS 0012	Stone fruits	1
VO 0447	Sweet corn (corn-on-the-cob)	0.02
TN 0085	Tree nuts	T*0.01
HS 0794	Turmeric, root	0.02
CM 0654	Wheat bran, unprocessed	2
Spirotetramat		
FI 0327	Banana	0.3
FB 0020	Blueberries	T2
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas (except Brussels sprouts)	7
VL 0054	Brassica leafy vegetables	10
VB 0402	Brussels sprouts	1
VA 0035	Bulb vegetables [alliums]	0.5
VS 0624	Celery	5
FC 0001	Citrus fruits	1
SO 0691	Cotton seed	0.7
DF 0269	Dried grapes (= currants, raisins and sultanas)	2
MO 0105	Edible offal (mammalian)	0.5

COMPOUND	FOOD	MRL (mg/kg)
PE 0112	Eggs	*0.02
FT 0297	Fig	T1
VC 0045	Fruiting vegetables, cucurbits {except Melons}	2
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn- on-the-cob)}	7
FB 0269	Grapes	0.7
HH 0092	Herbs	15
VL 0053	Leafy vegetables {except Brassica leafy vegetables; Lettuce, head; Lettuce, leaf}	5
VP 0060	Legume vegetables	2
VL 0482	Lettuce, head	7
VL 0483	Lettuce, leaf	15
GC 0645	Maize	T*0.02
FI 0345	Mango	0.3
MM 0095	Meat (mammalian)	0.02
VC 0046	Melons, except watermelon	0.5
ML 0106	Milks	*0.005
FI 0351	Passion fruit	0.5
FI 0353	Pineapple	T0.1
FP 0009	Pome fruits	0.5
VR 0589	Potato	5
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VS 0627	Rhubarb	5
GC 0651	Sorghum	T*0.02
VD 0541	Soya bean (dry)	T5
FS 0012	Stone fruits	1
VO 0447	Sweet corn (corn-on-the-cob)	1
VR 0508	Sweet potato	5
VC 0432	Watermelon	0.5
Spiroxamine		
GC 0640	Barley	0.03

COMPOUND	FOOD	MRL (mg/kg)
DF 0269	Dried grapes (= currants, raisins and sultanas)	3
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.02
FB 0269	Grapes	2
MF 0100	Mammalian fats {except Milk fat}	0.05
MM 0095	Meat (mammalian)	0.05
ML 0106	Milks	0.05
VP 0538	Podded pea (young pods) [snow and sugar snap]	T0.6
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
Streptomycin and Dihydrostreptomycin		
MO 0105	Edible offal (mammalian)	*0.3
MM 0095	Meat (mammalian)	*0.3
ML 0106	Milks	*0.2
Sulfosulfuron		
MO 0105	Edible offal (mammalian)	*0.005
PE 0112	Eggs	*0.005
MM 0095	Meat (mammalian)	*0.005
ML 0106	Milks	*0.005
PM 0110	Poultry meat	*0.005
PO 0111	Poultry, edible offal of	*0.005
GC 0653	Triticale	*0.01
GC 0654	Wheat	*0.01
Sulfoxaflor		
FI 0326	Avocado	0.3
VD 0071	Beans (dry)	0.7
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas {except Cauliflower}	3
FB 2005	Cane berries	T1
VB 0404	Cauliflower	0.1
GC 0080	Cereal grains	*0.01

COMPOUND	FOOD	MRL (mg/kg)
FI 0331	Cherimoya	T0.5
FS 0013	Cherries	3
FC 0001	Citrus fruits	0.7
SO 0691	Cotton seed	0.3
FI 0332	Custard apple	T0.5
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.5
VO 0050	Fruiting vegetables, other than cucurbits {except Sweet corn (corn-on-the-cob)}	1
FB 0269	Grapes	*0.01
FI 0337	llama	T0.5
VL 0053	Leafy vegetables {except Lettuce, head}	5
VL 0482	Lettuce, head	1
FI 0343	Litchi	T3
FI 0342	Longans	T3
TN 0669	Macadamia nuts	*0.01
FI 0345	Mango	T0.7
MM 0095	Meat (mammalian)	0.2
ML 0106	Milks	0.1
FI 0350	Papaya [pawpaw]	T0.7
FI 0351	Passion fruit	T1
FT 0307	Persimmon, Japanese	T1
FI 0353	Pineapple	T0.1
FP 0009	Pome fruits	0.5
VR 0589	Potato	0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
SO 0495	Rape seed [canola]	*0.01
VR 0075	Root and tuber vegetables {except Potato}	0.05
FI 0365	Soursop	T0.5
VD 0541	Soya bean (dry)	0.3

COMPOUND	FOOD	MRL (mg/kg)
FS 0012	Stone fruits {except Cherries}	1
FB 0275	Strawberry	0.5
FI 0368	Sugar apple	T0.5
VO 0447	Sweet corn (corn-on-the-cob)	*0.01
TN 0085	Tree nuts {except Macadamia nuts}	0.02
Sulfuryl fluoride		
GC 0080	Cereal grains	0.05
DF 0167	Dried fruits	0.07
SO 0697	Peanut	7
TN 0085	Tree nuts	7
Sulphadiazine		
ML 0812	Cattle milk	0.1
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	T*0.02
MM 0095	Meat (mammalian)	0.1
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
Sulphadimidine		
MO 0105	Edible offal (mammalian)	0.1
PE 0112	Eggs	*0.005
MM 0095	Meat (mammalian)	0.1
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of {except Turkey, edible offal of}	0.1
PO 0848	Turkey, edible offal of	0.2
Sulphadoxine		
ML 0812	Cattle milk	*0.1
MO 0105	Edible offal (mammalian)	*0.1
MM 0095	Meat (mammalian)	*0.1
Sulphaquinoxaline		
PE 0112	Eggs	T*0.01
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.1
Sulphatroxazole		

COMPOUND	FOOD	MRL (mg/kg)
ML 0812	Cattle milk	0.1
MO 0105	Edible offal (mammalian)	0.1
MM 0095	Meat (mammalian)	0.1
Sulphur dioxide		
FB 0020	Blueberries	T10
FI 0342	Longan	150
FB 0275	Strawberry	T30
FB 1235	Table-grapes	10
Tebuconazole		
TN 0660	Almonds	*0.01
	Anise myrtle leaves (dried)	T5
FI 0326	Avocado	0.2
FI 0327	Banana	0.2
VR 0574	Beetroot	T0.3
	Beetroot leaves	T2
VA 0035	Bulb vegetables [alliums] {except Garlic}	*0.01
VR 0577	Carrot	T0.5
GC 0080	Cereal grains	0.2
VL 0464	Chard [silver beet]	T2
VL 0469	Chicory leaves (green and red cultivars)	T2
FC 0001	Citrus fruits	T0.05
SB 0716	Coffee bean	T0.1
SO 0691	Cotton seed	T1
DF 0269	Dried grapes (= currants, raisins and sultanas)	7
MO 0105	Edible offal (mammalian)	0.5
PE 0112	Eggs	0.1
VL 0476	Endive	T2
VA 0381	Garlic	T0.2
FB 0269	Grapes	5
VP 0060	Legume vegetables	0.5
	Lemon myrtle leaves (dried)	T5

COMPOUND	FOOD	MRL (mg/kg)
VL 0482	Lettuce, head	0.1
VL 0483	Lettuce, leaf	0.1
TN 0669	Macadamia nuts	*0.01
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.05
FI 0350	Papaya [pawpaw]	0.2
SO 0697	Peanut	0.1
FP 0009	Pome fruits	*0.01
FI 0355	Pomegranate	T*0.01
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	0.5
VD 0070	Pulses {except Soya bean (dry)}	1
VR 0494	Radish	T0.3
VL 0494	Radish leaves (including radish tops)	T2
SO 0495	Rape seed [canola]	0.3
VD 0541	Soya bean (dry)	T0.1
VL 0502	Spinach	T2
FS 0012	Stone fruits	*0.01
GS 0659	Sugar cane	0.1
VO 0447	Sweet corn (corn-on-the-cob)	T0.7
TN 0678	Walnuts	T*0.05
Tebufenozide		
FI 0326	Avocado	0.5
FC 0001	Citrus fruits	1
FI 0332	Custard apple	0.3
DF 0269	Dried grapes (= currants, raisins and sultanas)	4
MO 0105	Edible offal (mammalian)	*0.02
FB 0269	Grapes	2
FI 0341	Kiwifruit	2
FI 0343	Litchi	2
FI 0342	Longan	2
TN 0669	Macadamia nuts	0.05

COMPOUND	FOOD	MRL (mg/kg)
MM 0095	Meat (mammalian) [in the fat]	*0.02
ML 0106	Milks	*0.01
FP 0009	Pome fruits	1
Tebufenpyrad		
VC 0424	Cucumber	*0.02
FP 0247	Peach	1
FP 0009	Pome fruits	1
Tebuthiuron		
MO 0105	Edible offal (mammalian)	2
MM 0095	Meat (mammalian)	0.5
ML 0106	Milks	0.2
Temephos		
MM 0812	Cattle meat [in the fat]	T5
MO 0812	Cattle, edible offal of	T2
MM 0822	Sheep meat [in the fat]	3
MO 0822	Sheep, edible offal of	0.5
Terbacil		
FP 0226	Apple	*0.04
FS 0247	Peach	*0.04
	Peppermint oil	*0.1
Terbufos		
FI 0327	Banana	0.05
MM 0812	Cattle meat	*0.05
ML 0812	Cattle milk	*0.01
MO 0812	Cattle, edible offal of	*0.05
GC 0080	Cereal grains	*0.01
PE 0112	Eggs	*0.01
SO 0697	Peanut	*0.05
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
SO 0702	Sunflower seed	*0.05
VO 0447	Sweet corn (corn-on-the-cob)	*0.05
Terbuthylazine		

COMPOUND	FOOD	MRL (mg/kg)
GC 0080	Cereal grains	*0.01
SO 0691	Cotton seed	0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VD 0070	Pulses	*0.02
SO 0495	Rape seed [canola]	*0.02
GS 0659	Sugar cane	*0.01
VO 0447	Sweet corn (corn-on-the-cob)	*0.01
Terbutryn		
GC 0080	Cereal grains	*0.1
MO 0105	Edible offal (mammalian)	3
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	0.1
ML 0106	Milks	0.1
VP 0063	Peas	*0.1
PM 0110	Poultry meat	0.1
PO 0111	Poultry, edible offal of	*0.05
GS 0659	Sugar cane	*0.05
Tetraconazole		
MO 0105	Edible offal (mammalian)	0.2
FB 0269	Grapes	0.5
MM 0095	Meat (mammalian) [in the fat]	*0.01
ML 0106	Milks	*0.01
Tetracycline		
ML 0106	Milks	*0.1
Tetraniliprole		
TN 0660	Almonds	0.05
DF 0240	Apricots, dried	3
FI 0327	Banana	*0.01

COMPOUND	FOOD	MRL (mg/kg)
FS 0013	Cherries	1
MO 0105	Edible offal (mammalian)	0.02
PE 0112	Eggs	*0.01
TN 0669	Macadamia nuts	*0.01
FI 0345	Mango	T0.2
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
FP 0009	Pome fruits	0.5
PO 0111	Poultry, edible offal of	*0.01
PM 0110	Poultry meat	*0.01
DF 0014	Prunes	3
FS 0012	Stone fruits {except Cherries}	0.7
Thiabendazole		
FP 0226	Apple	10
FI 0327	Banana	3
FC 0001	Citrus fruits	10
MO 0105	Edible offal (mammalian)	0.2
MM 0095	Meat (mammalian)	0.2
ML 0106	Milks	0.05
VO 0450	Mushrooms	0.5
FP 0230	Pear	10
VR 0589	Potato	5
VR 0508	Sweet potato	0.05
VR 0505	Taro	T5
Thiacloprid		
SO 0691	Cotton seed	0.1
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.01
FP 0009	Pome fruits	1
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02

COMPOUND	FOOD	MRL (mg/kg)
FS 0012	Stone fruits	2
Thiamethoxam see also Clothianidin		
	All other foods	T0.5
VP 0061	Beans, except broad bean and soya bean	T0.2
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	3
GC 0080	Cereal grains {except Maize; Sorghum}	*0.01
FC 0001	Citrus fruits	1
SO 0691	Cotton seed	*0.02
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
VC 0045	Fruiting vegetables, cucurbits	T1
VO 0050	Fruiting vegetables, other than cucurbits	T0.5
VL 0053	Leafy vegetables	2
GC 0645	Maize	*0.02
FI 0345	Mango	0.07
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.005
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
SO 0495	Rape seed [canola]	*0.01
VR 0075	Root and tuber vegetables	T0.7
GC 0651	Sorghum	*0.02
SO 0702	Sunflower seed	*0.02
VO 0447	Sweet corn (corn-on-the-cob)	*0.02
Thidiazuron		
SO 0691	Cotton seed	*0.5
MO 0105	Edible offal (mammalian)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
Thiobencarb		

COMPOUND	FOOD	MRL (mg/kg)
GC 0649	Rice	*0.05
Thiodicarb see also Methomyl		
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	2
	Chia	T1
SO 0691	Cotton seed	*0.1
OC 0691	Cotton seed oil, crude	*0.1
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.02
GC 0645	Maize	*0.1
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.05
VR 0589	Potato	0.1
VD 0070	Pulses	*0.1
VO 0447	Sweet corn (corn-on-the-cob)	*0.1
VO 0448	Tomato	2
Tiafenacil		
GC 0080	Cereal grains	*0.01
SO 0691	Cotton seed	*0.01
MO 0105	Edible offal (mammalian)	*0.02
PE 0112	Eggs	*0.02
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milks	*0.02
PM 0110	Poultry meat	*0.02
PO 0111	Poultry, edible offal of	*0.02
VD 0070	Pulses	*0.01
SO 0495	Rape seed [canola]	*0.01
Tiamulin		
MM 0818	Pig meat	*0.1
MO 0818	Pig, edible offal of	*0.1
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	*0.1
Tilmicosin		

COMPOUND	FOOD	MRL (mg/kg)
MM 0812	Cattle meat	*0.05
MO 0812	Cattle, edible offal of	1
MM 0818	Pig meat	0.05
MO 0818	Pig, Edible offal of	1
Tolclofos-methyl		
VR 0574	Beetroot	*0.01
SO 0691	Cotton seed	*0.01
VL 0482	Lettuce, head	*0.01
VL 0483	Lettuce, leaf	*0.01
VR 0589	Potato	0.1
Tolfenamic acid		
MM 0812	Cattle meat	0.05
ML 0812	Cattle milk	0.05
MO 1280	Cattle, kidney	*0.01
MO 1281	Cattle, liver	*0.01
MM 0818	Pig meat	*0.01
MO 1284	Pig, kidney	*0.01
MO 1285	Pig, liver	0.1
Toltrazuril		
MF 0812	Cattle fat	1
	Cattle muscle	0.25
MO 1280	Cattle, kidney	1
MO 1281	Cattle, liver	2
PM 0840	Chicken meat	2
PO 0840	Chicken, edible offal of	5
PE 0112	Eggs	*0.03
MM 0818	Pig meat [in the fat]	1
MO 0818	Pig, edible offal of	2
Topramezone		
GC 0640	Barley	*0.01
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01

COMPOUND	FOOD	MRL (mg/kg)
ML 0106	Milks	*0.001
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
GC 0654	Wheat	*0.01
Tralkoxydim		
GC 0080	Cereal grains	*0.02
Trenbolone acetate		
MM 0812	Cattle meat	0.002
MO 0812	Cattle, edible offal of	0.01
Triadimefon		
GC 0080	Cereal grains	0.5
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.1
VD 0561	Field pea (dry)	0.1
VC 0045	Fruiting vegetables, cucurbits	0.2
VO 0050	Fruiting vegetables, other than cucurbits	0.2
VP 0528	Garden pea (young pods)	0.1
VP 0529	Garden pea, shelled	0.1
FB 0269	Grapes	1
MF 0100	Mammalian fats	*0.25
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
GS 0659	Sugar cane	*0.05
Triadimenol		
	Anise myrtle leaves (dried)	0.05
FB 0018	Berries and other small fruits {except Grapes; Strawberries}	T0.5
VB 0040	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead brassicas	1
GC 0080	Cereal grains {except Sorghum}	*0.01
HH 0727	Chives	T3

COMPOUND	FOOD	MRL (mg/kg)
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
VC 0045	Fruiting vegetables, cucurbits	0.5
VO 0050	Fruiting vegetables, other than cucurbits	1
FB 0269	Grapes	0.5
VA 0384	Leek	T3
	Lemon myrtle leaves (dried)	0.05
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VA 0385	Onion, bulb	0.05
VA 0386	Onion, Chinese	T3
VA 0387	Onion, Welsh	T3
FI 0350	Papaya [pawpaw]	0.2
VR 0588	Parsnip	0.2
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
VR 0494	Radish	0.2
	Riberries	0.3
VA 0388	Shallot	T3
GC 0651	Sorghum	0.5
VA 0389	Spring onion	T3
GS 0659	Sugar cane	*0.05
VR 0497	Swede	0.2
VR 0506	Turnip, garden	0.2
Triallate		
GC 0080	Cereal grains	*0.05
MO 0105	Edible offal (mammalian) {except Kidney}	*0.1
PE 0112	Eggs	*0.01
MO 0098	Kidney of cattle, goats, pigs and sheep	0.2
VP 0060	Legume vegetables	*0.05
MF 0100	Mammalian fats	0.2

COMPOUND	FOOD	MRL (mg/kg)
MM 0095	Meat (mammalian)	*0.1
ML 0106	Milks	*0.1
SO 0088	Oilseed	0.1
PF 0111	Poultry fats	0.2
PM 0110	Poultry meat	*0.1
PO 0111	Poultry, edible offal of	0.2
VD 0070	Pulses	0.1
Triasulfuron		
GC 0080	Cereal grains	*0.02
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.01
Tribenuron-methyl		
GC 0640	Barley	*0.01
VD 0524	Chick-pea (dry)	*0.01
SO 0691	Cotton seed	*0.05
MO 0105	Edible offal (mammalian)	*0.01
GC 0645	Maize	*0.05
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
VD 0536	Mung bean (dry)	*0.01
GC 0647	Oats	*0.01
SO 0495	Rape seed [canola]	*0.01
GC 0651	Sorghum	*0.01
VD 0541	Soya bean (dry)	*0.01
SO 0702	Sunflower seed	*0.01
GC 0654	Wheat	*0.01
Trichlorfon		
	Achachairu	T3
FT 0026	Assorted tropical and sub-tropical fruits - edible peel	T3
FI 0030	Assorted tropical and sub-tropical fruits - inedible peel	T3

COMPOUND	FOOD	MRL (mg/kg)
	Babaco	T3
VR 0574	Beetroot	0.2
FB 0018	Berries and other small fruits	T2
VB 0402	Brussels sprouts	0.2
VO 4271	Cape gooseberry	T0.5
MF 0812	Cattle fat	0.1
MM 0812	Cattle meat	0.1
MO 0812	Cattle, edible offal of	0.1
VB 0404	Cauliflower	0.2
VS 0624	Celery	0.2
GC 0080	Cereal grains	0.1
DF 0167	Dried fruits	2
VO 0440	Egg plant [aubergine]	T0.5
	Egg plant, thai	T0.5
PE 0112	Eggs	*0.05
	Fish muscle	T*0.01
	Fruits {except Achachairu; Assorted tropical and sub-tropical fruits - edible peel; Assorted tropical and sub-tropical fruits - inedible peel; Babaco; Berries and other small fruits; Dried fruits; Loquat; Medlar; Miracle fruit; Quince; Shaddocks or pomelos; Rollinia; Stone fruits}	T0.1
MM 0814	Goat meat	0.1
MO 0814	Goat, Edible offal of	0.1
VL 0480	Kale	0.2
FP 0228	Loquat	T3
TN 0669	Macadamia nuts	0.1
FP 0229	Medlar	T3
ML 0106	Milks	*0.05
	Miracle fruit	T3
SO 0088	Oilseed except peanut	0.1
VO 0443	Pepino	T5
VO 0051	Peppers	0.2
MF 0818	Pig fat	0.1

COMPOUND	FOOD	MRL (mg/kg)
MM 0818	Pig meat	0.1
MO 0818	Pig, edible offal of	0.1
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05
VD 0070	Pulses {except Soya bean (dry)}	0.2
FP 0231	Quince	T3
	Rollinia	T3
FC 0005	Shaddocks or pomelos	T3
VD 0541	Soya bean (dry)	0.1
FS 0012	Stone fruits	T3
VR 0596	Sugar beet	0.05
GS 0659	Sugar cane	*0.05
VO 0447	Sweet corn (corn-on-the-cob)	0.2
	Vegetables {except Beetroot; Brussels sprouts; Cape gooseberry; Cauliflower; Celery; Egg plant, Thai; Kale; Pepino; Peppers; Pulses (dry); Sugar beet; Sweet corn (corn-on-the-cob)}	0.1
Triclabendazole		
	Fat (mammalian)	1
	Kidney (mammalian)	1
	Liver (mammalian)	2
MM 0095	Meat (mammalian)	0.5
ML 0106	Milks	0.01
Triclopyr		
MM 0812	Cattle meat [in the fat]	0.2
MO 0812	Cattle, edible offal of	5
FC 0001	Citrus fruits	0.2
PE 0112	Eggs	*0.05
MM 0814	Goat meat [in the fat]	0.2
MO 0814	Goat, edible offal of	5
FI 0343	Litchi	0.1
ML 0106	Milks [in the fat]	0.1
SO 0698	Poppy seed	*0.01

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat [in the fat]	*0.05
PO 0111	Poultry, edible offal of	*0.05
MM 0822	Sheep meat [in the fat]	0.2
MO 0822	Sheep, edible offal of	5
GC 0651	Sorghum	*0.1
Trifloxystrobin		
TN 0660	Almonds	0.05
FI 0030	Assorted tropical and sub-tropical fruits – inedible peel {except Banana; Pineapple}	2
FI 0327	Banana	0.5
VR 0574	Beetroot	T0.5
	Beetroot leaves	T10
FB 2005	Cane berries	3
VS 0624	Celery	T5
VL 0464	Chard [silver beet]	T10
VL 0469	Chicory leaves (green and red cultivars)	T10
VP 0526	Common bean (pods and/or immature seeds)	0.4
SO 0691	Cotton seed	*0.04
VC 0424	Cucumber	T*0.1
DF 0269	Dried grapes (= currants, raisins and sultanas)	2
MO 0105	Edible offal (mammalian)	*0.05
VL 0476	Endive	T10
FB 0269	Grapes	0.5
VL 0482	Lettuce, head	15
VL 0483	Lettuce, leaf	15
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milks	*0.02
VO 0445	Peppers, sweet [capsicum]	T0.5
FP 0009	Pome fruits	0.7
SO 0495	Rape seed [canola]	*0.02
VL 0502	Spinach	T10

COMPOUND	FOOD	MRL (mg/kg)
FS 0012	Stone fruits	5
FB 0275	Strawberry	2
VO 0448	Tomato	0.7
Trifloxysulfuron sodium		
SO 0691	Cotton seed	*0.01
OC 0691	Cotton seed oil, crude	*0.01
OR 0691	Cotton seed oil, edible	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.01
ML 0106	Milks	*0.01
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
GS 0659	Sugar cane	*0.01
Trifludimoxazin		
GC 0640	Barley	*0.01
MO 0105	Edible offal (mammalian)	*0.01
PE 0112	Eggs	*0.01
MM 0095	Meat [mammalian]	*0.01
ML 0106	Milks	*0.001
PO 0111	Poultry, Edible offal of	*0.01
PM 0110	Poultry meat	*0.01
GC 0654	Wheat	*0.01
Triflumuron		
GC 0080	Cereal grains	*0.05
MO 0105	Edible offal (mammalian) {except Sheep, edible offal of}	*0.05
PE 0112	Eggs	0.01
MM 0095	Meat (mammalian) [in the fat] {except Sheep meat [in the fat]}	*0.05
ML 0106	Milks	*0.05
VO 0450	Mushrooms	0.1
PM 0110	Poultry meat [in the fat]	0.1
PO 0111	Poultry, edible offal of	0.01

COMPOUND	FOOD	MRL (mg/kg)
MM 0822	Sheep meat [in the fat]	2
MO 0822	Sheep, edible offal of	0.1
Trifluralin		
VD 0560	Adzuki bean (dry)	*0.05
VD 0523	Broad bean (dry) [faba bean (dry)]	*0.05
HH 4731	Burnet, Salad	T*0.05
VR 0577	Carrot	0.5
GC 0080	Cereal grains	*0.05
VD 0524	Chick-pea (dry)	*0.05
	Coriander (leaves, stems and roots)	T*0.05
HS 0779	Coriander, seed	T*0.05
VD 0527	Cowpea (dry)	*0.05
HS 0730	Dill seed	T*0.05
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
VA 0380	Fennel, bulb	T0.5
HS 0731	Fennel, seed	T*0.05
	Fruits	*0.05
VR 0581	Galangal, greater	T0.5
HH 0092	Herbs	T*0.05
VD 0531	Hyacinth bean (dry)	*0.05
	Kaffir lime leaves	T*0.05
	Lemon grass	T*0.05
DT 1111	Lemon verbena (fresh weight)	T*0.05
VD 0545	Lupin (dry)	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milk	*0.05
	Mizuna	T*0.05
VD 0536	Mung bean (dry)	*0.05
SO 0088	Oilseed	*0.05
VR 0588	Parsnip	T0.5
PM 0110	Poultry meat	0.05
PO 0111	Poultry, edible offal of	*0.05

COMPOUND	FOOD	MRL (mg/kg)
	Rose and dianthus (edible flowers)	T*0.05
GS 0659	Sugar cane	*0.05
HS 0794	Turmeric, root	T0.5
	Vegetables {except Carrot; Parsnip; Fennel bulb; Galangal, greater}	0.05
Triforine		
FP 0009	Pome fruits	1
FS 0012	Stone fruits	10
Trimethoprim		
ML 0812	Cattle milk	0.05
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	0.05
PM 0110	Poultry meat	0.05
PO 0111	Poultry, edible offal of	0.05
Trinexapac-ethyl		
GC 0081	Bran, unprocessed of cereal grains	0.5
GC 0080	Cereal grains	0.2
MO 0105	Edible offal (mammalian)	0.05
PE 0112	Eggs	*0.01
MM 0095	Meat (mammalian)	*0.02
ML 0106	Milk	*0.005
SO 0698	Poppy seed	20
PM 0110	Poultry meat	*0.01
PO 0111	Poultry, edible offal of	*0.01
GS 0659	Sugar cane	0.1
Triticonazole		
GC 0080	Cereal grains	*0.05
MO 0105	Edible offal (mammalian)	*0.05
PE 0112	Eggs	*0.05
MM 0095	Meat (mammalian)	*0.05
ML 0106	Milk	*0.01
PM 0110	Poultry meat	*0.05
PO 0111	Poultry, edible offal of	*0.05

COMPOUND	FOOD	MRL (mg/kg)
Tulathromycin		
MF 0812	Cattle fat	0.1
	Cattle muscle	0.1
MO 1280	Cattle, kidney	1
MO 1281	Cattle, liver	3
	Pig fat/skin	0.3
	Pig muscle	0.5
MO 1284	Pig, kidney	3
MO 1285	Pig, liver	2
Tylosin		
MM 0812	Cattle meat	*0.1
MO 0812	Cattle, edible offal of	*0.1
PE 0112	Eggs	*0.2
ML 0106	Milk	*0.05
MF 0818	Pig fat	*0.1
MM 0818	Pig meat	*0.2
MO 0818	Pig, edible offal of	*0.2
PF 0111	Poultry fats	*0.1
PM 0110	Poultry meat	*0.2
PO 0111	Poultry, edible offal of	*0.2
Uniconazole-p		
FI 0326	Avocado	0.5
VR 0577	Carrot	T*0.01
FI 0332	Custard apple	T*0.01
SO 0698	Poppy seed	*0.01
TN 0678	Walnuts	T*0.01
Virginiamycin		
MO 0812	Cattle, edible offal of	0.2
MF 0812	Cattle fat	0.2
MM 0812	Cattle meat	*0.1
ML 0812	Cattle milk	0.1
PO 0111	Poultry, edible offal of	0.2
PF 0111	Poultry fats	0.2

COMPOUND	FOOD	MRL (mg/kg)
PM 0110	Poultry meat	*0.1
MO 0822	Sheep, edible offal of	*0.2
MM 0822	Sheep meat	*0.1
Warfarin		
MO 0818	Pig, edible offal of {except Liver}	T0.007
MF 0818	Pig fat	T0.007
MO 1285	Pig, liver	T0.04
MM 0818	Pig meat	T0.007
Zeranol		
MO 0812	Cattle, edible offal of	0.02
MM 0812	Cattle meat	0.005

Table 2—Portion of the commodity to which the MRL applies (and which is analysed)

Class A: PRIMARY FOOD COMMODITIES OF PLANT ORIGIN

Type 1 – Fruits

CODE	COMMODITY
FC	Citrus fruits Whole commodity.
FP	Pome fruits Whole commodity after removal of stems.
FS	Stone fruits Whole commodity after removal of stems and stones, but the residue calculated and expressed on the whole commodity without stem.
FB	Berries and other small fruits Whole commodity after removal of caps and stems. Currants (black, red, white), fruit with stem.
FT	Assorted tropical and sub-tropical fruits — edible peel Whole commodity. Dates and olives: whole commodity after removal of stems and stones but residue calculated and expressed on whole fruit.
FI	Assorted tropical and sub-tropical fruits — inedible peel Whole fruit. Pineapple after removal of crown. Avocado, mangoes and similar fruit with hard seeds. Whole commodity after removal of stone but calculated on whole fruit.

Type 2 – Vegetables

CODE	COMMODITY
VA	Bulb vegetables Bulb/dry onions and garlic: whole commodity after removal of roots and adhering soil and whatever parchment skin is easily detached. Leeks, and spring onions: whole vegetable after removal of roots and adhering soil.
VB	Brassica (cole or cabbage) vegetables, head cabbages, flowerhead cabbages Head cabbages whole commodity as marketed, after removal of obviously decomposed or withered leaves. For cauliflower and headed broccoli, flower heads (immature inflorescence) only. For Brussels sprouts analyse 'buttons' only.

CODE	COMMODITY
VC	Fruiting vegetables, cucurbits Whole commodity after removal of stems.
VO	Fruiting vegetables, other than cucurbits Whole commodity after removal of stems. Sweet corn and fresh corn: kernels plus cob without husk.
VL	Leafy vegetables (including brassica leafy vegetables) Whole commodity as usually marketed, after removal of obviously decomposed or withered leaves and any portion not normally consumed (eg. roots)
VP	Legume vegetables Whole commodity.
VD	Pulses Whole commodity.
VR	Root and tuber vegetables Whole commodity after removing tops. Remove adhering soil (e.g. by rinsing in running water or by gentle brushing of the dry commodity).
VS	Stalk and stem vegetables Whole commodity as marketed after removal of obviously decomposed or withered leaves. Rhubarb: leafstems only; artichoke: flowerhead only. Celery and asparagus: remove adhering soil.

Type 3 – Grasses

CODE	COMMODITY
GC	Cereal grains Whole commodity. Fresh corn and sweet corn: kernels plus cob without husk. (For the latter group see 012 Fruiting vegetables, other than cucurbits.)

Type 4 – Nuts and seeds

CODE	COMMODITY
TN	Tree nuts Whole commodity after removal of shell. Chestnuts: whole in skin.
SO	Oilseed Unless specified, seed or kernels, after removal of shell or husk.

CODE	COMMODITY
SB	Seed for beverages and sweets Unless specified, whole commodity (only the seed, not including other parts of the fruit).

Type 5 – Herbs and spices

CODE	COMMODITY
HH	Herbs
HS	Spices Unless specified, whole commodity as marketed, mainly in the dried form.

CLASS B: PRIMARY FOOD COMMODITIES OF ANIMAL ORIGIN

Type 6 – Mammalian products

CODE	COMMODITY
MM	Meat [mammalian] Whole commodity. When the commodity description is qualified by '[in the fat]', a portion of adhering fat is analysed and MRLs apply to the fat.
MF	Mammalian fats Whole commodity.
MO	Edible offal (Mammalian) Whole commodity.
ML	Milks Whole commodity. When the commodity description is qualified by '[in the fat]', MRLs apply to the fat portion of the milk.

Type 7 – Poultry products

CODE	COMMODITY
PM	Poultry meat Whole commodity. When the commodity description is qualified by '[in the fat]', a portion of adhering fat is analysed and MRLs apply to the fat.

CODE	COMMODITY
PF	Poultry fats Whole commodity.
PO	Poultry, edible offal of Whole commodity.
PE	Eggs Whole egg whites and yolks combined after removal of shell.

Type 8 – Aquatic animal products

CODE	COMMODITY
WF	Freshwater fish Whole commodity (in general after removing the digestive tract).
WD	Diadromous fish Whole commodity (in general after removing the digestive tract).
WS	Marine fish Whole commodity (in general after removing the digestive tract).
WR or WL	Fish roe (including milt = soft roe and edible offal of fish) Whole commodity.
WM	Marine mammals Whole commodity as marketed, without bones. For fat soluble pesticides a portion of the fat is analysed and MRLs apply to the fat.
WC	Crustaceans Whole commodity (especially with the small sized species) or the meat without the outer shell, as prepared for wholesale and retail distribution.

Type 9 – Amphibians and Reptiles

CODE	COMMODITY
AR	Frogs, lizards, snakes and turtles Whole commodity as marketed without bones or the outer shell.

Type 10 – Invertebrate animals

CODE	COMMODITY
IM	Molluscs Whole commodity after removal of shell.

CLASS C: PRIMARY FEED COMMODITIES

CODE	COMMODITY
AL	Legume animal feeds Whole commodity as presented for wholesale or retail distribution.
AS or AF	Straw, fodder and forage of cereal grains and grasses (including buckwheat fodder) Whole commodity as presented for wholesale or retail distribution.
AM or AV	Miscellaneous fodder and forage crops Whole commodity as presented for retail distribution. In view of the wide range of moisture content in the animal feeds of this group, moving in commerce, the MRLs should if relevant preferably be set and expressed on a 'dry-weight' basis.

CLASS D: PROCESSED FOOD OF PLANT ORIGIN

CODE	COMMODITY
DF	Dried fruits Whole commodity.
DV	Dried vegetables Whole commodity as prepared for wholesale or retail distribution.
DH	Dried herbs Whole commodity as prepared for wholesale or retail distribution.
CM	Milled cereal products Whole commodity as prepared for wholesale or retail distribution.
SM	Miscellaneous secondary food commodities of plant origin
CF	Cereal grain milling fractions Whole commodity.
DT	Teas
OC	Vegetable oils, crude Whole commodity as prepared for wholesale or retail distribution.

CODE	COMMODITY
OR	Vegetable oils, edible (or refined) Whole commodity.
DM	Miscellaneous derived edible products of plant origins Whole commodity.
JF	Fruit juices Whole commodity (not concentrated) or commodity reconstituted to the original juice concentration.
AB	By-products, used for animal feeding purposes, derived from fruit and vegetable processing Whole commodity. Residues on 'wet' commodities of this group must be expressed on a 'dry-weight' basis; see description Group 050, Legume animal feeds.
CP	Manufactured multi-ingredient cereal products Whole commodity as prepared for wholesale or retail distribution.

CLASS E: PROCESSED FOODS OF ANIMAL ORIGIN

CODE	COMMODITY
MD	Dried meat and fish products Whole commodity as prepared for wholesale or retail distribution.
SC	Crustaceans, processed Whole commodity (especially with the small sized species) or the cooked meat without shell as prepared for wholesale or retail distribution.
FA	Animal fats, processed
FM	Milk fats

Table 3—Residue definitions**A**

COMPOUND	RESIDUE
Abamectin	Avermectin B1a
Acephate	Acephate (Note: the metabolite methamidophos has separate MRLs)
Acequinocyl	Sum of acequinocyl and its metabolite 2-dodecyl-3-hydroxy-1,4-naphthoquinone, expressed as acequinocyl
Acetamiprid	Commodities of plant origin: Acetamiprid Commodities of animal origin: sum of acetamiprid and N-demethyl acetamiprid ((E)-N1-[(6-chloro-3-pyridyl)methyl]-N2-cyanoacetamidine), expressed as acetamiprid
Acibenzolar-S-methyl	Acibenzolar-S-methyl and all metabolites containing the benzo[1,2,3]thiadiazole-7-carboxyl moiety hydrolysed to benzo[1,2,3]thiadiazole-7-carboxylic acid, expressed as acibenzolar-S-methyl.
Acifluorfen	Acifluorfen
Acinitrazole	Acinitrazole
Aclonifen	{T} Aclonifen
Afidopyropen	Commodities of plant origin: Afidopyropen Commodities of animal origin: Afidopyropen and the carnitine conjugate of cyclopropanecarboxylic acid (M440I060), expressed as afidopyropen
Aklomide	Aklomide
Albendazole	Sum of albendazole, its sulfoxide, sulfone and sulfone amine, expressed as albendazole
Albendazole sulfoxide	see Albendazole
Aldicarb	Sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb

COMPOUND	RESIDUE
Aldoxycarb	Sum of aldoxycarb and its sulfone, expressed as aldoxycarb
Aldrin and Dieldrin	Sum of HHDN and HEOD
Aliphatic alcohol ethoxylates	Aliphatic alcohol ethoxylates
Alpha-cypermethrin see Cypermethrin	Residues arising from the use of alpha-cypermethrin are covered by the MRLs for cypermethrin.
Altrenogest	Altrenogest
Aluminium phosphide see Phosphine	
Ametoctradin	<i>Commodities of plant origin:</i> Ametoctradin <i>Commodities of animal origin:</i> Sum of ametoctradin and 6-(7-amino-5-ethyl [1,2,4] triazolo [1,5-a]pyrimidin-6-yl) hexanoic acid
Ametryn	Ametryn
Amicarbazone	Sum of amicarbazone, N-(1,1-dimethylethyl)-4,5-dihydro-3-(1-methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide (DA MKH 3586) and N-(1,1-dimethylethyl)-4,5-dihydro-3-(1-hydroxy-1-methylethyl)-5-oxo-1H-1,2,4-triazole-1-carboxamide (<i>i</i> Pr-2-OH DA MKH 3586), expressed as amicarbazone
Aminocarb	Aminocarb
Aminoethoxyvinylglycine	aminoethoxyvinylglycine
Aminopyralid	<i>Commodities of plant origin:</i> Sum of aminopyralid and conjugates, expressed as aminopyralid. <i>Commodities of animal origin:</i> Aminopyralid.
Amisulbrom	Amisulbrom
Amitraz	Sum of amitraz and N-(2,4-dimethylphenyl)-N'-methylformamidine, expressed as N-(2,4-dimethylphenyl)-N'-methylformamidine
Amitrole	Amitrole
Amoxicillin	Inhibitory substance, identified as amoxicillin
Ampicillin	Inhibitory substance, identified as ampicillin
Amprolium	Amprolium

COMPOUND	RESIDUE
Apramycin	Apramycin
Asulam	Asulam
Atrazine	Atrazine
Avermectin B1 see Abamectin	
Avilamycin	Inhibitory substance, expressed as avilamycin
Avoparcin	Avoparcin
Azaconazole	Azaconazole
Azamethiphos	Azamethiphos
Azaperone	Azaperone
Azimsulfuron	Azimsulfuron
Azinphos-methyl	Azinphos-methyl
Aziprotryn	Aziprotryn
Azoxystrobin	azoxystrobin

B

COMPOUND	RESIDUE
Bacitracin	Inhibitory substance, identified as bacitracin
Benalaxyl	Benalaxyl
Bendiocarb	Commodities of plant origin: unconjugated bendiocarb; Commodities of animal origin: sum of conjugated and unconjugated bendiocarb, 2,2-dimethyl-1,3-benzodioxol-4-ol and N-hydroxymethylbendiocarb, expressed as bendiocarb
Benfluralin	Benfluralin
Benfuresate	Benfuresate
Benomyl see Carbendazim	Residues arising from the use of benomyl are covered by MRLs for carbendazim
Bensulfuron-methyl	Bensulfuron-methyl
Bensulide	Bensulide
Bentazone	Bentazone

COMPOUND	RESIDUE
Benzocaine	Benzocaine
Benzofenap	Sum of benzofenap, benzofenap-OH and benzofenap-Red, expressed as benzofenap
Benzovindiflupyr	Benzovindiflupyr
Benzyladenine	Benzyladenine
Benzyl G Penicillin	Inhibitory substance, identified as benzyl G penicillin
Betacyfluthrin see Cyfluthrin	
Beta-cypermethrin	Residues arising from the use of beta-cypermethrin are covered by MRLs for cypermethrin
BHC (other than the γ isomer, Lindane)	Sum of isomers of 1,2,3,4,5,6-hexachlorocyclohexane, other than lindane
Bicyclopyrone	Bicyclopyrone and its structurally related metabolites determined as the common moieties SYN503780 and CSCD686480 and expressed as bicyclopyrone
Bifenazate	Sum of bifenazate and bifenazate diazene (diazene-carboxylic acid, 2-(4-methoxy-[1,1'-biphenyl-3-yl] 1-methylethyl ester), expressed as bifenazate
Bifenthrin	Bifenthrin
Bioresmethrin	Bioresmethrin
Bitertanol	Bitertanol
Bixafen	Commodities of plant origin for enforcement: Bixafen Commodities of plant origin for dietary exposure assessment: Sum of bixafen and N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1H-pyrazole-4-carboxamide (bixafen-desmethyl), expressed as bixafen Commodities of animal origin: Sum of bixafen and N-(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoromethyl)-1H-pyrazole-4-carboxamide (bixafen-desmethyl), expressed as bixafen
Bixlozone	Bixlozone
Boscalid	Commodities of plant origin: Boscalid

COMPOUND	RESIDUE
	Commodities of animal origin: Sum of boscalid, 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl)nicotinamide and the glucuronide conjugate of 2-chloro-N-(4'-chloro-5-hydroxybiphenyl-2-yl)nicotinamide, expressed as boscalid equivalents
Buprofezin	Buprofezin
Brodifacoum	Brodifacoum
Bromacil	Bromacil
Bromochloromethane	{T} Bromochloromethane
Bromophos-ethyl	Bromophos-ethyl
Bromopropylate	Bromopropylate
Bromoxynil	Bromoxynil
Bromsalans	Bromsalans
Brotianide	Brotianide
Bupirimate	Bupirimate
Buquinolate	Buquinolate
Butacarb	Butacarb
Butafenacil	Butafenacil
Butoxydim	Butoxydim
Butylamine	Sum of butylamine salts and base, expressed as butylamine
sec-Butylamine	see Butylamine

C

COMPOUND	RESIDUE
Cadusafos	Cadusafos
Cambendazole	Cambendazole
Camphechlor	see Chlorinated terpene isomers
Captan	Captan

COMPOUND	RESIDUE
Carbaryl	Commodities of plant origin: Carbaryl Commodities of animal origin: Sum of Carbaryl and conjugates, hydrolysed to Carbaryl, expressed as carbaryl
Carbendazim	Sum of carbendazim and 2-aminobenzimidazole, expressed as carbendazim
Carbetamide	Carbetamide
Carbofuran see <i>also</i> Carbosulfan and Furathiocarb	
Carbofuran see <i>also</i> Furathiocarb	Sum of carbofuran and 3-hydroxycarbofuran, expressed as carbofuran
Carbosulfan see Carbofuran	Residues arising from the use of carbosulfan are covered by MRLs for Carbofuran
Carbon disulfide	Carbon disulfide
Carbonyl sulphide	Carbonyl sulphide
Carbophenothion	Sum of carbophenothion, its sulfoxide and its sulfone, expressed as carbophenothion
Carboxin	Carboxin
Carfentrazone-ethyl	Carfentrazone-ethyl
Ceftiofur	desfuroylceftiofur
Cefuroxime	Inhibitory substance, identified as cefuroxime
Cephalonium	Inhibitory substance, identified as cephalonium
Cephapirin	Cephapirin and des-acetylcephapirin, expressed as cephapirin
Chinomethionat see Oxythioquinox	
Chlorantraniliprole	Commodities of plant origin and commodities of animal origin other than milk: chlorantraniliprole

COMPOUND	RESIDUE
	Milk: sum of chlorantraniliprole, 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, and 3-bromo-N-[4-chloro-2-(hydroxymethyl)-6-[[[(hydroxymethyl)amino]carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide, expressed as chlorantraniliprole
Chlordane	Sum of cis- and trans- chlordane and in the case of animal products <i>also</i> includes 'oxychlordane'
Chlorfenac	Chlorfenac
Chlorfenapyr	Chlorfenapyr
Chlorfenvinphos	Chlorfenvinphos, sum of E and Z isomers
Chlorfluazuron	Chlorfluazuron
Chlorhexidine	Chlorhexidine
Chloridazon	Chloridazon
Chlorinated terpene isomers (including Strobane and Camphechlor)	Sum of all chlorinated terpene isomers
Chlormequat	Chlormequat cation
Chlornidine	Chlornidine
Chloropicrin	Chloropicrin
Chlorothalonil	Commodities of plant origin: chlorothalonil Commodities of animal origin: 4-hydroxy-2,5,6-trichloroisophthalonitrile metabolite expressed as chlorothalonil
Chloroxuron	Sum of chloroxuron and all metabolites hydrolysed to p-chlorophenoxyaniline, expressed as chloroxuron
Chlorpropham	Chlorpropham
Chlorpyrifos	Chlorpyrifos
Chlorpyrifos-methyl	Chlorpyrifos-methyl
Chlorsulfuron	Chlorsulfuron
Chlortetracycline	Inhibitory substance, identified as chlortetracycline
Chlorthal-dimethyl	Chlorthal-dimethyl

COMPOUND	RESIDUE
Chlorthiophos	Chlorthiophos
Cinmethylin	Cinmethylin
Clavulanic acid	Clavulanic acid
Clenpyrin	Clenpyrin
Clethodim see Sethoxydim	Residues arising from the use of clethodim are covered by the MRLs for sethoxymim
Clodinafop acid	(R)-2-[4-(5-chloro-3-fluoro-2-pyridinyloxy) phenoxy] propanoic acid
Clodinafop-propargyl	Clodinafop-propargyl
Clofentezine	Clofentezine
Clomazone	Clomazone
Clopyralid	Clopyralid
Cloquintocet acid see Cloquintocet mexyl	Residues arising from the use of cloquintocet acid are covered by the MRLs for cloquintocet mexyl.
Cloquintocet-mexyl	Sum of cloquintocet mexyl and 5-chloro-8-quinolinoxyacetic acid, expressed as cloquintocet mexyl
Clorsulon	Clorsulon
Closantel	Closantel
Clothianidin see also Thiamethoxam	Clothianidin
Cloxacillin	Inhibitory substance, identified as cloxacillin
Copper	Determined as elemental copper
Coumaphos	Sum of coumaphos and its oxygen analogue, expressed as coumaphos
Coumatetralyl	Coumatetralyl
4-CPA	4-CPA
Crotoxyphos	Crotoxyphos
Crufomate	Crufomate
Cyanamide	Cyanamide
Cyanazine	Cyanazine

COMPOUND	RESIDUE
Cyantraniliprole	<p>Commodities of plant origin: Cyantraniliprole</p> <p>Commodities of animal origin for enforcement: Cyantraniliprole</p> <p>Commodities of animal origin for dietary exposure assessment: Sum of cyantraniliprole and 2-[3-bromo-1-(3-chloropyridin-2-yl)-1H-pyrazol-5-yl]-3,8-dimethyl-4-oxo-3,4-dihydroquinazoline-6-carbonitrile (IN-J9Z38), 2-[3-bromo-1-(3-chloropyridin-2-yl)-1H-pyrazol-5-yl]-8-methyl-4-oxo-3,4-dihydroquinazoline-6-carbonitrile (IN-MLA84), 3-bromo-1-(3-chloropyridin-2-yl)-N-[4-cyano-2-[(hydroxymethyl)carbamoyl]-6-methylphenyl]-1H-pyrazole-5-carboxamide (IN-MYX98) and 3-bromo-1-(3-chloropyridin-2-yl)-N-[4-cyano-2-(hydroxymethyl)-6-(methylcarbamoyl)phenyl]-1H-pyrazole-5-carboxamide (IN-N7B69), expressed as cyantraniliprole</p>
Cyazofamid	<p>For compliance in plant and animal commodities: cyazofamid</p> <p>For dietary risk assessment in plant and animal commodities: the sum of cyazofamid and 4-chloro-5-(4-methylphenyl)-1H-imidazole-2-carbonitrile, expressed as cyazofamid</p>
Cyclanilide	Sum of cyclanilide and its methyl ester, expressed as cyclanilide
Cyclaniliprole	<p>Commoditie of plant and animal origin for enforcement: cyclaniliprole</p> <p>Commodities of plant origin for dietary exposure assessment: Sum of cyclaniliprole and 3-bromo-2-((2-bromo-4H-pyrazolo[1,5-d]pyrido[3,2-b]-[1,4]oxazin-4-ylidene)amino)-5-chloro-N-(1-cyclopropylethyl)benzamide (NK-1375), expressed as cyclaniliprole.</p> <p>Commodities of animal origin for dietary exposure assessment: Sum of cyclaniliprole and 8-bromo-2-(3-bromo-1-(3-chloropyridin-2-yl)-1H-pyrazol-5-yl)-6-chloroquinazolin-4(3H)-one (NSY-28), expressed as cyclaniliprole</p>
Cycloprothrin	Cycloprothrin

COMPOUND	RESIDUE
Cycloxydim	Sum of cycloxydim, its desethoxy, oxazole-ring residue and dipentane acid metabolites, together with sulfoxides and sulfones of these products and 5-hydroxy derivatives of the above, expressed as cycloxydim
Cyflufenamid	Cyflufenamid
Cyfluthrin	Cyfluthrin, sum of isomers
Cyhalofop-butyl	Sum of cyhalofop-butyl, cyhalofop and metabolites expressed as cyhalofop-butyl
Cyhalothrin	Cyhalothrin, sum of isomers
Cyhexatin	Sum of cyhexatin and dicyclohexyltin oxide, expressed as cyhexatin
Cypermethrin	Cypermethrin, sum of isomers
Cyproconazole	Cyproconazole, sum of isomers
Cyprodinil	Cyprodinil
Cyromazine	Cyromazine

D

COMPOUND	RESIDUE
2,4-D	2,4-D
Daminozide	Daminozide
2,4-DB	2,4-DB
DDT	Sum of p,p '-DDT; o,p '-DDT; p,p '-DDE and p,p '-TDE (DDD)
Decoquate	Decoquate
Deltamethrin	Deltamethrin
Derquantel	Derquantel
Desmetryn	Desmetryn
Dexamethasone	Dexamethasone
Dexamethasone triethylacetate	see Dexamethasone

COMPOUND	RESIDUE
Diafenthiuron	Sum of diafenthiuron; N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)urea; and N-[2,6-bis(1-methylethyl)-4-phenoxyphenyl]-N'-(1,1-dimethylethyl)carbodiimide, expressed as diafenthiuron
Diazinon	Diazinon
Dicamba	Dicamba
Dichlobenil	Dichlobenil
Dichlofluanid	Dichlofluanid
Dichlone	Dichlone
Dichlorvos	Dichlorvos
Diclazuril	Diclazuril
Diclofop-methyl	Diclofop-methyl
Dichlorprop-P	Sum of dichlorprop acid, its esters and conjugates, hydrolysed to dichlorprop acid, and expressed as dichlorprop acid
Dicloran	Dicloran
Dicofol	Sum of dicofol and 2,2,2-trichloro-1-(4-chlorophenyl)-1-(2-chlorophenyl)ethanol, expressed as dicofol
Dicyclanil	Sum of dicyclanil and its triaminopyridyl metabolite expressed as dicyclanil
Didecyldimethylammonium chloride	Didecyldimethylammonium chloride
Difenoconazole	Difenoconazole
Difenzoquat	Difenzoquat
Diflubenzuron	Diflubenzuron
Diflufenican	Diflufenican
Dimethipin	Dimethipin
Dimethenamid-P	Sum of dimethenamid-P and its (R)-isomer
Dimethirimol	Dimethirimol
Dimethoate see also Omethoate	Sum of dimethoate and omethoate, expressed as dimethoate
Dimethomorph	Sum of E and Z isomers of dimethomorph

COMPOUND	RESIDUE
Dimetridazole	Sum of dimetridazole and its hydroxy metabolite (2-hydroxymethyl-1-methyl-5-nitroimidazole), expressed as dimetridazole.
Dinitolmide	Sum of dinitolmide and its metabolite 3-amino-5-nitro-o-toluamide, expressed as dinitolmide equivalents
Dinitro-o-toluamide see Dinitolmide	
Dinocap	Dinocap and related nitro-octylphenols, expressed as dinocap
Dinoseb	Dinoseb
Dinotefuran	<i>Commodities of plant origin for enforcement:</i> Dinotefuran <i>Commodities of plant origin for dietary exposure assessment:</i> Sum of dinotefuran, 1-methyl-3-(tetrahydro-3-furylmethyl) urea (UF) and 1-methyl-3-(tetrahydro-3-furylmethyl) guanidium dihydrogen (DN) expressed as dinotefuran. <i>Commodities of animal origin:</i> Sum of Dinotefuran and 1-methyl-3-(tetrahydro-3-furylmethyl) urea (UF) expressed as dinotefuran
Dioxathion	Sum of cis- and trans- dioxathion
Diphenyl	Diphenyl
Diphenylamine	Diphenylamine
Diquat	Diquat cation
Disulfoton	Sum of disulfoton and demeton-S and their sulfoxides and sulfones, expressed as disulfoton
Dithianon	Dithianon
Dithiocarbamates (mancozeb, metham, metiram, thiram, zineb and ziram)	Total dithiocarbamates, determined as CS ₂ evolved during acid digestion and expressed as mg CS ₂ /kg. (Note: Propineb has separate MRLs)
Diuron	Sum of diuron and 3,4- dichloroaniline, expressed as diuron
Dodine	Dodine
Doramectin	Doramectin

COMPOUND	RESIDUE
2,2-DPA	2,2-dichloropropionic acid

E

COMPOUND	RESIDUE
EDC see Ethylene dichloride	
Emamectin	Sum of emamectin B1a and emamectin B1b
Endosulfan	Sum of α - and β - endosulfan and endosulfan sulphate
Endothal	Endothal
Endrin	Sum of endrin and Δ -keto-endrin
Enilconazole see Imazalil	
Epoxiconazole	Epoxiconazole
Eprinomectin	Eprinomectin B1a
EPTC	EPTC
Erythromycin	Inhibitory substance, identified as erythromycin
Esfenvalerate see Fenvalerate	
Ethephon	Ethephon
Ethametsulfuron methyl	Ethametsulfuron methyl
Ethion	Ethion
Ethofumesate	Ethofumesate
Ethopabate	Ethopabate
Ethoprophos	Ethoprophos
Ethoxyquin	Ethoxyquin
Ethoxysulfuron	Commodities of plant origin: Ethoxysulfuron Commodities of animal origin: 2-amino-4,6-dimethoxypyrimidine, expressed as ethoxysulfuron
Ethylene dichloride	1,2-dichloroethane
Etofenprox	Etofenprox
Etoxazole	Etoxazole
Etridiazole	Etridiazole

F

COMPOUND	RESIDUE
Fenaminoisulf	Fenaminoisulf
Fenamiphos	Sum of fenamiphos, its sulfoxide and sulfone, expressed as fenamiphos
Fenarimol	Fenarimol
Fenazaflor	Fenazaflor
Fenbendazole	Fenbendazole
Fenbuconazole	Fenbuconazole
Fenbutatin oxide	Bis[tris(2-methyl-2-phenylpropyl)tin]-oxide
Fenchlorphos	Fenchlorphos
Fenfuram	Fenfuram
Fenhexamid	Fenhexamid
Fenitrothion	Fenitrothion
Fenoprop	Fenoprop
Fenoxaprop-ethyl	Sum of fenoxaprop-ethyl (all isomers) and 2-(4-(6-chloro-2-benzoxazolylloxy)phenoxy)-propanoate and 6-chloro-2,3-dihydrobenzoxazol-2-one, expressed as fenoxaprop-ethyl
Fenoxycarb	Fenoxycarb
Fenpiclonil	Fenpiclonil
Fenpyrazamine	For enforcement: Fenpyrazamine For dietary exposure assessment: Sum of fenpyrazamine and 5-amino-1,2-dihydro-2-isopropyl-4-(o-tolyl)pyrazol-3-one (S-2188-DC), expressed as fenpyrazamine
Fenpyroximate	Fenpyroximate
Fensulfothion	Sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion
Fenthion	Sum of fenthion, its oxygen analogue, and their sulfoxides and sulfones, expressed as fenthion
Fentin	Fentin hydroxide, excluding inorganic tin and di- and mono-phenyltin

COMPOUND	RESIDUE
Fenvalerate	Fenvalerate, sum of isomers
Fipronil	Sum of fipronil, the sulphenyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl) sulphenyl]-1H-pyrazole-3-carbonitrile), the sulphonyl metabolite (5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulphonyl]-1H-pyrazole-3-carbonitrile), and the trifluoromethyl metabolite (5-amino-4-trifluoromethyl-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile).
Flamprop-methyl	Flamprop-methyl
Flamprop-m-methyl see Flamprop-methyl	
Flavopospholipol	Flavopospholipol
Flonicamid	<p><i>Commodities of plant origin:</i> sum of flonicamid, TFNG (<i>N</i>-(4-trifluoromethylnicotinoyl)glycine) and TFNA (4-trifluoromethylnicotinic acid), expressed as flonicamid</p> <p><i>Commodities of animal origin:</i> sum of flonicamid and TFNA-AM (4-trifluoromethylnicotinamide), expressed as flonicamid</p>
Florfenicol	Sum of florfenicol and its metabolites florfenicol alcohol, florfenicol oxamic acid, monochloroflorfenicol and florfenicol amine expressed as florfenicol amine
Florasulam	Florasulam
Florpyrauxifen-benzyl	Sum of florpyrauxifen-benzyl and the XDE-848 acid metabolite [4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-5-fluoropyridine-2-carboxylic acid] expressed as florpyrauxifen-benzyl

COMPOUND	RESIDUE
Fluazaindolizine	<p>For enforcement for commodities of plant and animal origin: fluazaindolizine</p> <p>For dietary exposure assessment for commodities of plant origin: Sum of hydrolysis products 2-chloro-5-hydroxybenzenesulfonamide (IN-A5760), 2-chloro-5-methoxybenzenesulfonamide (IN-F4106), 8-chloro-6-(trifluoromethyl)imidazo[1,2-a]pyridine-2-carboxylic acid (IN-QEK31), 3-[(2-chloro-5-methoxyphenyl)sulfonyl]amino]-L-alanine (IN-QZY47), 3-[(2-chloro-5-methoxyphenyl)sulfonyl]amino]-(2R)-hydroxypropanoic acid (IN-TMQ01), 3-[(2-chloro-5-hydroxyphenyl)sulfonyl]amino]alanine (IN-UJV12) and 3-[(2-chloro-5-hydroxyphenyl)sulfonyl]amino]-2-hydroxypropanoic acid (IN-UNS90), expressed as fluazaindolizine</p> <p>For dietary exposure assessment for commodities of animal origin: Sum of fluazaindolizine, 8-chloro-6-(trifluoromethyl)imidazo[1,2-a]pyridine-2-carboxylic acid (IN-QEK31), 2-chloro-5-methoxybenzenesulfonamide (IN-F4106) and 3-[(2-chloro-5-methoxyphenyl)sulfonyl]amino]-(2R)-hydroxypropanoic acid (IN-TMQ01) expressed as fluazaindolizine</p>
Fluazifop-p-butyl	Sum of Fluazifop-butyl, fluazifop and their conjugates, expressed as fluazifop
Fluazinam	Fluazinam
Fluazuron	Fluazuron
Flubendazole	<p>Commodities other than eggs: Sum of flubendazole and 2-amino-1 H-benzimidazole-5-yl)(4-fluorophenyl) methanone, expressed as flubendazole</p> <p>Eggs: Flubendazole</p>
Flubendiamide	<p>Commodities of plant origin: Flubendiamide</p> <p>Commodities of animal origin: sum of flubendiamide and 3-iodo-N-(2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl)phthalimide, expressed as flubendiamide.</p>
Fluchloralin	Fluchloralin
Flucythrinate	Flucythrinate

COMPOUND	RESIDUE
Fludioxonil	Commodities of animal origin: sum of fludioxonil and oxidizable metabolites, expressed as fludioxonil Commodities of plant origin: fludioxonil
Fluensulfone	Commodities of plant origin for enforcement: Sum of fluensulfone and 3,4,4-trifluorobut-3-ene-1-sulfonic acid (M-3627), expressed as fluensulfone Commodities of plant origin for dietary exposure assessment: Fluensulfone Commodities of animal origin: Fluensulfone
Flumethrin	Flumethrin, sum of isomers
Flumetsulam	Flumetsulam
Flumiclorac-pentyl	Flumiclorac pentyl
Flunixin	Flunixin
Flumioxazin	Flumioxazin
Fluometuron	Sum of fluometuron and 3-trifluoromethylaniline, expressed as fluometuron
Fluopicolide	Commodities of plant and animal origin for enforcement: fluopicolide Commodities of plant and animal origin for dietary exposure assessment: fluopicolide and 2,6-dichlorobenzamide, measured separately
Fluopyram	Commodities of plant origin: Fluopyram Commodities of animal origin for enforcement: Sum of fluopyram and 2-(trifluoromethyl) benzamide, expressed as fluopyram Commodities of animal origin for dietary exposure assessment: Sum of fluopyram, 2-(trifluoromethyl) benzamide and the combined residues of N-((E)-2-[3-chloro-5-(trifluoromethyl)pyridin-2-yl]ethenyl)-2-(trifluoromethyl) benzamide and N-((Z)-2-[3-chloro-5-(trifluoromethyl)pyridin-2-yl]ethenyl)-2-(trifluoromethyl) benzamide, all expressed as fluopyram
Flupropanate	Flupropanate

COMPOUND	RESIDUE
Flupyradifurone	For enforcement for commodities of plant and animal origin: Flupyradifurone For dietary exposure assessment for commodities of plant and animal origin: Sum of flupyradifurone and difluoroacetic acid, expressed as flupyradifurone
Fluquinconazole	Fluquinconazole
Fluralaner	Fluralaner
Fluroxypyr	Fluroxypyr
Flusilazole	Flusilazole
Flutolanil	Commodities of plant origin: flutolanil Commodities of animal origin: flutolanil and metabolites hydrolysed to 2-(trifluoromethyl)-benzoic acid and expressed as flutolanil
Flutriafol	Flutriafol
Fluvalinate	Fluvalinate, sum of isomers
Fluxapyroxad	<i>Commodities of plant origin:</i> Fluxapyroxad <i>Commodities of animal origin for enforcement:</i> Fluxapyroxad <i>Commodities of animal origin for dietary exposure assessment:</i> Sum of fluxapyroxad and 3-(difluoromethyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-1H-pyrazole-4-carboxamide
Fomesafen	Fomesafen
Forchlorfenuron	Forchlorfenuron
Fosamine ammonium	Fosamine
Fosetyl	Fosetyl
Furathiocarb see Carbofuran	Residues arising from the use of furathiocarb are covered by MRLs for carbofuran
Furazolidone	Sum of furazolidone and its metabolites (protein-bound and free) that form 3-amino-2-oxazolidinone (AOZ) after mild acid hydrolysis, expressed as 3-amino-2-oxazolidinone (AOZ)

G

COMPOUND	RESIDUE
Gentian violet	Crystal violet
Gibberellic acid	Gibberellic acid
Glufosinate and Glufosinate ammonium	Sum of glufosinate-ammonium, N-acetyl glufosinate and 3-[hydroxy(methyl)-phosphinoyl] propionic acid, expressed as glufosinate (free acid)
Glyphosate	For enforcement: Sum of glyphosate, N-acetyl-glyphosate and aminomethylphosphonic acid (AMPA) metabolite, expressed as glyphosate For dietary risk assessment: Sum of glyphosate, N-acetyl-glyphosate, aminomethylphosphonic acid (AMPA) and N-acetyl-aminomethylphosphonic acid (N-acetyl AMPA), expressed as glyphosate
Griseofulvin	Griseofulvin
Guazatine	Guazatine

H

COMPOUND	RESIDUE
Halauxifen-methyl	<i>Commodities of plant origin:</i> Halauxifen methyl <i>Commodities of animal origin:</i> 4-Amino-3-chloro-6(4-chloro-2-fluoro-3-hydroxyphenyl)-pyridine-2-carboxylic acid, expressed as halauxifen-methyl
Halofuginone	Halofuginone
Halosulfuron-methyl	Halosulfuron-methyl
Haloxyfop	Sum of haloxyfop, its esters and conjugates, expressed as haloxyfop
Halquinol	Halquinol
HCB	Hexachlorobenzene
Heptachlor	Sum of heptachlor and heptachlor epoxide
Hexaconazole	Hexaconazole
Hexaflurate	Hexaflurate
Hexazinone	Hexazinone

COMPOUND	RESIDUE
Hexythiazox	Hexythiazox
Hydrogen cyanide	All cyanides, expressed as hydrogen cyanide
Hydrogen phosphide see Phosphine	
S-Hydroprene	S-Hydroprene
Hydroxyethylhydrazine	Hydroxyethylhydrazine

COMPOUND	RESIDUE
Imazalil	Imazalil
Imazamox	Imazamox
Imazapic (formerly known as Imazameth)	Sum of imazapic and its hydroxymethyl derivative
Imazapyr	Imazapyr
Imazaquin	Imazaquin
Imazethapyr	Imazethapyr
Imidacloprid	Sum of imidacloprid and metabolites containing the 6-chloropyridinylmethylene moiety, expressed as imidacloprid
Imidocarb (dipropionate salt)	Imidocarb
Indoxacarb	Sum of Indoxacarb and it's R-isomer.
Inorganic bromide	Bromide ion
loxynil	loxynil
Iodosulfuron methyl	Iodosulfuron methyl
Ipconazole	Ipconazole
Iprodione	Iprodione
Isocarbophos	Isocarbophos
Isoeugenol	Isoeugenol, sum of cis- and trans- isomers
Isfenphos	Isfenphos

COMPOUND	RESIDUE
Isfetamid	Commodities of plant origin: Isfetamid Commodities of animal origin: Sum of isfetamid and 2-[3-methyl-4-[2-methyl-2-(3-methylthiophene-2-carboxamido) propanoyl]phenoxy]propanoic acid (PPA), expressed as isfetamid
Isoproturon	Isoproturon
Isopyrazam	For enforcement in plant and animal commodities: isopyrazam For assessment of dietary risk in plant commodities: sum of isopyrazam and 3-(difluoromethyl)-1-methyl- N-[1,2,3,4-tetrahydro-9-(1-hydroxy-1-methylethyl)-1,4-methanonaphthalen-5-yl]-1H-pyrazole-4-carboxamide isomers (CSCD459488 and CSCD459489) and their conjugates, expressed as isopyrazam For assessment of dietary risk in animal commodities: sum of isopyrazam, 3-(difluoromethyl)-1-methyl- N-[1,2,3,4-tetrahydro-2-hydroxy-9-(1-hydroxy-1-methylethyl)-1,4-methanonaphthalen-5-yl]-1H-pyrazole-4-carboxamide (CSCD656800) and 3-(difluoromethyl)-1-methyl- N-[1,2,3,4-tetrahydro-2-hydroxy-9-isopropyl-1,4-methanonaphthalen-5-yl]-1H-pyrazole-4-carboxamide (CSCD563692) and their conjugates, expressed as isopyrazam
Isoxaben	Isoxaben
Isoxaflutole	The sum of isoxaflutole and 2-cyclopropylcarbonyl-3-(2-methylsulfonyl-4-trifluoromethylphenyl)-3-oxopropanenitrile expressed as isoxaflutole
Ivermectin	H2B1a

K

COMPOUND	RESIDUE
Ketoprofen	Ketoprofen
Kitasamycin	Inhibitory substance, identified as Kitasamycin

COMPOUND	RESIDUE
Kresoxim-methyl	Commodities of plant origin: Kresoxim-methyl Commodities of animal origin: sum of α -(p-hydroxy-o-tolyloxy)-o-tolyl(methoxyimino) acetic acid and (E)-methoxyimino[α -(o-tolyloxy)-o-tolyl] acetic acid, expressed as kresoxim-methyl

L

COMPOUND	RESIDUE
Lambda-Cyhalothrin see Cyhalothrin	
Lasalocid	Lasalocid
Levamisole	Levamisole
Lincomycin	Inhibitory substance, identified as lincomycin
Lindane	Lindane
Linuron	Sum of linuron plus 3,4-dichloroaniline, expressed as linuron
Lufenuron	{T} Lufenuron
Lysocellin sodium	Lysocellin

M

COMPOUND	RESIDUE
Maduramicin	Maduramicin
Magnesium phosphide see Phosphine	
Malathion see Maldison	
Maldison	Maldison
Maleic hydrazide	Sum of free and conjugated maleic hydrazide, expressed as maleic hydrazide
Mancozeb see Dithiocarbamates	
Mandestrobin	Mandestrobin
Mandipropamid	Mandipropamid
MCPA	MCPA
MCPB	MCPB

COMPOUND	RESIDUE
Mebendazole	Mebendazole
Mecoprop	Mecoprop
Mefenpyr-diethyl	Commodities of plant origin: Sum of mefenpyr-diethyl and metabolites hydrolysed to 1-(2,4-dichlorophenyl)-5-methyl-2-pyrazoline-3,5-dicarboxylic acid, and 1-(2,4-dichlorophenyl)-5-methyl-pyrazole-3-carboxylic acid, expressed as mefenpyr-diethyl. Commodities of animal origin: Sum of mefenpyr-diethyl and 1-(2,4-dichlorophenyl)-5-ethoxycarbonyl-5-methyl-2-pyrazoline-3-carboxylic acid, expressed as mefenpyr-diethyl.
Mefentrifluconazole	Mefentrifluconazole
Mefluidide	Mefluidide
Meloxicam	Meloxicam
Menazon	Menazon
Mepiquat	Mepiquat
Mesosulfuron-methyl	Mesosulfuron-methyl
Mesotrione	Mesotrione
Metalaxyl-M see Metalaxyl	Residues arising from the use of Metalaxyl-M are covered by the MRLs for Metalaxyl
Metalaxyl	Metalaxyl
Metaldehyde	Metaldehyde
Metamitron	Metamitron

COMPOUND	RESIDUE
Metazachlor	Commodities of plant origin for enforcement: Sum of metabolites 479M04 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)oxalamide), 479M08 (N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfonic acid) and 479M16 (3-[N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)aminocarbonylmethylsulfinyl]-2-hydroxypropanoic acid), expressed as metazachlor Commodities of plant origin for dietary exposure assessment: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor Commodities of animal origin: Sum of metazachlor and its metabolites containing the 2,6-dimethylaniline moiety, expressed as metazachlor
Metcamifen	Commodities of plant origin: Metcamifen Commodities of animal origin: Sum of metcamifen and 4-(3-methyl-ureido)-benzensulfonamide, expressed as metcamifen
Methabenzthiazuron	Methabenzthiazuron
Methacrifos	{T} Methacrifos
Metham see Dithiocarbamates	
Methamidophos see <i>also</i> Acephate	Methamidophos
Metham-sodium see Metham	
Methidathion	Methidathion
Methiocarb	Sum of methiocarb, its sulfoxide and sulfone, expressed as methiocarb
Methomyl see <i>also</i> Thiodicarb	Methomyl
Methoprene	Methoprene, sum of cis- and trans-isomers
Methoxychlor	Methoxychlor
Methoxyfenozide	Methoxyfenozide
Methyl benzoate	Methyl benzoate
Methyl bromide	Methyl bromide
Methyl isothiocyanate	Methyl isothiocyanate

COMPOUND	RESIDUE
Metichlorpindol	Metichlorpindol
Metiram see Dithiocarbamates	
Metolachlor	Metolachlor
Metosulam	Metosulam
Metoxuron	Metoxuron
Metrafenone	Metrafenone
Metribuzin	Metribuzin
Metsulfuron-methyl	Metsulfuron-methyl
Mevinphos	Mevinphos
Milbemectin	Sum of milbemycin MA ₃ and milbemycin MA ₄ and their photoisomers, milbemycin (Z) 8,9-MA ₃ and (Z) 8,9-MA ₄
Molinate	Molinate
Monensin	Monensin
Monepantel	Monepantel sulphone
Morantel	Morantel
Moxidectin	Moxidectin
MSMA	Total arsenic, expressed as MSMA
Myclobutanil	Myclobutanil

N

COMPOUND	RESIDUE
Naled	{T} Sum of naled and dichlorvos, expressed as naled
Naphthalene acetic acid	1-Naphthelene acetic acid
Naphthalophos	Naphthalophos
Napropamide	Napropamide
Naptalam	Naptalam
Narasin	Narasin
Neomycin	Inhibitory substance, identified as neomycin
Netobimin see Albendazole	Residues arising from the use of netobimin are covered by MRLs for Albendazole

COMPOUND	RESIDUE
Nicarbazin	4,4'-dinitrocarbanilide (DNC)
Niclosamide	{T} Niclosamide
Nifursol	Nifursol
Nimidane	Nimidane
Nitralin	Nitralin
Nitrothal-isopropyl	Nitrothal-isopropyl
Nitroxynil	Nitroxynil
Norflurazon	Norflurazon
Norgestomet	Norgestomet
Novaluron	Novaluron
Novobiocin	Novobiocin

O

COMPOUND	RESIDUE
ODB	1,2-dichlorobenzene
Ofurace	Ofurace
Olaquinox	Sum of olaquinox and all metabolites which reduce to 2-(N-2-hydroxyethylcarbamoyl)-3-methyl quinoxaline, expressed as olaquinox
Oleandomycin	Oleandomycin
Omethoate see also Dimethoate	Omethoate
OPP see 2-Phenylphenol	
Oryzalin	Oryzalin
Oxabetrinil	Oxabetrinil
Oxadixyl	Oxadixyl
Oxamyl	Sum of oxamyl and 2-hydroxyimino-N,N-dimethyl-2-(methylthio)-acetamide, expressed as oxamyl
Oxathiapirolin	Oxathiapirolin
Oxfendazole	Oxfendazole

COMPOUND	RESIDUE
Oxolinic acid	Inhibitory substance, identified as oxolinic acid
Oxydemeton-methyl	Sum of oxydemeton-methyl and demeton-S-methyl sulphone, expressed as oxydemeton-methyl
Oxycarboxin	Oxycarboxin
Oxyclozanide	Oxyclozanide
Oxyfluorfen	Oxyfluorfen
Oxytetracycline	Inhibitory substance, identified as oxytetracycline
Oxythioquinox	Oxythioquinox

P

COMPOUND	RESIDUE
Paclobutrazol	Paclobutrazol
Paracetamol	Paracetamol
Paraquat	Paraquat cation
Parathion-methyl	Parathion-methyl
PCP (and its sodium salt)	Pentachlorophenol
Pebulate	Pebulate
Penconazole	Penconazole
Pencycuron	Pencycuron
Pendimethalin	Pendimethalin
Penflufen	Penflufen
Penthiopyrad	<i>Commodities of plant origin:</i> Penthiopyrad <i>Commodities of animal origin:</i> Sum of penthiopyrad and 1-methyl-3-(trifluoromethyl)-1 <i>H</i> -pyrazol-4-ylcarboxamide, expressed as penthiopyrad
Permethrin	Permethrin, sum of isomers
Phenmedipham	<i>Commodities of plant origin:</i> Phenmedipham <i>Commodities of animal origin:</i> 3-methyl-N-(3-hydroxyphenyl)carbamate
Phenothrin	Sum of phenothrin (+)cis- and (+)trans-isomers

COMPOUND	RESIDUE
Phenoxyethyl V penicillin	Inhibitory substance, identified as phenoxyethyl V penicillin
2-Phenylphenol	Sum of 2-phenylphenol and 2-phenylphenate, expressed as 2-phenylphenol
Phorate	Sum of phorate, its oxygen analogue, and their sulfoxides and sulfones, expressed as phorate
Phosalone	Phosalone
Phosmet	Sum of phosmet and its oxygen analogue, expressed as phosmet
Phosphine	All phosphides, expressed as hydrogen phosphide (phosphine)
Phosphorous acid	Phosphorous acid
Phoxim	Phoxim
Picloram	Picloram
Picolinafen	Commodities of plant origin: Picolinafen Commodities of animal origin: Sum of picolinafen and 6-[3-trifluoromethyl phenoxy]-2-pyridinecarboxylic acid
Pinoxaden	Sum of free and conjugated M4 metabolite, 8-(2,6-diethyl-4-hydroxymethylphenyl)-tetrahydro-pyrazolo[1,2-d][1,4,5]oxa-diazepine-7,9-dione, expressed as Pinoxaden
Piperonyl butoxide	Piperonyl butoxide
Pirimicarb	Sum of pirimicarb, demethyl-pirimicarb and the N-formyl-(methylamino) analogue (demethylformamido-pirimicarb), expressed as pirimicarb
Pirimiphos-methyl	Pirimiphos-methyl
Praziquantel	Praziquantel
Procaine penicillin	Inhibitory substance, identified as procaine penicillin
Prochloraz	Sum of prochloraz and its metabolites containing the 2,4,6-trichlorophenol moiety, expressed as Prochloraz
Procymidone	Procymidone
Profenofos	Profenofos

COMPOUND	RESIDUE
Profoxydim	Sum of profoxydim and all metabolites converted to dimethyl-3-(3-thianyl)glutarate-S-dioxide after oxidation and treatment with acidic methanol, expressed as profoxydim.
Prohexadione-calcium	Sum of the free and conjugated forms of prohexadione expressed as prohexadione
Promacyl	Promacyl
Prometryn	Prometryn
Propachlor	Sum of propachlor and metabolites hydrolysable to N-isopropylaniline, expressed as propachlor
Propamocarb	Propamocarb (base)
Propanil	Propanil
Propaquizafop	Propaquizafop and acid and oxophenoxy metabolites, measured as 6-chloro-2-methoxyquinoxaline, expressed as propaquizafop
Propargite	Propargite
Propazine	Propazine
Propetamphos	Propetamphos
Propham	Propham
Propiconazole	Propiconazole
Propineb	For enforcement: Propylenediamine (PDA), expressed as propineb. For dietary exposure assessment: Propineb plus propylenethiourea (PTU).
Propoxur	Propoxur
Propylene oxide	Propylene oxide
Propyzamide	Propyzamide
Proquinazid	<i>Commodities of plant origin:</i> Proquinazid <i>Commodities of animal origin:</i> Sum of proquinazid and 3-(6-iodo-4-oxo-3-propyl-3H-quinazolin-2-yl)oxy)propionic acid, expressed as proquinazid
Prosulfocarb	Prosulfocarb

COMPOUND	RESIDUE
Prothiofos	Prothiofos
Prothioconazole	<p>For commodities of plant origin: sum of prothioconazole and prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole.</p> <p>For commodities of animal origin: sum of prothioconazole, prothioconazole desthio (2-(1-chlorocyclopropyl)-1-(2-chlorophenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), prothioconazole-3-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-3-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol) and prothioconazole-4-hydroxy-desthio (2-(1-chlorocyclopropyl)-1-(2-chloro-4-hydroxyphenyl)-3-(1H-1,2,4-triazol-1-yl)-propan-2-ol), expressed as prothioconazole</p>
Pydiflumetofen	<p>Commodities of plant origin: Pydiflumetofen</p> <p>Commodities of animal origin for enforcement: Pydiflumetofen</p> <p>Commodities of animal origin for dietary exposure assessment: sum of pydiflumetofen, 2,4,6-trichlorophenyl (free and conjugated) and 3-difluoromethyl-1-methyl-1H-pyrazole-4-carboxylic acid methoxy-[1-methyl-2-(2,4,6-trichloro-3-hydroxy-phenyl)-ethyl]-amide (SYN547897), expressed as pydiflumetofen</p>
Pymetrozine	Pymetrozine
Pyraclufos	Pyraclufos
Pyraclostrobin	<p>Commodities of plant origin: Pyraclostrobin</p> <p>Commodities of animal origin: Sum of pyraclostrobin and metabolites hydrolysed to 1-(4-chloro-phenyl)-1H-pyrazol-3-ol, expressed as pyraclostrobin</p>
Pyraflufen-ethyl	Sum of pyraflufen-ethyl and its acid metabolite (2-chloro-5-(4-chloro-5-difluoromethoxy-1-methylpyrazol-3-yl)-4-fluorophenoxyacetic acid)

COMPOUND	RESIDUE
Pyrasulfotole	The sum of pyrasulfotole and (5-hydroxy-3-methyl-1H-pyrazol-4-yl)[2-mesy-4-(trifluoromethyl)phenyl]methanone, expressed as pyrasulfotole
Pyrazophos	Pyrazophos
Pyrethrins	Sum of pyrethrins I and II, cinerins I and II and jasmolins I and II, determined after calibration by means of the International Pyrethrum Standard.
Pyridaben	Pyridaben
Pyridate	Sum of pyridate and metabolites containing 6-chloro-4-hydroxy-3-phenyl pyridazine, expressed as pyridate
Pyrimethanil	Pyrimethanil
Pyriofenone	Pyriofenone
Pyriproxyfen	Pyriproxyfen
Pyriothiac sodium	Pyriothiac sodium
Pyroxulam	Pyroxulam
Pyroxasulfone	<p><i>For enforcement for commodities of plant origin:</i></p> <p>Sum of pyroxasulfone and (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)methanesulfonic acid, expressed as pyroxasulfone</p> <p><i>For enforcement for commodities of animal origin:</i></p> <p>5-Difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid, expressed as pyroxasulfone.</p> <p><i>For dietary exposure assessment for commodities of plant and animal origin:</i></p> <p>Sum of pyroxasulfone, (5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl)methanesulfonic acid, and 5-difluoromethoxy-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxylic acid, expressed as pyroxasulfone.</p>

Q

COMPOUND	RESIDUE
----------	---------

COMPOUND	RESIDUE
Quinoxifen	Quinoxifen
Quintozene	Sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulfide, expressed as quintozene
Quizalofop-ethyl	Sum of quizalofop-ethyl and quizalofop acid and other esters, expressed as quizalofop-ethyl
Quizalofop-P-tefuryl	Sum of quizalofop-P-tefuryl and quizalofop acid, expressed as quizalofop-P-tefuryl

R

COMPOUND	RESIDUE
Ractopamine	Ractopamine
Robenidine	Robenidine
Rimsulfuron	Rimsulfuron

S

COMPOUND	RESIDUE
S-metolachlor see Metolachlor	Residues arising from the use of S-metolachlor are covered by the MRLs for metolachlor
Saflufenacil	Commodities of plant origin: Sum of saflufenacil, <i>N</i> '-[2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]benzoyl- <i>N</i> -isopropyl sulfamide and <i>N</i> -[4-chloro-2-fluoro-5-(((isopropylamino)sulfonyl)amino)carbonyl]phenyl]urea, expressed as saflufenacil equivalents. Commodities of animal origin: Saflufenacil
Salinomycin	Salinomycin
sec-Butylamine see Butylamine	
Sedaxane	Sedaxane, sum of isomers
Semduramicin	Semduramicin

COMPOUND	RESIDUE
Sethoxydim	Sum of sethoxydim and metabolites containing the 5-(2-ethylthiopropyl)cyclohexene-3-one and 5-(2-ethylthiopropyl)-5-hydroxycyclohexene-3-one moieties and their sulfoxides and sulfones, expressed as sethoxydim
Simazine	Simazine
Spectinomycin	Inhibitory substance, identified as Spectinomycin
Spinetoram	Sum of Ethyl-spinosyn-J and Ethyl-spinosyn-L
Spinosad	Sum of spinosyn A and spinosyn D
Spirotetramat	<p>For enforcement for commodities of plant and animal origin: Sum of spirotetramat, and cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat.</p> <p>Commodities of plant origin for dietary exposure assessment: Sum of spirotetramat, cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, cis-3-(2,5-dimethylphenyl)-3-hydroxy-8-methoxy-1-azaspiro[4.5]decane-2,4-dione, cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]decan-2-one and the glucoside of cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat.</p> <p>Commodities of animal origin for dietary exposure assessment: Sum of spirotetramat, cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one and the glucuronic acid conjugate of cis-3-(2,5-dimethylphenyl)-4-hydroxy-8-methoxy-1-azaspiro[4.5]dec-3-en-2-one, expressed as spirotetramat.</p>
Spiroxamine	<p>Commodities of plant origin: Spiroxamine</p> <p>Commodities of animal origin: Spiroxamine carboxylic acid</p>
Streptomycin and Dihydrostreptomycin	Inhibitory substance, identified as streptomycin or dihydrostreptomycin

COMPOUND	RESIDUE
Strobane see Chlorinated terpene isomers	
Sulfuryl fluoride	Sulfuryl fluoride
Sulfosulfuron	Sum of sulfosulfuron and its metabolites which can be hydrolysed to 2-(ethylsulfonyl)imidazo[1,2-a]pyridine, expressed as sulfosulfuron
Sulfoxaflor	Sulfoxaflor
Sulphadiazine	Sulphadiazine
Sulphadimidine	Sulphadimidine
Sulphadoxine	Sulphadoxine
Sulphur dioxide	Sulphur dioxide
Sulphanitran	Sulphanitran
Sulphaquinoxaline	Sulphaquinoxaline
Sulphatroxazole	Sulphatroxazole
Sulprofos	Sulprofos

T

COMPOUND	RESIDUE
2,4,5-T	2,4,5-T
Tebuconazole	Tebuconazole
Tebufenozide	Tebufenozide
Tebufenpyrad	Tebufenpyrad
Tebuthiuron	Sum of tebuthiuron, and hydroxydimethylethyl, N-dimethyl and hydroxy methylamine metabolites, expressed as tebuthiuron
Temephos	Sum of temephos and temephos sulfoxide, expressed as temephos
Tepaloxymid	Sum of tepaloxymid and metabolites converted to 3-(tetrahydro-pyran-4-yl)-glutaric acid and 3-hydroxy-3-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepaloxymid

COMPOUND	RESIDUE
Terbacil	Terbacil
Terbufos	Sum of terbufos, its oxygen analogue and their sulfoxides and sulfones, expressed as terbufos
Terbutylazine	Terbutylazine
Terbutryn	Terbutryn
Tetrachlorvinphos	Tetrachlorvinphos
Tetraconazole	Tetraconazole
Tetracycline	Inhibitory substance, identified as tetracycline
Tetraniliprole	Commodities of plant origin: Tetraniliprole Commodities of animal origin for enforcement: Tetraniliprole Commodities of animal origin for dietary exposure assessment: Sum of tetraniliprole, 2-[1-(3-chloropyridin-2-yl)-3-[[5(trifluoromethyl)-2H-tetrazol-2-yl]methyl]-1H-pyrazole-5-yl]-3,8-dimethyl-4-oxo-3,4-dihydroquinazoline-6-carbonitrile (BCS-CQ63359) and 2-(3-chloro-2-pyridyl)-N-[4-cyano-2-(hydroxymethyl)-6-(methylcarbamoyl)phenyl]-5-[[5-(trifluoromethyl)tetrazol-2-yl]methyl]pyrazole-3-carboxamide (BCS-CZ91631), expressed as tetraniliprole
Tetradifon	Tetradifon
Tetrathiocarbonate ion	Carbon disulfide plus any substances producing carbon disulfide during storage or analysis, expressed as carbon disulphide
Tetronasin	Sum of tetronasin and its monohydroxy derivatives
Thiabendazole	Thiabendazole or, in the case of animal products, sum of thiabendazole and 5-hydroxythiabendazole, expressed as thiabendazole
Thiacloprid	Thiacloprid

COMPOUND	RESIDUE
Thiamethoxam <i>see also</i> Clothianidin	Commodities of plant origin: Thiamethoxam Commodities of animal origin: Sum of thiamethoxam and N-(2-chloro-thiazol-5-ylmethyl)-N'-methyl-N'-nitro-guanidine, expressed as Thiamethoxam (Note: the metabolite clothianidin has separate MRLs)
Thidiazuron	Thidiazuron
Thifensulfuron-methyl	Thifensulfuron-methyl
Thiobencarb	Thiobencarb
2-(thiocyanomethylthio)benzothiazole	{T} 2-(thiocyanomethylthio)benzothiazole
Thiodicarb <i>see also</i> Methomyl	Sum of thiodicarb and methomyl, expressed as thiodicarb
Thiometon	Sum of thiometon, its sulfoxide and sulfone, expressed as thiometon
Thiophanate <i>see</i> Carbendazim	Residues arising from use of thiophanate are covered by MRLs for carbendazim
Thiophanate-methyl <i>see</i> Carbendazim	Residues arising from thiophanate-methyl are covered by the MRLs for carbendazim
Thiram <i>see</i> Dithiocarbamates	
Tiafenacil	Commodities of plant origin for enforcement: Tiafenacil Commodities of plant origin for dietary exposure assessment: sum of tiafenacil, 2-(2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)-2,3-dihydropyrimidin-1(6H)-yl)phenylsulfinyl)propanoic acid (M-36), 2-((2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)tetrahydropyrimidin-1(2H)-yl)phenyl)sulfinyl)propanoic acid (M-53) and 2-((2-chloro-5-(2,6-dioxo-4-(trifluoromethyl)-2,3-dihydropyrimidin-1(6H)-yl)-4-fluorophenyl)sulfinyl)propanoic acid (M-56), expressed as tiafenacil Commodities of animal origin: Sum of tiafenacil and 3-(2-(2-chloro-4-fluoro-5-(3-methyl-2,6-dioxo-4-(trifluoromethyl)-2,3-dihydropyrimidin-1(6H)-yl)phenylthio)propanamido)propanoic acid (M-01), expressed as tiafenacil

COMPOUND	RESIDUE
Tiamulin	Tiamulin
Tilmicosin	Tilmicosin
Tolclofos-methyl	Tolclofos-methyl
Tolfenamic acid	Tolfenamic acid
Toltrazuril	Sum of toltrazuril, its sulfoxide and sulfone, expressed as toltrazuril
Tolyfluanid	Tolyfluanid
Topramezone	Topramezone
Tralkoxydim	Tralkoxydim
Trenbolone acetate	The sum of trenbolone acetate and 17 alpha - and 17 beta-trenbolone, both free and conjugated, expressed as trenbolone
Triadimefon see also Triadimenol	Sum of triadimefon and triadimenol, expressed as triadimefon
Triadimenol	Triadimenol see also Triadimefon
Triallate	Sum of triallate and 2,3,3-trichloroprop-2-ene sulfonic acid (TCPA), expressed as triallate
Triasulfuron	Triasulfuron
Tribenuron-methyl	Tribenuron-methyl
Trichlorfon	Trichlorfon
Trichloroethylene	Trichloroethylene
Triclabendazole	Sum of triclabendazole and metabolites oxidisable to keto-triclabendazole and expressed as keto-triclabendazole equivalents
Triclopyr	Triclopyr
Tridemorph	Tridemorph
Trifloxystrobin	Sum of trifloxystrobin and its acid metabolite ((E,E)-methoxyimino-[2-[1-(3-trifluoromethylphenyl)-ethylideneaminoxymethyl]phenyl] acetic acid), expressed as trifloxystrobin equivalents
Trifloxysulfuron sodium	Trifloxysulfuron

COMPOUND	RESIDUE
Trifludimoxazin	Commodities of plant origin: Trifludimoxazin Commodities of animal origin for enforcement: Trifludimoxazin Commodities of animal origin for dietary exposure assessment: Sum of trifludimoxazin and 1,3-dimethyl-5-(2,2,7-trifluoro-3-oxo-4-(prop-2-yn-1-yl)-3,4-dihydro-2H-benzo[<i>b</i>][1,4]oxazin-6-yl)-1,3,5-triazinane-2,4,6-trione (M850H001), expressed as trifludimoxazin
Triflumizole	Sum of triflumizole and (E)-4-chloro- α,α,α -trifluoro-N-(1-amino-2-propoxyethylidene)-o-toluidine, expressed as triflumizole
Triflumuron	Triflumuron
Trifluralin	Trifluralin
Triforine	Triforine
Trimethoprim	Trimethoprim
Trinexapac-ethyl	<i>Commodities of plant origin for enforcement:</i> Trinexapac acid <i>Commodities of plant origin for dietary exposure assessment:</i> Trinexapac and its conjugates, expressed as Trinexapac acid <i>Commodities of animal origin:</i> Trinexapac acid
Triticonazole	Triticonazole
Tylosin	Tylosin A
Tulathromycin	Sum of tulathromycin and its metabolites that are converted by acid hydrolysis to (2R, 3S, 4R, 5R, 8R, 10R, 11R, 12S, 13S, 14R)-2-ethyl-3,4,10,13-tetrahydroxy-3,5,8,10,12,14-hexamethyl-11-[[3,4,6-trideoxy-3-(dimethylamino)- β -D-xylohexopyranosyl]oxy]-1-oxa-6-azacyclopentadecan-15-one, expressed as tulathromycin equivalents.

U-Z

COMPOUND	RESIDUE
Uniconazole-p	Sum of uniconazole-p and its Z-isomer expressed as uniconazole-p

COMPOUND	RESIDUE
Vamidothion	Sum of vamidothion, its sulfoxide and sulfone, expressed as vamidothion
Virginiamycin	Inhibitory substance, identified as virginiamycin
Warfarin	Warfarin
Zeta-cypermethrin see Cypermethrin	Residues arising from the use of zeta-cypermethrin are covered by the MRLs for cypermethrin
Zeranol	Zeranol
Zinc phosphide see Phosphine	
Zineb see Dithiocarbamates	
Ziram see Dithiocarbamates	

Table 4—MRLs for pesticides in animal feed commodities

COMPOUND	FOOD	MRL (mg/kg)
Abamectin		
	Almond hulls	0.1
	Fodder and forage of sweet corn	0.1
AB 0269	Grape pomace, dry	0.1
AL 0157	Legume animal feeds	T*0.01
AS 0645	Maize fodder	T*0.01
AF 0645	Maize forage	T*0.01
	Primary feed commodities {except Fodder and forage of sweet corn, Legume animal feeds; Maize fodder; Maize forage }	*0.01
	Tomato pomace, dry	T1
Acetamiprid		
AB 0226	Apple pomace, dry	1
AB 0001	Citrus pulp, dry	5
AB 0226	Grape pomace, dry	2
	Pulse forage and fodder	2
Acequinocyl		
AB 0226	Apple pomace, dry	5
Acibenzolar-S-methyl		
	Tomato pomace, dry	5
Aclonifen		
	Barley forage	T1
AS 0081	Straw and fodder (dry) of cereal grains	T0.3
	Wheat forage	T5
Afidopyropen		
	Barley forage	0.5
AS 0640	Barley straw and fodder, dry	0.2
	Rape seed [canola] forage	1

COMPOUND	FOOD	MRL (mg/kg)
	Rape seed [canola] straw and fodder	0.05
	Sweet corn forage and fodder	2
	Tomato pomace, dry	3
	Wheat forage	0.5
AS 0654	Wheat straw and fodder, dry	0.2
Aldrin and Dieldrin		
	Primary feed commodities	E0.01
Ametoctradin		
AB 0269	Grape pomace, dry	70
Amicarbazone		
AM 0659	Sugar cane fodder	5
Aminoethoxyvinylglycine		
	Almond hulls	*0.05
Aminopyralid		
	Forage and fodder of brassicas	2
AF 0081	Forage of cereal grains (green)	3
	Mixed pastures (leguminous/grasses)	300
AS 0081	Straw and fodder (dry) of cereal grains	0.2
Amisulbrom		
AB 0269	Grape pomace, dry	3
Atrazine		
	Primary feed commodities	T40
	Rape seed [canola] forage	10
	Rape seed [canola] straw and fodder	0.5
Azimsulfuron		
	Rice fodder (fresh weight)	*0.05
AS 0649	Rice straw and fodder, dry	*0.05

COMPOUND	FOOD	MRL (mg/kg)
Azoxystrobin		
	Almond hulls	7
AB 0001	Citrus pulp, dry	5
	Fodder and forage of sweet corn	T20
AF 0081	Forage of cereal grains (green) {except Maize forage}	10
AB 0269	Grape pomace, dry	15
AL 0157	Legume animal feeds	50
	Maize forage and fodder	T15
	Peanut hulls	1
	Rape seed [canola] forage, fodder and straw	30
AS 0649	Rice straw and fodder, dry	T15
	Straw and fodder (dry) of cereal grains {except Maize fodder; Rice straw and fodder, dry}	3
AS 0081	Tomato pomace, dry	10
Bensulfuron-methyl		
AS 0649	Rice straw and fodder, dry	*0.05
Bentazone		
AL 0157	Legume animal feeds	T0.3
	Rice forage (fresh weight)	*0.03
AS 0649	Rice straw and fodder, dry	*0.03
Benzofenap		
	Rice forage	*0.02
AS 0649	Rice straw and fodder, dry	*0.02
Benzovindiflupyr		
AF 0081	Forage of cereal grains (green)	7
AS 0081	Straw and fodder (dry) of cereal grains	3
BHC (other than g isomer, Lindane)		

COMPOUND	FOOD	MRL (mg/kg)
	Primary feed commodities	E0.02
Bicyclopyrone		
AF 0081	Forage of cereal grains (green)	0.5
AS 0081	Straw and fodder (dry) of cereal grains	0.2
Bifenazate		
	Almond Hulls	5
AB 0226	Apple pomace, dry	3
AL 0528	Pea vines (green)	T10
Bifenthrin		
AL 1020	Alfalfa [lucerne] fodder	0.1
AL 1021	Alfalfa [lucerne] forage (green)	0.1
	Almond hulls	T5
AL 0061	Bean fodder	20
AL 1030	Bean forage (green)	20
	Broad bean, dry [faba bean] forage	1
	Broad bean, dry [faba bean] fodder	0.02
	Cereal grains forage	0.2
	Clover forage	*0.05
AL 1031	Clover hay or fodder	*0.05
	Common Bean, dry [navy bean] fodder	1
	Common Bean, dry [navy bean] forage	5
	Field pea fodder, dry	0.01
	Field pea forage	1
	Lupin fodder, dry	0.02
AL 0545	Lupin forage	1
AL 0072	Pea hay or pea fodder, dry	*0.01
AL 0528	Pea vines (green)	*0.01
	Pear pomace, dry	5

COMPOUND	FOOD	MRL (mg/kg)
AM 0353	Pineapple fodder	*0.01
AV 0353	Pineapple forage	*0.01
	Rape seed [canola] fodder, dry	*0.01
	Rape seed [canola] forage	1
AS 0081	Straw and fodder (dry) of cereal grains	*0.01
AM 0659	Sugar cane fodder	*0.02
AS 0654	Wheat straw and fodder, dry	*0.01
Bitertanol		
AL 0061	Bean fodder	50
AL 1030	Bean forage (green)	50
Bixafen		
	Cotton seed meal and hulls	T0.5
	Fodder and forage of cereal grains	2
	Lupin forage and fodder	T7
	Primary feed commodities {except Forage and fodder of cereal grains; Pulse forage and fodder; Rape seed [canola] forage; Rape seed [canola] straw and fodder, dry}	0.05
	Pulse forage and fodder {except Lupin forage and fodder}	5
	Rape seed [canola] forage	5
	Rape seed [canola] straw and fodder, dry	0.3
Bixlozone		
	Barley forage, fodder and straw	0.2
	Canola fodder, dry	0.02
	Canola forage	0.5
	Wheat forage, fodder and straw	0.2
Boscalid		
AB 0226	Apple pomace, dry	30

COMPOUND	FOOD	MRL (mg/kg)
AB 0269	Grape pomace, dry	25
AL 0157	Legume animal feeds	70
	Peanut meal	T0.5
	Primary feed commodities {except Legume animal feeds}	15
	Tomato pomace, dry	1
Bromoxynil		
	Primary feed commodities	T1
Buprofezin		
AB 0001	Citrus pulp, dry	5
AB 0269	Grape pomace, dry	5
	Primary feed commodities	0.1
	Tomato pomace, dry	10
Butafenacil		
	Cereal grains forage except rice	*0.01
	Primary feed commodities {except Cereal grains forage except rice; Pulse forage; Rape seed [canola] fodder, dry; Rape seed [canola] forage; Straw and fodder (dry) of cereal grains except rice; Straw and fodder (dry) of pulse crops}	3
	Pulse forage	*0.01
	Rape seed [canola] fodder, dry	*0.01
	Rape seed [canola] forage	*0.01
AS 0081	Straw and fodder (dry) of cereal grains except rice	*0.02
	Straw and fodder (dry) of pulse crops	*0.01
Butroxydim		
AL 0157	Legume animal feeds	*0.01
Captan		
	Almond hulls	60

COMPOUND	FOOD	MRL (mg/kg)
AB 0226	Apple pomace, dry	10
AB 0001	Citrus pulp, dry	T15
AB 0269	Grape pomace, dry	10
AL 0157	Legume animal feeds	T50
Carbaryl		
AF 0081	Forage of cereal grains (green)	100
	Grass pastures	400
AS 0162	Hay or fodder (dry) of grasses	300
	Legume fodder	100
	Legume forage	400
AM 0165	Miscellaneous fodder and forage crops	300
	Rice hulls	15
	Sorghum bran	20
AS 0081	Straw and fodder (dry) of cereal grains	100
Carbendazim		
AL 0157	Legume animal feeds	25
Carbetamide		
	Primary feed commodities	2
Carfentrazone-ethyl		
	Almond hulls	*0.05
	Cereal grain forage and fodder	*0.05
	Primary feed commodities {except Cereal grain forage and fodder}	1
Chlorantraniliprole		
	Almond Hulls	10
AB 0226	Apple pomace, dry	3
AB 0001	Citrus pulp, dry	T5
	Cotton seed meal and hulls	0.7
AB 0269	Grape pomace, dry	2

COMPOUND	FOOD	MRL (mg/kg)
AL 0157	Legume animal feeds	10
	Maize cereals forage and fodder	T10
	Mixed pastures (leguminous/grasses)	T10
	Primary feed commodities {except Legume animal feeds; Maize cereals forage and fodder; Rice straw and fodder, dry; Sweet corn forage and fodder}	0.5
	Rice hulls	T0.7
AS 0649	Rice straw and fodder, dry	T10
	Sweet corn forage and fodder	7
	Tomato pomace, dry	2
Chlordane		
	Primary feed commodities	E0.01
Chlorfenapyr		
AB 0226	Apple pomace, dry	3
Chlormequat		
	Barley forage	T25
AS 0640	Barley straw and fodder, dry	T15
	Wheat forage	25
AS 0654	Wheat straw and fodder, dry	15
Chlorothalonil		
AL 0072	Pea hay or Pea fodder, dry	250
AL 0697	Peanut fodder	200
AL 1270	Peanut forage (green)	200
	Pulse forage and fodder {except Pea hay or Pea fodder, dry}	160
Chlorpyrifos		
AM 0691	Cotton fodder, dry	30
	Cotton meal and hulls	0.05
AL 1270	Peanut forage (green)	T10

COMPOUND	FOOD	MRL (mg/kg)
	Peanut hay	T2
Chlorsulfuron		
	Primary feed commodities	10
Cinmethylin		
	Wheat forage [fresh weight]	*0.01
AS 0654	Wheat straw and fodder, dry	*0.01
Clodinafop acid		
AS 0654	Wheat straw and fodder, dry	*0.1
Clodinafop-propargyl		
AS 0654	Wheat straw and fodder, dry	*0.1
Clofentezine		
	Almond hulls	5
Clomazone		
	Rape seed [canola] fodder, dry	*0.01
	Rape seed [canola] forage	0.1
	Rice forage	*0.01
AS 0649	Rice straw and fodder, dry	*0.01
Clopyralid		
AM 1051	Fodder beet (fresh weight)	T2
AV 1051	Fodder beet leaves or tops (fresh weight)	T3
	Forage and fodder of cereal grains	25
	Pasture	100
	Rape seed [canola] forage and fodder	25
	Rape seed [canola] straw	10
	Straw of cereal grains	10
Cloquintocet-mexyl		
	Primary feed commodities (fresh weight)	*0.1
Clothianidin		

COMPOUND	FOOD	MRL (mg/kg)
AL 1020	Alfalfa [lucerne] fodder	*0.01
AL 1021	Alfalfa [lucerne] forage (green)	0.1
	Almond hulls	15
	Brassica forage crops (kale; rape; swede; turnips)	3
AB 0001	Citrus pulp, dry	2
	Cotton seed by-products	T*0.01
	Forage of cereal grains (green) {except Maize forage; Sorghum forage (green)}	
AF 0081		0.3
AB 0269	Grape pomace, dry	0.7
AS 0645	Maize fodder	0.5
AF 0645	Maize forage	2
	Pasture	2
	Rape seed [canola] fodder, dry	0.3
	Rape seed [canola] forage	3
AF 0651	Sorghum forage (green)	1
AS 0651	Sorghum straw and fodder, dry	0.1
	Straw and fodder (dry) of cereal grains {except Maize fodder; Sorghum straw and fodder, dry}	
AS 0081		0.7
AM 0659	Sugar cane fodder	0.5
AV 0659	Sugar cane forage	0.5
	Sweet corn fodder	0.5
	Sweet corn forage	2
	Tomato pomace, dry	2
Cyanamide		
	Almond hulls	*0.01
Cyanazine		
AS 0654	Wheat straw and fodder, dry	*0.01
Cyantraniliprole		
AB 0001	Citrus pulp, dry	0.5

COMPOUND	FOOD	MRL (mg/kg)
AL 0157	Legume animal feeds	T30
	Primary feed commodities {except Legume animal feeds}	1
	Tomato pomace, dry	0.7
Cyflufenamid		
AB 0226	Apple pomace, dry	0.7
Cyhalofop-butyl		
	Rice forage	*0.1
AS 0649	Rice straw and fodder, dry	1
Cyhalothrin		
	Brassica forage crops (kale; rape; swede; turnips)	1
	Cotton seed by-products	1
	Forage and fodder of cereal grains	2
AL 0157	Legume animal feeds (green)	1
	Legume fodder/straw	2
	Oilseed forage and fodder	2
Cypermethrin		
AL 0524	Chick-pea fodder	10
	Chick-pea forage	10
AM 0691	Cotton fodder, dry	10
	Forage and fodder of cereal grains	T15
	Lentil fodder	T10
	Lentil forage	T10
AL 1270	Peanut forage	T15
	Primary feed commodities {except Chick-pea fodder; Chick-pea forage, Cotton fodder, dry; Forage and fodder of cereal grains; Lentil fodder; Lentil forage; Peanut forage;	5

COMPOUND	FOOD	MRL (mg/kg)
	Rape seed [canola] forage and fodder}	
AM 0691	Rape seed [canola] forage and fodder	15
Cyproconazole		
	Fodder and forage of sweet corn	10
AF 0081	Forage of cereal grains (green) {except Maize forage}	10
	Maize forage and fodder	10
AL 0697	Peanut fodder	20
	Peanut hulls	0.2
	Pulse forage and fodder	3
	Rape seed [canola] forage, fodder and straw	T3
AS 0081	Straw and fodder (dry) of cereal grains {except Maize forage}	3
Cyprodinil		
	Almond hulls	0.2
AL 0157	Legume animal feeds	15
Cyromazine		
	Tomato pomace, dry	T1
2,4-D		
	Forage and fodder of cereal grains	400
	Primary feed commodities {except Forage and fodder of cereal grains}	1500
DDT		
	Primary feed commodities	E0.05
Deltamethrin		
	Fodder and forage of cereal grains	5
	Fodder and forage of oilseeds	5
	Fodder and forage of pulses	5
	Fodder and forage of sweet corn	5

COMPOUND	FOOD	MRL (mg/kg)
	Rice hulls	7
Diafenthuron		
AL 0697	Peanut forage and fodder	T2
	Rape seed [canola] fodder, dry	*0.01
	Rape seed [canola] forage	0.05
AL 1265	Soya bean forage and fodder	T2
	Tomato pomace, dry	7
Dicamba		
AM 0659	Sugar cane fodder	0.1
AV 0659	Sugar cane forage	0.1
Dichlofluanid		
AI 0697	Peanut fodder	*0.1
Dichlorprop-P		
AB 0001	Citrus pulp, dry	2
Difenoconazole		
AB 0226	Apple pomace, dry	1
	Cereal forage	*0.1
AB 0269	Grape pomace, dry	10
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
Diflufenican		
	Barley forage	T0.5
AL 0157	Legume animal feeds	5
	Straw and fodder (dry) of cereal grains {except Wheat straw and fodder, dry}	0.2
AS 0081	Wheat forage	T2
AS 0654	Wheat straw and fodder, dry	T0.5
Dimethenamid-P		
AM 1051	Fodder beet (fresh weight)	T*0.01
AL 1051	Fodder beet leaves or tops (fresh	T*0.01

COMPOUND	FOOD	MRL (mg/kg)
	weight)	
	Forage and fodder of maize and sweet corn	*0.02
AL 0157	Legume animal feeds	0.07
	Rape seed [canola] forage, fodder and straw (fresh weight)	T*0.01
Dimethoate see also Omethoate		
AB 0001	Citrus pulp, dry	10
	Cotton seed meal and hulls	0.5
	Primary feed commodities	40
	Tomato pomace, dry	0.02
Dinotefuran		
	Cotton seed hulls	0.2
	Mung bean forage and fodder	0.3
Diphenylamine		
	Apple pomace, wet	20
Diquat		
AL 0157	Legume animal feeds	100
	Oilseed forage and fodder	30
Dithiocarbamates (mancozeb, metham, metiram, thiram, zineb and ziram)		
	Primary feed commodities	50
AL 1029	Vetch	T0.5
Diuron		
AL 0157	Legume animal feeds	2
	Primary feed commodities {except Legume animal feeds}	50
Emamectin		
	Fodder and forage of sweet corn	0.05
AL 0157	Legume animal feeds	0.1
	Maize cereals forage and fodder	T*0.01

COMPOUND	FOOD	MRL (mg/kg)
	(fresh weight)	
	Pulse forage and fodder (fresh weight)	*0.01
	Rape seed [canola] forage, fodder and straw	0.05
	Tomato pomace, dry	0.3
GC 2086	Wheat, similar grains, and pseudocereals without husks forage and fodder (fresh weight)	T*0.01
Endothal		
	Primary feed commodities	T20
Endrin		
	Primary feed commodities	E0.03
Epoxiconazole		
	Cereal forage	5
AS 0081	Straw and fodder (dry) of cereal grains	7
Ethephon		
	Primary feed commodities	10
Ethion		
AM 0691	Cotton fodder, dry	20
Ethofumesate		
	Pasture	500
Ethoxysulfuron		
AM 0659	Sugar cane fodder (fresh weight)	*0.01
AV 0659	Sugar cane forage	*0.01
Etoxazole		
	Almond hulls	2
AB 0226	Apple pomace, dry	2
AB 0001	Citrus pulp, dry	3
AB 0269	Grape pomace, dry	2
AS 0645	Maize fodder	T2

COMPOUND	FOOD	MRL (mg/kg)
AF 0645	Maize forage	T1
AL 0528	Pea vines (green)	T0.1
	Sweet corn fodder	T2
	Sweet corn forage	T1
	Tomato pomace, dry	0.5
Fenbuconazole		
	Wheat forage	2
AS 0654	Wheat straw and fodder, dry	1
Fenhexamid		
	Grape pomace (wet weight basis)	50
AL 0528	Pea vines (green)	T150
Fenitrothion		
AL 1020	Alfalfa [lucerne] fodder	T5
AL 1021	Alfalfa [lucerne] forage (green)	T5
AL 0157	Legume animal feeds {except Alfalfa [lucerne] fodder; Alfalfa [lucerne] forage }	T10
	Oilseed forage and fodder	10
AS 0161	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	T10
Fenoxaprop-ethyl		
	Cereal forage (fresh weight)	*0.01
AL 0524	Chick-pea fodder	0.5
	Chick-pea forage	0.5
AS 0649	Rice straw and fodder, dry	T1
AS 0081	Straw and fodder (dry) of cereal grains {except Rice}	0.5
Fenpyrazamine		
AB 0269	Grape pomace, dry	1
Fenvalerate		
AL 1020	Alfalfa [lucerne] fodder	5

COMPOUND	FOOD	MRL (mg/kg)
AL 1021	Alfalfa [lucerne] forage (green)	5
AB 0269	Grape pomace, dry	0.5
	Primary feed commodities {except Alfalfa [lucerne] fodder; Alfalfa [lucerne] forage}	10
Fipronil		
	Mixed pastures (leguminous/grasses) (fresh weight)	0.02
	Rape seeds forage and fodder	*0.01
AS 0649	Rice straw and fodder, dry	0.005
AF 0651	Sorghum forage (green) (fresh weight)	0.02
AS 0651	Sorghum straw and fodder, dry	*0.01
AL 0541	Soya bean fodder	T*0.01
AL 1265	Soya bean forage (green) (fresh weight)	T*0.01
AM 0659	Sugar cane fodder	0.01
	Sunflower forage (fresh weight)	*0.01
Flamprop-methyl		
AL 0524	Chick-pea fodder	1
	Chick-pea forage	2
	Triticale straw and fodder, dry	0.1
AS 0654	Wheat straw and fodder, dry	0.1
Flonicamid		
AB 0226	Apple pomace, dry	3
	Cotton seed meal and hulls	3
AM 0691	Rape seed [canola] forage and fodder	3
Florasulam		
AF 0081	Forage of cereal grains (green) (fresh weight)	*0.05

COMPOUND	FOOD	MRL (mg/kg)
	Primary feed commodities {except Forage of cereal grains (fresh weight); Straw and fodder (dry) of cereal grains}	0.3
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
Florpyrauxifen-benzyl		
	Rice forage	5
AS 0649	Rice straw and fodder, dry	0.5
AS 0651	Sorghum straw and fodder, dry	T0.1
Fluazaindolizine		
	Primary feed commodities	0.3
	Tomato pomace, dry	2
Flubendiamide		
	Cotton seed meal and hulls	0.05
	Tomato pomace, dry	20
Fludioxonil		
AB 0226	Apple pomace, dry	100
AB 0001	Citrus pulp, dry	30
AB 0269	Grape pomace, dry	50
AL 0157	Legume animal feeds	30
AS 0645	Maize fodder	*0.02
AF 0645	Maize forage	*0.02
	Peanut hulls	T*0.01
	Rape seed [canola] forage	1
	Rape seed [canola] straw and fodder	*0.02
AF 0651	Sorghum forage (green)	*0.01
AS 0651	Sorghum straw and fodder, dry	*0.01
	Sunflower forage and fodder	T*0.02
	Sweet corn forage and fodder	*0.02
Fluensulfone		

COMPOUND	FOOD	MRL (mg/kg)
	Primary feed commodities {except Sugar cane forage and fodder}	10
	Sugar cane forage and fodder	*0.03
	Tomato pomace, dry	2
Flumetsulam		
AL 1020	Alfalfa [lucerne] fodder	15
AL 1021	Alfalfa [lucerne] forage (green)	15
AF 0081	Forage of cereal grains (green) {except Maize forage}	2
AF 0645	Maize fodder	*0.05
AS 0645	Maize forage	*0.05
	Mixed pastures (leguminous/grasses)	15
	Peanut forage and fodder	*0.05
	Pulse forage and fodder	*0.05
AS 0081	Straw and fodder (dry) of cereal grains {except Maize fodder}	2
Flumioxazin		
AL 1020	Alfalfa [lucerne] fodder	30
AL 1021	Alfalfa [lucerne] forage (green)	30
	Almond hulls	1
	Cereal grains forage {except Wheat forage (fresh weight)}	*0.05
	Oilseed forage (fresh weight)	*0.05
	Oilseed straw and fodder	*0.1
	Primary feed commodities {except Alfalfa [lucerne] fodder; Alfalfa [lucerne] forage; Cereal grains forage {except Wheat forage (fresh weight)}; Oil seeds forage (fresh weight); Oilseed straw and fodder; Pulse forage and fodder Straw and fodder (dry) of cereal grains; Sugar cane fodder; Sugar cane forage and	20

COMPOUND	FOOD	MRL (mg/kg)
	Wheat forage}	
	Pulse forage and fodder	0.3
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
AM 0659	Sugar cane fodder	*0.01
AV 0659	Sugar cane forage	*0.01
	Wheat forage	0.5
Fluopicolide		
	Primary feed commodities	1
Fluopyram		
	Almond hulls	15
AB 0226	Apple pomace, dry	7
	Bean forage and fodder	15
AB 0269	Grape pomace, dry	3
	Primary feed commodities {except Bean forage and fodder}	5
Flupropanate		
	Mixed pastures (leguminous/grasses)	300
Flupyradifurone		
AL 0061	Bean fodder	20
AL 1030	Bean forage (green)	20
	Primary feed commodities, except Bean fodder and Bean forage (green)	0.3
	Tomato pomace, dry	5
Fluquinconazole		
	Barley forage	2
AS 0640	Barley straw and fodder, dry	0.5
	Pome fruit pomace, dry	3
	Rape seed [canola] forage	0.5
	Rape seed [canola] straw and	*0.01

COMPOUND	FOOD	MRL (mg/kg)
	fodder, dry	
	Wheat forage	2
AS 0654	Wheat straw and fodder, dry	0.5
Fluroxypyr		
	Fodder (dry) and hay of cereal grains and other grass-like plants	25
AF 0161	Forage of cereal grains and other grass-like plants	100
	Mixed pastures (leguminous/grasses)	700
	Primary feed commodities {except Straw, fodder (dry) and hay of cereal grains and other grass-like plants; Sugar cane fodder and forage; Sugar cane fodder}	25
AS 0161	Straw and fodder (dry) and hay of cereal grains and other grass-like plants	100
AM 0659	Sugar cane fodder	100
AV 0659	Sugar cane forage	100
Flutriafol		
	Primary feed commodities {except Rape seed [canola] forage}	5
	Rape seed [canola] forage	20
Fluxapyroxad		
	Almond hulls	30
AB 0226	Apple pomace, dry	5
	Forage and fodder of cereal grains	20
	Primary feed commodities {except Forage and fodder of cereal grains }	1
Fomesafen		
	Pulse forage and fodder (fresh weight)	*0.01
Glufosinate and Glufosinate		

COMPOUND	FOOD	MRL (mg/kg)
ammonium		
AL 0061	Bean fodder	T*0.05
AL 1030	Bean forage (green)	T*0.05
	Cotton meal and hulls	5
AF 0081	Forage of cereal grains (green)	2
	Forage of pulse crops (green)	2
AS 0162	Hay or fodder (dry) of grasses	5
	Mixed pastures (leguminous/grasses)	15
	Oilseed fodder {except Rape seed [canola] straw and fodder, dry}	0.5
	Oilseed forage {except Rape seed [canola] forage}	2
AL 0528	Pea vines (green)	T*0.05
AM 0691	Rape seed [canola] forage and fodder	40
	Rape seed [canola] meal	1
AS 0081	Straw and fodder (dry) of cereal grains	0.5
	Straw and fodder (dry) of pulse crops	0.5
AM 0659	Sugar cane fodder	*0.2
AV 0659	Sugar cane forage	*0.2
Glyphosate		
AV 0691	Cotton forage	100
	Linseed meal	T7
	Primary feed commodities {except Cotton forage; Rape seed [canola] forage and fodder}	200
	Rape seed [canola] forage and fodder	300
	Rape seed [canola] meal	15
	Soya bean aspirated grain fractions	50

COMPOUND	FOOD	MRL (mg/kg)
	Soya bean hulls	10
DM 0659	Sugar cane molasses	T5
Halauxifen-methyl		
AF 0081	Forage of cereal grains (green)	0.2
	Grass pastures	0.2
	Primary feed commodities {except Forage of cereal grains (green), Grass pastures; Straw and fodder (dry) of cereal grains}	1
AS 0081	Straw and fodder (dry) of cereal grains	0.02
Halosulfuron-methyl		
AS 0654	Maize fodder	2
AF 0654	Maize forage	2
	Pasture	*0.01
AS 0649	Rice straw and fodder, dry	T0.5
AS 0651	Sorghum fodder	0.1
AF 0651	Sorghum forage (fresh weight)	*0.05
AL 0541	Soya bean fodder	T0.05
AL 1265	Soya bean forage (green)	T2
AV 0659	Sugar cane forage	*0.05
Haloxypop		
AL 1021	Alfalfa [lucerne] forage (green)	5
AL 0061	Bean fodder	0.5
AL 1030	Bean forage (green)	5
AL 0524	Chick-pea fodder	0.5
	Chick-pea forage	10
	Hemp fodder	T0.5
	Hemp forage	T10
	Linola fodder	0.5
	Linola forage	10

COMPOUND	FOOD	MRL (mg/kg)
	Linseed fodder	0.5
	Linseed forage	10
	Lupin fodder	0.5
AL 0545	Lupin forage	10
	Pasture	3
	Pea fodder	0.5
AL 0528	Pea vines (green)	5
AL 0697	Peanut fodder	5
AL 1270	Peanut forage (green)	3
	Rape seed [canola] fodder	0.5
	Rape seed [canola] forage	10
	Sesame seed fodder	T0.5
	Sesame seed forage	T10
AL 1029	Vetch	3
HCB		
	Primary feed commodities	E0.01
Heptachlor		
	Primary feed commodities	E0.02
Hexythiazox		
AB 0226	Apple pomace, dry	5
Imazamox		
	Adzuki bean forage and fodder (fresh weight)	T*0.05
	Barley forage and fodder	0.7
	Barley straw	*0.05
	Broad beans, dry [faba bean] forage and fodder (fresh weight)	*0.01
	Legume animal feeds {except Broad bean, dry [faba bean] forage and fodder; Mung bean forage and fodder; Peanut forage; Pea vines (green), Soya bean forage}	1

COMPOUND	FOOD	MRL (mg/kg)
	Mung bean forage and fodder (fresh weight)	T*0.05
AL 0528	Pea vines (green) (fresh weight)	*0.05
AL 1270	Peanut forage (green) (fresh weight)	*0.05
	Rape seed [canola] fodder	*0.05
	Rape seed forage [canola] (fresh weight)	*0.05
	Sorghum forage and fodder	0.7
	Sorghum straw	*0.05
AL 1265	Soya bean forage (green) (fresh weight)	*0.05
	Sunflower forage and fodder	*0.05
	Sunflower meal	0.2
	Wheat forage and fodder	0.7
	Wheat straw	*0.05
Imazapic (formerly known as Imazameth)		
	Cereal grains forage (fresh weight)	*0.05
AL 0697	Peanut fodder	*0.1
AL 1270	Peanut forage (green)	*0.1
	Rape seed [canola] fodder, dry	*0.05
	Rape seed [canola] forage	*0.05
AS 0081	Straw and fodder (fresh weight) of cereal grains	0.5
Imazapyr		
	Broad beans, dry [faba bean] forage and fodder	0.3
	Forage and fodder of cereal grains {except Maize fodder, dry; Maize forage (fresh weight)}	1
AS 0645	Maize fodder, dry	*0.05
AF 0645	Maize forage (fresh weight)	*0.05
	Primary feed commodities {except	15

COMPOUND	FOOD	MRL (mg/kg)
	Broad beans, dry [faba bean] forage and fodder; Forage and fodder (dry) of cereal grains; Maize fodder, dry; Maize forage (fresh weight), Rape seed [canola] fodder (dry); Rape seed [canola] forage; Straw of cereal grains, dry; Sunflower forage and fodder}	
	Rape seed [canola] fodder, dry	*0.05
	Rape seed [canola] forage	*0.05
	Straw of cereal grains, dry	*0.05
	Sunflower forage and fodder	*0.05
Imazethapyr		
AS 0645	Maize fodder, dry	*0.05
AF 0645	Maize forage (fresh weight)	*0.05
	Primary feed commodities (fresh weight) {except Maize fodder (dry) and Maize forage (fresh weight)}	*0.1
Imidacloprid		
	Alfalfa [lucerne] fodder and forage	1
AB 0226	Apple pomace, dry	2
	Brassica forage crops (kale; rape; swede; turnips)	1
	Cereal grains forage {except Maize forage}	10
AB 0001	Citrus pulp, dry	10
	Cotton seed hulls	*0.02
	Cotton seed meal	0.02
AL 0157	Legume animal feeds	15
AF 0645	Maize forage	20
	Pasture	1
	Rape seed [canola] fodder and forage	1
AS 0081	Straw and fodder (dry) of cereal	0.7

COMPOUND	FOOD	MRL (mg/kg)
	grains	
AM 0659	Sugar cane fodder, dry	2
	Sweet corn fodder	10
	Sweet corn forage	20
Indoxacarb		
AB 0226	Apple pomace, dry	20
	Cotton seed meal and hulls	*0.05
AB 0269	Grape pomace, dry	3
	Hemp forage and fodder	T10
AL 0157	Legume animal feeds	10
	Linseed fodder	T10
	Linseed forage	T10
	Maize cereals fodder	T30
	Maize cereals forage	T50
	Mixed pastures (leguminous/grasses)	1
	Peanut fodder	T50
	Safflower seed fodder	T10
	Safflower seed forage	T10
	Soya bean hulls and aspirated grain fractions	2
	Soya bean meal	0.02
	Sweet corn fodder	30
	Sweet corn forage	50
	Tomato pomace, dry	10
Iodosulfuron methyl		
AF 0081	Forage of cereal grains (green)	0.5
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
Ipconazole		
AF 0081	Forage of cereal grains (green)	*0.01

COMPOUND	FOOD	MRL (mg/kg)
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
Iprodione		
AL 1021	Alfalfa [lucerne] forage	20
AB 0001	Citrus pulp, dry	T15
	Lupin forage and fodder, dry	T10
AL 1270	Peanut forage (green)	20
	Rape seed [canola] forage	1
	Rape seed [canola] straw and fodder, dry	1
AL 1265	Soya bean forage (green)	5
Isopyrazam		
	Almond Hulls	100
AB 0226	Apple pomace, dry	4
Isoxaben		
	Cereal forage (fresh weight)	*0.01
AS 0081	Straw and fodder (dry) of cereal grains	0.1
Isoxaflutole		
AL 0524	Chick-pea fodder	*0.02
	Chick-pea forage	0.5
	Primary feed commodities {except Chick-pea fodder; Chick-pea forage; Sugar cane fodder}	0.3
AM 0659	Sugar cane fodder	*0.01
Kresoxim-methyl		
AB 0226	Apple pomace, dry	0.5
Lindane		
	Primary feed commodities	E0.1
Maldison		
AB 0226	Apple pomace, dry	20
	Tomato pomace, dry	10

COMPOUND	FOOD	MRL (mg/kg)
Mandestrobin		
AF 0061	Bean fodder	70
AL 1030	Bean Forage (green)	70
Mandipropamid		
AB 0269	Grape pomace, dry	5
MCPA		
	Primary feed commodities	500
Mefenpyr-diethyl		
AF 0081	Forage of cereal grains (green)	3
AS 0081	Straw and fodder (dry) of cereal grains	1
Mefentrifluconazole		
	Almond hulls	7
AB 0226	Apple pomace, dry	5
	Forage and fodder of cereal grains	T20
AB 0269	Grape pomace, dry	5
	Rape seed [canola] forage and fodder	T2
Mepiquat		
	Cotton seed meal and hulls	2
Mesosulfuron-methyl		
	Wheat forage (fresh weight)	*0.02
AS 0654	Wheat straw and fodder, dry	*0.02
Mesotrione		
	Cereal forage and fodder	*0.01
	Linseed forage and fodder	T*0.01
	Sweet corn forage and fodder	T*0.01
Metalaxyl		
	Cereal grains forage	T0.7
AS 0081	Straw and fodder (dry) of cereal grains	*0.05

COMPOUND	FOOD	MRL (mg/kg)
Metazachlor	Primary feed commodities	2
Metcamifen	Sorghum forage (green) [fresh weight]	*0.01
AF 0651	Sorghum straw and fodder, dry	*0.01
AS 0651		
Methomyl see also Thiodicarb	Cassava leaves and tops	T80
Methoxychlor	Primary feed commodities	E1
Methoxyfenozide	Almond hulls	50
AB 0226	Apple pomace, dry	3
AB 0001	Citrus pulp, dry	10
AB 0269	Grape pomace, dry	3
AL 0528	Pea vines (green)	T200
	Sweet corn forage and fodder	T200
Metolachlor	Cotton fodder	0.1
AS 0645	Maize fodder	0.1
AF 0645	Maize forage	*0.02
	Primary feed commodities	5
AF 0651	Sorghum forage (green)	0.2
AS 0651	Sorghum straw and fodder, dry	0.2
	Sweet corn forage and fodder	T200
Metosulam	Forage of cereal grains and other grass-like plants	*0.1
AF 0161	Lupin, forage	*0.1
AL 0545	Straw, fodder (dry) and hay of cereal grains and other grass-like	*0.1
AS 0161		

COMPOUND	FOOD	MRL (mg/kg)
	plants	
Metrafenone		
AB 0269	Grape pomace, dry	3
Metribuzin		
	Primary feed commodities	0.2
	Rape seed [canola] straw and fodder	*0.02
Metsulfuron-methyl		
AL 0524	Chick-pea fodder (fresh weight)	*0.05
	Chick-pea forage (fresh weight)	*0.05
AF 0161	Forage of cereal grains and other grass-like plants	1
	Linseed forage and fodder	0.2
	Mung bean forage and fodder	1
	Safflower forage and fodder	0.2
AS 0161	Straw and fodder (dry) and hay of cereal grains and other grass-like plants	1
Milbemectin		
AB 0226	Apple pomace, dry	0.3
	Tomato pomace, dry	0.1
Myclobutanil		
AB 0269	Grape pomace, dry	5
Napropamide		
	Rape seed [canola] fodder, dry	*0.01
	Rape seed [canola] forage	0.1
Niclosamide		
AS 0649	Rice straw and fodder, dry	T0.01
Novaluron		
AB 0226	Apple pomace, dry	1
	Tomato pomace, dry	0.3

COMPOUND	FOOD	MRL (mg/kg)
Omethoate		
AB 0001	Citus pulp, dry	0.5
	Cotton seed meal and hulls	*0.05
	Primary feed commodities	10
	Tomato pomace, dry	0.02
Paraquat		
	Primary feed commodities	500
Pendimethalin		
AL 0157	Legume animal feeds	T0.7
	Rape seed [canola] fodder and forage	*0.05
Penflufen		
	Brassica forage crops (kale; rape; swede; turnips)	*0.01
	Forage and fodder of chick-pea	T1
	Forage and fodder of lentil	T1
	Forage and fodder of lupin	T1
	Forage and fodder of soya bean	T1
AF 0081	Forage of cereal grains (green)	3
AS 0162	Hay or fodder (dry) of grasses	*0.01
	Legume animal feeds {except Forage and fodder of chick-pea; Forage and fodder of lentil; Forage and fodder of lupin; Forage and fodder of soya bean}	*0.01
AL 0157	Mixed pastures (leguminous/grasses)	*0.01
	Rape seed [canola] forage, fodder and straw	*0.05
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
Penthiopyrad		
	Almond hulls	7

COMPOUND	FOOD	MRL (mg/kg)
AB 0226	Apple pomace, dry	5
	Tomato pomace, dry	70
Permethrin		
AL 0528	Pea vines (green)	15
Phenmedipham		
AM 1051	Fodder beet (fresh weight)	0.2
AV 1051	Fodder beet leaves or tops (fresh weight)	2
Phosphorous acid		
AL 1023	Clover	100
AM 0353	Pineapple fodder	100
Picloram		
AM 0659	Sugar cane fodder, dry	50
AV 0659	Sugar cane forage, dry	50
Picolinafen		
	Cereal grains forage	0.5
AL 1023	Clover	2
	Field pea forage	0.5
AL 0545	Lupin forage	2
	Lupin straw, dry	*0.02
AL 0072	Pea hay or pea fodder, dry	0.05
AS 0081	Straw and fodder (dry) of cereal grains	*0.02
Pinoxaden		
	Barley forage	3
AS 0640	Barley straw and fodder, dry	1
	Wheat forage	3
AS 0654	Wheat straw and fodder, dry	1
Piperonyl butoxide		
	Cotton seed meal	T*0.05
Pirimicarb		

COMPOUND	FOOD	MRL (mg/kg)
	Almond hulls	2
AM 0691	Cotton fodder, dry	20
	Primary feed commodities	20
Procymidone		
	Lentil forage	5
	Lentil straw and fodder, dry	5
AL 0545	Lupin, forage	0.1
	Rape seed [canola] fodder, dry	T5
	Rape seed [canola] forage	T5
Profenofos		
	Cotton meal and hulls	1
Profoxydim		
	Rice forage	5
AS 0649	Rice straw and fodder, dry	*0.02
Prohexadione-calcium		
AB 0226	Apple pomace, dry	0.1
Prometryn		
AL 0524	Chick-pea fodder	0.5
	Chick-pea forage	0.5
AS 0162	Hay or fodder (dry) of grasses	50
Propachlor		
AS 0645	Maize fodder	1
AF 0645	Maize forage	5
AF 0651	Sorghum forage (green)	15
AS 0651	Sorghum straw and fodder, dry	5
Propamocarb		
	Primary feed commodities	0.7
Propaquizafop		
	Cotton fodder	*0.05
AL 0157	Legume animal feeds {except Legume pastures; Peanut fodder;	*0.1

COMPOUND	FOOD	MRL (mg/kg)
	Peanut forage }	
AL 0697	Peanut fodder	*0.05
AL 1270	Peanut forage	2
	Primary feed commodities {except Cotton fodder; Legume animal feeds; Peanut forage and fodder; Peanut fodder; Peanut forage}	5
Propargite		
	Sweet corn forage and fodder	T20
Propiconazole		
	Almond hulls	10
	Cane tops (fresh weight)	0.05
	Cereal grains forage	10
AB 0001	Citrus pulp, dry	10
	Fodder and forage of sweet corn	T10
AS 0650	Forage and fodder (dry) of perennial ryegrass	10
	Forage and fodder (dry) of prairie grass	T1
AL 1265	Soya bean forage and fodder	T10
AS 0081	Straw and fodder (dry) of cereal grains	T5
	Tomato pomace, dry	5
Propyzamide		
	Pulse forage and fodder	2
	Quinoa forage	T3
	Quinoa straw and fodder	T0.2
	Rape seed [canola] forage	3
	Rape seed [canola] straw and fodder	0.2
	Safflower forage	T3
	Safflower straw and fodder	T0.2

COMPOUND	FOOD	MRL (mg/kg)
Proquinazid		
AB 0226	Apple pomace, dry	3
AB 0269	Grape pomace, dry	15
	Tomato pomace, dry	5
Prosulfocarb		
	Barley forage	0.5
AS 0640	Barley straw and fodder, dry	0.05
AL 0157	Legume animal feeds	0.2
	Safflower forage and fodder	T0.2
	Wheat forage	0.5
AS 0654	Wheat straw and fodder, dry	0.05
Prothioconazole		
	Cereal forage and fodder	7
	Cereal straw	3
	Lupin forage and fodder	T15
AL 0697	Peanut fodder	30
	Pulse forage and fodder {except Lupin forage and fodder}	7
	Rape seed [canola] forage, fodder and straw	10
Pydiflumetofen		
AB 0226	Apple pomace, dry	T1
AB 0269	Grape pomace dry	50
	Primary feed commodities {except Pulse forage and fodder; Rape seed [canola] forage}	0.2
	Pulse forage and fodder	10
	Rape seed [canola] forage	3
	Tomato pomace, dry	T20
Pymetrozine		
	Almond Hulls	0.07

COMPOUND	FOOD	MRL (mg/kg)
	Broad bean, dry [faba bean] forage	T3
	Broad beans, dry [faba bean] straw and fodder, dry	T0.1
	Cotton seed meal and hulls	*0.02
AL 0545	Lupin forage (green)	T3
	Lupin straw and fodder, dry	T0.1
	Sweet corn forage and fodder	1
Pyraclostrobin		
	Almond hulls	15
AB 0226	Apple pomace, dry	25
	Cereal forage, green	5
AB 0269	Grape pomace, dry	10
AL 0157	Legume animal feeds	T5
AS 0081	Straw and fodder (dry) of cereal grains	0.5
Pyraflufen-ethyl		
AL 0157	Legume animal feeds	5
	Primary feed commodities {except Legume animal feeds}	3
Pyrasulfotole		
AF 0081	Forage of cereal grains (green)	0.5
AS 0081	Straw and fodder (dry) of cereal grains	*0.02
Pyrethrins		
AL 0061	Bean fodder	T0.7
AL 1030	Bean forage (green)	T5
	Cotton seed meal	T*0.05
Pyridate		
	Chick-pea forage and fodder	0.7
Pyrimethanil		
AB 0001	Citrus pulp, dry	3

COMPOUND	FOOD	MRL (mg/kg)
AB 0269	Grape pomace, dry	40
	Pome fruit pomace, dry	100
Pyriofenone		
AB 0269	Grape pomace, dry	5
	Primary feed commodities	0.5
Pyriproxyfen		
AL 1030	Bean forage (green)	T15
AB 0001	Citrus pulp, dry	2
	Cotton seed meal and hulls	*0.02
AB 0269	Grape pomace, dry	1
Pyriothiobac sodium		
AM 0691	Cotton fodder, dry	0.2
AV 0691	Cotton forage	0.2
Pyroxasulfone		
	Primary feed commodities {except Wheat forage}	0.7
	Wheat forage	T1
Pyroxsulam		
AF 0650	Rye forage (green)	0.5
AS 0650	Rye straw and fodder, dry	0.1
	Triticale forage	0.5
	Triticale straw and fodder, dry	0.1
	Wheat forage	0.5
AS 0654	Wheat straw and fodder, dry	0.1
Quinoxifen		
	Barley forage	5
AS 0640	Barley straw and fodder, dry	2
AB 0269	Grape pomace, dry	5
Quintozene		
	Tomato pomace, dry	0.2

COMPOUND	FOOD	MRL (mg/kg)
Quizalofop-ethyl		
AL 1023	Clover	2
	Forage and fodder of soybeans, chick-pea, field peas, lupins, faba beans, mung beans, navy beans, lentils, vetch and green beans	10
	Hemp forage and fodder	T10
	Medic pastures	10
AL 1270	Peanut forage (green)	0.5
	Rape seed [canola] forage and fodder	5
Quizalofop-P-tefuryl		
AL 1023	Clover	2
	Forage and fodder of soybeans, chick-peas, field pea, lupins, faba beans, mung beans navy beans and green beans	10
	Medic pastures	10
AL 1270	Peanut forage (green)	0.5
	Rape seed [canola] forage and fodder	5
Saflufenacil		
	Almond hulls	*0.1
AL 0157	Legume animal feeds	3
	Linseed forage and fodder	T5
	Oilseed fodder {except Linseed fodder}	*0.1
	Oilseed forage (fresh weight) {except Linseed forage}	*0.1
	Primary Feed Commodities {except Legume animal feeds; Linseed forage and fodder; Oilseed Fodder; Oilseed forage (fresh weight); Rice forage (fresh weight); Rice straw and fodder, dry; Sorghum forage	1

COMPOUND	FOOD	MRL (mg/kg)
	(fresh weight); Sorghum straw and fodder, dry}	
AS 0649	Rice forage (fresh weight)	*0.01
	Rice straw and fodder, dry	*0.01
AF 0651	Sorghum forage (green) (fresh weight)	*0.1
AS 0651	Sorghum straw and fodder, dry	*0.1
Sedaxane		
	Cereal forage	0.2
AS 0081	Straw and fodder (dry) of cereal grains	*0.01
Sethoxydim		
	Barley forage (fresh weight)	*0.1
	Hemp forage and fodder	T10
AL 0157	Legume animal feeds {except Peanut fodder and Peanut forage (green)}	15
	Linseed forage and fodder	10
AL 0697	Peanut fodder	10
AL 1270	Peanut forage (green)	10
	Quinoa forage and fodder	T10
	Rape seed [canola] fodder and forage	10
	Safflower forage and fodder	T10
	Safflower seed meal	T1
	Sesame seed fodder and forage	T10
	Wheat forage (fresh weight)	*0.1
AS 0654	Wheat straw and fodder, dry	*0.1
Simazine		
	Broad bean, dry [faba bean] forage	3
	Broad beans, dry [faba bean] fodder	0.1
AL 0524	Chick-pea fodder	0.5

COMPOUND	FOOD	MRL (mg/kg)
	Chick-pea forage	0.5
	Rape seed [canola] forage	5
	Rape seed [canola] straw and fodder	1
Spinetoram		
	Almond hulls	4
AB 0226	Apple pomace, dry	1
	Brassica forage crops (kale; rape; swede; turnips)	0.5
AB 0001	Citrus pulp, dry	0.2
AM 1051	Fodder beet (fresh weight)	*0.01
AV 1051	Fodder beet leaves or tops	0.5
AB 0269	Grape pomace, dry	2
AL 0157	Legume animal feeds	1
TN 0669	Macadamia nuts	*0.01
	Maize cereals fodder	T1
	Maize cereals forage	T3
	Rape seed [canola] forage and fodder	0.1
	Sorghum grains and millet forage and fodder	T0.2
	Sweet corn forage and fodder	5
	Tomato pomace, dry	1
Spinosad		
AB 0226	Apple pomace, dry	1
AB 0001	Citrus pulp, dry	1
	Cotton seed by-products	*0.01
AB 0269	Grape pomace, dry	1
AL 0157	Legume animal feeds	1
	Rice hulls	4
AF 0651	Sorghum forage (green)	0.5

COMPOUND	FOOD	MRL (mg/kg)
AS 0651	Sorghum straw and fodder, dry	0.5
	Sweet corn fodder and forage, dry	1
Spirotetramat		
AB 0226	Apple pomace, dry	5
AB 0001	Citrus pulp, dry	2
	Cotton seed meal and hulls	1
AB 0269	Grape pomace, dry	7
AL 0157	Legume animal feeds {except Soya bean forage and fodder}	20
	Mixed pastures (leguminous/grasses)	T5
AL 0541	Soya bean fodder	T50
AL 1265	Soya bean forage (green)	T50
	Sweet corn forage and fodder	5
	Tomato pomace, dry	20
Spiroxamine		
	Barley forage	5
AS 0640	Barley straw and fodder, dry	1
AB 0269	Grape pomace, dry	10
AL 0528	Pea vines (green)	T30
Sulfosulfuron		
	Triticale straw and fodder, dry	0.1
AS 0654	Wheat straw and fodder, dry	0.1
Sulfoxaflor		
	Almond hulls	7
AB 0226	Apple pomace, dry	2
AB 0001	Citrus pulp, dry	5
	Cotton seed meal and hulls	0.5
AF 0081	Forage of cereal grains (green) {except Quinoa forage}	2
AB 0269	Grape pomace, dry	20

COMPOUND	FOOD	MRL (mg/kg)
	Pulse forage and fodder	5
	Quinoa forage and fodder	T3
	Rape seed [canola] fodder, dry	3
	Rape seed [canola] forage	3
	Soya bean hulls	0.5
AS 0081	Straw and fodder (dry) of cereal grains {except Quinoa fodder}	1
	Sweet corn forage and fodder	2
	Tomato pomace, dry	20
Tebuconazole		
	Almond hulls	10
AB 0269	Grape pomace, dry	15
	Primary feed commodities	50
Tebufenozide		
AB 0269	Grape pomace, dry	10
	Pome fruit pomace, dry	10
Tebuthiuron		
	Mixed pastures (leguminous/grasses)	20
Terbufos		
AF 0081	Forage of cereal grains (green)	*0.05
AL 0697	Peanut fodder	*0.05
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
Terbutylazine		
AL 1020	Alfalfa [lucerne] fodder	10
AL 1021	Alfalfa [lucerne] forage	10
	Fodder of sweet corn	0.02
AS 0645	Maize fodder	0.02
	Primary feed commodities {except Alfalfa [lucerne] fodder; Alfalfa forage [lucerne] ; Sweet corn	5

COMPOUND	FOOD	MRL (mg/kg)
	fodder; Maize fodder; Rape seed [canola] fodder; Sorghum straw and fodder, dry; Straw and fodder (dry) of pulse crops; Sugar cane forage and fodder}	
	Rape seed [canola] fodder	0.5
AS 0651	Sorghum straw and fodder, dry	*0.02
	Straw and fodder (dry) of pulse crops	*0.05
	Sugar cane forage and fodder	*0.01
Terbutryn		
	Field pea forage and fodder	30
	Mixed pastures (leguminous/grasses)	75
	Plantain pasture	75
AS 0161	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	30
Tetraconazole		
AB 0269	Grape pomace, dry	2
Tetraniliprole		
	Almond hulls	5
AB 0226	Apple pomace, dry	3
Thiacloprid		
AB 0226	Apple pomace, dry	3
	Cotton seed meal and hulls	0.05
Thiamethoxam see also		
Clothianidin		
AB 0001	Citrus pulp, dry	7
	Cotton seed hulls	0.5
AF 0081	Forage of cereal grains (green)	1
AS 0645	Maize fodder	0.5
	Rape seed [canola] forage	1

COMPOUND	FOOD	MRL (mg/kg)
	Rape seed [canola] straw and fodder	*0.01
AS 0651	Sorghum straw and fodder, dry	0.1
AS 0081	Straw and fodder (dry) of cereal grains {except Maize fodder; Sorghum straw and fodder, dry}	*0.01
	Tomato pomace, dry	T3
Thiodicarb		
AS 0645	Maize fodder	50
AF 0645	Maize forage	50
	Primary feed commodities {except Maize fodder; Maize forage; Sorghum; Sunflower forage}	30
	Sunflower forage	*0.05
Tiafenacil		
	Cereal forage and fodder	*0.01
	Cotton gin trash	*0.01
	Pulse forage and fodder	*0.01
	Rape seed [canola] forage and fodder	*0.01
Topramezone		
	Cereal forage and fodder	0.03
Tralkoxydim		
	Primary feed commodities	*0.02
Triadimefon		
	Primary feed commodities	10
Triadimenol		
AF 0081	Forage of cereal grains (green)	0.5
AS 0651	Sorghum straw and fodder, dry	10
	Tomato pomace	5
Triallate		
	Primary feed commodities	30

COMPOUND	FOOD	MRL (mg/kg)
Triasulfuron	Primary feed commodities	5
Tribenuron-methyl	Primary feed commodities (fresh weight)	*0.05
Triclopyr		
AB 0001	Citrus pulp, dry	2
AS 0651	Sorghum straw and fodder, dry	*0.1
Trifloxystrobin		
	Almond hulls	15
	Bean forage and fodder	20
	Brassica forage crops (kale; rape; swede; turnips)	*0.02
AB 0269	Grape pomace, dry	3
AS 0162	Hay or fodder (dry) of grasses	*0.02
AL 0157	Legume animal feeds {except Bean forage and fodder}	*0.02
	Mixed pastures (leguminous/grasses)	*0.02
	Pome fruit pomace, dry	25
	Rape seed [canola] forage, fodder and straw	*0.02
Trifloxysulfuron sodium		
AM 0659	Sugar cane fodder (fresh weight)	*0.02
AV 0659	Sugar cane forage (fresh weight)	*0.02
Trifludimoxazin		
	Barley forage	0.1
AS 0640	Barley straw and fodder, dry	*0.01
	Wheat forage	0.1
AS 0654	Wheat straw and fodder, dry	*0.01
Triflumuron		
AF 0081	Forage of cereal grains (green)	0.2

COMPOUND	FOOD	MRL (mg/kg)
AS 0081	Straw and fodder (dry) of cereal grains	*0.05
Trifluralin		
	Cassava leaves and tops	T1
	Forage and fodder of cereal grains	*0.05
Trinexapac-ethyl		
AF 0081	Forage of cereal grains (green)	2
AS 0162	Hay or fodder (dry) of grasses	3
AS 0081	Straw and fodder (dry) of cereal grains	0.5
AM 0659	Sugar cane fodder	1
AV 0659	Sugar cane forage	1
Triticonazole		
AF 0081	Forage of cereal grains (green)	0.1
AS 0081	Straw and fodder (dry) of cereal grains	*0.05

Table 5—Uses of substances where MRLs are not necessary**A**

SUBSTANCE	USE
Abamectin	<ul style="list-style-type: none">• For use in enclosed brine ponds for the control of <i>Artemia</i> spp. in the production of <i>Dunaliella salina</i> algae
Acetic acid	<ul style="list-style-type: none">• Disinfectant for animal and poultry houses, egg hatcheries and associated equipment• When used as a herbicide
Acrolein	<ul style="list-style-type: none">• Aquatic weed control
Adrenaline	<ul style="list-style-type: none">• When used as treatment in sheep• When used in calves for pain relief following castration, dehorning or disbudding• When used in piglets for pain relief following castration and tail docking• When used to induce settlement and metamorphosis of oyster larvae
Alkoxylated fatty alkylamine Polymer	<ul style="list-style-type: none">• In peach and plum trees
Alpha-pinene	<ul style="list-style-type: none">• As an insect attractant and feeding stimulant
Amitrole	<ul style="list-style-type: none">• Herbicide for control of blackberries
Ammonium thiocyanate	<ul style="list-style-type: none">• Herbicide on bananas, dormant hopfields, orchards, papaya [pawpaw], pastures, plantations of pineapples, potatoes, sugar cane and vineyards Preplanting soil treatment for cereal, oilseed and pulse crops
Ammonium Thiosulphate	<ul style="list-style-type: none">• Blossom thinning agent
Amorphous Silica	<ul style="list-style-type: none">• Insecticide in vegetable crops, oilseed crops, cereal grains and seed
Anisyl alcohol	<ul style="list-style-type: none">• As an insect attractant and feeding stimulant
<i>Aureobasidium pullulans</i> strains DSM 14940 and DSM 14941	<ul style="list-style-type: none">• When used on food producing crops

SUBSTANCE	USE
Azamethiphos	<ul style="list-style-type: none"> As an insecticide in agricultural and commercial premises where contact with food commodities and food producing animals will not occur
Azoxystrobin	<ul style="list-style-type: none"> As a fungicide on myrtaceous seeds

B

SUBSTANCE	USE
<i>Bacillus cereus</i>	<ul style="list-style-type: none"> Establishing gastrointestinal microflora of neonatal pigs and maintaining gastrointestinal microflora of pigs and poultry
<i>Bacillus licheniformis</i>	<ul style="list-style-type: none"> When used as a direct fed microbial in animals
<i>Bacillus sphaericus</i> Strain 2362	<ul style="list-style-type: none"> Mosquito control in water
<i>Bacillus subtilis</i>	<ul style="list-style-type: none"> When used as a direct fed microbial in animals
<i>Bacillus subtilis</i> strain MBI600 (<i>Bacillus amyloliquefaciens</i>)	<ul style="list-style-type: none"> When used as a fungicide on food producing crops
<i>Bacillus subtilis</i> strain QST 713 (<i>Bacillus amyloliquefaciens</i>)	<ul style="list-style-type: none"> When used as a fungicide on food producing crops
<i>Bacillus thuringiensis</i> Berliner subsp <i>aizawai</i>	<ul style="list-style-type: none"> For use as an insecticide on food and non-food producing crops and ornamentals
<i>Bacillus thuringiensis</i> Berliner <i>israelensis</i>	<ul style="list-style-type: none"> Mosquito control in water
<i>Bacillus thuringiensis kurstaki</i> delta endotoxin encapsulated in killed <i>Pseudomonas fluorescens</i>	<ul style="list-style-type: none"> As an insecticide for cotton, pome fruits, stone fruits, grapes and vegetables
<i>Bacillus thuringiensis kurstaki</i> delta endotoxin protein	<ul style="list-style-type: none"> Insecticide expressed in recombinant cotton
<i>Bacillus thuringiensis kurstaki</i> exoprotein Vip3A	<ul style="list-style-type: none"> Insecticide expressed in recombinant cotton
<i>Bacillus thuringiensis</i> Berliner subsp <i>kurstaki</i>	<ul style="list-style-type: none"> For use as an insecticide on food and non-food producing crops, ornamentals, amenity plantings and in forestry
<i>Banda de Lupinus albus doce</i> (BLAD)	<ul style="list-style-type: none"> As a fungicide in fruits and vegetables

SUBSTANCE	USE
<i>Beauveria bassiana</i> strain PPRI 5339	<ul style="list-style-type: none"> Foliar insecticide on protected vegetable and ornamental crops
Bendiocarb	<ul style="list-style-type: none"> Insecticide on pasture seed
Bentonite	<ul style="list-style-type: none"> Sunscreen for fruiting vegetables, other than cucurbits, and for fruits
Benzyladenine	<ul style="list-style-type: none"> Application to new wood of cherry trees prior to budburst
Beta-cyfluthrin	<ul style="list-style-type: none"> For the control of black swarming leaf beetles on non-fruit bearing exotic tropical fruits for crop establishment purposes only
Bifenthrin	<ul style="list-style-type: none"> As an insecticide and acaricide on ornamentals Seed Lucerne treatment When used for the control of quarantine pests in potted nursery stock
<i>N,N</i>-bis(3-aminopropyl) dodecylamine	<ul style="list-style-type: none"> Disinfection of farm buildings, hatcheries, eggs and food processing areas
Bismuth subnitrate	<ul style="list-style-type: none"> For intramammary infusion for the prevention of mastitis in non-lactating dairy cows
Bm86 antigen	<ul style="list-style-type: none"> Vaccine for control of cattle tick
Bromelain	<ul style="list-style-type: none"> For use in piglets
Bromo, chloro-dimethylhydantoin	<ul style="list-style-type: none"> As a biocide for fruits, vegetables and ornamentals
Bupivacaine hydrochloride	<ul style="list-style-type: none"> When used in calves for pain relief following castration, dehorning or disbudding When used in lambs for pain relief following mulesing, castration or tail docking When used in piglets for pain relief following castration and tail docking
Butyl salicylate	<ul style="list-style-type: none"> As an insect attractant and feeding stimulant

C

SUBSTANCE	USE
Canola oil	<ul style="list-style-type: none"> As a miticide/insecticide

SUBSTANCE	USE
Captan	<ul style="list-style-type: none"> • Fungicidal seed dressing for peanuts
Carbaryl	<ul style="list-style-type: none"> • As an insecticide in non-crop areas including commercial, industrial and domestic areas, tobacco storage sheds and rights of way • As an insecticide on ornamentals and other non-food or animal feed crops and trees
Carfentrazone-ethyl	<ul style="list-style-type: none"> • Aquatic weed control
Cephalonium	<ul style="list-style-type: none"> • For ophthalmic use on cattle and sheep
Cetrimide	<ul style="list-style-type: none"> • When used in calves for pain relief following castration, dehorning or disbudding • When used in lambs for pain relief following mulesing, castration or tail docking • When used in piglets for pain relief following castration and tail docking
Chlorflurenol	<ul style="list-style-type: none"> • Growth regulator on pineapples • As a flower inductant in mango trees
Chlorpicrin	<ul style="list-style-type: none"> • {T} As a soil fumigant prior to the cultivation of strawberry runners
Chlorpyrifos	<ul style="list-style-type: none"> • When used for the control of fire ants in horticultural situations
Chlorpyrifos-methyl	<ul style="list-style-type: none"> • Insecticide for treatment of seed
Chlortetracycline	<ul style="list-style-type: none"> • Topical applications for use on sheep, cattle, pigs and poultry
Cholecalciferol	<ul style="list-style-type: none"> • For use as a rodenticide in bait stations within horticultural cropping areas
Citric acid	<ul style="list-style-type: none"> • As a spray adjuvant
Clitoria ternatea Extract	<ul style="list-style-type: none"> • For use as an insecticide on food and non-food producing crops
Cloprostenol (including d-cloprostenol)	<ul style="list-style-type: none"> • Cattle: induction of oestrus and treatment of clinical conditions associated with the reproductive system • Pigs: Induction of farrowing in sows and gilts
Cloxacillin	<ul style="list-style-type: none"> • For ophthalmic use on cattle and sheep
Cobalt	<ul style="list-style-type: none"> • For use as a nutritional supplement for livestock

SUBSTANCE	USE
Copper	<ul style="list-style-type: none"> • Algaeicide • Anti-fouling agent • Bactericide • Fungicide • Molluscicide • Nutritional supplement for livestock
Coumatetralyl	<ul style="list-style-type: none"> • In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
Cresylic acid	<ul style="list-style-type: none"> • Dormant spray • Repellent for flies in cattle, goats and sheep • Disinfection of animal and poultry houses, and associated equipment
Cue-lure pheromone	<ul style="list-style-type: none"> • In fly baits as an insect sex attractant
Cydia pomonella granulovirus	<ul style="list-style-type: none"> • Insecticide
Cyhalothrin	<ul style="list-style-type: none"> • Soil drench for use in fruit fly eradication
Cypermethrin	<ul style="list-style-type: none"> • As a fungicide on myrtaceous seeds • Seed dressing for cereal grains
Cypermethrin	<ul style="list-style-type: none"> • Control of crawling insects in domestic premises
Cyproconazole	<ul style="list-style-type: none"> • For use on pruning wounds of various fruit trees and on pruning wounds of grapevines
Cyprodinil	<ul style="list-style-type: none"> • When used in strawberry runner production
Cyromazine	<ul style="list-style-type: none"> • Domestic and commercial premises where contact with food or food producing animals will not occur

D

SUBSTANCE	USE
Dazomet	<ul style="list-style-type: none"> • Soil fumigant
Delta-7 porcine somatotrophin	<ul style="list-style-type: none"> • Injection to pigs to improve leanness of meat, feed conversion and growth rate
Derris	<ul style="list-style-type: none"> • Insecticide on fruit and vegetables • Poultry dust-Sheep dip

SUBSTANCE	USE
1,2-Dichloropropane	<ul style="list-style-type: none"> • Soil fumigant
1,3-Dichloropropene	<ul style="list-style-type: none"> • Soil fumigant • Pre-plant fumigant for vegetables, cereal grains and fruit and nut trees.
Didecyldimethylammonium chloride	<ul style="list-style-type: none"> • Disinfection of farm buildings, hatcheries, eggs and food processing areas • For disinfection of grapevine cuttings
Difethialone	<ul style="list-style-type: none"> • In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
Dinoprost	<ul style="list-style-type: none"> • Induction of oestrus and advancing parturition in cattle and pigs
Diphacinone	<ul style="list-style-type: none"> • In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
Dithiocarbamates (mancozeb, metham, metiram, propineb, thiram, zineb and ziram)	<ul style="list-style-type: none"> • As fungicides on ornamentals • As a fungicide on acacia, fir and pine trees • As a fungicide on non-bearing nursery stock date palm • As a pre-plant and fallow soil fumigation for crops • As a seed dressing
Dithiopyr	<ul style="list-style-type: none"> • Treatment of turf where grazing by, or feeding to, livestock including poultry will not occur
(E,E) 8,10-Dodecadien-1-ol	<ul style="list-style-type: none"> • Pheromone
E-11-tetradecen-1-yl-acetate	<ul style="list-style-type: none"> • For mating disruption of <i>Epiphyas postvittana</i>
E,E-9,11-tetradecadien-1-yl-acetate	<ul style="list-style-type: none"> • For mating disruption of <i>Epiphyas postvittana</i>
Dodecan-1-ol	<ul style="list-style-type: none"> • In slow-release dispensers for mating disruption of insects in fruits and tree nuts
(Z, E)-7, 9, 11-dodecatrienyl formate	<ul style="list-style-type: none"> • {T} Pheromone for mating disruption of carob moth (<i>Ectomyelois ceratoniae</i>)
(Z)-8-Dodecenol	<ul style="list-style-type: none"> • Pheromone
(E)-8-Dodecenyl acetate	<ul style="list-style-type: none"> • Pheromone
(Z)-8-Dodecenyl acetate	<ul style="list-style-type: none"> • Pheromone

SUBSTANCE	USE
Dodecyl benzene trimethyl ammonium chloride	<ul style="list-style-type: none"> Disinfectant for animal and poultry houses and hatcheries
Domperidone	<ul style="list-style-type: none"> For induction of spawning in finfish broodstock
Duddingtonia flagrans (strain IAH 1297)	<ul style="list-style-type: none"> For use in grazing animals

E

SUBSTANCE	USE
<i>E. Coli</i> antigen	<ul style="list-style-type: none"> For use in pigs
Endothal	<ul style="list-style-type: none"> For use in irrigation channels for the control of various aquatic weeds
Epidermal Growth Factor	<ul style="list-style-type: none"> Aid for wool harvesting in sheep
Esfenvalerate	<ul style="list-style-type: none"> For use in enclosed brine ponds for the control of <i>Artemia spp</i>
Esters of fatty acids	<ul style="list-style-type: none"> Control of bud break in fruit crops {T} Control of bud break in nut crops
Ethanedinitrile	<ul style="list-style-type: none"> Soil fumigant prior to planting fruits, vegetables and spices
Ethephon	<ul style="list-style-type: none"> Pre-planting treatment of ginger root
Ethyl formate	<ul style="list-style-type: none"> As a fumigant for baled hay As a fumigant for cereals, pulses and canola and associated storage structures and machinery As a fumigant for cocoa Post-harvest fumigation of fruits and vegetables
Ethylene	<ul style="list-style-type: none"> Ripening of fruits
Etiproston & Etiproston tromethamine	<ul style="list-style-type: none"> Induction and synchronization of oestrus in cattle and induction of parturition and luteolysis in cattle
Eucalyptol	<ul style="list-style-type: none"> As an insect attractant and feeding stimulant
Eugenol	<ul style="list-style-type: none"> Use as a fungicide As a post harvest treatment of potatoes to prevent sprouting

F

SUBSTANCE	USE
Farnesol	<ul style="list-style-type: none">• Pheromone
Fenitrothion	<ul style="list-style-type: none">• For use in seed dressings
Fenoxycarb	<ul style="list-style-type: none">• Control of insects in food preparation areas
Fenprostalene	<ul style="list-style-type: none">• Synchronization of oestrus in cattle• Treatment of reproductive disorders
Ferrous sulphate	<ul style="list-style-type: none">• Herbicide
Fipronil	<ul style="list-style-type: none">• Control of Argentine ants in vineyards• As a soil injection for control of termites in immature, non-bearing citrus and mango orchards• When used for the control of fire ants in horticultural situations• When used in fly baits
Flocoumafen	<ul style="list-style-type: none">• In baits as a rodenticide in situations where contact with crops, food products, or soil in which crops are grown will not occur
Fludioxonil	<ul style="list-style-type: none">• When used in strawberry runner production• As a fungicide on myrtaceous seeds
Flugestone acetate	<ul style="list-style-type: none">• Induction of oestrus in sheep and goats
Flumioxazin	<ul style="list-style-type: none">• Aquatic weed control
Fluroxypyr	<ul style="list-style-type: none">• Herbicide on poppies

SUBSTANCE	USE
Formaldehyde	<ul style="list-style-type: none"> • For the control of protozoan and metazoan infestations in Australian native fish and fungal infections in native fish eggs, as well as the control of sessile ciliates, viruses and other pathogens in prawns, shrimps and crayfish • Fumigant for hatching eggs, incubators, hatcheries, broiler sheds and poultry houses • Fumigant of seed beds and animal houses • Seed dressing • Soil fumigant • Treatment of footrot and animal diseases • Treatment of epicommsal protozoan infestation in prawn, and viral infections in prawn broodstock
Formic acid	<ul style="list-style-type: none"> • For use in bee hives for the control of Varroa mites • Treatment of silage

G

SUBSTANCE	USE
Garlic extract	<ul style="list-style-type: none"> • As an insecticide in fruit and vegetables • As a nematicide
Geraniol	<ul style="list-style-type: none"> • Use as a fungicide
Gibberellins [including gibberellic acid and gibberellins A4 and A7]	<ul style="list-style-type: none"> • Treatment of pastures • Plant growth regulator when used < 625 g ai/ha/year or when used as a seed treatment
Glycolic acid	<ul style="list-style-type: none"> • As a disinfectant for animal and poultry houses, associated equipment and feedstuff areas
Glyphosate	<ul style="list-style-type: none"> • Herbicide for control of blackberries
Glutaraldehyde	<ul style="list-style-type: none"> • Treatment of empty animal and poultry houses

SUBSTANCE	USE
Gonadotrophin Releasing Factor (GnRF)-protein conjugate	<ul style="list-style-type: none"> • Vaccine for the control of boar taint in male pigs • Vaccine for the suppression of testosterone production in male cattle • Vaccine for the suppression of progesterone production in female cattle
Gonadotrophin Releasing Hormone (GnRH) and analogues [including buserelin, deslorelin, gonadorelin, peforelin, triptorelin acetate and salmon GnRH analogue]	<ul style="list-style-type: none"> • Cattle: treatment of cystic ovaries; prevention of delayed ovulation; improvement of fertility rate • Horses: induction of ovulation; treatment of anoestrus • Finfish: induction of spawning in finfish broodstock • Pigs: induction and synchronisation of oestrus • Rabbits: induction of ovulation; improvement of conception rate
Gonadotrophins [including Pregnant Mare Serum]	<ul style="list-style-type: none"> • Cattle: induction of superovulation; treatment of cystic ovarian syndrome and anoestrus
Gonadotrophin (PMSG), Serum Gonadotrophin, Chorionic Gonadotrophin, Luteinizing Hormone (LH), ovine and porcine Follicle Stimulating Hormone (FSH)	<ul style="list-style-type: none"> • Goats: induction of superovulations • Horses: induction of ovulation and treatment of anoestrus • Sheep: induction of superovulation • Pigs: oestrus induction in sows and gilts • Fish: induction of spawning in finfish broodstock

H

SUBSTANCE	USE
Z-11-Hexadecenal Z-9-Hexadecenal	<ul style="list-style-type: none"> • Mating disruption of <i>Helicoverpa spp.</i> In cotton and sweet corn crops
Hexazinone	<ul style="list-style-type: none"> • Herbicide for control of blackberries
Hydramethylnon	<ul style="list-style-type: none"> • In bait trays for control of ants • For use as an insecticide to control ants on fallow sugarcane situations

SUBSTANCE	USE
Hydrogen peroxide	<ul style="list-style-type: none"> • As a fungicide in fruits and vegetables • As a disinfectant on fruit and vegetables • {T} As a disinfectant on Kaffir lime leaves • {T} As a disinfectant on tree nuts • {T} For the control of foliar nematodes in strawberries • {T} For use in fish and fish eggs • {T} For use in prawns
4-(p-hydroxyphenyl)-2- butanone acetate	<ul style="list-style-type: none"> • In fly baits as an insect sex attractant
8-Hydroxyquinoline	<ul style="list-style-type: none"> • Treatment of cuttings and grafts

SUBSTANCE	USE
Imidacloprid	<ul style="list-style-type: none"> • As the active constituent in contained bait stations used in orange, mandarin, mango, lychee, carambola and persimmon trees, where direct contact will not occur with the fruit
Imiprothrin	<ul style="list-style-type: none"> • Control of crawling insects in domestic premises
Indol-3-yl butyric acid	<ul style="list-style-type: none"> • Application to foliage of young plants, to aid in promotion of root formation, stimulation of plant growth and reduction of transplant shock. • Treatment of cuttings
Indoxacarb	<ul style="list-style-type: none"> • As a bait for the control of fire ants in horticultural crops where contact with the edible commodities will not occur

SUBSTANCE	USE
Iodine (elemental)	<ul style="list-style-type: none"> • When incorporated into a polyethylene capsule device for intra-ruminal administration to sheep • Disease control in the drinking water of poultry; topical and ocular application of poultry; disinfecting and cleaning poultry surrounds by fogging • Sanitising fruit and vegetables • For use as a pre-milking teat dip at up to 0.1% available iodine from iodine or iodine-complexes • For use as a post-milking teat dip at up to 0.5% available iodine from iodine or iodine-complexes • For use at 0.01 % w/v available iodine, as a disinfectant for fish eggs
Iodocarb	<ul style="list-style-type: none"> • For use on pruning wounds of various fruit trees and on pruning wounds of grapevines
Iodomethane	<ul style="list-style-type: none"> • {T} As a soil fumigant prior to the cultivation of strawberry runners
Iprodione	<ul style="list-style-type: none"> • Fungicide for corm and foliar treatment of saffron
Iron (elemental)	<ul style="list-style-type: none"> • For use as a molluscicide
Iron galactan	<ul style="list-style-type: none"> • Treatment of anaemia in piglets
Iron-EDTA complex	<ul style="list-style-type: none"> • Molluscicide
Irone phosphate	<ul style="list-style-type: none"> • For use as a molluscicide

L

SUBSTANCE	USE
<i>Lactobacillus spp.</i>	<ul style="list-style-type: none"> • When used as a silage inoculant
Light hydrocarbons (petrol)	<ul style="list-style-type: none"> • To euthanase bees

SUBSTANCE	USE
Lignocaine hydrochloride	<ul style="list-style-type: none"> • When used in calves for pain relief following castration, dehorning or disbudding • When used in lambs for pain relief following mulesing, castration or tail docking • When used in piglets for pain relief following castration and tail docking
Lime sulphur	<ul style="list-style-type: none"> • Fungicide and insecticide on fruits, nuts and vegetables • Sheep and pig dip/spray
D-Limonene	<ul style="list-style-type: none"> • As an insect attractant and feeding stimulant • When used as an insecticide
Lindane	<ul style="list-style-type: none"> • Seed dressing

M

SUBSTANCE	USE
Magnesium alloy capsules	<ul style="list-style-type: none"> • Control of grass tetany in cattle
Magnesium chloride	<ul style="list-style-type: none"> • {T} Use as a relaxant on abalone
Magnesium chlorate	<ul style="list-style-type: none"> • Defoliant on cotton
Magnesium hexafluorosilicate	<ul style="list-style-type: none"> • When used at a concentration of up to and including 1 g/litre of water, in sheep dips
Magnesium sulphate	<ul style="list-style-type: none"> • {T} Use as a relaxant on abalone
Maldison	<ul style="list-style-type: none"> • Seed dressing
Melatonin	<ul style="list-style-type: none"> • Subcutaneous implant in goats and sheep
Metacresol	<ul style="list-style-type: none"> • Treatment of crown gall in blueberries
Metalaxyl	<ul style="list-style-type: none"> • Seed dressing

SUBSTANCE	USE
<i>Metarhizium anisopliae</i>	<ul style="list-style-type: none"> • Soil treatment for the control of the Red Headed Cockchafer (Pasture scarab) • As a soil treatment for the control of Greyback Canegrub in bananas, papaya (paw paw), pineapple, sugarcane and taro • For the control of the Australian Plague Locust (adult and nymphs), Wingless Grasshopper, Spur Throated Locust and Migratory Locust • {T} External treatment for the control of cattle tick (<i>boophilus microplus</i>) on beef cattle • {T} For the control of whitefly (<i>Bemesia tabaci</i>) on flowers and vegetables
Methabenzthiazuron	<ul style="list-style-type: none"> • Post-emergent herbicide for use on grape cover crops
Methiocarb	<ul style="list-style-type: none"> • In baits for the control of garden pests • {T} in baits for the control of garden pests on herbs, lemon balm, lemon grass, kaffir lime leaves, lemon verbena and turmeric
Methionyl porcine somatotrophin	<ul style="list-style-type: none"> • Injection to pigs to improve leanness of meat, feed conversion and growth rate
(S)-Methoprene	<ul style="list-style-type: none"> • Control of insects in domestic premises • For the control of mosquitos at permanent and temporary water sites • As a bait for the control of Fire Ants in fruits, vegetables, nuts, herbs, spices, cereal grain crops and sugar cane in situations where direct contact will not occur with the crop or the crop will be washed after harvest
1-Methylcyclopropene	<ul style="list-style-type: none"> • For pre-harvest foliar treatment of apples • Fumigant treatment of fruits and vegetables
Methyldihydrotestosterone	<ul style="list-style-type: none"> • For the production of fish brood stock in salmonid aquaculture (salmon and trout)
Methyl isothiocyanate	<ul style="list-style-type: none"> • Soil fumigant
Methyltestosterone	<ul style="list-style-type: none"> • For the production of fish brood stock in salmonid aquaculture (salmon and trout)

SUBSTANCE	USE
Metsulfuron methyl	<ul style="list-style-type: none"> • Herbicide for control of blackberries

N

SUBSTANCE	USE
Napthalene	<ul style="list-style-type: none"> • Insect repellent
Neem Seed Extract Powder	<ul style="list-style-type: none"> • In-furrow application to cotton crops at the time of seeding
<i>Neoplectana bibionis</i>	<ul style="list-style-type: none"> • Biological control of currant borer
Nerolidol	<ul style="list-style-type: none"> • Pheromone
N-Octyl bicycloheptene dicarboximide	<ul style="list-style-type: none"> • Control of insects in domestic premises
Nonanoic acid	<ul style="list-style-type: none"> • Herbicide
Nuclear Polyhedrosis Virus <i>Heliothis</i>	<ul style="list-style-type: none"> • Insecticide

O

SUBSTANCE	USE
Z, Z-3, 13-octadecadien-1-ol	<ul style="list-style-type: none"> • In dispensers for mating disruption of clearwing persimmon borer (<i>Ichneumonoptera chrysophanes</i>)
Z, Z-3, 13-octadecadien-1-yl acetate	<ul style="list-style-type: none"> • In dispensers for mating disruption of clearwing persimmon borer (<i>Ichneumonoptera chrysophanes</i>)
Octhilinone	<ul style="list-style-type: none"> • Treatment of seed cotton
Oestradiol benzoate	<ul style="list-style-type: none"> • In combination with progesterone in an intravaginal device for the regulation of oestrus in cattle • When implanted in the ear for growth promotion purposes in cattle
Oestradiol-17-beta	<ul style="list-style-type: none"> • When implanted in the ear for growth promotion purposes in cattle
Oestradiol valerate	<ul style="list-style-type: none"> • Induction of oestrus in cattle

P

SUBSTANCE	USE
Paraffin	<ul style="list-style-type: none">• As an insecticide• For control and treatment of bloat in cattle• Fungicide on fruits• Harvest aid on cotton• Herbicide on vegetables and cereals• Sheep dressing
PDB	<ul style="list-style-type: none">• Insecticide on fruit trees
Pendimethalin	<ul style="list-style-type: none">• For the control of weeds on teatrees
Permethrin	<ul style="list-style-type: none">• As an insecticide in domestic, agricultural, industrial and commercial premises where contact with food, food production areas and food producing animals will not occur
Peroxyacetic acid	<ul style="list-style-type: none">• As a fungicide in fruits and vegetables• As a disinfectant on fruit and vegetables-{T} As a disinfectant on Kaffir lime leaves• {T} As a disinfectant on tree nuts• {T} For the control of foliar nematodes in strawberries
Petroleum oil	<ul style="list-style-type: none">• As an insecticide• For control and treatment of bloat in cattle• Fungicide on fruits• Sheep dressing• Herbicide on vegetables and cereals• Harvest aid on cotton
Phenoxyethanol	<ul style="list-style-type: none">• {T} Use as a relaxant on abalone
Phenylacetaldehyde	<ul style="list-style-type: none">• As an insect attractant and feeding stimulant
Picloram	<ul style="list-style-type: none">• Herbicide for control of blackberries• Herbicide for control of woody and noxious weeds in commercial and industrial areas, public lands, fence lines and pastures
Pili antigen (from <i>Dichelobacter nodosus</i>)	<ul style="list-style-type: none">• Prevention of footrot in Merino sheep

SUBSTANCE	USE
Pine Oil	<ul style="list-style-type: none"> • When used as a herbicide in carrots, corn, orchards, potatoes, vineyards and bare earth/fallow/non-crop situations.
Piperonyl butoxide	<ul style="list-style-type: none"> • Control of insects in domestic premises
Pirimiphos-methyl	<ul style="list-style-type: none"> • Treatment of seed
Poly (GNRF) ovalbumin	<ul style="list-style-type: none"> • Immunogen for control of reproduction in cattle
Poly (LHRH) ovalbumin	<ul style="list-style-type: none"> • Immunogen for control of reproduction in cattle
Polyoxin D zinc salt	<ul style="list-style-type: none"> • Use as a fungicide
Potassium Bicarbonate	<ul style="list-style-type: none"> • When used as a fungicide
Potassium Peroxymonosulfate	<ul style="list-style-type: none"> • For the control of bacteria, viruses and other pathogens in prawn and shrimp aquaculture
Potassium N-hydroxy methyl N-methyldithiocarb	<ul style="list-style-type: none"> • Soil fumigant
Potassium salts of fatty acids	<ul style="list-style-type: none"> • Fungicide on grapevines • Insecticide on cotton, fruit, herbs, nuts, pastures and vegetables
Potassium silicate	<ul style="list-style-type: none"> • When used as a fungicide
Progesterone	<ul style="list-style-type: none"> • Induction of oestrus in cattle, goats, pigs and sheep • Induction of oestrus in mares by administration in an intravaginal device • When implanted in the ear for growth promotion purposes in cattle
Propamocarb	<ul style="list-style-type: none"> • As a soil drench for papaya seedlings in nurseries
Propionic acid (and its salts)	<ul style="list-style-type: none"> • Fungicide on stored grain for animal use • Preservative in hay and legume animal feeds • For use as an adjuvant with agricultural chemical products
Prostianol	<ul style="list-style-type: none"> • Oestrus control in cattle and sheep • Advancing parturition in pigs
Protein hydrolysate	<ul style="list-style-type: none"> • Attractant in insect baits
Prothiofos	<ul style="list-style-type: none"> • Timber treatment for poles, posts, and agricultural buildings/structures

SUBSTANCE	USE
<i>Pseudomonas fluorescens</i>	<ul style="list-style-type: none"> Control of bacterial blotch in cultivated mushrooms
Pyraclostrobin	<ul style="list-style-type: none"> When use in strawberry runner production (tissue culture and foundation nurseries only).
Pyrethrins	<ul style="list-style-type: none"> Control of insects in domestic premises
Pyriproxyfen	<ul style="list-style-type: none"> As a bait for the control of ants in agricultural situations where direct contact will not occur with the crop As a bait for the control of ants in pastures

Q-R

SUBSTANCE	USE
<i>Quassia</i> infusion	<ul style="list-style-type: none"> Insecticide
Quintozene	<ul style="list-style-type: none"> As a drench for apple seedlings at planting
Rabbit Haemorrhagic Disease Virus (Rabbit Calicivirus)	<ul style="list-style-type: none"> For pest rabbit control
Rotenone	<ul style="list-style-type: none"> Insecticide on fruit and vegetables Pig and sheep dip/spray {T} Piscicide in marron dams Poultry dust

S

SUBSTANCE	USE
S-Abscisic acid	<ul style="list-style-type: none"> For use on grapevines to accelerate or increase the colouration of berries
Salicylic acid	<ul style="list-style-type: none"> {T} As a trunk injection for control of silver leaf on pome fruit and stone fruit trees For oral use in pigs
Selenium	<ul style="list-style-type: none"> For use as a nutritional supplement for livestock
Sodium acetate	<ul style="list-style-type: none"> Fungistat on stored grain for animal use
Sodium carbonate	<ul style="list-style-type: none"> Scale treatment

SUBSTANCE	USE
Sodium chlorate	<ul style="list-style-type: none"> • Herbicide on pastures • Defoliant on cotton • {T} Defoliant on sorghum • {T} Defoliant on maize
Sodium chloride	<ul style="list-style-type: none"> • For the control of bacteria, viruses and other pathogens in prawn and shrimp aquaculture
Sodium edetate	<ul style="list-style-type: none"> • Disinfectant for animal and poultry houses and hatcheries
Sodium hypochlorite	<ul style="list-style-type: none"> • When used as disinfectant in banana plant propagation material
Sodium lauryl sulphate	<ul style="list-style-type: none"> • When used as an intradermal sclerosing agent around the breech of sheep
Sodium metasilicate pentahydrate	<ul style="list-style-type: none"> • Disinfectant for animal and poultry houses and hatcheries
Sodium monofluoroacetate	<ul style="list-style-type: none"> • Baits for control of cats, dogs, foxes, pigs, rabbits and rodents in situations where contact will not occur with crops, soil in which crops are grown, or food products
Sodium nitrite	<ul style="list-style-type: none"> • Antidote for cyanide poisoning in ruminant farm animals • Use in baits for the control of feral pigs
Sodium thiosulfate	<ul style="list-style-type: none"> • Antidote for cyanide poisoning in ruminant farm animals
Sodium trichloroacetate	<ul style="list-style-type: none"> • Herbicide on pastures
Somidobove (bovine somatotrophin analogue)	<ul style="list-style-type: none"> • Injection for improvement of milk production in cattle
Sorbic acid (and its salts)	<ul style="list-style-type: none"> • Fungistat on stored grain for animal use • Preservative in hay and legume animal feeds
<i>Spodoptera frugiperda multiple nucleopolyhedrovirus strain 3AP2</i>	<ul style="list-style-type: none"> • {T} Insecticide in agriculture situations
Spinosad	<ul style="list-style-type: none"> • Fruit fly bait treatment of tree, fruit, vine and vegetable crops
<i>Streptococcus fascium</i>	<ul style="list-style-type: none"> • When used as a silage inoculant

SUBSTANCE	USE
<i>Streptomyces lydicus</i> WYEC108	<ul style="list-style-type: none"> • For use as a fungicide and as a biological soil amendment on food and non-food producing crops • For use as a fungicide
Strychnine	<ul style="list-style-type: none"> • In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
Succinyl choline	<ul style="list-style-type: none"> • For use in the capture of wild animals
Sulfamic acid	<ul style="list-style-type: none"> • For the control of bacteria, viruses and other pathogens in prawn and shrimp aquaculture
Sulphur	<ul style="list-style-type: none"> • Fungicide on cereals, fruit, vegetables, herbs, spices and edible flowers • Insecticide on cotton, fruit, nuts and vegetables • Poultry dust/ointment • Soil conditioner

T

SUBSTANCE	USE
Talc	<ul style="list-style-type: none"> • Sunscreen for fruiting vegetables, other than cucurbits, and for fruits
Tar acids	<ul style="list-style-type: none"> • Dormant spray • Disinfection of animal and poultry houses, and associated equipment
Tar distillates	<ul style="list-style-type: none"> • Dormant spray
Tar oils	<ul style="list-style-type: none"> • Dormant spray
TCA	<ul style="list-style-type: none"> • Pre-planting herbicide in sugar cane
Tea tree oil	<ul style="list-style-type: none"> • For use as a fungicide
Tebuconazole	<ul style="list-style-type: none"> • Seed dressing for peanut seed
Testosterone cypionate	<ul style="list-style-type: none"> • Growth promotant in sheep when injected subcutaneously • Control of posthitis and balanitis in sheep
Testosterone enanthate	<ul style="list-style-type: none"> • Control of posthitis and balanitis in sheep

SUBSTANCE	USE
Testosterone propionate	<ul style="list-style-type: none"> • Control of posthitis and balanitis in sheep • When implanted in the ear for growth promotion purposes in cattle
Tetracosactrin	<ul style="list-style-type: none"> • Reduction of parturition time in sows • Determination of stress susceptibility in pigs
(9Z,11E)-Tetradeca-9,11,13-trienal	<ul style="list-style-type: none"> • In slow-release dispensers for mating disruption of carob moth (<i>Ectomyelois ceratoniae</i>) in almond orchards
(9Z,11E)-Tetradeca-9,11-dienal	<ul style="list-style-type: none"> • In slow-release dispensers for mating disruption of carob moth (<i>Ectomyelois ceratoniae</i>) in almond orchards
(9Z)-Tetradeca-9-enal	<ul style="list-style-type: none"> • In slow-release dispensers for mating disruption of carob moth (<i>Ectomyelois ceratoniae</i>) in almond orchards
Tetradecan-1-ol	<ul style="list-style-type: none"> • In slow-release dispensers for mating disruption of insects in fruits and tree nuts
Tetramethrin	<ul style="list-style-type: none"> • Control of insects in domestic premises
Thallium sulphate	<ul style="list-style-type: none"> • In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur except in baits as a rodenticide in sugar cane fields
Thaumatococin	<ul style="list-style-type: none"> • Administration to pigs
Thiabendazole	<ul style="list-style-type: none"> • Treatment of legume vegetable seeds, seed barley, seed oats, seed pulses and seed wheat
Thiamethoxam	<ul style="list-style-type: none"> • For use as a fly bait
Thymol	<ul style="list-style-type: none"> • Treatment and control of <i>Varroa</i> mites on bees • Use as a fungicide
Triadimefon	<ul style="list-style-type: none"> • Seed dressing
Triadimenol	<ul style="list-style-type: none"> • As a fungicide on myrtaceous seeds
Trichoderma harzianum	<ul style="list-style-type: none"> • Fungicide on grapevines

SUBSTANCE	USE
Triclopyr	<ul style="list-style-type: none"> • Herbicide for control of blackberries • Herbicide for control of woody and noxious weeds in commercial and industrial areas, public lands, fence lines and pastures
Trifluralin	<ul style="list-style-type: none"> • {T} To prevent root intrusion in underground orchard irrigation systems

U-Z

SUBSTANCE	USE
Urogastrone-and methionine-epidermal growth factor	<ul style="list-style-type: none"> • As subcutaneous injection or implantation for biological shearing of sheep
Warfarin	<ul style="list-style-type: none"> • In baits as a rodenticide in situations where contact with crops, food products or soil in which crops are grown will not occur
<i>Xenorhabdus nematophilus</i>	<ul style="list-style-type: none"> • Biological control of currant borer
2,4-Xylenol	<ul style="list-style-type: none"> • Treatment of crown gall in blueberries
Zinc oxide	<ul style="list-style-type: none"> • Anti-fouling treatment of nets in aquaculture
Zinc pyrithione	<ul style="list-style-type: none"> • Anti-fouling treatment of nets in aquaculture

Endnotes

Endnote 1—About the endnotes

The endnotes provide information about this compilation and the compiled law.

The following endnotes are included in every compilation:

Endnote 1—About the endnotes

Endnote 2—Abbreviation key

Endnote 3—Legislation history

Endnote 4—Amendment history

Abbreviation key—Endnote 2

The abbreviation key sets out abbreviations that may be used in the endnotes.

Legislation history and amendment history—Endnotes 3 and 4

Amending laws are annotated in the legislation history and amendment history.

The legislation history in endnote 3 provides information about each law that has amended (or will amend) the compiled law. The information includes commencement details for amending laws and details of any application, saving or transitional provisions that are not included in this compilation.

The amendment history in endnote 4 provides information about amendments at the provision (generally section or equivalent) level. It also includes information about any provision of the compiled law that has been repealed in accordance with a provision of the law.

Misdescribed amendments

A misdescribed amendment is an amendment that does not accurately describe the amendment to be made. If, despite the misdescription, the amendment can be given effect as intended, the amendment is incorporated into the compiled law and the abbreviation “(md)” added to the details of the amendment included in the amendment history.

If a misdescribed amendment cannot be given effect as intended, the abbreviation “(md not incorp)” is added to the details of the amendment included in the amendment history.

Endnote 2—Abbreviation key

ad = added or inserted	o = order(s)
am = amended	Ord = Ordinance
amdt = amendment	orig = original
c = clause(s)	par = paragraph(s)/subparagraph(s) /sub-subparagraph(s)
C[x] = Compilation No. x	pres = present
Ch = Chapter(s)	prev = previous
def = definition(s)	(prev...) = previously
Dict = Dictionary	Pt = Part(s)
disallowed = disallowed by Parliament	r = regulation(s)/rule(s)
Div = Division(s)	
exp = expires/expired or ceases/ceased to have effect	reloc = relocated
F = Federal Register of Legislation	renum = renumbered
gaz = gazette	rep = repealed
LA = <i>Legislation Act 2003</i>	rs = repealed and substituted
LIA = <i>Legislative Instruments Act 2003</i>	s = section(s)/subsection(s)
(md) = misdescribed amendment can be given effect	Sch = Schedule(s)
(md not incorp) = misdescribed amendment cannot be given effect	Sdiv = Subdivision(s)
mod = modified/modification	SLI = Select Legislative Instrument
No. = Number(s)	SR = Statutory Rules
	Sub-Ch = Sub-Chapter(s)
	SubPt = Subpart(s)
	<u>underlining</u> = whole or part not commenced or to be commenced

Endnote 3—Legislative instrument history

Endnote 3—Legislative instrument history

Name	Registration	Commencement	Application, saving and transitional provisions
Agricultural and Veterinary Chemicals Code (MRL Standard) Instrument 2019	27 Aug 2019 (F2019L01105)	28 Aug 2019	—
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 1) 2019	6 September 2019 (F2019L01149)	7 September 2019	—
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 2) 2019	3 October 2019 (F2019L01304)	4 October 2019	—
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 3) 2019	14 November 2019 (F2019L01458)	15 November 2019	
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 1) 2020	14 January 2020 (F2020L00020)	15 January 2020	
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 2) 2020	4 March 2020 (F2020L00221)	5 March 2020	
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 3) 2020	2 April 2020 (F2020L00382)	3 April 2020	
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 4) 2020	27 May 2020 (F2020L00622)	28 May 2020	

*Agricultural and Veterinary Chemicals Code (MRL Standard)
Instrument 2019*

317

Endnote 3—Legislative instrument history

Name	Registration	Commencement	Application, saving and transitional provisions
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 5) 2020	8 July 2020 (F2020L00888)	9 July 2020	
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 6) 2020	5 August 2020 (F2020L00988)	6 August 2020	
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 7) 2020	2 September 2020 (F2020L01117)	3 September 2020	
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 8) 2020	16 October 2020 (F2020L01311)	17 October 2020	
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 9) 2020	12 November 2020 (F2020L01417)	13 November 2020	
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 10) 2020	2 December 2020 (F2020L01521)	3 December 2020	
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 1) 2021	25 January 2021 (F2021L00069)	26 January 2021	
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 2) 2021	18 February 2021 (F2021L00124)	19 February 2021	

Endnote 3—Legislative instrument history

Name	Registration	Commencement	Application, saving and transitional provisions
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 3) 2021	17 March 2021 (F2021L00240)	18 March 2021	
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 4) 2021	28 April 2021 (F2021L00503)	29 April 2021	
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 5) 2021	27 May 2021 (F2021L00652)	28 May 2021	
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 6) 2021	09 July 2021 (F2021L00968)	10 July 2021	
Agricultural and Veterinary Chemicals Code (MRL Standard) Amendment Instrument (No. 7) 2021	06 September 2021 (F2021L01239)	07 September 2021	

Endnote 4—Amendment history

Endnote 4—Amendment history

Provision affected	How affected
Section 2	rep LA s 48D
Section 6	rep LA s 48C
Schedule 1	
Part 2	
Part2	am No.1 2019; No.2 2019; No. 3 2019; No. 1 2020; No. 2 2020; No 3 2020; No. 4 2020; No. 5 2020; No. 6 2020; No. 7 2020; No. 8 2020; No. 9 2020; No. 10 2020; No.1 2021; No.2 2021; No.3 2021; No.4 2021; No.5 2021, No.6 2021, No.7 2021
Table 1	am No.1 2019, No.2 2019; No. 3 2019; No. 1 2020; No. 2 2020; No 3 2020; No. 4 2020; No. 5 2020; No. 6 2020; No. 7 2020; No. 8 2020; No. 9 2020; No. 10 2020; No.1 2021; No.2 2021; No.3 2021; No.4 2021; No.5 2021, No.6 2021, No.7 2021
Table 3	am No.1 2019; No.2 2019; No. 3 2019; No. 1 2020; No. 2 2020; No 3 2020; No. 4 2020; No 6 2020; No. 7 2020; No. 9 2020; No.1 2021, No.6 2021
Table 4	am No.1 2019; No.2 2019; No. 3 2019; No. 1 2020; No. 2 2020; No 3 2020; No. 4 2020; No. 5 2020; No 6 2020; No.7 2020; No. 8 2020; No. 9 2020; No. 10 2020; No.1 2021; No.2 2021; No.3 2021; No.4 2021; No.5 2021, No.6 2021, No.7 2021
Table 5	am No.1 2019; No. 3 2019; No. 1 2020; No. 5 2020; No. 6 2020; No. 7 2020; No. 9 2020; No. 10 2020; No.1 2021; No.3 2021; No.4 2021; No.5 2021, No.7 2021
Schedule 2	rep LA s 48C