

CAYMAN ISLANDS



Supplement No. 1 published with Extraordinary
Gazette No. 97 dated 11th December, 2015.

**THE ENDANGERED SPECIES (TRADE AND TRANSPORT) LAW, 2004
(LAW 14 OF 2004)**

**THE ENDANGERED SPECIES (TRADE AND TRANSPORT)
(AMENDMENT OF SCHEDULE) ORDER, 2015**

CAYMAN ISLANDS

**THE ENDANGERED SPECIES (TRADE AND TRANSPORT) LAW, 2004
(LAW 14 OF 2004)**

**THE ENDANGERED SPECIES (TRADE AND TRANSPORT)
(AMENDMENT OF SCHEDULE) ORDER, 2015**

The Management Authority, on the advice of the Scientific Authority, in exercise of the powers conferred by section 36 of the Endangered Species (Trade and Transport) Law, 2004 (Law 14 of 2004), makes the following Order -

1. This Order may be cited as the Endangered Species (Trade and Transport) (Amendment of Schedule) Order, 2015. Citation
2. The Endangered Species (Trade and Transport) Law, 2004 is amended in the Schedule - Amendment of the
Schedule to the
Endangered Species
(Trade and Transport)
Law, 2004 (Law 14 of
2004) - schedule
 - (a) by deleting the paragraphs preceding Part 1 of the Schedule and substituting the following paragraphs -

“PART 1

Column I: All endangered species listed in Appendix I to the Convention

Column II: All threatened species listed in Appendix II to the Convention

Column III: All species listed in Appendix III to the Convention.

PART 2

Column I: Species which are indigenous to or occur naturally in the Islands and are listed in Appendix I to the Convention.

Column II: Species which are indigenous to or occur naturally in the Islands and are listed in Appendix II to the Convention.

Column III: Species which are indigenous to or occur naturally in the Islands and are listed in Appendix III to the Convention.

Column IV: Other species which are indigenous to or occur naturally in the Islands and which are considered by the Scientific Authority to have populations in the Islands which would be at risk from unregulated trade.

PART 3

Species which are considered by the Scientific Authority to require strict regulation of their trade because of their potential threat to the survival, health, genetic integrity or viability of populations of any other species indigenous to or occurring naturally in the Islands.

NOTES TO THE SCHEDULE

1. Species included in this Schedule are referred to:
 - (a) by the name of the species; or
 - (b) as being all of the species included in a higher taxon or designated part thereof.
2. The abbreviation “spp.” is used to denote all species of a higher taxon.
3. Other references to taxa higher than species are for the purposes of information or classification only. The common names included after the scientific names of families are for reference only. They are intended to indicate the species within the family concerned that are included in this Schedule. In most cases this is not all of the species within the family.
4. The following abbreviations are used for plant taxa below the level of species:
 - (a) “ssp.” is used to denote subspecies; and
 - (b) “var.” or “vars.” is used to denote variety or varieties.
5. As none of the species or higher taxa of FLORA included in Column I of Part I is annotated to the effect that its hybrids shall be treated in accordance with the provisions of Article III of the

Convention, this means that artificially propagated hybrids produced from one or more of these species or taxa may be traded with a certificate of artificial propagation, and that seeds and pollen (including pollinia), cut flowers, seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers of these hybrids are not subject to the provisions of the Convention.

6. The names of the countries in parentheses placed against the names of species in Column III of Part I are those of the Parties submitting these species for inclusion in this Column.

7. When a species is included in one of the Columns, all parts and derivatives of the species are also included in the same Column unless the species is annotated to indicate that only specific parts and derivatives are included. The symbol “#” followed by a number placed against the name of a species or higher taxon included in Column II or III refers to a footnote that indicates the parts or derivatives of plants that are designated as ‘specimens’ subject to the provisions of the Convention in accordance with Article I, paragraph (b), subparagraph (iii).

8. The terms and expressions below, used in annotations in these Columns, are defined as follows -

- (a) “extract” means any substance obtained directly from plant material by physical or chemical means regardless of the manufacturing process. An extract may be solid (e.g. crystals, resin, fine or coarse particles), semisolid (e.g. gums, waxes) or liquid (e.g. solutions, tinctures, oil and essential oils);
 - (b) “finished products packaged and ready for retail trade” means products, shipped singly or in bulk, requiring no further processing, packaged, labelled for final use or the retail trade in a state fit for being sold to or used by the general public;
 - (c) “powder” means a dry, solid substance in the form of fine or coarse particles; and
 - (d) “woodchips” means wood that has been reduced to small pieces; and
- (b) by deleting Part 1 of the Schedule and substituting the following -

“PART I

	Columns	
I	II	III
<p style="text-align: center;">F A U N A (ANIMALS)</p> <p style="text-align: center;">P H Y L U M C H O R D A T A</p> <p style="text-align: center;">CLASS MAMMALIA (MAMMALS)</p>		
ARTIODACTYLA		
Antilocapridae Pronghorn		
<i>Antilocapra americana</i> (Only the population of Mexico; no other population is included in the Columns)		
Bovidae Antelopes, cattle, duikers, gazelles, goats, sheep, etc.		
<i>Addax nasomaculatus</i>		
	<i>Ammotragus lervia</i>	
		<i>Antilope cervicapra</i>

		(Nepal, Pakistan)
	<i>Bison bison athabasca</i>	
<i>Bos gaurus</i> (Excludes the domesticated form, which is referenced as <i>Bos frontalis</i> , and is not subject to the provisions of the Convention)		
<i>Bos mutus</i> (Excludes the domesticated form, which is referenced as <i>Bos grunniens</i> , and is not subject to the provisions of the Convention)		
<i>Bos sauveli</i>		
		<i>Boselaphus tragocamelus</i> (Pakistan)
		<i>Bubalus arnee</i> (Nepal)

		(Excludes the domesticated form, which is referenced as <i>Bubalus bubalis</i>)
<i>Bubalus depressicornis</i>		
<i>Bubalus mindorensis</i>		
<i>Bubalus quarlesi</i>		
	<i>Budorcas taxicolor</i>	
<i>Capra falconeri</i>		
		<i>Capra hircus aegagrus</i> (Pakistan) (Specimens of the domesticated form are not subject to the provisions of the Convention)
		<i>Capra sibirica</i>

		(Pakistan)
<i>Capricornis milneedwardsii</i>		
<i>Capricornis rubidus</i>		
<i>Capricornis sumatraensis</i>		
<i>Capricornis thar</i>		
	<i>Cephalophus brookei</i>	
	<i>Cephalophus dorsalis</i>	
<i>Cephalophus jentinki</i>		
	<i>Cephalophus ogilbyi</i>	
	<i>Cephalophus silvicultor</i>	
	<i>Cephalophus zebra</i>	
	<i>Damaliscus pygargus pygargus</i>	
		<i>Gazella bennettii</i>

		(Pakistan)
<i>Gazella cuvieri</i>		
		<i>Gazella dorcas</i> (Algeria, Tunisia)
<i>Gazella leptoceros</i>		
<i>Hippotragus niger variani</i>		
	<i>Kobus leche</i>	
<i>Naemorhedus baileyi</i>		
<i>Naemorhedus caudatus</i>		
<i>Naemorhedus goral</i>		
<i>Naemorhedus griseus</i>		
<i>Nanger dama</i>		
<i>Oryx dammah</i>		
<i>Oryx leucoryx</i>		

	<i>Ovis ammon</i> (Except the subspecies included in Column I)	
<i>Ovis ammon hodgsonii</i>		
<i>Ovis ammon nigrimontana</i>		
	<i>Ovis canadensis</i> (Only the population of Mexico; no other population is included in the Columns)	
<i>Ovis orientalis ophion</i>		
	<i>Ovis vignei</i> (Except the subspecies included in Column I)	
<i>Ovis vignei vignei</i>		
<i>Pantholops hodgsonii</i>		
	<i>Philantomba monticola</i>	
		<i>Pseudois nayaur</i>

		(Pakistan)
<i>Pseudoryx nghetinhensis</i>		
	<i>Rupicapra pyrenaica ornata</i>	
	<i>Saiga borealis</i>	
	<i>Saiga tatarica</i>	
		<i>Tetracerus quadricornis</i> (Nepal)
Camelidae Guanaco, vicuna		
	<i>Lama guanicoe</i>	
<i>Vicugna vicugna</i> [Except the populations of: Argentina (the populations of the Provinces of Jujuy and Catamarca and the semi-captive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan), Chile		

(population of the Primera Region), Ecuador (the whole population), Peru (the whole population) and the Plurinational State of Bolivia (the whole population), which are included in Column II]		
	<i>Vicugna vicugna</i> [Only the populations of Argentina ¹ (the populations of the Provinces of Jujuy and Catamarca and the semi-captive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan), Chile ² (population of the Primera Región), Ecuador ³ (the whole population), Peru ⁴ (the whole population); and the Plurinational State of Bolivia ⁵ (the whole population); all other populations are included	

	in Column I]	
Cervidae Deer, guemals, muntjacs, pudus		
<i>Axis calamianensis</i>		
<i>Axis kuhlii</i>		
		<i>Axis porcinus</i> (except the subspecies included in Column I) (Pakistan)
<i>Axis porcinus annamiticus</i>		
<i>Blastocerus dichotomus</i>		
	<i>Cervus elaphus bactrianus</i>	
		<i>Cervus elaphus barbarus</i> (Algeria, Tunisia)

<i>Cervus elaphus hanglu</i>		
<i>Dama dama mesopotamica</i>		
<i>Hippocamelus</i> spp.		
		<i>Mazama temama cerasina</i> (Guatemala)
<i>Muntiacus crinifrons</i>		
<i>Muntiacus vuquangensis</i>		
		<i>Odocoileus virginianus mayensis</i> (Guatemala)
<i>Ozotoceros bezoarticus</i>		
	<i>Pudu mephistophiles</i>	
<i>Pudu puda</i>		

<i>Rucervus duvaucelii</i>		
<i>Rucervus eldii</i>		
Hippopotamidae Hippopotamuses		
	<i>Hexaprotodon liberiensis</i>	
	<i>Hippopotamus amphibius</i>	
Moschidae Musk deer		
<i>Moschus spp.</i> (Only the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan; all other populations are included in Column II)		
	<i>Moschus spp.</i> (Except the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan, which are included in Column I)	

Suidae Babirusa, pygmy hog		
<i>Babyrousa babyrussa</i>		
<i>Babyrousa bolabatuensis</i>		
<i>Babyrousa celebensis</i>		
<i>Babyrousa togeanensis</i>		
<i>Sus salvanius</i>		
Tayassuidae Peccaries		
	Tayassuidae spp. (Except the species included in Column I and the populations of <i>Pecari tajacu</i> of Mexico and the United States of America, which are not included in the Columns)	
<i>Catagonus wagneri</i>		
CARNIVORA		

Ailuridae Red panda		
<i>Ailurus fulgens</i>		
Canidae Bush dog, foxes, wolves		
		<i>Canis aureus</i> (India)
<i>Canis lupus</i> (Only the populations of Bhutan, India, Nepal and Pakistan; all other populations are included in Column II. Excludes the domesticated form and the dingo which are referenced as <i>Canis lupus familiaris</i> and <i>Canis lupus dingo</i> .)		
	<i>Canis lupus</i> (Except the populations of Bhutan, India, Nepal and Pakistan, which are included in Column I. Excludes the	

	domesticated form and the dingo which are referenced as <i>Canis lupus familiaris</i> and <i>Canis lupus dingo</i> .)	
	<i>Cerdocyon thous</i>	
	<i>Chrysocyon brachyurus</i>	
	<i>Cuon alpinus</i>	
	<i>Lycalopex culpaeus</i>	
	<i>Lycalopex fulvipes</i>	
	<i>Lycalopex griseus</i>	
	<i>Lycalopex gymnocercus</i>	
<i>Speothos venaticus</i>		
		<i>Vulpes bengalensis</i> (India)
	<i>Vulpes cana</i>	
		<i>Vulpes vulpes griffithi</i> (India)

		<i>Vulpes vulpes montana</i> (India)
		<i>Vulpes vulpes pusilla</i> (India)
	<i>Vulpes zerda</i>	
Eupleridae Fossa, falanouc, Malagasy civet		
	<i>Cryptoprocta ferox</i>	
	<i>Eupleres goudotii</i>	
	<i>Fossa fossana</i>	
Felidae Cats		
	Felidae spp. (Except the species included in Column I. Specimens of the domesticated form are not subject to the provisions of the Convention)	
<i>Acinonyx jubatus</i> (Annual export quotas for live specimens and hunting trophies)		

are granted as follows: Botswana: 5; Namibia: 150; Zimbabwe: 50. The trade in such specimens is subject to the provisions of Article III of the Convention)		
<i>Caracal caracal</i> (Only the population of Asia; all other populations are included in Column II)		
<i>Catopuma temminckii</i>		
<i>Felis nigripes</i>		
<i>Leopardus geoffroyi</i>		
<i>Leopardus jacobitus</i>		
<i>Leopardus</i>		

<i>pardalis</i>		
<i>Leopardus tigrinus</i>		
<i>Leopardus wiedii</i>		
<i>Lynx pardinus</i>		
<i>Neofelis nebulosa</i>		
<i>Panthera leo persica</i>		
<i>Panthera onca</i>		
<i>Panthera pardus</i>		
<i>Panthera tigris</i>		
<i>Pardofelis marmorata</i>		
<i>Prionailurus bengalensis bengalensis</i> (Only the populations of Bangladesh, India and Thailand; all other populations are included in Column II)		

<i>Prionailurus planiceps</i>		
<i>Prionailurus rubiginosus</i> (Only the population of India; all other populations are included in Column II)		
<i>Puma concolor coryi</i>		
<i>Puma concolor costaricensis</i>		
<i>Puma concolor couguar</i>		
<i>Puma yagouaroundi</i> (Only the populations of Central and North America; all other populations are included in Column II)		
<i>Uncia uncia</i>		

Herpestidae Mongooses		
		<i>Herpestes edwardsi</i> (India, Pakistan)
		<i>Herpestes fuscus</i> (India)
		<i>Herpestes javanicus</i> (Pakistan)
		<i>Herpestes javanicus auropunctatus</i> (India)
		<i>Herpestes smithii</i> (India)
		<i>Herpestes urva</i> (India)
		<i>Herpestes vitticollis</i> (India)
Hyaenidae Aardwolf, hyaenas		
		<i>Hyaena</i>

		<i>hyaena</i> (Pakistan)
		<i>Proteles cristata</i> (Botswana)
Mephitidae Hog-nosed skunk		
	<i>Conepatus humboldtii</i>	
Mustelidae Badgers, martens, weasels, etc.		
Lutrinae Otters		
	Lutrinae spp. (Except the species included in Column I)	
<i>Aonyx capensis microdon</i> (Only the populations of Cameroon and Nigeria; all other populations are included in Column II)		
<i>Enhydra lutris nereis</i>		
<i>Lontra felina</i>		

<i>Lontra longicaudis</i>		
<i>Lontra provocax</i>		
<i>Lutra lutra</i>		
<i>Lutra nippon</i>		
<i>Pteronura brasiliensis</i>		
Mustelinae Grisons, honey badger, martens, tayra, weasels		
		<i>Eira barbara</i> (Honduras)
		<i>Galictis vittata</i> (Costa Rica)
		<i>Martes flavigula</i> (India)
		<i>Martes foina intermedia</i> (India)
		<i>Martes gwatkinsii</i> (India)

		<i>Mellivora capensis</i> (Botswana)
		<i>Mustela altaica</i> (India)
		<i>Mustela erminea ferghanae</i> (India)
		<i>Mustela kathiah</i> (India)
<i>Mustela nigripes</i>		
		<i>Mustela sibirica</i> (India)
Odobenidae Walrus		
		<i>Odobenus rosmarus</i> (Canada)
Otariidae Fur seals, sealions		
	<i>Arctocephalus spp.</i> (Except the species included in Column I)	

<i>Arctocephalus townsendi</i>		
Phocidae Seals		
	<i>Mirounga leonina</i>	
<i>Monachus spp.</i>		
Procyonidae Coatis, kinkajou, olingos		
		<i>Bassaricyon gabbii</i> (Costa Rica)
		<i>Bassariscus sumichrasti</i> (Costa Rica)
		<i>Nasua narica</i> (Honduras)
		<i>Nasua nasua solitaria</i> (Uruguay)
		<i>Potos flavus</i> (Honduras)
Ursidae Bears, giant panda		
	Ursidae spp. (Except the	

	species included in Column I)	
<i>Ailuropoda melanoleuca</i>		
<i>Helarctos malayanus</i>		
<i>Melursus ursinus</i>		
<i>Tremarctos ornatus</i>		
<i>Ursus arctos</i> (Only the populations of Bhutan, China, Mexico and Mongolia; all other populations are included in Column II)		
<i>Ursus arctos isabellinus</i>		
<i>Ursus thibetanus</i>		
Viverridae Binturong, civets, linsangs, otter-civet, palm civets		
		<i>Arctictis binturong</i>

		(India)
		<i>Civettictis civetta</i> (Botswana)
	<i>Cynogale bennettii</i>	
	<i>Hemigalus derbyanus</i>	
		<i>Paguma larvata</i> (India)
		<i>Paradoxurus hermaphroditus</i> (India)
		<i>Paradoxurus jerdoni</i> (India)
	<i>Prionodon linsang</i>	
<i>Prionodon pardicolor</i>		
		<i>Viverra civettina</i> (India)
		<i>Viverra zibetha</i> (India)

		<i>Viverricula indica</i> (India)
CETACEA Dolphins, porpoises, whales		
	CETACEA spp. (Except the species included in Column I. A zero annual export quota has been established for live specimens from the Black Sea population of <i>Tursiops truncatus</i> removed from the wild and traded for primarily commercial purposes)	
Balaenidae Bowhead whale, right whales		
<i>Balaena mysticetus</i>		
<i>Eubalaena</i> spp.		
Balaenopteridae Humpback whale, rorquals		
<i>Balaenoptera acutorostrata</i> (Except the population of West Greenland, which is included in		

Column II)		
<i>Balaenoptera bonaerensis</i>		
<i>Balaenoptera borealis</i>		
<i>Balaenoptera edeni</i>		
<i>Balaenoptera musculus</i>		
<i>Balaenoptera omurai</i>		
<i>Balaenoptera physalus</i>		
<i>Megaptera novaeangliae</i>		
Delphinidae Dolphins		
<i>Orcaella brevirostris</i>		
<i>Orcaella heinsohni</i>		
<i>Sotalia spp.</i>		

<i>Sousa</i> spp.		
Eschrichtiidae Grey whale		
<i>Eschrichtius robustus</i>		
Iniidae River dolphins		
<i>Lipotes vexillifer</i>		
Neobalaenidae Pygmy right whale		
<i>Caperea marginata</i>		
Phocoenidae Porpoises		
<i>Neophocaena phocaenoides</i>		
<i>Phocoena sinus</i>		
Physeteridae Sperm whales		
<i>Physeter macrocephalus</i>		
Platanistidae River dolphins		
<i>Platanista</i> spp.		

Ziphiidae Beaked whales, bottle-nosed whales		
<i>Berardius</i> spp.		
<i>Hyperoodon</i> spp.		
CHIROPTERA		
Phyllostomidae Broad-nosed bat		
		<i>Platyrrhinus lineatus</i> (Uruguay)
Pteropodidae Fruit bats, flying foxes		
	<i>Acerodon</i> spp. (Except the species included in Column I)	
<i>Acerodon jubatus</i>		
	<i>Pteropus</i> spp. (Except <i>Pteropus brunneus</i> and the species included in Column I)	
<i>Pteropus insularis</i>		
<i>Pteropus loochoensis</i>		

<i>Pteropus mariannus</i>		
<i>Pteropus molossinus</i>		
<i>Pteropus pelewensis</i>		
<i>Pteropus pilosus</i>		
<i>Pteropus samoensis</i>		
<i>Pteropus tonganus</i>		
<i>Pteropus ualanus</i>		
<i>Pteropus yapensis</i>		
CINGULATA		
Dasypodidae Armadillos		
		<i>Cabassous centralis</i> (Costa Rica)
		<i>Cabassous tatouay</i> (Uruguay)

	<i>Chaetophractus nationi</i> (A zero annual export quota has been established. All specimens shall be deemed to be specimens of species included in Column I and the trade in them shall be regulated accordingly)	
<i>Priodontes maximus</i>		
DASYUROMORPHIA		
Dasyuridae Dunnarts		
<i>Sminthopsis longicaudata</i>		
<i>Sminthopsis psammophila</i>		
DIPROTODONTIA		
Macropodidae Kangaroos, wallabies		
	<i>Dendrolagus inustus</i>	
	<i>Dendrolagus ursinus</i>	

<i>Lagorchestes hirsutus</i>		
<i>Lagostrophus fasciatus</i>		
<i>Onychogalea fraenata</i>		
Phalangeridae Cuscuses		
	<i>Phalanger intercastellanus</i>	
	<i>Phalanger mimicus</i>	
	<i>Phalanger orientalis</i>	
	<i>Spilocuscus kraemeri</i>	
	<i>Spilocuscus maculatus</i>	
	<i>Spilocuscus papuensis</i>	
Potoroidae Rat-kangaroos		
<i>Bettongia spp.</i>		
Vombatidae Northern hairy-nosed wombat		
<i>Lasiiorhinus</i>		

<i>krefftii</i>		
LAGOMORPHA		
Leporidae Hispid hare, volcano rabbit		
<i>Caprolagus hispidus</i>		
<i>Romerolagus diazi</i>		
MONOTREMATA		
Tachyglossidae Echidnas, spiny anteaters		
	<i>Zaglossus spp.</i>	
PERAMELEMORPHIA		
Peramelidae Bandicoots, echymiperas		
<i>Perameles bougainville</i>		
Thylacomyidae Bilbies		
<i>Macrotis lagotis</i>		
PERISSODACTYLA		
Equidae Horses, wild asses, zebras		

<i>Equus africanus</i> (Excludes the domesticated form, which is referenced as <i>Equus asinus</i> , and is not subject to the provisions of the Convention)		
<i>Equus grevyi</i>		
	<i>Equus hemionus</i> (Except the subspecies included in Column I)	
<i>Equus hemionus hemionus</i>		
<i>Equus hemionus khur</i>		
	<i>Equus kiang</i>	
<i>Equus przewalskii</i>		
	<i>Equus zebra hartmannae</i>	
<i>Equus zebra zebra</i>		
Rhinocerotidae Rhinoceroses		

Rhinocerotidae spp. (Except the subspecies included in Column II)		
	<i>Ceratotherium simum simum</i> (Only the populations of South Africa and Swaziland; all other populations are included in Column I. For the exclusive purpose of allowing international trade in live animals to appropriate and acceptable destinations and hunting trophies. All other specimens shall be deemed to be specimens of species included in Column I and the trade in them shall be regulated accordingly)	
Tapiridae Tapirs		
Tapiridae spp. (Except the species included in Column II)		

	<i>Tapirus terrestris</i>	
PHOLIDOTA		
Manidae Pangolins		
	<i>Manis spp.</i> (A zero annual export quota has been established for <i>Manis crassicaudata</i> , <i>M. culionensis</i> , <i>M. javanica</i> and <i>M. pentadactyla</i> for specimens removed from the wild and traded for primarily commercial purposes)	
PILOSA		
Bradypodidae Three-toed sloth		
	<i>Bradypus pygmaeus</i>	
	<i>Bradypus variegatus</i>	
Megalonychidae Two-toed sloth		
		<i>Choloepus hoffmanni</i> (Costa Rica)

Myrmecophagidae American anteaters		
	<i>Myrmecophaga tridactyla</i>	
		<i>Tamandua mexicana</i> (Guatemala)
PRIMATES Apes, monkeys		
	PRIMATES spp. (Except the species included in Column I)	
Atelidae Howler and prehensile-tailed monkeys		
<i>Alouatta coibensis</i>		
<i>Alouatta palliata</i>		
<i>Alouatta pigra</i>		
<i>Ateles geoffroyi frontatus</i>		
<i>Ateles geoffroyi panamensis</i>		
<i>Brachyteles arachnoides</i>		

<i>Brachyteles hypoxanthus</i>		
<i>Oreonax flavicauda</i>		
Cebidae New World monkeys		
<i>Callimico goeldii</i>		
<i>Callithrix aurita</i>		
<i>Callithrix flaviceps</i>		
<i>Leontopithecus spp.</i>		
<i>Saguinus bicolor</i>		
<i>Saguinus geoffroyi</i>		
<i>Saguinus leucopus</i>		
<i>Saguinus martinsi</i>		
<i>Saguinus oedipus</i>		
<i>Saimiri oerstedii</i>		

Cercopithecidae Old World monkeys		
<i>Cercocebus galeritus</i>		
<i>Cercopithecus diana</i>		
<i>Cercopithecus roloway</i>		
<i>Macaca silenus</i>		
<i>Mandrillus leucophaeus</i>		
<i>Mandrillus sphinx</i>		
<i>Nasalis larvatus</i>		
<i>Ptilocolobus kirkii</i>		
<i>Ptilocolobus rufomitratus</i>		
<i>Presbytis potenziani</i>		
<i>Pygathrix spp.</i>		
<i>Rhinopithecus spp.</i>		

<i>Semnopithecus ajax</i>		
<i>Semnopithecus dussumieri</i>		
<i>Semnopithecus entellus</i>		
<i>Semnopithecus hector</i>		
<i>Semnopithecus hypoleucos</i>		
<i>Semnopithecus priam</i>		
<i>Semnopithecus schistaceus</i>		
<i>Simias concolor</i>		
<i>Trachypithecus geei</i>		
<i>Trachypithecus pileatus</i>		
<i>Trachypithecus shortridgei</i>		

Cheirogaleidae Dwarf lemurs		
Cheirogaleidae spp.		
Daubentoniidae Aye-aye		
<i>Daubentonia madagascariensis</i>		
Hominidae Chimpanzees, gorilla, orang-utan		
<i>Gorilla beringei</i>		
<i>Gorilla gorilla</i>		
<i>Pan spp.</i>		
<i>Pongo abelii</i>		
<i>Pongo pygmaeus</i>		
Hylobatidae Gibbons		
Hylobatidae spp.		
Indriidae Avahi, indris, sifakas, woolly lemurs		
Indriidae spp.		
Lemuridae Large lemurs		

Lemuridae spp.		
Lepilemuridae Sportive lemurs		
Lepilemuridae spp.		
Lorisidae Lorises		
Nycticebus spp.		
Pitheciidae Sakis and uakaris		
Cacajao spp.		
Chiropotes albinasus		
PROBOSCIDEA		
Elephantidae Elephants		
Elephas maximus		
Loxodonta africana (Except the populations of Botswana, Namibia, South Africa and Zimbabwe, which are included in		

Column II)		
	<i>Loxodonta africana</i> ⁶ (Only the populations of Botswana, Namibia, South Africa and Zimbabwe; all other populations are included in Column I)	
RODENTIA		
Chinchillidae Chinchillas		
<i>Chinchilla</i> spp. (Specimens of the domesticated form are not subject to the provisions of the Convention)		
Cuniculidae Paca		
		<i>Cuniculus paca</i> (Honduras)
Dasyproctidae Agouti		
		<i>Dasyprocta punctata</i> (Honduras)

Erethizontidae New World porcupines		
		<i>Sphiggurus mexicanus</i> (Honduras)
		<i>Sphiggurus spinosus</i> (Uruguay)
Muridae Mice, rats		
<i>Leporillus conditor</i>		
<i>Pseudomys fieldi praeconis</i>		
<i>Xeromys myoides</i>		
<i>Zyzomys pedunculatus</i>		
Sciuridae Ground squirrels, tree squirrels		
<i>Cynomys mexicanus</i>		
		<i>Marmota caudata</i> (India)

		<i>Marmota himalayana</i> (India)
	<i>Ratufa spp.</i>	
		<i>Sciurus deppei</i> (Costa Rica)
SCANDENTIA Tree shrews		
	SCANDENTIA spp.	
SIRENIA		
Dugongidae Dugong		
<i>Dugong dugon</i>		
Trichechidae Manatees		
<i>Trichechus inunguis</i>		
<i>Trichechus manatus</i>		
<i>Trichechus senegalensis</i>		
CLASS AVES		

(BIRDS)		
ANSERIFORMES		
Anatidae Ducks, geese, swans, etc.		
<i>Anas aucklandica</i>		
	<i>Anas bernieri</i>	
<i>Anas chlorotis</i>		
	<i>Anas formosa</i>	
<i>Anas laysanensis</i>		
<i>Anas nesiotis</i>		
<i>Asarcornis scutulata</i>		
<i>Branta canadensis leucopareia</i>		
	<i>Branta ruficollis</i>	
<i>Branta sandvicensis</i>		
		<i>Cairina moschata</i>

		(Honduras)
	<i>Coscoroba coscoroba</i>	
	<i>Cygnus melancoryphus</i>	
	<i>Dendrocygna arborea</i>	
		<i>Dendrocygna autumnalis</i> (Honduras)
		<i>Dendrocygna bicolor</i> (Honduras)
	<i>Oxyura leucocephala</i>	
<i>Rhodonessa caryophyllacea</i> (Possibly extinct)		
	<i>Sarkidiornis melanotos</i>	
APODIFORMES		
Trochilidae Hummingbirds		
	Trochilidae spp. (Except the species included in Column I)	

<i>Glaucis dohrnii</i>		
CHARADRIIFORMES		
Burhinidae Thick-knee		
		<i>Burhinus bistriatus</i> (Guatemala)
Laridae Gull		
<i>Larus relictus</i>		
Scolopacidae Curlews, greenshanks		
<i>Numenius borealis</i>		
<i>Numenius tenuirostris</i>		
<i>Tringa guttifer</i>		
CICONIIFORMES		
Balaenicipitidae Shoebill, whale-headed stork		
	<i>Balaeniceps rex</i>	
Ciconiidae Storks		

<i>Ciconia boyciana</i>		
	<i>Ciconia nigra</i>	
<i>Jabiru mycteria</i>		
<i>Mycteria cinerea</i>		
Phoenicopteridae Flamingos		
	Phoenicopteridae spp.	
Threskiornithidae Ibises, spoonbills		
	<i>Eudocimus ruber</i>	
	<i>Geronticus calvus</i>	
<i>Geronticus eremita</i>		
<i>Nipponia nippon</i>		
	<i>Platalea leucorodia</i>	
COLUMBIFORMES		
Columbidae Doves, pigeons		
<i>Caloenas nicobarica</i>		

<i>Ducula mindorensis</i>		
	<i>Gallicolumba luzonica</i>	
	<i>Goura</i> spp.	
		<i>Nesoenas mayeri</i> (Mauritius)
CORACIIFORMES		
Bucerotidae Hornbills		
	<i>Aceros</i> spp. (Except the species included in Column I)	
<i>Aceros nipalensis</i>		
	<i>Anorrhinus</i> spp.	
	<i>Anthracoceros</i> spp.	
	<i>Berenicornis</i> spp.	
	<i>Buceros</i> spp. (Except the species included in Column I)	

<i>Buceros bicornis</i>		
	<i>Penelopides spp.</i>	
<i>Rhinoplax vigil</i>		
	<i>Rhyticeros spp.</i> (Except the species included in Column I)	
<i>Rhyticeros subruficollis</i>		
CUCULIFORMES		
Musophagidae Turacos		
	<i>Tauraco spp.</i>	
FALCONIFORMES Eagles, falcons, hawks, vultures		
	FALCONIFORMES spp. (Except <i>Caracara lutosa</i> and the species of the family Cathartidae, which are not included in the Columns; and the species included in Columns I and III)	
Accipitridae Hawks, eagles		

<i>Aquila adalberti</i>		
<i>Aquila heliaca</i>		
<i>Chondrohierax uncinatus wilsonii</i>		
<i>Haliaeetus albicilla</i>		
<i>Harpia harpyja</i>		
<i>Pithecophaga jefferyi</i>		
Cathartidae New World vultures		
<i>Gymnogyps californianus</i>		
		<i>Sarcoramphus papa</i> (Honduras)
<i>Vultur gryphus</i>		
Falconidae Falcons		
<i>Falco araeus</i>		

<i>Falco jugger</i>		
<i>Falco newtoni</i> (Only the population of Seychelles)		
<i>Falco pelegrinoides</i>		
<i>Falco peregrinus</i>		
<i>Falco punctatus</i>		
<i>Falco rusticolus</i>		
GALLIFORMES		
Cracidae Chachalacas, curassows, guans		
		<i>Crax alberti</i> (Colombia)
<i>Crax blumenbachii</i>		
		<i>Crax daubentoni</i> (Colombia)
		<i>Crax globulosa</i>

		(Colombia)
		<i>Crax rubra</i> (Colombia, Costa Rica, Guatemala, Honduras)
<i>Mitu mitu</i>		
<i>Oreophasis derbianus</i>		
		<i>Ortalis vetula</i> (Guatemala, Honduras)
		<i>Pauxi pauxi</i> (Colombia)
<i>Penelope albipennis</i>		
		<i>Penelope purpurascens</i> (Honduras)
		<i>Penelopina nigra</i> (Guatemala)
<i>Pipile jacutinga</i>		

<i>Pipile pipile</i>		
Megapodiidae Megapodes, scrubfowl		
<i>Macrocephalon maleo</i>		
Phasianidae Grouse, guineafowl, partridges, pheasants, tragopans		
	<i>Argusianus argus</i>	
<i>Catreus wallichii</i>		
<i>Colinus virginianus ridgwayi</i>		
<i>Crossoptilon crossoptilon</i>		
<i>Crossoptilon mantchuricum</i>		
	<i>Gallus sonneratii</i>	
	<i>Ithaginis cruentus</i>	
<i>Lophophorus impejanus</i>		
<i>Lophophorus</i>		

<i>lhuysii</i>		
<i>Lophophorus sclateri</i>		
<i>Lophura edwardsi</i>		
		<i>Lophura leucomelanos</i> (Pakistan)
<i>Lophura swinhoii</i>		
		<i>Meleagris ocellata</i> (Guatemala)
		<i>Pavo cristatus</i> (Pakistan)
	<i>Pavo muticus</i>	
	<i>Polyplectron bicalcaratum</i>	
	<i>Polyplectron germaini</i>	
	<i>Polyplectron malacense</i>	
<i>Polyplectron napoleonis</i>		

	<i>Polyplectron schleiermacheri</i>	
		<i>Pucrasia macrolopha</i> (Pakistan)
<i>Rheinardia ocellata</i>		
<i>Syrmaticus elliotti</i>		
<i>Syrmaticus humiae</i>		
<i>Syrmaticus mikado</i>		
<i>Tetraogallus caspius</i>		
<i>Tetraogallus tibetanus</i>		
<i>Tragopan blythii</i>		
<i>Tragopan caboti</i>		
<i>Tragopan melanocephalus</i>		
		<i>Tragopan</i>

		<i>satyra</i> (Nepal)
	<i>Tympanuchus cupido attwateri</i>	
GRUIFORMES		
Gruidae Cranes		
	Gruidae spp. (Except the species included in Column I)	
<i>Grus americana</i>		
<i>Grus canadensis nesiotus</i>		
<i>Grus canadensis pulla</i>		
<i>Grus japonensis</i>		
<i>Grus leucogeranus</i>		
<i>Grus monacha</i>		
<i>Grus nigricollis</i>		
<i>Grus vipio</i>		

Otididae Bustards		
	Otididae spp. (Except the species included in Column I)	
<i>Ardeotis nigriceps</i>		
<i>Chlamydotis macqueenii</i>		
<i>Chlamydotis undulata</i>		
<i>Houbaropsis bengalensis</i>		
Rallidae Rail		
<i>Gallirallus sylvestris</i>		
Rhynochetidae Kagu		
<i>Rhynochetos jubatus</i>		
PASSERIFORMES		
Atrichornithidae Scrub-bird		
<i>Atrichornis</i>		

<i>clamosus</i>		
Cotingidae Cotingas		
		<i>Cephalopterus ornatus</i> (Colombia)
		<i>Cephalopterus penduliger</i> (Colombia)
<i>Cotinga maculata</i>		
	<i>Rupicola spp.</i>	
<i>Xipholena atropurpurea</i>		
Emberizidae Cardinals, tanagers		
	<i>Gubernatrix cristata</i>	
	<i>Paroaria capitata</i>	
	<i>Paroaria coronata</i>	
	<i>Tangara fastuosa</i>	
Estrildidae Mannikins, waxbills		

	<i>Amandava formosa</i>	
	<i>Lonchura oryzivora</i>	
	<i>Poephila cincta cincta</i>	
Fringillidae Finches		
<i>Carduelis cucullata</i>		
	<i>Carduelis yarrellii</i>	
Hirundinidae Martin		
<i>Pseudochelidon sirintarae</i>		
Icteridae Blackbird		
<i>Xanthopsar flavus</i>		
Meliphagidae Honeyeater		
<i>Lichenostomus melanops cassidix</i>		
Muscicapidae Old World flycatchers		
		<i>Acrocephalus rodericanus</i>

		(Mauritius)
	<i>Cyornis ruckii</i>	
<i>Dasyornis broadbenti</i> <i>litoralis</i> (Possibly extinct)		
<i>Dasyornis longirostris</i>		
	<i>Garrulax canorus</i>	
	<i>Garrulax taewanus</i>	
	<i>Leiothrix argentea</i>	
	<i>Leiothrix lutea</i>	
	<i>Liocichla omeiensis</i>	
<i>Picathartes gymnocephalus</i>		
<i>Picathartes oreas</i>		
		<i>Terpsiphone bourbonensis</i> (Mauritius)

Paradisaeidae Birds of paradise		
	Paradisaeidae spp.	
Pittidae Pittas		
	<i>Pitta guajana</i>	
<i>Pitta gurneyi</i>		
<i>Pitta kochi</i>		
	<i>Pitta nympha</i>	
Pycnonotidae Bulbul		
	<i>Pycnonotus zeylanicus</i>	
Sturnidae Mynahs (Starlings)		
	<i>Gracula religiosa</i>	
<i>Leucopsar rothschildi</i>		
Zosteropidae White-eye		
<i>Zosterops albogularis</i>		
PELECANIFORMES		

Fregatidae Frigatebird		
<i>Fregata andrewsi</i>		
Pelecanidae Pelican		
<i>Pelecanus crispus</i>		
Sulidae Booby		
<i>Papasula abbotti</i>		
PICIFORMES		
Capitonidae Barbet		
		<i>Semnornis ramphastinus</i> (Colombia)
Picidae Woodpeckers		
<i>Dryocopus javensis richardsi</i>		
Ramphastidae Toucans		
		<i>Bailloni</i> <i>bailloni</i> (Argentina)

	<i>Pteroglossus aracari</i>	
		<i>Pteroglossus castanotis</i> (Argentina)
	<i>Pteroglossus viridis</i>	
		<i>Ramphastos dicolorus</i> (Argentina)
	<i>Ramphastos sulfuratus</i>	
	<i>Ramphastos toco</i>	
	<i>Ramphastos tucanus</i>	
	<i>Ramphastos vitellinus</i>	
		<i>Selenidera maculirostris</i> (Argentina)
PODICIPEDIFORMES		
Podicipedidae Grebe		
<i>Podilymbus gigas</i>		
PROCELLARIIFORMES		

Diomedidae Albatross		
<i>Phoebastria albatrus</i>		
PSITTACIFORMES		
	PSITTACIFORMES spp. (Except the species included in Column I and <i>Agapornis roseicollis</i> , <i>Melopsittacus undulatus</i> , <i>Nymphicus hollandicus</i> and <i>Psittacula krameri</i> , which are not included in the Columns)	
Cacatuidae Cockatoos		
<i>Cacatua goffiniana</i>		
<i>Cacatua haematuropygia</i>		
<i>Cacatua moluccensis</i>		
<i>Cacatua sulphurea</i>		

<i>Probosciger aterrimus</i>		
Loriidae Lories, lorikeets		
<i>Eos histrio</i>		
<i>Vini ultramarina</i>		
Psittacidae Amazons, macaws, parakeets, parrots		
<i>Amazona arausiaca</i>		
<i>Amazona auropalliata</i>		
<i>Amazona barbadensis</i>		
<i>Amazona brasiliensis</i>		
<i>Amazona finschi</i>		
<i>Amazona gouldingii</i>		
<i>Amazona imperialis</i>		
<i>Amazona</i>		

<i>leucocephala</i>		
<i>Amazona oratrix</i>		
<i>Amazona pretrei</i>		
<i>Amazona rhodocorytha</i>		
<i>Amazona tucumana</i>		
<i>Amazona versicolor</i>		
<i>Amazona vinacea</i>		
<i>Amazona viridigenalis</i>		
<i>Amazona vittata</i>		
<i>Anodorhynchus spp.</i>		
<i>Ara ambiguus</i>		
<i>Ara glaucogularis</i>		
<i>Ara macao</i>		

<i>Ara militaris</i>		
<i>Ara rubrogenys</i>		
<i>Cyanopsitta spixii</i>		
<i>Cyanoramphus cookii</i>		
<i>Cyanoramphus forbesi</i>		
<i>Cyanoramphus novaezelandiae</i>		
<i>Cyanoramphus saisseti</i>		
<i>Cyclopsitta diophthalma coxeni</i>		
<i>Eunymphicus cornutus</i>		
<i>Guarouba guarouba</i>		
<i>Neophema chrysogaster</i>		
<i>Ognorhynchus</i>		

<i>icterotis</i>		
<i>Pezoporus occidentalis</i> (Possibly extinct)		
<i>Pezoporus wallicus</i>		
<i>Pionopsitta pileata</i>		
<i>Primolius couloni</i>		
<i>Primolius maracana</i>		
<i>Psephotus chrysopterygius</i>		
<i>Psephotus dissimilis</i>		
<i>Psephotus pulcherrimus</i> (Possibly extinct)		
<i>Psittacula echo</i>		
<i>Pyrrhura cruentata</i>		
<i>Rhynchopsitta</i>		

spp.		
<i>Strigops habroptilus</i>		
RHEIFORMES		
Rheidae Rheas		
<i>Pterocnemia pennata</i> (Except <i>Pterocnemia pennata pennata</i> which is included in Column II)		
	<i>Pterocnemia pennata pennata</i>	
	<i>Rhea americana</i>	
SPHENISCIFORMES		
Spheniscidae Penguins		
	<i>Spheniscus demersus</i>	
<i>Spheniscus humboldti</i>		
STRIGIFORMES Owls		

	STRIGIFORMES spp. (Except <i>Sceloglaux albifacies</i> and the species included in Column I)	
Strigidae Owls		
<i>Heteroglaux blewitti</i>		
<i>Mimizuku gurneyi</i>		
<i>Ninox natalis</i>		
<i>Ninox novaeseelandiae undulata</i>		
Tytonidae Barn owls		
<i>Tyto soumagnei</i>		
STRUTHIONIFORMES		
Struthionidae Ostrich		
<i>Struthio camelus</i> (Only the populations of Algeria, Burkina Faso, Cameroon, the Central African		

Republic, Chad, Mali, Mauritania, Morocco, the Niger, Nigeria, Senegal and the Sudan; all other populations are not included in the Columns)		
TINAMIFORMES		
Tinamidae Tinamous		
<i>Tinamus solitarius</i>		
TROGONIFORMES		
Trogonidae Quetzals		
<i>Pharomachrus mocinno</i>		
CLASS REPTILIA (REPTILES)		
CROCODYLIA Alligators, caimans, crocodiles		
	CROCODYLIA spp. (Except the species included in Column I)	

Alligatoridae Alligators, caimans		
<i>Alligator sinensis</i>		
<i>Caiman crocodilus apaporiensis</i>		
<i>Caiman latirostris</i> (Except the population of Argentina, which is included in Column II)		
<i>Melanosuchus niger</i> (Except the population of Brazil, which is included in Column II, and the population of Ecuador, which is included in Column II and is subject to a zero annual export quota until an annual export quota has been approved by the CITES Secretariat and the IUCN/SSC)		

Crocodile Specialist Group)		
Crocodylidae Crocodiles		
<i>Crocodylus acutus</i> (Except the population of Cuba, which is included in Column II)		
<i>Crocodylus cataphractus</i>		
<i>Crocodylus intermedius</i>		
<i>Crocodylus mindorensis</i>		
<i>Crocodylus moreletii</i> [except the populations of Belize and Mexico which are included in Column II with a zero quota for wild specimens traded for commercial purposes]		

<p><i>Crocodylus niloticus</i> [Except the populations of Botswana, Egypt (subject to a zero quota for wild specimens traded for commercial purposes), Ethiopia, Kenya, Madagascar, Malawi, Mozambique, Namibia, South Africa, Uganda, the United Republic of Tanzania (subject to an annual export quota of no more than 1,600 wild specimens including hunting trophies, in addition to ranched specimens), Zambia and Zimbabwe, which are included in Column II]</p>		
<p><i>Crocodylus</i></p>		

<i>palustris</i>		
<i>Crocodylus porosus</i> (Except the populations of Australia, Indonesia and Papua New Guinea, which are included in Column II)		
<i>Crocodylus rhombifer</i>		
<i>Crocodylus siamensis</i>		
<i>Osteolaemus tetraspis</i>		
<i>Tomistoma schlegelii</i>		
Gavialidae Gavial		
<i>Gavialis gangeticus</i>		
RHYNCHOCEPHALIA		
Sphenodontidae Tuatara		

<i>Sphenodon</i> spp.		
SAURIA		
Agamidae Agamas, mastigures		
	<i>Saara</i> spp.	
	<i>Uromastyx</i> spp.	
Chamaeleonidae Chameleons		
	<i>Archaius</i> spp.	
	<i>Bradypodion</i> spp.	
	<i>Brookesia</i> spp. (Except the species included in Column I)	
<i>Brookesia perarmata</i>		
	<i>Calumma</i> spp.	
	<i>Chamaeleo</i> spp.	
	<i>Furcifer</i> spp.	
	<i>Kinyongia</i> spp.	

	<i>Nadzikambia</i> spp.	
	<i>Trioceros</i> spp.	
Cordylidae Spiny-tailed lizards		
	<i>Cordylus</i> spp.	
Gekkonidae Geckos		
		<i>Hoplodactylus</i> spp. (New Zealand)
	<i>Nactus serpensinsula</i>	
	<i>Naultinus</i> spp.	
	<i>Phelsuma</i> spp.	
	<i>Uroplatus</i> spp.	
Helodermatidae Beaded lizard, gila monster		
	<i>Heloderma</i> spp. (Except the subspecies included in Column I)	
<i>Heloderma horridum charlesbogerti</i>		

Iguanidae Iguanas		
	<i>Amblyrhynchus cristatus</i>	
<i>Brachylophus</i> spp.		
	<i>Conolophus</i> spp.	
	<i>Ctenosaura bakeri</i>	
	<i>Ctenosaura oedirhina</i>	
	<i>Ctenosaura melanosterna</i>	
	<i>Ctenosaura oedirhina</i>	
	<i>Ctenosaura palearis</i>	
<i>Cyclura</i> spp.		
	<i>Iguana</i> spp.	
	<i>Phrynosoma blainvillii</i>	
	<i>Phrynosoma cerroense</i>	
	<i>Phrynosoma coronatum</i>	
	<i>Phrynosoma wigginsi</i>	

<i>Sauromalus varius</i>		
Lacertidae Lizards		
<i>Gallotia simonyi</i>		
	<i>Podarcis lilfordi</i>	
	<i>Podarcis pityusensis</i>	
Scincidae Skinks		
	<i>Corucia zebrata</i>	
Teiidae Caiman lizards, tegu lizards		
	<i>Crocodylurus amazonicus</i>	
	<i>Dracaena</i> spp.	
	<i>Tupinambis</i> spp.	
Varanidae Monitor lizards		
	<i>Varanus</i> spp. (Except the species included in Column I)	
<i>Varanus</i>		

<i>bengalensis</i>		
<i>Varanus flavescens</i>		
<i>Varanus griseus</i>		
<i>Varanus komodoensis</i>		
<i>Varanus nebulosus</i>		
Xenosauridae Chinese crocodile lizard		
	<i>Shinisaurus crocodilurus</i>	
SERPENTES Snakes		
Boidae Boas		
	Boidae spp. (Except the species included in Column I)	
<i>Acrantophis spp.</i>		
<i>Boa constrictor occidentalis</i>		

<i>Epicrates inornatus</i>		
<i>Epicrates monensis</i>		
<i>Epicrates subflavus</i>		
<i>Sanzinia madagascariensis</i>		
Bolyeriidae Round Island boas		
	Bolyeriidae spp. (Except the species included in Column I)	
<i>Bolyeria multocarinata</i>		
<i>Casarea dussumieri</i>		
Colubridae Typical snakes, water snakes, whipsnakes		
		<i>Atretium schistosum</i> (India)
		<i>Cerberus rynchops</i>

		(India)
	<i>Clelia clelia</i>	
	<i>Cyclagras gigas</i>	
	<i>Elachistodon westermanni</i>	
	<i>Ptyas mucosus</i>	
		<i>Xenochrophis piscator</i> (India)
Elapidae Cobras, coral snakes		
	<i>Hoplocephalus bungaroides</i>	
		<i>Micrurus diastema</i> (Honduras)
		<i>Micrurus nigrocinctus</i> (Honduras)
	<i>Naja atra</i>	
	<i>Naja kaouthia</i>	

	<i>Naja mandalayensis</i>	
	<i>Naja naja</i>	
	<i>Naja oxiana</i>	
	<i>Naja philippinensis</i>	
	<i>Naja sagittifera</i>	
	<i>Naja samarensis</i>	
	<i>Naja siamensis</i>	
	<i>Naja sputatrix</i>	
	<i>Naja sumatrana</i>	
	<i>Ophiophagus hannah</i>	
Loxocemidae Mexican dwarf boa		
	Loxocemidae spp.	
Pythonidae Pythons		
	Pythonidae spp. (Except the subspecies included in Column I)	
<i>Python molurus</i>		

<i>molurus</i>		
Tropidophiidae Wood boas		
	Tropidophiidae spp.	
Viperidae Vipers		
		<i>Crotalus durissus</i> (Honduras)
		<i>Daboia russelii</i> (India)
	<i>Trimeresurus mangshanensis</i>	
<i>Vipera ursinii</i> (Only the population of Europe, except the area which formerly constituted the Union of Soviet Socialist Republics; these latter populations are not included in the Columns)		

	<i>Vipera wagneri</i>	
TESTUDINES		
Carettochelyidae Pig-nosed turtles		
	<i>Carettochelys insculpta</i>	
Chelidae Austro-American side-necked turtles		
	<i>Chelodina mccordi</i> (Zero export quota for specimens from the wild)	
<i>Pseudemydura umbrina</i>		
Cheloniidae Marine turtles		
Cheloniidae spp.		
Chelydridae Snapping turtles		
		<i>Macrochelys temminckii</i> (United States of America)
Dermatemydidae Central American river turtle		
	<i>Dermatemys mawii</i>	

Dermochelyidae Leatherback turtle		
<i>Dermochelys coriacea</i>		
Emydidae Box turtles, freshwater turtles		
	<i>Clemmys guttata</i>	
	<i>Emydoidea blandingii</i>	
	<i>Glyptemys insculpta</i>	
<i>Glyptemys muhlenbergii</i>		
		<i>Graptemys</i> spp. (United States of America)
	<i>Malaclemys terrapin</i>	
	<i>Terrapene</i> spp. (Except the species included in Column I)	
<i>Terrapene coahuila</i>		
Geoemydidae Box turtles, freshwater turtles		

<i>Batagur affinis</i>		
<i>Batagur baska</i>		
	<i>Batagur borneoensis</i> ⁷	
	<i>Batagur dhongoka</i>	
	<i>Batagur kachuga</i>	
	<i>Batagur trivittata</i> ⁷	
	Cuora spp. (Zero quota for wild specimens for commercial purposes for <i>Cuora aurocapitata</i> , <i>C. flavomarginata</i> , <i>C. galbinifrons</i> , <i>C. mccordi</i> , <i>C. mouhotii</i> , <i>C. pani</i> , <i>C. trifasciata</i> , <i>C. yunnanensis</i> and <i>C. zhoui</i>)	
	Cyclemys spp.	
<i>Geoclemys hamiltonii</i>		
	<i>Geoemyda japonica</i>	
	<i>Geoemyda spengleri</i>	

	<i>Hardella thurjii</i>	
	<i>Heosemys annandalii</i> ^z	
	<i>Heosemys depressa</i> ^z	
	<i>Heosemys grandis</i>	
	<i>Heosemys spinosa</i>	
	<i>Leucocephalon yuwonoi</i>	
	<i>Malayemys macrocephala</i>	
	<i>Malayemys subtrijuga</i>	
	<i>Mauremys annamensis</i> ^z	
		<i>Mauremys iversoni</i> (China)
	<i>Mauremys japonica</i>	
		<i>Mauremys megalcephala</i> (China)
	<i>Mauremys mutica</i>	

	<i>Mauremys nigricans</i>	
		<i>Mauremys pritchardi</i> (China)
		<i>Mauremys reevesii</i> (China)
		<i>Mauremys sinensis</i> (China)
<i>Melanochelys tricarinata</i>		
	<i>Melanochelys trijuga</i>	
<i>Morenia ocellata</i>		
	<i>Morenia petersi</i>	
	<i>Notochelys platynota</i>	
		<i>Ocadia glyphistoma</i> (China)
		<i>Ocadia philippeni</i> (China)

	<i>Orlitia borneensis</i> ⁷	
	<i>Pangshura</i> spp. (Except the species included in Column I)	
<i>Pangshura tecta</i>		
	<i>Sacalia bealei</i>	
		<i>Sacalia pseudocellata</i> (China)
	<i>Sacalia quadriocellata</i>	
	<i>Siebenrockiella crassicollis</i>	
	<i>Siebenrockiella leyensis</i>	
	<i>Vijayachelys silvatica</i>	
Platysternidae Big-headed turtle		
Platysternidae spp.		
Podocnemididae Afro-American side-necked turtles		

	<i>Erymnochelys madagascariensis</i>	
	<i>Peltocephalus dumerilianus</i>	
	<i>Podocnemis spp.</i>	
Testudinidae Tortoises		
	Testudinidae spp. (Except the species included in Column I. A zero annual export quota has been established for <i>Geochelone sulcata</i> for specimens removed from the wild and traded for primarily commercial purposes)	
<i>Astrochelys radiata</i>		
<i>Astrochelys yniphora</i>		
<i>Chelonoidis nigra</i>		
<i>Geochelone platynota</i>		

<i>Gopherus flavomarginatus</i>		
<i>Psammobates geometricus</i>		
<i>Pyxis arachnoides</i>		
<i>Pyxis planicauda</i>		
<i>Testudo kleinmanni</i>		
Trionychidae Softshell turtles, terrapins		
	<i>Amyda cartilaginea</i>	
<i>Apalone spinifera atra</i>		
	<i>Chitraspp.</i> (Except the species included in Column I)	
<i>Chitra chitra</i>		
<i>Chitra vandijki</i>		
	<i>Dogania subplana</i>	
	<i>Lissemys ceylonensis</i>	

	<i>Lissemys punctata</i>	
	<i>Lissemys scutata</i>	
	<i>Nilssonia formosa</i>	
<i>Nilssonia gangetica</i>		
<i>Nilssonia hurum</i>		
	<i>Nilssonia leithii</i>	
<i>Nilssonia nigricans</i>		
	<i>Palea steindachneri</i>	
	<i>Pelochelys spp.</i>	
	<i>Pelodiscus axenaria</i>	
	<i>Pelodiscus maackii</i>	
	<i>Pelodiscus parviformis</i>	
	<i>Rafetus swinhoei</i>	
CLASS AMPHIBIA (AMPHIBIANS)		

ANURA		
Aromobatidae Fragrant frogs		
	<i>Allobates femoralis</i>	
	<i>Allobates hodli</i>	
	<i>Allobates myersi</i>	
	<i>Allobates rufulus</i>	
	<i>Allobates zaparo</i>	
Bufonidae Toads		
<i>Amietophrynus superciliaris</i>		
<i>Altiphrynoides spp.</i>		
<i>Atelopus zeteki</i>		
<i>Incilius periglenes</i>		
<i>Nectophrynoides spp.</i>		
<i>Nimbaphrynoides spp.</i>		

Calyptocephalellidae Chilean toads		
		<i>Calyptocephal ella gayi</i> (Chile)
Dendrobatidae Poison frogs		
	<i>Adelphobates</i> spp.	
	<i>Ameerega</i> spp.	
	<i>Andinobates</i> spp.	
	<i>Dendrobates</i> spp.	
	<i>Epipedobates</i> spp.	
	<i>Excidobates</i> spp.	
	<i>Hyloxalus azureiventris</i>	
	<i>Minyobates</i> spp.	
	<i>Oophaga</i> spp.	
	<i>Phyllobates</i> spp.	
	<i>Ranitomeya</i> spp.	
Dicroglossidae Frogs		

	<i>Euphlyctis hexadactylus</i>	
	<i>Hoplobatrachus tigerinus</i>	
Hylidae Tree frogs		
	<i>Agalychnis spp.</i>	
Mantellidae Mantellas		
	<i>Mantella spp.</i>	
Microhylidae Red rain frog, tomato frog		
<i>Dyscophus antongilii</i>		
	<i>Scaphiophryne gottlebei</i>	
Myobatrachidae Gastric-brooding frogs		
	<i>Rheobatrachus spp.</i> (Except <i>Rheobatrachus silus</i> and <i>Rheobatrachus vitellinus</i>)	
CAUDATA		
Ambystomatidae Axolotls		

	<i>Ambystoma dumerilii</i>	
	<i>Ambystoma mexicanum</i>	
Cryptobranchidae Hellbender and giant salamanders		
<i>Andrias spp.</i>		
		<i>Cryptobranchus alleganiensis</i> (United States of America)
Hynobiidae Asiatic salamanders		
		<i>Hynobius amjiensis</i> (China)
Salamandridae Newts and salamanders		
<i>Neurergus kaiseri</i>		
CLASS ELASMOBRANCHII (SHARKS)		
CARCHARHINIFORMES		
Carcharhinidae Requiem sharks		

	<i>Carcharhinus longimanus</i>	
Sphyrnidae Hammerhead sharks		
	<i>Sphyrna lewini</i>	
	<i>Sphyrna mokarran</i>	
	<i>Sphyrna zygaena</i>	
LAMNIFORMES		
Cetorhinidae Basking shark		
	<i>Cetorhinus maximus</i>	
Lamnidae Mackerel sharks		
	<i>Carcharodon carcharias</i>	
	<i>Lamna nasus</i>	
ORECTOLOBIFORMES		
Rhincodontidae Whale shark		
	<i>Rhincodon typus</i>	
PRISTIFORMES		

Pristidae Sawfishes		
Pristidae spp.		
RAJIFORMES		
Mobulidae Mobulid rays		
	Manta spp.	
CLASS ACTINOPTERYGII (FISHES)		
ACIPENSERIFORMES Paddlefishes, sturgeons		
	ACIPENSERIFORMES spp. (Except the species included in Column I)	
Acipenseridae Sturgeons		
Acipenser brevirostrum		
Acipenser sturio		
ANGUILLIFORMES		
Anguillidae Freshwater eels		

	<i>Anguilla anguilla</i>	
CYPRINIFORMES		
Catostomidae Cui-ui		
<i>Chasmistes cujus</i>		
Cyprinidae Blind carps, plaeesok		
	<i>Caecobarbus geertsii</i>	
<i>Probarbus jullieni</i>		
OSTEOGLOSSIFORMES		
Arapaimidae Arapaimas		
	<i>Arapaima gigas</i>	
Osteoglossidae Bonytongue		
<i>Scleropages formosus</i> ⁸		
PERCIFORMES		
Labridae Wrasses		
	<i>Cheilinus undulatus</i>	

Sciaenidae Totoaba		
<i>Totoaba macdonaldi</i>		
SILURIFORMES		
Pangasiidae Pangasid catfish		
<i>Pangasianodon gigas</i>		
SYNGNATHIFORMES		
Syngnathidae Pipefishes, seahorses		
	<i>Hippocampus spp.</i>	
CLASS SARCOPTERYGII (LUNGFISHES)		
CERATODONTIFORMES		
Ceratodontidae Australian lungfish		
	<i>Neoceratodus forsteri</i>	
COELACANTHIFORMES		
Latimeriidae Coelacanth		

<i>Latimeria</i> spp.		
P H Y L U M E C H I N O D E R M A T A C L A S S H O L O T H U R O I D E A (S E A C U C U M B E R S)		
ASPIDOCHIROTIDA		
Stichopodidae Sea cucumbers		
		<i>Isostichopus fuscus</i> (Ecuador)
P H Y L U M A R T H R O P O D A C L A S S A R A C H N I D A (S C O R P I O N S A N D S P I D E R S)		
ARANEAE		
Theraphosidae Red-kneed tarantulas, tarantulas		
	<i>Aphonopelma albiceps</i>	
	<i>Aphonopelma pallidum</i>	
	<i>Brachypelma</i> spp.	
SCORPIONES		
Scorpionidae Scorpions		

	<i>Pandinus dictator</i>	
	<i>Pandinus gambiensis</i>	
	<i>Pandinus imperator</i>	
§ Includes the taxon <i>Scleropages inscriptus</i> .		
CLASS INSECTA (INSECTS)		
COLEOPTERA		
Lucanidae Cape stag beetles		
		<i>Colophon</i> spp. (South Africa)
Scarabaeidae Scarab beetles		
	<i>Dynastes satanas</i>	
LEPIDOPTERA		
Nymphalidae Brush-footed butterflies		
		<i>Agrias amydon boliviensis</i> (Plurinational State of Bolivia)

		<i>Morpho godartii lachaumei</i> (Plurinational State of Bolivia)
		<i>Prepona praeeneste buckleyana</i> (Plurinational State of Bolivia)
Papilionidae Birdwing butterflies, swallowtail butterflies		
	<i>Atrophaneura jophon</i>	
	<i>Atrophaneura pandiyana</i>	
	<i>Bhutanitis</i> spp.	
	<i>Ornithoptera</i> spp. (Except the species included in Column I)	
<i>Ornithoptera alexandrae</i>		
<i>Papilio chikae</i>		

<i>Papilio homerus</i>		
	<i>Papilio hospiton</i>	
	<i>Parnassius apollo</i>	
	<i>Teinopalpus</i> spp.	
	<i>Trogonoptera</i> spp.	
	<i>Troides</i> spp.	
PHYLUM ANNELIDA CLASS HIRUDINOIDEA (LEECHES)		
ARHYNCHOBDELLIDA		
Hirudinidae Medicinal leeches		
	<i>Hirudo medicinalis</i>	
	<i>Hirudo verbana</i>	
PHYLUM MOLLUSCA CLASS BIVALVIA (CLAMS AND MUSSELS)		
MYTILOIDA		
Mytilidae Marine mussels		

	<i>Lithophaga lithophaga</i>	
UNIONOIDA		
Unionidae Freshwater mussels, pearly mussels		
<i>Conradilla caelata</i>		
	<i>Cyprogenia aberti</i>	
<i>Dromus dromas</i>		
<i>Epioblasma curtisi</i>		
<i>Epioblasma florentina</i>		
<i>Epioblasma sampsonii</i>		
<i>Epioblasma sulcata perobliqua</i>		
<i>Epioblasma torulosa gubernaculum</i>		
	<i>Epioblasma torulosa rangiana</i>	

<i>Epioblasma torulosa torulosa</i>		
<i>Epioblasma turgidula</i>		
<i>Epioblasma walkeri</i>		
<i>Fusconaia cuneolus</i>		
<i>Fusconaia edgariana</i>		
<i>Lampsilis higginsii</i>		
<i>Lampsilis orbiculata orbiculata</i>		
<i>Lampsilis satur</i>		
<i>Lampsilis virescens</i>		
<i>Plethobasus cicatricosus</i>		
<i>Plethobasus cooperianus</i>		

	<i>Pleurobema clava</i>	
<i>Pleurobema plenum</i>		
<i>Potamilus capax</i>		
<i>Quadrula intermedia</i>		
<i>Quadrula sparsa</i>		
<i>Toxolasma cylindrella</i>		
<i>Unio nickliniana</i>		
<i>Unio tampicoensis tecomatensis</i>		
<i>Villosa trabalis</i>		
VENEROIDA		
Tridacnidae Giant clams		
	Tridacnidae spp.	
CLASS GASTROPODA (SNAILS AND CONCHES)		

MESOGASTROPODA		
Strombidae Queen conch		
	<i>Strombus gigas</i>	
STYLOMMATOPHORA		
Achatinellidae Agate snails, oahu tree snails		
<i>Achatinella</i> spp.		
Camaenidae Green tree snail		
	<i>Papustyla pulcherrima</i>	
<p style="text-align: center;">PHYLUM CNIDARIA CLASS ANTHOZOA (CORALS AND SEA ANEMONES)</p>		
ANTIPATHARIA Black corals		
	ANTIPATHARIA spp.	
GORGONACEAE		
Coralliidae		
		<i>Corallium elatius</i> (China) <i>Corallium japonicum</i>

		(China) <i>Corallium</i> <i>konjoi</i> (China) <i>Corallium</i> <i>secundum</i> (China)
HELIOPORACEA		
Helioporidae Blue corals		
	Helioporidae spp. (Includes only the species <i>Heliopora coerulea</i> . Fossils are not subject to the provisions of the Convention)	
SCLERACTINIA Stony corals		
	SCLERACTINIA spp. (Fossils are not subject to the provisions of the Convention)	
STOLONIFERA		
Tubiporidae Organ-pipe corals		
	Tubiporidae spp. (Fossils are not subject to the provisions of the	

	Convention)	
CLASS HYDROZOA (SEA FERNS, FIRE CORALS AND STINGING MEDUSAE)		
MILLEPORINA		
Milleporidae Fire corals		
	Milleporidae spp. (Fossils are not subject to the provisions of the Convention)	
STYLASTERINA		
Stylasteridae Lace corals		
	Stylasteridae spp. (Fossils are not subject to the provisions of the Convention)	
F L O R A (PLANTS)		
AGAVACEAE Agaves		
<i>Agave parviflora</i>		
	<i>Agave victoriae-reginae</i> <u>#4</u>	

	<i>Nolina interrata</i>	
	<i>Yucca queretaroensis</i>	
AMARYLLIDACEAE Snowdrops, sternbergias		
	<i>Galanthus</i> spp. ^{#4}	
	<i>Sternbergia</i> spp. ^{#4}	
ANACARDIACEAE Cashews		
	<i>Operculicarya decaryi</i>	
	<i>Operculicarya hyphaenoides</i>	
	<i>Operculicarya pachypus</i>	
APOCYNACEAE Elephant trunks, hoodias		
	<i>Hoodia</i> spp. ^{#9}	
	<i>Pachypodium</i> spp. ^{#4} (Except the species included in Column I)	
<i>Pachypodium ambongense</i>		
<i>Pachypodium</i>		

<i>baronii</i>		
<i>Pachypodium decaryi</i>		
	<i>Rauvolfia serpentina</i> ^{#2}	
ARALIACEAE Ginseng		
	<i>Panax ginseng</i> ^{#3} Only the population of the Russian Federation; no other population is included in the Columns)	
	<i>Panax quinquefolius</i> ^{#3}	
ARAUCARIACEAE Monkey-puzzle tree		
<i>Araucaria araucana</i>		
BERBERIDACEAE May-apple		
	<i>Podophyllum hexandrum</i> ^{#2}	
BROMELIACEAE Air plants, bromelias		

	<i>Tillandsia harrisii</i> ^{#4}	
	<i>Tillandsia kammii</i> ^{#4}	
	<i>Tillandsia mauryana</i> ^{#4}	
	<i>Tillandsia xerographica</i> ^{#4}	
CACTACEAE Cacti		
	CACTACEAE spp. ^{9#4} (Except the species included in Column I and except <i>Pereskia</i> spp., <i>Pereskopsis</i> spp. and <i>Quiabentia</i> spp.)	
<i>Ariocarpus</i> spp.		
<i>Astrophytum asterias</i>		
<i>Aztekium ritteri</i>		
<i>Coryphantha werdermannii</i>		
<i>Discocactus</i> spp.		
<i>Echinocereus ferreirianus</i>		

<i>ssp. lindsayi</i>		
<i>Echinocereus schmollii</i>		
<i>Escobaria minima</i>		
<i>Escobaria sneedii</i>		
<i>Mammillaria pectinifera</i>		
<i>Mammillaria solisioides</i>		
<i>Melocactus conoideus</i>		
<i>Melocactus deinacanthus</i>		
<i>Melocactus glaucescens</i>		
<i>Melocactus paucispinus</i>		
<i>Obregonia denegrii</i>		
<i>Pachycereus militaris</i>		

<i>Pediocactus bradyi</i>		
<i>Pediocactus knowltonii</i>		
<i>Pediocactus paradinei</i>		
<i>Pediocactus peeblesianus</i>		
<i>Pediocactus sileri</i>		
<i>Pelecyphora</i> spp.		
<i>Sclerocactus brevihamatus ssp. tobuschii</i>		
<i>Sclerocactus erectocentrus</i>		
<i>Sclerocactus glaucus</i>		
<i>Sclerocactus mariposensis</i>		
<i>Sclerocactus</i>		

<i>mesae-verdae</i>		
<i>Sclerocactus nyensis</i>		
<i>Sclerocactus papyracanthus</i>		
<i>Sclerocactus pubispinus</i>		
<i>Sclerocactus wrightiae</i>		
<i>Strombocactus</i> spp.		
<i>Turbinicarpus</i> spp.		
<i>Uebelmannia</i> spp.		
CARYOCARACEAE Ajo		
	<i>Caryocar costaricense</i> ^{#4}	
COMPOSITAE (Asteraceae) Kuth		
<i>Saussurea costus</i>		
CUCURBITACEAE Melons, gourds, cucurbits		

	<i>Zygosicyos pubescens</i>	
	<i>Zygosicyos tripartitus</i>	
CUPRESSACEAE Alerce, cypresses		
<i>Fitzroya cupressoides</i>		
<i>Pilgerodendron uviferum</i>		
CYATHEACEAE Tree-ferns		
	<i>Cyathea</i> spp.^{#4}	
CYCADACEAE Cycads		
	CYCADACEAE spp.^{#4} (Except the species included in Column I)	
<i>Cycas beddomei</i>		
DICKSONIACEAE Tree-ferns		
	<i>Cibotium barometz</i>^{#4}	
	<i>Dicksonia</i> spp.^{#4} (Only the populations of the Americas; no other population is included in	

	the Columns)	
DIDIEREACEAE Alluaudias, didiereas		
	DIDIEREACEAE spp. ^{#4}	
DIOSCOREACEAE Elephant's foot, kniss		
	<i>Dioscorea deltoidea</i> ^{#4}	
DROSERACEAE Venus' flytrap		
	<i>Dionaea muscipula</i> ^{#4}	
EBENACEAE Ebonies		
	<i>Diospyros spp.</i> ^{#5} (Populations of Madagascar)	
EUPHORBIACEAE Spurges		
	<i>Euphorbia spp.</i> ^{#4} (Succulent species only except <i>Euphorbia misera</i> and the species included in Column I. Artificially propagated specimens of cultivars of <i>Euphorbia</i>)	

	<i>trigona</i> , artificially propagated specimens of crested, fan-shaped or colour mutants of <i>Euphorbia lactea</i> , when grafted on artificially propagated root stock of <i>Euphorbia neriifolia</i> , and artificially propagated specimens of cultivars of <i>Euphorbia</i> ‘Mili’ when they are traded in shipments of 100 or more plants and readily recognizable as artificially propagated specimens, are not subject to the provisions of the Convention)	
<i>Euphorbia ambovombensis</i>		
<i>Euphorbia capsaintemariensis</i>		
<i>Euphorbia cremersii</i> (Includes the <i>forma viridifolia</i> and the var.		

<i>rakotozafyi</i>)		
<i>Euphorbia cylindrifolia</i> (Includes the ssp. <i>tuberifera</i>)		
<i>Euphorbia decaryi</i> (Includes the vars. <i>ampanihyensis</i> , <i>robinsonii</i> and <i>spirosticha</i>)		
<i>Euphorbia francoisii</i>		
<i>Euphorbia moratii</i> (Includes the vars. <i>antsingiensis</i> , <i>bemarahensis</i> and <i>multiflora</i>)		
<i>Euphorbia parvicyathophora</i>		
<i>Euphorbia quartziticola</i>		
<i>Euphorbia tulearensis</i>		

FAGACEAE Beeches		
		<i>Quercus mongolica</i> ^{#5} (Russian Federation)
FOUQUIERIACEAE Ocotillos		
	<i>Fouquieria columnaris</i> ^{#4}	
<i>Fouquieria fasciculata</i>		
<i>Fouquieria purpusii</i>		
GNETACEAE Gnetums		
		<i>Gnetum montanum</i> ^{#1} (Nepal)
JUGLANDACEAE Gavilan		
	<i>Oreomunnea pterocarpa</i> ^{#4}	
LAURACEAE Laurels		

	<i>Aniba rosaeodora</i> ^{#12}	
LEGUMINOSAE (Fabaceae) Afrormosia, cristobal, palisander, rosewood, sandalwood		
	<i>Caesalpinia echinata</i> ^{#10}	
	<i>Dalbergia</i> spp. ^{#5} (Populations of Madagascar)	
		<i>Dalbergia calycina</i> ^{#6} [Population of Guatemala] (Guatemala)
	<i>Dalbergia cochinchinensis</i> ^{#5}	
		<i>Dalbergia cubilquitzensis</i> ^{#6} [Population of Guatemala] (Guatemala)
		<i>Dalbergia darienensis</i> ^{#2} [population of Panama (Panama)]

		<i>Dalbergia glomerata</i> ^{#6} [Population of Guatemala] (Guatemala)
	<i>Dalbergia granadillo</i> ^{#6}	
<i>Dalbergia nigra</i>		
	<i>Dalbergia retusa</i> ^{#6}	
	<i>Dalbergia stevensonii</i> ^{#6}	
		<i>Dalbergia tucurensis</i> ^{#6} (Nicaragua. In addition, Guatemala has listed its national population)
		<i>Dipteryx panamensis</i> (Costa Rica, Nicaragua)
	<i>Pericopsis elata</i> ^{#5}	

	<i>Platymiscium pleiostachyum</i> ^{#4}	
	<i>Pterocarpus santalinus</i> ^{#7}	
	<i>Senna meridionalis</i>	
LILIACEAE Aloes		
	<i>Aloe spp.</i> ^{#4} (Except the species included in Column I. Also excludes <i>Aloe vera</i> , also referenced as <i>Aloe barbadensis</i> which is not included in the Columns)	
<i>Aloe albida</i>		
<i>Aloe albiflora</i>		
<i>Aloe alfredii</i>		
<i>Aloe bakeri</i>		
<i>Aloe bellatula</i>		
<i>Aloe calcairophila</i>		
<i>Aloe compressa</i> (Includes the vars.		

<i>paucituberculata, rugosquamosa and schistophila)</i>		
<i>Aloe delphinensis</i>		
<i>Aloe descoingsii</i>		
<i>Aloe fragilis</i>		
<i>Aloe haworthioides</i> (Includes the var. <i>aurantiaca</i>)		
<i>Aloe helenae</i>		
<i>Aloe laeta</i> (Includes the var. <i>maniaensis</i>)		
<i>Aloe parallelifolia</i>		
<i>Aloe parvula</i>		
<i>Aloe pillansii</i>		
<i>Aloe polyphylla</i>		

<i>Aloe rauhii</i>		
<i>Aloe suzannae</i>		
<i>Aloe versicolor</i>		
<i>Aloe vossii</i>		
MAGNOLIACEAE Magnolia		
		<i>Magnolia liliifera</i> var. <i>obovata</i> ^{#1} (Nepal)
MELIACEAE Mahoganies, West Indian cedar		
		<i>Cedrela fissilis</i> ^{#5} (Plurinational State of Bolivia)
		<i>Cedrela lilloi</i> ^{#5} (Plurinational State of Bolivia)
		<i>Cedrela odorata</i> ^{#5} (Brazil and the Plurinational

		State of Bolivia. In addition, the following countries have listed their national populations: Colombia, Guatemala and Peru)
	<i>Swietenia humilis</i> ^{#4}	
	<i>Swietenia macrophylla</i> ^{#6} (Populations of the Neotropics)	
	<i>Swietenia mahagoni</i> ^{#5}	
NEPENTHACEAE Pitcher-plants (Old World)		
	<i>Nepenthes</i> spp. ^{#4} (Except the species included in Column I)	
<i>Nepenthes khasiana</i>		
<i>Nepenthes rajah</i>		
OLEACEAE Ashes, etc.		

		<i>Fraxinus mandshurica</i> [#] ₅ (Russian Federation)
ORCHIDACEAE Orchids		
	ORCHIDACEAE spp. ^{10#4} (Except the species included in Column I)	
(For all of the following Column I species, seedling or tissue cultures obtained <i>in vitro</i> , in solid or liquid media, and transported in sterile containers are not subject to the provisions of the Convention only if the specimens meet the definition of ‘artificially propagated’ agreed by the Conference		

of the Parties)		
<i>Aerangis ellisii</i>		
<i>Dendrobium cruentum</i>		
<i>Laelia jongheana</i>		
<i>Laelia lobata</i>		
<i>Paphiopedilum</i> spp.		
<i>Peristeria elata</i>		
<i>Phragmipedium</i> spp.		
<i>Renanthera imschootiana</i>		
OROBANCHACEAE Broomrape		
	<i>Cistanche deserticola</i> ^{#4}	
PALMAE (Arecaceae) Palms		
	<i>Beccariophoenix madagascariensis</i> ^{#4}	

<i>Chrysalidocarpus decipiens</i>		
	<i>Lemurophoenix halleuxii</i>	
		<i>Lodoicea maldivica</i> ^{#13} (Seychelles)
	<i>Marojejya darianii</i>	
	<i>Neodypsis decaryi</i> ^{#4}	
	<i>Ravenea louvelii</i>	
	<i>Ravenea rivularis</i>	
	<i>Satranala decussilvae</i>	
	<i>Voanioala gerardii</i>	
PAPAVERACEAE Poppy		
		<i>Meconopsis regia</i> ^{#1} (Nepal)
PASSIFLORACEAE Passion-flowers		

	<i>Adenia firingalavensis</i>	
	<i>Adenia olaboensis</i>	
	<i>Adenia subsessilifolia</i>	
PEDALIACEAE Sesames		
	<i>Uncarina grandidieri</i>	
	<i>Uncarina stellulifera</i>	
PINACEAE Firs and pines		
<i>Abies guatemalensis</i>		
		<i>Pinus koraiensis</i>^{#5} (Russian Federation)
PODOCARPACEAE Podocarps		
		<i>Podocarpus neriifolius</i>^{#1} (Nepal)
<i>Podocarpus parlatorei</i>		

PORTULACACEAE Lewisias, portulacas, purslanes		
	<i>Anacampseros</i> spp. ^{#4}	
	<i>Avonia</i> spp. ^{#4}	
	<i>Lewisia serrata</i> ^{#4}	
PRIMULACEAE Cyclamens		
	<i>Cyclamen</i> spp. ^{11 #4}	
RANUNCULACEAE Golden seals, yellow adonis, yellow root		
	<i>Adonis vernalis</i> ^{#2}	
	<i>Hydrastis canadensis</i> ^{#8}	
ROSACEAE African cherry, stinkwood		
	<i>Prunus africana</i> ^{#4}	
RUBIACEAE Ayugue		
<i>Balmea stormiae</i>		
SANTALACEAE Sandalwoods		
	<i>Osyris lanceolata</i> ^{#2} (Populations of Burundi,	

	Ethiopia, Kenya, Rwanda, Uganda and the United Republic of Tanzania)	
SARRACENIACEAE Pitcher-plants (New World)		
	<i>Sarracenia</i> spp. ^{#4} (Except the species included in Column I)	
<i>Sarracenia oreophila</i>		
<i>Sarracenia rubra ssp. alabamensis</i>		
<i>Sarracenia rubra ssp. jonesii</i>		
SCROPHULARIACEAE Kutki		
	<i>Picrorhiza kurroo</i> ^{#2} (Excludes <i>Picrorhiza scrophulariiflora</i>)	
STANGERIACEAE Stangerias		
	<i>Bowenia</i> spp. ^{#4}	
<i>Stangeria eriopus</i>		

TAXACEAE Himalayan yew		
	<i>Taxus chinensis</i> and infraspecific taxa of this species ^{#2}	
	<i>Taxus cuspidata</i> and infraspecific taxa of this species ^{12#2}	
	<i>Taxus fuana</i> and infraspecific taxa of this species ^{#2}	
	<i>Taxus sumatrana</i> and infraspecific taxa of this species ^{#2}	
	<i>Taxus wallichiana</i> ^{#2}	
THYMELAEACEAE (Aquilariaceae) Agarwood, ramin		
	<i>Aquilaria</i> spp. ^{#14}	
	<i>Gonystylus</i> spp. ^{#4}	
	<i>Gyrinops</i> spp. ^{#14}	
TROCHODENDRACEAE (Tetracentraceae) Tetracentron		

		<i>Tetracentron sinense</i> ^{#1} (Nepal)
VALERIANACEAE Himalayan spikenard		
	<i>Nardostachys grandiflora</i> ^{#2}	
VITACEAE Grapes		
	<i>Cyphostemma elephantopus</i>	
	<i>Cyphostemma laza</i>	
	<i>Cyphostemma montagnacii</i>	
WELWITSCHIACEAE Welwitschia		
	<i>Welwitschia mirabilis</i> ^{#4}	
ZAMIACEAE Cycads		
	ZAMIACEAE spp. ^{#4} (Except the species included in Column I)	
<i>Ceratozamia</i> spp.		

<i>Chigua</i> spp.		
<i>Encephalartos</i> spp.		
<i>Microcycas calocoma</i>		
ZINGIBERACEAE Ginger lily		
	<i>Hedychium philippinense</i> ^{#4}	
ZYGOPHYLLACEAE Lignum-vitae		
	<i>Bulnesia sarmientoi</i> ^{#11}	
	<i>Guaiacum</i> spp. ^{#2}	

* Corrected on 20 November 2013 to include *Bradypus pygmaeus* in Column II.

Footnotes

- 1 Population of Argentina (listed in Column II):
For the exclusive purpose of allowing international trade in wool sheared from live vicuñas, in cloth, and in derived manufactured products and other handicraft artefacts. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the selvages the words 'VICUÑA-ARGENTINA'. Other products must bear a label including the logotype and the designation 'VICUÑA-ARGENTINA-ARTESANÍA'.
All other specimens shall be deemed to be specimens of species included in Column

I and the trade in them shall be regulated accordingly.

2 Population of Chile (listed in Column II):

For the exclusive purpose of allowing international trade in wool sheared from live vicuñas, and in cloth and items made thereof, including luxury handicrafts and knitted articles. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the selvages the words 'VICUÑA-CHILE'. Other products must bear a label including the logotype and the designation 'VICUÑA-CHILE-ARTESANÍA'.

All other specimens shall be deemed to be specimens of species included in Column I and the trade in them shall be regulated accordingly.

3 Population of Ecuador (listed in Column II):

For the exclusive purpose of allowing international trade in wool sheared from live vicuñas and in cloth and items made thereof, including luxury handicrafts and knitted articles. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the selvages the words 'VICUÑA ECUADOR'. Other products must bear a label including the logotype and the designation 'VICUÑA ECUADOR-ARTESANÍA'.

All other specimens shall be deemed to be specimens of species included in Column I and the trade in them shall be regulated accordingly.

4 Population of Peru (listed in Column II):

For the exclusive purpose of allowing international trade in wool sheared from live vicuñas and in the stock extant at the time of the ninth meeting of the Conference of the Parties (November 1994) of 3249 kg of wool, and in cloth and items made thereof, including luxury handicrafts and knitted articles. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the selvages the words 'VICUÑA-PERÚ'. Other products must bear a label including the logotype and the designation 'VICUÑA-PERÚ-ARTESANÍA'.

All other specimens shall be deemed to be specimens of species included in Column I and the trade in them shall be regulated accordingly.

5 Population of the Plurinational State of Bolivia (listed in Column II):

For the exclusive purpose of allowing international trade in wool sheared from live vicuñas, and in cloth and items made thereof, including luxury handicrafts and knitted articles.

The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the selvages the words 'VICUÑA-BOLIVIA'. Other products must

bear a label including the logotype and the designation 'VICUÑA-BOLIVIA-ARTESANÍA'.

All other specimens shall be deemed to be specimens of species included in Column I and the trade in them shall be regulated accordingly.

6 Populations of Botswana, Namibia, South Africa and Zimbabwe (listed in Column II):

For the exclusive purpose of allowing:

- (a) trade in hunting trophies for non-commercial purposes;
- (b) trade in live animals to appropriate and acceptable destinations, as defined in Resolution Conf. 11.20, for Botswana and Zimbabwe and for in situ conservation programmes for Namibia and South Africa;
- (c) trade in hides;
- (d) trade in hair;
- (e) trade in leather goods for commercial or non-commercial purposes for Botswana, Namibia and South Africa and for non-commercial purposes for Zimbabwe;
- (f) trade in individually marked and certified ekipas incorporated in finished jewellery for non-commercial purposes for Namibia and ivory carvings for non-commercial purposes for Zimbabwe;
- (g) trade in registered raw ivory (for Botswana, Namibia, South Africa and Zimbabwe, whole tusks and pieces) subject to the following:
 - (i) only registered government-owned stocks, originating in the State (excluding seized ivory and ivory of unknown origin);
 - (ii) only to trading partners that have been verified by the Secretariat, in consultation with the Standing Committee, to have sufficient national legislation and domestic trade controls to ensure that the imported ivory will not be re-exported and will be managed in accordance with all requirements of Resolution Conf. 10.10 (Rev. CoP16) concerning domestic manufacturing and trade;
 - (iii) not before the Secretariat has verified the prospective importing countries and the registered government-owned stocks;
 - (iv) raw ivory pursuant to the conditional sale of registered government-owned ivory stocks agreed at CoP12, which are 20,000 kg (Botswana), 10,000 kg (Namibia) and 30,000 kg (South Africa);
 - (v) in addition to the quantities agreed at CoP12, government-owned ivory from Botswana, Namibia, South Africa and Zimbabwe registered by 31 January 2007 and verified by the Secretariat may be traded and despatched, with the ivory in paragraph (g) (iv) above, in a single sale per destination under strict supervision of the Secretariat;
 - (vi) the proceeds of the trade are used exclusively for elephant conservation and community conservation and development programmes within or adjacent to the elephant range; and

(vii) the additional quantities specified in paragraph (g)(v) above shall be traded only after the Standing Committee has agreed that the above conditions have been met; and

(h) no further proposals to allow trade in elephant ivory from populations already in Column II shall be submitted to the Conference of the Parties for the period from CoP14 and ending nine years from the date of the single sale of ivory that is to take place in accordance with provisions in paragraphs (g) (i), (g) (ii), (g) (iii), (g) (vi) and (g) (vii). In addition such further proposals shall be dealt with in accordance with Decisions 14.77 and 14.78 (Rev.CoP15).

On a proposal from the Secretariat, the Standing Committee can decide to cause this trade to cease partially or completely in the event of non-compliance by exporting or importing countries, or in the case of proven detrimental impacts of the trade on other elephant populations.

All other specimens shall be deemed to be specimens of species included in Column I and the trade in them shall be regulated accordingly.

7 Zero quota for wild specimens for commercial purposes.

8 Includes the taxon *Scleropages inscriptus*.

9 Artificially propagated specimens of the following hybrids and/or cultivars are not subject to the provisions of the Convention:

- *Hatiora x graeseri*
- *Schlumbergera x buckleyi*
- *Schlumbergera russelliana x Schlumbergera truncata*
- *Schlumbergera orssichiana x Schlumbergera truncata*
- *Schlumbergera opuntoides x Schlumbergera truncata*
- *Schlumbergera truncata* (cultivars)
- Cactaceae spp. colour mutants, grafted on the following grafting stocks: *Harrisia 'Jusbertii'*, *Hylocereus trigonus* or *Hylocereus undatus*
- *Opuntia microdasys* (cultivars).

10 Artificially propagated hybrids of the following genera are not subject to the provisions of the Convention, if conditions, as indicated under (a) and (b), are met: *Cymbidium*, *Dendrobium*, *Phalaenopsis* and *Vanda*:

(a) specimens are readily recognizable as artificially propagated and do not show any signs of having been collected in the wild such as mechanical damage or strong dehydration resulting from collection, irregular growth and heterogeneous size and shape within a taxon and shipment, algae or other epiphyllous organisms adhering to leaves, or damage by insects or other pests; and

(b) (i) when shipped in non-flowering state, the specimens must be traded in

shipments consisting of individual containers (such as cartons, boxes, crates or individual shelves of CC-containers) each containing 20 or more plants of the same hybrid; the plants within each container must exhibit a high degree of uniformity and healthiness; and the shipment must be accompanied by documentation, such as an invoice, which clearly states the number of plants of each hybrid; or
(ii) when shipped in flowering state, with at least one fully open flower per specimen, no minimum number of specimens per shipment is required but specimens must be professionally processed for commercial retail sale, e.g. labelled with printed labels or packaged with printed packages indicating the name of the hybrid and the country of final processing. This should be clearly visible and allow easy verification.

Plants not clearly qualifying for the exemption must be accompanied by appropriate CITES documents.

- 11 Artificially propagated specimens of cultivars of *Cyclamen persicum* are not subject to the provisions of the Convention. However, the exemption does not apply to such specimens traded as dormant tubers.
- 12 Artificially propagated hybrids and cultivars of *Taxus cuspidata*, live, in pots or other small containers, each consignment being accompanied by a label or document stating the name of the taxon or taxa and the text 'artificially propagated', are not subject to the provisions of the Convention.
- #1 All parts and derivatives, except:
(a) seeds, spores and pollen (including pollinia);
(b) seedling or tissue cultures obtained in vitro, in solid or liquid media, transported in sterile containers;
(c) cut flowers of artificially propagated plants; and
(d) fruits, and parts and derivatives thereof, of artificially propagated plants of the genus *Vanilla*.
- #2 All parts and derivatives except:
(a) seeds and pollen; and
(b) finished products packaged and ready for retail trade.
- #3 Whole and sliced roots and parts of roots, excluding manufactured parts or derivatives, such as powders, pills, extracts, tonics, teas and confectionery.
- #4 All parts and derivatives, except:
(a) seeds (including seedpods of Orchidaceae), spores and pollen (including pollinia). The exemption does not apply to seeds from Cactaceae spp. exported from

Mexico, and to seeds from *Beccariophoenixmadagascariensis* and *Neodypsis decaryi* exported from Madagascar;
(b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
(c) cut flowers of artificially propagated plants;
(d) fruits, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genus *Vanilla* (Orchidaceae) and of the family Cactaceae;
(e) stems, flowers, and parts and derivatives thereof, of naturalized or artificially propagated plants of the genera *Opuntia* subgenus *Opuntia* and *Selenicereus* (Cactaceae); and
(f) finished products of *Euphorbia antisiphilitica* packaged and ready for retail trade.

- #5 Logs, sawn wood and veneer sheets.
- #6 Logs, sawn wood, veneer sheets and plywood.
- #7 Logs, woodchips, powder and extracts.
- #8 Underground parts (i.e. roots, rhizomes): whole, parts and powdered.
- #9 All parts and derivatives except those bearing a label:
“Produced from *Hoodia* spp. material obtained through controlled harvesting and production under the terms of an agreement with the relevant CITES Management Authority of [Botswana under agreement No. BW/xxxxxx] [Namibia under agreement No. NA/xxxxxx] [South Africa under agreement No. ZA/xxxxxx]”.
- #10 Logs, sawn wood, veneer sheets, including unfinished wood articles used for the fabrication of bows for stringed musical instruments.
- #11 Logs, sawn wood, veneer sheets, plywood, powder and extracts.
- #12 Logs, sawn wood, veneer sheets, plywood and extracts. Finished products containing such extracts as ingredients, including fragrances, are not considered to be covered by this annotation.
- #13 The kernel (also known as 'endosperm', 'pulp' or 'copra') and any derivative thereof.

- #14 All parts and derivatives except:
- (a) seeds and pollen;
 - (b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
 - (c) fruits;
 - (d) leaves;
 - (e) exhausted agarwood powder, including compressed powder in all shapes; and
 - (f) finished products packaged and ready for retail trade, this exemption does not apply to beads, prayer beads and carvings.”.

Made by the Management Authority on the 10th day of December, 2015.

Dax Basdeo, PhD, JP

Chief Officer of the Ministry of Financial Services, Commerce and Environment.