

List of and Maximum Levels for Pesticide Residues in and on Certain Products of Plant Origin, and Methods of Sampling and Analysing Pesticide Residues in and on Products of Plant Origin¹

Government of the Republic Regulation No. 177 of 31 May 2000

(RT² I 2000, 46, 285),

entered into force 16 June 2000,

amended by the following Regulation:

26.06.2001 entered into force 12.07.2001 - RT I 2001, 62, 365.

This Regulation is established pursuant to subsection 19 (3) and 49 (4) of the Food Act (RT I 1999, 30, 415; 58, 608).

Chapter 1

Maximum levels for pesticide residues in and on certain products of plant origin

§ 1. The pesticide residue content in and on fruit and vegetables shall comply with the maximum residue levels set out in Annex 1 to this Regulation.

§ 2. The pesticide residue content in and on the dried leaves and stalks, fermented or otherwise of the tea plant (*Camellia sinensis*) shall comply with the maximum residue levels set out in Annex 2 to this Regulation.

§ 3. The pesticide residue content in and on cereals shall comply with the maximum residue levels set out in Annex 3 to this Regulation.

§ 4. The pesticide residue content in and on fruit and vegetables concerning which no common standards of the European Union are established shall comply with the maximum residue levels set out in Annex 4 to this Regulation.

§ 5. The pesticide residue content in and on cereals concerning which no common standards of the European Union are established shall comply with the maximum residue levels set out in Annex 5 to this Regulation.

§ 6. Residues of the pesticide 2,4-D in and on fruit, vegetables and cereals are not permitted.

§ 7. Residues of the pesticide benomyl in and on fruit and vegetables are not permitted.

Chapter 2

Methods of sampling and analysing pesticide residues in and on products of plant origin

§ 8. In order to determine the pesticide residue content in and on products of plant origin, a separate aggregate sample shall be taken from each lot.

§ 9. An aggregate sample is made up by uniting and mixing the incremental samples.

§ 10. As far as possible incremental samples shall be taken at various places distributed throughout the lot; departure from this procedure must be recorded in the record provided for under the Government of the Republic Regulation No. 330 of 2 November 1999 "Approval of Procedure for Sampling and Analysing of Control Samples in Course of Supervision" (RT I 1999, 84, 767).

§ 11. The combined total of the incremental samples must never be less than that required for the laboratory samples.

§ 12. The incremental samples shall be of similar size.

§ 13. The minimum number of incremental samples is as follows:

Size of lot	Minimum number of incremental samples
1) Homogenous and well mixed products, packages and entire lot	1
2) Heterogenous and poorly mixed products, packages or entire lot.	
Weight of lot in kilogrammes	
< 50	3
50 up to 500	5
501 up to 2000	10
> 2000	15
Number of packages or units in lot	
1 up to 25	1
26 up to 100	5

101 up to 250	10
> 250	15

§ 14. The aggregate sample may be used for the preparation of the final sample. If the aggregate is too large, the final sample may be prepared from it by a method of reduction, for example by quartering, rejecting two diagonally opposite quarters, mixing and requartering the remainder and so on until the size required is reached. In this process, however, individual fruits and vegetables must not be cut or divided.

§ 15. As many laboratory samples as required shall be prepared from the final sample. For separate types of fruit, vegetables and cereals, the required weight of laboratory samples shall be as follows:

Sequence number	Type of fruit or vegetables, and cereals	Minimum weight	Maximum weight
1.	All fresh fruit and vegetables		
1.1	small, with a weight of up to 25 g each	1 kg	3 kg
1.2	medium, with a weight of 25 g to 250 g	1 kg (10 individual fruits or vegetables)	4 kg
1.3	large, with a weight of up to 500 g each	2 kg (5 individual fruits or vegetables)	5 kg (12 individual fruits or vegetables)
1.4	very large, with a weight of up to 2 kg each	2 individual fruits or vegetables	4 individual fruits or vegetables
2.	Fresh pulses	1 kg	2 kg
	Cereals (including rice)	1 kg	2 kg
	Tree nuts	1 kg	2 kg
	Oil seeds	1 kg	2 kg
	Raw material for brewing industry and confectionary industry (seeds, beans)	1 kg	2 kg
3.	Fresh leaf vegetables	0,5 kg	2 kg
	Herbs and spices (dried)	0,1 kg	0,5 kg
4.	Solid products of plant origin	0,2 kg	0,5 kg

	(of low relative density)		
5.	All other products of plant origin	0,5 l or 0,5 kg	2 l or 2 kg

§ 16. If samples are taken at the site, the following instructions shall be followed:

- 1) samples of fruit, vegetables and cereals shall be taken before the final harvesting or picking;
- 2) samples shall be taken along a diagonal line in the extent of the whole site;
- 3) all parts of plants fit for human consumption shall be included in a sample;
- 4) defective and deformed plants are not included in a sample;
- 5) samples obtained from the herbaceous parts of plants shall not contain particles of soil;
- 6) samples shall be placed in clean plastic bags;
- 7) vegetables shall not be packed in plastic bags but shall be transported in durable cloth bags;
- 8) if samples cannot be dispatched to a laboratory during the same day that they were taken, the samples shall be frozen;
- 9) cereals and oleaginous fruit shall be sorted and frozen;
- 10) samples of fruit and berries shall be taken from several trees or bushes and from various parts of a tree or bush;
- 11) sepals shall be removed from strawberries and stems shall be removed from currants;
- 12) vegetable samples shall be gathered from furrows, as far as possible from shadowy places;
- 13) vegetable samples shall not be washed but shall be cleaned by brushing off the soil;
- 14) peas and beans shall be removed from pods, stems shall be removed from cucumbers and soiled leaves shall be removed from cabbages;

15) a final sample shall be taken from harvested cereals to obtain a cereal sample.

§ 17. Products of plant origin which are wholly or extensively spoiled are not used for sampling.

§ 18. Analyses shall be carried out using methods in accordance with Estonian or international standards or other equivalent methods.

§ 19. Government of the Republic Regulation No. 41 of 3 March 1998 "Maximum levels for pesticide residues in and on certain products of plant origin, and approval of methods of sampling pesticide residues in and on products of plant origin" (RT I 1998, 24-27, 347; 60, 956; 1999, 15, 234) is repealed.

¹ The requirements of the following Directives of the European Communities have been taken into account in drafting this Regulation: 76/895/EEC (OJ L 340, 09.12.1976, p.26), 79/700/EEC (OJ L 207, 15.08.1979, p.26), 80/428/EEC (OJ L 102, 19.04.1980, p.26), 81/36/EEC (OJ L 46, 19.02.1981, p.33), 82/528/EEC (OJ L 234, 9.08.1982, p.1), 86/362/EEC (OJ L 221, 7.08.1986, p.37), 88/298/EEC (OJ L 126, 20.05.1988, p.53), 89/186/EEC (OJ L 66, 10.03.1989, p.36), 90/642/EEC (OJ L 350, 14.12.1990, p.71), 93/58/EEC (OJ L 211, 22.08.1993, p.6), 93/57/EEC (OJ L 211, 23.08.1993, p.1), 94/29/EC (OJ L 189, 23.07.1994, p.67), 94/30/EC (OJ L 189, 23.07.1994, p.70), 95/38/EC (OJ L 197, 22.08.1995, p.14), 95/39/EC (OJ L 197, 22.08.1995, p.29), 95/61/EC (OJ L 292, 12.07.1995, p.27), 96/32/EC (OJ L 144, 18.06.1996, p.12), 96/33/EC (OJ L 144, 18.06.1996, p.35), 97/41/EC (OJ L 184, 12.07.1997, p.33), 97/71/EC (OJ L 347, 18.12.1997, p.42), 98/82/EC (OJ L 290, 29.10.1998, p.25), 99/65/EC (OJ L 172, 8.07.1999, p.40), 99/71/EC (OJ L 194, 27.07.1999, p.36).

² RT = *Riigi Teataja* = *State Gazette*

Annex 1 to Government of the Republic Regulation No. 177 of 31 May 2000 "List of and Maximum Levels for Pesticide Residues in and on Products of Plant Origin and Methods of Sampling and Analysing Pesticide Residues in and on Products of Plant Origin"

Maximum levels for pesticide residues in and on fruit and vegetables

Table 1

Products of plant origin	Active substance of pesticide and maximum residue level thereof (mg/kg)
--------------------------	---

1	2	3	4	5	6	7
	1,1-dichloro-2,2-bis(4-ethylphenyl)ethane	2,4,5-T	Aldicarb: S**	Aldrin and dieldrin: S	Amitraze: S	Amitrole
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts	0,01*					
(i) Citrus fruit		0,05*	0,2	0,05*		0,05*
Grapefruit						
Lemons						
Limes						
Mandarins (including clementines and similar hybrids)						
Oranges					1	
Pomelos						
Others					0,02*	
(ii) Tree nuts (shelled or unshelled)		0,05*		0,05*	0,02*	0,05*
Almonds						
Brazil nuts						
Cashew						

nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						
Pecans			0,2			
Pine nuts						
Pistachios						
Walnuts						
Others			0,05*			
(iii) Pome fruit		0,05*	0,05*	0,05*	1	0,05*
Apples						
Pears						
Quinces						
Others						
(iv) Stone fruit		0,05*	0,05*	0,05*		0,05*
Apricots						
Cherries						
Peaches (including nectarines and similar hybrids)					1	
Plums						
Others					0,02*	
(v) Berries and small fruit		0,05*		0,05*	0,02*	0,05*
(a) Table and wine grapes			0,05*			
Table grapes						

Wine grapes						
(b) Strawberries (other than wild)			0,05*			
(c) Cane fruit			0,05*			
Blackberries						
Dewberries						
Loganberries						
Raspberries						
Others						
(d) Other small fruit and berries (other than wild)			0,05*			
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)						
Cranberries						
Currants (red, black, white)						
Gooseberries						
Others						
(e) Wild berries and wild fruit			0,05*	0,05*		
(vi)		0,05*			0,02*	

Miscellaneous fruit						
Avocados						
Bananas			0,1			
Dates						
Figs						
Kiwi						
Kumquats						
Litchis						
Mangos						
Olives						
Olives - table consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						
Others			0,05*			
2. Vegetables : fresh or uncooked, frozen or dried	0,01*			0,05*		0,05*
(i) Root and tuber vegetables		0,05*			0,02*	
Beetroot						
Carrots			0,1			
Celeriac						
Horseradis						

h						
Jerusalem artichokes						
Parsnips			0,1			
Parsley root						
Radishes						
Salsify						
Sweet potatoes						
Swedes						
Turnips						
Yams						
Others			0,05*	0,05*		0,05*
(ii) Bulb vegetables		0,05*	0,05*		0,02*	
Garlic						
Onions						
Shallots						
Spring onions						
Others				0,05*		0,05*
(iii) Fruiting vegetables		0,05*	0,05*			
(a) Solanacea						
Tomatoes					0,5	
Peppers						
Aubergines						
Others					0,02*	
(b) Cucurbits - edible peel					0,02*	
Cucumbers						

Gherkins						
Courgettes						
Others						
(c) Cucurbits - inedible peel					0,02*	
Melons						
Squashes						
Watermelons						
Others						
(d) Sweet corn				0,05*	0,02*	0,05*
(iv) Brassica vegetables		0,05*			0,02*	
(a) Flowering brassica						
Broccoli						
Cauliflower			0,2			
Others			0,05*			
(b) Head brassica						
Brussels sprouts			0,2			
Head cabbage						
Others			0,05*			
(c) Leafy brassica			0,05*			
Chinese cabbage						
Kale						

Others						
(d) Kohlrabi			0,05*	0,05*		0,05*
(v) Leaf vegetables and fresh herbs		0,05*	0,05*		0,02*	
(a) Lettuce and similar						
Cress						
Lamb's lettuce						
Lettuce						
Scarole						
Others						
(b) Spinach and similar						
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress						
(d) Witloof						
(e) Herbs						
Chervil						
Chives						
Parsley						
Celery leaves						
Others				0,05*		0,05*
(vi) Legume vegetables (fresh)		0,05*	0,05*		0,02*	
Beans						

(with pods)						
Beans (without pods)						
Peas (with pods)						
Peas (without pods)						
Others				0,05*		0,05
(vii) Stem vegetables		0,05*	0,05*		0,02*	
Asparagus						
Cardoons						
Celery						
Fennel						
Globe artichokes						
Leek						
Rhubarb						
Others				0,05*		0,05*
(viii) Fungi		0,05*	0,05*		0,02*	
Cultivated mushrooms						
Wild mushrooms				0,05*		0,05*
3. Pulses	0,01*	0,05*	0,05*		0,02*	
Beans						
Lentils						
Peas						
Others				0,05*		0,05*
4. Oil seeds	0,01*	0,05*	0,05*			
Linseed						
Peanuts						

Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed						
Soya bean						
Mustard						
Cotton seed					1	
Others				0,01*	0,02*	0,05*
5. Potatoes	0,01*	0,05*	0,5		0,02*	
Early and ware potatoes				0,01*		0,1*
Early potatoes						
Ware potatoes						
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1*	0,05*	0,05*	0,02*	0,1*	0,1*
7. Hops (dried), including	0,1*	0,05*	0,05*		50	

hop pellets and unconcentrated powder						
<i>1</i>	<i>2</i>	<i>3</i>	<i>4</i>	<i>5</i>	<i>6</i>	<i>7</i>
	<i>Aramite</i>	<i>Azoxystrobin</i>	<i>Atrazine</i>	<i>Acephate</i>	<i>Barban</i>	<i>Benalaxyl</i>
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts	<i>0,01*</i>				<i>0,05*</i>	
<i>(i) Citrus fruit</i>		<i>0,05*</i>	<i>0,1*</i>	<i>1</i>		<i>0,05*</i>
<i>Grapefruit</i>						
<i>Lemons</i>						
<i>Limes</i>						
<i>Mandarins (including clementines and similar hybrids)</i>						
<i>Oranges</i>						
<i>Pomelos</i>						
<i>Others</i>						
<i>(ii) Tree nuts (shelled or unshelled)</i>		<i>0,1*</i>	<i>0,1*</i>	<i>0,02*</i>		<i>0,05*</i>
<i>Almonds</i>						
<i>Brazil nuts</i>						

<i>Cashew nuts</i>						
<i>Chestnuts</i>						
<i>Coconuts</i>						
<i>Hazelnuts</i>						
<i>Macadamia</i>						
<i>Pecans</i>						
<i>Pine nuts</i>						
<i>Pistachios</i>						
<i>Walnuts</i>						
<i>Others</i>						
<i>(iii) Pome fruit</i>		0,05*	0,1*	1		0,05*
<i>Apples</i>						
<i>Pears</i>						
<i>Quinces</i>						
<i>Others</i>						
<i>(iv) Stone fruit</i>		0,05*	0,1*			0,05*
<i>Apricots</i>				0,02*		
<i>Cherries</i>				0,02*		
<i>Peaches (including nectarines and similar hybrids)</i>				0,02*		
<i>Plums</i>				2		
<i>Others</i>				0,02*		
<i>(v) Berries and small fruit</i>			0,1*			
<i>(a) Table and wine grapes</i>		2		0,02*		0,2

<i>Table grapes</i>						
<i>Wine grapes</i>						
<i>(b) Strawberries (other than wild)</i>		0,05*		0,02*		0,05*
<i>(c) Cane fruit</i>		0,05*		0,02*		0,05*
<i>Blackberries</i>						
<i>Dewberries</i>						
<i>Loganberries</i>						
<i>Raspberries</i>						
<i>Others</i>						
<i>(d) Other small fruit and berries (other than wild)</i>		0,05*		0,02*		0,05*
<i>Bilberries (fruit of the species Vaccinium myrtillus)</i>						
<i>Cranberries</i>						
<i>Currants (red, black, white)</i>						
<i>Gooseberries</i>						
<i>Others</i>						
<i>(e) Wild berries and</i>		0,05*		0,02*		0,05*

wild fruit						
(vi) Miscellaneous fruit			0,1*	0,02*		0,05*
Avocados						
Bananas	2					
Dates						
Figs						
Kiwi						
Kumquats						
Litchis						
Mangos						
Olives						
Olives - table consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						
Others		0,05*				
2. Vegetables : fresh or uncooked, frozen or dried	0,01*				0,05*	
(i) Root and tuber vegetables		0,05*	0,1*	0,02*		0,05*
Beetroot						
Carrots						

Celeriac						
Horseradish						
Jerusalem artichokes						
Parsnips						
Parsley root						
Radishes						
Salsify						
Sweet potatoes						
Swedes						
Turnips						
Yams						
Others						
(ii) Bulb vegetables		0,05*	0,1*	0,02*		
Garlic						
Onions						0,2
Shallots						
Spring onions						
Others						0,05*
(iii) Fruiting vegetables			0,1*			
(a) Solanacea						
Tomatoes		2		0,5		0,2
Peppers				0,02*		0,2
Aubergines				0,5		0,2
Others		0,05*		0,02*		0,05*
(b) Cucurbits -		1				0,05*

edible peel						
Cucumbers				0,02*		
Gherkins						
Courgettes				0,02*		
Others				0,02*		
(c) Cucurbits - inedible peel		0,5		0,02*		
Melons						0,1
Squashes						
Watermelons						0,1
Others						0,05*
(d) Sweet corn		0,05*		0,02*		0,05*
(iv) Brassica vegetables		0,05*	0,1*			0,05*
(a) Flowering brassica				2		
Broccoli						
Cauliflower						
Others						
(b) Head brassica				2		
Brussels sprouts						
Head cabbage						
Others						
(c) Leafy brassica				0,02*		
Chinese						

cabbage						
Kale						
Others						
(d) Kohlrabi				0,02*		
(v) Leaf vegetables and fresh herbs		0,05*	0,1*			
(a) Lettuce and similar						
Cress						
Lamb's lettuce						
Lettuce				1		0,5
Scarole						
Others				0,02*		0,05*
(b) Spinach and similar				0,02*		0,05*
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress				0,02*		0,05*
(d) Witloof				0,02*		0,05*
(e) Herbs				0,02*		0,05*
Chervil						
Chives						
Parsley						
Celery leaves						
Others						
(vi) Legume		0,05*	0,1*			0,05*

vegetables (fresh)						
Beans (with pods)				3		
Beans (without pods)				0,02*		
Peas (with pods)				3		
Peas (without pods)				0,02*		
Others				0,02*		
(vii) Stem vegetables		0,05*	0,1*			0,05*
Asparagus				0,02*		
Cardoons				0,02*		
Celery						
Fennel				0,02*		
Globe artichokes				0,2		
Leek				0,02*		
Rhubarb				0,02*		
Others				0,02*		
(viii) Fungi		0,05*	0,1*	0,02*		0,05*
Cultivated mushrooms						
Wild mushrooms						
3. Pulses	0,01*	0,05*	0,1*	0,02*	0,05*	0,05*
Beans						
Lentils						
Peas						
Others						
4. Oil	0,01*	0,05*	0,1*	0,02*	0,05*	0,05*

seeds						
Linseed						
Peanuts						
Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed						
Soya bean						
Mustard						
Cotton seed						
Others						
5. Potatoes	0,01*	0,05*	0,1*	0,02*	0,05*	0,05*
Early and ware potatoes						
Early potatoes						
Ware potatoes						
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1*	0,1*	0,1*	0,1*	0,1*	0,1*

7. Hops (dried), including hop pellets and unconcentrated powder	0,1*	0,1*	0,1*	0,1*	0,1*	0,1*
1	2	3	4	5	6	7
	Benfuracarb	Binapacryl	Bromophos-ethyl	Bromopropylate	Daminozide: S	DDT: S
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts						
(i) Citrus fruit	0,05*	0,05*	0,05*	3	0,02*	0,05*
Grapefruit						
Lemons						
Limes						
Mandarins (including clementines and similar hybrids)						
Oranges						
Pomelos						
Others						
(ii) Tree nuts (shelled or	0,05*	0,05*	0,05*	0,05	0,05*	0,05*

unshelled)						
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						
Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others						
(iii) Pome fruit	0,05*	0,05*	0,05*	2		0,05*
Apples						0,02*
Pears						
Quinces						
Others					0,02*	
(iv) Stone fruit	0,05*	0,05*	0,05*	2	0,02*	0,05*
Apricots						
Cherries						
Peaches (including nectarines and similar hybrids)						
Plums						
Others						
(v) Berries and small fruit	0,05*	0,05*	0,05*		0,02*	0,05*
(a) Table				2		

and wine grapes						
Table grapes						
Wine grapes						
(b) Strawberries (other than wild)				2		
(c) Cane fruit				0,05		
Blackberries						
Dewberries						
Loganberries						
Raspberries						
Others						
(d) Other small fruit and berries (other than wild)				0,05		
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)						
Cranberries						
Currants (red, black, white)						
Gooseberries						
Others						

(e) Wild berries and wild fruit						
(vi) Miscellaneous fruit	0,05*	0,05*	0,05*		0,02*	0,05*
Avocados						
Bananas				3		
Dates						
Figs						
Kiwi						
Kumquats						
Litchis						
Mangos						
Olives						
Olives - table consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						
Others				0,05		
2. Vegetables : fresh or uncooked, frozen or dried						
(i) Root and tuber vegetables	0,05*	0,05*	0,05*	1	0,02*	0,05*

Beetroot						
Carrots						
Celeriac						
Horseradish						
Jerusalem artichokes						
Parsnips						
Parsley root						
Radishes						
Salsify						
Sweet potatoes						
Swedes						
Turnips						
Yams						
Others						
(ii) Bulb vegetables	0,05*	0,05*	0,05*	1	0,02*	0,05*
Garlic						
Onions						
Shallots						
Spring onions						
Others						
(iii) Fruiting vegetables	0,05*	0,05*	0,05*		0,02*	0,05*
(a) Solanacea						
Tomatoes						
Peppers						
Aubergines						
Others						

(b) Cucurbits - edible peel						
Cucumbers						
Gherkins						
Courgettes						
Others						
(c) Cucurbits - inedible peel						
Melons						
Squashes						
Watermelons						
Others						
(d) Sweet corn						
(iv) Brassica vegetables	0,05*	0,05*	0,05*		0,02*	0,05*
(a) Flowering brassica				1		
Broccoli						
Cauliflower						
Others						
(b) Head brassica				1		
Brussels sprouts						
Head cabbage						
Others						
(c) Leafy				1		

brassica						
Chinese cabbage						
Kale						
Others						
(d) Kohlrabi						
(v) Leaf vegetables and fresh herbs	0,05*	0,05*	0,05*	1	0,02*	0,05*
(a) Lettuce and similar						
Cress						
Lamb's lettuce						
Lettuce						
Scarole						
Others						
(b) Spinach and similar				1		
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress				1		
(d) Witloof				1		
(e) Herbs				1		
Chervil						
Chives						
Parsley						
Celery leaves						
Others						

(vi) Legume vegetables (fresh)	0,05*	0,05*	0,05*	1	0,02*	0,05*
Beans (with pods)						
Beans (without pods)						
Peas (with pods)						
Peas (without pods)						
Others						
(vii) Stem vegetables	0,05*	0,05*	0,05*	1	0,02*	0,05*
Asparagus						
Cardoons						
Celery						
Fennel						
Globe artichokes						
Leek						
Rhubarb						
Others						
(viii) Fungi	0,05*	0,05*	0,05*	1	0,02*	0,05*
Cultivated mushrooms						
Wild mushrooms					0,02*	0,05*
3. Pulses	0,05*	0,05*	0,05*			
Beans						
Lentils						
Peas						
Others						

4. Oil seeds	0,05*	0,05*	0,05*		0,05*	0,05*
Linseed						
Peanuts						
Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed						
Soya bean						
Mustard						
Cotton seed						
Others						
5. Potatoes	0,05*	0,05*	0,05*		0,02*	0,05*
Early and ware potatoes						
Early potatoes						
Ware potatoes						
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia</i>)	0,1*	0,1*	0,1*	0,1*	0,1*	0,2

<i>sinensis</i>)						
7. Hops (dried), including hop pellets and unconcentrated powder	5	0,1*	0,1*		0,1*	0,05*
<i>1</i>	<i>2</i>	<i>3</i>	<i>4</i>	<i>5</i>	<i>6</i>	<i>7</i>
	<i>Deltamethrin</i>	<i>Diallate</i>	<i>Diazinon</i>	<i>Diphenylamine</i>	<i>Dichlofluanid</i>	<i>Dichlorvos</i>
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts		0,05*				
(i) Citrus fruit	0,05*			0,05*	5	0,1
<i>Grapefruit</i>			<i>1</i>			
<i>Lemons</i>						
<i>Limes</i>						
<i>Mandarins (including clementines and similar hybrids)</i>						
<i>Oranges</i>			<i>1</i>			
<i>Pomelos</i>			<i>1</i>			
<i>Others</i>			0,02*			
(ii) Tree nuts	0,05*		0,05*	0,05*	5	0,1

<i>(shelled or unshelled)</i>						
<i>Almonds</i>						
<i>Brazil nuts</i>						
<i>Cashew nuts</i>						
<i>Chestnuts</i>						
<i>Coconuts</i>						
<i>Hazelnuts</i>						
<i>Macadamia</i>						
<i>a</i>						
<i>Pecans</i>						
<i>Pine nuts</i>						
<i>Pistachios</i>						
<i>Walnuts</i>						
<i>Others</i>						
<i>(iii) Pome fruit</i>	<i>0,1</i>				<i>5</i>	<i>0,1</i>
<i>Apples</i>			<i>0,3</i>	<i>5</i>		
<i>Pears</i>			<i>0,3</i>	<i>10</i>		
<i>Quinces</i>						
<i>Others</i>			<i>0,02*</i>	<i>0,05*</i>		
<i>(iv) Stone fruit</i>	<i>0,1</i>			<i>0,05*</i>	<i>5</i>	<i>0,1</i>
<i>Apricots</i>						
<i>Cherries</i>			<i>0,3</i>			
<i>Peaches (including nectarines and similar hybrids)</i>						
<i>Plums</i>			<i>0,1</i>			
<i>Others</i>			<i>0,02*</i>			
<i>(v) Berries and small</i>				<i>0,05*</i>		

<i>fruit</i>						
<i>(a) Table and wine grapes</i>	0,1		0,02*		10	0,1
<i>Table grapes</i>						
<i>Wine grapes</i>						
<i>(b) Strawberries (other than wild)</i>	0,05*		0,02*		10	0,1
<i>(c) Cane fruit</i>			0,02*		10	0,1
<i>Blackberries</i>	0,5					
<i>Dewberries</i>						
<i>Loganberries</i>						
<i>Raspberries</i>	0,5					
<i>Others</i>	0,05*					
<i>(d) Other small fruit and berries (other than wild)</i>					10	0,1
<i>Bilberries (fruit of the species Vaccinium myrtillus)</i>			0,2			
<i>Cranberries</i>						
<i>Currants (red, black, white)</i>	0,2		0,2			
<i>Gooseberries</i>	0,2		0,2			

es						
Others	0,05*		0,02*			
(e) Wild berries and wild fruit	0,05*		0,02*		10	0,1
(vi) Miscellaneous fruit				0,05*		0,1
Avocados						
Bananas						
Dates						
Figs						
Kiwi			0,2			
Kumquats						
Litchis						
Mangos						
Olives	0,1*					
Olives - table consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						
Others	0,05*		0,02*			
2. Vegetables : fresh or uncooked, frozen or dried		0,05*		0,05*		
(i) Root	0,05*				5	0,1

and tuber vegetables						
Beetroot						
Carrots			0,2			
Celeriac						
Horseradish						
Jerusalem artichokes						
Parsnips						
Parsley root						
Radishes						
Salsify						
Sweet potatoes						
Swedes						
Turnips						
Yams						
Others			0,02*			
(ii) Bulb vegetables			0,02*		5	0,1
Garlic	0,1					
Onions	0,1					
Shallots	0,1					
Spring onions	0,1					
Others	0,05*					
(iii) Fruiting vegetables						
(a) Solanacea	0,2		0,5		5	0,1
Tomatoes						
Peppers						

Aubergines						
Others						
(b) Cucurbits - edible peel	0,1		0,02*		5	0,1
Cucumbers						
Gherkins						
Courgettes						
Others						
(c) Cucurbits - inedible peel	0,05*		0,02*		5	0,1
Melons						
Squashes						
Watermelons						
Others						
(d) Sweet corn	0,05*		0,02*		5	0,1
(iv) Brassica vegetables			0,02*			
(a) Flowering brassica	0,1				5	0,1
Broccoli						
Cauliflower						
Others						
(b) Head brassica	0,1				5	0,1
Brussels sprouts						
Head cabbage						

Others						
(c) Leafy brassica	0,5				5	0,1
Chinese cabbage						
Kale						
Others						
(d) Kohlrabi	0,05*				5	0,1
(v) Leaf vegetables and fresh herbs			0,02*			
(a) Lettuce and similar	0,5				10	0,1
Cress						
Lamb's lettuce						
Lettuce						
Scarole						
Others						
(b) Spinach and similar	0,5				5	0,1
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress	0,05*				5	0,1
(d) Witloof	0,05*				5	0,1
(e) Herbs	0,5				5	0,1
Chervil						
Chives						
Parsley						
Celery						

leaves						
Others						
(vi) Legume vegetables (fresh)			0,02*		5	0,1
Beans (with pods)	0,2					
Beans (without pods)						
Peas (with pods)	0,1					
Peas (without pods)						
Others	0,05*				5	
(vii) Stem vegetables			0,02*		5	0,1
Asparagus						
Cardoons						
Celery						
Fennel						
Globe artichokes	0,1					
Leek	0,2					
Rhubarb						
Others	0,05*					
(viii) Fungi	0,05*		0,02*		5	0,1
Cultivated mushrooms						
Wild mushrooms						
3. Pulses	1	0,05*	0,02*	0,05*		
Beans						
Lentils						

Peas						
Others						
4. Oil seeds		0,05*	0,05*	0,05*		
Linseed						
Peanuts						
Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed	0,1					
Soya bean						
Mustard						
Cotton seed						
Others	0,05*					
5. Potatoes		0,05*	0,02*	0,05*		0,1
Early and ware potatoes	0,05*					
Early potatoes						
Ware potatoes	0,5					
6. Tea (dried leaves and stalks, fermented)	5	0,1*	0,05*	0,05*		

or otherwise, <i>Camellia sinensis</i>)						
7. Hops (dried), including hop pellets and unconcentrated powder	5	0,1*	0,05*	0,05*		
Others						
1	2	3	4	5	6	7
	Dichlorprop: S	Dicofol: S	Diquat	Dimethoate	Dinoseb	Dioxathion
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts						
(i) Citrus fruit	0,05*	2	0,05*	1	0,05*	0,05*
Grapefruit						
Lemons						
Limes						
Mandarins (including clementines and similar hybrids)						
Oranges						

Pomelos						
Others						
(ii) Tree nuts (shelled or unshelled)	0,05*	0,05*	0,05*	1	0,05*	0,05*
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						
Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others						
(iii) Pome fruit	0,05*	0,02*	0,05*	1	0,05*	0,05*
Apples						
Pears						
Quinces						
Others						
(iv) Stone fruit	0,05*	0,02*	0,05*	1	0,05*	0,05*
Apricots						
Cherries						
Peaches (including nectarines and similar hybrids)						
Plums						

Others						
(v) Berries and small fruit	0,05*				0,05*	0,05*
(a) Table and wine grapes			0,05*	1		
Table grapes		0,02*				
Wine grapes		2				
(b) Strawberries (other than wild)		0,02*	0,05*	1		
(c) Cane fruit		0,02*	0,05*	1		
Blackberries						
Dewberries						
Loganberries						
Raspberries						
Others						
(d) Other small fruit and berries (other than wild)		0,02*	0,05*	1		
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)						
Cranberries						
Currants						

(red, black, white)						
Gooseberries						
Others						
(e) Wild berries and wild fruit		0,02*	0,05*	1		
(vi) Miscellaneous fruit	0,05*	0,02*	0,05*	1	0,05*	0,05*
Avocados						
Bananas						
Dates						
Figs						
Kiwi						
Kumquats						
Litchis						
Mangos						
Olives						
Olives - table consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						
Others						
2. Vegetables : fresh or uncooked,						

frozen or dried						
(i) Root and tuber vegetables	0,05*	0,02*	0,1	1	0,05*	0,05*
Beetroot						
Carrots						
Celeriac						
Horseradish						
Jerusalem artichokes						
Parsnips						
Parsley root						
Radishes						
Salsify						
Sweet potatoes						
Swedes						
Turnips						
Yams						
Others						
(ii) Bulb vegetables	0,05*	0,02*	0,1	1	0,05*	0,05*
Garlic						
Onions						
Shallots						
Spring onions						
Others						
(iii) Fruiting vegetables	0,05*				0,05*	0,05*
(a)		0,02*	0,1	1		

Solanacea						
Tomatoes						
Peppers						
Aubergines						
Others						
(b) Cucurbits - edible peel		0,2	0,1	1		
Cucumbers						
Gherkins						
Courgettes						
Others						
(c) Cucurbits - inedible peel		0,5	0,1	1		
Melons						
Squashes						
Watermelons						
Others						
(d) Sweet corn		0,02*	0,1	1	0,05*	0,05*
(iv) Brassica vegetables	0,05*	0,02*				
(a) Flowering brassica			0,1	1		
Broccoli						
Cauliflower						
Others						
(b) Head brassica			0,1	1		
Brussels						

sprouts						
Head cabbage						
Others						
(c) Leafy brassica			0,1	1		
Chinese cabbage						
Kale						
Others						
(d) Kohlrabi			0,1	1		
(v) Leaf vegetables and fresh herbs	0,05*	0,02*			0,05*	0,05*
(a) Lettuce and similar			0,1	1		
Cress						
Lamb's lettuce						
Lettuce						
Scarole						
Others						
(b) Spinach and similar			0,1	1		
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress			0,1	1		
(d) Witloof			0,1	1		
(e) Herbs			0,1	1		
Chervil						

Chives						
Parsley						
Celery leaves						
Others						
(vi) Legume vegetables (fresh)	0,05*	0,02*	0,1	1	0,05*	0,05*
Beans (with pods)						
Beans (without pods)						
Peas (with pods)						
Peas (without pods)						
Others						
(vii) Stem vegetables	0,05*	0,02*	0,1	1	0,05*	0,05*
Asparagus						
Cardoons						
Celery						
Fennel						
Globe artichokes						
Leek						
Rhubarb						
Others						
(viii) Fungi	0,05*	0,02*	0,1	1	0,05*	0,05*
Cultivated mushrooms						
Wild mushrooms						

3. Pulses	0,05*	0,02*			0,05*	0,05*
Beans						
Lentils						
Peas						
Others						
4. Oil seeds	0,05*				0,05*	0,05*
Linseed						
Peanuts						
Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed						
Soya bean						
Mustard						
Cotton seed		0,1				
Others		0,05*				
5. Potatoes	0,05*	0,02*	0,1	0,05*	0,05*	0,05*
Early and ware potatoes						
Early potatoes						
Ware potatoes						
6. Tea (dried	0,1*	20		0,2	0,1*	0,1*

leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)						
7. Hops (dried), including hop pellets and unconcentrated powder	0,1*	50			0,1*	0,1*
1	2	3	4	5	6	7
	Disulfoton	Dithiocarbamates: S	Dodine	Endosulfan	Endrin	Etephon
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts	0,02*					
(i) Citrus fruit		5	0,2	0,5	0,01*	0,05*
Grapefruit						
Lemons						
Limes						
Mandarins (including clementines and similar hybrids)						

Oranges						
Pomelos						
Others						
(ii) Tree nuts (shelled or unshelled)		0,1*	0,2	0,1*	0,01*	0,1*
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						
Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others						
(iii) Pome fruit		3	1	0,3	0,01*	3
Apples						
Pears						
Quinces						
Others						
(iv) Stone fruit			1		0,01*	
Apricots		2				
Cherries		1				3
Peaches (including nectarines and similar hybrids)				0,5		

Plums		1				
Others		0,05*		0,05*		0,05*
(v) Berries and small fruit					0,01*	
(a) Table and wine grapes		2	0,2	0,5		0,05*
Table grapes						
Wine grapes						
(b) Strawberries (other than wild)		2	0,2	0,05*		0,05*
(c) Cane fruit		0,05*	0,2	0,05*		0,05*
Blackberries						
Dewberries						
Loganberries						
Raspberries						
Others						
(d) Other small fruit and berries (other than wild)			0,2	0,05*		
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)						
Cranberries						

Currants (red, black, white)		5				5
Gooseberries		5				
Others		0,05*				0,05*
(e) Wild berries and wild fruit		0,05*	0,2	0,05*		0,05*
(vi) Miscellaneous fruit			0,2	0,05*	0,01*	
Avocados						
Bananas						
Dates						
Figs						
Kiwi						
Kumquats						
Litchis						
Mangos						
Olives		5				
Olives - table consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						0,5
Pomegranates						
Others		0,05*				0,05*
2. Vegetables : fresh or	0,02*					

uncooked, frozen or dried						
(i) Root and tuber vegetables			0,2	0,05*	0,01*	0,05*
Beetroot						
Carrots		0,2				
Celeriac		0,2				
Horseradis h						
Jerusalem artichokes						
Parsnips						
Parsley root						
Radishes		0,2				
Salsify		0,2				
Sweet potatoes						
Swedes						
Turnips						
Yams						
Others		0,05*				
(ii) Bulb vegetables			0,2	0,05*	0,01*	0,05*
Garlic		0,5				
Onions		0,5				
Shallots		0,5				
Spring onions						
Others		0,05*				
(iii) Fruiting vegetables					0,01*	

(a) Solanacea			0,2			
Tomatoes	3			0,5		3
Peppers						3
Aubergines						
Others	2			0,05*		0,05*
(b) Cucurbits - edible peel			0,2	0,05*		0,05*
Cucumbers	0,5					
Gherkins	2					
Courgettes	2					
Others	0,05*					
(c) Cucurbits - inedible peel		0,5	0,2	0,3		0,05*
Melons						
Squashes						
Watermelons						
Others						
(d) Sweet corn		0,05*	0,2	0,05*		0,05*
(iv) Brassica vegetables				0,05*	0,01*	0,05*
(a) Flowering brassica		1	0,2			
Broccoli						
Cauliflower						
Others						
(b) Head brassica		1	0,2			

Brussels sprouts						
Head cabbage						
Others						
(c) Leafy brassica		0,5	0,2			
Chinese cabbage						
Kale						
Others						
(d) Kohlrabi		0,1*	0,2			
(v) Leaf vegetables and fresh herbs				0,05*	0,01*	0,05*
(a) Lettuce and similar		5	0,2			
Cress						
Lamb's lettuce						
Lettuce						
Scarole						
Others						
(b) Spinach and similar		0,05*	0,2			
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress		0,3	0,2			
(d) Witloof		0,2				
(e) Herbs		5	0,2			
Chervil						

Chives						
Parsley						
Celery leaves						
Others						
(vi) Legume vegetables (fresh)			0,2	0,05*	0,01*	0,05*
Beans (with pods)		1				
Beans (without pods)		0,1				
Peas (with pods)		1				
Peas (without pods)		0,1				
Others		0,05*				
(vii) Stem vegetables			0,2	0,05*	0,01*	0,05*
Asparagus						
Cardoons						
Celery		0,5				
Fennel						
Globe artichokes						
Leek		3				
Rhubarb						
Others		0,05*				
(viii) Fungi		0,05*	0,2	0,05*	0,01*	0,05*
Cultivated mushrooms						
Wild mushrooms						

3. Pulses	0,02*	0,05*		0,05*	0,01*	0,05*
Beans						
Lentils						
Peas						
Others						
4. Oil seeds	0,02*				0,01*	
Linseed						
Peanuts						
Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed		0,5				
Soya bean				0,5		
Mustard						
Cotton seed				0,3		2
Others		0,1*		0,1*		0,05*
5. Potatoes	0,02*	0,05*		0,05*	0,01*	0,05*
Early and ware potatoes						
Early potatoes						
Ware potatoes						
6. Tea (dried	0,05*	0,1*		30	0,01*	0,1*

leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)						
7. Hops (dried), including hop pellets and unconcentrated powder	0,05*	25		0,1*	0,1*	0,1*
1	2	3	4	5	6	7
	Ethion	Ethylene	Azinphos-ethyl	Fenarimol	Fenbutatin oxide	Fenchlorophos: S
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts						
(i) Citrus fruit	2	0,01*	0,05*	0,02*	5	0,01*
Grapefruit						
Lemons						
Limes						
Mandarins (including clementines and similar hybrids)						

Oranges						
Pomelos						
Others						
(ii) Tree nuts (shelled or unshelled)	0,1	0,01*	0,05*	0,02*	0,05*	0,01*
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						
Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others						
(iii) Pome fruit	0,5	0,01*	0,05*	0,3	2	0,01*
Apples						
Pears						
Quinces						
Others						
(iv) Stone fruit	0,5	0,01*	0,05*		0,05*	0,01*
Apricots				0,5		
Cherries				1		
Peaches (including nectarines and similar hybrids)				0,5		

Plums						
Others				0,02*		
(v) Berries and small fruit		0,01*	0,05*			0,01*
(a) Table and wine grapes	0,5			0,3	2	
Table grapes						
Wine grapes						
(b) Strawberries (other than wild)	0,1			0,3	1	
(c) Cane fruit	0,1				0,05*	
Blackberries						
Dewberries						
Loganberries						
Raspberries				0,1		
Others				0,02*		
(d) Other small fruit and berries (other than wild)	0,1				0,05*	
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)						
Cranberries						

Currants (red, black, white)				1		
Gooseberries				1		
Others				0,02*		
(e) Wild berries and wild fruit	0,1			0,02*	0,05*	
(vi) Miscellaneous fruit	0,1	0,01*	0,05*			0,01*
Avocados						
Bananas				0,3	3	
Dates						
Figs						
Kiwi						
Kumquats						
Litchis						
Mangos						
Olives						
Olives - table consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						
Others				0,02*	0,05*	
2. Vegetables : fresh or						

uncooked, frozen or dried						
(i) Root and tuber vegetables	0,1	0,01*	0,05*	0,02*	0,05*	0,01*
Beetroot						
Carrots						
Celeriac						
Horseradis h						
Jerusalem artichokes						
Parsnips						
Parsley root						
Radishes						
Salsify						
Sweet potatoes						
Swedes						
Turnips						
Yams						
Others						
(ii) Bulb vegetables	0,1	0,01*	0,05*	0,02*	0,05*	0,01*
Garlic						
Onions						
Shallots						
Spring onions						
Others						
(iii) Fruiting vegetables		0,01*	0,05*			0,01*

(a) Solanacea	0,1					
Tomatoes				0,5	1	
Peppers				0,5		
Aubergines					1	
Others				0,02*	0,05*	
(b) Cucurbits - edible peel	0,1			0,2		
Cucumbers					0,5	
Gherkins						
Courgettes					0,5	
Others					0,05*	
(c) Cucurbits - inedible peel	0,1			0,05	0,05*	
Melons						
Squashes						
Watermelons						
Others						
(d) Sweet corn	0,1			0,02*	0,05*	
(iv) Brassica vegetables		0,1*	0,05*	0,02*	0,05*	0,01*
(a) Flowering brassica	0,1					
Broccoli						
Cauliflower						
Others						
(b) Head brassica	0,1					

Brussels sprouts						
Head cabbage						
Others						
(c) Leafy brassica	0,1					
Chinese cabbage						
Kale						
Others						
(d) Kohlrabi						
(v) Leaf vegetables and fresh herbs		0,01*	0,05*	0,02*	0,05*	0,01*
(a) Lettuce and similar	0,1					
Cress						
Lamb's lettuce						
Lettuce						
Scarole						
Others						
(b) Spinach and similar	0,1					
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress	0,1					
(d) Witloof	0,1					
(e) Herbs	0,1					
Chervil						

Chives						
Parsley						
Celery leaves						
Others						
(vi) Legume vegetables (fresh)	0,1	0,01*	0,05*	0,02*	0,05*	0,01*
Beans (with pods)						
Beans (without pods)						
Peas (with pods)						
Peas (without pods)						
Others						
(vii) Stem vegetables	0,1	0,01*	0,05*	0,02*	0,05*	0,01*
Asparagus						
Cardoons						
Celery						
Fennel						
Globe artichokes						
Leek						
Rhubarb						
Others						
(viii) Fungi	0,1	0,01*	0,05*	0,02*	0,05*	0,01*
Cultivated mushrooms						
Wild mushrooms						

3. Pulses		0,01*		0,02*	0,05*	0,01*
Beans						
Lentils						
Peas						
Others						0,01*
4. Oil seeds		0,01*	0,05*	0,02*	0,05*	
Linseed						
Peanuts						
Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed						
Soya bean						
Mustard						
Cotton seed						
Others						
5. Potatoes	0,1	0,01*	0,05*	0,02*	0,05*	0,01*
Early and ware potatoes						
Early potatoes						
Ware potatoes						
6. Tea (dried	2	0,1*		0,05*	0,1*	0,1*

leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)						
7. Hops (dried), including hop pellets and unconcentrated powder		0,01*		5	0,1*	0,1*
1	2	3	4	5	6	7
	Fentin: S	Fenitrothion	Fenvalerate and esfenvalerate (I): S	Fenvalerate and esfenvalerate (II): S	Folpet and captan	Phorate: S
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts						0,05*
(i) Citrus fruit	0,05*	2	0,02*	0,02*		
Grapefruit						
Lemons						
Limes						
Mandarins (including clementines and						

similar hybrids)						
Oranges						
Pomelos						
Others						
(ii) Tree nuts (shelled or unshelled)	0,05*	0,5	0,02*	0,02*		
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						
Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others						
(iii) Pome fruit	0,05*	0,5	0,05*	0,02*	3	
Apples						
Pears						
Quinces						
Others						
(iv) Stone fruit	0,05*	0,5	0,02*	0,02*	2	
Apricots						
Cherries						
Peaches (including nectarines)						

and similar hybrids)						
Plums						
Others						
(v) Berries and small fruit	0,05*					
(a) Table and wine grapes		0,5	0,1	0,02*		
Table grapes					3	
Wine grapes					10	
(b) Strawberries (other than wild)		0,5	0,02*	0,02*	3	
(c) Cane fruit		0,5	0,02*	0,02*	3	
Blackberries						
Dewberries						
Loganberries						
Raspberries						
Others						
(d) Other small fruit and berries (other than wild)		0,5	0,02*	0,02*	3	
Bilberries (fruit of the species <i>Vaccinium</i>)						

<i>myrtillus)</i>						
Cranberries						
Currants (red, black, white)						
Gooseberries						
Others						
(e) Wild berries and wild fruit		0,5	0,02*	0,02*	3	
(vi) Miscellaneous fruit	0,05*	0,5	0,02*	0,02*		
Avocados						
Bananas						
Dates						
Figs						
Kiwi						
Kumquats		2				
Litchis						
Mangos						
Olives						
Olives - table consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						
Others						
2.						0,05*

Vegetables : fresh or uncooked, frozen or dried						
(i) Root and tuber vegetables	0,05*	0,5	0,02*	0,02*		
Beetroot						
Carrots						
Celeriac						
Horseradish						
Jerusalem artichokes						
Parsnips						
Parsley root						
Radishes						
Salsify						
Sweet potatoes						
Swedes						
Turnips						
Yams						
Others						
(ii) Bulb vegetables	0,05*	0,5	0,02*	0,02*		
Garlic						
Onions						
Shallots						
Spring onions						
Others						
(iii) Fruiting	0,05*					

vegetables						
(a) Solanacea		0,5				
Tomatoes			0,05	0,02*	3	
Peppers						
Aubergines						
Others			0,02*	0,02*		
(b) Cucurbits - edible peel		0,5	0,02*	0,02*		
Cucumbers						
Gherkins						
Courgettes						
Others						
(c) Cucurbits - inedible peel		0,5	0,02*	0,02*		
Melons						
Squashes						
Watermelons						
Others						
(d) Sweet corn		0,5	0,02*	0,02*		
(iv) Brassica vegetables	0,05*					
(a) Flowering brassica		0,5	0,02*	0,02*		
Broccoli						
Cauliflower						
Others						
(b) Head		0,5		0,02*		

brassica						
Brussels sprouts			0,05			
Head cabbage			0,05			
Others			0,02*			
(c) Leafy brassica		0,5	0,02*	0,02*		
Chinese cabbage						
Kale						
Others						
(d) Kohlrabi		0,5	0,02*	0,02*		
(v) Leaf vegetables and fresh herbs	0,05*		0,02*	0,02*		
(a) Lettuce and similar		0,5			2	
Cress						
Lamb's lettuce						
Lettuce						
Scarole						
Others						
(b) Spinach and similar		0,5				
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress		0,5				
(d) Witloof		0,5			2	
(e) Herbs		0,5				

Chervil						
Chives						
Parsley						
Celery leaves						
Others						
(vi) Legume vegetables (fresh)	0,05*	0,5	0,02*	0,02*	2	
Beans (with pods)						
Beans (without pods)						
Peas (with pods)						
Peas (without pods)						
Others						
(vii) Stem vegetables	0,05*	0,5	0,02*	0,02*		
Asparagus						
Cardoons						
Celery						
Fennel						
Globe artichokes						
Leek					2	
Rhubarb						
Others						
(viii) Fungi	0,05*	0,5	0,02*	0,02*		
Cultivated mushrooms						
Wild						

mushrooms						
3. Pulses	0,05*		0,02*	0,02*		0,05*
Beans						
Lentils						
Peas						
Others	0,05*					
4. Oil seeds			0,05*	0,05*		
Linseed						
Peanuts						0,1
Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed						
Soya bean						
Mustard						
Cotton seed						
Others						0,05*
5. Potatoes	0,1	0,05*	0,02*	0,02*	0,1	0,05*
Early and ware potatoes						
Early potatoes						
Ware potatoes						

6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1*		0,05*	0,05*		0,1*
7. Hops (dried), including hop pellets and unconcentrated powder	0,5		0,05*	0,05*		0,1*
1	2	3	4	5	6	7
	Formothion	Phosalone	Phosphamidon	Furathiocarb	Glyphosate	Heptachlor: S
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts						
(i) Citrus fruit	0,2	1	0,15	0,05*	0,1*	0,01*
Grapefruit						
Lemons						
Limes						
Mandarins (including clementines and						

similar hybrids)						
Oranges						
Pomelos						
Others						
(ii) Tree nuts (shelled or unshelled)	0,1	1	0,15	0,05*	0,1*	0,01*
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						
Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others						
(iii) Pome fruit	0,1	2	0,15	0,05*	0,1*	0,01*
Apples						
Pears						
Quinces						
Others						
(iv) Stone fruit	0,1		0,15	0,05*	0,1*	0,01*
Apricots		1				
Cherries		1				
Peaches (including nectarines)		2				

and similar hybrids)						
Plums		1				
Others		1				
(v) Berries and small fruit				0,05*		0,01*
(a) Table and wine grapes	0,1	1	0,15		0,1*	
Table grapes						
Wine grapes						
(b) Strawberries (other than wild)	0,1	1	0,15		0,1*	
(c) Cane fruit	0,1	1	0,15		0,1*	
Blackberries						
Dewberries						
Loganberries						
Raspberries						
Others						
(d) Other small fruit and berries (other than wild)	0,1	1	0,15		0,1*	
Bilberries (fruit of the species <i>Vaccinium</i>)						

<i>myrtillus</i>)						
Cranberries						
Currants (red, black, white)						
Gooseberries						
Others						
(e) Wild berries and wild fruit	0,1	1	0,15		0,1*	
(vi) Miscellaneous fruit	0,1		0,15	0,05*		0,01*
Avocados						
Bananas						
Dates						
Figs						
Kiwi						
Kumquats						
Litchis						
Mangos						
Olives		0,1				
Olives - table consumption					0,1*	
Olives - oil extraction					2	
Passion fruit						
Pineapples						
Pomegranates						
Others					0,1*	
2.						

Vegetables : fresh or uncooked, frozen or dried						
(i) Root and tuber vegetables	0,1	0,1	0,15	0,05*	0,1*	0,01*
Beetroot						
Carrots						
Celeriac						
Horseradish						
Jerusalem artichokes						
Parsnips						
Parsley root						
Radishes						
Salsify						
Sweet potatoes						
Swedes						
Turnips						
Yams						
Others						
(ii) Bulb vegetables	0,1	1	0,15	0,05*	0,1*	0,01*
Garlic						
Onions						
Shallots						
Spring onions						
Others						
(iii) Fruiting				0,05*		0,01*

vegetables						
(a) Solanacea	0,1	1	0,15		0,1*	
Tomatoes						
Peppers						
Aubergines						
Others						
(b) Cucurbits - edible peel	0,1	1	0,15		0,1*	
Cucumbers						
Gherkins						
Courgettes						
Others						
(c) Cucurbits - inedible peel		1	0,15		0,1*	
Melons						
Squashes						
Watermelons						
Others						
(d) Sweet corn	0,1	1	0,15		0,1*	
(iv) Brassica vegetables						0,01*
(a) Flowering brassica	0,1	1	0,15	0,1	0,1*	
Broccoli						
Cauliflower						
Others						
(b) Head		1	0,15	0,05*	0,1*	

brassica						
Brussels sprouts	0,1					
Head cabbage						
Others						
(c) Leafy brassica	0,1	1	0,15	0,05	0,1*	
Chinese cabbage						
Kale						
Others						
(d) Kohlrabi	0,1	1	0,15	0,05*	0,1*	
(v) Leaf vegetables and fresh herbs				0,05*		0,01*
(a) Lettuce and similar	0,1	1	0,15		0,1*	
Cress						
Lamb's lettuce						
Lettuce						
Scarole						
Others						
(b) Spinach and similar	0,1	1	0,15		0,1*	
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress	0,1	1	0,15		0,1*	
(d) Witloof	0,1	1	0,15		0,1*	
(e) Herbs	0,1	1	0,15		0,1*	

Chervil						
Chives						
Parsley						
Celery leaves						
Others						
(vi) Legume vegetables (fresh)	0,1	1	0,15	0,05*	0,1*	0,01*
Beans (with pods)						
Beans (without pods)						
Peas (with pods)						
Peas (without pods)						
Others						
(vii) Stem vegetables	0,1	1	0,15	0,05*	0,1*	0,01*
Asparagus						
Cardoons						
Celery						
Fennel						
Globe artichokes						
Leek						
Rhubarb						
Others						
(viii) Fungi	0,1	1	0,15	0,05*		0,01*
Cultivated mushrooms					0,1*	
Wild					50	

mushrooms						
3. Pulses				0,05*		0,01*
Beans					2	
Lentils						
Peas					3	
Others					0,1*	
4. Oil seeds				0,05*		0,01*
Linseed					10	
Peanuts						
Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed					10	
Soya bean					20	
Mustard					10	
Cotton seed					10	
Others					0,1*	
5. Potatoes	0,1	0,1	0,05*	0,05*	0,1*	0,01*
Early and ware potatoes						
Early potatoes						
Ware potatoes						

Pomelos						
Others		0,02*				
(ii) Tree nuts (shelled or unshelled)	0,02*		0,02*	1	0,1*	0,1*
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts		0,2				
Macadamia						
Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others		0,02*				
(iii) Pome fruit	5	10	0,02*		2	0,1*
Apples				3		
Pears				3		
Quinces				1		
Others				1		
(iv) Stone fruit	0,02*	5	0,02*			0,1*
Apricots				3	1	
Cherries				1		
Peaches (including nectarines and similar hybrids)				3	1	
Plums				3	0,5	
Others				1	0,1*	
(v) Berries and small fruit			0,02*			0,1*
(a) Table and wine grapes	0,02*	10		3	2	

Table grapes						
Wine grapes						
(b) Strawberries (other than wild)	0,02*	10		1	0,1*	
(c) Cane fruit	0,02*	5		1	0,1*	
Blackberries						
Dewberries						
Loganberries						
Raspberries						
Others						
(d) Other small fruit and berries (other than wild)	0,02*				0,1*	
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)		10				
Cranberries						
Currants (red, black, white)		10				
Gooseberries		10				
Others		0,02*				
(e) Wild berries and wild fruit	0,02*	0,02*			0,1*	
(vi) Miscellaneous fruit			0,02*	1		0,1*
Avocados						
Bananas	2	3			1	
Dates						
Figs						
Kiwi		5				
Kumquats						
Litchis						
Mangos						
Olives						

Olives - table consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						
Others	0,02*	0,02*			0,1*	
2. Vegetables: fresh or uncooked, frozen or dried						
(i) Root and tuber vegetables	0,02*		0,02*	1	0,1*	
Beetroot		0,5				
Carrots		0,3				0,3
Celeriac						
Horseradish		0,1				
Jerusalem artichokes						
Parsnips		0,1				0,3
Parsley root						
Radishes		0,3				0,5
Salsify						
Sweet potatoes						
Swedes						0,2
Turnips						0,2
Yams						
Others		0,02*				0,1*
(ii) Bulb vegetables	0,02*		0,02*	1	0,1*	
Garlic		5				0,3
Onions		5				0,3
Shallots		5				0,3
Spring onions		3				
Others		0,02*				0,1*

(iii) Fruiting vegetables			0,02*			
(a) Solanacea		5	1	1		0,1*
Tomatoes	0,5				0,5	
Peppers						
Aubergines					0,5	
Others	0,02*				0,1*	
(b) Cucurbits - edible peel	0,2	2	1	1		0,1*
Cucumbers					1	
Gherkins						
Courgettes					0,3	
Others					0,1*	
(c) Cucurbits - inedible peel			1	1		0,2
Melons	2	0,3			0,5	
Squashes					0,5	
Watermelons						
Others	0,02*	0,02*	1	1	0,1*	
(d) Sweet corn	0,02*	0,02*			0,1*	0,1*
(iv) Brassica vegetables			0,02*			
(a) Flowering brassica	0,02*	0,05	3		0,1*	0,2
Broccoli						
Cauliflower						
Others						
(b) Head brassica	0,02*		3			0,1*
Brussels sprouts		0,5			0,5	
Head cabbage		5				
Others		0,02*			3	
(c) Leafy brassica	0,02*		3		0,1*	0,1*
Chinese cabbage		5				
Kale						

Others		0,02*				
(d) Kohlrabi	0,02*	0,1	3		0,1*	0,2
(v) Leaf vegetables and fresh herbs			0,02*			0,1*
(a) Lettuce and similar	0,02*	10		3		
Cress						
Lamb's lettuce						
Lettuce					5	
Scarole						
Others					0,1*	
(b) Spinach and similar	0,02*	0,02*		1	0,1*	
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress	0,02*	0,02*		1	0,1*	
(d) Witloof	0,02*	2		1	0,1*	
(e) Herbs	0,02*	10		1	0,1*	
Chervil						
Chives						
Parsley						
Celery leaves						
Others						
(vi) Legume vegetables (fresh)	0,02*		0,02*	1	0,1*	0,1*
Beans (with pods)		5				
Beans (without pods)						
Peas (with pods)		1				
Peas (without pods)		0,2				
Others		0,02*				
(vii) Stem vegetables	0,02*		0,02*	1		0,1*

Asparagus						
Cardoons						
Celery					2	
Fennel						
Globe artichokes						
Leek						
Rhubarb		0,2			2	
Others		0,02*			0,1*	
(viii) Fungi	0,02*	0,02*	0,02*	1		0,1*
Cultivated mushrooms					1	
Wild mushrooms					0,1*	
3. Pulses	0,02*	0,2	0,02*			0,1*
Beans					2	
Lentils						
Peas						
Others					0,1*	
4. Oil seeds	0,02*		0,02*			0,1*
Linseed		0,1				
Peanuts						
Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed		0,5				
Soya bean					0,2	
Mustard						
Cotton seed						
Others		0,02*			0,1*	
5. Potatoes		0,02*	0,02*	0,1	0,1*	0,1*
Early and ware						

potatoes						
Early potatoes	0,02*					
Ware potatoes	5					
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1*	0,1*	0,1*		0,1*	0,2*
7. Hops (dried), including hop pellets and unconcentrated powder	0,1*	0,1*	0,1*		0,1*	10

Products of plant origin	Active substance of pesticide and maximum residue level thereof (mg/kg)					
	2	3	4	5	6	7
	Carbosulfan	Chlorbensi de	Chlorbenzil ate	Chlorbufa m	Chlorfens on	Chlorfenvinph os: S
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts		0,01*	0,02*	0,05*	0,01*	
(i) Citrus fruit	0,05*					1
Grapefruit						
Lemons						
Limes						
Mandarins (including clementines and similar hybrids)						
Oranges						

Pomelos						
Others						
(ii) Tree nuts (shelled or unshelled)	0,05*					0,05*
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						
Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others						
(iii) Pome fruit	0,05*					0,05*
Apples						
Pears						
Quinces						
Others						
(iv) Stone fruit	0,05*					0,05*
Apricots						
Cherries						
Peaches (including nectarines and similar hybrids)						
Plums						
Others						

(v) Berries and small fruit	0,05*					
(a) Table and wine grapes						0,05*
Table grapes						
Wine grapes						
(b) Strawberries (other than wild)						0,05*
(c) Cane fruit						0,05*
Blackberries						
Dewberries						
Loganberries						
Raspberries						
Others						
(d) Other small fruit and berries (other than wild)						0,05*
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)						
Cranberries						
Currants (red, black, white)						
Gooseberries						
Others						

(e) Wild berries and wild fruit						0,05*
(vi) Miscellaneous fruit	0,05*					0,05*
Avocados						
Bananas						
Dates						
Figs						
Kiwi						
Kumquats						
Litchis						
Mangos						
Olives						
Olives - table consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						
Others						
2. Vegetables: fresh or uncooked, frozen or dried		0,01*	0,02*	0,05*	0,01*	
(i) Root and tuber vegetables						0,5
Beetroot						
Carrots	0,1					

Celeriac						
Horseradish						
Jerusalem artichokes						
Parsnips	0,1					
Parsley root						
Radishes						
Salsify						
Sweet potatoes						
Swedes						
Turnips						
Yams						
Others	0,05*					
(ii) Bulb vegetables	0,05*					0,5
Garlic						
Onions						
Shallots						
Spring onions						
Others						
(iii) Fruiting vegetables	0,05*					
(a) Solanacea						0,1
Tomatoes						
Peppers						
Aubergines						
Others						
(b) Cucurbits - edible peel						0,1
Cucumbers						
Gherkins						

Courgettes						
Others						
(c) Cucurbits - inedible peel						0,1
Melons						
Squashes						
Watermelons						
Others						
(d) Sweet corn						0,1
(iv) Brassica vegetables	0,05*					
(a) Flowering brassica						0,1
Broccoli						
Cauliflower						
Others						
(b) Head brassica						0,1
Brussels sprouts						
Head cabbage						
Others						
(c) Leafy brassica						0,1
Chinese cabbage						
Kale						
Others						
(d) Kohlrabi						0,1
(v) Leaf vegetables	0,05*					

and fresh herbs						
(a) Lettuce and similar						
Cress						
Lamb's lettuce						
Lettuce						
Scarole						
Others						
(b) Spinach and similar						0,1
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress						0,1
(d) Witloof						0,1
(e) Herbs						
Chervil						0,1
Chives						0,1
Parsley						0,5
Celery leaves						0,1
Others						0,1
(vi) Legume vegetables (fresh)	0,05*					0,1
Beans (with pods)						
Beans (without pods)						
Peas (with pods)						

Peas (without pods)						
Others						
(vii) Stem vegetables	0,05*					
Asparagus						
Cardoons						
Celery						0,5
Fennel						0,1
Globe artichokes						0,5
Leek						0,1
Rhubarb						0,1
Others						0,1
(viii) Fungi	0,05*					0,05*
Cultivated mushrooms						
Wild mushrooms						
3. Pulses	0,05*	0,01*	0,02*	0,05*	0,01*	
Beans						
Lentils						
Peas						
Others						
4. Oil seeds	0,05*	0,01*	0,02*	0,05*	0,01*	
Linseed						
Peanuts						
Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed						

(shelled)						
Sunflower seed						
Rape seed						
Soya bean						
Mustard						
Cotton seed						
Others						
5. Potatoes	0,05*	0,01*	0,02*	0,05*	0,01*	0,05*
Early and ware potatoes						
Early potatoes						
Ware potatoes						
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1*	0,1*	0,1*	0,1*	0,1*	
7. Hops (dried), including hop pellets and unconcentrated powder	1	0,1*	0,1*	0,1*	0,1*	
Products of plant origin	Active substance of pesticide and maximum residue level thereof (mg/kg)					
1	2	3	4	5	6	7
	Chloroxuron	Chlormequat	Chlorpropham: S	Chlorpyrifos	Chlorothalonil	Quinalfos
1. Fruit: fresh, dried	0,05*					0,05*

or uncooked preserved by freezing not containing added sugar; nuts						
(i) Citrus fruit		0,05*	0,05		0,01*	
Grapefruit				0,3		
Lemons				0,2		
Limes				0,3		
Mandarins (including clementines and similar hybrids)				2		
Oranges				0,3		
Pomelos				0,3		
Others				0,3		
(ii) Tree nuts (shelled or unshelled)		0,1*	0,05	0,05*	0,01*	
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						
Pecans						
Pine nuts						
Pistachios						

Walnuts						
Others						
(iii) Pome fruit		0,05*	0,05	0,5	1	
Apples						
Pears						
Quinces						
Others						
(iv) Stone fruit		0,05*	0,05			
Apricots					1	
Cherries				0,3		
Peaches (including nectarines and similar hybrids)				0,2	1	
Plums				0,2		
Others				0,05*	0,01*	
(v) Berries and small fruit		0,05*				
(a) Table and wine grapes			0,05	0,5		
Table grapes					1	
Wine grapes					3	
(b) Strawberries (other than wild)			0,05	0,2	3	
(c) Cane fruit			0,05			
Blackberrie				0,5		

s						
Dewberries						
Loganberries						
Raspberries				0,5	10	
Others				0,05*	0,01*	
(d) Other small fruit and berries (other than wild)			0,05			
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)						
Cranberries					2	
Currants (red, black, white)				1	10	
Gooseberries				1	10	
Others				0,05*	0,01*	
(e) Wild berries and wild fruit			0,05	0,05*	0,01*	
(vi) Miscellaneous fruit			0,05			
Avocados						
Bananas				3	0,2	
Dates						
Figs						
Kiwi				2		
Kumquats						
Litchis						

Mangos						
Olives		0,1*				
Olives - table consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						
Others		0,05*		0,05*	0,01*	
2. Vegetables: fresh or uncooked, frozen or dried	0,05*	0,05*				0,05*
(i) Root and tuber vegetables						
Beetroot						
Carrots			0,1	0,1	1	
Celeriac			0,05		0,5	
Horseradish			0,05			
Jerusalem artichokes			0,05			
Parsnips			0,1			
Parsley root			0,05			
Radishes			0,05	0,2		
Salsify			0,05			
Sweet potatoes			0,05			
Swedes			0,05			

Turnips			0,05			
Yams			0,05			
Others			0,05	0,05*	0,01*	
(ii) Bulb vegetables			0,05			
Garlic					0,5	
Onions				0,2	0,5	
Shallots					0,5	
Spring onions					5	
Others				0,05*	0,01*	
(iii) Fruiting vegetables						
(a) Solanacea			0,05	0,5	2	
Tomatoes						
Peppers						
Aubergines						
Others						
(b) Cucurbits - edible peel			0,05	0,05*		
Cucumbers					1	
Gherkins					5	
Courgettes						
Others					0,01*	
(c) Cucurbits - inedible peel			0,05	0,05*	1	
Melons						
Squashes						
Watermelons						

Others						
(d) Sweet corn			0,05	0,05*	0,01*	
(iv) Brassica vegetables						
(a) Flowering brassica			0,05	0,05*	3	
Broccoli						
Cauliflower						
Others						
(b) Head brassica			0,05			
Brussels sprouts					0,5	
Head cabbage				1	3	
Others				0,05*	0,01*	
(c) Leafy brassica			0,05		0,01*	
Chinese cabbage				0,5		
Kale						
Others				0,05*		
(d) Kohlrabi			0,05	0,05*	0,01*	
(v) Leaf vegetables and fresh herbs						
(a) Lettuce and similar			0,05	0,05*	0,01*	
Cress						
Lamb's lettuce						

Lettuce						
Scarole						
Others						
(b) Spinach and similar			0,05	0,05*	0,01*	
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress			0,05	0,05*	0,01*	
(d) Witloof			0,05	0,05*	0,01*	
(e) Herbs				0,05*	5	
Chervil						
Chives						
Parsley						
Celery leaves						
Others						
(vi) Legume vegetables (fresh)			0,05	0,05*		
Beans (with pods)						
Beans (without pods)					0,05	
Peas (with pods)					2	
Peas (without pods)					0,3	
Others					0,01*	
(vii) Stem vegetables						

Asparagus						
Cardoons						
Celery			0,1		10	
Fennel						
Globe artichokes				1		
Leek					10	
Rhubarb						
Others			0,05	0,05*	0,01*	
(viii) Fungi			0,05	0,05*		
Cultivated mushrooms					2	
Wild mushrooms					0,01*	
3. Pulses	0,05*	0,05*		0,05*	0,01	0,05*
Beans						
Lentils						
Peas						
Others						
4. Oil seeds	0,05*	0,1*		0,05*		0,05*
Linseed						
Peanuts					0,05	
Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed						
Soya bean						

Mustard						
Cotton seed						
Others					0,01*	
5. Potatoes	0,05*	0,05*	1	0,05*	0,01*	0,05*
Early and ware potatoes						
Early potatoes						
Ware potatoes						
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1*	0,1*		0,1*	0,1*	0,1*
7. Hops (dried), including hop pellets and unconcentrated powder	0,1*	0,1*		0,1*	50	0,1*
1	2	3	4	5	6	7
	Lambda-cyhalothrin	Lindane	Malathion: S	Maleic hydrazide	Mecarbam	Metalaxyl
1. Fruit: fresh, dried or uncooked preserved by freezing not containing					0,05*	

added sugar; nuts						
(i) Citrus fruit	0,02*	1	2	1*		
Grapefruit						0,5
Lemons						
Limes						
Mandarins (including clementines and similar hybrids)						
Oranges						0,5
Pomelos						0,5
Others		1	0,5	1*		0,05*
(ii) Tree nuts (shelled or unshelled)	0,05*					0,05*
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						
Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others						
(iii) Pome fruit	0,1	1	0,5	1*		1
Apples						

Pears						
Quinces						
Others						
(iv) Stone fruit		0,5	0,5	1*		0,05*
Apricots	0,2					
Cherries						
Peaches (including nectarines and similar hybrids)	0,2					
Plums						
Others	0,1					
(v) Berries and small fruit				1*		
(a) Table and wine grapes	0,2	0,5	0,5			
Table grapes						2
Wine grapes						1
(b) Strawberries (other than wild)	0,5	1	0,5			0,5
(c) Cane fruit	0,02*	1	0,5			0,05*
Blackberries						
Dewberries						
Loganberries						
Raspberries						

Others						
(d) Other small fruit and berries (other than wild)		1	0,5			0,05*
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)						
Cranberries						
Currants (red, black, white)	0,1					
Gooseberries	0,1					
Others	0,02*					
(e) Wild berries and wild fruit	0,02*	1	0,5			0,05*
(vi) Miscellaneous fruit	0,02*	1	0,5	1*		0,05*
Avocados						
Bananas						
Dates						
Figs						
Kiwi						
Kumquats						
Litchis						
Mangos						
Olives						
Olives - table consumption						

Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						
Others						
2. Vegetables: fresh or uncooked, frozen or dried					0,05*	
(i) Root and tuber vegetables			0,5			
Beetroot						
Carrots		0,1		30		0,1
Celeriac	0,1					
Horseradish						
Jerusalem artichokes						
Parsnips				30		0,1
Parsley root						
Radishes	0,1					
Salsify						
Sweet potatoes						
Swedes						
Turnips						
Yams						
Others	0,02*			1*		0,05*
(ii) Bulb vegetables	0,02*	1	3			
Garlic						

Onions						0,5
Shallots						0,5
Spring onions				1*		
Others				10		0,05*
(iii) Fruiting vegetables				1*		
(a) Solanacea			3			0,05*
Tomatoes	0,5					
Peppers	0,1					
Aubergines	0,5					
Others	0,02*					
(b) Cucurbits - edible peel	0,1	1	3			
Cucumbers						0,5
Gherkins						
Courgettes						
Others						0,05*
(c) Cucurbits - inedible peel	0,05	1	3			
Melons						0,2
Squashes						
Watermelons						0,2
Others						0,05*
(d) Sweet corn	0,02*	1	3			0,05*
(iv) Brassica vegetables				1*		
(a)	0,1	1	3			0,1

Flowering brassica						
Broccoli						
Cauliflower						
Others						
(b) Head brassica		1	3			
Brussels sprouts	0,05					
Head cabbage	0,2					1
Others	0,02*					0,05*
(c) Leafy brassica	0,02*	1	3			0,05*
Chinese cabbage						
Kale						
Others						
(d) Kohlrabi	0,02*	1	3			0,05*
(v) Leaf vegetables and fresh herbs				1*		
(a) Lettuce and similar	1	0,2	3			
Cress						
Lamb's lettuce						
Lettuce						1
Scarole						
Others						0,05*
(b) Spinach and similar	0,02*	2	3			0,05*
Spinach						
Beet leaves						

(chord)						
Others						
(c) Water cress	0,02*	2	3			0,05*
(d) Witloof	0,02*	2	3			0,05*
(e) Herbs	1	2	3			0,05*
Chervil						
Chives						
Parsley						
Celery leaves						
Others						
(vi) Legume vegetables (fresh)		1	3	1*		0,05*
Beans (with pods)	0,2					
Beans (without pods)	0,02*					
Peas (with pods)	0,2					
Peas (without pods)	0,2					
Others	0,02*					
(vii) Stem vegetables		1	3	1*		
Asparagus						
Cardoons						
Celery	0,3					
Fennel						
Globe artichokes						
Leek						0,2

Rhubarb						
Others	0,02*					0,05*
(viii) Fungi	0,02*	1	3	1*		0,05*
Cultivated mushrooms						
Wild mushrooms						
3. Pulses	0,02*			1*	0,05*	0,05*
Beans						
Lentils						
Peas						
Others						
4. Oil seeds	0,02*			1*	0,05*	0,05*
Linseed						
Peanuts						
Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed						
Soya bean						
Mustard						
Cotton seed						
Others						
5. Potatoes	0,02*	0,05			0,05*	0,05*
Early and ware potatoes						

Early potatoes				1*		
Ware potatoes				50		
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	1			1*	0,1*	0,1*
7. Hops (dried), including hop pellets and unconcentrated powder	10			1*	0,1*	10
1	2	3	4	5	6	7
	Methamidophos	Methidathion	Methoxychlor	Methomyl: S	Azinphosmethyl	Methyl bromide
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts			0,01*			
(i) Citrus fruit	0,2	2			1	0,05*
Grapefruit				0,5		
Lemons				1		
Limes				1		

Mandarins (including clementines and similar hybrids)				1		
Oranges				0,5		
Pomelos				0,5		
Others				0,05*		
(ii) Tree nuts (shelled or unshelled)	0,01*	0,05*		0,05*	0,5	
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						
Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others						
(iii) Pome fruit	0,05	0,3		0,2	0,5	0,05*
Apples						
Pears						
Quinces						
Others						
(iv) Stone fruit	0,01*				0,5	
Apricots	0,1			0,2		
Cherries		0,02*		0,1		

Peaches (including nectarines and similar hybrids)	0,05			0,2		
Plums	0,3			0,5		
Others	0,01*	0,2		0,05*		
(v) Berries and small fruit						
(a) Table and wine grapes	0,01*	0,5				
Table grapes				0,05*		
Wine grapes				1		
(b) Strawberrie s (other than wild)	0,01*	0,02*		0,05*	0,5	0,05*
(c) Cane fruit	0,01*	0,02*		0,05*	0,5	0,05*
Blackberrie s						
Dewberries						
Loganberrie s						
Raspberries						
Others						
(d) Other small fruit and berries (other than wild)	0,01*	0,02*		0,05*	0,5	0,1
Bilberries (fruit of the						

species <i>Vaccinium myrtillus</i>)						
Cranberries						
Currants (red, black, white)						
Gooseberries						
Others						
(e) Wild berries and wild fruit	0,01*	0,02*		0,05*	0,5	0,05*
(vi) Miscellaneous fruit	0,01*			0,05*	0,5	0,05* v.a viigimarjad
Avocados						
Bananas						
Dates						
Figs						
Kiwi						
Kumquats					1	
Litchis						
Mangos						
Olives		1				
Olives - table consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						

Others		0,02*				
2. Vegetables: fresh or uncooked, frozen or dried			0,01*			
(i) Root and tuber vegetables	0,01*	0,02*			0,5	0,05*
Beetroot						
Carrots						
Celeriac						
Horseradish						
Jerusalem artichokes						
Parsnips						
Parsley root						
Radishes				0,5		
Salsify						
Sweet potatoes						
Swedes						
Turnips						
Yams						
Others				0,05*		
(ii) Bulb vegetables	0,01*	0,02*		0,05*	0,5	0,05*
Garlic						
Onions						
Shallots						
Spring onions						
Others						
(iii)		0,02*			0,5	0,05*

Fruiting vegetables						
(a) Solanacea						
Tomatoes				0,5		
Peppers	0,01*					
Aubergines				0,5		
Others				0,05*		
(b) Cucurbits - edible peel				0,05*		
Cucumbers						
Gherkins						
Courgettes						
Others	0,01*					
(c) Cucurbits - inedible peel	0,01*			0,05*		
Melons						
Squashes						
Watermelons						
Others						
(d) Sweet corn	0,01*			0,05*		
(iv) Brassica vegetables		0,02*		0,05*	0,5	0,05*
(a) Flowering brassica	0,5					
Broccoli						
Cauliflower						
Others						
(b) Head	0,5					

brassica						
Brussels sprouts						
Head cabbage						
Others						
(c) Leafy brassica	0,01*					
Chinese cabbage						
Kale						
Others						
(d) Kohlrabi	0,01*					
(v) Leaf vegetables and fresh herbs		0,02*			0,5	
(a) Lettuce and similar						
Cress						
Lamb's lettuce						
Lettuce	0,2			2		
Scarole						
Others	0,01*			0,05*		
(b) Spinach and similar	0,01*			2		
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress	0,01*			0,05*		
(d) Witloof	0,01*			0,05*		
(e) Herbs	0,01*			2		

Chervil						
Chives						
Parsley						
Celery leaves						
Others						
(vi) Legume vegetables (fresh)	0,05*	0,02*		0,05*	0,5	0,05*
Beans (with pods)	0,5					
Beans (without pods)	0,01*					
Peas (with pods)	0,5					
Peas (without pods)	0,01*					
Others						
(vii) Stem vegetables		0,02*		0,05*	0,5	0,05*
Asparagus						
Cardoons						
Celery						
Fennel						
Globe artichokes	0,1					
Leek	0,01*					
Rhubarb						
Others	0,01*					
(viii) Fungi	0,01*	0,02*		0,05*	0,5	0,05*
Cultivated mushrooms						
Wild						

mushrooms						
3. Pulses		0,02*	0,01*	0,05*		
Beans	0,01*					
Lentils	0,01*					
Peas	0,01*					
Others	0,01*					
4. Oil seeds			0,01*			0,1*
Linseed						
Peanuts				0,1		
Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed		0,05				
Soya bean				0,1		
Mustard						
Cotton seed	0,1			0,1		
Others	0,01*	0,02*		0,05*		
5. Potatoes	0,01*	0,02*	0,01*	0,05*	0,2	0,05*
Early and ware potatoes						
Early potatoes						
Ware potatoes						
6. Tea (dried	0,1*	0,1*	0,1*	0,1*		0,05*

leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)						
7. Hops (dried), including hop pellets and unconcentrated powder	2	3	0,1*	10		0,05*
1	2	3	4	5	6	7
	Chloropyrifos-methyl	Kresoxim-methyl	Methyl parathion	Pirimiphos-methyl	Demeton-S-methyl: S	Mevinphos
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts						
(i) Citrus fruit		0,05*	0,2		0,4	0,2
Grapefruit						
Lemons	0,3					
Limes						
Mandarins (including clementines and similar hybrids)	1			2		
Oranges	0,5					

Pomelos						
Others	0,05*			1		
(ii) Tree nuts (shelled or unshelled)	0,05*	0,1*	0,2	0,05*	0,4	0,1
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						
Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others						
(iii) Pome fruit	0,5	0,2	0,2	0,05*	0,4	0,2
Apples						
Pears						
Quinces						
Others						
(iv) Stone fruit		0,05*	0,2	0,05*	0,4	
Apricots						0,2
Cherries						
Peaches (including nectarines and similar hybrids)	0,5					
Plums						

Others	0,05*					0,5
(v) Berries and small fruit		1			0,4	
(a) Table and wine grapes	0,2		0,2			0,2
Table grapes				0,05*		
Wine grapes				2		
(b) Strawberries (other than wild)	0,5	0,05*	0,2	0,05*	0,4	0,1
(c) Cane fruit	0,05*	0,05*	0,2	0,05*	0,4	0,1
Blackberries						
Dewberries						
Loganberries						
Raspberries						
Others						
(d) Other small fruit and berries (other than wild)	0,05*	0,05*	0,2	0,05*	0,4	
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)						
Cranberries						
Currants (red, black,						

white)						
Gooseberries						
Others						
(e) Wild berries and wild fruit	0,05*	0,05*	0,2	0,05*	0,4	0,1
(vi) Miscellaneous fruit	0,05*		0,2		0,4	0,1
Avocados						
Bananas						
Dates						
Figs						
Kiwi				2		
Kumquats						
Litchis						
Mangos						
Olives		0,2				
Olives - table consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						
Others		0,05*		0,05*		
2. Vegetables: fresh or uncooked, frozen or						

dried						
(i) Root and tuber vegetables	0,05*	0,05*	0,2			0,1
Beetroot						
Carrots				1	0,05*	
Celeriac						
Horseradish						
Jerusalem artichokes						
Parsnips						
Parsley root						
Radishes						
Salsify						
Sweet potatoes						
Swedes						
Turnips						
Yams						
Others				0,05*	0,4	
(ii) Bulb vegetables	0,05*	0,05*	0,2	0,05*	0,4	0,1
Garlic						
Onions						
Shallots						
Spring onions						
Others						
(iii) Fruiting vegetables			0,2			
(a) Solanacea	0,5				0,4	0,1
Tomatoes		0,5		1		
Peppers		1		1		

Aubergines		0,5				
Others		0,05*		0,05*		
(b) Cucurbits - edible peel	0,05*	0,05*	0,2		0,4	0,1
Cucumbers				0,1		
Gherkins						
Courgettes						
Others				0,05*		
(c) Cucurbits - inedible peel	0,05*	0,2	0,2		0,4	0,1
Melons				1		
Squashes						
Watermelons						
Others				0,05*		
(d) Sweet corn	0,05*	0,05*	0,2	0,05*	0,4	0,2
(iv) Brassica vegetables		0,05*	0,2			
(a) Flowering brassica	0,05*		0,2	1	0,4	0,1
Broccoli						
Cauliflower						
Others						
(b) Head brassica	0,05*		0,2		0,4	0,1
Brussels sprouts				2		
Head cabbage						
Others				0,05*		

(c) Leafy brassica	0,05*		0,2	0,05*	0,4	0,1
Chinese cabbage						
Kale						
Others						
(d) Kohlrabi	0,05*		0,2	0,05*	0,4	0,1
(v) Leaf vegetables and fresh herbs		0,05*		0,05*		
(a) Lettuce and similar	0,05*		0,2		0,4	0,5
Cress						
Lamb's lettuce						
Lettuce						
Scarole						
Others						
(b) Spinach and similar	0,05*		0,2		0,4	0,5
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress	0,05*		0,2		0,4	0,5
(d) Witloof	0,05*		0,2		0,4	0,5
(e) Herbs	0,05*		0,2		0,4	0,5
Chervil						
Chives						
Parsley						
Celery leaves						

Others						
(vi) Legume vegetables (fresh)	0,05*	0,05*	0,2	0,05*	0,4	0,1
Beans (with pods)						
Beans (without pods)						
Peas (with pods)						
Peas (without pods)						
Others						
(vii) Stem vegetables	0,05*	0,05*	0,2	0,05*	0,4	0,1
Asparagus						
Cardoons						
Celery						
Fennel						
Globe artichokes						
Leek						
Rhubarb						
Others						
(viii) Fungi	0,05*	0,05*	0,2		0,4	0,1
Cultivated mushrooms				2		
Wild mushrooms				0,05*		
3. Pulses	0,05*	0,05*		0,05*		
Beans						
Lentils						
Peas						

Others						
4. Oil seeds	0,05*	0,1*		0,05*		
Linseed						
Peanuts						
Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed						
Soya bean						
Mustard						
Cotton seed						
Others						
5. Potatoes	0,05*	0,05*	0,2	0,05*	0,05*	0,1
Early and ware potatoes						
Early potatoes						
Ware potatoes						
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1*	0,1*		0,05*		

7. Hops (dried), including hop pellets and unconcentrated powder	0,1*	0,1*		0,05*		
1	2	3	4	5	6	7
	Omethoate	Paraquat	Parathion: S	Permethrin: S	Propiconazole	Propoxur
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts						
(i) Citrus fruit	0,2	0,05*	0,5	0,5	0,05*	
Grapefruit						
Lemons						0,3
Limes						0,3
Mandarins (including clementines and similar hybrids)						0,3
Oranges						
Pomelos						
Others						0,05*
(ii) Tree nuts (shelled or unshelled)	0,2	0,05*	0,5		0,05*	0,05*
Almonds				0,1		

Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						
Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others				0,05*		
(iii) Pome fruit	0,2	0,05*	0,5	1	0,05*	0,05*
Apples						
Pears						
Quinces						
Others						
(iv) Stone fruit		0,05*	0,5	1		0,05*
Apricots					0,2	
Cherries	0,4					
Peaches (including nectarines and similar hybrids)					0,2	
Plums						
Others	0,2				0,05*	
(v) Berries and small fruit		0,05*				
(a) Table and wine grapes	0,2		0,5	1	0,5	0,05*

Table grapes						
Wine grapes						
(b) Strawberries (other than wild)	0,1		0,5	1	0,05*	0,05*
(c) Cane fruit	0,1		0,5	0,05*	0,05*	0,05*
Blackberries						
Dewberries						
Loganberries						
Raspberries						
Others						
(d) Other small fruit and berries (other than wild)	0,1		0,5	0,05*	0,05*	
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)						
Cranberries						
Currants (red, black, white)						0,2
Gooseberries						0,2
Others						0,05*
(e) Wild berries and wild fruit	0,1		0,5	0,05*	0,05*	0,05*

(vi) Miscellaneous fruit	0,2	0,05*	0,5			0,05*
Avocados						
Bananas					0,1	
Dates						
Figs						
Kiwi				1		
Kumquats						
Litchis						
Mangos						
Olives						
Olives - table consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						
Others				0,05*	0,05*	
2. Vegetables: fresh or uncooked, frozen or dried						
(i) Root and tuber vegetables	0,1	0,05*	0,5		0,05*	0,05*
Beetroot						
Carrots						
Celeriac				0,1		

Horseradish						
Jerusalem artichokes						
Parsnips						
Parsley root						
Radishes				0,1		
Salsify						
Sweet potatoes						
Swedes						
Turnips						
Yams						
Others				0,05*		
(ii) Bulb vegetables		0,05*	0,5	0,05*	0,05*	0,05*
Garlic						
Onions	0,1					
Shallots						
Spring onions						
Others	0,2					
(iii) Fruiting vegetables		0,05*	0,5			0,05*
(a) Solanacea	0,2			0,5	0,05*	
Tomatoes						
Peppers						
Aubergines						
Others						
(b) Cucurbits - edible peel	0,2		0,5	0,1	0,05*	
Cucumbers						
Gherkins						

Courgettes						
Others						
(c) Cucurbits - inedible peel	0,2		0,5	0,1	0,05*	
Melons						
Squashes						
Watermelons						
Others						
(d) Sweet corn	0,2		0,5	0,1	0,05*	
(iv) Brassica vegetables		0,05*	0,5		0,05*	
(a) Flowering brassica	0,2		0,5			0,5
Broccoli						
Cauliflower				0,1		
Others				0,05*		
(b) Head brassica	0,2		0,5	0,05*		
Brussels sprouts						
Head cabbage				1		0,5
Others				0,05*		0,05*
(c) Leafy brassica	0,2		0,5	1		0,05*
Chinese cabbage						
Kale						
Others						
(d)	0,2		0,5	0,05*		0,05*

Kohlrabi						
(v) Leaf vegetables and fresh herbs		0,05*			0,05*	0,05*
(a) Lettuce and similar	0,2		0,5	2		
Cress						
Lamb's lettuce						
Lettuce						
Scarole						
Others						
(b) Spinach and similar	0,4		0,5	1		
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress	0,2		0,5	0,05*		
(d) Witloof	0,4		0,5	0,05*		
(e) Herbs	0,2		0,5	2		
Chervil						
Chives						
Parsley						
Celery leaves						
Others						
(vi) Legume vegetables (fresh)	0,2	0,05*	0,5		0,05*	0,05*
Beans (with pods)				0,5		
Beans						

(without pods)						
Peas (with pods)				0,1		
Peas (without pods)						
Others				0,05*		
(vii) Stem vegetables		0,05*	0,5		0,05*	
Asparagus						
Cardoons						
Celery				2		
Fennel						
Globe artichokes	0,4					
Leek	0,1			0,5		1
Rhubarb				2		
Others	0,2			0,05*		0,05*
(viii) Fungi	0,2	0,05*	0,5	0,05*	0,05*	0,05*
Cultivated mushrooms						
Wild mushrooms						
3. Pulses		0,05*		0,05*	0,05*	0,05*
Beans						
Lentils						
Peas						
Others						
4. Oil seeds		0,05*			0,05*	0,05*
Linseed						
Peanuts				0,1		
Poppy seed						
Sesame seed						

Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed				0,1		
Soya bean						
Mustard				0,1		
Cotton seed				0,2		
Others				0,05*		
5. Potatoes	0,05	0,05*	0,05*	0,05*	0,05*	0,05*
Early and ware potatoes						
Early potatoes						
Ware potatoes						
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)		0,1*		2	0,1*	0,1*
7. Hops (dried), including hop pellets and unconcentrated powder		0,1*		0,1*	0,1*	0,1*
1	2	3	4	5	6	7

	Propyzamide	Procymidone	Pyrethrins	Spiroxamine	TEPP	Thiabendazole
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts						
(i) Citrus fruit	0,02*	0,02*	1	0,05*	0,01*	5
Grapefruit						
Lemons						
Limes						
Mandarins (including clementines and similar hybrids)						
Oranges						
Pomelos						
Others						
(ii) Tree nuts (shelled or unshelled)	0,02*	0,05*	1	0,05*	0,01*	0,1*
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						

Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others						
(iii) Pome fruit	0,02*		1	0,05*	0,01*	
Apples						5
Pears		1				5
Quinces						
Others		0,02*				0,05*
(iv) Stone fruit	0,02*		1	0,05*	0,01*	0,05*
Apricots						
Cherries		0,02*				
Peaches (including nectarines and similar hybrids)						
Plums						
Others		2				
(v) Berries and small fruit	0,02*				0,01*	0,05*
(a) Table and wine grapes		5	1	1		
Table grapes						
Wine grapes						
(b) Strawberries (other than wild)		5	1	0,05*		

(c) Cane fruit			1	0,05*		
Blackberries						
Dewberries						
Loganberries						
Raspberries		10				
Others		0,02*				
(d) Other small fruit and berries (other than wild)		0,02*	1	0,05*		
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)						
Cranberries						
Currants (red, black, white)						
Gooseberries						
Others						
(e) Wild berries and wild fruit		0,02*	1	0,05*		
(vi) Miscellaneous fruit	0,02*		1	0,05*	0,01*	
Avocados						15
Bananas						5
Dates						
Figs						
Kiwi		5				

Kumquats						
Litchis						
Mangos						5
Olives						
Olives - table consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						10
Others		0,02*				0,05*
2. Vegetables: fresh or uncooked, frozen or dried				0,05*		
(i) Root and tuber vegetables	0,02*	0,02*	1		0,01*	0,05*
Beetroot						
Carrots						
Celeriac						
Horseradish						
Jerusalem artichokes						
Parsnips						
Parsley root						
Radishes						
Salsify						
Sweet						

potatoes						
Swedes						
Turnips						
Yams						
Others						
(ii) Bulb vegetables	0,02*		1		0,01*	0,05*
Garlic		0,2				
Onions		0,2				
Shallots		0,2				
Spring onions						
Others		0,02*				
(iii) Fruiting vegetables	0,02*				0,01*	0,05*
(a) Solanacea		2	1			
Tomatoes						
Peppers						
Aubergines						
Others						
(b) Cucurbits - edible peel		1	1			
Cucumbers						
Gherkins						
Courgettes						
Others						
(c) Cucurbits - inedible peel		1	1			
Melons						
Squashes						

Watermelons						
Others						
(d) Sweet corn		0,02*	1			
(iv) Brassica vegetables	0,02*				0,01*	
(a) Flowering brassica		0,02*	1			
Broccoli						5
Cauliflower						
Others						0,05*
(b) Head brassica		0,02*	1			0,05*
Brussels sprouts						
Head cabbage						
Others						
(c) Leafy brassica		0,02*	1			0,05*
Chinese cabbage						
Kale						
Others						
(d) Kohlrabi		0,02*	1			0,05*
(v) Leaf vegetables and fresh herbs					0,01*	0,05*
(a) Lettuce and similar	1	5	1			
Cress						

Lamb's lettuce						
Lettuce						
Scarole						
Others						
(b) Spinach and similar	0,02*	0,02*	1			
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress	0,02*	0,02*	1			
(d) Witloof	0,02*	2	1			
(e) Herbs	1	0,02*	1			
Chervil						
Chives						
Parsley						
Celery leaves						
Others						
(vi) Legume vegetables (fresh)	0,02*		1		0,01*	0,05*
Beans (with pods)		2				
Beans (without pods)						
Peas (with pods)		1				
Peas (without pods)		0,3				
Others		0,02*				

(vii) Stem vegetables	0,02*	0,02*	1		0,01*	0,05*
Asparagus						
Cardoons						
Celery						
Fennel						
Globe artichokes						
Leek						
Rhubarb						
Others						
(viii) Fungi	0,02*	0,02*	1		0,01*	
Cultivated mushrooms						10
Wild mushrooms						0,05*
3. Pulses	0,02*		1	0,05*	0,01*	0,05*
Beans						
Lentils						
Peas		0,2				
Others		0,02*				
4. Oil seeds				0,05*	0,01*	0,05*
Linseed						
Peanuts						
Poppy seed						
Sesame seed						
Sunflower seed (with shell)		1				
Sunflower seed (shelled)						
Sunflower seed						

Rape seed	0,1	1				
Soya bean		1				
Mustard						
Cotton seed						
Others	0,05*	0,05*				
5. Potatoes	0,02*	0,02*	1	0,05*	0,01*	
Early and ware potatoes						
Early potatoes						0,05*
Ware potatoes						15
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,05*	0,1*		0,1*	0,02*	0,1*
7. Hops (dried), including hop pellets and unconcentrated powder	0,05*	0,1*		0,1*	0,02*	0,1*
1	2	3	4	5	6	7
	Toxaphene	Triallate	Triazophos	Triforine	Trichlorfon	Cyfluthrin: S
1. Fruit: fresh, dried or uncooked preserved by freezing			0,02*			

not containing added sugar; nuts						
(i) Citrus fruit	0,1*	0,1		0,05*	0,5	0,02*
Grapefruit						
Lemons						
Limes						
Mandarins (including clementines and similar hybrids)						
Oranges						
Pomelos						
Others						
(ii) Tree nuts (shelled or unshelled)	0,1*	0,1		0,05*	0,5	0,02*
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						
Coconuts						
Hazelnuts						
Macadamia						
Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others						
(iii) Pome fruit	0,1*	0,1		2	0,5	0,2

Apples						
Pears						
Quinces						
Others						
(iv) Stone fruit	0,1*	0,1			0,5	
Apricots				2		0,5
Cherries				2		0,2
Peaches (including nectarines and similar hybrids)				2		0,5
Plums				1		0,2
Others				0,05*		0,02*
(v) Berries and small fruit	0,1*					
(a) Table and wine grapes		0,1		0,05*	0,5	0,3
Table grapes						
Wine grapes						
(b) Strawberries (other than wild)		0,1		0,05*	0,5	0,02*
(c) Cane fruit		0,1		0,05*	0,5	0,02*
Blackberries						
Dewberries						
Loganberries						

Raspberries						
Others						
(d) Other small fruit and berries (other than wild)		0,1			0,5	0,02*
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)						
Cranberries						
Currants (red, black, white)				2		
Gooseberries				2		
Others				0,05*		
(e) Wild berries and wild fruit		0,1		0,05*	0,5	0,02*
(vi) Miscellaneous fruit	0,1*			0,05*	0,5	0,02*
Avocados						
Bananas						
Dates						
Figs						
Kiwi						
Kumquats						
Litchis						
Mangos						
Olives						
Olives - table						

consumption						
Olives - oil extraction						
Passion fruit						
Pineapples						
Pomegranates						
Others						
2. Vegetables: fresh or uncooked, frozen or dried						
(i) Root and tuber vegetables	0,1*	0,1	0,02*	0,05*	0,05	0,02*
Beetroot						
Carrots						
Celeriac						
Horseradish						
Jerusalem artichokes						
Parsnips						
Parsley root						
Radishes						
Salsify						
Sweet potatoes						
Swedes						
Turnips						
Yams						
Others						
(ii) Bulb	0,1*	0,1	0,02*	0,05*	0,5	0,02*

vegetables						
Garlic						
Onions						
Shallots						
Spring onions						
Others						
(iii) Fruiting vegetables	0,1*		0,02*			
(a) Solanacea		0,1		0,05*	0,5	
Tomatoes						0,05
Peppers						0,3
Aubergines						
Others						0,02*
(b) Cucurbits - edible peel		0,1		0,5	0,5	
Cucumbers						0,1
Gherkins						
Courgettes						
Others						0,02*
(c) Cucurbits - inedible peel		0,1		0,05*	0,5	0,02*
Melons						
Squashes						
Watermelons						
Others						
(d) Sweet corn		0,1		0,05*	0,5	0,02*
(iv)	0,1*		0,02*	0,05*		

Brassica vegetables						
(a) Flowering brassica		0,1			0,5	0,05
Broccoli						
Cauliflower						
Others						
(b) Head brassica		0,1			0,5	0,2
Brussels sprouts						
Head cabbage						
Others						
(c) Leafy brassica		0,1			0,5	0,3
Chinese cabbage						
Kale						
Others						
(d) Kohlrabi		0,1			0,5	0,02*
(v) Leaf vegetables and fresh herbs	0,1*		0,02*	0,05*		
(a) Lettuce and similar		0,1			0,5	0,5
Cress						
Lamb's lettuce						
Lettuce						
Scarole						
Others						
(b) Spinach		0,1			0,5	0,02*

and similar						
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress		0,1			0,5	0,02*
(d) Witloof		0,1			0,5	0,02*
(e) Herbs		0,1			0,5	0,02*
Chervil						
Chives						
Parsley						
Celery leaves						
Others						
(vi) Legume vegetables (fresh)	0,1*	0,1	0,02*	0,05*	0,5	0,05
Beans (with pods)						
Beans (without pods)						
Peas (with pods)						
Peas (without pods)						
Others		0,1				
(vii) Stem vegetables	0,1*	0,1	0,02*	0,05*	0,5	0,02*
Asparagus						
Cardoons						
Celery						
Fennel						

Globe artichokes						
Leek						
Rhubarb						
Others						
(viii) Fungi	0,1*	0,1	0,02*	0,05*	0,5	0,02*
Cultivated mushrooms						
Wild mushrooms						
3. Pulses	0,1*		0,02*	0,05*		0,02*
Beans						
Lentils						
Peas						
Others						
4. Oil seeds	0,1*			0,05*		
Linseed						
Peanuts						
Poppy seed						
Sesame seed						
Sunflower seed (with shell)						
Sunflower seed (shelled)						
Sunflower seed						
Rape seed						0,05
Soya bean						
Mustard						
Cotton seed			0,1			
Others			0,02*			0,02*
5. Potatoes	0,1*	0,1	0,02*	0,05*	0,5	0,02*

Early and ware potatoes						
Early potatoes						
Ware potatoes						
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1*		0,05*	0,1*		0,1*
7. Hops (dried), including hop pellets and unconcentrated powder	0,1*		0,05*	30		20

Products of plant origin	Active substance of pesticide and maximum residue level thereof (mg/kg)		
	2	3	4
	Cypermethrin: S	Vamidotion	Vinclozolin: S
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts			
(i) Citrus fruit	2	0,05	0,05*
Grapefruit			
Lemons			
Limes			
Mandarins (including clementines)			

and similar hybrids)			
Oranges			
Pomelos			
Others			
(ii) Tree nuts (shelled or unshelled)	0,05*	0,05	0,05*
Almonds			
Brazil nuts			
Cashew nuts			
Chestnuts			
Coconuts			
Hazelnuts			
Macadamia			
Pecans			
Pine nuts			
Pistachios			
Walnuts			
Others			
(iii) Pome fruit	1	0,5	1
Apples			
Pears			
Quinces			
Others			
(iv) Stone fruit		0,05	
Apricots	2		2
Cherries	1		0,5
Peaches (including nectarines and similar hybrids)	2		0,05*
Plums	1		2
Others	0,05*		0,05*
(v) Berries and small fruit			
(a) Table and wine grapes	0,5	0,05	5
Table grapes			
Wine grapes			

(b) Strawberries (other than wild)	0,05*	0,05	5
(c) Cane fruit	0,5	0,05	5
Blackberries			
Dewberries			
Loganberries			
Raspberries			
Others			
(d) Other small fruit and berries (other than wild)	0,05*	0,05	
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)			
Cranberries			
Currants (red, black, white)			10
Gooseberries			
Others			0,05*
(e) Wild berries and wild fruit	2	0,05	0,05*
(vi) Miscellaneous fruit	0,05*	0,05	0,05*
Avocados			
Bananas			
Dates			
Figs			
Kiwi			10
Kumquats			
Litchis			
Mangos			
Olives			
Olives - table consumption			
Olives - oil extraction			
Passion fruit			
Pineapples			
Pomegranates			
Others			
2. Vegetables: fresh or uncooked, frozen or dried			

(i) Root and tuber vegetables	0,05*		
Beetroot			
Carrots			0,5
Celeriac			
Horseradish			0,05*
Jerusalem artichokes			
Parsnips			
Parsley root			
Radishes			0,05*
Salsify			
Sweet potatoes			
Swedes			0,05*
Turnips			
Yams			
Others			0,05*
(ii) Bulb vegetables		0,05	1
Garlic	0,1		
Onions	0,1		
Shallots	0,1		
Spring onions			
Others	0,05*		
(iii) Fruiting vegetables			
(a) Solanacea	0,5	0,05	
Tomatoes			0,05*
Peppers			
Aubergines			
Others			3
(b) Cucurbits - edible peel	0,2	0,05	1
Cucumbers			
Gherkins			
Courgettes			
Others			
(c) Cucurbits - inedible peel	0,2	0,05	1

Melons			
Squashes			
Watermelons			
Others			
(d) Sweet corn	0,05*	0,05	0,05*
(iv) Brassica vegetables			
(a) Flowering brassica	0,5	0,05	0,05*
Broccoli			
Cauliflower			
Others			
(b) Head brassica	0,5	0,05	0,05*
Brussels sprouts			
Head cabbage			
Others			
(c) Leafy brassica	1	0,05	
Chinese cabbage			2
Kale			
Others			0,05*
(d) Kohlrabi	0,2	0,05	0,05*
(v) Leaf vegetables and fresh herbs			
(a) Lettuce and similar	2	0,05	5
Cress			
Lamb's lettuce			
Lettuce			
Scarole			
Others			
(b) Spinach and similar	0,5	0,05	0,05*
Spinach			
Beet leaves (chord)			
Others			
(c) Water cress	0,05*	0,05	0,05*
(d) Witloof	0,05*	0,05	2
(e) Herbs	2	0,05	0,05*

Chervil			
Chives			
Parsley			
Celery leaves			
Others			
(vi) Legume vegetables (fresh)		0,05	
Beans (with pods)	0,5		0,5
Beans (without pods)			0,05*
Peas (with pods)	0,5		0,3
Peas (without pods)			0,05*
Others	0,05*		0,05*
(vii) Stem vegetables		0,05	
Asparagus			
Cardoons			
Celery	0,05*		0,05*
Fennel			
Globe artichokes	2		
Leek	0,5		
Rhubarb			
Others	0,05*		0,05*
(viii) Fungi		0,05	0,05*
Cultivated mushrooms	0,05*		
Wild mushrooms	1		
3. Pulses	0,05*		0,05*
Beans			0,5
Lentils			
Peas			0,5
Others			0,05*
4. Oil seeds			
Linseed	0,2		
Peanuts			
Poppy seed	0,2		
Sesame seed	0,2		

Sunflower seed (with shell)			
Sunflower seed (shelled)			
Sunflower seed	0,2		
Rape seed	0,2		1
Soya bean			
Mustard			
Cotton seed	0,2		
Others	0,05*		0,05*
5. Potatoes	0,05*	0,05	0,05*
Early and ware potatoes			
Early potatoes			
Ware potatoes			
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,5		0,1*
7. Hops (dried), including hop pellets and unconcentrated powder	30		40

* Indicates lower level of analytical determination.

** "S" indicates a pesticide or active ingredients thereof which is a sum of several substances. Those are set out in Table 2 of this Annex.

List of pesticides or active ingredients thereof which are composites of several substances indicated by the letter C

Table 2

Aldicarb	Sum of aldicarb, its sulfoxide and its sulfone
Aldrin and dieldrin	Singly or combined, expressed as dieldrin (HEOD)
Amitraze	Amitraze plus all its metabolites containing 2,4 dimethyl-aniline
Bromides	Expressed in Br ions
Daminozide	Sum of daminozine and 1,1-dimethylhydrazine
DDT	Sum of DDT-, TDB- and DDE-isomers

Deltamethrin	Sum of isomers
Dicofol	Sum of P, P' and O, P isomers
Disulfoton	Sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone
Dithiocarbamates	Sum of mancozeb, maneb, metiram, propineb and zineb, expressed as carbon sulphide
Endosulfan	Sum of alpha- and beta-isomers and of endosulfan sulphate
Fentin	Expressed as triphenyltin cation
Fenvalerate and esfenvalerate (I)	Sum of RR and SS isomers
Fenvalerate and esfenvalerate (II)	Sum of RS and SR isomers
Phorate	Sum of phorate, its oxygen analogue and their sulphoxides and sulphones
Phosmet	Sum of phosmet and phosmet oxon
Heptachlor	Sum of heptachlor and heptachlor epoxide
Carbendazim	Sum of benomyl, carbendazim and thiophanate-methyl
Carbofuran	Sum of carbofuran and 3-hydroxy-carbofuran expressed as carbofuran
Chlordane	Sum of cis- and trans-isomers
Malathion	Sum of malathion and malaoxon
Metomyl-thiodicarb	Sum of metomyl and thiocarb
Permethrin	Sum of isomers
Propyzamide	Sum of propyzamide and fractions of metabolites containing 3,5-dichloro-benzamide
Pyrethrins	Sum of pyrethrins I and II, cinerins I and II, jasmolins I and II
Thiabendazole	Sum of thiabendazole and 5-hydroxythiabendazole
Cyfluthrin	Sum of isomers
Cypermethrin	Sum of isomers
Hydrogen phosphide	Phosphides
Hydrogen	Cyanides

cyanide	
Vinclozolin	Sum of vinclozolin and all metabolites containing the 3,5 dicloroaniline moiety

(26.06.2001 entered into force 12.07.2001 - RT I 2001, 62, 365)

Annex 2 to Government of the Republic Regulation No. 177 of 31 May 2000 "List of and Maximum Levels for Pesticide Residues in and on Products of Plant Origin and Methods of Sampling and Analysing Pesticide Residues in and on Products of Plant Origin"

List of and maximum levels for pesticide residues in and on the dried leaves and stalks, fermented or otherwise of the tea plant (*Camellia sinensis*)

Active substance of pesticide	Maximum residue level (mg/kg)
Aldrin and dieldrin: S	0,02
Bifentrin	5
Bromopropylate	0,1*
Dichlorvos	0,1*
Dicofol	20
Dimethoate	0,2
Endosulfan: S	30
Ethion	2
Fenitrothion	0,5
Flucytrinate: S	0,1*
Phoxim	0,1*
Phosmet: S	0,1*
Hexachlorobenzene	0,01*
Hexachlorocyclohexane	0,2
Cartap	0,1*
Chlordane: S	0,02*
Quinalfos	0,1*
Malathion: S	0,5
Methidathion	0,1*
Monocrotofos	0,1*

Omethoate	0,1
Prophenofos	0,1*
Propargite	5

* Indicates lower level of analytical determination.

(26.06.2001 entered into force 12.07.2001 - RT I 2001, 62, 365)

Annex 3 to Government of the Republic Regulation No. 177 of 31 May 2000 "List of and Maximum Levels for Pesticide Residues in and on Products of Plant Origin and Methods of Sampling and Analysing Pesticide Residues in and on Products of Plant Origin"

List of and maximum levels for pesticide residues in and on cereals

Active substance of pesticide	Maximum residue level (mg/kg)
1,2-dibromethane (ethylene dibromide)	0,01
1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane	0,01*
Aldicarb: S	0,05*
Aldrin and dieldrin: S	0,01*
Amitraze: S	0,02*
Aramite	0,01*
Azoxystrobin	0,05*: other cereals 0,3: wheat, triticale, barley 5: rice
Acephate	0,02*
Barban	0,05*
Benalaxyl	0,05*
Benfuracarb	0,05*
Bromides (anorganic): S	50
Bromomethane (methyl bromides)	0,1
Daminozide:	0,02*
DDT: S	0,05

Deltamethrin: S	1
Diallate	0,05*
Diazinon	0,02*
Dichlorvos	2
Dicofol: S	0,02*
Disulfoton: S	0,02*: other cereals 0,1: wheat 0,2: barley, grain sorghum
Dithiocarbamates: S	0,05*: other cereals 1: rice, wheat 2: barley, oats
Endosulfan: S	0,05*
Endrin	0,01
Etephon	0,05*: other cereals 0,2: wheat, triticale 0,5: barley, rye
Fenarimol	0,02*
Fenbutatin oxide	0,05*
Fentin: S	0,05*
Fenvalerate and esfenvalerate (I): S	0,02*: other cereals 0,05: wheat, triticale, rye 0,2: oats, barley
Fenvalerate and esfenvalerate (II): S	0,02*: other cereals 0,05: oats, barley
Phorate: S	0,05*
Phosphamidon	0,05
Furathiocarb	0,05*
Glyphosate	0,1*: other cereals

	5: rice, triticales, wheat 20: barley, oats, grain sorghum
Hexachlorobenzene (HCB)	0,01
Hexachlorocyclohexane (HCH)	0,02
alpha-and beta-isomer	0,1
gamma-isomer (lindane)	
Heptachlor: S	0,01
Imazalil	0,02*
Iprodione	0,02*: other cereals 0,5: wheat 1: barley 3: rice
Captafol	0,05
Carbaryl	0,5: other cereals 1: rice
Carbendazim: S	0,1*
Carbofuran: S	0,1*
Carbosulfan	0,05*
Chlordane: S	0,02
Chlorbenseide	0,01*
Chlorbenzilate	0,02*
Chlorbufam	0,05*
Chlorfenson	0,01*
Chloroxuron	0,05*
Chlormequat	0,05*: other cereals 2: wheat, rye, triticales, barley 5: oats
Chlorpyrifos	0,05*: oats, rye, other cereals

	0,2: barley
Chlorothalonil	0,01*: other cereals 0,1: barley, oats, rye, triticales, wheat
Lambda-cyhalothrin	0,02*: other cereals 0,05: barley
Malathion: S	8
Mecarbam	0,05*
Metalaxyl	0,05*
Methamidophos	0,01*
Methidathion	0,02*
Metomyl-thiodicarb: S	0,05*
Methoxychlor	0,01*
Chloropyrifos-methyl	3
Kresoxim-methyl	0,05*
Pirimiphos-methyl	5
Permethrin: S	0,2: maize 2: other cereals
Propiconazole	0,05*
Propoxur	0,05
Propyzamide	0,02*
Procymidone	0,02*
Pyrethrins: S	3
Spiroxamine	0,05*: other cereals 0,3: oats, barley
Carbon disulphide	0,1
Carbon tetrachloride	0,1
Thiabendazole	0,05*
Triazophos	0,02*
Triforine	0,1: wheat, rye, triticales, barley, oats
Trichlorfon	0,1

Cyfluthrin: S	0,05*: maize 0,02*: other cereals
Cypermethrin: S	0,2: oats, barley 0,05*: other cereals
Hydrogen phosphide: S	0,1
Hydrogen cyanide: S	15
Vinclozolin: S	0,05*

* Indicates lower level of analytical determination.

(26.06.2001 entered into force 12.07.2001 - RT I 2001, 62, 365)

Annex 4 to Government of the Republic Regulation No. 177 of 31 May 2000 "List of and Maximum Levels for Pesticide Residues in and on Products of Plant Origin and Methods of Sampling and Analysing Pesticide Residues in and on Products of Plant Origin"

Maximum levels for pesticide residues in and on fruit and vegetables concerning which no common standards of the European Union are established

Products of plant origin	Active substance of pesticide and maximum residue level thereof (mg/kg)				
	Bentazone	Fluazifop-butyl	Desmetrine	Diafenthiuron	Difenoconazole
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts					
(i) Citrus fruit					
Grapefruit					
Lemons					
Limes					
Mandarins					

(including clementines and similar hybrids)					
Oranges					
Pommelos					
Others					
(ii) Tree nuts (shelled or unshelled)					
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) Pome fruit					0,1
Apples					
Pears					
Quinces					
Others					
(iv) Stone fruit					
Apricots					
Cherries					
Peaches (including nectarines and similar hybrids)					

Plums					
Others					
(v) Berries and small fruit					
(a) Table and wine grapes				0,1	
Table grapes					
Wine grapes					
(b) Strawberries (other than wild)					
(c) Cane fruit					
Blackberries					
Dewberries					
Loganberries					
Raspberries					
Others					
(d) Other small fruit and berries (other than wild)					
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)					
Cranberries					
Currants (red, black, white)					
Gooseberries					
Others					
(e) Wild berries and wild fruit					
(vi)					

Miscellaneous fruit					
Avocados					
Bananas					
Dates					
Figs					
Kiwi					
Kumquats					
Litchis					
Mangos					
Olives					
Passion fruit					
Pineapples					
Pomegranates					
Others					
2. Vegetables: fresh or uncooked, frozen or dried					
(i) Root and tuber vegetables					
Beetroot		0,1			
Carrots		0,03			
Celeriac					
Horseradish					
Jerusalem artichokes					
Parsnips					
Parsley root					
Radishes					
Salsify					
Sweet potatoes					
Swedes					

Turnips					
Yams					
Others					
(ii) Bulb vegetables					
Garlic					
Onions		0,1	0,05		
Shallots					
Spring onions			0,05		
Others					
(iii) Fruiting vegetables					
(a) Solanacea					
Tomatoes				0,5	
Peppers					
Aubergines					
Others					
(b) Cucurbits - edible peel					
Cucumbers				0,2	
Gherkins					
Courgettes					
Others					
(c) Cucurbits - inedible peel					
Melons					
Squashes					
Watermelons					
Others					
(d) Sweet corn					
(iv) Brassica vegetables					
(a) Flowering brassica		0,02	0,05	0,2	

Broccoli					
Cauliflower					
Others					
(b) Head brassica		0,02	0,05	0,2	
Brussels sprouts					
Head cabbage					
Others					
(c) Leafy brassica					
Chinese cabbage					
Kale					
Others					
(d) Kohlrabi					
(v) Leaf vegetables and fresh herbs					
(a) Lettuce and similar					
Cress					
Lamb's lettuce					
Lettuce					
Scarole					
Others					
(b) Spinach and similar					
Spinach					
Beet leaves (chard)					
Others					
(c) Water cress					
(d) Witloof					
(e) Herbs					

Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) Legume vegetables (fresh)	0,1				
Beans (with pods)					
Beans (without pods)					
Peas (with pods)					
Peas (without pods)					
Others					
(vii) Stem vegetables					
Asparagus					
Cardoons					
Celery					
Fennel					
Globe artichokes					
Leek					
Rhubarb					
Others					
(viii) Fungi					
Cultivated mushrooms					
Wild mushrooms					
3. Pulses	0,1				
Beans					

Lentils					
Peas					
Others					
4. Oil seeds					
Linseed					
Peanuts					
Poppy seed					
Sesame seed					
Sunflower seed					
Rape seed					
Soya bean					
Mustard					
Cotton seed					
Others					
5. Potatoes		0,05			
Early and ware potatoes					
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)			0,1		
7. Hops (dried), including hop pellets and unconcentrated powder	1				
8. Spices		0,05	0,02		
Cumin seeds					
Juniper berries					
Nutmeg					
Pepper, black					

and white					
Vanilla pods					
Others					

Products of plant origin	Active substance of pesticide and maximum residue level thereof (mg/kg)				
	Di-flubenzuron	Dicamba	Ethofumesate	Phenmedipham	Fuberidazole
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts					
(i) Citrus fruit	0,5	0,05			0,05
Grapefruit					
Lemons					
Limes					
Mandarins (including clementines and similar hybrids)					
Oranges					
Pommelos					
Others					
(ii) Tree nuts (shelled or unshelled)		0,05			0,05
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					

Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) Pome fruit		0,05			0,05
Apples					
Pears					
Quinces					
Others					
(iv) Stone fruit		0,05			0,05
Apricots					
Cherries					
Peaches (including nectarines and similar hybrids)					
Plums					
Others					
(v) Berries and small fruit		0,05			0,05
(a) Table and wine grapes					
Table grapes					
Wine grapes					
(b) Strawberries (other than wild)					
(c) Cane fruit					
Blackberries					
Dewberries					
Loganberries					

Raspberries					
Others					
(d) Other small fruit and berries (other than wild)					
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)					
Cranberries					
Currants (red, black, white)					
Gooseberries					
Others					
(e) Wild berries and wild fruit					
(vi) Miscellaneous fruit		0,05			0,05
Avocados					
Bananas					
Dates					
Figs					
Kiwi					
Kumquats					
Litchis					
Mangos					
Olives					
Passion fruit					
Pineapples					
Pomegranates					
Others					

2. Vegetables: fresh or uncooked, frozen or dried					
(i) Root and tuber vegetables		0,05			0,05
Beetroot			0,1	0,2	
Carrots					
Celeriac					
Horseradish					
Jerusalem artichokes					
Parsnips					
Parsley root					
Radishes					
Salsify					
Sweet potatoes					
Swedes					
Turnips					
Yams					
Others					
(ii) Bulb vegetables		0,05			0,05
Garlic					
Onions					
Shallots					
Spring onions					
Others					
(iii) Fruiting vegetables		0,05			0,05
(a) Solanacea					
Tomatoes					
Peppers					
Aubergines					

Others					
(b) Cucurbits - edible peel					
Cucumbers					
Gherkins					
Courgettes					
Others					
(c) Cucurbits - inedible peel					
Melons					
Squashes					
Watermelons					
Others					
(d) Sweet corn					
(iv) Brassica vegetables		0,05			0,05
(a) Flowering brassica					
Broccoli					
Cauliflower					
Others					
(b) Head brassica					
Brussels sprouts					
Head cabbage					
Others					
(c) Leafy brassica					
Chinese cabbage					
Kale					
Others					
(d) Kohlrabi					
(v) Leaf		0,05			0,05

vegetables and fresh herbs					
(a) Lettuce and similar					
Cress					
Lamb's lettuce					
Lettuce					
Scarole					
Others					
(b) Spinach and similar					
Spinach					
Beet leaves (chard)					
Others					
(c) Water cress					
(d) Witloof					
(e) Herbs					
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) Legume vegetables (fresh)		0,05			0,05
Beans (with pods)					
Beans (without pods)					
Peas (with pods)					
Peas (without pods)					
Others					

(vii) Stem vegetables		0,05			0,05
Asparagus					
Cardoons					
Celery					
Fennel					
Globe artichokes					
Leek					
Rhubarb					
Others					
(viii) Fungi	0,1	0,05			0,05
Cultivated mushrooms					
Wild mushrooms					
3. Pulses		0,05			0,05
Beans					
Lentils					
Peas					
Others					
4. Oil seeds		0,05			0,05
Linseed					
Peanuts					
Poppy seed					
Sesame seed					
Sunflower seed					
Rape seed					
Soya bean					
Mustard					
Cotton seed					
Others					
5. Potatoes		0,05			0,05

Early and ware potatoes					
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1	0,05	0,05		0,05
7. Hops (dried), including hop pellets and unconcentrated powder					
8. Spices	0,2	0,05	0,05		
Cumin seeds					
Juniper berries					
Nutmeg					
Pepper, black and white					
Vanilla pods					
Others					

Products of plant origin	Active substance of pesticide and maximum residue level thereof (mg/kg)				
	Clopyralid	Chloridazon	Quizalofop	Lenacil	Mancozeb
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts					
(i) Citrus fruit					
Grapefruit					
Lemons					
Limes					
Mandarins (including clementines and similar hybrids)					

Oranges					
Pommelos					
Others					
(ii) Tree nuts (shelled or unshelled)					
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) Pome fruit					
Apples					
Pears					
Quinces					
Others					
(iv) Stone fruit					
Apricots					
Cherries					
Peaches (including nectarines and similar hybrids)					
Plums					
Others					
(v) Berries and small fruit					
(a) Table and wine grapes					0,5

Table grapes					
Wine grapes					
(b) Strawberries (other than wild)					
(c) Cane fruit					
Blackberries					
Dewberries					
Loganberries					
Raspberries					
Others					
(d) Other small fruit and berries (other than wild)					
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)					
Cranberries					
Currants (red, black, white)					
Gooseberries)					
Others					
(e) Wild berries and wild fruit					
(vi) Miscellaneous fruit		0,5			
Avocados					
Bananas					
Dates					
Figs					
Kiwi					
Kumquats					
Litchis					
Mangos					
Olives					
Passion fruit					

Pineapples					
Pomegranates					
Others					
2. Vegetables: fresh or uncooked, frozen or dried					
(i) Root and tuber vegetables			0,4		
Beetroot	0,1	0,1		0,5	
Carrots					
Celeriac					
Horseradish					
Jerusalem artichokes					
Parsnips					
Parsley root					
Radishes					
Salsify					
Sweet potatoes					
Swedes					
Turnips					
Yams					
Others					
(ii) Bulb vegetables			0,4		
Garlic					
Onions				0,05	
Shallots					
Spring onions				0,05	
Others					
(iii) Fruiting vegetables			0,4		
(a) Solanacea					
Tomatoes		0,1			0,5
Peppers					
Aubergines					

Others					
(b) Cucurbits - edible peel					
Cucumbers		0,1			0,5
Gherkins					
Courgettes					
Others					
(c) Cucurbits - inedible peel					
Melons					
Squashes					
Watermelons					
Others					
(d) Sweet corn					
(iv) Brassica vegetables			0,4		
(a) Flowering brassica	0,05			0,05	
Broccoli					
Cauliflower					
Others					
(b) Head brassica	0,05			0,05	
Brussels sprouts					
Head cabbage					
Others					
(c) Leafy brassica					
Chinese cabbage					
Kale					
Others					
(d) Kohlrabi					
(v) Leaf vegetables and fresh herbs			0,4		
(a) Lettuce and similar					
Cress					
Lamb's lettuce					

Lettuce					
Scarole					
Others					
(b) Spinach and similar					
Spinach					
Beet leaves (chard)					
Others					
(c) Water cress					
(d) Witloof					
(e) Herbs					
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) Legume vegetables (fresh)			0,4		
Beans (with pods)					
Beans (without pods)					
Peas (with pods)					
Peas (without pods)					
Others					
(vii) Stem vegetables			0,4		
Asparagus					
Cardoons					
Celery					
Fennel					
Globe artichokes					
Leek					
Rhubarb					
Others					
(viii) Fungi					
Cultivated mushrooms					

Wild mushrooms					
3. Pulses			0,4		
Beans					
Lentils					
Peas					
Others					
4. Oil seeds					
Linseed					
Peanuts					
Poppy seed					
Sesame seed					
Sunflower seed					
Rape seed					
Soya bean					
Mustard					
Cotton seed					
Others					
5. Potatoes					0,1
Early and ware potatoes					
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)				0,1	
7. Hops (dried), including hop pellets and unconcentrated powder					25
8. Spices				0,02	
Cumin seeds					
Juniper berries					
Nutmeg					
Pepper, black and white					
Vanilla pods					

Others					
Products of plant origin	Active substance of pesticide and maximum residue level thereof (mg/kg)				
	MCPA	Metaldehyde	Metamitron	Metazachlor	Metiram
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts					
(i) Citrus fruit		0,2		0,1	
Grapefruit					
Lemons					
Limes					
Mandarins (including clementines and similar hybrids)					
Oranges					
Pommelos					
Others					
(ii) Tree nuts (shelled or unshelled)				0,1	
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					

Others					
(iii) Pome fruit				0,1	0,8
Apples					
Pears					
Quinces					
Others					
(iv) Stone fruit				0,1	0,8
Apricots					
Cherries					
Peaches (including nectarines and similar hybrids)					
Plums					
Others					
(v) Berries and small fruit				0,1	1,0
(a) Table and wine grapes		0,5			0,5
Table grapes					
Wine grapes					
(b) Strawberries (other than wild)					
(c) Cane fruit					
Blackberries					
Dewberries					
Loganberries					
Raspberries					
Others					
(d) Other small fruit and berries (other than wild)					
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)					
Cranberries					

Currants (red, black, white)					
Gooseberries					
Others					
(e) Wild berries and wild fruit					
(vi) Miscellaneous fruit					0,1
Avocados					
Bananas					
Dates					
Figs					
Kiwi					
Kumquats					
Litchis					
Mangos					
Olives					
Passion fruit					
Pineapples					
Pomegranates					
Others					
2. Vegetables: fresh or uncooked, frozen or dried					
(i) Root and tuber vegetables		0,2		0,1	1
Beetroot			0,1		
Carrots					
Celeriac					
Horseradish					
Jerusalem artichokes					
Parsnips					
Parsley root					
Radishes					

Salsify					
Sweet potatoes					
Swedes					
Turnips					
Yams					
Others					
(ii) Bulb vegetables		0,2		0,1	1
Garlic					
Onions					
Shallots					
Spring onions					
Others					
(iii) Fruiting vegetables		0,2		0,1	1
(a) Solanacea					
Tomatoes					0,5
Peppers					
Aubergines					
Others					
(b) Cucurbits - edible peel					
Cucumbers					0,5
Gherkins					
Courgettes					
Others					
(c) Cucurbits - inedible peel					
Melons					
Squashes					
Watermelons					
Others					
(d) Sweet corn					
(iv) Brassica vegetables		0,2		0,1	1

(a) Flowering brassica					
Broccoli					
Cauliflower					
Others					
(b) Head brassica					
Brussels sprouts					
Head cabbage					
Others					
(c) Leafy brassica					
Chinese cabbage					
Kale					
Others					
(d) Kohlrabi					
(v) Leaf vegetables and fresh herbs		0,2		0,1	1
(a) Lettuce and similar					
Cress					
Lamb's lettuce					
Lettuce					
Scarole					
Others					
(b) Spinach and similar					
Spinach					
Beet leaves (chard)					
Others					
(c) Water cress					
(d) Witloof					
(e) Herbs					
Chervil					
Chives					
Parsley					

Celery leaves					
Others					
(vi) Legume vegetables (fresh)	0,05	0,2		0,1	1
Beans (with pods)					
Beans (without pods)					
Peas (with pods)					
Peas (without pods)					
Others					
(vii) Stem vegetables		0,2		0,1	1
Asparagus					
Cardoons					
Celery					
Fennel					
Globe artichokes					
Leek					
Rhubarb					
Others					
(viii) Fungi				0,1	
Cultivated mushrooms					
Wild mushrooms					
3. Pulses		0,05	0,2	0,1	1
Beans					
Lentils					
Peas					
Others					
4. Oil seeds				0,1	
Linseed					
Peanuts					
Poppy seed					
Sesame seed					
Sunflower seed					
Rape seed					

Soya bean					
Mustard					
Cotton seed					
Others					
5. Potatoes	0,05	0,2		0,1	0,1
Early and ware potatoes					
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)				0,1	
7. Hops (dried), including hop pellets and unconcentrated powder				0,1	1
8. Spices				0,1	
Cumin seeds					
Juniper berries					
Nutmeg					
Pepper, black and white					
Vanilla pods					
Others					
Products of plant origin	Active substance of pesticide and maximum residue level thereof (mg/kg)				
	Metribusin	Dichlofop-methyl	Thiophanate-methyl	Methyl tribenurone	Oxadixyl
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts					
(i) Citrus fruit			2		
Grapefruit					
Lemons					

Limes					
Mandarins (including clementines and similar hybrids)					
Oranges					
Pommelos					
Others					
(ii) Tree nuts (shelled or unshelled)					
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) Pome fruit			0,5		
Apples					
Pears					
Quinces					
Others					
(iv) Stone fruit					
Apricots					
Cherries					
Peaches (including nectarines and similar hybrids)					

Plums					
Others					
(v) Berries and small fruit					
(a) Table and wine grapes			0,5		
Table grapes					
Wine grapes					
(b) Strawberries (other than wild)					
(c) Cane fruit					
Blackberries					
Dewberries					
Loganberries					
Raspberries					
Others					
(d) Other small fruit and berries (other than wild)					
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)					
Cranberries					
Currants (red, black, white)					
Gooseberries					
Others					
(e) Wild berries and wild fruit					
(vi) Miscellaneous fruit		1			
Avocados					
Bananas					
Dates					

Figs					
Kiwi					
Kumquats					
Litchis					
Mangos					
Olives					
Passion fruit					
Pineapples					
Pomegranates					
Others					
2. Vegetables: fresh or uncooked, frozen or dried					
(i) Root and tuber vegetables					
Beetroot					
Carrots					
Celeriac					
Horseradish					
Jerusalem artichokes					
Parsnips					
Parsley root					
Radishes					
Salsify					
Sweet potatoes					
Swedes					
Turnips					
Yams					
Others					
(ii) Bulb vegetables					
Garlic					
Onions					0,5

Shallots					
Spring onions					
Others					
(iii) Fruiting vegetables					
(a) Solanacea					
Tomatoes			0,5		
Peppers					
Aubergines					
Others					
(b) Cucurbits - edible peel					
Cucumbers			0,5		0,5
Gherkins					
Courgettes					
Others					
(c) Cucurbits - inedible peel					
Melons					
Squashes					
Watermelons					
Others					
(d) Sweet corn					
(iv) Brassica vegetables					
(a) Flowering brassica					
Broccoli					
Cauliflower					
Others					
(b) Head brassica					
Brussels sprouts					
Head cabbage					
Others					

(c) Leafy brassica					
Chinese cabbage					
Kale					
Others					
(d) Kohlrabi					
(v) Leaf vegetables and fresh herbs					
(a) Lettuce and similar					
Cress					
Lamb's lettuce					
Lettuce					
Scarole					
Others					
(b) Spinach and similar					
Spinach					
Beet leaves (chard)					
Others					
(c) Water cress					
(d) Witloof					
(e) Herbs					
Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) Legume vegetables (fresh)					
Beans (with pods)					
Beans (without pods)					
Peas (with pods)					
Peas (without					

Pods)					
Others					
(vii) Stem vegetables					
Asparagus					
Cardoons					
Celery					
Fennel					
Globe artichokes					
Leek					
Rhubarb					
Others					
(viii) Fungi					
Cultivated mushrooms					
Wild mushrooms					
3. Pulses					
Beans					
Lentils					
Peas					
Others					
4. Oil seeds					
Linseed					
Peanuts					
Poppy seed					
Sesame seed					
Sunflower seed					
Rape seed					
Soya bean					
Mustard					
Cotton seed					
Others					
5. Potatoes	0,1				0,1
Early and ware					

potatoes					
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)					
7. Hops (dried), including hop pellets and unconcentrated powder				1	
8. Spices					
Cumin seeds					
Juniper berries					
Nutmeg					
Pepper, black and white					
Vanilla pods					
Others					

Groups and examples of individual products to which the MRLs apply	Active substance of pesticide and maximum residue level thereof (mg/kg)				
	Pendimethalin	Penconazole	Pencycuron	Prometrine	Propachlor
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts					
(i) Citrus fruit			0,02		
Grapefruit					
Lemons					
Limes					

Mandarins (including clementines and similar hybrids)					
Oranges					
Pommelors					
Others					
(ii) Tree nuts (shelled or unshelled)			0,02		
Almonds					
Brazil nuts					
Cashew nuts					
Chestnuts					
Coconuts					
Hazelnuts					
Macadamia					
Pecans					
Pine nuts					
Pistachios					
Walnuts					
Others					
(iii) Pome fruit			0,02		
Apples					
Pears					
Quinces					
Others					
(iv) Stone fruit			0,02		
Apricots					
Cherries					
Peaches (including nectarines and similar					

hybrids)					
Plums					
Others					
(v) Berries and small fruit			0,02		
(a) Table and wine grapes					
Table grapes					
Wine grapes					
(b) Strawberries (other than wild)					
(c) Cane fruit					
Blackberries					
Dewberries					
Loganberries					
Raspberries					
Others					
(d) Other small fruit and berries (other than wild)					
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)					
Cranberries					
Currants (red, black, white)					
Gooseberries					
Others					
(e) Wild berries and wild fruit					

(vi) Miscellaneous fruit			0,02	0,5	
Avocados					
Bananas					
Dates					
Figs					
Kiwi					
Kumquats					
Litchis					
Mangos					
Olives					
Passion fruit					
Pineapples					
Pomegranates					
Others					
2. Vegetables: fresh or uncooked, frozen or dried					
(i) Root and tuber vegetables	0,05		0,02		
Beetroot					
Carrots					
Celeriac					
Horseradish					
Jerusalem artichokes					
Parsnips					
Parsley root					
Radishes					
Salsify					
Sweet potatoes					
Swedes					0,3

Turnips					0,3
Yams					
Others					
(ii) Bulb vegetables	0,05		0,02		
Garlic					
Onions					
Shallots					
Spring onions					
Others					
(iii) Fruiting vegetables	0,05		0,02		
(a) Solanacea					
Tomatoes					
Peppers					
Aubergines					
Others					
(b) Cucurbits - edible peel					
Cucumbers		0,1			
Gherkins					
Courgettes					
Others					
(c) Cucurbits - inedible peel					
Melons					
Squashes					
Watermelons					
Others					
(d) Sweet corn					
(iv) Brassica vegetables	0,05		0,02		
(a) Flowering brassica					0,3

Broccoli					
Cauliflower					
Others					
(b) Head brassica					0,3
Brussels sprouts					
Head cabbage					
Others					
(c) Leafy brassica					
Chinese cabbage					
Kale					
Others					
(d) Kohlrabi					
(v) Leaf vegetables and fresh herbs	0,05		0,02		
(a) Lettuce and similar					
Cress					
Lamb's lettuce					
Lettuce					
Scarole					
Others					
(b) Spinach and similar					
Spinach					
Beet leaves (chard)					
Others					
(c) Water cress					
(d) Witloof					
(e) Herbs					

Chervil					
Chives					
Parsley					
Celery leaves					
Others					
(vi) Legume vegetables (fresh)	0,05		0,02	0,1	
Beans (with pods)					
Beans (without pods)					
Peas (with pods)					
Peas (without pods)					
Others					
(vii) Stem vegetables	0,05		0,02		
Asparagus					
Cardoons					
Celery					
Fennel					
Globe artichokes					
Leek					
Rhubarb					
Others					
(viii) Fungi					
Cultivated mushrooms					
Wild mushrooms					
3. Pulses	0,05		0,02	0,1	
Beans					

Lentils					
Peas					
Others					
4. Oil seeds			0,02		
Linseed					
Peanuts					
Poppy seed					
Sesame seed					
Sunflower seed					
Rape seed					
Soya bean					
Mustard					
Cotton seed					
Others					
5. Potatoes			0,02	0,1	
Early and ware potatoes					
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)			0,02		
7. Hops (dried), including hop pellets and unconcentrated powder	0,1		0,02		
8. Spices			0,02		
Cumin seeds					
Juniper berries					
Nutmeg					
Pepper, black					

and white					
Vanilla pods					
Others					

Groups and examples of individual products to which the MRLs apply	Active substance of pesticide and maximum residue level thereof (mg/kg)					
	Propamocarb	Rimsulfuron	Terbutrin	Triadimephos	Triallate	Trifluralin
1. Fruit: fresh, dried or uncooked preserved by freezing not containing added sugar; nuts						
(i) Citrus fruit		0,05		0,5	0,1	
Grapefruit						
Lemons						
Limes						
Mandarins (including clementines and similar hybrids)						
Oranges						
Pommelos						
Others						
(ii) Tree nuts (shelled or unshelled)		0,05				
Almonds						
Brazil nuts						
Cashew nuts						
Chestnuts						

Coconuts						
Hazelnuts						
Macadamia						
Pecans						
Pine nuts						
Pistachios						
Walnuts						
Others						
(iii) Pome fruit		0,05		0,5		
Apples						
Pears						
Quinces						
Others						
(iv) Stone fruit		0,05		0,5		
Apricots						
Cherries						
Peaches (including nectarines and similar hybrids)						
Plums						
Others						
(v) Berries and small fruit		0,05		0,1		
(a) Table and wine grapes				0,1		
Table grapes						
Wine grapes						
(b) Strawberries (other than wild)						

(c) Cane fruit						
Blackberries						
Dewberries						
Loganberries						
Raspberries						
Others						
(d) Other small fruit and berries (other than wild)						
Bilberries (fruit of the species <i>Vaccinium myrtillus</i>)						
Cranberries						
Currants (red, black, white)						
Gooseberries						
Others						
(e) Wild berries and wild fruit						
(vi) Miscellaneous fruit		0,05				
Avocados						
Bananas						
Dates						
Figs						
Kiwi						
Kumquats						
Litchis						
Mangos						
Olives						

Passion fruit						
Pineapples						
Pomegranates						
Others						
2. Vegetables: fresh or uncooked, frozen or dried						
(i) Root and tuber vegetables		0,05				
Beetroot						
Carrots						
Celeriac						
Horseradish						
Jerusalem artichokes						
Parsnips						
Parsley root						
Radishes						
Salsify						
Sweet potatoes						
Swedes						0,5
Turnips						
Yams						
Others						
(ii) Bulb vegetables		0,05				
Garlic						
Onions	0,05					0,5
Shallots						
Spring onions	0,05					
Others						

(iii) Fruiting vegetables		0,05				
(a) Solanacea						
Tomatoes	0,2			0,5		
Peppers						
Aubergines						
Others						
(b) Cucurbits - edible peel						
Cucumbers	0,2			0,5		
Gherkins						
Courgettes						
Others						
(c) Cucurbits - inedible peel						
Melons				0,5		
Squashes						
Watermelons						
Others						
(d) Sweet corn						
(iv) Brassica vegetables		0,05				
(a) Flowering brassica	0,05					0,5
Broccoli						
Cauliflower						
Others						
(b) Head brassica	0,05					0,5
Brussels sprouts						
Head cabbage						
Others						
(c) Leafy						

brassica						
Chinese cabbage						
Kale						
Others						
(d) Kohlrabi						
(v) Leaf vegetables and fresh herbs		0,05				
(a) Lettuce and similar						
Cress						
Lamb's lettuce						
Lettuce						
Scarole						
Others						
(b) Spinach and similar						
Spinach						
Beet leaves (chord)						
Others						
(c) Water cress						
(d) Witloof						
(e) Herbs						
Chervil						
Chives						
Parsley						
Celery leaves						
Others						
(vi) Legume vegetables (fresh)		0,05				

Beans (with pods)						
Beans (without pods)						
Peas (with pods)						
Peas (without pods)						
Others						
(vii) Stem vegetables		0,05				
Asparagus						
Cardoons						
Celery						
Fennel						
Globe artichokes						
Leek						
Rhubarb						
Others						
(viii) Fungi		0,05				
Cultivated mushrooms						
Wild mushrooms						
3. Pulses		0,05				
Beans						
Lentils						
Peas						
Others						
4. Oil seeds		0,05				
Linseed						
Peanuts						
Poppy seed						
Sesame seed						

Sunflower seed						
Rape seed						
Soya bean						
Mustard						
Cotton seed						
Others						
5. Potatoes		0,05	0,1			
Early and ware potatoes						
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0,1	0,05				
7. Hops (dried), including hop pellets and unconcentrated powder		0,05		15		
8. Spices	0,02	0,05				
Cumin seeds						
Juniper berries						
Nutmeg						
Pepper, black and white						
Vanilla pods						
Others						

Annex 5 to Government of the Republic Regulation No. 177 of 31 May 2000 "List of and Maximum Levels for Pesticide Residues in and on Products of Plant Origin and

Methods of Sampling and Analysing Pesticide Residues in and on Products of Plant Origin"

Maximum levels for pesticide residues in and on cereals concerning which no common standards of the European Union are established

Active substance of pesticide	Maximum residue level (mg/kg)
Amidosulphurone	0,05
Bentazone	0,1
Fenpropimorph	0,05
Flutriafol	0,1
Fuberidazole	0,1
Isoproturon	0,01
Clopyralid	0,1
MCPA	0,05
MCPB	0,1
Mecoprop P	0,1
Metazachlor	0,1
Metiram	0,2
Thiophanate-methyl	1
Thifensulfuron-methyl	0,05
Methyl tribenurone	0,05
Triadimephon	0,5
Triallate	0,05
Triasulphurone	0,02
Cyproconazole	0,01