

**Council Decision 95/411/EC of 22 June 1995 laying down the rules for the
microbiological testing for salmonella by sampling of fresh poultrymeat intended for
Finland and Sweden
Official Journal L 243, 11 October 1995, pp. 29-32**

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty establishing the European Community,

Having regard to Council Directive 71/118/EEC of 15 February 1971 on health problems affecting trade in fresh poultrymeat (1), and in particular Article 5 (3) (a) thereof,

Whereas the Commission has approved the operational programmes submitted by Finland and Sweden regarding salmonella controls; whereas those programmes comprise specific measures for fresh poultrymeat;

Whereas the implementation of microbiological tests by an establishment constitutes one of the additional guarantees to be given to Finland and Sweden and provides equivalent guarantees to those obtained under the Finnish and Swedish operational programmes as recognized by the relevant Commission decisions;

Whereas Finland and Sweden must apply to consignments of fresh poultrymeat from third countries import requirements as least as stringent as those laid down in this Decision;

Whereas rules for the microbiological testing by sampling should be laid down by determining the sampling method, the number of samples to be taken and the microbiological method for the examination of the samples;

Whereas as far as the sampling methods to be applied are concerned, it is appropriate to make a distinction between whole carcasses, on the one hand, and parts of carcasses and offal on the other;

Whereas, it is appropriate to take into account international methods for the microbiological examination of samples;

Whereas microbiological tests are not to be required for fresh poultrymeat from an establishment which is subject to a programme recognized as equivalent to that implemented by Finland or Sweden;

Whereas the provisions of this Decision are without prejudice to amendments to the Annexes to Directive 71/118/EEC which might be adopted pursuant to Article 19 of that Directive,
HAS ADOPTED THIS DECISION:

Article 1

Pursuant to Article 5 (3) (a) of Directive 71/118/EEC, consignments of fresh poultrymeat intended for Finland and Sweden shall be subject to the rules laid down in Articles 2 and 3.

Article 2

Fresh poultrymeat intended for Finland and Sweden shall be subject to microbiological testing for salmonella by sampling carried out in accordance with the Annex at the establishment of origin of such meat.

Article 3

Poultrymeat from an establishment subject to a programme recognized, in accordance with the procedure laid down in Article 21 of Directive 71/118/EEC, as equivalent to that implemented by Finland or Sweden, shall not be subject to the microbiological testing provided for in this Decision.

Article 4

The Council, acting on a Commission proposal drawn up in the light of a report established on the basis of the results of the operational programmes implemented by Finland and Sweden and the experience gained in applying this Decision, shall review this Decision before 1 July 1998.

Article 5

This Decision shall apply from 1 July 1995.

Article 6

This Decision is addressed to the Member States.

Done at Brussels, 22 June 1995.

For the Council

The President

Ph. VASSEUR

(1) OJ No L 55, 8. 3. 1971, p. 23. Directive as last amended by Decision 91/1/EC, Euratom, ECSC (OJ No L 1, 1. 1. 1995, p. 1).

ANNEX

SECTION A SAMPLING METHOD

1. Carcasses (with the neck skin still attached)

Random samples are evenly distributed through the whole consignment. Sampling consists of pieces of about 10 g of neck skin to be removed aseptically with a sterile scalpel and tweezers. Samples should be kept refrigerated at 4 °C until examination. For examination the samples are diluted 10-fold in buffered peptone water (BPW) and incubated at 37 °C for 16 to 20 hours. Subsequently the pre-enrichment broths are tested for the presence of salmonella according to the method described in Section C. Portions of the pre-enrichment broths may be pooled to a maximum of 10 for enrichment.

Samples are duly marked and identified.

2. Carcasses without neck skin, carcase parts and offal

Pieces of tissue of about 25 g are obtained by punching a sterile cork borer into the meat surface or cutting a slice of tissue with sterile instruments. Samples should be kept refrigerated at 4 °C until examination. For examination the samples are diluted 10-fold in buffered peptone water (BPW) and incubated at 37 °C for 16 to 20 hours. Subsequently the pre-enrichment broths are tested for the presence of salmonella according to the method described in Section C. Portions of the pre-enrichment broths may be pooled to a maximum of 10 for enrichment.

Samples are duly marked and identified.

SECTION B NUMBER OF SAMPLES TO BE TAKEN

The number of packing units in the consignment of which separate random samples are to be taken is as follows:

Depending on the weight of the packing units, the number of samples can be reduced by using the following multiplication factors:

SECTION C MICROBIOLOGICAL METHOD FOR THE EXAMINATION OF THE SAMPLES

Microbiological testing of the samples for salmonella must be carried out according to the standard method of the International Organization for Standardization, ISO 6579:1993.

However, methods offering equivalent guarantees may be authorized on a case-by-case basis by the Council, acting on a proposal from the Commission.

