

COMMISSION REGULATION (EC) No 742/2006**of 17 May 2006****adapting certain fish quotas for 2006 pursuant to Council Regulation (EC) No 847/96 introducing additional conditions for year-to-year management of TACs and quotas**

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Community,

Having regard to Council Regulation (EC) No 2371/2002 of 20 December 2002 on the conservation and sustainable exploitation of fisheries resources under the Common Fisheries Policy ⁽¹⁾, and in particular Article 23(4) thereof,

Having regard to Council Regulation (EC) No 847/96 of 6 May 1996 introducing additional conditions for year-to-year management of TACs and quotas ⁽²⁾, and in particular Articles 4(2) and 5(1),

Whereas:

(1) Council Regulation (EC) No 2270/2004 of 22 December 2004 fixing for 2005 and 2006 the fishing opportunities for deep-sea fish stocks ⁽³⁾ and Council Regulation (EC) No 27/2005 of 22 December 2004 fixing for 2005 the fishing opportunities and associated conditions for certain fish stocks and groups of fish stocks, applicable in Community waters and, for Community vessels, in waters where catch limitations are required ⁽⁴⁾, specify which stocks may be subject to the measures foreseen by Regulation (EC) No 847/96.

(2) Council Regulation (EC) No 2270/2004, Council Regulation (EC) No 51/2006 of 22 December 2005 fixing for 2006 the fishing opportunities and associated conditions for certain fish stocks and groups of fish stocks, applicable in Community waters and, for Community

vessels, in waters where catch limitations are required ⁽⁵⁾ and Council Regulation (EC) No 52/2006 of 22 December 2005 fixing the fishing opportunities and associated conditions for certain fish stocks and groups of fish stocks applicable in the Baltic Sea for 2006 ⁽⁶⁾ fix quotas for certain stocks for 2006.

(3) Certain Member States have requested, pursuant to Regulation (EC) No 847/96, that part of their quotas for 2005 be transferred to the following year. Within the limits indicated in that Regulation, the quantities withheld should be added to the quota for 2006.

(4) On basis of Article 5(1) of Regulation (EC) No 847/96, deductions from national quotas for 2006 should be made at a level equivalent to the quantity fished in excess. Those deductions shall be applied taking into account also the specific provisions governing stocks falling within the scope of Regional Fisheries Organisations.

(5) Certain Member States have requested, pursuant to Regulation (EC) No 847/96, permission to land additional quantities of fish of certain stocks in the year 2005. Those exceeding permitted landings should however be deducted from their quotas for 2006.

(6) The measures provided for in this Regulation are in accordance with the opinion of the Committee for Fisheries and Aquaculture,

HAS ADOPTED THIS REGULATION:

Article 1

The quotas fixed in Regulation (EC) No 2270/2004, Regulation (EC) No 51/2006 and Regulation (EC) 52/2006 are increased as shown in Annex I or reduced as shown in Annex II.

⁽¹⁾ OJ L 358, 31.12.2002, p. 59.

⁽²⁾ OJ L 115, 9.5.1996, p. 3.

⁽³⁾ OJ L 396, 31.12.2004, p. 4. Regulation as last amended by Regulation (EC) No 860/2005 (OJ L 144, 8.6.2005, p. 1).

⁽⁴⁾ OJ L 12, 14.1.2005, p. 1. Regulation as last amended by Regulation (EC) No 1936/2005 (OJ L 311, 26.11.2005, p. 1).

⁽⁵⁾ OJ L 16, 20.1.2006, p. 1.

⁽⁶⁾ OJ L 16, 20.1.2006, p. 184.

Article 2

This Regulation shall enter into force on the seventh day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 17 May 2006.

For the Commission
Joe BORG
Member of the Commission

ANNEX I
TRANSFERS ONTO 2006 QUOTAS

| Country identity | Stock Id | Species | Zone | Adapted quantity 2005 | Catches 2005 | % Adapted quantity | Transfers 2006 | Initial quantity 2006 | Revised quantity 2006 | New code |
|------------------|------------|----------------|--|-----------------------|--------------|--------------------|----------------|-----------------------|-----------------------|----------|
| BEL | ANF/2AC4-C | Anglerfish | Ila (EC), IV (EC) | 335 | 87,1 | 26,0 | 33,5 | 365 | 399 | |
| BEL | ANF/07. | Anglerfish | VII | 1 446 | 878,3 | 60,7 | 144,6 | 2 445 | 2 590 | |
| BEL | ANF/8ABDE. | Anglerfish | VIIIa,b,d,e | 199 | 196,2 | 98,6 | 2,8 | 0 | 3 | |
| BEL | COD/07A. | Cod | VIIa | 136 | 116 | 85,3 | 13,6 | 24 | 38 | |
| BEL | COD/7X7A34 | Cod | VIIb-k, VIII, IX, X, CECAF 34.1.1 (EC) | 266 | 225,9 | 84,9 | 26,6 | 236 | 263 | |
| BEL | HAD/5BC6A. | Haddock | Vb, VIa (EC) | 18 | 0,1 | 0,6 | 1,8 | 18 | 20 | |
| BEL | HKE/2AC4-C | Hake | Ila (EC), IV (EC) | 64 | 60,6 | 94,7 | 3,4 | 22 | 25 | |
| BEL | HKE/571214 | Hake | Vb (EC), VI, VII, XII, XIV | 210 | 14,4 | 6,9 | 21 | 226 | 247 | |
| BEL | LEZ/07. | Megrims | VII | 469 | 148,1 | 31,6 | 46,9 | 494 | 541 | |
| BEL | LEZ/8ABDE. | Megrims | VIIIa,b,d,e | 5 | 2,6 | 52,0 | 0,5 | 0 | 1 | |
| BEL | NEP/2AC4-C | Norway lobster | Ila (EC), IV (EC) | 567 | 171,8 | 30,3 | 56,7 | 1 472 | 1 529 | |
| BEL | NEP/07. | Norway lobster | VII | 29 | 5,5 | 19,0 | 2,9 | 0 | 3 | |
| BEL | NEP/8ABDE. | Norway lobster | VIIIa,b,d,e | 5 | 0,7 | 14,0 | 0,5 | 0 | 1 | |
| BEL | PLE/07A. | Plaice | VIIa | 629 | 567 | 90,1 | 62 | 41 | 103 | |
| BEL | PLE/7DE. | Plaice | VIIId,e | 843 | 771,7 | 91,5 | 71,3 | 843 | 914 | |
| BEL | PLE/7FG. | Plaice | VIIIf,g | 183 | 154,6 | 84,5 | 18,3 | 118 | 136 | |
| BEL | SOL/24. | Sole | II, IV (EC) | 1 574 | 1 319,3 | 83,8 | 157,4 | 1 456 | 1 613 | |
| BEL | SOL/07A. | Sole | VIIa | 721 | 669,6 | 92,9 | 51,4 | 474 | 525 | |
| BEL | SOL/07D. | Sole | VIIId | 1 710 | 1 049,4 | 61,4 | 171 | 1 540 | 1 711 | |
| BEL | SOL/7FG. | Sole | VIIIf,g | 636 | 598,6 | 94,1 | 37,4 | 594 | 631 | |
| BEL | SOL/8AB. | Sole | VIIIa,b | 314 | 280 | 89,2 | 31,4 | 50 | 81 | |
| BEL | WHG/07A. | Whiting | VIIa | 11 | 9,3 | 84,5 | 1,1 | 1 | 2 | |
| BEL | WHG/7X7A. | Whiting | VIIb-k | 272 | 239,6 | 88,1 | 27,2 | 195 | 222 | |
| DEU | NEP/2AC4-C | Norway lobster | Ila (EC), IV (EC) | 246 | 78,4 | 31,9 | 24,6 | 22 | 47 | |
| DEU | POK/561214 | Saithe | Vb (EC), VI, XII, XIV | 984 | 380 | 38,6 | 98,4 | 798 | 896 | |
| DEU | SOL/24. | Common Sole | II, IV (EC) | 957 | 747,5 | 78,1 | 95,7 | 1 165 | 1 261 | |

| Country identity | Stock Id | Species | Zone | Adapted quantity 2005 | Catches 2005 | % Adapted quantity | Transfers 2006 | Initial quantity 2006 | Revised quantity 2006 | New code |
|------------------|------------|----------------|---|-----------------------|--------------|--------------------|----------------|-----------------------|-----------------------|----------|
| DEU | WHB/571214 | Blue whiting | V, VI, VII, XII, XIV | 41 847 | 20 173,8 | 48,0 | 2 167,4 | | | |
| DEU | WHB/8ABDE | Blue whiting | VIIIa, b, d, e | 2 000 | | 0,0 | 200 | | | |
| DEU | WHB/1X14 | Blue whiting | I, II, III, IV, V, VI, VII, VIIIa,b,d,e, XII, XIV (EC and international waters) | | | | 2 367 | 20 424 | 22 791 | 1X14 |
| DNK | ANF/2AC4-C | Anglerfish | Ila (EC), IV (EC) | 590 | 32,3 | 54,7 | 59 | 804 | 863 | |
| DNK | COD/03AS | Cod | Kattegat | 615 | 603,1 | 98,1 | 11,9 | 524 | 536 | |
| DNK | HKE/2AC4-C | Hake | Ila (EC), IV (EC) | 866 | 677,2 | 78,2 | 86,6 | 891 | 978 | |
| DNK | HKE/3A/BCD | Hake | Ila, IIb,cd (EC) | 1 171 | 295,2 | 25,2 | 117,1 | 1 219 | 1 336 | |
| DNK | JAX/578/14 | Horse Mackerel | Vb (EC), VI, VII, VIIIabde, XII, XIV | 11 109 | 9 937,3 | 89,5 | 1 110,9 | 12 273 | 13 384 | |
| DNK | NEP/2AC4-C | Norway lobster | Ila (EC), IV (EC) | 1 375 | 1 293,2 | 94,1 | 81,8 | 1 472 | 1 554 | |
| DNK | NEP/3A/BCD | Norway lobster | Ilaa (EC), IIb,cd (EC) | 3 454 | 2 963,8 | 85,8 | 345,4 | 3 800 | 4 145 | |
| DNK | SOL/24 | Common Sole | II, IV (EC) | 895 | 828,1 | 92,5 | 66,9 | 666 | 733 | |
| DNK | SPR/3BCD-C | Sprat | II(b), c), d) (EC) | 59 741 | 50 664,9 | 84,8 | 5 974,1 | 41 512 | 47 486 | |
| DNK | WHB/571214 | Blue whiting | V, VI, VII, XII and XIV | 11 403 | 9 885,2 | 86,7 | 1 140,3 | 52 529 | 53 669 | 1x14 |
| ESP | WHB/571214 | Blue whiting | V, VI, VII, XII, XIV | 38 244 | 8 741,1 | 22,9 | 3 824,4 | | | |
| ESP | WHB/8ABDE | Blue whiting | VIIIa, b, d, e | 24 404 | 559,1 | 2,3 | 2 440,4 | | | |
| ESP | WHB/1X14 | Blue whiting | I, II, III, IV, V, VI, VII, VIIIa,b,d,e, XII, XIV (EC and international waters) | | | | 6 264,8 | 44 533 | 50 798 | 1X14 |
| ESP | WHB/8C3411 | Blue whiting | VIIIc, IX, X, CECAF 34.1.1 (EC) | 107 382 | 40 652,1 | 37,9 | 10 738,2 | 46 795 | 57 533 | |
| ESP | NEP/5BC6 | Norway lobster | Vb (EC), VI | 56 | 17,7 | 31,6 | 5,6 | 36 | 42 | |
| ESP | NEP/07 | Norway lobster | VII | 881 | 828,9 | 94,1 | 52,1 | 1 290 | 1 342 | |
| ESP | NEP/8ABDE | Norway lobster | VIIIa, b, d, e | 13 | 3,5 | 26,9 | 1,3 | 242 | 243 | |
| ESP | NEP/08C | Norway lobster | VIIIc | 140 | 82,1 | 58,6 | 14 | 140 | 154 | |
| ESP | NEP/9/3411 | Norway lobster | IX, X, CECAF 34.1.1 (EC) | 135 | 51,6 | 38,2 | 13,5 | 122 | 136 | |
| ESP | LEZ/07 | Megrimms | VII | 7 493 | 6 012,1 | 80,2 | 749,3 | 5 490 | 6 239 | |
| ESP | LEZ/8ABDE | Megrimms | VIIIa,b,d,e | 1 359 | 717 | 52,8 | 135,9 | 1 176 | 1 312 | |
| ESP | LEZ/8C3411 | Megrimms | VIIIc, IX, X | 1 276 | 1 025 | 80,3 | 127,6 | 1 171 | 1 299 | |
| ESP | ANF/561214 | Anglerfish | Vb (EC), VI, XII, XIV | 119 | 116,9 | 98,2 | 2,1 | 180 | 182 | |
| FRA | ANF/2AC4-C | Anglerfish | Ila,IV | 27 | 5,2 | 19,3 | 2,7 | 75 | 78 | |
| FRA | ANF/561214 | Anglerfish | Vb (EC), VI, XII, XIV | 2 073 | 1 307,1 | 63,1 | 207,3 | 2 073 | 2 280 | |
| FRA | ANF/07 | Anglerfish | VII | 14 137 | 12 755 | 90,2 | 1 382 | 15 688 | 17 070 | |

| Country identity | Stock Id | Species | Zone | Adapted quantity 2005 | Catches 2005 | % Adapted quantity | Transfers 2006 | Initial quantity 2006 | Revised quantity 2006 | New code |
|------------------|------------|----------------|--|-----------------------|--------------|--------------------|----------------|-----------------------|-----------------------|----------|
| FRA | COD/561214 | Cod | Vb (EC), VI, XII, XIV | 114 | 105,6 | 92,6 | 8,4 | 97 | 105 | |
| FRA | COD/07A. | Cod | VIIa | 79 | 33,5 | 42,4 | 7,9 | 67 | 75 | |
| FRA | COD/7X7A34 | Cod | VIIb-k, VIII, IX, X, CECAF 34.1.1 (EC) | 4 554 | 2 677,8 | 58,8 | 455,4 | 4 053 | 4 508 | |
| FRA | HAD/5BC6A. | Haddock | Vb (EC), VIa | 839 | 314,1 | 37,4 | 83,9 | 862 | 946 | |
| FRA | HER/5B6ANB | Herring | Vb, VIaN (EC), VIb | 623 | 598 | 96,0 | 25 | 705 | 730 | |
| FRA | HER/7G-K. | Herring | VIIg,h,j,k | 805 | 795,6 | 98,8 | 9,4 | 682 | 691 | |
| FRA | HKE/2AC4-C | Hake | Ila (EC), IV (EC) | 158 | 156,2 | 98,9 | 1,8 | 197 | 199 | |
| FRA | HKE/571214 | Hake | Vb (EC), VI, VII, XII, XIV | 7 783 | 6 483,3 | 83,3 | 778,3 | 11 206 | 11 984 | |
| FRA | HKE/8ABDE. | Hake | VIIa,b,d,e | 9 560 | 6 055,2 | 63,3 | 956 | 11 345 | 12 301 | |
| FRA | HKE/8C3411 | Hake | VIIIc, IX, X CECAF 34.1.1 (EC) | 342 | 276,5 | 80,8 | 34,2 | 409 | 443 | |
| FRA | JAX/578/14 | Horse Mackerel | Vb (EC), VI, VII, VIIIabde, XII, XIV | 14 010 | 12 877,1 | 91,9 | 1 132,9 | 6 482 | 7 615 | |
| FRA | LEZ/07. | Megrims | VII | 5 932 | 2 332,9 | 39,3 | 593,2 | 6 663 | 7 256 | |
| FRA | LEZ/8ABDE. | Megrims | VIIa,b,d,e | 1 093 | 577,9 | 52,9 | 109,3 | 949 | 1 058 | |
| FRA | LEZ/8C3411 | Megrims | VIIIc, IX, X | 44 | 16,3 | 37,0 | 4,4 | 59 | 63 | |
| FRA | NEP/5BC6. | Norway lobster | Vb (EC), VI | 73 | 3,8 | 5,2 | 7,3 | 143 | 150 | |
| FRA | NEP/07. | Norway lobster | VII | 4 753 | 3 011,2 | 63,4 | 475,3 | 5 228 | 5 703 | |
| FRA | NEP/08C. | Norway lobster | VIIIc | 22 | 19,4 | 88,2 | 2,2 | 6 | 8 | |
| FRA | PLE/07A. | Plaice | VIIa | 18 | 9,1 | 50,6 | 1,8 | 18 | 20 | |
| FRA | PLE/7DE. | Plaice | VII d,e | 2 809 | 1 960,7 | 69,8 | 280,9 | 2 810 | 3 091 | |
| FRA | PLE/7FG. | Plaice | VII f,g | 132 | 123 | 93,2 | 9 | 213 | 222 | |
| FRA | POK/561214 | Saithe | Vb (EC), VI, XII, XIV | 11 188 | 4 381,1 | 39,2 | 1 118,8 | 7 930 | 9 049 | |
| FRA | SOL/24. | Common Sole | II, IV (EC) | 678 | 593,1 | 87,5 | 67,8 | 291 | 359 | |
| FRA | SOL/07A. | Common Sole | VIIa | 6 | 3,1 | 51,7 | 0,6 | 6 | 7 | |
| FRA | SOL/07D. | Common Sole | VII d | 3 387 | 1 972 | 58,2 | 338,7 | 3 080 | 3 419 | |
| FRA | SOL/07E. | Common Sole | VII e | 326 | 305,6 | 93,7 | 20,4 | 354 | 374 | |
| FRA | SOL/7FG. | Common Sole | VII f,g | 95 | 89,6 | 94,3 | 5,4 | 59 | 64 | |
| FRA | WHB/571214 | Blue whiting | V, VI, VII, XII, XIV | 49 809 | 6 152,2 | 12,4 | 4 980,9 | | | |
| FRA | WHB/8ABDE. | Blue whiting | VIIa, b, d, e | 18 936 | 387,3 | 2,0 | 1 893,6 | | | |

| Country identity | Stock Id | Species | Zone | Adapted quantity 2005 | Catches 2005 | % Adapted quantity | Transfers 2006 | Initial quantity 2006 | Revised quantity 2006 | New code |
|------------------|------------|----------------|---|-----------------------|--------------|--------------------|----------------|-----------------------|-----------------------|----------|
| FRA | WHB/IX14 | Blue whiting | I, II, III, IV, V, VI, VII, VIIIa,b,d,e, XII, XIV (EC and international waters) | | | | 6 874,5 | 36 556 | 43 431 | IX14 |
| FRA | WHG/561214 | Whiting | Vb (EC), VI, XII, XIV | 185 | 7 | 3,8 | 18,5 | 166 | 185 | |
| FRA | WHG/07A. | Whiting | VIIa | 18 | 15,3 | 85,0 | 1,8 | 15 | 17 | |
| FRA | WHG/7X7A. | Whiting | VIIb-k | 14 470 | 10 344 | 71,5 | 1 447 | 11 964 | 13 411 | |
| GBR | ANF/2AC4-C | Anglerfish | IIa,IV | 8 950 | 7 899,3 | 88,3 | 895 | 8 392 | 9 287 | |
| GBR | ANF/561214 | Anglerfish | Vb (EC), VI, XII, XIV | 1 865 | 1 505,1 | 80,7 | 186,5 | 1 442 | 1 629 | |
| GBR | ANF/07. | Anglerfish | VII | 4 992 | 3 756,2 | 75,2 | 499,2 | 4 757 | 5 256 | |
| GBR | COD/561214 | Cod | Vb (EC), VI, XII, XIV | 486 | 392,4 | 80,7 | 48,6 | 368 | 417 | |
| GBR | COD/07A. | Cod | VIIa | 819 | 595,2 | 72,7 | 81,9 | 527 | 609 | |
| GBR | COD/7X7A34 | Cod | VIIb-k, VIII, IX, X, CECAF 34.1.1 (EC) | 532 | 488,1 | 91,7 | 43,9 | 439 | 483 | |
| GBR | HAD/5BC6A. | Haddock | Vb (EC), VIa | 6 567 | 2 766,4 | 42,1 | 656,7 | 6 294 | 6 951 | |
| GBR | HER/07A/MM | Herring | VIIa | 3 640 | 3 522,1 | 96,8 | 117,9 | 3 550 | 3 668 | |
| GBR | HER/7G-K. | Herring | VIIg,h,j,k | 18 | 0,6 | 3,3 | 1,8 | 14 | 16 | |
| GBR | HKE/2AC4-C | Hake | IIa (EC), IV (EC) | 262 | 248,5 | 94,8 | 13,5 | 278 | 292 | |
| GBR | HKE/571214 | Hake | Vb (EC), VI, VII, XII, XIV | 3 896 | 2 980 | 76,5 | 389,6 | 4 424 | 4 814 | |
| GBR | JAX/578/14 | Horse Mackerel | Vb (EC), VI, VII, VIIIabde, XII, XIV | 6 590 | 6 339,9 | 96,2 | 250,1 | 13 266 | 13 516 | |
| GBR | LEZ/07. | Megrim | VII | 3 039 | 1 825,9 | 60,1 | 303,9 | 2 624 | 2 928 | |
| GBR | NEP/2AC4-C | Norway lobster | IIa (EC), IV (EC) | 18 124 | 17 901,9 | 98,8 | 222,1 | 24 380 | 24 602 | |
| GBR | NEP/5BC6. | Norway lobster | Vb (EC), VI | 12 379 | 10 197,7 | 82,4 | 1 237,9 | 17 257 | 18 495 | |
| GBR | NEP/07. | Norway lobster | VII | 6 487 | 5 474,9 | 84,4 | 648,7 | 7 052 | 7 701 | |
| GBR | PLE/07A. | Plaice | VIIa | 590 | 420,8 | 71,3 | 59 | 485 | 544 | |
| GBR | PLE/7DE. | Plaice | VIIde | 1 477 | 1 297,6 | 87,9 | 147,7 | 1 498 | 1 646 | |
| GBR | PLE/7FG. | Plaice | VIIfg | 69 | 56,1 | 81,3 | 6,9 | 112 | 119 | |
| GBR | POK/561214 | Saithe | Vb (EC), VI, XII, XIV | 4 141 | 2 002,9 | 48,4 | 414,1 | 3 592 | 4 006 | |
| GBR | SOL/24. | Common Sole | II, IV (EC) | 1 127 | 975 | 86,5 | 112,7 | 749 | 862 | |
| GBR | SOL/07A. | Common Sole | VIIa | 146 | 102,4 | 70,1 | 14,6 | 213 | 228 | |
| GBR | SOL/07D. | Common Sole | VIIId | 1 170 | 555 | 47,4 | 117 | 1 100 | 1 217 | |
| GBR | SOL/07E. | Common Sole | VIIe | 511 | 505 | 98,8 | 6 | 553 | 559 | |
| GBR | SOL/7FG. | Common Sole | VIIIf,g | 251 | 217,8 | 86,8 | 25,1 | 267 | 292 | |

| Country identity | Stock Id | Species | Zone | Adapted quantity 2005 | Catches 2005 | % Adapted quantity | Transfers 2006 | Initial quantity 2006 | Revised quantity 2006 | New code |
|------------------|------------|----------------|--|-----------------------|--------------|--------------------|----------------|-----------------------|-----------------------|----------|
| GBR | WHB/571214 | Blue whiting | V, VI, VII, XII, XIV | 109 678 | 109 143,2 | 99,5 | 534,8 | | | |
| GBR | WHB/8ABDE | Blue whiting | VIIa, b, d, e | 17 672 | 0 | 0,0 | 1 767,2 | | | |
| GBR | WHB/1X14 | Blue whiting | I, II, III, IV, V, VI, VII, VIIa,b,d,e, XII, XIV (EC and international waters) | | | | 2 302 | 68 161 | 70 463 | 1X14 |
| GBR | WHG/561214 | Whiting | Vb (EC), VI, XII, XIV | 917 | 162 | 17,7 | 91,7 | 780 | 872 | |
| GBR | WHG/07A | Whiting | VIIa | 199 | 46,2 | 23,2 | 19,9 | 169 | 189 | |
| GBR | WHG/7X7A | Whiting | VIIb-k | 2 485 | 554,5 | 22,3 | 248,5 | 2 140 | 2 389 | |
| IRL | ANF/561214 | Anglerfish | Vb (EC), VI, XII, XIV | 496 | 407,2 | 82,1 | 49,6 | 469 | 519 | |
| IRL | ANF/07 | Anglerfish | VII | 2 653 | 2 584,8 | 97,4 | 68,2 | 2 005 | 2 073 | |
| IRL | COD/561214 | Cod | Vb (EC), VI, XII, XIV | 109 | 40 | 36,7 | 10,9 | 138 | 149 | |
| IRL | COD/07A | Cod | VIIa | 1 116 | 221,6 | 19,9 | 111,6 | 1 204 | 1 316 | |
| IRL | COD/7X7A34 | Cod | VIIb-k, VIII, IX, X, CECAF 34.1.1 (EC) | 820 | 819,5 | 99,9 | 0,5 | 818 | 819 | |
| IRL | HAD/5BC6A | Haddock | Vb (EC), VIa | 598 | 1,4 | 0,2 | 59,8 | 615 | 675 | |
| IRL | HER/5B6ANB | Herring | Vb, VIaN (EC), VIb | 3 174 | 2 893 | 91,1 | 281 | 5 036 | 5 317 | |
| IRL | HER/6A57BC | Herring | Vias, VIIbc | 14 000 | 13 702 | 97,9 | 298 | 14 000 | 14 298 | |
| IRL | HER/07A/MM | Herring | VIIa | 1 160 | 1 153,3 | 99,4 | 6,7 | 1 250 | 1 257 | |
| IRL | HER/7G-K | Herring | VIIg,h,j,k | 11 236 | 10 364,1 | 92,2 | 871,9 | 9 549 | 10 421 | |
| IRL | HKE/571214 | Hake | Vb (EC), VI, VII, XII, XIV | 1 118 | 1 049,3 | 93,9 | 68,7 | 1 358 | 1 427 | |
| IRL | LEZ/07 | Megrim | VII | 3 189 | 2 239,5 | 70,2 | 318,9 | 3 029 | 3 348 | |
| IRL | NEP/5BC6 | Norway lobster | Vb (EC), VI | 192 | 155,2 | 80,8 | 19,2 | 239 | 258 | |
| IRL | NEP/07 | Norway lobster | VII | 7 302 | 7 029,3 | 96,3 | 272,7 | 7 928 | 8 201 | |
| IRL | PLE/07A | Plaice | VIIa | 371 | 274,8 | 74,1 | 37,1 | 1 051 | 1 088 | |
| IRL | PLE/7FG | Plaice | VIIg | 92 | 43,5 | 47,3 | 9,2 | 33 | 42 | |
| IRL | POL/561214 | Pollack | Vb (EC), VI, XII, XIV | 79 | 27,2 | 34,4 | 7,9 | 63 | 71 | |
| IRL | SOL/07A | Common Sole | VIIa | 92 | 86,7 | 94,2 | 5,3 | 117 | 122 | |
| IRL | SOL/7FG | Common Sole | VIIg | 36 | 34,1 | 94,7 | 1,9 | 30 | 32 | |
| IRL | WHB/571214 | Blue whiting | V, VI, VII, XII, XIV | 79 393 | 70 029,2 | 88,2 | 7 939,3 | 40 677 | 48 616 | 1X14 |
| IRL | WHG/561214 | Whiting | Vb (EC), VI, XII, XIV | 478 | 179,7 | 37,6 | 47,8 | 406 | 454 | |
| IRL | WHG/07A | Whiting | VIIa | 286 | 92,7 | 32,4 | 28,6 | 252 | 281 | |
| IRL | WHG/7X7A | Whiting | VIIb-k | 6 006 | 5 767,5 | 96,0 | 238,5 | 5 544 | 5 783 | |

| Country identity | Stock Id | Species | Zone | Adapted quantity 2005 | Catches 2005 | % Adapted quantity | Transfers 2006 | Initial quantity 2006 | Revised quantity 2006 | New code |
|------------------|------------|----------------|--|-----------------------|--------------|--------------------|----------------|-----------------------|-----------------------|----------|
| NLD | ANF/2AC4-C | Anglerfish | Ila,IV | 160 | 21,6 | 13,5 | 16 | 276 | 292 | |
| NLD | ANF/07. | Anglerfish | VII | 19 | 16 | 84,2 | 1,9 | 317 | 319 | |
| NLD | COD/7X7A34 | Cod | VIIb-k, VIII, IX, X, CECAF 34.1.1 (EC) | 28 | 11,4 | 40,7 | 2,8 | 34 | 37 | |
| NLD | HER/7G-K. | Herring | VIIghjk | 813 | 798,2 | 98,2 | 14,8 | 682 | 697 | |
| NLD | HKE/2AC4-C | Hake | Ila (EC), IV (EC) | 50 | 38,2 | 76,4 | 5 | 51 | 56 | |
| NLD | HKE/8ABDE. | Hake | VIIIa,b,d,e | 14 | 0,2 | 1,4 | 1,4 | 15 | 16 | |
| NLD | JAX/578/14 | Horse Mackerel | Vb (EC), VI, VII, VIIIabde, XII, XIV | 47 853 | 42 210,1 | 88,2 | 4 785,3 | 46 801 | 51 586 | |
| NLD | NEP/2AC4-C | Norway lobster | Ila (EC), IV (EC) | 1 035 | 1 016,2 | 98,2 | 18,8 | 758 | 777 | |
| NLD | SOL/24. | Common Sole | II, IV (EC) | 13 578 | 10 883,7 | 80,2 | 1 357,8 | 13 143 | 14 501 | |
| NLD | SOL/3A/BCD | Common Sole | Ila, IIbced (EC) | 30 | 10 | 33,3 | 3 | 73 | 76 | |
| NLD | WHB/571214 | Blue whiting | V, VI, VII, XII, XIV | 143 216 | 123 262,8 | 86,1 | 14 321,6 | 64 053 | 78 375 | 1X14 |
| NLD | WHG/7X7A. | Whiting | VIIb-k | 206 | 187,8 | 91,2 | 18,2 | 97 | 115 | |

ANNEX II

DEDUCTIONS FROM 2006 QUOTAS

| Country | Species | Area | Species Name | Area Name | Adapted quantity 2005 | Margin | Total adapted quantity 2005 | Catches 2005 | % | Deductions | Initial quantity 2006 | Revised quantity 2006 |
|---------|---------|--------|--------------------|---|-----------------------|--------|-----------------------------|--------------|-------|------------|-----------------------|-----------------------|
| DEU | COD | 1/2B. | Cod | I, IIb | 2 712 | 0 | 2 712 | 2 716,6 | 100,2 | -4,6 | 3 023 | 3 018 |
| DEU | HER | 03A. | Herring | IIIa | 751 | 0 | 751 | 759,2 | 101,1 | -8,2 | 545 | 537 |
| DEU | LIN | 04-N. | Ling | IV (Community waters and international waters) | 25 | 0 | 25 | 25,9 | 103,6 | -0,9 | 25 | 24 |
| DEU | MAC | 2CX14- | Mackerel | II (non-EC waters), Vb (EC waters), VI, VII, VIIIa, b, d, e, XII, XIV | 10 754 | 3 866 | 14 620 | 14 636,7 | 100,1 | -16,7 | 14 369 | 14 352 |
| DNK | NEP | 04-N. | Nephrops | IV (Norwegian waters) | 989 | 0 | 989 | 1 036,9 | 104,8 | -47,9 | 1 230 | 1 182 |
| DNK | SOL | 3A/BCD | Common sole | IIIa, IIIb, c, d (EC waters) | 803 | 0 | 803 | 813,3 | 101,3 | -10,3 | 755 | 745 |
| ESP | ANF | 07. | Anglerfish | VII | 1 952 | 92 | 2 044 | 2 047,6 | 100,2 | -3,6 | 971 | 967 |
| ESP | BLI | 67- | Blue Ling | VI, VII (Community waters and international waters) | 124 | 0 | 124 | 178,6 | 144,0 | -54,6 | 104 | 49 |
| FRA | ANF | 8ABDE. | Anglerfish | VIIIa, b, d, e | 5 199 | 0 | 5 199 | 5 334,8 | 102,6 | -135,8 | 6 325 | 6 189 |
| FRA | ANF | 8C3411 | Anglerfish | VIIIc, IX, X (CECAF34.1.1 (EC waters)) | 32 | 0 | 32 | 123,7 | 386,6 | -91,7 | 2 | 0 |
| FRA | BSF | 56712- | Black scabbardfish | V, VI, VII, XII (Community waters and international waters) | 2 497 | 0 | 2 497 | 2 634,4 | 105,5 | -137,4 | 2 433 | 2 296 |
| FRA | GFB | 89- | Forkebeards | VIII, IX (Community waters and international waters) | 35 | 0 | 35 | 38,8 | 110,9 | -3,8 | 15 | 11 |

| Country | Species | Area | Species Name | Area Name | Adapted quantity 2005 | Margin | Total adapted quantity 2005 | Catches 2005 | % | Deductions | Initial quantity 2006 | Revised quantity 2006 |
|---------|---------|--------|---------------------------------|---|-----------------------|--------|-----------------------------|--------------|-------|------------|-----------------------|-----------------------|
| FRA | MAC | 2A34. | Mackerel | II (EC waters), IIIa, IIIb, c, d (EC waters), IV | 467 | 262 | 729 | 1 022,3 | 140,2 | - 293,3 | 483 | 190 |
| FRA | NEP | 8ABDE. | Nephrops | VIIIa, b, d, e | 3 082 | 0 | 3 082 | 3 621,5 | 117,5 | - 539,5 | 3 788 | 3 249 |
| FRA | SOL | 8AB. | Common sole | VIIIa, b | 3 816 | 0 | 3 816 | 3 918,4 | 102,7 | - 102,4 | 3 722 | 3 620 |
| GBR | HER | 4AB. | Herring | IV north of 53° 30' N | 94 942 | 0 | 94 942 | 97 102,1 | 102,3 | - 2 160,1 | 63 333 | 61 173 |
| GBR | HER | 5B6ANB | Herring | Vb, VIaN (EC waters), Vlb | 17 788 | 0 | 17 788 | 17 960,6 | 101,0 | - 172,6 | 20 145 | 19 972 |
| GBR | MAC | 2A34. | Mackerel | II (EC waters), IIIa, IIIb, c, d (EC waters), IV | 609 | 37 363 | 37 972 | 38 019,9 | 100,1 | - 47,9 | 451 | 403 |
| GBR | MAC | 2CX14- | Mackerel | II (non-EC waters), Vb (EC waters), VI, VII, VIIIa, b, d, e, XII, XIV | 92 101 | 0 | 128 751 | 157 308 | 122,2 | - 28 557 | 131 713 | 103 156 |
| IRL | JAX | 578/14 | Jack and horse mackerels nei | Vb(1), VI, VII, VIIIa), b), d), e), XII, XIV | 33 542 | 0 | 33 542 | 35 019,6 | 104,4 | - 1 477,6 | 31 934 | 30 456 |
| IRL | MAC | 2CX14- | Mackerel | II (non-EC waters), Vb (EC waters), VI, VII, VIIIa, b, d, e, XII, XIV | 31 931 | 0 | 45 849 | 52 426,8 | 114,3 | - 6 577,8 | 47 894 | 41 316 |
| NLD | T/B | 2AC4-C | Turbot and Brill | IIa (EC waters), IV (EC waters) | 2 497 | 0 | 2 497 | 2 590,7 | 103,8 | - 93,7 | 2 401 | 2 307 |
| POL | HER | 3BC+24 | Herring | Subdivisions 22-24 | 5 985 | 0 | 5 985 | 6 273,6 | 104,8 | - 288,6 | 6 181 | 5 892 |
| PRT | ANF | 8C4311 | Anglerfish | VIIIc, IX, X (CECAF34.1.1 (EC waters)) | 334 | 0 | 334 | 348,3 | 104,3 | - 14,3 | 324 | 310 |
| PRT | COD | 1N2AB. | Cod | I, II (Norwegian waters) | 2 628 | 0 | 2 628 | 2 629,7 | 100,1 | - 1,7 | 2 550 | 2 548 |
| PRT | HKE | 8C3411 | Hake | VIIIc, IX, X (CECAF34.1.1 (EC waters)) | 1 867 | 0 | 1 867 | 1 943,7 | 104,1 | - 76,7 | 1 989 | 1 912 |