

---

STATUTORY INSTRUMENTS.

**S.I. No. 179 of 1999.**

**EUROPEAN COMMUNITIES (PESTICIDE RESIDUES)  
(PRODUCTS OF PLANT ORIGIN, INCLUDING FRUIT AND VEGETABLES)  
REGULATIONS, 1999.**

I, JOE WALSH, Minister for Agriculture and Food, in exercise of the powers conferred on me by section 3 of the European Communities Act, 1972 (No. 27 of 1972), and for the purpose of giving effect to Council Directive 90/642/EEC of 27 November 1990<sup>1</sup> as amended by Council Directive 93/58/EEC of 29 June 1993<sup>2</sup> and the corrigenda to Council Directive 93/58/EEC<sup>3</sup>, Council Directive 94/30/EC of 23 June 1994<sup>4</sup>, Council Directive 95/38/EC of 17 July 1995<sup>5</sup> and the corrigenda to Council Directive 95/38/EC<sup>6</sup>, Council Directive 95/61/EC of 29 November 1995<sup>7</sup>, Council Directive 96/32/EC of 21 May 1996<sup>8</sup>, Council Directive 97/41/EC of 25 June 1997<sup>9</sup>, Commission Directive 97/71/EC of 15 December 1997<sup>10</sup> and Commission Directive 98/82/EC of 27 October 1998<sup>11</sup>, hereby make the following Regulations:

<sup>11</sup> O.J. No. L290 of 29/10/1998.

<sup>10</sup> O.J. No. L347 of 18/12/1997.

<sup>9</sup> O.J. No. L184 of 12/7/1997.

<sup>8</sup> O.J. No. L144 of 18/6/1996.

<sup>7</sup> O.J. No. L292 of 07/12/1995.

<sup>6</sup> O.J. No. L155 of 28/6/1996.

<sup>5</sup> O.J. No. L197 of 22/8/1995.

<sup>4</sup> O.J. No. L189 of 23/7/1994.

<sup>3</sup> O.J. No. L219 of 24/8/1994.

<sup>2</sup> O.J. No. L211 of 23/8/1993.

<sup>1</sup> O.J. No. L350 of 14/12/1990.

1. (1) These Regulations may be cited as the European Communities (Pesticide Residues) (Products of Plant Origin, including Fruit and Vegetables) Regulations, 1999.

(2) These Regulations shall come into operation on the 1st day of August 1999.

2. (1) In these Regulations

"authorised officer" means an officer of the Minister authorised in writing by the Minister for the purposes of these Regulations;

"controlled products" means the portion of the products of plant origin, including fruit and vegetables, listed in the third column of Annex I, the products obtained from those products after drying or processing and the composite foods in which they are included;

"designated analyst" means an appropriately qualified officer of the Minister who is authorised in writing by the Minister for the purposes of these Regulations;

"the Directive" means Council Directive 90/642/EEC of 27 November 1990<sup>1</sup>, as amended by Council Directive 93/58/EEC of 29 June 1993<sup>2</sup> and the corrigenda to Council Directive 93/58/EEC<sup>3</sup>, Council Directive 94/30/EC of 23 June 1994<sup>4</sup>, Council Directive 95/38/EC of 17 July 1995<sup>5</sup> and the corrigenda to Council Directive 95/38/EC<sup>6</sup>, Council Directive 95/61/EC of 29 November 1995<sup>7</sup>, Council Directive 96/32/EC of 21 May 1996<sup>8</sup>, Council Directive 97/41/EC of 25 June 1997<sup>9</sup>, Commission Directive 97/71/EC of 15 December 1997<sup>10</sup>; and Commission Directive 98/82/EC of 27 October 1998<sup>11</sup>;

<sup>11</sup> O.J. No. L290 of 29/10/1998.

<sup>10</sup> O.J. No. L347 of 18/12/1997.

<sup>9</sup> O.J. No. L184 of 12/7/1997.

<sup>8</sup> O.J. No. L144 of 18/6/1996.

<sup>7</sup> O.J. No. L292 of 07/12/1995.

<sup>6</sup> O.J. No. L155 of 28/6/1996.

<sup>5</sup> O.J. No. L197 of 22/8/1995.

<sup>4</sup> O.J. No. L189 of 23/7/1994.

<sup>3</sup> O.J. No. L219 of 24/8/1994.

<sup>2</sup> O.J. No. L211 of 23/8/1993.

<sup>1</sup> O.J. No. L350 of 14/12/1990.

"the Minister" means the Minister for Agriculture and Food;

"Annex I" (which is set out in Part 1 of the First Schedule) means Annex I to Directive 90/642/EEC as inserted by Directive 93/58/EEC;

"Annex II" (which is set out in Part 2 of the First Schedule) means Annex II to Directive 90/642/EEC as inserted by Directive 93/58/EEC, amended by Directive 94/30/EC, by Directive 95/38/EC, by Directive 95/61/EC, by Directive 96/32/EC, by Directive 97/41/EC, by Directive 97/71/EC and by Directive 98/82/EC;

"pesticide residues" means residues of pesticides and of their metabolites and breakdown or reaction products as defined in Annex II which are present in or on the products listed in column 2 of Annex I or the parts of products described in column 3 opposite reference to such products in column 2, within the groups specified in column 1;

"putting into circulation" means any post-harvest handing over, whether or not for a consideration;

"the State Chemist" means the head of the State Laboratory or persons authorised in writing by the State Chemist to perform the functions assigned to the State Chemist under Regulation 10.

(2) A word or phrase that is used in these Regulations and is also used in the Directive shall, unless the contrary intention appears, have the meaning that it has in the Directive.

(3) In these Regulations, unless otherwise indicated—

(a) a reference to a Regulation is to a Regulation of these Regulations,

(b) a reference to a Schedule is to a Schedule to these Regulations,

(c) a reference to a paragraph is to the paragraph of the Regulation in which the reference occurs.

3. (1) These Regulations shall apply to products within the groups specified in Column 1 of Annex I, examples of which are given in Column 2 of Annex I, insofar as products in these groups, or parts of product described in Column 3 of Annex I, may contain certain pesticide residues. These Regulations shall also apply to the same products after drying or processing or after inclusion in a composite food in so far as they may contain certain pesticide residues.

(2) These Regulations shall apply without prejudice to the operation of the European Communities (Detailed Provisions on the Control of Additives, other than Colours and Sweeteners, for use in Foodstuffs) Regulations, 1997 — S.I. No. 128 of 1997; the European Communities (Pesticide Residues) (Feedingstuffs) Regulations, 1992 — S.I. No. 40 of 1992; the European Communities (Feedingstuffs) (Tolerances of Undesirable Substances and Products) Regulations, 1998 — S.I. 283 of 1998; the European Communities (Pesticide Residues) (Fruit and Vegetables) Regulations, 1989 — 1998 — S.I. No. 105 of 1989, S.I. No. 218 of 1997 and S.I. No. 563 of 1998; the European Communities (Pesticide

Residues) (Cereals) Regulations, 1999; the European Communities (Infant Formulae and Follow-on Formulae) Regulations, 1998 (S.I. No. 243 of 1998) and the European Communities (Processed Cereal-Based Foods and Baby Foods for Infants and Young Children) Regulations, 1998 (S.I. No. 241 of 1998).

(3) Notwithstanding paragraph (1) of this Regulation, these Regulations shall not apply, as regards the maximum levels of pesticide residues prescribed in Annex II, to products which are being exported to a third country, and in respect of which it is shown to the satisfaction of the Minister that, either a particular treatment is specifically requested by the third country of destination in order to prevent the introduction of harmful organisms into its territory, or the treatment is necessary to protect the products against harmful organisms during transport to the third country of destination and storage there.

(4) These Regulations shall not apply to the products described in paragraph (1) of this Regulation, which are shown to the satisfaction of the Minister, to be intended either for the manufacture of products other than foodstuffs and animal feeds, or for sowing or planting.

4. (1) A person shall not put into circulation any controlled product if—

(a) the product contains within it or on it a pesticide residue, and

(b) the level of such pesticide residue, found in a representative sample taken in accordance with Regulation 5(1)(c)(ii), exceeds the maximum specified in relation to the controlled product in the second column of Annex II opposite the mention of such pesticide residue in the first column of the said Annex II.

(1A) In the case of dried and processed products, produced from products to which these Regulations apply, the maximum level of pesticide residue present shall be the level specified in Annex II adjusted to take account of the residue concentration caused by the drying process or the residue concentration or residue dilution resulting from processing; and

(1B) In the case of composite products, which contain products to which these Regulations apply and which have been incorporated into the composite products, the maximum levels of pesticide residue present shall be the levels specified in Annex II adjusted to take account of the dilution or concentration of the pesticide residue in the agricultural products resulting from incorporation in the composite food.

(2) A person who contravenes the provisions of paragraphs (1), (1A) and (1B) of this Regulation shall be guilty of an offence and shall be liable on summary conviction to a fine not exceeding £1,500 or, at the discretion of the court, to imprisonment for a term not exceeding 12 months or both.

5. (1) Subject to paragraph (3), an authorised officer may at any reasonable time enter—

(a) any place or premises including farms in which he or she has reasonable grounds for believing that a controlled product is being produced, put into circulation, processed, stored or used, or

(b) any railway wagon, vehicle, ship, vessel, aircraft, container or other thing in which he or she has reasonable grounds for believing that such a product is being transported, stored or used, or

(c) any premises in which he or she has reasonable grounds for believing that there are any books, documents or records, relating to any business whose activities consist of or include the putting into circulation, processing or storage of any controlled product,

and there or at any other place as he or she may consider appropriate—

(i) make such examinations, tests and inspections, and

(ii) take samples in accordance with the methods described in the Annex to Commission Directive 79/700/EEC of 24 July 1979<sup>12</sup> or the Joint FAO/WHO Food Standards Programme, Codex Alimentarius Commission, Recommended method of sampling for the determination of Pesticide Residues (Food and Agriculture Organisation of the United Nations CAC/PR5 1984), where relevant; and in accordance with other internationally accepted procedures in other cases, of any product which he or she finds in the course of his or her inspection and which he or she believes is or may be products to which these Regulations apply.

<sup>12</sup> O.J. No. L207 of 15/8/1979.

(2) A person who has in any place or land or on any premises or in any railway wagon, vehicle, ship, vessel, aircraft, container or other thing, a controlled product, shall at all reasonable times—

(a) afford to an authorised officer such facilities and assistance as are reasonably necessary for an inspection and taking of samples pursuant to this Regulation;

(b) give an authorised officer any information which he or she may reasonably require regarding the purchase, importation, processing, production, sale or use of any such product and which is within the person's knowledge or procurement, and

(c) produce to an authorised officer any document relating to any such product which the authorised officer may reasonably require and when produced, permit the officer to inspect and take extracts from or copy such document.

(3) Where a sample is taken in accordance with the methods referred to in Regulation 5(1)(c)(ii), the authorised officer shall—

(a) divide the sample into three parts, each of which he or she shall seal and mark,

(b) give one part thereof to a designated analyst for analysis under paragraph (4),

(c) leave with, or send by registered post to the defendant or his or her agent, a second part thereof, and

(d) gives the third part of the sample to the State Chemist for analysis under paragraph (4).

(4) Where a designated analyst or the State Chemist receives a sample from an authorised officer taken in pursuance of these Regulations he or she shall make analyses thereof using validated analytical methods.

(5) In any proceedings for an offence under these Regulations, evidence of the result of any analysis of, or any report on a sample taken pursuant to this Regulation, shall not be adduced unless it is proved that before the proceedings were instituted one of the parts into which the sample was duly divided was left with, or sent by registered post to, the defendant or his or her agent.

(6) (i) In any proceedings for an offence under these Regulations, a certificate in the form set out in the Second or Third Schedule showing the results of an analysis shall, until the contrary is shown, be sufficient evidence of the facts certified to therein in relation to the presence of any pesticide residues and the level of such pesticide residues within or on a controlled product, and a document purporting to be such a certificate shall be deemed, until the contrary is shown, to be such a certificate.

(ii) In any proceedings for an offence under these Regulations, each of the documents referred to in paragraph (1) (ii) and paragraph (4) may be proved by the production of a copy thereof.

(7) Any person who—

(a) fails to comply with a requirement of paragraph (2), or

(b) obstructs or interferes with an authorised officer in the course of exercising a power conferred on him or her by this Regulation

shall be guilty of an offence and shall be liable on summary conviction to a fine not exceeding £1,500 or imprisonment for a term not exceeding twelve months or both.

(8) The Minister shall furnish an authorised officer with a certificate of his or her appointment, and when exercising any power conferred on him or her by these Regulations, the officer shall, if requested by a person affected, produce that certificate to that person.

(9) A designated analyst shall be furnished with a warrant of his or her appointment by the Minister to carry out analyses as required by these Regulations.

6. (1) An authorised officer may seize and retain or seize, remove and retain any controlled product in relation to which the officer has reasonable grounds for suspecting that there is or has been a failure to comply with these Regulations.

(2) An authorised officer who has seized any controlled product pursuant to this Regulation may by a notice in writing, given to the owner or to the person in apparent charge or control of the product, require either—

(a) specified things to be done in relation to the product before it is released by the officer, or

(b) the disposal of the product by the owner, or the person in apparent charge or control of the product, in a manner and within a time specified in the notice and at the expense of the owner, such disposal to be such as will prevent the product being used for human or animal consumption,

and in either case, the authorised officer shall retain control of the product to which the notice relates until the requirements of the notice have been complied with.

(3) Where there has been a failure to comply with a requirement of a notice given under paragraph (2) (b), an authorised officer who in pursuance of this Regulation has seized any product, may, on giving notice in writing to the owner, or to the person in apparent charge or control of such product of his intention to do so, apply to the District Court in the District Court district in which the notice has been served for an order directing that the product be disposed of (by destruction or otherwise) in a manner, specified in the order, that will prevent its being used for human or animal consumption.

(4) Where an application is made under paragraph (3) to the District Court for an order directing the disposal of a controlled product, the Court, if it is satisfied that—

(i) the controlled product to which the notice relates contains within it or on it a pesticide residue in excess of the maximum specified in relation to that product under these Regulations, or

(ii) if such product were released, it might be put into circulation contrary to Regulation 4, or

(iii) such product if consumed would constitute a danger to human or animal health.

shall order that the product be disposed of (by destruction or otherwise) in a manner, specified in the order, that will prevent its being used for human or animal consumption.

(5) Where an order is made by the District Court under paragraph (4), the order may provide that the product to which it relates shall be disposed of in the manner specified in the notice given under paragraph (2)(b), or in such other manner as may be specified in the Court's order and which, in the opinion of the Court, will prevent the product being used for human or animal consumption.

(6) Where an order made by the District Court under paragraph (4), requires that a product to which it relates be disposed of by an authorised officer, the cost of disposing of the relevant product pursuant to and in accordance with the order, shall be

recoverable by the Minister as a simple contract debt in any court of competent jurisdiction from the person who was either the owner, or in apparent charge or control of the product, at the time it was seized.

(7) Any person who obstructs or interferes with an authorised officer in the course of exercising a power conferred on him under this Regulation shall be guilty of an offence and shall be liable on summary conviction to a fine not exceeding £1,500 or imprisonment for a term not exceeding twelve months or both.

7. (1) Where a product is seized pursuant to Regulation 6(1), a person shall not tamper with, or without the permission of an authorised officer, move, dispose of or otherwise interfere in any way with the product.

(2) A person who contravenes paragraph (1) of this Regulation shall be guilty of an offence and shall be liable on summary conviction to a fine not exceeding £1,500 or imprisonment for a term not exceeding twelve months or both.

8. If any person fraudulently —

(a) tampers with anything so as to procure that any sample taken pursuant to these Regulations does not correctly represent the product sampled, or

(b) tampers or interferes with any sample taken under these Regulations,

he shall be guilty of an offence and shall be liable on summary conviction to a fine not exceeding £1,500 or imprisonment for a term not exceeding twelve months or both.

9. (1) An offence under these Regulations may be prosecuted by the Minister.

(2) Where an offence under these Regulations is committed by a body corporate and is proved to have been so committed with the consent or connivance of or to be attributable to any neglect on the part of a director, manager, secretary or other officer of the body corporate, the director, manager, secretary or other officer or any person purporting to act in such capacity shall, as well as the body corporate, be guilty of an offence and shall be liable to be proceeded against and punished accordingly.

10. (1) Where an appeal is made to the District Court concerning the results of an analysis made by a designated analyst under Regulation 5 (4), the results of the sample analysed by the State Chemist (Section 5 (4)) shall be considered by the Court to be the referee sample.

(2) The State Chemist shall in making an analysis under this Regulation issue a certificate in the form set out in the Third Schedule to the defendant and to the designated analyst concerned.

11. (1) Subject to the provisions of paragraph (2), the Minister may from time to time establish the maximum levels of pesticide residues which may be contained in



and on specified controlled products brought into the territory of the State from a Member State of origin.

(2) Maximum levels of pesticide residue shall not be established under the provisions of paragraph (1) where harmonised pesticide residue levels have already been established by the European Community—

(a) pursuant to the procedures provided in the Directive, or

(b) in accordance with Article 4(1)(f) of Council Directive 91/414/EEC of 15 July 1991<sup>13</sup> concerning the placing of plant protection products on the market.

<sup>13</sup> O.J. No. L 230/1 19.08.1991.

(3) Notwithstanding paragraph (1) of this Regulation, such levels established shall not apply to controlled products brought into the territory of the State from a Member State of origin and, which are shown to the satisfaction of the Minister to be in transit to another Member State of the European Communities or a third country.

(4) In this Regulation—

"Member State of origin" means a Member State of the European Communities in whose territory a controlled product is either legally produced and marketed or put into free circulation.

12. The following Regulations are hereby revoked:—

(i) the European Communities (Pesticide Residues) (Products of Plant Origin, including Fruit and Vegetables) Regulations, 1997 ([S.I. No. 221 of 1997](#));

(ii) the European Communities (Pesticide Residues) (Products of Plant Origin, including Fruit and Vegetables) (Amendment) Regulations, 1998 ([S.I. No. 71 of 1998](#));

and

(iii) the European Communities (Pesticide Residues) (Products of Plant Origin, including Fruit and Vegetables) (Amendment) (No. 2) Regulations, 1998 ([S.I. No. 564 of 1998](#)).

## *FIRST SCHEDULE*

### PART 1 ANNEX I

List of products and the portion of the products to which the maximum residue levels apply

Groups of products

Products included in the groups

Part of product to which maximum residue levels apply

1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts

(i) Citrus Fruit

Grapefruit

Whole product

Lemons

Limes

Mandarins (including

clementines and similar

hybrids)

Oranges

Pomelos

(ii) Tree Nuts (Shelled or Unshelled)

Almonds

Whole product after removal of shell

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

Macadamia nuts

Pecans

Pine nuts

Pistachios

Walnuts

(iii) Pome Fruit

Apples

Whole product after removal of stems

Pears

Quinces

(iv) Stone Fruit

Apricots

Whole product after removal of stems

Cherries

Peaches (including nectarines and similar hybrids)

Plums

(v) Berries and Small Fruit

(a) *Table and wine grapes*

Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems.

(b) *Strawberries* (other than wild)

(c) *Cane fruit* (other than wild):

Blackberries

Loganberries

Raspberries

*(d) Other small fruit and berries (other than wild):*

Bilberries

Cranberries

Currants (red, black and white)

Gooseberries

*(e) Wild berries and wild fruit*

(vi) Miscellaneous Fruit

Avocados

Whole fruit after removal of stems (if any) and in the case of pineapple after removal of the crown

Bananas

Dates

Figs

Kiwi fruit

Kumquats

Litchis

Mangoes

Passion fruit

Pineapples

Pomegranates

Olives

Whole fruit after removal of stems (if any) after removal of soil (if any) by rinsing in running water

## 2. Vegetables, fresh or uncooked, frozen or dry

### (i) Root and Tuber Vegetables

Beetroot

Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)

Carrots

Celeriac

Horseradish

Jerusalem artichokes

Parsnips

Parsley root

Radishes

Salsify

Sweet potatoes

Swedes

Turnips

Yams

(ii) Bulb Vegetables

Garlic

Onions (dry), shallots (dry), garlic (dry): whole product after removal of easily detachable skin and soil (if any).

Onions, shallots and garlic other than dry, spring onions: whole product after removal of roots and soil (if any)

Onions

Shallots

Spring Onions

(iii) Fruiting Vegetables

(a) *Solanacea*

Whole product after removal of stems

Tomatoes

Peppers

(b) *Cucurbits-edible peel*

Cucumbers

Gherkins

Courgettes

(c) *Cucurbits-inedible peel*

Melons

Squashes



Watermelons

(d) *Sweet corn*

Kernels or cobs without husks

(iv) Brassica Vegetables

(a) *Flowering brassicas*

Cauliflower and broccoli: curd only

Broccoli

Cauliflower

(b) *Head brassicas*

Product after removal of decayed leaves (if any)

Brussels sprouts

Head cabbage

(c) *Leafy brassicas*

Chinese cabbage

Kale

(d) *Kohlrabi*

Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)

(v) Leaf Vegetables and Fresh Herbs

(a) *Lettuce and similar*

Whole product after removal of decayed outer leaves, root and soil (if any)

Cress

Lamb's lettuce

Lettuce

Broad-leaf endive

(b) *Spinach and similar*

Beet leaves (chard)

(c) *Watercress*

(d) *Witloof*

(e) *Herbs*

Chervil

Chives

Parsley

(vi) Legume Vegetables (Fresh)

Beans

Whole product after removal of pods or with pods if they are intended to be eaten

Peas

(vii) Stem Vegetables

Asparagus

Whole product after removal of decayed tissue and soil (if any): leeks and fennel:  
whole product after removal of roots and soil (if any)

Cardoons

Celery

Fennel

Globe artichokes

Leeks

Rhubarb

(viii) Fungi

Mushrooms (other than wild)

Whole product after removal of soil or growing medium

Wild mushrooms

### 3. Pulses

Beans

Whole product

Lentils

Peas

### 4. Oil seeds

Linseed Peanuts

Whole seed or kernel after removal of shell or husk, when possible

Poppy seed

Rape seed

Sesame seed

Colza seed

Soya bean

Sunflower seed

Whole seed including shell, when present, and whole seed without shell, when shell is absent

5. Potatoes

Early and ware potatoes

Whole product after removal of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)

6. Tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)

Whole product

7. Hops (dried), including hop pellets and unconcentrated power

Whole product

*Note:* The word "fresh" is taken to extend to products which have been chilled or frozen and in the case of dried fruit and vegetables for which maximum levels are not fixed, the maximum level applicable will be that laid down in the Directives taking into account the residue concentration caused by the drying process.

PART 2 Annex II

Pesticide residues and maximum residue levels (mg/kg)

Groups and examples of individual products to which the MRLs apply

Acephate

Aldicarb residue: sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb

Aminotriazole (Amitrole)

Amitraz residue; amitraz plus all its metabolites containing 2,4 dimethylaniline,  
expressed as amitraz

(1)

(2)

(3)

(4)

(5)

1. Fruit, fresh, dried or uncooked preserved by freezing, not containing added sugar; nuts

(I) CITRUS FRUIT

1

0.2

0.05\*

Grapefruit

Lemons

Limes

Mandarins (including clementines and other hybrids)

Oranges

Pomelos

Others

(b)

(II) TREE NUTS

0.02\*

0.05\*

0.02\*

(shelled or unshelled)

Almonds

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

Macadamia

Pecans

0.2

Pine nuts

Pistachios

Walnuts

Others

0.05\*

(III) POME FRUIT

# 1

0.05\*

0.05\*

1

Apples

Pears

Quinces



Others

(IV) STONE FRUIT

0.05\*

0.05\*

Apricots

0.02\*

Cherries

0.02\*

Peaches (including nectarines and similar hybrids)

# 0.2<sup>(x)</sup>

1

Plums

# 2

Others

0.02\*

(b)

(V) BERRIES AND SMALL FRUIT

0.05\*

(a) *Table and wine grapes*

0.02\*

0.05\*

(b)

(b) *Strawberries* (other than wild)

0.02\*

(c)

(b)

(c) *Cane fruit* (other than wild)

0.02\*

0.05\*

0.02\*

Blackberries

Dewberries

Loganberries

Raspberries

Others

(d) *Other small fruit and berries (other than wild)*

0.02\*

0.05\*

Bilberries (fruit of species *Vaccinium myrtilus*)

Cranberries

Currants (red, black and white)

Gooseberries

Others

(e) *Wild berries and wild fruit*

0.02\*

0.05\*

0.02\*

(VI) MISCELLANEOUS FRUIT

0.02\*

0.05\*

0.02\*

Avocados

Bananas

(c)

Dates

Figs

Kiwis

Kumquats

Litchis

Mangoes

Olives

Passion fruit

Pineapples

Pomegranates

Others

0.05\*

2. Vegetables fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

0.02\*

0.05\*

0.02\*

Beetroot

(c)

Carrots

(c)

Celeriac

Horseradish

Jerusalem artichokes

Parsnips

(c)

Parsley root

Radishes

Salsify

Sweet potatoes

Swedes

Turnips

Yams

Others

0.05\*

(II) BULB VEGETABLES

0.02\*

0.05\*

0.05\*

0.02\*

Garlic

Onions

Shallots

Spring onions

Others

(III) FRUITING VEGETABLES

0.05\*

(a) *Solanacea*

Tomatoes

0.5

(c)

0.5

Peppers

Aubergines

# 0.5

(b)

Others

0.02\*

0.05\*

*(b) Cucurbits — edible peel*

0.05\*

*(b)*

Cucumbers

# 0.02\*

Gherkins

Courgettes

Others

0.02\*

*(c) Cucurbits — inedible peel*

0.02\*

0.05\*

*(b)*

Melons



Squashes

Watermelons

Others

(d) *Sweet corn*

0.02\*

0.05\*

0.02\*

(IV) BRASSICA VEGETABLES

0.05\*

(a) *Flowering brassica*

# 2

0.02\*

Broccoli

(c)

Cauliflower

0.2

Others

0.05\*

*(b) Head brassica*

2

0.02\*

Brussels sprouts

0.2

Head cabbage

(c)

Others

0.05\*

*(c) Leafy brassica*

# 0.02\*

0.05\*

0.02\*

Chinese cabbage

Kale

Others

(d) Kohlrabi

0.02\*

0.05\*

0.02\*

(V) LEAF VEGETABLES AND FRESH HERBS

0.05\*

(a) Lettuce and similar

0.05\*

0.02\*

Cress

Lamb's lettuce

Lettuce

1

Scarole

Others

0.02\*

*(b) Spinach and similar*

0.02\*

0.05\*

0.02\*

Spinach

Beet leaves (chard)

Others

*(c) Watercress*

0.02\*

0.05\*

0.02\*

*(d) Witloof*

0.02\*

0.05\*

0.02\*

*(e) Herbs*

0.02\*

0.05\*

0.02\*

Chervil

Chives

Parsley

Celery leaves

Others

(VI) LEGUME VEGETABLES (fresh)

0.05\*

0.05\*

0.02\*

Beans (with pods)

# 3

Beans (without pods)

# 0.02\*

Peas (with pods)

# 3

Peas (without pods)

# 0.02\*

Others

(VII) STEM VEGETABLES

0.05\*

0.02\*

Asparagus

Cardoons

Celery

Fennel

Globe artichokes

# 0.2

Leek

# 0.02\*

(c)

Rhubarb

Others

0.02\*

0.05\*

(VIII) FUNGI

0.02\*

0.05\*

0.05\*

0.02\*

(a) *Cultivated mushrooms*

(b) *Wild mushrooms*

3. Pulses

0.05\*

0.05\*

0.02\*

Beans

# 0.02\*

Lentils

0.02\*

Peas

# 0.02\*

Others

0.02\*

4. Oil seed

0.02\*

0.05\*

Linseed

(c)

Peanuts

Poppy seeds

Sesame seed

Sunflower seed

Rape seed

(c)



Soya bean

Mustard seed

Cotton seed

(c)

(b)

Others

0.05\*

0.02\*

5. Potatoes

0.02\*

(c)

0.05\*

0.02\*

Early and ware potatoes

6. Tea (Black tea processed from the leaves of *Camellia sinensis*)

0.1\*

0.05\*

0.1\*

0.1\*

7. Hops (dried), including hop pellets and unconcentrated powder

# 0.1\*

(c)

0.1\*

50

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

(a) (b) (c) (d) Should levels not be adopted by 1 July 2000 for aldicarb and amitraz, the following maximum levels shall apply as indicated thereafter:

(a) 0.01\*

\* Indicates lower limit of analytical determination

(b) 0.02\*

\* Indicates lower limit of analytical determination

(c) 0.05\*

\* Indicates lower limit of analytical determination

(d) 0.1\*

\* Indicates lower limit of analytical determination

Pesticide residues and maximum residue levels (mg/kg)

Groups and examples of individual products to which the MRLs apply

Atrazine

Benalaxyl

Benfurocarb

Benomyl Carbendazim Thiophanate-Methyl (sum expressed as carbendazim)

Binapacryl

(1)

(6)

(7)

(8)

(9)

(10)



1. Fruit, fresh, dried or uncooked preserved by freezing, not containing added sugar; nuts

(I) CITRUS FRUIT

0.1\*

0.05\*

(c)

5

0.05\*

Grapefruit

Lemons

Limes

Mandarins (including clementines and other hybrids)

Oranges

Pomelos

Others

(II) TREE NUTS

0.1\*

0.05\*

0.1\*

0.05\*

(shelled or unshelled)

Almonds

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

(c)

Macadamia

Pecans

Pine nuts

Pistachios

Walnuts

Others

0.05\*

(III) POME FRUIT

0.1\*

0.05\*

0.05\*

2

0.05\*

Apples

Pears

Quinces

Others

(IV) STONE FRUIT

0.1\*

0.05\*

0.05\*

0.05\*

Apricots

1

Cherries

Peaches (including nectarines and similar hybrids)

1

Plums

0.5

Others

0.1\*

(V) BERRIES AND SMALL FRUIT

0.1\*

0.05\*

0.05\*

(a) *Table and wine grapes*

0.2

2

(b) *Strawberries* (other than wild)

0.05\*

(c) *Cane fruit* (other than wild)

0.05\*

0.1\*

Blackberries

Dewberries

Loganberries

Raspberries

Others

(d) *Other small fruit and berries* (other than wild)

0.05\*

0.1\*

Bilberries (fruit of species *Vaccinium myrtilus*)

Cranberries

Currants (red, black and white)

Gooseberries

Others

*(e) Wila berries and wild fruit*

0.05\*

0.1\*

(VI) MISCELLANEOUS FRUIT

0.1\*

0.05\*

0.05\*

0.05\*

Avocados

Bananas

1

Dates

Figs

Kiwis

Kumquans

Litchis

Mangoes

Olives

Passion fruit

Pineapples

Pomegranates

Others

0.1\*

2. Vegetables, fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

0.1\*

0.05\*

0.1\*

0.05\*

Beetroot

Carrots

Celeriac

Horseradish

Jerusalem artichokes

Parsnips

Parsley root

Radishes

Salsify

(c)

Sweet potatoes



Swedes

Turnips

Yams

Others

0.05\*

(II) BULB VEGETABLES

0.1\*

0.05\*

0.1\*

0.05\*

Garlic

Onions

0.2

Shallots

Spring onions

Others

0.05\*

(III) FRUITING VEGETABLES

0.1\*

0.05\*

(a) *Solanacea*

0.05\*

Tomatoes

0.2

0.5

Peppers

0.2

Aubergines

0.5

Others

0.05\*

0.1\*

(b) *Cucurbits — edible peel*

0.05\*

0.05\*

Cucumbers

0.5

Gherkins

Courgettes

0.3

Others

0.1\*

(c) *Cucurbits — inedible peel*

(c)

Melons

(c)

0.5

Squashes

0.5

Watermelons

(c)

Others

0.05\*

0.1\*

(d) *Sweet corn*

0.05\*

0.05\*

0.1\*

(IV) BRASSICA VEGETABLES

0.1\*

0.05\*

0.05\*

(a) *Flowering brassica*

(c)

0.1\*

Broccoli

Cauliflower

Others

(b) *Head brassica*

(c)

Brussels sprouts

0.5

Head cabbage

Others

3

(c) *Leafy brassica*

0.05\*

0.1\*

Chinese cabbage

Kale

Others

(d) *Kohlrabi*

0.05\*

0.1\*

(V) LEAF VEGETABLES AND FRESH HERBS

0.1\*

0.02\*

0.05\*

0.05\*

(a) *Lettuce and similar*

Cress

Lamb's lettuce

Lettuce

(c)

5

Scarole

Others

0.05\*

0.1\*

(b) *Spinach and similar*

0.05\*

0.1\*

Spinach

Beet leaves (chard)

Others

(c) *Watercress*

0.05\*

0.1\*

(d) *Witloof*

0.05\*

0.1\*

(e) *Herbs*

0.05\*

0.1\*

Chervil

Chives

Parsley

Celery leaves

Others

(VI) LEGUME VEGETABLES (fresh)

0.1\*

0.05\*

0.05\*

0.1\*

0.05\*

Beans (with pods)

Beans (without pods)

Peas (with pods)

Peas (without pods)

Others

(VII) STEM VEGETABLES

0.1\*

0.05\*

0.05\*



0.05\*

Asparagus

Cardoons

Celery

2<sup>(x)</sup>

Fenne

Globe artichokes

Leek

Rhubarb

2

Others

0.1\*

(VIII) FUNG

0.1\*

0.05\*

0.05\*

0.05\*

(a) *Cultivated mushrooms*

1

(b) *Wild mushrooms*

0.1\*

3. Pulses

0.1\*

0.05\*

0.05\*

0.05\*

Beans

2

Lentils

Peas

Others

0.1\*

4. Oil seed

0.1\*

0.05\*

Linseed

Peanuts

Poppy seeds

Sesame seed

Sunflower seed

Rape seed

(c)

Soya bean

(c)

0.2

Mustard seed

Cotton seed

(c)

Others

0.05\*

0.05\*

0.1\*

5. Potatoes

0.1\*

0.05\*

0.05\*

3<sup>(x)</sup>

0.05\*

Early and ware potatoes

6. Tea (Black tea processed from the leaves of *Camellia sinensis*)

0.1\*

0.1\*

0.1\*

0.1\*

0.1\*

7. Hops (dried), including hop pellets and unconcentrated powder

0.1\*

0.1\*

5

0.1\*

0.1\*

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination









- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination

(a) (b) (c) (d) Should levels not be adopted by 30 June 1999 for benfurocarb and benalaxyl, the following maximum levels shall apply as indicated thereafter:

(a) 0.01\*

- \* Indicates lower limit of analytical determination

(b) 0.02\*

\* Indicates lower limit of analytical determination

(c) 0.05\*

\* Indicates lower limit of analytical determination

(d) 0.1\*

\* Indicates lower limit of analytical determination

Pesticide residues and maximum residue levels (mg/kg)

Groups and examples of individual products to which the MRLs apply

Bromophos- ethyl

Camphchlor (Toxaphene)

Captafol

Carbofuran (sum of carbofuran and 3-hydroxy- carbofuran expressed as carofuran)

Carbosulfan

(1)

(11)

(12)

(13)

(14)

(15)

1. Fruit, fresh, dried or uncooked preserved by freezing, no containing added sugar; nuts

(I) CITRUS FRUIT

0.05\*

0.1\*

0.02\*

(d)

(c)

Grapefruit

Lemons

Limes

Mandarins (including clementines and other hybrids)

Oranges

Pomelos

Others

(II) TREE NUTS

0.05\*

0.1\*

0.02\*

0.05\*

(shelled or unshelled)

Almonds

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

*(d)*

Macadamia

Pecans

Pine nuts

Pistachios

Walnuts

Others

0.1\*

(III) POME FRUIT

0.05\*

0.1\*

0.02\*

(d)

(c)

Apples

Pears

Quinces

Others

(IV) STONE FRUIT

0.05\*

0.1\*

0.02\*

(d)

(c)

Apricots

Cherries

Peaches (including nectarines and similar hybrids)

Plums

Others

(V) BERRIES AND SMALL FRUIT

0.05\*

0.1\*

0.02\*

0.05\*

(a) *Table and wine grapes*

0.01\*

(b) *Strawberries* (other than wild)

(d)

(c) *Cane fruit* (other than wild)

0.1\*

Blackberries

Dewberries

Loganberries

Raspberries

Others

*(d) Other small fruit and berries (other than wild)*

0.1\*

Bilberries (fruit of species *Vaccinium myrtilus*)

Cranberries

Currants (red, black and white)

Gooseberries

Others

*(e) Wild berries and wild fruit*

0.1\*

(VI) MISCELLANEOUS FRUIT

0.05\*

0.1\*

0.02\*

0.1\*

0.05\*

Avocados

Bananas

Dates

Figs

Kiwis

Kumquats

Litchis

Mangoes



Olives

Passion fruit

Pineapples

Pomegranates

Others

2. Vegetables, fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

0.05\*

0.1\*

0.02\*

Beetroot

Carrots

0.3

0.1

Celeriac

(d)

Horseradish

Jerusalem artichokes

Parsnips

0.3

0.1

Parsley root

Radishes

0.5

Salsify

Sweet potatoes

Swedes

(*d*)

(*c*)

Turnips

(*d*)

(*c*)

Yams

Others

0.1\*

0.05\*

(II) BULB VEGETABLES

0.05\*

0.1\*

0.02\*

Garlic

0.3

Onions

0.3

(c)

Shallots

0.3

Spring onions

Others

0.1\*

0.05\*

(III) FRUITING VEGETABLES

0.05\*

0.1\*

0.02\*

(a) *Solanacea*

0.1\*

0.05\*

Tomatoes

Peppers

Aubergines

Others

(b) *Cucurbits — edible peel*

0.1\*

0.05\*

Cucumbers

Gherkins

Courgettes

Others

*(c) Cucurbits — inedible peel*

*(c)*

Melons

*(d)*

Squashes

Watermelons

Others

0.1\*

*(d) Sweet corn*

*(d)*

0.05\*

(IV) BRASSICA VEGETABLES

0.05\*

0.1\*

0.02\*

(a) *Flowering brassica*

0.2

(c)

Broccoli

Cauliflower

Others

(b) *Head brassica*

(d)

(c)

Brussels sprouts

Head cabbage

Others

(c) *Leafy brassica*

(d)

(c)

Chinese cabbage

Kale

Others

(d) *Kohlrabi*

0.2

(c)

(V) LEAF VEGETABLES AND FRESH HERBS

0.05\*

0.1\*

0.02\*

0.1\*

0.05\*

(a) *Lettuce and similar*

Cress

Lam's lettuce

Lettuce

Scarole

Others

*(b) Spinach and similar*

Spinach

Beet leaves (chard)

Others

*(c) Watercress*

*(d) Witloof*

*(e) Herbs*

Chervil

Chives



Parsley

Celery leaves

Others

(VI) LEGUME VEGETABLES (fresh)

0.05\*

0.1\*

0.02\*

0.05\*

Beans (with pods)

(*d*)

Beans (without pods)

(*d*)

Peas (with pods)

Peas (without pods)

Others

0.1\*

(VII) STEM VEGETABLES

0.05\*

0.1\*

0.02\*

Asparagus

Cardoons

Celery

(d)

(c)

Fennel

Globe artichokes

Leek

(d)

(c)

Rhubarb

Others

0.1\*

0.05\*

(VIII) FUNGI

0.05\*

0.1\*

0.02\*

0.1\*

0.05\*

(a) *Cultivated mushrooms*

(b) *Wild mushrooms*

3. Pulses

0.05\*

0.1\*

0.02\*

0.05\*

Beans

(d)

Lentils

Peas

Others

0.1\*

4. Oil seed

0.05\*

0.1\*

0.02\*

0.05\*

Linseed

(d)

Peanuts

(d)

Poppy seeds

Sesame seed

(d)

Sunflower seed

(d)

(c)

Rape seed

(d)

(c)

Soya bean

(d)

Mustard seed

Cotton seed

(d)

(c)

Others

0.1\*

0.05\*

5. Potatoes

0.05\*

0.1\*

0.02\*

(d)

0.05\*

Early and ware potatoes

6. Tea (Black tea processed from the leaves of *Camellia sinensis*)

0.1\*

0.1\*

0.1\*

0.2\*

0.2\*

7. Hops (dried), including hop pellets and unconcentrated powder

0.1\*

0.1\*

0.1\*

10

(c)

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination









\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

(a) (b) (c) (d) should levels not be adopted by 30 June, 1999 for carbofuran and carbosulfan the following maximum levels shall apply as indicated thereafter:

(a) 0.01\*

\* Indicates lower limit of analytical determination

(b) 0.02\*

\* Indicates lower limit of analytical determination

(c) 0.05\*

\* Indicates lower limit of analytical determination

(d) 0.1\*

\* Indicates lower limit of analytical determination

Pesticide residues and maximum residue levels (mg/kg)

Groups and examples of individual products to which the MRLs apply

Chloromequat

Chlorothalonil

Chlorpyrifos

Chlorpyrifos-methyl

Cyfluthrin including other mixed isomeric constituents (sum of isomers)

(1)

(16)

(17)

(18)

(19)

(20)

1. Fruit, fresh, dried or uncooked preserved by freezing, not containing added sugar; nuts

(I) CITRUS FRUIT

0.05\*

0.01\*

0.02\*

Grapefruit

0.3

Lemons

0.2

0.3

Limes

0.3

Mandarins (including elementines and other hybrids)

2

1

Oranges

0.3

0.5

Pomelos

0.3

Others

0.3

0.05\*

(II) TREE NUTS (shelled or unshelled)

0.1\*

0.01\*

0.05\*

0.05\*

0.02\*

Almonds

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

Macadamia

Pecans

Pine nuts

Pistachios

Walnuts

Others

(III) POME FRUIT

	0.5
	0.2
Apples	(c)
Pears	3(c)
Quinces	
Others	0.05*
(IV) STONE FRUIT	0.05*
Apricots	1
Cherries	0.3
	0.2
Peaches (including nectarines and similar hybrids)	

1

0.2

0.5

Plums

0.2

0.2

Others

0.01\*

0.05\*

0.05\*

(b)

(V) BERRIES AND SMALL FRUIT

(a) Table and wine grapes

1(c)

1(tablegrapes)

3 (winegrape)

0.5

0.2

0.3

(b) Strawberries (other than wild)

(c)

3

0.2

0.5

(b)

(c) *Cane fruit* (other than wild)

0.05\*

10<sup>(x)</sup>

0.05\*

0.02\*

Blackberries

0.5

Dewberries

Loganberries

Raspberries

0.5

Others

0.05\*

(d) *Other small fruit and berries* (other than wild)

0.05\*

0.05\*



Bilberries (fruit of species *Vaccinium myrtilus*)

Cranberries

2

Currants (red, black and white)

10

1

(b)

Gooseberries

10

1

(b)

Others

0.01\*

0.05\*

0.02\*

(e) *Wild berries and wild fruit*

0.05\*

0.01\*

0.05\*

0.05\*

0.02\*

(VI) MISCELLANEOUS FRUIT

0.05\*

0.02\*

Avocados

Bananas

0.2

3

Dates

Figs

Kiwis

2

Kumquats

Litchis

Mangoes

Olives

0.1\*

Passion fruit

Pineapples

Pomegranates

Others

0.05\*

0.01\*

0.05\*

2. Vegetables, fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

0.05\*

0.05\*

0.02\*

Beetroot

Carrots

1

0.1

Celeriac

0.5

Horseradish

Jerusalem artichokes

Parsnips

Parsley root

Radishes

0.2

Salsify

Sweet potatoes

Swedes

Turnips

Yams

Others

0.05\*

0.01\*

(II) BULB VEGETABLES

0.05\*

0.05\*

0.02\*

Garlic

0.5

Onions

0.5

0.2

Shallots

0.5

Spring onions

5

Others

0.01\*

0.05\*

(III) FRUITING VEGETABLES

(a) *Solanacea*

2

0.5

0.5

Tomatoes

(c)

0.05\*

Peppers

(b)

Aubergines

Others

0.05\*

0.02\*

(b) *Cucurbits — edible peel*

0.05\*

0.05\*

0.05\*

(b)

Cucumbers

1

Gherkins

5

Courgettes

Others

0.01\*

(c) *Cucurbits — inedible peel*

0.05\*

1

0.05\*

0.05\*

0.02\*

Melons

Squashes

Watermelons

Others

(d) *Sweet corn*

0.05\*

0.01\*

0.05\*

0.05\*

0.02\*

(IV) BRASSICA VEGETABLES

0.05\*

(a) *Flowering brassica*

3

0.05\*

0.05\*

Broccoli

(b)

Cauliflower

0.05



Others

0.02\*

(b) *Head brassica*

0.05\*

0.2

Brussels sprouts

0.5

Head cabbage

3

1

Others

0.01\*

0.05\*

(c) *Leafy brassica*

0.01\*

0.05\*

(b)

Chinese cabbage

0.5

Kale

Others

0.05\*

*(d) Kohlrabi*

0.01\*

0.05\*

0.05\*

0.02\*

(V) LEAF VEGETABLES AND FRESH HERBS

0.05\*

*(a) Lettuce and similar*

0.01\*

0.05\*

0.05\*

0.5

Cress

Lamb's lettuce

Lettuce

Scarole

Others

*(b) Spinach and similar*

0.01\*

0.05\*

0.05\*

0.02\*

Spinach

Beet leaves (chard)

Others

*(c) Watercress*

0.01\*

0.05\*

0.05\*

0.02\*

(d) *Witloof*

0.01\*

0.05\*

0.05\*

0.02\*

(e) *Herbs*

5

0.05\*

0.05\*

0.02\*

Chervil

Chives

Parsley

Celery leaves

Others

(VI) LEGUME VEGETABLES (fresh)

0.05\*

0.05\*

0.05\*

Beans (with pods)

(c)

Beans (without pods)

(c)

0.05

Peas (with pods)

(c)

2

Peas (without pods)

(c)

Others

0.05\*

0.01\*

(VII) STEM VEGETABLES

0.05\*

0.05\*

Asparagus

Cardoons

Celery

10<sup>(x)</sup>

Fennel

Globe artichokes

1

Leek

10

(b)

Rhubarb

Others

0.01\*

0.05\*

0.02\*

(VIII) FUNGI

0.05\*

0.05\*

0.02\*

(a) *Cultivated mushrooms*

(c)

2

(b) *Wild mushrooms*

0.05\*

0.01\*

3. Pulses

0.05\*

0.01\*

0.05\*

0.05\*

0.02\*

Beans

Lentils

Peas

Others

4. Oil seed

0.05\*

0.05\*

Linseed

(c)

Peanuts

0.05

Poppy seeds

Sesame seed

Sunflower seed

Rape seed

(c)

0.05

Soya bean

Mustard seed

Cotton seed



(c)

Others

0.1\*

0.01\*

0.02\*

5. Potatoes

(c)

0.01\*

0.05\*

0.05\*

0.02\*

Early and ware potatoes

6. Tea (Black tea processed from the leaves of *Camellia sinensis*)

0.1\*

0.1\*

0.1\*

0.1\*

(d)

7. Hops (dried), including hop pellets and unconcentrated powder

0.1\*

50

0.1\*

0.1\*

20

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination





- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.

- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

(a) (b) (c) (d) Should levels not be adopted by 30 June 1999 for cyfluthrin and by 30 April 2000 for chlormequat, the following maximum levels shall apply as indicated thereafter:

(a) 0.01\*

\* Indicates lower limit of analytical determination

(b) 0.02\*

\* Indicates lower limit of analytical determination

(c) 0.05\*

\* Indicates lower limit of analytical determination

(d) 0.1\*

\* Indicates lower limit of analytical determination

Pesticide residues and maximum residue levels (mg/kg)

Groups and examples of individual products to which the MRLs apply

Cypermethrin, including other mixtures of constituent isomers (sum of isomers)

Daminozide (sum of daminozide and 1,1- dimethyl- hydrazine, expressed as daminazide)

DDT (sum of p,p'-DDT, o,p'- DDT, p,p'-DDE and p,p'- TDE (DDD) expressed as DDT)

(1)

(21)

(22)

(23)

1. Fruit, fresh, dried or uncooked preserved by freezing, not containing added sugar; nuts

(I) CITRUS FRUIT

2

0.02\*

0.05\*

Grapefruit

Lemons

Limes

Mandarins (including clementines and other hybrids)



Oranges

Pomelos

Others

(II) TREE NUTS (shelled or unshelled)

0.05\*

0.05\*

0.05\*

Almonds

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

Macadamia

Pecans

Pine nuts

Pistachios

Walnuts

Others

(III) POME FRUIT

1

0.05\*

Apples

0.02\*

Pears

Quinces

Others

0.02\*

(IV) STONE FRUIT

	0.02*
	0.05*
Apricots	2
Cherries	1
Peaches (including nectarines and similar hybrids)	2
Plums	1
Others	0.05*
(V) BERRIES AND SMALL FRUIT	0.02*
	0.05*
(a) <i>Table and wine grapes</i>	0.5

(b) *Strawberries* (other than wild)

0.05\*

(c) *Cane fruit* (other than wild)

0.5

Blackberries

Dewberries

Loganberries

Raspberries

Others

(d) *Other small fruit and berries* (other than wild)

0.05\*

Bilberries (fruit of species *Vaccinium Myrtyllus*)

Cranberries

Currants (red, black and white)

Gooseberries

Others

*(e) Wild berries and wild fruit*

2

(VI) MISCELLANEOUS FRUIT

0.05\*

0.02\*

0.05\*

Avocados

Bananas

Dates

Figs

Kiwis

Kumquats

Litchis

Mangoes

Olives

Passion fruit

Pineapples

Pomegranates

Others

2. Vegetables, fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

0.05\*

0.02\*

0.05\*

Beetroot

Carrots

Celeriac

Horseradish

Jerusalem artichokes

Parsnips

Parsley root

Radishes

Salsify

Sweet potatoes

Swedes

Turnips

Yams

Others

(II) BULB VEGETABLES

0.02\*

	0.05*
Garlic	
	0.1
Onions	
	0.1
Shallots	
	0.1
Spring onions	
Others	
	0.05*
(III) FRUITING VEGETABLES	
	0.02*
	0.05*
(a) <i>Solanacea</i>	
	0.5
Tomatoes	



Peppers

Aubergines

Others

*(b) Cucurbits — edible peel*

0.2

Cucumbers

Gherkins

Courgettes

Others

*(c) Cucurbits — inedible peel*

0.2

Melons

Squashes

Watermelons

Others

(d) *Sweet corn*

0.05\*

(IV) BRASSICA VEGETABLES

0.02\*

0.05\*

(a) *Flowering brassica*

0.5

Broccoli

Cauliflower

Others

(b) *Head brassica*

0.5

Brussels sprouts

Head cabbage

Others

(c) *Leafy brassica*

1

Chinese cabbage

Kale

Others

(d) *Kohlrabi*

0.2

(V) LEAF VEGETABLES AND FRESH HERBS

0.02\*

0.05\*

(a) *Lettuce and similar*

2

Cress

Lamb's lettuce

Lettuce

Scarole

Others

*(b) Spinach and similar*

0.5

Spinach

Beet leaves (chard)

Others

*(c) Watercress*

0.05\*

*(d) Witloof*

0.05\*

*(e) Herbs*

2

Chervil

Chives

Parsley

Celery leaves

Others

(VI) LEGUME VEGETABLES (fresh)

0.02\*

0.05\*

Beans (with pods)

0.5

Beans (without pods)

Peas (with pods)

0.5

Peas (without pods)

Others

0.05\*

(VII) STEM VEGETABLES

0.02\*

0.05\*

Asparagus

Cardoons

Celery

Fennel

Globe artichokes

2

Leek

0.5

Rhubarb

Others

0.05\*

(VIII) FUNGI

0.02\*

0.05\*

(a) *Cultivated mushrooms*

0.05\*

(b) *Wild mushrooms*

1

3. Pulses

0.05\*

0.02\*

0.05\*

Beans

Lentils

Peas

Others

4. Oil seed

0.05\*

0.05\*

Linseed

0.2

Peanuts

Poppy seeds

0.2

Sesame seed

0.2

Sunflower seed

0.2

Rape seed

0.2

Soya bean

Mustard seed

Cotton seed

0.2



Others

0.05\*

5. Potatoes

0.05\*

0.02\*

0.05\*

Early and ware potatoes

6. Tea (Black tea processed from the leaves of *Camelha sinensis*)

0.5

0.1\*

0.2

7. Hops (dried), including hop pellets and unconcentrated powder

30

0.1\*

0.05\*

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination





Groups and examples of individual products to which the MRLs apply

Deltamethrin

Diazinon

1,2- dibromo ethane (ethylene dibromide)

Dichlorprop (including dichlorprop P)

(1)

(24)

(25)

(26)

(27)

1. Fruit, fresh, dried or uncooked preserved by freezing, not containing added sugar; nuts

(I) CITRUS FRUIT

0.05\*

0.5(b)

0.01\*

0.05\*

Grapefruit

Lemons

Limes

Mandarins (including clementines and other hybrids)

Oranges

Pomelos

Others

(II) TREE NUTS (shelled or unshelled)

0.05\*

0.05\*

0.01\*

0.05\*

Almonds

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

Macadamia

Pecans

Pine nuts

Pistachios

Walnuts

Others

(III) POME FRUIT

0.1

0.5(*b*)

0.01\*

0.05\*

Apples

Pears

Quinces

Others

(IV) STONE FRUIT

0.1

0.5(b)

0.01\*

0.05\*

Apricots

Cherries

Peaches (including nectarines and similar hybrids)

Plums

Others

(V) BERRIES AND SMALL FRUIT

0.01\*

0.05\*

(a) *Table and wine grapes*

0.1

0.5(b)

(b) *Strawberries* (other than wild)

0.05\*

0.5(b)

(c) *Cane fruit* (other than wild)

0.5(b)

Blackberries

0.5

Dewberries

Loganberries

Raspberries

0.5

Others

0.05\*

(d) *Other small fruit and berries* (other than wild)



Bilberries (fruit of species *Vaccinium myrtilus*)

0.2

Cranberries

Currants (red, black and white)

0.2

0.2

Gooseberries

0.2

0.2

Others

0.05\*

0.02\*

(e) *Wild berries and wild fruit*

0.05\*

0.02\*

(VI) MISCELLANEOUS FRUIT

0.01\*

0.05\*

Avocados

Bananas

0.5(b)

Dates

Figs

Kiwis

0.5(b)

Kumquats

Litchis

Mangoes

Olives

0.1\*

0.5(b)

Passion fruit

Pineapples

Pomegranates

Others

0.05\*

0.02\*

2. Vegetables, fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

0.05\*

0.01\*

0.05\*

Beetroot

0.5(*b*)

Carrots

0.5(*b*)

Celeriac

0.5(*b*)

Horseradish

0.5(*b*)

Jerusalem artichokes

Parsnips

0.5(b)

Parsley root

Radishes

0.5(b)

Salsify

Sweet potatoes

Swedes

0.5(b)

Turnips

0.5(b)

Yams

Others

0.02\*

(II) BULB VEGETABLES

0.5(*b*)

0.01\*

0.05\*

Garlic

0.1

Onions

0.1

Shallots

0.1

Spring onions

0.1

Others

0.05\*

(III) FRUITING VEGETABLES

0.5(*b*)

0.01\*

0.05\*

(a) *Solanacea*

0.2

Tomatoes

Peppers

Aubergines

Others

(b) *Cucurbits — edible peel*

0.1

Cucumbers

Gherkins

Courgettes

Others

(c) *Cucurbits — inedible peel*

0.05\*

Melons

Squashes

Watermelons

Others

*(d) Sweet corn*

0.05\*

(IV) BRASSICA VEGETABLES

0.5(b)

0.01\*

0.05\*

*(a) Flowering brassica*

0.1

Broccoli

Cauliflower

Others

(b) *Head brassica*

0.1

Brussels sprouts

Head cabbage

Others

(c) *Leafy brassica*

0.5

Chinese cabbage

Kale

Others

(d) *Kohlrabi*

0.05\*

(V) LEAF VEGETABLES AND FRESH HERBS

0.5(b)

0.01\*



0.05\*

(a) *Lettuce and similar*

0.5

Cress

Lamb's lettuce

Lettuce

Scarole

Others

(b) *Spinach and similar*

0.5

Spinach

Beet leaves (chard)

Others

(c) *Watercress*

0.05\*

(d) *Widoof*

0.05\*

(e) *Herbs*

0.5

Chervil

Chives

Patsley

Celery leaves

Others

(VI) LEGUME VEGETABLES (fresh)

0.5(b)

0.01\*

0.05\*

Beans (with pods)

0.2

Beans (without pods)

Peas (with pods)

0.1

Peas (without pods)

Others

0.05\*

(VII) STEM VEGETABLES

0.01\*

0.05\*

Asparagus

0.5(*b*)

Cardoons

Celery

0.5(*b*)

Fennel

Globe artichokes

0.1

0.5(b)

Leek

0.2

0.5(b)

Rhubarb

Others

0.05\*

0.02\*

(VIII) FUNGI

0.05\*

0.01\*

0.05\*

(a) *Cultivated mushrooms*

0.5(b)

(b) *Wild mushrooms*

0.02\*

3. Pulses

1

(b)

0.01\*

0.05\*

Beans

Lentils

Peas

Others

4. Oil seed

0.01\*

0.05\*

Linseed

Peanuts

(c)

Poppy seeds

Sesame seed

Sunflower seed

(c)

Rape seed

0.1

Soya bean

Mustard seed

Cotton seed

(c)

Others

0.05\*

0.05\*

5. Potatoes

(b)

0.01\*

0.05\*

Early and ware potatoes

0.05\*(early)

0.5 (ware)

6. Tea (Black tea processed from the leaves of *Camellia sinensis*)

5

0.05\*

0.1\*

0.1\*

7. Hops (dried), including hop pellets and unconcentrated powder

5

(c)

0.01\*

0.1\*

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination







\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

(a) (b) (c) (d) Should levels not be adopted by 30 April 2000 for diazinon, the following maximum levels shall apply as indicated thereafter:

(a) 0.01\*

\* Indicates lower limit of analytical determination

(b) 0.02\*

\* Indicates lower limit of analytical determination

(c) 0.05\*

\* Indicates lower limit of analytical determination

(d) 0.1\*

\* Indicates lower limit of analytical determination

Pesticide residues and maximum residue levels (mg/kg)

Groups and examples of individual products to which the MRLs apply

Dicofol (Sum of P,P'- and O, P' — isomers)

Dinoseb

Dioxathion

Disulfoton (Sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone  
expressed as disulfoton)

(1)

(28)

(29)

(30)

(31)

1. Fruit, fresh, dried or uncooked preserved by freezing, not containing added sugar; nuts

(I) CITRUS FRUIT

2(b)

0.05\*

0.05\*

0.02\*

Grapefruit

Lemons

Limes

Mandarins (including clementines and other hybrids)

Oranges

Pomelos

Others

(II) TREE NUTS (shelled or unshelled)

0.05\*

0.05\*

0.05\*

0.02\*

Almonds

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

Macadamia

Pecans

Pine nuts

Pistachios

Walnuts

Others

(III) POME FRUIT

1(b)

0.05\*

0.05\*

0.02\*

Apples

Pears

Quinces

Others

(IV) STONE FRUIT

(b)

0.05\*

0.05\*

0.02\*

Apricots

Cherries

Peaches (including nectarines and similar hybrids)

Plums

Others

(V) BERRIES AND SMALL FRUIT

0.05\*

0.05\*

(a) *Table and wine grapes*

1(b)

0.02\*

(b) *Strawberries* (other than wild)

2(b)

(b)

(c) *Cane fruit* (other than wild)

0.02\*

0.02\*

Blackberries

Dewberries

Loganberries

Raspberries

Others

(d) *Other small fruit and berries* (other than wild)

0.02\*

Bilberries (fruit of species *Vaccinium myrtilus*)

Cranberries

Currants (red, black and white)

(b)

Gooseberries

Others

0.02\*

*(e) Wild berries and wild fruit*

0.02\*

0.02\*

(VI) MISCELLANEOUS FRUIT

0.05\*

0.05\*

Avocados

Bananas

2(b)

Dates

Figs

(b)

Kiwis



Kumquats

Litchis

Mangoes

Olives

Passion fruit

Pineapples

(b)

Pomegranates

Others

0.02\*

0.02\*

2. Vegetables, fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

0.02\*

0.05\*

0.05\*

Beetroot

Carrots

3(b)

Celeriac

Horseradish

Jerusalem artichokes

Parsnips

(b)

Parsley root

Radishes

Salsify

Sweet potatoes

Swedes

Turnips

Yams

Others

0.02\*

(II) BULB VEGETABLES

0.05\*

0.05\*

0.02\*

Garlic

(b)

Onions

Shallots

Spring onions

Others

0.02\*

(III) FRUITING VEGETABLES

0.05\*

0.05\*

(a) *Solanacea*

0.02\*

Tomatoes

0.5(b)

Peppers

0.5(b)

Aubergines

Others

0.02\*

(b) *Cucurbits — edible peel*

0.5(b)

0.02\*

Cucumbers

Gherkins

Courgettes

Others

(c) *Cucurbits — inedible peel*

0.5(b)

Melons

Squashes

(b)

Watermelons

Others

0.02\*

(d) *Sweet corn*

0.02\*

0.02\*

(IV) BRASSICA VEGETABLES

0.02\*

0.05\*

0.05\*

(a) *Flowering brassica*

Broccoli

(b)

Cauliflower

(b)

Others

0.02\*

(b) *Head brassica*

Brussels sprouts

(b)

Head cabbage

(b)

Others

0.02\*

(c) *Leafy brassica*

0.02\*

Chinese cabbage

Kale

Others

*(d) Kohlrabi*

*(b)*

(V) LEAF VEGETABLES AND FRESH HERBS

0.02\*

0.05\*

0.05\*

*(a) Lettuce and similar*

0.02\*

Cress

Lamb's lettuce

Lettuce

Scarole

Others

*(b) Spinach and similar*

0.02\*

Spinach

Beet leaves (chard)

Others

*(c) Watercress*

0.02\*

*(d) Witloof*

0.02\*

*(e) Herbs*

*(b)*

Chervil

Chives



Parsley

Celery leaves

Others

(VI) LEGUME VEGETABLES (fresh)

0.05\*

0.05\*

Beans (with pods)

0.5(*b*)

Beans (without pods)

0.5(*b*)

Peas (with pods)

0.5(*b*)

Peas (without pods)

0.5(*b*)

0.02\*

Others

0.02\*

(b)

(VII) STEM VEGETABLES

0.05\*

0.05\*

Asparagus

Cardoons

Celery

(b)

Fennel

Globe artichokes

(b)

Leek

Rhubarb

Others

0.02\*

0.02\*

(VIII) FUNGI

0.05\*

0.05\*

0.02\*

(a) *Cultivated mushrooms*

(b)

(b)

(b) *Wild mushrooms*

0.02\*

3. Pulses

0.05\*

0.05\*

Beans

(b)

(b)

Lentils

Peas

Others

0.02\*

0.02\*

4. Oil seed

0.05\*

0.05\*

Linseed

Peanuts

Poppy seeds

Sesame seed

Sunflower seed

Rape seed

Soya bean

Mustard seed

Cotton seed

0.1

0.05\*

Others

0.05\*

0.02\*

5. Potatoes

0.02\*

0.05\*

0.05\*

(b)

Early and ware potatoes

6. Tea (Black tea processed from the leaves of *Camellia sinensis*)

(d)

0.1\*

0.1\*

0.05\*

7. Hops (dried), including hop pellets and unconcentrated powder

50

0.1\*

0.1\*

(b)

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination







\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

(a) (b) (c) (d) Should levels not be adopted by 30 April 2000 for dicofol and disulfoton, the following maximum levels shall apply as indicated thereafter:

(a) 0.01\*

\* Indicates lower limit of analytical determination

(b) 0.02\*

\* Indicates lower limit of analytical determination

(c) 0.05\*

\* Indicates lower limit of analytical determination

(d) 0.1\*

\* Indicates lower limit of analytical determination

Pesticide residues and maximum residue levels (mg/kg)

Groups and examples of individual products to which the MRLs apply

Endosulfan (Sum of alpha and beta endosulfan and endosulfan sulphate expressed as endosulfan)

Endrin

Ethephon

Fenarimol

(1)

(32)

(33)

(34)

(35)

1. Fruit, fresh, dried or uncooked preserved by freezing, not containing added sugar; nuts

(I) CITRUS FRUIT

1(c)

0.01\*

(c)

0.02\*

Grapefruit

Lemons

Limes

Mandarins (including clementines and other hybrids)

Oranges

Pomelos

Others

(II) TREE NUTS (shelled or unshelled)

0.1\*

0.01\*

0.1\*

0.02\*

Almonds

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

Macadamia

Pecans

Pine nuts

Pistachios

Walnuts

Others

(III) POME FRUIT

1(c)

0.01\*

3

0.3

Apples

Pears

Quinces

Others

(IV) STONE FRUIT

1(c)

0.01\*

(b)

Apricots

Cherries

3

Peaches (including nectarines and similar hybrids)

Plums

Others

0.05\*

(V) BERRIES AND SMALL FRUIT

0.01\*

(a) *Table and wine grapes*

1(c)

(c)

0.3

(b) *Strawberries* (other than wild)

(c)

0.05\*

0.3

(c) *Cane fruit* (other than wild)

0.05\*

Blackberries

(c)

Dewberries

Loganberries

Raspberries

1(c)

(b)

Others

0.05\*

0.02\*

(d) *Other small fruit and berries (other than wild)*

Bilberries (fruit of species *Vaccinium myrtilus*)

Cranberries

Currants (red, black and white)

(c)

5

1

Gooseberries

(c)

1

Others

0.05\*

0.05\*

0.02\*

(e) *Wild berries and wild fruit*

0.05\*

0.05\*

0.02\*

(VI) MISCELLANEOUS FRUIT

0.01\*

0.02\*

Avocados

Bananas

0.3

Dates

Figs

(c)

Kiwis

1(c)

Kumquats

Litchis

Mangoes

Olives



1(c)

(c)

Passion fruit

Pineapples

(c)

Pomegranates

Others

0.05\*

0.05\*

2. Vegetables, fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

0.01\*

0.05\*

0.02\*

Beetroot

0.2(c)

Carrots

0.2(c)

Celeriac

0.2(c)

Horseradish

Jerusalem artichokes

Parsnips

Parsley root

Radishes

0.2(c)

Salsify

Sweet potatoes

Swedes

0.2(c)

Turnips

0.2(c)

Yams

Others

0.05\*

(II) BULB VEGETABLES

0.01\*

0.02\*

Garlic

Onions

1(c)

(c)

Shallots

Spring onions

Others

0.05\*

0.05\*

(III) FRUITING VEGETABLES

0.01\*

(a) *Solanacea*

1(c)

(b)

Tomatoes

3

Peppers

3

Aubergines

Others

0.05\*

(b) *Cucurbits — edible peel*

1(c)

0.05\*

(b)

Cucumbers

Gherkins

Courgettes

Others

(c) *Cucurbits — indible peel*

1(c)

0.05\*

(b)

Melons

Squashes

Watermelons

Others

(d) *Sweet corn*

0.05\*

(c)

0.02\*

(IV) BRASSICA VEGETABLES

0.01\*

0.05\*

0.02\*

(a) *Flowering brassica*

1(c)

Broccoli

Cauliflower

Others

(b) *Head brassica*

1(c)

Brussels sprouts

Head cabbage

Others

(c) *Leafy brassica*

1(c)

Chinese cabbage

Kale

Others

*(d) Kohlrabi*

0.05\*

(V) LEAF VEGETABLES AND FRESH HERBS

0.01\*

0.05\*

*(a) Lettuce and similar*

1(c)

Cress

Lamb's lettuce

Lettuce

Scarole

Others

(b) *Spinach and similar*

1(c)

Spinach

Beet leaves (chard)

(c) *Watercress*

0.05\*

(d) *Witloof*

0.05\*

(e) *Herbs*

0.05\*

Chervil

Chives

Parsley

Celery leaves

Others



(VI) LEGUME VEGETABLES (fresh)

1(c)

0.01\*

0.05\*

Beans (with pods)

Beans (without pods)

Peas (with pods)

(b)

Peas (without pods)

(b)

Others

0.02\*

(VII) STEM VEGETABLES

0.01\*

0.05\*

Asparagus

Cardoons

1(c)

Celery

1(c)

Fennel

Globe artichokes

1(c)

(b)

Leek

1(c)

Rhubarb

Others

0.05\*

0.02\*

(VIII) FUNGI

0.01\*

0.05\*

0.02\*

(a) *Cultivated mushrooms*

1(c)

(b) *Wild mushrooms*

0.05\*

3. Pulses

0.05\*

0.01\*

0.02\*

Beans

0.05\*

Lentils

Peas

Others

4. Oil seed

0.01\*

0.05\*

0.02\*

Linseed

(c)

Peanuts

Poppy seeds

Sesame seed

Sunflower seed

(c)

Rape seed

(c)

Soya bean

(c)

Mustard seed

(c)

Cotton seed

0.3

Others

0.1\*

5. Potatoes

(c)

0.01\*

0.05\*

0.02\*

Early and ware potatoes

6. Tea (Black tea processed from the leaves of *Camellia sinensis*)

30

0.01\*

0.1\*

0.05\*

7. Hops (dried), including hop pellets and unconcentrated powder

(d)

0.1\*

0.1\*

5

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination









\* Indicates lower limit of analytical determination

(b) 0.02\*

\* Indicates lower limit of analytical determination

(c) 0.05\*

\* Indicates lower limit of analytical determination

(d) 0.1\*

\* Indicates lower limit of analytical determination

Pesticide residues and maximum residue levels (mg/kg)

Groups and examples of individual products to which the MRLs apply

Fenbutatin oxide

Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)

Fentin (Fentin expressed as triphenyltin cation)

(1)

(36)

(37)

(38)

1. Fruit, fresh, dried or uncooked preserved by freezing, not containing added sugar; nuts

(I) CITRUS FRUIT

(c)

0.01\*

0.05\*

Grapefruit

Lemons

Limes

Mandarins (including clementines and other hybrids)

Oranges

Pomelos

Others

(II) TREE NUTS (shelled or unshelled)

0.05\*

0.01\*

0.05\*

Almonds

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

Macadamia

Pecans

Pine nuts

Pistachios

Walnuts

Others

(III) POME FRUIT

2

0.01\*

0.05\*

Apples

Pears

Quinces

Others

(IV) STONE FRUIT

(c)

0.01\*

0.05\*

Apricots

Cherries

Peaches (including nectarines and similar hybrids)

Plums

Others

(V) BERRIES AND SMALL FRUIT

0.01\*

0.05\*

(a) *Table and wine grapes*

2

(b) *Strawberries (other than wild)*

(c)

(c) *Cane fruit (other than wild)*

0.05\*

Blackberries

Dewberries

Loganberries

Raspberries

Others

(d) *Other small fruit and berries (other than wild)*

0.05\*

Bilberries (fruit of species *Vaccinium myrtilus*)

Cranberries

Currants (red, black and white)

Gooseberries

Others

*(e) Wild berries and wild fruit*

0.05\*

(VI) MISCELLANEOUS FRUIT

0.01\*

0.05\*

Avocados

Bananas

(c)

Dates

Figs

Kiwis

Kumquats

Litchis

Mangoes

Olives

Passion fruit

Pineapples

Pomegranates

Others

0.05\*

2. Vegetables, fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

0.05\*

0.01\*

0.05\*

Beetroot

Carrots

Celeriac

Horseradish

Jerusalem artichokes

Parsnips

Parsley root

Radishes

Salsify

Sweet potatoes

Swedes

Turnips



Yams

Others

(II) BULB VEGETABLES

0.05\*

0.01\*

0.05\*

Garlic

Onions

Shallots

Spring onions

Others

(III) FRUITING VEGETABLES

0.01\*

0.05\*

(a) *Solanacea*

(c)

Tomatoes

Peppers

Aubergines

Others

*(b) Cucurbits — edible peel*

Cucumbers

0.5\*

Gherkins

Courgettes

Others

(c)

*(c) Cucurbits — inedible peel*

(c)

Melons

Squashes

Watermelons

Others

(d) *Sweet corn*

0.05\*

(IV) BRASSICA VEGETABLES

0.05\*

0.01\*

0.05\*

(a) *Flowering brassica*

Broccoli

Cauliflower

Others

(b) *Head brassica*

Brussels sprouts

Head cabbage

Others

(c) *Leafy brassica*

Chinese cabbage

Kale

Others

(d) *Kohlrabi*

(V) LEAF VEGETABLES AND FRESH HERBS

0.05\*

0.01\*

0.05\*

(a) *Lettuce and similar*

Cress

Lamb's lettuce

Lettuce

Scarole

Others

*(b) Spinach and similar*

Spinach

Beet leaves (chard)

Others

*(c) Watercress*

*(d) Witloof*

*(e) Herbs*

Chervil

Chives

Parsley

Celery leaves

Others

(VI) LEGUME VEGETABLES (fresh)

0.01\*

0.05\*

Beans (with pods)

(c)

Beans (without pods)

(c)

Peas (with pods)

Peas (without pods)

Others

0.05\*

(VII) STEM VEGETABLES

0.05\*

0.01\*

0.05\*

Asparagus

Cardoons

Celery

Fennel

Globe artichokes

Leek

Rhubarb

Others

(VIII) FUNGI

0.05\*

0.01\*

0.05\*

(a) *Cultivated mushrooms*

(b) *Wild mushrooms*

3. Pulses

0.05\*

0.01\*

0.05\*

Beans

Lentils

Peas

Others

4. Oil seed

0.01\*

0.05\*

Linseed

Peanuts



Poppy seeds

Sesame seed

Sunflower seed

Rape seed

Soya bean

Mustard seed

Cotton seed

(c)

Others

0.05\*

5. Potatoes

0.05\*

0.01\*

0.1

Early and ware potatoes

6. Tea (Black tea processed from the levels of *Camellia sinensis*)

0.1\*

0.1\*

0.1\*

7. Hops (dried), including hop pellets and unconcentrated powder

(d)

0.1\*

0.5\*

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination



- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination

(a) (b) (c) (d) Should levels not be adopted by 30 April 2000 for fenbutatin oxide, the following maximum levels shall apply as indicated thereafter:

(a) 0.01\*

- \* Indicates lower limit of analytical determination

(b) 0.02\*

- \* Indicates lower limit of analytical determination

(c) 0.05\*

- \* Indicates lower limit of analytical determination

(d) 0.1\*

\* Indicates lower limit of analytical determination

Pesticide residues and maximum residue levels (mg/kg)

Groups and examples of individual products to which the MRLs apply

Fenvalerate, including other mixtures of constituent isomers (sum of isomers)

Furathiocarb

Glyphosate

Heptachlor (sum of heptachlor and heptachlor epoxide)

(1)

(39)

(40)

(41)

(42)

1. Fruit, fresh, dried or uncooked preserved by freezing, not containing added sugar; nuts

(I) CITRUS FRUIT

0.05\*

0.05\*

0.1\*

0.01\*

Grapefruit

Lemons

Limes

Mandarins (including elementines and other hybrids)

Oranges

Pomelos

Others

(II) TREE NUTS (shelled or unshelled)

0.05\*

0.05\*

0.1\*

0.01\*

Almonds

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

Macadamia

Pecans

Pine nuts

Pistachios

Walnuts

Others

(III) POME FRUIT

1<sup>(x)</sup>

0.05\*

0.1\*

0.01\*

Apples

Pears

Quinces

Others

(IV) STONE FRUIT

0.05\*

0.05\*

0.1\*

0.01\*

Apricots

Cherries

Peaches (including nectarines and similar hybrids)

Plums

Others

(V) BERRIES AND SMALL FRUIT

0.05\*

0.01\*



(a) *Table and wine grapes*

1<sup>(x)</sup>

0.1\*

(b) *Strawberries (other than wild)*

0.05\*

0.1\*

(c) *Cane fruit (other than wild)*

0.05\*

0.1\*

Blackberries

Dewberries

Loganberries

Raspberries

Others

(d) *Other small fruit and berries (other than wild)*

0.05\*

0.1\*

Bilberries (fruit of species *Vaccinium myrtilus*)

Cranberries

Currants (red, black and white)

Gooseberries

Others

*(e) Wild berries and wild fruit*

0.05\*

0.1\*

(VI) MISCELLANEOUS FRUIT

0.05\*

0.05\*

0.01\*

Avocados

Bananas

Dates

Figs

Kiwis

Kumquats

Litchis

Mangoes

Olives (table consumption)

0.1\*

Olives (oil extraction)

2

Passion fruit

Pineapples

Pomegranates

Others

0.1\*

2. Vegetables, fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

0.05\*

0.05\*

0.1\*

0.01\*

Beetroot

Carrots

Celeriac

Horseradish

Jerusalem artichokes

Parsnips

Parsley root

Radishes

Salsify

Sweet potatoes

Swedes

Turnips

Yams

Others

(II) BULB VEGETABLES

0.05\*

0.05\*

0.1\*

0.01\*

Garlic

Onions

Shallots

Spring onions

Others

(III) FRUITING VEGETABLES

0.01\*

(a) *Solanacea*

0.05\*

0.1\*

Tomatoes

1<sup>(x)</sup>

Peppers

0.2<sup>(x)</sup>

Aubergines

Others

0.05\*

(b) *Cucurbits — edible peel*

0.05\*

0.1\*

Cucumbers

0.2<sup>(x)</sup>

Gherkins

Courgettes

Others

0.05\*

(c) *Cucurbits — inedible peel*

0.05\*

0.1\*

Melons

0.2<sup>(x)</sup>

Squashes

0.5<sup>(x)</sup>

Watermelons

0.5<sup>(x)</sup>

Others

0.05\*

(d) *Sweet corn*

0.05\*

0.05\*

0.1\*

(IV) BRASSICA VEGETABLES

0.01\*

(a) *Flowering brassica*

1<sup>(x)</sup>

0.1

0.1\*

Broccoli

Cauliflower

Others

(b) *Head brassica*

0.05\*

0.05

0.1\*



Brussels sprouts

Head cabbage

Others

(c) *Leafy brassica*

0.1\*

Chinese cabbage

1<sup>(x)</sup>

1<sup>(x)</sup>

Kale

Others

0.05\*

0.05\*

(d) *Kohlrabi*

0.05\*

0.05\*

0.1\*

(V) LEAF VEGETABLES AND FRESH HERBS

0.05\*

0.01\*

*(a) Lettuce and similar*

0.05\*

0.1\*

Cress

Lamb's lettuce

Lettuce

Scarole

Others

*(b) Spinach and similar*

0.05\*

0.1\*

Spinach

Beet leaves (chard)

Others

(c) *Watercress*

0.05\*

0.1\*

(d) *Witloof*

0.05\*

0.1\*

(e) *Herbs*

0.05\*

0.1\*

Chervil

Chives

Parsley

Celery leaves

Others

(VI) LEGUME VEGETABLES (fresh)

0.05\*

0.1\*

0.01\*

Beans (with pods)

(c)

Beans (without pods)

(c)

Peas (with pods)

Peas (without pods)

Others

0.05\*

(VII) STEM VEGETABLES

0.05\*

0.1\*

0.01\*

Asparagus

Cardoons

Celery

(c)

Fennel

Globe artichokes

Leek

Rhubarb

Others

0.05\*

(VIII) FUNGI

0.05\*

0.05\*

0.01\*

(a) *Cultivated mushrooms*

0.1\*

(b) *Wild mushrooms*

50

3. Pulses

0.05\*

0.01\*

Beans

(c)

2

Lentils

Peas

3

Others

0.05\*

0.1\*

4. Oil seed

0.1(x)

0.01\*

Linseed

10

Peanuts

Poppy seeds

Sesame seed

Sunflower seed

Rape seed

(c)

10

Soya bean

(c)

20

Mustard seed

10

Cotton seed

(c)

Others

0.05\*

0.1\*

5. Potatoes

	0.05*
	0.05*
0.1*	
	0.01*

Early and ware potatoes

6. Tea (Black tea processed from the leaves of *Camellia sinensis*)

10 <sup>(x)</sup>
0.1*
0.1*
0.02*

7. Hops (dried), including hop pellets and unconcentrated powder

	5 <sup>(x)</sup>
	5
0.1*	
	0.01*

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.



\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination



\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.

\* Indicates lower limit of analytical determination



<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive, with effect from 1 July 2000, the appropriate lower limit of analytical determination shall apply.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

*(a) (b) (c) (d)* Should levels not be adopted by 30 June 1999 for furathiocarb, the following maximum levels shall apply as indicated thereafter:

*(a)* 0.01\*

\* Indicates lower limit of analytical determination

*(b)* 0.02\*

\* Indicates lower limit of analytical determination

(c) 0.05\*

\* Indicates lower limit of analytical determination

(d) 0.1\*

\* Indicates lower limit of analytical determination

Pesticide residues and maximum residue levels (mg/kg)

Groups and examples of individual products to which the MRLs apply

Imazalil

Iprodione

Lambda-cyhalothrin

Maleic hydrazide

Maneb, Mancozeb, Metiram, Probineb, Zineb (sum expressed as CS2)

(1)

(43)

(44)

(45)

(46)

(47)

1. Fruit, fresh dried or uncooked preserved by freezing, not containing added sugar; nuts

(I) CITRUS FRUIT

(b)

1\*

5

Grapefruit

Lemons

5

Limes

Mandarins (including clementines and other hybrids)

2

Oranges

Pomelos

Others

0.02\*

(II) TREE NUTS (shelled or unshelled)

0.02\*

0.05\*

1\*

0.1\*

Almonds

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

0.2

Macadamia

Pecans

Pine nuts

Pistachios

Walnuts



Others

0.02\*

(III) POME FRUIT

5

10

0.1

1\*

3

Apples

Pears

Quinces

Others

(IV) STONE FRUIT

0.02\*

5

1\*

Apricots

0.2

2

Cherries

1

Peaches (including nectarines and similar hybrids)

0.2

2

Plums

1

Others

0.1

0.05\*

(V) BERRIES AND SMALL FRUIT

1\*

(a) *Table and wine grapes*

0.02\*

10

0.2

2

(b) *Strawberries* (other than wild)

0.02\*

10

(b)

2

(c) *Cane fruit* (other than wild)

0.02\*

5

0.02

0.05\*

Blackberries

Dewberries

Loganberries

Raspberries

Others

(d) *Other small fruit and berries* (other than wild)

0.02\*

Bilberries (fruit of species *Vaccinium myrtilus*)

10

Cranberries

Currants (red, black and white)

10

0.1

5

Gooseberries

10

0.1

5

Others

0.02\*

0.02\*

0.05\*

(e) *Wild berries and wild fruit*

0.02\*

0.02\*

0.02\*

0.05\*

(VI) MISCELLANEOUS FRUIT

0.02\*

1\*

0.05\*

Avocados

Bananas

2

3

Dates

Figs

Kiwis

5

Kumquats

Litchis

Mangoes

Olives

Passion fruit

Pineapples

Pomegranates

Others

0.02\*

0.02\*

2. Vegetables, fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

0.02\*

0.02\*

1\*

Beetroot

0.5

Carrots

0.3

0.2

Celeriac

Horseradish

0.1

Jerusalem artichokes

Parsnips

0.1

Parsley root

Radishes

0.3

0.2

Salsify

0.2

Sweet potatoes

Swedes

Turnips

Yams

Others

0.02\*

0.05\*

(II) BULB VEGETABLES

0.02\*

Garlic

5

0.5

Onions

5

0.5

Shallots

5

0.5

Spring onions

3

(b)



1\*

Others

0.02\*

0.02\*

10

0.05\*

(III) FRUITING VEGETABLES

1\*

(a) *Solanacea*

5

(b)

Tomatoes

0.5

3

Peppers

Aubergines

Others

0.02\*

2

*(b) Cucubits — edible peel*

0.2

2

0.1

Cucumbers

0.5

Gherkins

2

Courgettes

2

Others

0.05\*

*(c) Cucurbits — inedible peel*

0.5

Melons

2

0.3

(b)

Squashes

Watermelons

Others

0.02\*

0.02\*

(d) *Sweet corn*

0.02\*

0.02\*

0.02\*

0.05\*

(IV) BRASSICA VEGETABLES

1\*

(a) *Flowering brassica*

0.02\*

0.05

(b)

1

Broccoli

Cauliflower

Others

*(b) Head brassica*

0.02\*

1

Brussels sprouts

0.5

0.05

Head cabbage

5

0.2

Others

0.02\*

0.02\*

*(c) Leafy brassica*

0.02\*

*(b)*

0.5

Chinese cabbage

5

Kale

Others

0.02\*

*(d) Kohlrabi*

0.02\*

0.1

*(b)*

0.1\*

(V) LEAF VEGETABLES AND FRESH HERBS

1\*

*(a) Lettuce and similar*

0.02\*

1\*

1

5

Cress

Lamb's lettuce

Lettuce

Scarole

Others

*(b) Spinach and similar*

0.02\*

0.02\*

*(b)*

0.05\*

Spinach

Beet leaves (chard)

Others

*(c) Watercress*

0.02\*

0.02\*

0.02\*

0.3

(d) *Witloof*

0.02\*

2

(b)

0.2

(e) *Herbs*

0.02\*

10

1

5

Chervil

Chives

Parsley

Celery leaves

Others

(VI) LEGUME VEGETABLES (fresh)

0.02\*

1\*

Beans (with pods)

5

0.2

1

Beans (without pods)

0.1

Peas (with pods)

1

0.2

1

Peas (without pods)

0.2

0.2

0.1

Others

0.02\*

0.02\*



0.05\*

(VII) STEM VEGETABLES

0.02\*

1\*

Asparagus

0.02\*

Cardoons

Celery

0.5

Fennel

Globe artichokes

Leek

3

Rhubarb

0.2

Others

0.02\*

(b)

0.05\*

(VIII) FUNGI

0.02\*

0.02\*

1\*

0.05\*

(a) *Cultivated mushrooms*

(b)

(b) *Wild mushrooms*

0.02\*

3. Pulses

0.02\*

0.2

0.02\*

1\*

0.05\*

Beans

Lentils

Peas

Others

4. Oil seed

0.02\*

0.02

1\*

Linseed

0.1

Peanuts

Poppy seeds

Sesame seed

Sunflower seed

Rape seed

0.5

0.5

Soya bean

Mustard seed

Cotton seed

Others

0.02\*

0.1\*

5. Potatoes

0.02\*

0.02\*

0.05\*

Early and ware potatoes

.02\* & 5

1\* & 50

6. Tea (Black tea processed from the leaves of *Camellia sinensis*)

0.1\*

0.1\*

1

1\*

0.1\*

7. Hops (dried), including hop pellets and unconcentrated powder

0.1\*

0.1\*

10

1\*

25

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.









- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination

(a) (b) (c) (d) Should levels not be adopted by 30 June 1999 for lambda-cyhalothrin, the following maximum levels shall apply as indicated thereafter:

(a) 0.01\*

\* Indicates lower limit of analytical determination.

(b) 0.02\*

\* Indicates lower limit of analytical determination.

(c) 0.05\*

\* Indicates lower limit of analytical determination.

(d) 0.1\*

\* Indicates lower limit of analytical determination.

Pesticide residues and maximum residue levels (mg/kg)

Groups and examples of individual products to which the MRLs apply

Mecarbam

Metalaxyl

Methamidophos

Methomyl Thiodicarb: sum of methomyl and thiodicarb expressed as methomyl

(1)

(48)

(49)

(50)

(51)

1. Fruit, fresh, dried or uncooked preserved by freezing, not containing added sugar; nuts

(I) CITRUS FRUIT

2(c)

(c)

0.2

(c)

Grapefruit

Lemons

Limes

Mandarins (including elementines and other hybrids)

Oranges

Pomelos

Others

(II) TREE NUTS (shelled or unshelled)

0.05\*

0.05\*

0.01\*

0.05\*

Almonds

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

Macadamia

Pecans

Pine nuts

Pistachios

Walnuts

Others

(III) POME FRUIT

0.05\*

1

# 0.05

Apples

1

Pears

(c)

Quinces

Others

0.05\*

(IV) STONE FRUIT

0.05\*

(c)

Apricots

# 0.1

Cherries

(c)

Peaches (including nectarines and similar hybrids)

(c)

# 0.05

Plums

# 0.3

Others

0.05\*

# 0.01\*

(V) BERRIES AND SMALL FRUIT

0.05\*

(a) *Table and wine grapes*

2 &1

0.01\*

3

(b) *Strawberries (other than wild)*

0.5

0.01\*

0.05\*

(c) *Cane fruit (other than wild)*

(c)

0.01\*

0.05\*

Blackberries

Dewberries

Loganberries

Raspberries

Others

(d) *Other small fruit and berries (other than wild)*

0.05\*

0.01\*

Bilberries (fruit of species *Vaccinium myrtilus*)

Cranberries

Currants (red, black and white)

(c)

Gooseberries

Others

0.05\*

(e) *Wild berries and wild fruit*

0.05\*

0.01\*

0.05\*

(VI) MISCELLANEOUS FRUIT

0.05\*

0.01\*

Avocados

(c)

Bananas

Dates

Figs

Kiwis

(c)

Kumquats

Litchis

Mangoes

Olives

(c)



Passion fruit

Pineapples

Pomegranates

Others

0.05\*

0.05\*

2. Vegetables, fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

0.05\*

0.01\*

Beetroot

Carrots

0.1

Celeriac

Horseadish

Jerusalem artichokes

Parsnips

0.1

Parsley root

Radishes

0.5

Salsify

Sweet potatoes

Swedes

Turnips

Yams

Others

0.05\*

0.05\*

(II) BULB VEGETABLES

0.05\*

(c)

0.01\*

0.05\*

Garlic

Onions

Shallots

Spring onions

Others

(III) FRUITING VEGETABLES

0.05\*

(a) *Solenacea*

(c)

Tomatoes

(c)

0.5

Peppers

(c)

# 0.01\*

Aubergines

0.2

Others

0.05\*

0.01\*

(b) *Cucurbits — edible peel*

(c)

Cucumbers

1

(c)

Gherkins

Courgettes

(c)

Others

0.01\*

0.05\*

(c) *Cucurbits — inedible peel*

0.01\*

0.2

Melons

(c)

Squashes

Watermelons

(c)

Others

0.05\*

(d) *Sweet corn*

0.05\*

0.01\*

0.05\*

(IV) BRASSICA VEGETABLES

0.05\*

(a) *Flowering brassica*

(c)

# 0.5

(c)

Broccoli

Cauliflower

Others

(b) *Head brassica*

0.5

(c)

Brussels sprouts

Head cabbage

1

Others

0.05\*

(c) *Leafy brassica*

0.01\*

(c)

Chinese cabbage

(c)

Kale

(c)

Others

0.05\*

*(d) Kohirabi*

0.05\*

0.01\*

0.05\*

(V) LEAF VEGETABLES AND FRESH HERBS

0.05\*

*(a) Letiuce and similar*

Cress

(c)

(c)

Lamb's lettuce

Lettuce

Scarole

0.2

Others

0.01\*

*(b) Spinach and similar*

*(c)*

0.01\*

2

Spinach

Beet leaves (chard)

Others

*(c) Watercress*

*(c)*

0.01\*

0.05\*



(d) *Witloof*

(c)

0.01\*

0.05\*

(e) *Herbs*

(c)

0.01\*

(c)

Chervil

Chives

Parsley

Celery leaves

Others

(VI) LEGUME VEGETABLES (fresh)

0.05\*

0.05\*

Beans (with pods)

# 0.5

(c)

Beans (without pods)

# 0.5

(c)

Peas (with pods)

# 0.5

(c)

Peas (without pods)

Others

# 0.01\*

0.05\*

(VII) STEM VEGETABLES

0.05\*

Asparagus

Cardoons

Celery

Fenne

(c)

Globe artichokes

(c)

# 0.1

(c)

Leek

(c)

# 0.01\*

Rhubarb

Others

0.05\*

0.01\*

0.05\*

(VIII) FUNGI

0.05\*

0.05\*

0.01\*

0.05\*

(a) *Cultivated mushrooms*

(b) *Wild mushrooms*

3. Pulses

0.05\*

0.05\*

0.01\*

0.05\*

Beans

Lentils

Peas

Others

4. Oil seed

0.05\*

Linseed

(c)

Peanuts

Poppy seeds

Sesame seed

Sunflower seed

Rape seed

Soya bean

0.2

Mustard seed

0.1

0.5

Cotton seed

0.05\*

0.01\*

0.05\*

Others

5. Potatoes

0.05\*

0.05\*

0.01\*

0.05\*

Early and ware potatoes

6. Tea (Black tea processed from the leaves of *Camellia sinensis*)

0.05\*

0.1\*

0.1\*

0.1\*

7. Hops (dried), including hop pellets and unconcentrated powder

0.1\*

10

2

10

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination



\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

(a) (b) (c) (d) Should levels not be adopted by 30 June 1999 for metalaxyl, by 30 April 2000 for mecarbam and by 1 July 2000 for methomyl thiodicarb, the following maximum levels shall apply as indicated thereafter:

(a) 0.01\*

\* Indicates lower limit of analytical determination

(b) 0.02\*

\* Indicates lower limit of analytical determination

(c) 0.05\*

\* Indicates lower limit of analytical determination

(d) 0.1\*

\* Indicates lower limit of analytical determination

Pesticide residues and maximum residue levels (mg/kg)

Groups and examples of individual products to which the MRLs apply

Methidathion

Methyl bromide

Paraquat

Permethrin (sum of isomers)

(1)

(52)

(53)

(54)

(55)

1. Fruit, fresh, dried or uncooked preserved by freezing, not containing added sugar; nuts

(I) CITRUS FRUIT

2

0.05\*

0.05\*

0.5

Grapefruit

Lemons

Limes

Mandarins (including clementines and other hybrids)

Oranges

Pomelos

Others

(II) TREE NUTS (shelled or unshelled)

0.05\*

0.05\*

Almonds

0.1

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

Macadamia

Pecans

Pine nuts

Pistachios

Walnuts

Others

0.05\*

(III) POME FRUIT

0.3

0.05\*

0.05\*

1

Apples

Pears

Quinces

Others

(IV) STONE FRUIT

0.05\*

1

Apricots

Cherries

(b)

Peaches (including nectarines and similar hybrids)

Plums

Others

0.2

(V) BERRIES AND SMALL FRUIT

0.05\*

(a) *Table and wine grapes*

0.5

1

(b) *Strawberries* (other than wild)

0.02\*

0.05\*

1

(c) *Cane fruit* (other than wild)

0.02\*

0.05\*

0.05\*

Blackberries

Dewberries

Loganberries

Raspberries

Others

(d) *Other small fruit and berries* (other than wild)

0.02\*

0.05\*

0.05\*

Bilberries (fruit of species *Vaccinium mprtyllus*)



Cranberries

Currants (red, black and white)

Gooseberries

Others

*(e) Wild berries and wild fruit*

0.02\*

0.05\*

0.05\*

(VI) MISCELLANEOUS FRUIT

0.05\* (except figs)

0.05\*

Avocades

Bananas

Dates

Figs

Kiwis

1

Kumquats

Litchis

Mangoes

Olives

1

Passion fruit

Pineapples

Pomegranates

Others

0.02\*

0.05\*

2. Vegetables, fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

0.02\*

0.05\*

0.05\*

Beetroot

Carrots

0.1

Celeriac

Horseradish

Jerusalem artichokes

Parsnips

Parsley root

Radishes

0.1

Salsify

Sweet potatoes

Swedes

Turnips

Yams

Others

0.05\*

(II) BULB VEGETABLES

0.05\*

0.05\*

0.05\*

Garlic

Onions

(b)

Shallots

(b)

Spring onions

Others

0.02\*

(III) FRUITING VEGETABLES

0.05\*

0.05\*

(a) *Solanacea*

0.02\*

0.5

Tomatoes

Peppers

Aubergines

Others

(b) *Cucurbits — edible peel*

0.02\*

0.1

Cucumbers

Gherkins

Courgettes

Others

(c) *Cucuroits — inedible peel*

0.02\*

0.1

Melons

Squashes

Watermelons

Others

(d) *Sweet corn*

0.02\*

0.1

(IV) BRASSICA VEGETABLES

0.05\*

0.05\*

(a) *Flowering brassica*

0.02\*

Broccoli

Cauliflower

0.1

Others

0.05\*

(b) *Head brassica*

0.02\*

Brussels sprouts

Head cabbage

1

Others

0.05\*

(c) *Leafy brassica*

0.02\*

Chinese cabbage

Kale

Others

*(d) Kohlrabi*

0.02\*

0.05\*

(V) LEAF VEGETABLES AND FRESH HERBS

0.05\*

0.05\*

*(a) Lettuce and similar*

0.02\*

Cress

Lamp's lettuce

Lettuce



Scarole

Others

*(b) Spinach and similar*

0.02\*

1

Spinach

Beet leaves (chard)

Others

*(c) Watercress*

0.02\*

0.05\*

*(d) Witloof*

0.02\*

0.05\*

*(e) Herbs*

0.02\*

Chervil

Chives

Parsley

Celery leaves

Others

(VI) LEGUME VEGETABLES (fresh)

0.02\*

0.05\*

0.05\*

Beans (with pods)

0.5

Beans (without pods)

Peas (with pods)

0.1

Peas (without pods)

Others

0.05\*

(VII) STEM VEGETABLES

0.05\*

0.05\*

Asparagus

Cardoons

Celery

2

Fennel

Globe artichokes

Leek

(b)

0.5

Rhubarb

Others

0.02\*

0.05\*

(VIII) FUNGI

0.02\*

0.05\*

0.05\*

0.05\*

(a) *Cultivated mushrooms*

(b) *Wild mushrooms*

3. Pulses

0.02\*

0.05\*

0.05\*

Beans

Lentils

Peas

Others

4. Oil seed

0.1\*

0.05\*

Linseed

Peanuts

0.1

Poppy seeds

Sesame seed

Sunflower seed

Rape seed

0.05

0.1

Soya bean

Mustard seed

0.1

Cotton seed

(b)

0.2

Others

0.02\*

0.05\*

5. Potatoes

0.02\*

0.05\*

0.05\*

0.05\*

Early and ware potatoes

6. Tea (Black tea processed from the leaves of *Camellia sinensis*)

(c)

0.05\*

0.1\*

2

7. Hops (dried), including hop pellets and unconcentrated powder

3

0.05\*

0.1\*

0.1\*

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination







- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination

(a) (b) (c) (d) Should levels not be adopted by 1 July 2000 for methidathion, the following maximum levels shall apply as indicated thereafter:

(a) 0.01\*

\* Indicates lower limit of analytical determination.

(b) 0.02\*

\* Indicates lower limit of analytical determination.

(c) 0.05\*

\* Indicates lower limit of analytical determination.

(d) 0.1\*

\* Indicates lower limit of analytical determination.

Pesticide residues and maximum residue levels (mg/kg)

Groups and examples of individual products to which the MRLs apply

Phorate (Sum of phorate, its oxygen analogue and their sulphoxides and sulphones expressed as phorate)

Pirimiphosmethyl

Procymidone

Propiconazole

(1)

(56)

(57)

(58)

(59)

1. Fruit, fresh dried or uncooked preserved by freezing, not containing added sugar; nuts

(I) CITRUS FRUIT

0.05\*

0.02\*

0.05\*

Grapefruit

Lemons

Limes

Mandarins (including clementines and other hybrids)

2

Oranges

Pomelos

Others

1

(II) TREE NUTS (shelled or unshelled)

0.05\*

0.05\*

0.05\*

Almonds

(c)

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

(c)

Macadamia

Pecans

Pine nuts

Pistachios

(c)

Walnuts

(c)

Others

0.05\*

(III) POME FRUIT

0.05\*

(c)

0.05\*

Apples

Pears

1

Quinces

Others

0.02\*

(IV) STONE FRUIT

0.05\*

(c)

Apricots

0.2

Cherries

0.02\*

(c)

Peaches (including nectarines and similar hybrids)

0.2

Plums

(c)

Others

2

0.05\*

(V) BERRIES AND SMALL FRUIT

(a) *Table and wine grapes*

0.05\*

(c)

5

0.5

(b) *Strawberries (other than wild)*

(c)

(c)

5

0.05\*

(c) *Care fruit (other than wild)*

0.05\*

0.05\*

0.05\*

Blackberries

Dewberries

Loganberries

Raspberries

10

Others

0.02\*

*(d) Other small fruit and berries (other than wild)*

0.05\*

0.05\*

0.02\*

0.05

Bilberries (fruit of species *Vaccinium myrtilus*)

Cranberries

Currants (red, black and white)



Gooseberries

Others

*(e) Wild berries and wild fruit*

0.05\*

0.05\*

0.02\*

0.05\*

(VI) MISCELLANEOUS FRUIT

0.05\*

Avocados

Bananas

Dates

Figs

Kiwis

Kumquats

2

5

Litchis

Mangoes

Olives

(c)

Passion fruit

Pineapples

Pomegranates

Others

0.05\*

0.02\*

0.05\*

2. Vegetables, fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

0.02\*

0.05\*

Beetroot

(c)

Carrots

(c)

1

Celeriac

Horseradish

Jerusalem artichokes

Parsnips

(c)

Parsley root

Radishes

Salsify

Sweet potatoes

Swedes

Turnips

Yams

Others

0.05\*

0.05\*

(II) BULB VEGETABLES

0.05\*

(c)

0.05\*

Garlic

0.2

Onions

0.2

Shallots

0.2

Spring onions

Others

0.02\*

### (III) FRUITING VEGETABLES

(a) *Solanacea*

(c)

(c)

2

Tomatoes

Peppers

Aubergines

(c)

Others

0.05\*

(b) *Cucurbits — edible peel*

(c)

1

(c)

Cucumbers

0.05\*

Cherkins

Courgettes

Others

(c)

*(c) Cucurbits — inedible peel*

0.05\*

(c)

1

(c)

Melons

Squashes

Watermelons

Others

*(d) Sweet corn*

*(c)*

0.05\*

0.02\*

0.05\*

(IV) BRASSICA VEGETABLES

0.05\*

*(a) Flowering brassica*

*(c)*

1

0.02\*

Broccoli

Cauliflower

Others

*(b) Head brassica*

*(c)*

0.02\*

Brussels sprouts

2

Head cabbage

Others

(c)

(c) *Leafy brassica*

(c)

(c)

0.02\*

Chinese cabbage

Kale

Others

(d) *Kohlrabi*

0.05\*

(c)

0.02\*



(V) LEAF VEGETABLES AND FRESH HERBS

0.05\*

(a) *Lettuce and similar*

(c)

(c)

5

Cress

Lamb's lettuce

Lettuce

Scarole

Others

(b) *Spinach and similar*

0.05\*

(c)

0.02\*

Spinach

Beet leaves (chard)

Others

*(c) Watercress*

0.05\*

0.05\*

0.02\*

*(d) Witloof*

0.05\*

0.05\*

2

*(e) Herbs*

(c)

(c)

0.02\*

Chervil

Chives

Parsley

Celery leaves

Others

(VI) LEGUME VEGETABLES (fresh)

(c)

0.05\*

Beans (with pods)

2

Beans (without pods)

Peas (with pods)

1

Peas (without pods)

0.05\*

0.3

Others

(c)

0.02\*

(VII) STEM VEGETABLES

	(c)
	0.02*
Asparagus	
Cardoons	(c)
Celery	(c)
Fennel	(c)
Globe artichokes	
Leek	
Rhubarb	
Others	0.05*
	0.05*

(VIII) FUNGI

0.05\*

0.02\*

0.05\*

(a) *Cultivated mushrooms*

2

(b) *Wild mushrooms*

0.05\*

3. Pulses

(c)

0.05\*

Beans

(c)

Lentils

Peas

0.2

Others

0.05\*

0.02\*

4. Oil seed

Linseed

(c)

(c)

(c)

Peanuts

0.1

(c)

Poppy seeds

Sesame seed

Sunflower seed (with shell)

1

Rape seed

(c)

(c)

1

Soya bean

(c)

1

Mustard seed

Cotton seed

(c)

Others

0.05\*

0.05\*

0.05\*

0.05\*

5. Potatoes

(c)

0.05\*

0.02\*

0.05\*

Early and ware potatoes

6. Tea (Black tea processed from the leaves of *Camellia sinensis*)

0.1\*

0.05\*

0.1\*

0.1\*

7. Hops (dried), including hop pellets and unconcentrated powder

0.1\*

0.05\*

0.1\*

0.1\*

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.









\* Indicates lower limit of analytical determination.

(b) 0.02\*

\* Indicates lower limit of analytical determination.

(c) 0.05\*

\* Indicates lower limit of analytical determination.

(d) 0.1\*

\* Indicates lower limit of analytical determination.

Pesticide residues and maximum residue levels (mg/kg)

Groups and examples of individual products to which the MRLs apply

Propoxur

Propyzamide

2,4,5-T

TEPP

Thiabendazole

(1)

(60)

(61)

(62)

(63)

(64)

1. Fruit, fresh, dried or uncooked preserved by freezing, not containing added sugar; nuts

(I) CITRUS FRUIT

3(c)

0.02\*

0.05\*

0.01\*

6

Grapefruit

Lemons

Limes

Mandarins (including clementines and other hybrids)

Oranges

Pomelos

Others

(II) TREE NUTS (shelled or unshelled)

0.05\*

0.02\*

0.05\*

0.01\*

0.1\*

Almonds

Brazil nuts

Cashew nuts

Chestnuts

Coconuts

Hazelnuts

Macadamia

Pecans

Pine nuts

Pistachios

Walnuts

Others

(III) POME FRUIT

3(c)

0.02\*

0.05\*

0.01\*

5

Apples

Pears

Quinces

Others

(IV) STONE FRUIT

3(c)

0.02\*

0.05\*

0.01\*

Apricots

Cherries

(c)

Peaches (including nectarines and similar hybrids)

Plums

Others

0.05\*

(V) BERRIES AND SMALL FRUIT

0.05\*

0.01\*

(a) *Table and wine grapes*

3 (c)

0.02\*

(c)

(b) *Strawberries (other than wild)*

3 (c)

(b)

5

(c) *Cane fruit (other than wild)*



0.02\*

Blackberries

3 (c)

Dewberries

Loganberries

Raspberries

3 (c)

(c)

Others

0.05\*

0.05\*

(d) *Other small fruit and berries (other than wild)*

Bilberries (fruit of species *Vaccinium myrtilus*)

Cranberries

Currants (red, black and white)

0.2

(b)

(c)

Gooseberries

0.2

(b)

(c)

Others

0.05\*

0.02\*

0.05\*

(e) *Wild berries and wild fruit*

0.05\*

0.02\*

0.05\*

(VI) MISCELLANEOUS FRUIT

0.02\*

0.05\*

0.01\*

Avocados

Bananas

3

Dates

Figs

Kiwis

Kumquats

Litchis

Mangoes

Olives

3 (c)

Passion fruit

Pineapples

Pomegranates

Others

0.05\*

0.05\*

2. Vegetables, fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

0.02\*

0.05\*

0.01\*

Beetroot

3 (c)

(c)

Carrots

Celeriac

3 (c)

Horseradish

Jerusalem artichokes

Parsnips

Parsley root

Radishes

Salsify

Sweet potatoes

Swedes

Turnips

Yams

Others

0.05\*

0.05\*

(II) BULB VEGETABLES

0.05\*

0.02\*

0.05\*

0.01\*

Garlic

	(c)
Onions	(c)
Shallots	(c)
Spring onions	
Others	0.05*

(III) FRUITING VEGETABLES

	0.02*
	0.05*
	0.01*
(a) <i>Solanacea</i>	
Tomatoes	(c)
	(c)
Peppers	

	3 (c)	(c)
Aubergines		
	3 (c)	
Others		
	3(c)	
		0.05*
<i>(b) Cucurbits — edible peel</i>		
Cucumbers		
	(c)	
		(c)
Gherkins		
	3 (c)	
Courgettes		
	(c)	
Others		
		0.05*

(c) *Cucurbits — inedible peel*

3 (c)

Melons

(c)

Squashes

(c)

Watermelons

(c)

Others

0.05\*

(d) *Sweet corn*

0.05\*

0.05\*

(IV) BRASSICA VEGETABLES

3 (c)

0.05\*

0.01\*

(a) *Flowering brassica*



0.02\*

Broccoli

5

Caul flower

0.05\*

Others

0.05\*

*(b) Head brassica*

Brussels sprouts

Head cabbage

*(b)*

*(c)*

Others

0.02\*

0.05\*

*(c) Leafy brassica*

0.02\*

0.05\*

Chinese cabbage

Kale

Others

*(d) Kohlrabi*

0.02\*

0.05\*

(V) LEAF VEGETABLES AND FRESH HERBS

0.05\*

0.01\*

*(a) Lettuce and similar*

*(b)*

Cress

0.05\*

Lamb's lettuce

Lettuce

(c)

Scarole

0.05

Others

3 (c)

0.05\*

*(b) Spinach and similar*

3(c)

0.02\*

0.05\*

Beet leaves (chard)

Others

*(c) Watercress*

0.05\*

0.02\*

0.05\*

*(d) Witloof*

0.05\*

	0.02*	
		0.05*
(e) Herbs		
	(b)	
Chervil		
	3(c)	
		0.05
Chives		
Parsley		
Celery leaves		
Others		
(VI) LEGUME VEGETABLES (fresh)		
		0.05*
	0.01*	
Beans (with pods)		
	3 (c)	
	(b)	

(c)

Beans (without pods)

(b)

(c)

Peas (with pods)

3 (c)

Peas (without pods)

Others

0.05\*

0.02\*

0.05\*

(VII) STEM VEGETABLES

0.05\*

0.01\*

Asparagus

(c)

Cardoons

3 (c)

		(c)
Celery	3 (c)	(c)
Fennel	3 (c)	
Globe artichokes	3 (c)	
	(b)	
Leek	1	(c)
Rhubarb		
Others	0.05*	
	0.02*	
		0.05*

(VIII) FUNGI

0.05\*

0.02\*

0.05\*

0.01\*

(a) *Cultivated mushrooms*

(c)

(b) *Wild mushrooms*

0.05\*

3. Pulses

0.05\*

0.02\*

0.05\*

0.01\*

0.05\*

Beans

Lentils

Peas

Others

4. Oil seed

0.05\*

0.05\*

0.01\*

0.05\*

Linseed

0.05\*

Peanuts

(b)

Poppy seeds

Sesame seed

Sunflower seed

Rape seed

(b)

Soya bean

Mustard seed



Cotton seed

(b)

Others

0.02\*

5. Potatoes

0.05\*

0.02\*

0.05\*

0.01\*

Early and ware potatoes

(c) &5

6. Tea (Black Tea processed from the leaves of *Camellia sinensis*)

0.1\*

0.05\*

0.05\*

0.02\*

0.1\*

7. Hops (dried), including hop pellets and unconcentrated powder

0.1\*

(c)

0.05\*

0.02\*

0.1\*

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination







- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination
- \* Indicates lower limit of analytical determination

(a) (b) (c) (d) Should levels not be adopted by 30 April 2000 for propyzamide and propoxur and by 1 July 2000 for thiabend zole, the following maximum levels shall apply as indicated thereafter:

(a) 0.01\*

- \* Indicates lower limit of analytical determination

(b) 0.02\*

- \* Indicates lower limit of analytical determination

(c) 0.05\*

\* Indicates lower limit of analytical determination

(d) 0.1\*

\* Indicates lower limit of analytical determination

Pesticide residues and maximum residue levels (mg/kg)

Groups and examples of individual products to which the MRLs apply

Triazophos

Triforine

Vinclozolin (sum of vinclozolins and all metabolites containing the 3,5 dichloroanilane moiety, expressed as vinclozolin)

(1)

(65)

(66)

(67)

1. Fruit, fresh, dried or uncooked preserved by freezing, not containing added sugar; nuts

(1) CITRUS FRUIT

(b)

0.05\*

0.05\*

Grapefruit

Lemons

Limes

Mandarins (including elementines and other hybrids)

Oranges

Pomelos

Others

(II) TREE NUTS (shelled or unshelled)

Almonds

*(b)*

*(c)*

Brazil nuts

Cashew nuts

Chestnuts

Coconuts



Hazelnuts

(b)

Macadamia

Pecans

Pine nuts

Pistachios

(b)

Walnuts

Others

0.02\*

0.05\*

(III) POME FRUIT

2

1

Apples

(b)

Pears

Quinces

Others

(IV) STONE FRUIT

Apricots

(b)

(c)

2

Cherries

2

0.5

Peaches (including nectarines and similar hybrids)

(b)

(c)

2

Plums

1

# 2

Others

0.02\*

0.05\*

0.05\*

(V) BERRIES AND SMALL FRUIT

(a) *Table and wine grapes*

0.02\*

(c)

5

(b) *Strawberries (other than wild)*

(b)

(c)

5

(c) *Cane fruit (other than wild)*

0.02\*

0.05\*

5

Blackberries

Dewberries

Loganberries

Raspberries

Others

(d) *Other small fruit and berries (other than wild)*

0.02\*

Bilberries (fruit of species *Vaccinium myrtilus*)

Cranberries

Currants (red, black and white)

2

# 10

Gooseberries

2

Others

0.05\*

0.05\*

(e) *Wild berries and wild fruit*

0.02\*

0.05\*

0.05\*

(VI) MISCELLANEOUS FRUIT

0.05\*

0.05\* (except kiwi)

Avocados

Bananas

Dates

Figs

Kiwis

# 10

Kumquats

Litchis

Mangoes

Olives

(b)

Passion fruit

Pineapples

Pomegranates

Others

0.02\*

2. Vegetables, fresh or uncooked, frozen or dry

(I) ROOT AND TUBER VEGETABLES

Beetroot

(b)

Carrots

1

# 0.5

Celeriac

(b)

Horseradish

Jerusalem artichokes

Parsnips

1

Parsley root

Radishes

Salsify

Sweet potatoes

Swedes

(c)

Turnips

Yams

Others

0.02\*

0.05\*

0.05\*

(II) BULB VEGETABLES

(c)

1

Garlic

(b)

Onions

(b)

Shallots

(b)

Spring onions

Others

0.02\*

(III) FRUITING VEGETABLES

(a) *Solanacea*



0.02\*

(c)

3

Tomatoes

Peppers

Aubergines

Others

*(b) Cucurbits — edible peel*

(b)

0.5

1

Cucumbers

Gherkins

Courgettes

Others

(c) *Cucurbits — inedible peel*

(b)

(c)

1

Melons

Squashes

Watermelons

Others

(d) *Sweet corn*

0.02\*

0.05\*

0.05\*

(IV) BRASSICA VEGETABLES

(c)

(a) *Flowering brassica*

(b)

0.05\*

Broccoli

Cauliflower

Others

*(b) Head brassica*

*(b)*

0.05\*

Brussels sprouts

Head cabbage

Others

*(c) Leafy brassica*

*(b)*

Chinese cabbage

2

Kale

Others

0.05\*

(d) *Kohlrabi*

0.02\*

0.05\*

(V) LEAF VEGETABLES AND FRESH HERBS

0.02\*

(a) *Lettuce and similar*

5

Cress

(c)

Lamb's lettuce

Lettuce

Scarole

Others

0.05\*

(b) *Spiach and similar*

0.05\*

Spinach

(c)

Beet leaves (chard)

Others

0.05\*

(c) *Watercress*

0.05\*

0.05\*

(d) *Witloof*

0.05\*

2

(e) *Herbs*

0.05\*

Chervil

Chives

Parsley

(c)

Celery leaves

Others

0.05\*

(VI) LEGUME VEGETABLES (fresh)

(c)

Beans (with pods)

(b)

2

Beans (without pods)

(b)

# 0.5

Peas (with pods)

(b)

2

Peas (without pods)

(b)

# 0.3

Others

0.02\*

0.05\*

(VII) STEM VEGETABLES

Asparagus

(b)

(c)

Cardoons

Celery

(b)

(c)

0.05\*

Fennel

(b)

Globe artichokes

(b)

(c)

Leek

(b)

(c)

Rhubarb

(b)

Others

0.02\*

0.05\*

0.05\*

(VIII) FUNGI

0.02\*

0.05\*

0.05\*

(a) *Cultivated mushrooms*

(b) *Wild mushrooms*

3. Pulses

0.02\*

0.05\*



Beans

# 0.5

Lentils

Peas

# 0.5

Others

# 0.05\*

4. Oil seed

0.05\*

Linseed

(b)

Peanuts

Poppy seeds

Sesame seed

Sunflower seed

Rape seed

(b)

1

Soya bean

Mustard seed

(b)

Cotton seed

0.1

Others

0.02\*

0.05\*

5. Potatoes

(b)

0.05\*

0.05\*

Early and ware potatoes

6. Tea (Black tea processed from the leaves of *Camellia sinensis*)

0.05\*

0.1\*

0.1\*

7. Hops (dried), including hop pellets and unconcentrated powder

0.05\*

0

40

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

\* Indicates lower limit of analytical determination.

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

# The maximum residue level is fixed on a temporary basis for *acephate* in advance of the adoption of reviewed maximum residue levels at the latest before 30 April 2001.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

(a) (b) (c) (d) Should levels not be adopted by or and by 30 April 2000 for triazophos and triforine, the following maximum levels shall apply as indicated thereafter:

(a) 0.01\*

\* Indicates lower limit of analytical determination.

(b) 0.02\*

\* Indicates lower limit of analytical determination.

(c) 0.05\*

\* Indicates lower limit of analytical determination.

(d) 0.1\*

\* Indicates lower limit of analytical determination.

Pesticide residues and maximum residue levels specifically in respect of tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*)

## Pesticide residues

Maximum levels in mg/kg (ppm)

### 1. Aldrin

singly or combined expressed as dieldrin (HOED)

0.02

### 2. Dieldrin

3. Endosulfan (sum of alpha- and beta- isomers and of endosulfan sulphate, expressed as endosulfan)

30

### 4. Hexachlorocyclohexane (HCH)

0.2

### 5. Biphentrin

5

### 6. Bromopropylate

0.1\*

### 7. Cartap

20

### 8. Chlordane (sum of cis- and trans-isomers)

	0.02*
9. Dichlorvos	
	0.1*
10. Dicofol	
	20
11. Dimethoate	
	0.2
12. Omethoate	
	0.1
13. Ethion	
	2
14. Fenitrothion	
	0.5
15. Flucythrinate (sum of isomers)	
	0.1*
16. Hexachlorobenzene (HCB)	
	0.01*

17. Malathion (sum of malathion and malaixon expressed as malathion)

0.5

18. Methidathion

0.1\*

19. Monocrotophos

0.1\*

20. Phoxim

0.1\*

21. Profenophos

0.1\*

22. Propargite

5

23. Quinalphos

2<sup>x</sup>

24. Phosmet (sum of phosmet and phosmet oxon expressed as phosmet)

0.1\*



\* Indicates lower limit of analytical determination

<sup>(x)</sup> Should this level not be confirmed or amended by a Directive the appropriate lower level limit of analytical determination shall apply.

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

\* Indicates lower limit of analytical determination

*SECOND SCHEDULE CERTIFICATE OF RESULT OF ANALYSIS*

Regulation 5 (6)

Laboratory Ref. No. ....

Sample of

.....  
.....

received by the designated analyst on

.....

from

.....  
.....

Methods of analysis used

.....

This is to certify that the above mentioned sample, which was duly fastened and sealed, has been analysed under the provisions of the European Communities (Pesticide Residues) (Products of Plant Origin, including Fruit and Vegetables) Regulations, 1999 ([S.I. No. 179 of 1999](#)) and that the results of the analysis are as follows:—

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

This certificate is issued under the European Communities (Pesticide Residues) (Products of Plant Origin, including Fruit and Vegetables) Regulations, 1999 ([S.I. No. 179 of 1999](#)).

Date ..... Signed

.....

Designated Analyst

Signed .....

Designated Analyst

Signed .....

Designated Analyst

*THIRD SCHEDULE CERTIFICATE OF RESULT OF ANALYSIS*

Regulation 10 (2)

Laboratory Ref. No. ....

Sample of

.....  
.....

taken at the premises of

..... on .....

Date ..... Signed

.....

Authorised Officer

received by the State Chemist on

.....

from

.....  
.....

methods of analysis used

.....

This is to certify that the above mentioned sample, which was duly fastened and sealed, has been analysed under the provisions of the European Communities (Pesticide Residues) (Products of Plant Origin, including Fruit and Vegetables) Regulations, 1999 ([S.I. No. 179 of 1999](#)) and that the results of the analysis are as follows:—

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

This certificate is issued under the European Communities (Pesticide Residues) (Products of Plant Origin, including Fruit and Vegetables) Regulations, 1999 ([S.I. No. 179 of 1999](#)).

Date ..... Signed

.....

State Chemist

Ⓛ

GIVEN under my Official Seal, this 17th day of June 1999.

JOE WALSH,

Minister for Agriculture and Food.

EXPLANATORY NOTE.

*(This note is not part of the Instrument and does not purport to be a legal interpretation.)*

These Regulations:

(i) provide that a person shall not put into circulation any product of plant origin, including fruit and vegetables dried and/or processed products and composite foodstuffs, to which these Regulations apply, if it contains the residue of a pesticide specified in the Regulations in a quantity greater than the maximum laid down;

(ii) substitutes new maximum residue levels for a number of substances;

and

(iii) serve to consolidate the provisions of the European Communities (Pesticide Residues) (Products of Plant Origin, including Fruit and Vegetables) Regulations 1997 to 1998 (S.I. No. 221 of 1997), (S.I. No. 71 of 1998) and (S.I. No. 564 of 1998).