

# PESTICIDES (AMENDMENT OF FIRST SCHEDULE) ORDER 2011

PU(A) 235/2011

*11 July 2011*

*Jil 55; No 14; 11 July 2011; Tambahan No 88; Perundangan (A)*

IN exercise of the powers conferred by section 58 of the **Pesticides Act 1974**[Act 149], the Minister, on the advice of the Board, makes the following order:

## **1. Citation**

This order may be cited as the **Pesticides (Amendment of First Schedule) Order 2011**.

## **2. Amendment of First Schedule**

The **Pesticides Act 1974** is amended by substituting for the First Schedule the following schedule:

### **"FIRST SCHEDULE**

*(Section 2)*

### **LIST OF PESTICIDES**

#### **EXPLANATION**

1. In the following list the common name and the chemical name or, if no common name is provided, the chemical name only, determine the identity of a pesticide.

2. The sign (=) indicates continuity of spelling and is used where a word or name is broken up owing to limitation of space.

*Common names*

*Chemical names*

abamectin

a mixture of:

- (i) (10E,14E,16E,22Z)-(1R,4S,5'S,6S,6'R,8R,12S,13S,20R,21R,24S)-6'-[(S)-sec-butyl]-21,24-dihydroxy-5',11,13,22-tetramethyl-2-oxo-3,7,19-trioxatetracyclo [15.6.1.1<sup>4,8</sup>.0<sup>20,24</sup>] penta-10,14,16,22-tetraene-6-spiro-2'-(5',6'-dihydro-2'H-pyran)-12-yl 2,6-dideoxy-4-O-(2,6-dideoxy-3-O-methyl- $\alpha$ -L-arabino-hexo= pyranosyl)-3-O-methyl- $\alpha$ -L-arabino-hexo= pyranoside; and
- (ii) (10E,14E,16E,22Z)-(1R,4S,5'S,6S,6'R,8R,12S,13S,20R,21R,24S) -21,24-dihydroxy-6'-isopropyl-5',11,13,22-tetramethyl-2-oxo-3,7,19-trioxatetracyclo-[15.6.1.1<sup>4,8</sup>.0<sup>20,24</sup>]pentacos-10,14,16,22-tetraene-6-spiro-2'-(5',6'-dihydro-2'H-pyran)-12-yl 2,6-dideoxy-4-O-(2,6-dideoxy-3-O-methyl- $\alpha$ -L-arabino-hexo= pyranosyl)-3-O-methyl- $\alpha$ -L-arabino-hexo= pyranoside

<i>Abrobacterium radiobacter</i>	-
acephate	O,S-dimethyl acetylphosphoramidothioate
acequinocyl	3-dodecyl-1,4-dihydro-1,4-dioxo-2-naphthyl acetate
acetamiprid	(E)-N <sup>1</sup> -[(6-chloro-3-pyridyl)methyl]-N <sup>2</sup> -cyano-N <sup>1</sup> = -methylacetamidine
acetochlor	2-chloro-N-ethoxymethyl-6'-ethylaceto-o-toluidide
acibenzolar-S-methyl	S-methyl benzo[1,2,3]thiadiazole-7-carbothioate
acifluorfen (including salts)	5-(2-chloro- $\alpha,\alpha,\alpha$ -trifluoro-p-tolyloxy)-2-nitro= benzoic acid
aclonifen	2-chloro-6-nitro-3-phenoxyaniline
acrinathrin	(S)- $\alpha$ -cyano-3-phenoxybenzyl (Z)-(1R,3S)-2,2-= dimethyl-3- [2-(2,2,2-tifluoro-1- trifluoromethyl= ethoxycarbonyl)vinyl] cyclopropanecarboxylate
acrolein	prop-2-enal
acypetaacs (including salts)	a reaction mixture of C <sub>8</sub> to C <sub>10</sub> linear and branched chain saturated aliphatic carboxylic acids, the branched chain acids being a mixture of approximately equal parts by mass of: <ul style="list-style-type: none"> <li>(a) acids in which the main chain is dialkyl= substituted on the second carbon atom; and</li> <li>(b) acids in which the second carbon atom is either unsubstituted or monoalkyl-substituted</li> </ul>
<i>Adoxophyes orana</i> granulosis virus	-
<i>Agrobacterium radiobacter</i>	-
alachlor	2-chloro-2',6'-diethyl-N-methoxymethylacetanilide
alanycarb	ethyl (Z)-N-benzyl-N-[[methyl(1-methylthioethyl)= deneamino- oxycarbonyl]amino]thio]- $\beta$ -alaninate
aldicarb	2-methyl-2-(methylthio)propionaldehyde O-= methylcarbamoyloxime
aldoxycarb	2-mesyl-2-methylpropionaldehyde O-methyl= carbamoyloxime
aldrin (HHDN)	(1R,4S,4aS,5S,8R,8aR)-1,2,3,4,10,10-hexachloro= 1,4,4a,5,8,8a-hexahydro-1,4:5,8-dimethanonaph= thalene
allethrin [(1R)-isomers]	(RS)-3-allyl-2-methyl-4-oxocyclopent-2-enyl= (+)-cis-trans- chrysanthemate
allidochlor	N,N-dially-2-chloroacetamide

allyxycarb	4-diallylamino-3,5-xilyl methylcarbamate
alpha-cypermethrin	a racemate comprising of: <ul style="list-style-type: none"> <li>(a) (<i>R</i>)-<math>\alpha</math>-cyano-3-phenoxybenzyl (1<i>S</i>,3<i>S</i>)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane=carboxylate; and</li> <li>(b) (<i>S</i>)-<math>\alpha</math>-cyano-3-phenoxybenzyl (1<i>R</i>,3<i>R</i>)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane=carboxylate</li> </ul> or a racemate comprising of: <ul style="list-style-type: none"> <li>(a) (<i>R</i>)-<math>\alpha</math>-cyano-3-phenoxybenzyl (1<i>S</i>)-<i>cis</i>-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane=carboxylate; and</li> <li>(b) (<i>S</i>)-<math>\alpha</math>-cyano-3-phenoxybenzyl (1<i>R</i>)-<i>cis</i>-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane=carboxylate</li> </ul>
aluminium phosphide	aluminium phosphide
<i>Amblyseius spp</i>	-
ametridione	1-amino-6-ethylthio-3-neopentyl-1,3,5-triazine=2,4(1 <i>H</i> ,3 <i>H</i> )-dione
ametryn	N <sup>2</sup> -ethyl-N <sup>4</sup> -isopropyl-6-methylthio-1,3,5-triazine=2,4-diamine
amibuzin	6- <i>tert</i> -butyl-3-dimethylamino-4-methyl-1,2,4-triazin-5(4 <i>H</i> )-one
amicarbazone	4-amino- <i>N-tert</i> -butyl-4,5-dihydro-3-isopropyl-5-oxo-1 <i>H</i> -1,2,4-triazole-1-carboxamide
amidithion	<i>S</i> -2-methoxyethylcarbamoylmethyl O,O-dimethylphosphorodithioate
amidosulfuron	1-(4,6-dimethoxypyrimidin-2-yl)-3-mesyl- (methyl) sulfamoylurea
aminocarb	4-dimethylamino- <i>m</i> -tolyl methylcarbamate
aminopyralid (including salts and esters)	4-amino-3,6-dichloropyridine-2-carboxylic acid
amiprofos-methyl	( <i>RS</i> )(O-methyl O-2-nitro- <i>p</i> -tolyl isopropylphosphoramidothioate)
amiton	<i>S</i> -2-diethylaminoethyl O,O-diethyl phosphorothioate
amitraz	N-methylbis(2,4-xilyliminomethyl)amine
amitrole	1 <i>H</i> -1,2,4-triazol-3-ylamine

ampropylfos	(RS)-1-aminopropylphosphonic acid
anabasine	(S)-3-(piperidin-2-yl)pyridine
<i>Anagrapha californica NPV</i>	-
<i>Anagrapha falcifera NPV</i>	-
ancymidol	$\alpha$ -cyclopropyl-4-methoxy- $\alpha$ -(pyrimidin-5-yl)=benzyl alcohol
anilazine	4,6-dichloro-N-(2-chlorophenyl)-1,3,5-triazin-2-amine
anilofos	S-4-chloro-N-isopropylcarbaniloylmethyl O,O= dimethyl phosphorodithioate
<i>Anticarsia gemmatalis NPV</i>	-
anisuron	1-(3,4-dichlorophenyl)-1-(4-methoxybenzoyl)-=3,3-dimethylurea
antraquinone	anthraquinone
antu	1-(1-naphthyl)-2-thiourea
<i>Aphelinus abdominalis</i>	-
<i>Aphidius colemani</i>	-
<i>Aphidoletes aphidimyza</i>	-
asulam	methyl sulfanilylcarbamate
athidathion	O,O-diethyl S-2,3-dihydro-5-methoxy-2-oxo-1,3,4=thiadiazol-3-ylmethyl phosphorodithioate
atraton	N <sup>2</sup> -ethyl-N <sup>4</sup> -isopropyl-6-methoxy-1,3,5-triazine= 2,4-diamine
atrazine	6-chloro-N <sup>2</sup> -ethyl-N <sup>4</sup> -isopropyl-1,3,5-triazine-2,4= diamine
<i>Autographa californica NPV</i>	-
azaconazole	1-[[2-(2,4-dichlorophenyl)-1,3-dioxolan-2-yl]= methyl]-1H-1,2,4-triazole
azadirachtin	dimethyl [2aR-[2 $\alpha$ ,3 $\beta$ ,4 $\beta$ (1aR*,2S*,3aS*,6aS*,7S*,=7aS*),4a $\beta$ ,5 $\alpha$ .7aS*,8 $\beta$ (E),10 $\beta$ ,10 $\alpha$ ,10b $\beta$ ]]-10=(acetyloxy)octahydro-3,5-dihydroxy-4-methyl-8= [(2-methyl-1-oxo-2-butenyl)oxy]-4-(3a,6a,7,7a=tetrahydro-6a-hydroxy-7a-methyl-2,7-methano= furo[2,3-b]oxireno[e]oxepin-1a(2H)-yl)-1H,7H= naphtho[1,8-bc',4,4a-c']difuran-5,10a(8H)= dicarboxylate
azamethiphos	S-6-chloro-2,3-dihydro-2-oxo-1,3-oxazolo[4,5-b]=pyridin-3-ylmethyl O,O-dimethyl phosphorothioate

azinphos-ethyl	S-(3,4-dihydro-4-oxobenzo[d]-[1,2,3]-triazin-3-yl=methyl) O,O-diethyl phosphorodithioate
azinphos-methyl	S-(3,4-dihydro-4-oxobenzo[d]-[1,2,3]-triazin-3-yl=methyl) O,O-dimethyl phosphorodithioate
aziprotryne	4-azido-N-isopropyl-6-methylthio-1,3,5-triazin-2-ylamine
azithiram	bis(3,3-dimethylthiocarbazoyl) disulfide
azocyclotin	tri(cyclohexyl)-1H-1,2,4-triazol-1-yltin
azothoate	0,4-(4-chlorophenylazo)phenyl O,O-dimethyl=phosphorothioate
azoxystrobin	methyl (E)-2-{2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate
<i>Bacillus fimus</i>	-
<i>Bacillus pumilus</i>	-
<i>Bacillus sphaericus</i>	-
<i>Bacillus subtilis</i>	-
<i>Bacillus subtilis</i> var. <i>amyloliquefaciens</i>	-
<i>Bacillus subtilis</i> MBI 600	-
<i>Bacillus subtilis</i> QST 713	-
<i>Bacillus thuringiensis</i>	-
<i>Bacillus thuringiensis</i> delta endotoxin	-
<i>Bacillus thuringiensis</i> isolates for control of the <i>Plutella</i> group of Lepidoptera	-
<i>Bacillus thuringiensis</i> isolates for control of Coleoptera	-
<i>Bacillus thuringiensis</i> isolates for control of the <i>Spodoptera</i> group of Lepidoptera	-
<i>Bacillus thuringiensis</i> isolates for control of the Lepidoptera and Coleoptera	-
<i>Bacillus thuringiensis</i>	-

<i>Bacillus thuringiensis</i> isolate for control of soil-inhabiting Coleoptera	-
<i>Bacillus thuringiensis</i> encapsulated delta-endotoxins for control of Spodoptera group of Coleoptera	-
<i>Bacillus thuringiensis</i> isolates for control of Diptera	-
<i>Bacillus thuringiensis</i> encapsulated delta-endotoxins for control of Plutella of Lepidoptera	-
barban	4-chlorobut-2-ynyl 3-chlorocarbanilate
<i>Beauveria brongniartii</i>	-
<i>Beauveria bassiana</i>	-
<i>Beauveria bassiana</i> (Balsamo) Vuillemin	-
beflubutamid	( <i>RS</i> )- <i>N</i> -benzyl-2-( $\alpha,\alpha,\alpha,4$ -tetrafluoro- <i>m</i> -tolylloxy)=butyramide
benalaxyl	methyl <i>N</i> -phenylacetyl- <i>N</i> -2,6-xylyl-DL-alaninate
benalaxyl-M	methyl <i>N</i> -pheylacetyl- <i>N</i> -2,6-xylyl-D-alaninate
benazolin (including salts and esters)	4-chloro-2-oxobenzothiazolin-3-ylacetic acid
bendiocarb	2,2-dimethyl-1,3-benzodioxol-4-yl methyl= carbamate
benfendizone	methyl 2-{5-ethyl-2-[4-(1,2,3,6-tetrahydro-3-= methyl-2,6-dioxo-4-trifluoromethylpyrimidin-1-= yl)phenoxy)methyl]phenoxy}propionate
benfluralin	<i>N</i> -butyl- <i>N</i> -ethyl- $\alpha,\alpha,\alpha$ -trifluoro-2,6-dinitro- <i>p</i> -= toluidine
benfuracarb	ethyl <i>N</i> -[2,3-dihydro-2,2-dimethylbenzofuran-7-= yloxy carbonyl(methyl)aminothiol]- <i>N</i> -isopropyl- $\beta$ -= alaninate
benfuresate	2,3-dihydro-3,3-dimethylbenzofuran-5-yl= ethanesulfonate
benodanil	2-iodobenzanilide
benofluor	4'-ethylthio-2'-(trifluoromethyl)methane= sulfonanilide
benomyl	methyl 1-(butylcarbamoil)benzimidazol-2-yl= carbamate

bensulide	S-2-benzenesulfonamidoethyl O,O-di-isopropyl=phosphorodithioate
bensultap	S,S'-2-dimethylaminotrimethylene di(benzene=thiosulfonate)
bentaluron	1-(1,3-benzothiazol-2-yl)-3-isopropylurea
bentazone (including salts)	3-isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one= 2,2-dioxide
benthiavalicarb (including salts and esters)	[(S)-1-{[(1R)-1-(6-fluoro-1,3-benzothiazol-2-yl)= ethyl] carbamoyl}-2-methylpropyl]carbamic acid
benthiocarb	S-(4-chlorobenzyl)-N,N-diethylthiolcarbamate
bentranil	2-phenyl-3,1-benzoxazinone
benzadox (including salts)	benzamido-oxyacetic acid
benzalkonium chloride	mixture of alkylbenzyltrimethylammonium chlorides
benzamacril (including esters)	2-cyano-3-(N-methylbenzylamino)acrylic acid
benzamizole	N[3-(1-ethyl-3-methylpropyl)isoxazol-5-yl]-2,6-dimethoxybenzamide
benzamorf	morpholinium 4-dodecylbenzenesulfonate
benzipram	N-benzyl-N-isopropyl-3,5-dimethylbenzamide
benzofenap	2-[4-(2,4-dichloro-m-toluoyl)-1,3-dimethyl=pyrazol-5-yloxy]-4'-methylacetophenone
benzoximate	3-chloro- $\alpha$ -ethoxyimino-2,6-dimethoxybenzyl= benzoate
benzoylprop (including esters)	N-benzoyl-N-(3,4-dichlorophenyl)-DL-alaninate
benzthiazuron	1-(1,3-benzothiazol-2-yl)-3-methylurea
beta-cyfluthrin	a reaction mixture comprising four diastereoisomeric pairs of enantiomers: <ul style="list-style-type: none"> <li>(i) (R)-<math>\alpha</math>-cyano-4-fluoro-3-phenoxybenzyl (1R)-= cis-3-(2,2-dichlorovinyl)-2,2-dimethylcyclo=propanecarboxylate + (S)-<math>\alpha</math>, (1S)-cis-;</li> <li>(ii) (S)-<math>\alpha</math>, (1R)-cis- + (R)-<math>\alpha</math>, (1S)-cis-;</li> <li>(iii) (R)-<math>\alpha</math>, (1R)-trans- + (S)-<math>\alpha</math>, (1S)-trans-; and</li> <li>(iv) (S)-<math>\alpha</math>, (1R)-trans- + (R)-<math>\alpha</math>, (1S)-trans- .</li> </ul>

(contain < 2% diastereoisomer I, 30-40% diastereoisomer II, < 3% diastereoisomer III and 53-67% diastereoisomer IV)

beta-cypermethrin	<p>reaction mixture comprising the enantiomeric pair (<i>R</i>)-<math>\alpha</math>-cyano-3-phenoxybenzyl (1<i>S</i>,3<i>S</i>)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane= carboxylate; and (<i>S</i>)-<math>\alpha</math>-cyano-3-phenoxybenzyl= (1<i>R</i>,3<i>R</i>)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate in ratio approximately 2:3 with the enantiomeric pair (<i>R</i>)-<math>\alpha</math>-cyano-3-phenoxy= benzyl (1<i>S</i>,3<i>R</i>)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; and (<i>S</i>)-<math>\alpha</math>-cyano-3-phenoxybenzyl (1<i>R</i>,3<i>S</i>)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate</p> <p>or</p> <p>reaction mixture comprising the enantiomeric pair (<i>R</i>)-<math>\alpha</math>-cyano-3-phenoxybenzyl (1<i>S</i>)-<i>cis</i>-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane= carboxylate; and (<i>S</i>)-<math>\alpha</math>-cyano-3-phenoxybenzyl=(1<i>R</i>)-<i>cis</i>-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate in ratio approximately 2:3 with the enantiomeric pair (<i>R</i>)-<math>\alpha</math>-cyano-3-phenoxybenzyl (1<i>S</i>)-<i>trans</i>-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; and (<i>S</i>)-<math>\alpha</math>-cyano-3-phenoxybenzyl (1<i>R</i>)-<i>trans</i>-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane=carboxylate</p>
BHC (including all isomers) - see also HCH	1,2,3,4,5,6-hexachlorocyclohexane
bifenazate	<p>isopropyl 3-(4-methoxybiphenyl-3-yl)carbazate</p> <p>or</p> <p>isopropyl 2-(4-methoxybiphenyl-3-yl)hydrazine= formate</p>
bifenox	methyl 5-(2,4-dichlorophenoxy)-2-nitrobenzoate
bifenthrin	2-methylbiphenyl-3-ylmethyl (Z)-(1 <i>RS</i> ,3 <i>RS</i> )-3-(2-chloro-3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate
bilanafos or bialaphos (including salts and esters)	(2 <i>S</i> )-2-amino-4-[hydroxy(methyl)phosphinoyl]=butyryl-L-alanyl-L-alanine
binapacryl	2- <i>sec</i> -butyl-4,6-dinitrophenyl 3-methylbut-2-enoate
bioallethrin (( <i>S</i> )-cyclopentenyl isomer) or S-bioallethrin	( <i>S</i> )-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1 <i>R</i> ,= 3 <i>R</i> )-2,2-dimethyl-3-(2-methylprop-enyl)cyclopropanecarboxylate
bioallethrin or d-trans allethrin	( <i>RS</i> )-3-allyl-2-methyl-4-oxocyclopent-2-enyl (1 <i>R</i> ,= 3 <i>R</i> )-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate
biopermethrin	3-phenoxybenzyl(1 <i>R</i> )- <i>trans</i> -3-(2,2-dichlorovinyl)-2,2-dimethyl cyclopropanecarboxylate
bioresmethrin	5-benzyl-3-furylmethyl(1 <i>R</i> ,3 <i>R</i> )-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate
biphenyl	biphenyl

bispyribac (including salts and esters)	2,6-bis(4,6-dimethoxypyrimidin-2-yloxy)benzoic acid
bistrifluron	1-[2-chloro-3,5-bis(trifluoromethyl)phenyl]-3-(2,6-difluorobenzoyl)urea
bitertanol	1-(biphenyl-4-yloxy)-3,3-dimethyl-1-(1H-1,2,4-triazol-1-yl)butan-2-ol [ratio of racemates (1RS,2RS) and (1RS,2SR) is 20:80]
blasticidin-S	1-(4-amino-1,2-dihydro-2-oxypyrimidin-1-yl)-4-[(S)-3-amino-5-(1-methylguanidino)valeramido]-1,2,3,4-tetrahydro-β-D-erythro-hex-2-enopyran-6-one
bordeaux mixture	a mixture, with or without stabilising agents, of calcium hydroxide and copper(II) sulfate
boscalid	2-chloro-N-(4'-chlorobiphenyl-2-yl)nicotinamide
BPMC or fenobucarb	2-s-butylphenyl N-methylcarbamate
brodifacoum	3-[3-(4'-bromobiphenyl-4-yl)-1,2,3,4-tetrahydro-1-naphthyl]-4-hydroxycoumarin
bromacil	5-bromo-3-sec-butyl-6-methyluracil
bromadiolone	3-[3-(4'-bromobiphenyl-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxycoumarin
bromethalin	α,α,α-trifluoro-N-methyl-4,6-dinitro-N-(2,4,6-tribromophenyl)-o-toluidine
bromfenvinfos	2-bromo-1-(2,4-dichlorophenyl)vinyl diethyl phosphate
bromobonil	2,6-dibromo-4-cyanophenyl tetrahydrofurfuryl carbonate
bromobutide	2-bromo-3,3-dimethyl-N-(1-methyl-1-phenylethyl)butyramide
bromocyclen	5-bromomethyl-1,2,3,4,7,7-hexachlorobicyclo[2.2.1]hept-2-ene
bromofenoxim	3,5-dibromo-4-hydroxybenzaldehyde 2,4-dinitrophenyl oxime
bromophos	O-4-bromo-2,5-dichlorophenyl O,O-dimethyl phosphorothioate
bromophos-ethyl	O-4-bromo-2,5-dichlorophenyl O,O-diethyl phosphorothioate
bromopropylate	isopropyl 4,4'-dibromobenzilate
bromoxynil (including salts and esters)	3,5-dibromo-4-hydroxybenzoxynitrile
brompyrazon	5-amino-4-bromo-2-phenylpyridazin-3(2H)-one

bronopol	2-bromo-2-nitropropane-1,3-diol
bufencarb	Reaction product in which the main components are: (i) 3-(1-methylbutyl)phenyl methylcarbamate; and (ii) 3-(1-ethylpropyl)phenyl methylcarbamate
bupirimate	5-butyl-2-ethylamino-6-methylpyrimidin-4-yl=dimethylsulfamate
buprofezin	2-tert-butylimino-3-isopropyl-5-phenyl-1,3,5=thiadiazinan-4-one
butacarb	3,5-di-tert-butylphenyl methylcarbamate
butachlor	N-butoxymethyl-2-chloro-2',6'-diethylacetanilide
butafenacil	1-(allyloxycarbonyl)-1-methylethyl 2-chloro-5=[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(tri=fluoromethyl)pyrimidin-1-yl]benzoate
butam	N-benzyl-N-isopropylpivalamide
butamifos	O-ethyl O-6-nitro-m-tolyl sec-butyl phosphoramidothioate
butathiofos	O-2-tert-butylpyrimidin-5-yl O,O-diethyl=phosphorothioate
butenachlor	(Z)-N-but-2-enyloxymethyl-2-chloro-2',6'-=diethylacetanilide
buthidazole	3-(5-tert-butyl-1,3,4-thiadiazol-2-yl)-4-hydroxy=1-methyl-2-imidazolidone
buthiobate	butyl 4-tert-butylbenzyl N-(3-pyridyl)dithio=carbonimidate
buthiuron	1-(5-butylsulfonyl-1,3,4-thiadiazol-2-yl)-1,3=dimethylurea
butocarboxim	3-(methylthio)butanone O-methylcarbamoyloxime
butonate	dimethyl 1-butyryloxy-2,2,2-trichloroethylphos=phonate
butopyronoxyl	butyl 3,4-dihydro-2,2-dimethyl-4-oxo-2H-pyran=6-carboxylate
butoxycarboxim	3-methylsulfonylbutanone O-methylcarbamoyl=oxime
butralin	N-sec-butyl-4-tert-butyl-2,6-dinitroaniline
butroxydim	(5RS)-5-(3-butyryl-2,4,6-trimethylphenyl)-2-[(EZ)=1-(ethoxyimino)propyl]-3-hydroxycyclohex-2-en=1-one
buturon	3-(4-chlorophenyl)-1-methyl-1-(1-methylprop-2=ynyl)urea

cadusafos	S,S-di-sec-butyl O-ethyl phosphorodithioate
calciferol	(3 $\beta$ ,5Z,7E,22E)-9,10-secoergosta-5,7,10(19),22-ene-3-ol
calcium cyanide	calcium cyanide
calcium polysulfide	calcium polysulfide
cambendichlor	2,2'-(phenylimino)diethylene bis(3,6-dichloro-o-cresate)
camphechlor	a mixture of chlorinated camphenes containing 67-69% chlorine
<i>Candida oleophila</i>	-
capsaicin	-
captafol	N-(1,1,2,2-tetrachloroethylthio)cyclohex-4-ene-1,2-dicarboximide
captan	N-(trichloromethylthio)cyclohex-4-ene-1,2-dicarboximide
carbamorph	morpholinomethyl dimethyldithiocarbamate
carbanolate	6-chloro-3,4-xylol methylcarbamate
carbaryl	1-naphthyl methylcarbamate
carbasulam	methyl 4-(methoxycarbonylsulfamoyl) carbanilate
carbendazim	methyl benzimidazol-2-ylcarbamate
carbetamide	(R)-1-(ethylcarbamoyl)ethyl carbanilate
carbofuran	2,3-dihydro-2,2-dimethylbenzofuran-7-yl methylcarbamate
carbophenothion	S-4-chlorophenylthiomethyl O,O-diethyl phosphorodithioate
carbosulfan	2,3-dihydro-2,2-dimethylbenzofuran-7-yl (dibutylaminothio) methylcarbamate
carboxazole	methyl 5-tert-butyl-1,2-oxazol-3-ylcarbamate
carboxin	5,6-dihydro-2-methyl-1,4-oxathiazine-3-carboxylic anilide
cafenstrole	N,N-diethyl-3-mesitylsulfonyl-1H-1,2,4-triazole-5-carboxamide
carfentrazone (including salts and esters)	(RS)-2-chloro-3-{2-chloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]}-4-fluorophenyl}propionic acid

carpropamid	a mixture of (1 <i>R</i> ,3 <i>S</i> )-2,2-dichloro- <i>N</i> -[1-(4-chlorophenyl)ethyl]-1-ethyl-3-methylcyclopropanecarboxamide, (1 <i>S</i> ,3 <i>R</i> )-2,2-dichloro- <i>N</i> -[1-(4-chlorophenyl)ethyl]-1-ethyl-3-methylcyclopropanecarboxamide, (1 <i>S</i> ,3 <i>R</i> )-2,2-dichloro- <i>N</i> -[( <i>S</i> )-1-(4-chlorophenyl)ethyl]-1-ethyl-3-methylcyclopropanecarboxamide and (1 <i>R</i> ,3 <i>S</i> )-2,2-dichloro- <i>N</i> -[( <i>S</i> )-1-(4-chlorophenyl)ethyl]-1-ethyl-3-methylcyclopropanecarboxamide where the first two cited comprise at least 95% of the total
cartap (including salts)	<i>S,S'</i> -(2-dimethylaminotrimethylene) bis(thiocarbamate)
carvone	( <i>RS</i> )-5-isopropenyl-2-methylcyclohex-2-en-1-one  or  ( <i>RS</i> )- <i>p</i> -mentha-6,8-dien-2-one
chinomethionat	6-methyl-1,3-dithiolo[4,5- <i>b</i> ]quinoxaline-2-one
chlobenthiazone	4-chloro-3-methylbenzothiazol-2(3 <i>H</i> )-one
chlomethoxynil or chlomethoxyfen	5-(2,4-dichlorophenoxy)-2-nitroanisole
chloprazophos	<i>O</i> -(3-chloro-7-methylpyrazolo[1,5- <i>d</i> ]pyrimidin-2-yl) <i>O,O</i> -diethyl phosphorothioate
chloralose	( <i>R</i> )-1,2- <i>O</i> -(2,2,2-trichloroethylidene)- $\alpha$ - <i>D</i> -glucofuranose
chloramben	3-amino-2,5-dichlorobenzoic acid
chlorantraniliprole	3-bromo- <i>N</i> -[4-chloro-2-methyl-6-(methylcarbamoyl)phenyl]-1-(3-chloropyridine-2-yl)1 <i>H</i> -pyrazole-5-carboxamide
chloraniformethan	<i>N</i> -[2,2,2-trichloro-1-(3,4-dichloroanilino)ethyl]formamide
chloranil	tetrachloro- <i>p</i> -benzoquinone
chloranocryl	3',4'-dichloro-2-methylacrylanilide
chlorazifop	( $\pm$ )-2-[4-(3,5-dichloro-2-pyridyloxy)phenoxy]propionic acid
chlorazine	6-chloro- <i>N</i> <sup>2</sup> , <i>N</i> <sup>2</sup> , <i>N</i> <sup>4</sup> , <i>N</i> <sup>4</sup> -tetraethyl-1,3,5-triazine-2,4-diamine
chlorbenside	4-chlorobenzyl 4-chlorophenyl sulfide
chlorbicyclen	1,2,3,4,7,7-hexachloro-5,6-bis(chloromethyl)-8,9,10-trinorborn-2-ene
chlorbromuron	3-(4-bromo-3-chlorophenyl)-1-methoxy-1-methylurea
chlorbufam	1-methylprop-2-ynyl 3-chlorocarbanilate

chlordimeform (including salts)	N <sup>2</sup> -(4-chloro-o-tolyl)-N <sup>1</sup> ,N <sup>1</sup> -dimethylformamidine
chlorethoxyfos	(±)-O,O-diethyl O-(1,2,2,2-tetrachloroethyl)=phosphorothioate
chloreturon	3-(3-chloro-4-ethoxyphenyl)-1,1-dimethylurea
chlorfenac (including salts)	(2,3,6-trichlorophenyl)acetic acid
chlorfenapyr	4-bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-trifluoromethyl-1 <i>H</i> -pyrrole-3-carbonitrile
chlorfenazole	2-(2-chlorophenyl)benzimidazole
chlorfenethol	1,1-bis-(4-chlorophenyl)ethanol
chlorflurenol (including salts and esters)	( <i>RS</i> )-2-chloro-9-hydroxyfluorene-9-carboxylic acid
chloridazon	5-amino-4-chloro-2-phenylpyridazin-3(2 <i>H</i> )-one
chlorimuron (including salts and esters)	2-(4-chloro-6-methoxypyrimidin-2-ylcarbamoyl= sulfamoyl) benzoic acid
chlormephos	S-chloromethyl O,O-diethyl phosphorodithioate
chlornitrofen	4-nitrophenyl 2,4,6-trichlorophenyl ether
chloroacetic acid (including salts)	chloroacetic acid
chlorobenzilate	ethyl 4,4'-dichlorobenzilate
chlorodinitronaphthalene	1-chloro-2,4-dinitronaphthalene
chloromebuform	N <sup>1</sup> -butyl-N <sup>2</sup> -(4-chloro-o-tolyl)-N <sup>1</sup> -methylforma= midine
chloromethiuron	3-(4-chloro-o-tolyl)-1,1-dimethylthiourea
chloroneb	1,4-dichloro-2,5-dimethoxybenzene
chlorophacinone	2-[2-(4-chlorophenyl)-2-phenylacetyl]indan-1,3-dione
chloropicrin	trichloronitromethane
chloropon	2,2,3-trichloropropionic acid
chloropropylate	isopropyl 4,4'-dichlorobenzilate
chlorothalonil	tetrachloroisophthalonitrile
chlorotoluron	3-(3-chloro-p-tolyl)-1,1-dimethylurea
chloroxuron	3-[4-(4-chlorophenoxy)phenyl]-1,1-dimethylurea

chlorphthalim	N-(4-chlorophenyl)-1-cyclohexane-1,2-dicarbox= imide
chlorprocarb	methyl 3-[1-(chloromethyl)propylcarbamoyloxy]= carbanilate
chlorpropham	isopropyl 3-chlorocarbanilate
chlorpyrifos	O,O-diethyl O-3,5,6-trichloro-2-pyridyl= phosphorothioate
chlorpyrifos-methyl	O,O-dimethyl O-3,5,6-trichloro-2-pyridyl= phosphorothioate
chlorquinox	5,6,7,8-tetrachloroquinoxaline
chlorsulfuron	1-(2-chlorophenylsulfonyl)-3-(4-methoxy-6= methyl-1,3,5-triazin-2-yl)urea
chlorthal (including esters)	tetrachloroterephthalic acid
chlorthiamid	2,6-dichlorothiobenzamide
chlorthiophos	O-2,5-dichloro-4-methylthiophenyl O,O-diethyl= phosphorothioate
chlozolate	ethyl (±)-3-(3,5-dichlorophenyl)-5-methyl-2,4= dioxo-oxazolidine-5-carboxylate
<i>Chondrostereum purpureum</i>	-
chromafenozide	2'-tert-butyl-5-methyl-2'-(3,5-xyloyl)chromane-6= carbohydrazide
<i>Chrysoperla carnea</i>	-
cinidon-ethyl	ethyl (Z)-2-chloro-3-[2-chloro-5-(cyclohex-1-ene= 1,2-dicarboximido)phenyl]acrylate
cinmethylin	(1RS,2SR,4SR)-1,4-epoxy-p-menth-2-yl 2-methyl= benzyl ether
cinosulfuron	1,(4,6-dimethoxy-1,3,5-triazin-2-yl)-3-[2-(2= methoxyethoxy)phenylsulfonyl]urea
citronella	-
clethodim	(±)-2-[(E)-1-[(E)-3-chloroallyloxyimino]propyl-5= [2-(ethylthio)propyl]-3-hydroxycyclohex-2-enone
clidinate	2-chloro-3,5-di-iodo-4-pyridyl acetate
clodinafop (including esters)	(R)-2-[4-(5-chloro-3-fluoro-2-pyridyloxy)= phenoxy] propionic acid
cloethocarb	2-(2-chloro-1-methoxyethoxy)phenyl= methylcarbamate
clofentazine	3,6-bis(2-chlorophenyl)-1,2,4,5-tetrazine

clomazone	2-(2-chlorobenzyl)-4,4-dimethyl-1,2-oxazolidin-3-one
clomeprop	(RS)-2-(2,4-dichloro-m-tolyloxy)propionanilide
cloprop (including salts and esters)	(RS)-2-(3-chlorophenoxy)propionic acid
cloproxydim	(±)-2-[1-(3-chloroallyloxy)iminobutyl]-5-(2-ethylthiopropyl)-3-hydroxycyclohex-2-enone
clopyralid (including esters)	3,6-dichloropyridine-2-carboxylic acid
cloransulam (including salts and esters)	3-chloro-2-(5-ethoxy-7-fluoro[1,2,4]triazolo-[1,5-c]pyrimidin-2-ylsulfonamido)benzoic acid
	or
	3-chloro-N-(5-ethoxy-7-fluoro[1,2,4]triazolo-[1,5-c]pyrimidin-2-ylsulfonyl)anthranilic acid
clothianidin	(E)-1-(2-chloro-1,3-thiazol-5-ylmethyl)-3-methyl-2-nitroguanidine
<i>Colletotrichum gloeosporioides</i> <i>f. Sp. Aeschynomene</i>	-
<i>Coniothyrium minitans</i>	-
copper hydroxide	copper hydroxide
copper oxychloride	dicopper chloride trihydroxide (approximate composition)
copper sulfate	copper sulfate
copper sulfate, basic	basic copper sulfate
coumachlor	3-[1-(4-chlorophenyl)-3-oxobutyl]-4-hydroxy- coumarin
coumafury	3-[1-(2-fury)-3-oxobutyl]-4-hydroxycoumarin
coumaphos	O-3-chloro-4-methyl-2-oxo-2H-chromen-7-yl O,O-diethyl phosphorothioate
coumatetrayl	4-hydroxy-3-(1,2,3,4-tetrahydro-1-naphthyl)= coumarin
coumithoate	O,O-diethyl O-(7,8,9,10-tetrahydro-6-oxo-6H-benzo[c]chromen-3-yl) phosphorothioate
4-CPA	4-chlorophenoxyacetic acid
credazine	3-(2-methylphenoxy)-pyridazine
crimidine	2-chloro-N,N,6-trimethylpyrimidin-4-amine
crotoxyphos	1-phenylethyl 3-(dimethoxyphosphinoyloxy)= isocrotonate

<i>Cryptolaemus montrouzieri</i>	-
cufraneb	ethylenebis(dithiocarbamate) mixed metal complex containing not less than 8.15%(m/m) of zinc, 8.05%(m/m) of manganese, 5.5%(m/m) of copper and 1.0%(m/m) of iron
cumyluron	1-(2-chlorobenzyl)-3-(1-methyl-1-phenylethyl)= urea
cupric hydrazinium sulphate	copper (II) dihydrazinium disulfate
cuprobam	tricopper dichloride dimethyldithiocarbamate
cuprous oxide	copper (I) oxide
cyanamide	calcium cyanamide
cyanatryn	2-(4-ethylamino-6-methylthio-1,3,5-triazin-2-ylamino)-2-methylpropionitrile
cyanazine	2-(4-chloro-6-ethylamino-1,3,5-triazin-2-ylamino)-2-methylpropionitrile
cyanofenphos	O-4-cyanophenyl O-ethyl phenylphosphonothioate
cyanophos	O-4-cyanophenyl O,O-dimethyl phosphorothioate
cyanthoate	S-[N-(1-cyano-1-methylethyl)carbamoylethyl]= O,O-diethyl phosphorothioate
cyazofamid	4-chloro-2-cyano-N,N-dimethyl-5-p-tolylimidazole-1-sulfonamide
cyclafuramid	N-cyclohexyl-2,5-dimethyl-3-furamide
cycloate	S-ethyl N-cyclohexyl (N-ethyl)thiocarbamate
cycloprothrin	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (RS)-2,2-dichloro-1-(4-ethoxyphenyl)cyclopropanecarboxylate
cycloxydim	( $\pm$ )-2-[1-(ethoxyimino)butyl]-3-hydroxy-5-thian-3-ylcyclohex-2-enone
cycluron	3-cyclo-octyl-1,1-dimethylurea
<i>Cydia pomonella</i> granulosis virus	-
cyflufenamid	(Z)-N-[ $\alpha$ -(cyclopropylmethoxyimino)-2,3-difluoro-6-(trifluoromethyl)benzyl]-2-phenylacetamide
cyfluthrin	(RS)- $\alpha$ -cyano-4-fluoro-3-phenoxybenzyl (1RS,3RS; 1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

cyhalothrin	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS)-3-[(Z)= -2-chloro-3,3,3-trifluoropropenyl]-2,2-dimethyl= cyclopropanecarboxylate  or  (RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS)-cis-3-[(Z)= -2-chloro-3,3,3-trifluoropropenyl]-2,2-dimethyl= cyclopropanecarboxylate
cyhexatin	tricyclohexyltin hydroxide
cymoxanil	1-(2-cyano-2-methoxyiminoacetyl)-3-ethylurea
cyometrinil	(Z)-cyanomethoxyimino(phenyl)acetonitrile
<i>Cydia pomonella</i> granulosis virus	-
cypendazole	methyl 1-(5-cyanopentylcarbamoyl)benzimidazol= -2-ylcarbamate
cypermethrin	RS- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)= -3-(2,2- dichlorovinyl)-2,2-dimethylcyclopropane= carboxylate
cyperquat	1-methyl-4-phenylpyridinium
cyphenothrin [ (1R)-trans- isomers]	(RS)- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)= -2,2-dimethyl-3-(2-methylprop-1-enyl)cyclo= propanecarboxylate
cyprazine	6-chloro-N <sup>2</sup> -cyclopropyl-N <sup>4</sup> -isopropyl-1,3,5-tria= zine-2,4-diamine
cyprazole	N-[5-(2-chloro-1,1-dimethylethyl)-1,3,4-thiadi= azol-2-yl] cyclopropanecarboxamide
cyproconazole	(2RS,3RS;2RS,3SR)-2-(4-chlorophenyl)-3-cyclo= propyl-1-(1H-1,2,4-triazol-1-yl)butan-2-ol
cyprodinil	4-cyclopropyl-6-methyl-N-phenylpyrimidin-2-amine
cyprofuram	( $\pm$ )- $\alpha$ -[N-(3-chlorophenyl)cyclopropane= carboxamido] $\gamma$ -butyrolactone
cypromid	3',4'-dichlorocyclopropanecarboxyanilide
cyromazine	N-cyclopropyl-1,3,5-triazine-2,4,6-triamine
2,4-D (including salts and esters)	(2,4-dichlorophenoxy)acetic acid
2,4-DB (including salts and esters)	4-(2,4-dichlorophenoxy)butyric acid
<i>Dacnusa sibirica</i>	-

dalapon (including salts)	2,2-dichloropropionic acid
Dazomet	3,5-dimethyl-1,3,5-thiadiazinane-2-thione
DDT	isomer pp'-DDT : 1,1,1-trichloro-2,2-bis-(4-chlorophenyl)ethane isomer op-DDT: 1,1,1-trichloro-2-(2-chlorophenyl)-2-(4-chlorophenyl)ethane
debacarb	2-(2-ethoxyethoxy)ethyl benzimidazol-2-yl= carbamate
decafentin	decyltriphenylphosphonium bromochlorotriphenylstannate(IV)
n-decanol	decan-1-ol
decarbofuran	2,3-dihydro-2-methylbenzofuran-7-yl-methyl= carbamate
delachlor	2-chloro-N-(isobutoxymethyl)acet-2',6'-xylylidide
deltamethrin	(S)- $\alpha$ -cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropane= carboxylate
demephion	a mixture of O,O dimethyl O-2-methylthioethyl= phosphorothioate and O,O-dimethyl S-2-methylthioethyl phosphorothioate
demeton	a mixture of demeton-O and demeton-S
demeton methyl	a mixture of demeton-O-methyl and demeton-S-methyl
demeton-O	O,O-diethyl O-2-ethylthioethyl phosphorothioate
demeton-O methyl	2-ethylthioethyl dimethyl phosphorothionate
demeton-S	O,O-diethyl S-2-ethylthioethyl phosphorothioate
demeton-S-methyl	S-2-ethylthioethyl O,O-dimethyl phosphorothioate
demeton-S-methylsulphone	S-2-ethylsulfonyl ethyl O,O-dimethyl phosphorothioate
2,4-DEP	a mixture of: <ul style="list-style-type: none"> <li>(a) tris [2-(2,4-dichlorophenoxy)ethyl] phosphate; and</li> <li>(b) bis[2-(2,4-dichlorophenoxy)ethyl] phosphonate</li> </ul>
desmedipham	ethyl 3-phenylcarbamoyloxyphenylcarbamate
desmetryne	N <sup>2</sup> -isopropyl-N <sup>4</sup> -methyl-6-methylthio-1,3,5-triazine-2,4-diamine
diafenthuron	1-tert-butyl-3-(2,6-di-isopropyl-4-phenoxyphenyl)thiourea
dialifos	S-2-chloro-1-phthalimidoethyl O,O-diethyl phosphorodithioate

diamidafos	phenyl N,N'-dimethylphosphorodiamidate (1)
diatomaceous earth	-
diazinon	O,O-diethyl O-2-isopropyl-6-methylpyrimidin-4-yl=phosphorothioate
dibromochloropropane	1,2-dibromo-3-chloropropane (1)
dicamba (including salts and esters)	3,6-dichloro-o-anisic acid
dicapthon	O-2-chloro-4-nitrophenyl O,O-dimethyl= phosphorothioate
dichlobenil	2,6-dichlorobenzonitrile
dichlofenthion	O-2,4-dichlorophenyl O,O-diethyl phosphorothioate
dichlofenthion	O-2,4-dichlorophenyl O,O-diethyl phosphoro= thioate
dichlofluanid	N-dichlorofluoromethylthio-N',N'-dimethyl-N=phenylsulfamide
dichlofop-P-methyl	methyl (R)-2-[4-(2,4-dichlorophenoxy)phenoxy]=propionate
dichlone	2,3-dichloro-1,4-naphthoquinone
dichloralurea	1,3-bis(2,2,2-trichloro-1-hydroxyethyl)urea
dichlormate	3,4-dichlorobenzyl methylcarbamate
dichlorophen (including salts)	4,4'-dichloro-2,2'-methylenediphenol
1,3 dichloropropene	(E)-1,3-dichloropropene
dichlorprop (including salts and esters)	(RS)-2-(2,4-dichlorophenoxy)propionic acid
dichlorprop-P (including salts and esters)	(R)-2-(2,4-dichlorophenoxy)propionic acid
dichlorvos	2,2-dichlorovinyl dimethyl phosphate
dichlozoline	3-(3,5-dichlorophenyl)-5,5-dimethyl-1,3-oxazol= idine-2,4-dione
diclobutrazol	(2RS,3RS)-1-(2,4-dichlorophenyl)-4,4-dimethyl-2= (1H-1,2,4-triazol-1-yl)pentan-3-ol
diclofop (including esters)	(RS)-2-[4-(2,4-dichlorophenoxy)phenoxy]= propionic acid
diclomezine	6-(3,5-dichloro-4-methylphenyl)pyridazin-3(2H)-= one
dicloran	2,6-dichloro-4-nitroaniline

dicrotophos	3-dimethoxyphosphinoyloxy-N,N-dimethylisocrotonamide
dicryl	3',4'-dichloro-2-methylacrylanilide
dicyclanil	4,6-diamino-2-cyclopropylaminopyrimidine-5= carbonitrile
dicyclocymet	toluylene diisocyanate and 4,4'-methylenebis= (cyclohexyl isocyanate)
dicyclosulam	2',6'-dichloro-5-ethoxy-7-fluoro[1,2,4]triazolo= [1,5-c] pyrimidine-2-sulfonilide
dieldrin (HEOD)	(1R,4S,4aS,5R,6R,7S,8S,8aR)-1,2,3,4,10,10= hexachloro-1,4,4a,5,6,7,8,8a-octahydro-6,7-epoxy-= 1,4:5,8-dimethanonaphthalene
dienochlor	perchloro-1,1'-bicyclopenta-2,4-diene
diethamquat	1,1'-bis(diethylcarbamoylmethyl)-4,4'-bipyridinium
diethatyl (including salts and esters)	N-chloroacetyl-N-(2,6-diethylphenyl)glycine
diethofencarb	isopropyl 3,4-diethoxycarbanilate
diethyltoluamide	N,N diethyl-m-toluamide
difenacoum	3-(3-biphenyl-4-yl-1,2,3,4-tetrahydro-1-naphthyl)= 4-hydroxycoumarin
difenoconazole	cis,trans-3-chloro-4-[4-methyl-2-(1H-1,2,4-triazol= -1-ylmethyl)-1,3-dioxolan-2-yl]phenyl-4- chloro= phenyl ether
difenopenten (including esters)	(E)-(±)-4-[4-(α,α,α-trifluoro-p-tolyloxy)phenoxy]= pent-2-enoic acid
difenoxuron	3-[4-(4-methoxyphenoxy)phenyl]-1,1- dimethylurea
difenzoquat (including salts)	1,2-dimethyl-3,5-diphenylpyrazolium
difethialone	3-[(1RS,3RS;1RS,3SR)-3-(4'-bromobiphenyl-4-yl)= 1,2,3,4-tetrahydro-1,naphthyl]-4-hydroxy-1= benzothi- in-2-one where ratios of the racemates (1RS,3RS) to (1RS,3SR) lie in the range 0-15 to 85= -100
diflovidazine	3-(2-chlorophenyl)-6-(2,6-difluorophenyl)-1,2,4,5= tetrazine
diflubenzuron	1-(4-chlorophenyl)-3-(2,6-difluorobenzoyl)urea
diflufenican	2',4'-difluoro-2-(α,α,α-trifluoro-m-tolyloxy)= nicotinilide
diflufenzopyr	2',6'-dichloro-5-ethoxy-7-fluoro[1,2,4]triazolo[1,5= c]

<i>Diglyphus isaea</i>	-
dihydroazadirachtin	-
dimefox	tetramethylphosphorodiamidic fluoride (1)
dimefuron	3-[4-(5-tert-butyl-2,3-dihydro-2-oxo-1,3,4-oxa= diazol-3-yl)-3-chlorophenyl]-1,1-dimethylurea
dimepiperate	S-1-methyl-1-phenylethyl piperidine-1-carbo= thioate
dimethachlor	2-chloro-N-(2-methoxyethyl)aceto-2',6'-xylylide
dimethametryn	N <sup>2</sup> -(1,2-dimethylpropyl)-N <sup>4</sup> -ethyl-6-methylthio= 1,3,5-triazine-2,4-diamine
dimethenamid	(RS)-2-chloro-N-(2,4-dimethyl-3-thienyl)-N-(2= methoxy-1-methylethyl)acetamide
dimethipin	2,3-dihydro-5,6-dimethyl-1,4-dithi-ine 1,1,4,4= tetraoxide
dimethirimol	5-butyl-2-dimethylamino-6-methylpyrimidin-4-ol
dimethoate	2-dimethoxyphosphinothioylthio-N-methyl= acetamide
	or
	O,O-dimethyl S-methylcarbamoylmethyl phosphoro= dithioate
dimethomorph	(E,Z)-4-[3-(4-chlorophenyl)-3-(3,4-dimethoxy= phenyl)acryloyl]morpholine (E to Z normally ratio 1:1)
dimethrin	2,4-dimethylbenzyl(1RS)-cis,trans-2,2-dimethyl= -3-(2-methylprop-1-enyl)cyclopropanecarboxylate
dimethyl disulfide	dimethyl disulfide
dimethylvinphos	(Z)-2-chloro-1-(2,4-dichlorophenyl)vinyl dimethyl= phosphate
dimetilan	1-dimethylcarbamoyl-5-methylpyrazol-3-yl= dimethylcarbamate
dimexano	O,O-dimethyl dithiobis(thioformate)
dimidazon	4,5-dimethoxy-2-phenylpyridazin-3(2H)-one
dimoxystrobin	(E)-2-(methoxyimino)-N-methyl-2-[α-(2,5= xylyloxy)-o-tolyl]acetamide
dinex	2-cyclohexyl-4,6-dinitrophenol (1)
diniconazole	(E)-(RS)-1-(2,4-dichlorophenyl)-4,4-dimethyl-2= (1H-1,2,4-triazol-1-yl)pent-1-en-3-ol
dinitramine	N <sup>1</sup> ,N <sup>1</sup> -diethyl-2,6-dinitro-4-trifluoromethyl-m=

dinocap	2,6-dinitro-4-octylphenyl crotonates and 2,4-dinitro-6-octylphenyl crotonates in which 'octyl' is a mixture of 1-methylheptyl, 1-ethylhexyl and 1-propylpentyl groups
dinocton	a mixture of: <ul style="list-style-type: none"> <li>(i) 2,4-dinitro-6-(1-propylpentyl)phenyl methylcarbonate;</li> <li>(ii) 2-(1-ethylhexyl)-4,6-dinitrophenyl methylcarbonate;</li> <li>(iii) 2,6-dinitro-4-(1-propylpentyl)phenyl methylcarbonate; and</li> <li>(iv) 4-(1-ethylhexyl)-2,6-dinitrophenyl methylcarbonate</li> </ul>
dinofenate	2-sec-butyl-4,6-dinitrophenyl 2,4-dinitrophenylcarbonate
dinopenton	isopropyl 2-(1-methylbutyl)-4,6-dinitrophenylcarbonate
dinoprop	4,6-dinitro-o-cymen-3-ol
dinosan	2-(1-methylbutyl)-4,6-dinitrophenol (1)
dinoseb (including salts and esters)	2-sec-butyl-4,6-dinitrophenol
dinosulfon	S-methyl O-2-(1-methylheptyl)-4,6-dinitrophenylthiocarbonate
dinotefuran	( <i>EZ</i> )-( <i>RS</i> )-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine
dinoterb (including salts and esters)	2-tert-butyl-4,6-dinitrophenol
dinoterbon	2-tert-butyl-4,6-dinitrophenyl ethyl carbonate
diufenolan	a mixture of (2 <i>RS</i> ,4 <i>SR</i> )-4-(2-ethyl-1,3-dioxolan-4-ylmethoxy)phenyl phenyl ether (50%-80%) and (2 <i>RS</i> ,4 <i>RS</i> )-4-(2-ethyl-1,3-dioxolan-4-ylmethoxy)phenyl phenyl ether (50%-20%)
dioxabenzofos	( <i>RS</i> )-2-methoxy-4 <i>H</i> -benzo-1,3,2λ <sup>5</sup> -benzodioxaphosphinine-2-sulfide
dioxacarb	2-(1,3-dioxolan-2-yl)phenyl methylcarbamate
dioxathion	S,S'-(1,4-dioxane-2,3-diyl) O,O',O',O'-tetraethylbis(phosphorodithioate)
diphacinone	2-(diphenylacetyl)indan-1,3-dione
diphenamid	N,N-dimethyldiphenylacetamide
diphenyl sulfone	diphenyl sulfone

dipropetryn 6-ethylthio-N<sup>2</sup>,N<sup>4</sup>-di-isopropyl-1,3,5-triazine-2,4-diamine

dipyrithione di-2-pyridyl disulfide 1,1'-dioxide

diquat (including salts) 9,10-dihydro-8<sup>a</sup>,10<sup>a</sup>-diazoniaphenanthrene

or

6,7-dihydrodipyrido[1,2-*a*:2',1'-*c*]pyrazine-5,8-dium

or

1,1'-ethylene-2,2'-bipyridyldiylium

disul 2-(2,4-dichlorophenoxy)ethyl hydrogen sulphate

disulfoton O,O-diethyl S-2-ethylthioethyl phosphorodithioate

ditalimfos O,O-diethyl phthalimidophosphonothioate

dithianon 5,10-dihydro-5,10-dioxanaphtho[2,3-*b*]-1,4-dithiine-2,3-dicarbonitrile

dithicrofos S-(6-chloro-3,4-dihydro-2H-1-benzothiazin-4-yl) O,O-diethylphosphorodithioate

dithiopyr S,S'-dimethyl 2-difluoromethyl-4-isobutyl-6-trifluoromethylpyridine-3,5-dicarbothioate

diuron 3-(3,4-dichlorophenyl)-1,1-dimethylurea

DMPA (RS)-(O-2,4-dichlorophenyl O-methyl isopropylphosphoroamidothioate)

DNOC (including salts) 4,6-dinitro-*o*-cresol

dodemorph (including esters) 4-cyclododecyl-2,6-dimethylmorpholine

dodicin N-[2-(2-dodecylaminoethylamino)ethyl]glycine

dodine 1-dodecylguanidinium acetate

dofenapyn 4-(pent-4-ynyloxy)phenyl phenyl ether

drazoxolon 4-(2-chlorophenylhydrazono)-3-methylisoxazol-5(4H)-one

edifenphos O-ethyl S,S<sup>o</sup>-diphenyl phosphorodithioate

eglinazine (including esters) N-(4-chloro-6-ethylamino-1,3,5-triazin-2-yl)glycine

emamectin benzoate a mixture containing 90% of (10E,14E,16E,22Z)- (1R,4S,5'S,6S,6'R,8R,12S,13S,20R,21R,24S)-6'-[(S)-sec-butyl]-2,1,2,4-dihydroxy-5',11,13,22-tetra-methyl-2-oxo-3,7,19-

	methyl-4-methylamino- $\alpha$ -L-lyxo-hexo= pyranosyl)- $\alpha$ -L-arabino-hexopyranoside and 10% of (10E,14E,16E,22Z)-(1R,4S, 5'S,6S,6'R,8R,12S,= 13S,20R,21R,24S )-21,24-dihydroxy-6'-isopropyl-= 5',11,13,22-tetramethyl-2-oxo-3,7,19-trioxatetra= cyclo[15.6.1.1 <sup>4,8</sup> .0 <sup>20,24</sup> ]pentacosa-10,14,16,22-= tetraene-6-spiro-2'-(5',6'-dihydro-2'H-pyran)-12-yl= 2,6-dideoxy-3-O-methyl-4-O-(2,4,6-trideoxy-3-O=methyl-4-methylamino- $\alpha$ -L-lyxo-hexopyranosyl)= - $\alpha$ -L-arabino-hexopyranoside
empenthrin [(EZ)-(1R) isomers]	(E)-(RS)-1-ethynyl-2-methylpent-2-enyl=(1RS,3RS;1R,3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate
<i>Encarsia Formosa</i>	-
endosulfan	(1,4,5,6,7,7-hexachloro-8,9,10-trinorborn-5-en-= 2,3-ylenebismethylene) sulfite
endothal (including salts)	7-oxabicyclo[2.2.1]heptane-2,3-dicarboxylic acid
endothion	S-5-methoxy-4-oxo-4H-pyran-2-ylmethyl O,O= dimethyl phosphorothioate
endrin	(1R,4S,4aS,5S,6S,7R,8R,8aR)-1,2,3,4,10,10-hexachloro-1,4,4a,5,6,8,8a-octahydro-6,7-epoxy-= 1,4:5,8-dimethanonaphthalene
EPBP	O-2,4-dichlorophenyl O-ethyl phenylphosphono= thioate
EPN	O-ethyl O-4-nitrophenyl phenylphosphonothioate
epofenonane	6,7-epoxy-3-ethyl-7-methylnonyl 4-ethylphenyl ether
epoxiconazole	(2RS,3SR)-1-[3-(2-chlorophenyl)-2,3-epoxy-2-(4= fluorophenyl)propyl]-1H-1,2,4-triazole
epronaz	N-ethyl-N-propyl-3-propylsulphonyl-1H-1,2,4= triazole-1-carboxamide
EPTC	S-ethyl dipropylthiocarbamate
erbon	2-(2-4,5-trichlorophenoxy)ethyl 2,2-dichloro= propionate
<i>Eretmocerus eremicus</i>	-
ergocalciferol	(5Z,7E,22E)-(3S)-9,10-secoergosta-5,7-10(19),= 22-tetraen-3-ol
esfenvalerate	(S)- $\alpha$ -cyano-3-phenoxybenzyl (S)-2-(4-chloro= phenyl)-3-methylbutyrate
esprocarb	S-benzyl 1,2-dimethylpropyl(ethyl)thiocarbamate
etacelasil	2-chloroethyltris(2-methoxyethoxy)silane

etem	5,6-dihydro-(1 <i>H</i> ,3 <i>H</i> )-imidazo[2,1- <i>c</i> ]-1,2,4-dithia= zole-3-thione
ethaboxam	( <i>RS</i> )- <i>N</i> -( $\alpha$ -cyano-2-thenyl)-4-ethyl-2-(ethylamino)= -1,3-thiazole-5-carboxamide
ethalfluralin	<i>N</i> -ethyl- $\alpha$ - $\alpha$ - $\alpha$ -trifluoro- <i>N</i> -(2-methylallyl)-2,6-= dinitro- <i>p</i> -toluidine
ethametsulfuron (including salts and esters)	2-[(4-ethoxy-6-methylamino-1,3,5-triazin-2-yl)= carbamoylsulfamoyl]benzoic acid
ethidimuron	1-(5-ethylsulfonyl-1,3,4-thiadiazol-2-yl)1,3-= dimethylurea
ethiofencarb	$\alpha$ -ethylthio- <i>o</i> -tolyl-methylcarbamate
ethiolate	<i>S</i> -ethyl diethylthiocarbamate
ethion	<i>O</i> , <i>O</i> , <i>O</i> ' , <i>O</i> ' -tetraethyl <i>S</i> , <i>S</i> '-methylene bis(phospho= rodithioate)
ethiprole	5-amino-1-(2,6-dichloro- $\alpha$ , $\alpha$ , $\alpha$ -trifluoro- <i>p</i> -tolyl)-4-= ethylsulfinylpyrazole-3-carbonitrile
ethirimol	5-butyl-2-ethylamino-6-methylpyrimidin-4-ol
ethoate-methyl	<i>S</i> -ethylcarbamoylmethyl <i>O</i> , <i>O</i> -dimethyl phosphoro= dithioate
ethofenprox or etofenprox	2-(4-ethoxyphenyl)-2-methylpropyl 3-phenoxy= benzyl ether
ethofumesate	( $\pm$ )-2-ethoxy-2,3-dihydro-3,3-dimethylbenzofuran-= 5-yl methanesulfonate
ethoprophos	<i>O</i> -ethyl <i>S</i> , <i>S</i> -dipropyl phosphorodithioate
ethoxyquin	1,2-dihydro-2,2,4-trimethylquinolin-6-yl ethyl ether
ethoxysulfuron	1-(4,6-dimethoxypyrimidin-2-yl)-3-(2-ethoxy= phoxysulfonyl) urea
ethyl hexanediol	2-ethylhexane-1,3-diol
ethylene dibromide	ethylene dibromide or 1,2-dibromoethane
etinofen	$\alpha$ -ethoxy-4,6-dinitro- <i>o</i> -cresol
etnipromid	( <i>RS</i> )-2-[5-(2,4-dichlorophenoxy)-2-nitrophenoxy]= - <i>N</i> -ethylpropionamide
etobenzanid	2',3'-dichloro-4-ethoxymethoxybenzanilide
etoxazole	( <i>RS</i> )-5- <i>tert</i> -butyl-2-[2-(2,6-difluorophenyl)-4,5-= dihydro-1,3-oxazol-4-yl]phenetole

EXD	O,O-diethyl dithiobis(thioformate)
famoxadone	3-anilino-5-methyl-5-(4-phenoxyphenyl)-1,3-oxazolidine-2,4-dione
famphur	O,4-dimethylsulfamoylphenyl O,O-dimethylphosphorothioate
fenamidone	(S)-1-anilino-4-methyl-2-methylthio-4-phenylimidazolin-5-one
fenaminosulf	sodium 4-dimethylaminobenzenediaosulfonate
fenamiphos	ethyl 4-methylthio-m-tolyl isopropylphosphoramidate
fenapanil	(RS)-2-(imidazol-1-ylmethyl)-2-phenylhexanenitrile
fenarimol	(RS)-2,4'-dichloro- $\alpha$ -(pyrimidin-5-yl)benzhydryl alcohol
fenasulam	methyl 4-[2-(4-chloro-o-tolylloxy)acetamido]phenylsulfonycarbamate
fenazaflor	phenyl 5,6-dichloro-2-trifluoromethylbenzimidazole-1-carboxylate
fenazaquin	4-tert-butylphenethyl quinazolin-4-yl ether
fenbuconazole	(RS)-4-(4-chlorophenyl)-2-phenyl-2-(1H-1,2,4-triazol-1-ylmethyl)butyronitrile
fenbutatin oxide	bis[tris(2-methyl-2-phenylpropyl)tin] oxide
fenchlorazole (including esters)	1-(2,4-dichlorophenyl)-5-trichloromethyl-1H-1,2,4-triazole-3-carboxylic acid
fenchlorphos	O,O-dimethyl O-2,4,5-trichlorophenyl phosphorothioate
fenethacarb	3,5-diethylphenyl methylcarbamate
fenfluthrin	2,3,4,5,6-pentafluorobenzyl(1R)-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate
fenfuram	2-methyl-3-furanilide
fenhexamid	2',3'-dichloro-4'-hydroxy-1-methylcyclohexanecarboxanilide
fenitropan	(1RS,2RS)-2-nitro-1-phenyltrimethylene diacetate
fenitrothion	O,O-dimethyl O-4-nitro-m-tolyl phosphorothioate
fenobucarb or BPMC	2-sec-butylphenyl methylcarbamate
fenoprop (including esters and salts)	( $\pm$ )-2-(2,4,5-trichlorophenoxy) propionic acid
fenothiocarb	S-4-phenoxybutyl dimethylthiocarbamate

ferbam	iron(III) dimethyldithiocarbamate or iron(3+) dimethyldithiocarbamate or ferric dimethyldithiocarbamate
ferimzone	(Z)-2'-methylacetophenone 4,6-dimethylpyrimidin-2-ylhydrazone
ferrous sulfate	iron(II) sulfate
fipronil	5-amino-1-(2,6-dichloro- $\alpha,\alpha,\alpha$ -trifluoro- <i>p</i> -tolyl)-4-[(trifluoromethyl)sulfinyl]pyrazole-3-carbonitrile
flampro-M (including esters)	N-benzoyl-N-(3-chloro-4-fluorophenyl)-D-alanine
flamprop (including esters)	N-benzoyl-N-(3-chloro-4-fluorophenyl)-DL-alanine
flazasulfuron	1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-trifluoromethyl-2-pyridylsulfonyl) urea
flocoumafen	4-hydroxy-3-[1,2,3,4-tetrahydro-3-[4-(4-trifluoromethylbenzyloxy)phenyl]-1-naphthyl]-coumarin (mixture of cis to trans isomers in ratio the range 60:40 to 40:60)
flonicamid	N-cyanomethyl-4-(trifluoromethyl)nicotinamide
florasulam	2',6',8-trifluoro-5-methoxy[1,2,4]triazolo[1,5- <i>c</i> ]pyrimidine-2-sulfonanilide
fluacrypyrim	methyl ( <i>E</i> )-2-{ $\alpha$ -[2-isopropoxy-6-(trifluoromethyl)pyrimidin-4-yloxy]- <i>o</i> -tolyl}-3-methoxy acrylate
fluazifop (including esters)	(RS)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionic acid
fluazifop-P (including esters)	(R)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionic acid
fluazinam	3-chloro-N-(3-chloro-5-trifluoromethyl-2-pyridyl)- $\alpha,\alpha,\alpha$ -trifluoro 2,6-dinitro- <i>p</i> -toluidine
fluazuron	1-[4-chloro-3-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenyl]-3-(2,6-difluorobenzoyl) urea
flubendiamide	3-iodo-N'-(2-mesyl-1,1-dimethylethyl)-N-{4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]- <i>o</i> -tolyl}phthalamide
flubenzimine	(2Z,4E,5Z)-N <sup>2</sup> ,3-diphenyl-N <sup>4</sup> ,N <sup>5</sup> -bis(trifluoromethyl)-1,3-thiazolidine-2,4,5-triylidenetriamine
flucarbazone (including salts)	4,5-dihydro-3-methoxy-4-methyl-5-oxo-N-[2-(trifluoromethoxy)phenylsulfonyl]-1 <i>H</i> -1,2,4-triazole-1-

ferbam	iron(III) dimethyldithiocarbamate or iron(3+) dimethyldithiocarbamate or ferric dimethyldithiocarbamate
ferimzone	(Z)-2'-methylacetophenone 4,6-dimethylpyrimidin-2-ylhydrazone
ferrous sulfate	iron(II) sulfate
fipronil	5-amino-1-(2,6-dichloro- $\alpha,\alpha,\alpha$ -trifluoro- <i>p</i> -tolyl)-4-[(trifluoromethyl)sulfinyl]pyrazole-3-carbonitrile
flampro-M (including esters)	N-benzoyl-N-(3-chloro-4-fluorophenyl)-D-alanine
flamprop (including esters)	N-benzoyl-N-(3-chloro-4-fluorophenyl)-DL-alanine
flazasulfuron	1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-trifluoromethyl-2-pyridylsulfonyl) urea
flocoumafen	4-hydroxy-3-[1,2,3,4-tetrahydro-3-[4-(4-trifluoromethylbenzyloxy)phenyl]-1-naphthyl]-coumarin (mixture of cis to trans isomers in ratio the range 60:40 to 40:60)
flonicamid	N-cyanomethyl-4-(trifluoromethyl)nicotinamide
florasulam	2',6',8-trifluoro-5-methoxy[1,2,4]triazolo[1,5- <i>c</i> ]pyrimidine-2-sulfonanilide
fluacrypyrim	methyl ( <i>E</i> )-2-{ $\alpha$ -[2-isopropoxy-6-(trifluoromethyl)pyrimidin-4-yloxy]- <i>o</i> -tolyl}-3-methoxy acrylate
fluazifop (including esters)	(RS)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionic acid
fluazifop-P (including esters)	(R)-2-[4-(5-trifluoromethyl-2-pyridyloxy)phenoxy]propionic acid
fluazinam	3-chloro-N-(3-chloro-5-trifluoromethyl-2-pyridyl)- $\alpha,\alpha,\alpha$ -trifluoro 2,6-dinitro- <i>p</i> -toluidine
fluazuron	1-[4-chloro-3-(3-chloro-5-trifluoromethyl-2-pyridyloxy)phenyl]-3-(2,6-difluorobenzoyl) urea
flubendiamide	3-iodo-N'-(2-mesyl-1,1-dimethylethyl)-N-{4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]- <i>o</i> -tolyl}phthalamide
flubenzimine	(2Z,4E,5Z)-N <sup>2</sup> ,3-diphenyl-N <sup>4</sup> ,N <sup>5</sup> -bis(trifluoromethyl)-1,3-thiazolidine-2,4,5-triylidenetriamine

flucetosulfuron	1-{3-[4,6-dimethoxypyrimidin-2-ylcarbonyl]= sulfamoyl]-2-pyridyl}-2-fluoropropylmethoxy= acetate
fluchloralin	N-(2-chloroethyl)- $\alpha,\alpha,\alpha$ -trifluoro-2,6-dinitro-N= propyl- <i>p</i> -toluidine  or N-(2-chloroethyl)-2,6-dinitro-N-propyl-4-(tri= fluoromethyl) anilide
flucofuron	1,3-bis(4-chloro- $\alpha,\alpha,\alpha$ -trifluoro- <i>m</i> -tolyl)
flucycloxuron	1-{ $\alpha$ -[( <i>EZ</i> )-4-chloro- $\alpha$ -cyclopropylbenzylidene= aminoxy]- <i>p</i> -tolyl}-3-(2,6-difluorobenzoyl)urea (ratio 50–80% ( <i>E</i> )- and 50–20% ( <i>Z</i> )- isomers)
flucythrinate	( <i>RS</i> )- $\alpha$ -cyano-3-phenoxybenzyl ( <i>S</i> )-2-(4-difluoro= methoxyphenyl)-3-methylbutyrate
fludioxonil	4-(2,2-difluoro-1,3-benzodioxol-4-yl)pyrrole-3= carbonitrile
fluenetil	2-fluoroethyl biphenyl-4-ylacetate
flufenacet	4'-fluoro-N-isopropyl-2-(5-trifluoromethyl-1,3,4= thiadiazol-2-yloxy)acetanilide
flufenican	2-( $\alpha,\alpha,\alpha$ -trifluoro- <i>m</i> -tolyl)oxy) nicotinanilide
flufenoxuron	1-[4-(2-chloro- $\alpha,\alpha,\alpha$ -trifluoro- <i>p</i> -tolyl)oxy)-2= fluorophenyl]-3-2,6-difluorobenzoyl)urea
flufenprox	3-(4-chlorophenoxy)benzyl ( <i>RS</i> )-2-(4-ethoxy= phenyl)-3,3,3-trifluoropropyl ether
flufenpyr (including salts and esters)	2-chloro-5-[1,6-dihydro-5-methyl-6-oxo-4= (trifluoromethyl)pyridazin-1-yl]-4-fluorophe= noxyacetic acid
flumethrin	$\alpha$ -cyano-4-fluoro-3-phenoxybenzyl 3-( $\beta$ ,4= dichlorostyryl)-2,2-dimethylcyclopropane= carboxylate
flumetralin	<i>N</i> -(2-chloro-6-fluorobenzyl)- <i>N</i> -ethyl- $\alpha,\alpha,\alpha$ -tri= fluoro-2,6-dinitro- <i>p</i> -toluidine
flumetsulam	2',6'-difluoro-5-methyl[1,2,4]triazolo[1,5- <i>a</i> ]= pyrimidine-2-sulfonamide
flumezin	2-methyl-4-( $\alpha,\alpha,\alpha$ -trifluoro- <i>m</i> -tolyl)-1,2,4= oxadiazinane-3,5-dione
flumiclorac (including salts)	[2-chloro-5-(cyclohex-1-ene-1,2-dicarboximido)= 4-fluorophenoxy]acetic acid
flumioxazin	<i>N</i> -(7-fluoro-3,4-dihydro-3-oxo-4-prop-2-ynyl-2H= 1,4-benzoxazin-6-yl)cyclohex-1-ene-1,2= dicarboxamide

flumorph (E)-4-[3-(3,4-dimethoxyphenyl)-3-(4-fluorophenyl)acryloyl]morpholine

or

(E)-3-(3,4-dimethoxyphenyl)-3-(4-fluorophenyl)-1-morpholinopropenone (50% (E)-isomer, 50% (Z)-isomer)

fluometuron 1,1-dimethyl-3-( $\alpha,\alpha,\alpha$ -trifluoro-m-tolyl)urea

fluorbenside 4-chlorobenzyl 4-fluorophenyl sulfide

fluoroacetamide 2-fluoroacetamide

fluorodifen 4-nitrophenyl  $\alpha,\alpha,\alpha$ -trifluoro-2-nitro-p-tolyl ether

fluoroglycofen (including esters) O-[5-(2-chloro- $\alpha,\alpha,\alpha$ -trifluoro-p-tolyloxy)-2-nitrobenzoyl]glycolic acid

fluoroimide 2,3-dichloro-N-4-fluorophenyl-maleimide

fluoromidine 6-chloro-2-trifluoromethyl-3H-imidazo[4,5-b]pyridine

fluoronitrofen 2,4-dichloro-6-fluorophenyl 4-nitrophenyl ether

fluothiuron 3-[3-chloro-4-(chlorodifluoromethylthio)phenyl]-1,1-dimethylurea

fluotrimazole 1-(3-trifluoromethyltrityl)-1H-1,2,4-triazole

fluoxastrobin (E)-{2-[6-(2-chlorophenoxy)-5-fluoropyrimidin-4-yloxy]phenyl}(5,6-dihydro-1,4,2-dioxazin-3-yl)methanone O-methyloxime

flupoxam 1-[4-chloro-3-(2,2,3,3,3-pentafluoropropoxy)methyl]phenyl]-5-phenyl-1H-1,2,4-triazole-3-carboxamide

flupropradine (including salts) 4-tert-butyl-1-[3-( $\alpha,\alpha,\alpha,\alpha',\alpha',\alpha'$ -hexafluoro-3,5-dimethyl)prop-2-ynyl]piperidine

flupropanate (including salts) 2,2,3,3-tetrafluoropropionic acid

flupyrsulfuron (including salts and esters) 2-[(4,6-dimethoxypyrimidin-2-ylcarbonyl)sulfamoyl]-6-(trifluoromethyl)nicotinic acid

fluquinconazole 3-(2,4-dichlorophenyl)-6-fluoro-2-(1H-1,2,4-triazol-1-yl)quinazolin-4(3H)-one

flurazole benzyl 2-chloro-4-trifluoromethyl-1,3-thiazole-5-carboxylate

flurenol (including esters) 9-hydroxyfluorene-9-carboxylic acid

flurochloridone	(3RS,4RS;3RS,4SR)-3-chloro-4-chloromethyl-1-( $\alpha,\alpha,\alpha$ -trifluoro- <i>m</i> -tolyl)-2-pyrrolidinone (in ratio 3:1)
fluroxypyr (including esters)	4-amino-3,5-dichloro-6-fluoro-2-pyridyloxyacetic acid
flurprimidol	(RS)-2-methyl-1-pyrimidin-5-yl-1-(4-trifluoro- <i>m</i> -methoxyphenyl)propan-1-ol
flurtamone	(RS)-5-methylamino-2-phenyl-4-( $\alpha,\alpha,\alpha$ -trifluoro- <i>m</i> -tolyl) furan-3(2H)-one
flusilazole	bis(4-fluorophenyl)(methyl)(1H-1,2,4-triazol-1-ylmethyl) silane
flusulfamide	2',4-dichloro- $\alpha,\alpha,\alpha$ -trifluoro-4'-nitro- <i>m</i> -toluene-sulfonamide
fluthiacet (including salts and esters)	{2-chloro-4-fluoro-5-[( <i>EZ</i> )-5,6,7,8-tetrahydro-3-oxo-1 <i>H</i> ,3 <i>H</i> -[1,3,4]thiadiazolo[3,4- <i>a</i> ]pyridazin-1-ylideneamino]phenylthio}acetic acid
flutolanil	$\alpha,\alpha,\alpha$ -trifluoro-3'-isopropoxy- <i>o</i> -toluanilide
flutriafol	(RS)-2,4'-difluoro- $\alpha$ -(1H-1,2,4-triazol-1-ylmethyl)benzhydryl alcohol
fluvalinate	(RS)- $\alpha$ -cyano-3-phenoxybenzyl N-(2-chloro- $\alpha,\alpha,\alpha$ -trifluoro- <i>p</i> -tolyl)-DL-valinate
folpet	N-(trichloromethylthio)phthalimide
fomesafen (including salts)	5-(2-chloro- $\alpha,\alpha,\alpha$ -trifluoro- <i>p</i> -tolyl)oxy)-N-methylsulfonyl-2-nitrobenzamide
fonofos	O-ethyl S-phenyl (RS)-ethylphosphonodithioate
foramsulfuron	1-(4,6-dimethoxypyrimidin-2-yl)-3-[2-(dimethylcarbamoyl)-5-formamidophenylsulfonyl]urea
formetanate (including salts)	3-dimethylaminomethyleneaminophenylmethylcarbamate
formothion	S-[formyl(methyl)carbamoylmethyl]O,O-dimethylphosphorodithioate
fosamine (including salts)	ethyl hydrogen carbamoylphosphonate
fosetyl (including salts)	ethyl hydrogen phosphonate
fosmethilan	S-[N-(2-chlorophenyl)butyramidomethyl]O,O-dimethylphosphorodithioate
fospirate	dimethyl 3,5,6-trichloro-2-pyridyl phosphate

fuberidazole	2-(2-furyl)benzimidazole
furalaxyl	methyl N-(2-furoyl)-N-(2,6-xylyl)-DL-alaninate
furalaxyl-M	methyl N(2,6-furoyl)-N-(2,6-xylyl)-D-alaninate
furametpyr	( <i>RS</i> )-5-chloro- <i>N</i> -(1,3-dihydro-1,1,3-trimethyliso= benzofuran-4-yl)-1,3-dimethylpyrazole-4-= carboxamide
furathiocarb	butyl 2,3-dihydro-2,2-dimethylbenzofuran-7-yl= N,N'-dimethyl-N,N'-thiodicarbamate
furcarbanil	2,5-dimethyl-3-furanilide
furconazole	(2 <i>RS</i> ,5 <i>RS</i> ;2 <i>RS</i> ,5 <i>SR</i> )-5-(2,4-dichlorophenyl)tetra= hydro-5-(1 <i>H</i> ,1,2,4-triazol-1-ylmethyl)-2-furyl 2,2,2-= trifluoroethyl ether
furconazole-cis	(2 <i>RS</i> ,5 <i>RS</i> )-5-(2,4-dichlorophenyl)tetrahydro-5-= (1 <i>H</i> ,1,2,4-triazol-1-ylmethyl)-2-furyl 2,2,2-= trifluoroethyl ether
furmecyclox	methyl N-cyclohexyl-2,5-dimethylfuran-3-carbo= hydroxamate
furophanate	methyl 4-(2-furfurylideneaminophenyl)-3-thioallo= phanate
furyloxyfen	(±)-5-(2-chloro-α,α,α-trifluoro-p-tolyloxy)-2-nitro= phenyl tetrahydro-3-furyl ether
<i>Fusarium oxysporum</i>	-
gamma-cyhalothrin	( <i>S</i> )-α-cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> )-3-[( <i>Z</i> )-2-= chloro-3,3,3-trifluoropropenyl]-2,2-dimethyl= cyclopropanecarboxylate  or  ( <i>S</i> )-α-cyano-3-phenoxybenzyl (1 <i>R</i> )- <i>cis</i> -3-[( <i>Z</i> )-2-= chloro-3,3,3-trifluoropropenyl]-2,2-dimethyl= cyclopropanecarboxylate
gamma-HCH - see also lindane	gamma isomer of 1,2,3,4,5,6-hexachlorocyclo= hexane
<i>Gliocladium spp.</i>	-
<i>Gliocladium catenulatum</i>	-
glufosinate (including salts)	DL-homoalanin-4-yl(methyl)phosphinic acid  or  4-[hydroxy(methyl)phosphinoyl]-DL-homoala= nine
glyodin	2-heptadecyl-2-imidazoline acetate

guazatine (including esters)	a mixture of the reaction products from polyamines, comprising mainly octamethylenediamine,iminodi= (octamethylene) diamine and octamethylenebis= (imino-octamethylene) diamine and carbamonitrile
halacrinat	7-bromo-5-chloro-8-quinolyl acrylate
halfenprox	2-(4-bromodifluoromethoxyphenyl)-2-methyl= propyl 3-phenoxybenzyl ether
halofenozide	<i>N-tert</i> -butyl- <i>N'</i> -(4-chlorobenzoyl)benzo hydrazide
halosafen	5-(2-chloro- $\alpha,\alpha,\alpha,6$ -tetrafluoro- <i>p</i> -tolylloxy)- <i>N</i> = ethylsulfonyl-2-nitrobenzamide
halosulfuron (including esters)	3-chloro-5-(4,6-dimethoxypyrimidin-2-ylcarba= moylsulfamoyl)-1-methylpyrazole-4-carboxylic acid
haloxydine	3,5-dichloro-2,6-difluoropyridin-4-ol
haloxyfop (including esters)	( <i>RS</i> )-2-[4-(3-chloro-5-trifluoromethyl-2-pyridyl= oxy) phenoxy] propionic acid
haloxyfop (including salts and esters)	( <i>RS</i> )-2-{4-[3-chloro-5-(trifluoromethyl)-2-= pyridyloxy] phenoxy}propionic acid
haloxyfop-P	( <i>R</i> )-isomer of ( <i>RS</i> )-2-{4-[3-chloro-5-(trifluoro= methyl)-2-pyridyloxy]phenoxy}propionic acid
HCH - see also BHC	1,2,3,4,5,6-hexachlorocyclohexane
<i>Helicoverpa zea</i> NPV	-
<i>Helicoverpa armigera</i> NPV	-
heptachlor	1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro-4,7= -methanoindene
heptenophos	7-chlorobicyclo[3.2.0]hepta-2,6-dien-6-yl dimethyl= phosphate
<i>Heterorhabditiss bacteriophora</i>	-
<i>Heterorhabditis megidis</i>	-
hexachloroacetone	Hexachloroacetone
hexaconazole	( <i>RS</i> )-2-(2,4-dichlorophenyl)-1-(1H-1,2,4-triazol= 1-yl)hexan-2-ol
hexaflumuron	1-[3,5-dichloro-4(1,1,2,2-tetrafluoroethoxy)= phenyl]-3-(2,6-difluorobenzoyl)urea
hexaflurate	potassium hexafluoroarsenate

hexylthiofos	O-cyclohexyl O,S-diethyl phosphorothioate
hexythiazox	(4RS,5RS)-5-(4-chlorophenyl)-N-cyclohexyl-4-methyl-2-oxo-1,3-thiazolidine-3-carboxamide
<i>Hippodamia convergens</i>	-
hydramethylnon	5,5-dimethylperhydropyrimidin-2-one 4-trifluoromethyl- $\alpha$ -(4-trifluoromethylstyryl)-cinnamylidenehydrazone
hydroprene	ethyl (E,E)-(RS)-3,7,11-trimethyldodeca-2,4-dienoate
hydroxyisoxazole	3-hydroxy-5-methylisoxazole
hymexazol	5-methylisoxazol-3-ol
hyquincarb	5,6,7,8-tetrahydro-2-methyl-4-quinolyl dimethylcarbamate
icaridin	(RS)-sec-butyl (RS)-2-(2-hydroxyethyl)piperidine-1-carboxylate
imazalil (including salts)	( $\pm$ )-allyl 1-(2,4-dichlorophenyl)-2-imidazol-1-ylethyl ether  or  ( $\pm$ )-1-( $\beta$ -allyloxy-2,4-dichlorophenylethyl)-imidazole
imazamethabenz (including esters)	a reaction product comprising:  (i) ( $\pm$ )-6-(4-isopropyl-4-methyl-5-oxo-2-imidazol-2-yl)-m-toluic acid; and  (ii) ( $\pm$ )-2-(4-isopropyl-4-methyl-5-oxo-2-imidazol-2-yl)-p-toluic acid
imazamox (including salts and esters)	2-[(RS)-4-isopropyl-4-methyl-5-oxo-2-imidazol-2-yl]-5-methoxymethylnicotinic acid
imazapic (including salts and esters)	2-[(RS)-4-isopropyl-4-methyl-5-oxo-2-imidazol-2-yl]-5-methylnicotinic acid
imazapyr (including salts)	2-(4-isopropyl-4-methyl-5-oxo-2-imidazol-2-yl)-nicotinic acid
imazaquin (including salts)	(RS)-2-(4-isopropyl-4-methyl-5-oxo-2-imidazol-2-yl)quinoline-3-carboxylic acid
imazethapyr (including salts)	(RS)-5-ethyl-2-(4-isopropyl-4-methyl-5-oxo-2-imidazol-2-yl)nicotinic acid
imazosulfuron	1-(2-chloroimidazo[1,2-a]pyridin-3-ylsulfonyl)-3-(4,6-dimethoxypyrimidin-2-yl)urea

imidacloprid	1-(6-chloro-3-pyridylmethyl)-N-nitroimidazolidin-2-ylideneamine
iminocadine (including esters)	1,1'-iminodi(octamethylene)diguandine
imiprothrin	a mixture containing 20% of 2,5-dioxo-3-prop-2-ynylimidazolidin-1-ylmethyl (1R,3S)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropane-carboxylate and 80% of 2,5-dioxo-3-prop-2-ynylimidazolidin-1-ylmethyl (1R,3R)-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropane-carboxylate
indanofan	(RS)-2-[2-(3-chlorophenyl)-2,3-epoxypropyl]-2-ethylindan-1,3-dione
indoxacarb	methyl (S)-N-[7-chloro-2,3,4a,5-tetrahydro-4a-(methoxycarbonyl)indeno[1,2-e][1,3,4]oxadiazin-2-ylcarbonyl]-4'-(trifluoromethoxy)carbanilate
iodobonil	allyl 4-cyano-2,5-di-iodophenyl carbonate
iodomethane	iodomethane
iodosulfuron (including salts and esters)	4-iodo-2-[3-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)ureidosulfonyl]benzoic acid
ioxynil (including salts and esters)	4-hydroxy-3,5-di-iodobenzonitrile
ipazine	6-chloro-N <sup>2</sup> ,N <sup>2</sup> -diethyl-N <sup>4</sup> -isopropyl-1,3,5-triazine-2,4-diamine
IPBC	3-iodo-2-propynyl butyl carbamate
ipconazole	(1RS,2SR,5RS;1RS,2SR,5SR)-2-(4-chlorobenzyl)-5-isopropyl-1-(1H-1,2,4-triazol-1-ylmethyl)cyclopentanol
iprobenfos	S-benzyl O,O-di-isopropyl phosphorothioate
iprodione	3-(3,5-dichlorophenyl)-N-isopropyl-2,4-dioxoimidazolidine-1-carboxamide
iprovalicarb	isopropyl 2-methyl-1-[(1-p-toylyethyl)carbamoyl]-(S)-propylcarbamate
iprymidam	6-chloro-N <sup>4</sup> -isopropylpyrimidine-2,4-diamine
isamidifos	O-ethyl S-(N-methylcarbaniloylmethyl) N-isopropylphosphoramidothioate
isazofos	O,5-chloro-1-isopropyl-1H-1,2,4-triazol-3-yl-O,O-diethyl phosphorothioate
isobenzan	1,3,4,5,6,7,8,8-octachloro-1,3,3a,4,7,7a-hexahydro-4,7-

isocil	5-bromo-3-isopropyl-6-methyluracil
isodrin	(1R,4S,5R,8S)-1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-1,4:5,8-dimethanonaphthalene
isofenphos	isopropyl O-[ethoxy-N-isopropylamino(thiophosphoryl)] salicylate
isomethiozin	6-tert-butyl-4-isobutylideneamino-3-methylthio-1,2,4-triazin-5-(4H)-one
isonoruron	a mixture of (i) 1,1-dimethyl-3-(perhydro-4,7-methanoinden-1-yl)urea and (ii) 1,1-dimethyl-3-(perhydro-4,7-methanoinden-2-yl)urea
isopamphos	3-nonyloxypropylammonium methylphosphonate
isophenfos-methyl	O-methyl O-2-isopropoxycarbonylphenyl N-isopropyl phosphoramidothioate
isopolinate	S-isopropyl perhydroazepine-1-carbothioate
isoprocab	o-cumenyl methylcarbamate
	or
	2-isopropylphenyl methylcarbamate
isopropalin	4-isopropyl-2,6-dinitro-N,N-dipropylaniline
isoprothiolane	di-isopropyl 1,3-dithiolan-2-ylidenemalonate
isoproturon	3-p-cumenyl-1,1-dimethylurea
	or
	3-(4-isopropylphenyl)-1,1-dimethylurea
isopyrimol`	1-(4-chlorophenyl)-2-methyl-1-pyrimidin-5-ylpropan-1-ol
isothioate	S-2-isopropylthioethyl O,O-dimethyl phosphorodithioate
isouron	3-(5-tert-butylisoxazol-3-yl)-1,1-dimethylurea
isovaledione	3-(3,5-dichlorophenyl)-1-isovalerylhydantoin
isoxaben	N-[3-(1-ethyl-1-methylpropyl)isoxazol-5-yl]-2,6-dimethoxybenzamide
isoxaflutole	(5-cyclopropyl-1,2-oxazol-4-yl)( $\alpha,\alpha,\alpha$ -trifluoro-2-methyl-p-tolyl)methanone
isoxapyrifop	(RS)-2-[2-(4-(3,5-dichloro-2-pyridyloxy)phenoxy)propionyl]oxazolidine
isoxathion	O,O-diethyl O-5-phenylisoxazol-3-yl phosphorothioate

jojoba oil	-
karanjin	3-methoxy-2-phenyl-4H-furo[2,3-h]chromen-4-one
karbutilate	3-(3,3-dimethylureido)phenyl tert-butylcarbamate
kasugamycin (including salts)	1L-1,3,4/2,5,6-1-deoxy-2,3,4,5,6-pentahydroxy= cyclohexyl 2-amino-2,3,4-6-tetra-deoxy-4-( $\alpha$ -= iminoglycino)- $\alpha$ -D-arabino- hexopyranoside= hydrochloridehydrate
kelevan	ethyl 5-(1,2,3,4,6,7,8,9,10,10-decachloro-5-hydro= xypentacyclo[5.3.0.0 <sup>2,6</sup> .0 <sup>3,9</sup> .0 <sup>4,8</sup> ]dec-5-yl)-4-oxo= valerate
kinoprene	prop-2-ynyl-( $\pm$ )-(E,E)-3,7,11-trimethyldodeca-= 2,4- dienoate
kresoxim-methyl	methyl (E)-methoxyimino[2-(o-tolyloxymethyl)= phenyl] acetate
<i>Lagenidium giganteum</i>	-
lambda-cyhalothrin	reaction product comprising equal quantities of (R)= - $\alpha$ -cyano-3-phenoxybenzyl (1 <i>S</i> ,3 <i>S</i> )-3-[( <i>Z</i> )-2-= chloro-3,3,3- trifluoropropenyl]-2,2-dimethyl= cyclopropanecarboxylate and (S)- $\alpha$ -cyano-3-= phenoxybenzyl (1 <i>R</i> ,3 <i>R</i> )-3-[( <i>Z</i> )-2- chloro-3,3,3-= trifluoropropenyl]-2,2-dimethylcyclopropane= carboxylate  or of  (R)- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>S</i> )- <i>cis</i> -3-[( <i>Z</i> )-2-= chloro-3,3,3- trifluoropropenyl]-2,2-dimethyl= cyclopropanecarboxylate and (S)- $\alpha$ -cyano-3-= phenoxybenzyl (1 <i>R</i> )- <i>cis</i> -3-[( <i>Z</i> )-2- chloro-3,3,3-= trifluoropropenyl]-2,2- dimethylcyclopropane= carboxylate
laminarine	-
lead arsenate	diplumbic hydrogen arsenate
<i>Lecanicillium lecanii</i>	-
lenacil	3-cyclohexyl-1,5,6,7-tetrahydrocyclopenta= pyrimidine- 2,4(3H)-dione
<i>Leptomastix dactylopii</i>	-
leptophos	( <i>RS</i> )-(O-4-bromo-2,5-dichlorophenyl O-methyl= phenylphosphonothioate)
<i>d</i> -limonene	<i>d</i> -limonene  or  (R)-4-isopropenyl-1-methylcyclohexene  or

lindane (gamma BHC or gamma HCH)	gamma isomer of 1,2,3,4,5,6-hexachlorocyclohexane (not less than 99%)
linuron	3-(3,4-dichlorophenyl)-1-methoxy-1-methylurea
lirimfos	O-6-ethoxy-2-isopropylpyrimidin-4-yl O,O-dimethylphosphorothioate
lufenuron	(RS)-1-[2,5-dichloro-4-(1,1,2,3,3,3-hexafluoropropoxy)phenyl]-3-(2,6-difluorobenzoyl)urea
lythidathion	S-5-ethoxy-2,3-dihydro-2-oxo-1,3,4-thiadiazol-3-ylmethyl O,O-dimethyl phosphorodithioate
<i>Macrolophus caliginosus</i>	-
malathion	diethyl (dimethoxythiophosphorylthio)succinate or S-1,2-bis(ethoxycarbonyl)ethyl O,O-dimethylphosphorodithioate
maleic hydrazide	6-hydroxy-2H-pyridazin-3-one or 1,2-dihydropyridazine-3,6-dione
malonoben	2-(3,5-di-tert-butyl-4-hydroxybenzylidene)malononitrile
<i>Mamestra brassicae</i> NPV	-
<i>Mamestra configurata</i> NPV	-
mancopper	ethylenebis(dithiocarbamate) mixed metal complex containing about 13.7% manganese and about 4% copper
mancozeb	manganese ethylenebis(dithiocarbamate) (polymeric) complex with zinc salt
mandipropamid	2-(4-chlorophenyl)-N-[3-methoxy-4-(prop-2-ynyloxy)phenyl]-2-(prop-2-ynyloxy)acetamide
maneb	manganese ethylenebis(dithiocarbamate) (polymeric)
mazidox	tetramethylphosphorodiamidic azide
MCPA (including salts and esters)	(4-chloro-2-methylphenoxy)acetic acid or 4-chloro-o-tolyloxyacetic acid
MCPA-thioethyl	S-ethyl 4-chloro-o-tolyloxythioacetate
MCPB	4-(4-chloro-o-tolyloxy)butyric acid

mecarbam	S-(N-ethoxycarbonyl-N-methylcarbamoylmethyl)=O,O-diethyl phosphorodithioate
mecarbinzid	methyl 1-(2-methylthioethylcarbamoyl) benzimidazol-2-ylcarbamate
mecarphon	(RS)-[S-(N-methoxycarbonyl-N-methylcarbamoylmethyl) O-methyl methylphosphonodithioate]
mecoprop (including salts and esters)	(RS)-2-(4-chloro-o-tolylloxy)propionic acid
mecoprop-P (including salts and esters)	(R)-2-(4-chloro-o-tolylloxy)propionic acid
medinoterb (including acetate)	6-tert-butyl-3-methyl-2,4-dinitrophenol
mefenacet	2-(1,3-benzothiazol-2-yloxy)-N-methylacetanilide
mefluidide	5'-(1,1,1-trifluoromethanesulfonamido)aceto-2',4'-xylylide
menazon	S-4,6-diamino-1,3,5-triazin-2-ylmethyl O,O-dithioate
mepanipyrim	N-(4-methyl-6-prop-1-ynylpyrimidin-2-yl)aniline
mephosfolan	diethyl 4-methyl-1,3-dithiolan-2-ylidene phosphoramidate
mepiquat (including salts)	1,1-dimethylpiperidinium
mepronil	3'-isopropoxy-o-toluanilide
mercuric chloride	mercury(II) chloride or mercury(2+) chloride or mercuric chloride
mercuric oxide	mercury(II) oxide or mercury(2+) oxide or mercuric oxide
mercurous chloride	dimercury(I) chloride or dimercury(1+) chloride

mesoprazine	6-chloro-N <sup>2</sup> -isopropyl-N <sup>4</sup> -(3-methoxypropyl)-1,3,5-triazine-2,4-diamine
mesosulfuron-methyl (including salts and esters)	2-[(4,6-dimethoxypyrimidin-2-ylcarbonyl)sulfamoyl]- $\alpha$ -(methanesulfonamido)- <i>p</i> -toluic acid
mesotrione	2-(4-mesyloxy-2-nitrobenzoyl)cyclohexane-1,3-dione
mesulfenfos	O,O-dimethyl O-4-methylsulfinyl- <i>m</i> -tolyl phosphorothioate
metaconazole	(1 <i>RS</i> ,5 <i>RS</i> ;1 <i>RS</i> ,5 <i>SR</i> )-5-(4-chlorobenzyl)-2,2-dimethyl-1-(1 <i>H</i> -1,2,4-triazol-1-ylmethyl)cyclopentanol
metaflumizone	( <i>EZ</i> )-2'-[2-(cyanophenyl)-1- $\alpha,\alpha,\alpha$ -trifluoro- <i>m</i> -tolyl]ethylidene]-4-(trifluoromethoxy)carbanilohydrate
metalaxyl	methyl N-(methoxyacetyl)-N-(2,6-xylyl)-DL-alaninate
metalaxyl-M	methyl N-(methoxyacetyl)-N-(2,6-xylyl)-D-alaninate
metalddehyde	2,4,6,8-tetramethyl-1,3,5,7-tetraoxacyclo-octane
metam (including salts)	methyldithiocarbamic acid
metamifop	( <i>R</i> )-2-[4-(6-chloro-1,3-benzoxazol-2-yloxy)phenoxy]-2'-fluoro- <i>N</i> -methylpropionanilide
metamitron	4-amino-3-methyl-6-phenyl-1,2,4-triazin-5-(4 <i>H</i> )-one
<i>Metarhizium anisoliae</i>	-
<i>Metarhizium anisopliae</i> var. <i>acridium</i>	-
<i>Metarhizium anisopliae</i> var. <i>anisopliae</i>	-
<i>Metarhizium anisopliae</i> isolate ICIPE 30	-
<i>Metarhizium anisopliae</i> isolate ICIPE 69	-
<i>Metarhizium flavoviride</i> var. <i>flavoviride</i>	-
metazachlor	2-chloro-N-(pyrazol-1-ylmethyl)acet-2',6'-xylylidide
metazoxolon	4-(3-chlorophenylhydrazono)-3-methyl-1,2-oxazol-5(4 <i>H</i> )-one
metflurazon	4-chloro-5-dimethylamino-2-( $\alpha,\alpha,\alpha$ -trifluoro- <i>m</i> -tolyl)pyridazin-3(2 <i>H</i> )-one
methabenzthiazuron	1-benzothiazol-2-yl-1,3-dimethylurea

methalpropalin	$\alpha,\alpha,\alpha$ -trifluoro-N-(2-methylallyl)-2,6-dinitro-N= propyl-p-toluidine
methamidophos	O,S-dimethyl phosphoramidothioate
methasulfocarb	S-4-methylsulfonyloxyphenyl methylthiocarbamate
methazole	2-(3,4-dichlorophenyl)-4-methyl-1,2,4-oxadiazol= idine-3,5-dione
methfuroxam	2,4,5-trimethyl-3-furanilide
methoxyfenozide	N-tert-butyl-N'-(3-methoxy-o-toluoyl)-3,5-xylo= hydrazide
methidathion	S-2,3-dihydro-5-methoxy-2-oxo-1,3,4-thiadiazol= 3-ylmethyl O,O-dimethyl phosphorodithioate
methiobencarb	S-4-methoxybenzyl diethylthiocarbamate
methiocarb	4-methylthio-3,5-xylyl methylcarbamate
methiuron	1,1-dimethyl-3-m-tolyl-2-thiourea
methocrotophos	(E)-2-(N-methoxyl-N-methylcarbamoyl)-1= methylvinyl dimethyl phosphate
methometon	6-methoxyl-N <sup>2</sup> ,N <sup>4</sup> -bis(3-methoxypropyl)-1,3,5= triazine-2,4-diamine
methomyl	S-methyl N-(methylcarbamoyloxy)thioacetimidate
methoprene	isopropyl (E,E)-(RS)-11-methoxy-3,7,11-tri= methyl dodeca-2,4-dienoate
methoprotryne	N <sup>2</sup> -isopropyl-N <sup>4</sup> -(3-methoxypropyl)-6-methyl= thio-1,3,5-triazine-2,4-diamine
methoquin-butyl	butyl 3-methylquinidine-4-carboxylate
methothrin	4-(methoxymethyl)benzyl chrysanthemum monocarboxylate or [4-(methoxymethyl)phenyl]methyl 2,2-dimethyl= 3-(2-methylprop-1-enyl)cyclopropane-1= carboxylate or 2,2-dimethyl-3-(2-methylpropyl)cyclopropane= carboxylic acid p-(methoxymethyl)benzyl ester
methoxychlor	1,1,1-trichloro-2,2-bis(4-methoxyphenyl) ethane
methyl bromide	bromomethane
methyl iodide	methyl iodide or iodomethane

methyalarsonic acid (including salts eg: MSMA and DSMA)	methyalarsonic acid
methyalarsonic sulfide	methyalarsonic sulfide
mercuric dicyandiamide	1-cyano-3-(mercurio)guanidine
metiram	zinc ammoniate ethylenebis(dithiocarbamate)= poly (ethylenethiuram disulfide)
metobenzuron	(±)-1-methoxy-3-[4-(2-methoxy-2,4,4-trimethyl= chroman- 7-yloxy)phenyl]-1-methylurea
metobromuron	3-(4-bromophenyl)-1-methoxy-1-methylurea
metofluthrin	2,3,5,6-tetrafluoro-4-(methoxymethyl) benzyl
metolachlor	2-chloro-6'-ethyl-N-(2-methoxy-1-methylethyl)= aceto-o- toluidide
metolcarb	m-tolyl methylcarbamate
metominostrobin	(E)-2-(methoxyimino)-N-methyl-2-(2-phenoxy= phenyl)acetamide
metosulam	2',6'-dichloro-5,7-dimethoxy-3'-methyl[1,2,4]= triazolo[1,5-a] pyrimidine-2-sulfonamide
metoxadiazole	5-methoxy-3-(2-methoxyphenyl)-1,3,4-oxadiazol= -2(3H)- one
metoxuron	3-(3-chloro-4-methoxyphenyl)-1,1-dimethylurea
metrafenone	3'-bromo-2,3,4,6'-tetramethoxy-2',6-dimethyl= benzophenone
metribuzin	4-amino-6-tert-butyl-3-methylthio-1,2,4-triazin= 5(4H)-one
metsulfovax	2,4-dimethyl-1,3-thiazole-5-carboxamide
metsulfuron (including esters)	2-(4-methoxy-6-methyl-1,3,5-triazin-2-yl)car= bamoylsulfamoyl)benzoic acid
mevinphos	methyl-3-(dimethoxyphosphinoyloxy)but-2= enoate
mexacarbate	4-dimethylamino-3,5-xylol methylcarbamate
milbemectin	a mixture of (10E,14E,16E,22Z)-(1R,4S,5'S,6R,6'R,= 8R,13R,20R,21R,24S)-6'-ethyl-21,24-dihydroxy-5',11,13,22- tetramethyl-3,7,19-trioxatetracyclo= [15.6.1.1.4 <sup>8</sup> .0. <sup>20,24</sup> ] pentacos-10,14,16,22-tetraene-6-spiro-2'-tetrahydropyran-2- one and (10E,14E,16E,22Z)-(1R,4S,5'S,6R,6'R,8R,13R,20R,= 21R,24S)-21,24-dihydroxy-5',6',11,13,22-penta= methyl 3,7,19-trioxatetracyclo[15.6.1.1.4 <sup>8</sup> .0. <sup>20,24</sup> ]= pentacos- 10,14,16,22-tetraene-6-spiro-2'-tetra= hydropyran-2-one in

mipafox	N,N'-di-isopropylphosphorodiamidic fluoride
mirex	dodecachloropentacyclo[5.3.0.0 <sup>2,6</sup> .0 <sup>3,9</sup> .0 <sup>5,8</sup> ] decane
molinate	S-ethyl azepane-1-carbothioate
monalide	4'-chloro-2,2-dimethylvaleranilide
monisouron	1-(5-tert-butyl-1,2-oxazol-3-yl)-3-methylurea
monocrotophos	dimethyl (E)-1-methyl-2-(methylcarbamoyl)vinyl= phosphate
monolinuron	3-(4-chlorophenyl)-1-methoxy-1-methylurea
monuron	3-(4-chlorophenyl)-1,1-dimethylurea
monuron-TCA	3-(4-chlorophenyl)-1,1-dimethyluronium= trichloroacetate
morfamquat	1,1'-bis(3,5-dimethylmorpholinocarbonylmethyl)-= 4,4'-bipyridinium
morphothion	O,O-dimethyl S-morpholinocarbonylmethyl phos= phorodithioate
MTMC	m-tolyl methylcarbamate
myclobutanil	2-p-chlorophenyl-2-(1H-1,2,4-triazol-1-ylmethyl)= hexanenitrile
myclozolin	(RS)3-(3,5-dichlorophenyl)-5-methoxymethyl-5-= methyl-1,3-oxazolidine-2,4-dione
<i>Myrothecium verrucaria</i>	-
nabam	disodium ethylenebis (dithiocarbamate)
naled	1,2-dibromo-2,2-dichloroethyl dimethyl phosphate
naproanilide	N-phenyl-2-(2-naphthyloxy)propionamide
napropamide	(RS)-N,N-diethyl-2-(1-naphthyloxy)propionamide
naptalam (including salts)	N-1-naphthylphthalamic acid
natamycin	(8E,14E,16E,18E,20E)-(1R,3S,5R,7R,12R,22R,24S,= 25R,26S)-22-(3-amino-3,6-dideoxy-β-D-manno= pyranosyloxy)-1,3,26-trihydroxy-12-methyl-10-= oxo-6,11,28-trioxatricyclo[22.3.1.0. <sup>5,7</sup> ]octacosa-= 8,14,16,18,20-pentaene-25-carboxylic acid
neburon	1-butyl-3-(3,4-dichlorophenyl)-1-methylurea
niclosamide (including salts)	2',5-dichloro-4'-nitrosalicylanilide

nicotine	(S)-3-(1-methylpyrrolidin-2-yl)pyridine
nifluridide	6'-amino- $\alpha,\alpha,\alpha,2,2,3,3$ -heptafluoro-5'-nitro= propion-m-toluidide
nipyraclofen	1-(2,6-dichloro- $\alpha,\alpha,\alpha$ -trifluoro-p-tolyl)-4-nitro= pyrazol-5-ylamine
nitenpyram	(E)-N-(6-chloro-3-pyridylmethyl)-N-ethyl-N'=- methyl-2-nitrovinylidenediamine
nithiazine	2-nitromethylene-1,3-thiazinane
nitralin	4-methylsulfonyl-2,6-dinitro-N,N-dipropylaniline
nitrapyrin	2-chloro-6-trichloromethylpyridine
nitrilacarb	4,4-dimethyl-5-(methylcarbamoyloxyimino)= pentanenitrile
nitrofen	2,4-dichlorophenyl 4-nitrophenyl ether
nitrofluorfen	2-chloro- $\alpha,\alpha,\alpha$ -trifluoro-p-tolyl-4-nitrophenyl ether
nitrothal-isopropyl	di-isopropyl 5-nitroisophthalate
nonanoic acid	nonanoic acid
norbormide	5-( $\alpha$ -hydroxy- $\alpha$ -2-pyridylbenzyl)-7-( $\alpha$ -2-pyridyl= benzylidene)-8,9,10-trinorborn-5-ene-2,3=- dicarboximide
norflurazon	4-chloro-5-methylamino-2-( $\alpha,\alpha,\alpha$ -trifluoro-m= toly) pyridazin-3(2H)-one
nornicotine	3-(pyrrolidin-2-yl)pyridine
noruron	3-(hexahydro-4,7-methanoindan-5-yl)-1,1-di= methylurea
<i>Nosema locustae</i>	-
nuarimol	( $\pm$ )-2-chloro-4'-fluoro- $\alpha$ -(pyrimidin-5-yl)benz= hydryl alcohol
octhilinone	2-octylisothiazol-3(2H)-one
ofurace	( $\pm$ )- $\alpha$ -(2-chloro-N-2,6-xylilacetamido)- $\gamma$ = butyrolactone
oleic acid (including salts)	oleic acid
omethoate	O,O-dimethyl S-methylcarbamoylmethyl= phosphorothioate
orbencarb	S-2-chlorobenzyl diethylthiocarbamate
orthosulfamuron	1-(4,6-dimethoxypyrimidin-2-yl)-3-[2-dimethyl= carbamoyl] phenylsulfamoyl] urea

oxadiargyl	5-tert-butyl-3-[2,4-dichloro-5-(prop-2-ynoxy)phenyl]-1,3,4-oxadiazol-2(3H)-one
oxadiazon	5-tert-butyl-3-(2,4-dichloro-5-isopropoxyphenyl)-1,3,4-oxadiazol-2(3H)-one
oxadixyl	2-methoxy-N-(2-oxo-1,3-oxazolidin-3-yl)acetamide
oxamyl	N,N-dimethyl-2-methylcarbamoyloxyimino-2-(methylthio)acetamide
oxapyrazon	5-bromo-1,6-dihydro-6-oxo-1-phenylpyridazin-4-yl oxamic acid
oxasulfuron	oxetan-3-yl 2-[(4,6-dimethylpyrimidin-2-yl)carbamoylsulfamoyl] benzoate
oxaziclomefone	3-[1-(3,5-dichlorophenyl)-1-methylethyl]-3,4-dihydro-6-methyl-5-phenyl-2H-1,3-oxazin-4-one
oxine-copper	bis(quinolin-8-olato)copper
oxolinic acid	5-ethyl-5,8-dihydro-8-oxo[1,3]dioxolo[4,5-g]quinoline-7-carboxylic acid
oxpoconazole fumarate	{(RS)-2-[3-(4-chlorophenyl)propyl]-2,4,4-trimethyl-1,3-oxazolidin-3-yl} (imidazol-1-yl)methanone fumarate
oxycarboxin	5,6-dihydro-2-methyl-1,4-oxathiane-3-carboxamide 4,4-dioxide
oxydemeton-methyl	S-2-ethylsulfinylethyl O,O-dimethyl phosphorothioate
oxydeprofos	S-2-ethylsulfinyl-1-methylethyl O,O-dimethylphosphorothioate
oxydisulfoton	O,O diethyl S-2-ethylsulphanyl ethyl phosphorodithioate
oxyfluorfen	2-chloro- $\alpha,\alpha,\alpha$ -trifluoro-p-tolyl 3-ethoxy-4-nitrophenyl ether
paclobutrazol	(2RS,3RS)-1-(4-chlorophenyl)-4,4-dimethyl-2-(1H-1,2,4-triazol-1-yl)pentan-3-ol
<i>Paecylomyces fumosoroseus</i>	-
<i>Paecylomyces lilacinus</i>	-
<i>Pantoea agglomerans</i>	-
parafluron	1,1-dimethyl-3-( $\alpha,\alpha,\alpha$ -trifluoro-p-tolyl) urea
paraquat (including salts)	1,1'-dimethyl-4,4'-bipyridinium

paris green	copper aceto-arsenite
pebulate	S-propyl butyl(ethyl) thiocarbamate
pefurazoate	pent-4-enyl N-furfuryl-N-imidazol-1-ylcarbonyl- DL-homoalaninate
penconazole	1-(2,4-dichloro-β-propylphenethyl)-1H-1,2,4= triazole
pencycuron	1-(4-chlorobenzyl)-1-cyclopentyl-3-phenylurea
pendimethalin	N-(1-ethylpropyl)-2,6-dinitro-3,4-xylidine
<i>Peniophora gigantea</i>	-
penoxsulam	3-(2,2-difluoroethoxy)-N-(5,8-dimethoxy[1,2,4]= triazolo[1,5-c] pyrimidin-2-yl)-α,α,α-trifluoro= toluene-2-sulfonamide
pentachlorophenol (including salts)	pentachlorophenol
pentanochlor	3'-chloro-2-methylvalero-p-toluidide
pentiopyrad	(RS)-N-[2-(1,3-dimethylbutyl)-1-methyl-3-(tri= fluoromethyl)-1H-pyrazole-4-carboxamide
pentoxazone	3-(4-chloro-5-cyclopentyloxy-2-fluorophenyl)-5-= isopropylidene-1,3-oxazolidine-2,4-dione
perfluidone	1,1,1-trifluoro-2'-methyl-4'(phenylsulphonyl)= methane sulphonanilide
permethrin	3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-(2,2-di= chlorovinyl)-2,2-dimethylcyclopropanecarboxylate
pethoxamid	2-chloro-N-(2-ethoxyethyl)-N-(2-methyl-1-phenyl= prop-1-enyl) acetamide
phenisopham	isopropyl 3-[ethyl(phenyl)carbamoyloxy] carba= nilate
phenkapton	S-2,5-dichlorophenylthiomethyl O,O-diethyl phos= phorodithioate
phenmedipham	methyl 3-(3-methylcarbaniloyloxy) carbanilate or 3-methoxycarbonylaminophenyl 3-methylcarba= nilate
phenmedipham-ethyl	3-ethoxycarbonylaminophenyl 3'-methylcarba= nilate
phenobenzuron	1-benzoyl-1-(3,4-dichlorophenyl)-3,3-dimethyl= urea
phenothrin	3-phenoxybenzyl (1RS)-cis-trans-2,2-dimethyl-3-= (2-methylprop-1-enyl) cyclopropanecarboxylate

phenothrin[(1R)-trans-isomers] or d-phenothrin	3-phenoxybenzyl (1R)-cis-trans-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate (contain $\geq$ 95% (1R)-isomers, $\geq$ 75% trans isomers)
phenthoate	S- $\alpha$ -ethoxycarbonylbenzyl O,O-dimethyl phosphorothioate
phenyl mercury acetate	phenylmercury(II) acetate or phenylmercury(2+) acetate or phenylmercuric acetate
phenylmercury chloride	phenylmercury(II) chloride or phenylmercury(2+) chloride or phenylmercuric chloride
phenylmercury derivative of pyrocatechol	<i>o</i> -(phenylmercuriooxy)phenol or phenylmercuric pyrocatecholate
phenylmercury nitrate	phenylmercury(II) nitrate or phenylmercury(2+) nitrate or phenylmercuric nitrate
phenylmercury salicylate	phenylmercury(II) salicylate or phenylmercury(2+) salicylate or phenylmercuric salicylate
2-phenylphenol (including salts)	biphenyl-2-ol

phosacetim	O,O-bis(4-chlorophenyl) N-acetimidoylphos= phoramidothioate
phosalone	S-6-chloro-2,3-dihydro-2-oxobenzoxazol-3-yl= methyl O,O- diethyl phosphorodithioate
phosdiphen (including esters)	bis(2,4-dichlorophenyl) ethyl phosphate
phosfolan	diethyl 1,3-dithiolan-2-ylidenephosphoramidate
phosmet	O,O-dimethyl S-phthalimidomethyl phosphoro= dithioate
phosnichlor	O-4-chloro-3-nitrophenyl O,O-dimethyl phos= phorothioate
phosphamidon	2-chloro-2-diethylcarbamoyl-1-methylvinyl= dimethyl phosphate
phosphine (including salts)	phosphine
phoxim	O,O-diethyl $\alpha$ -cyanobenzylideneaminooxy= phosphonothioate  or  (EZ)-2-(diethoxyphosphinothioxyimino)-2-= phenylacetoneitrile
phoxim methyl	O,O-dimethyl $\alpha$ -cyanobenzylineneamino-oxy= phosphonothioate
<i>Phytophthora palmivora</i>	-
<i>Phythium oligandrium</i>	-
picloram (including salts)	4-amino-3,5,6-trichloropyridine-2-carboxylic acid
picolinafen	4'-fluoro-6-( $\alpha,\alpha,\alpha$ -trifluoro- <i>m</i> -tolylloxy)pyridine- 2-carboxanilide
picoxystrobin	methyl (E)-3-methoxy-2-{2-[6-(trifluoromethyl)- 2-pyridyloxymethyl] phenyl} acrylate
pimaricin	(8E,14E,16E,18E,20E)-(1S,3R,5S,7S,12R,24R,= 25S,26R)- 22-(3-amino-3,6-dideoxy- $\beta$ -D- $\alpha$ -mannopyranosyloxy)-1,3,26- trihydroxy-12- $\alpha$ -methyl-10-oxo-6,11,28-trioxatricyclo= [22.3.1.0 <sup>57</sup> ]octacosane-8,14,16,18,20-pentaene-25-carboxylic acid
pindone (including salts)	2-pivaloylindan-1,3-dione
pinoxaden	8-(2,6-diethyl-p-tolyl)-1,2,4,5-tetrahydro-7-oxo- 7H-pyrozolo[1,2-d][1,4,5]oxadiazepin-9-yl 2,2- dimethylpropionate
piperalin	3-(2-methylpiperidino)propyl 3,4-dichloro= benzoate

piprotal	5-[bis[2-(2-butoxyethoxy)ethoxy]methyl]1,3-benzodioxole
pirimetaphos	2-diethylamino-6-methylpyrimidin-4-yl methylmethylphosphoramidate
pirimicarb	2-dimethylamino-5,6-dimethylpyrimidin-4-yl dimethylcarbamate
pirimiphos-ethyl	O-2-diethylamino-6-methylpyrimidin-4-yl,O,O-diethyl phosphorothioate
pirimiphos-methyl	O-2-diethylamino-6-methylpyrimidin-4-yl= O,O-dimethyl phosphorothioate
PMA	phenylmercury acetate
polynactins	consist of one or more of the following substance: <ul style="list-style-type: none"> <li>(1) [1R(1R*,2R*,5R*,7R*,10S*,11S*,14S*,16S*,=19R*,20R*,23R*,25R*,28S*,29S*,32S*,=34S*)]-5,14,23,32-tetraethyl-2,11,20,29-tetramethyl-4,13,22,31,37,38,39,40-octaoxa-pentacyclo[32.2.1.1<sup>7,10</sup>.1<sup>16,19</sup>.1<sup>25,28</sup>]tetracontane-3,12,21,30-tetrone (tetranectin);</li> <li>(2) [1R(1R*,2R*,5R*,7R*,10S*,11S*,14S*,16S*,=19R*,20R*,23R*,25R*,28S*,29S*,32S*,34S*)]-5,14,23-triethyl-2,11,20,29,32-pentamethyl-4,13,22,31,37,38,39,40-octaoxapentacyclo[32.2.1.1<sup>7,10</sup>.1<sup>16,19</sup>.1<sup>25,28</sup>]tetracontane-3,12,21,30-tetrone (trinactin); and</li> <li>(3) [1R(1R*,2R*,5R*,7R*,10S*,11S*,14S*,16S*,=19R*,20R*,23R*,25R*,28S*,29S*,32S*,34S*)]-5,23-diethyl-2,11,14,20,29,32-hexamethyl-4,13,22,31,37,38,39,40-octaoxapentacyclo[32.2.1.1<sup>7,10</sup>.1<sup>16,19</sup>.1<sup>25,28</sup>]tetracontane-3,12,21,30-tetrone (dinactin)</li> </ul>
polychloroterpenes	heptachloro-2,2-dimethyl-3-methylenebornane
polyoxins	consist of one or more of the following substance: <ul style="list-style-type: none"> <li>(1) polyoxine B: 5-(2-amino-5-O-carbamoyl-2-deoxy-L-xylonamido)-1,5-dideoxy-1-(1,2,3,4-tetrahydro-5-hydroxymethyl-2,4-dioxypyrimidin-1-yl)-β-D-allofuranuronic acid</li> <li>(2) polyoxine D or polyoxorim: 5-(2-amino-5-O-carbamoyl-2-deoxy-L-xylonamido)-1-(5-carboxy-1,2,3,4-tetrahydro-2,4-dioxypyrimidin-1-yl)-1,5-dideoxy-β-D-allofuranuronic acid</li> </ul>

prallethrin	(S)-2-methyl-4-oxo-3-prop-2-ynylcyclopent-2-enyl(1R)-cis-trans-2,2-dimethyl-3-(2-methylprop-1-enyl)cyclopropanecarboxylate
pretilachlor	2-chloro-2',6'-diethyl-N-(2-propoxyethyl)acetanilide
primidophos	O,O-diethyl O-(2-N-ethylacetamido-6-methylpyrimidin-4-yl) phosphorothioate
primisulfuron (including esters)	2-[4,6-bis(difluoromethoxy)pyrimidin-2-yl]carbamoylsulfamoyl benzoic acid
probenazole	3-allyloxy-1,2-benzothiazole 1,1-dioxide  or  3-allyloxy-1,2-benz[d]isothiazole 1,1-dioxide
prochloraz (including salts)	N-propyl-N-[2-(2,4,6-trichlorophenoxy)ethyl]imidazole-1-carboxamide
proclonol	4,4'-dichloro- $\alpha$ -cyclopropylbenzhydrol
procyzazine	2-(4-chloro-6-cyclopropylamino-1,3,5-triazine-2-ylamino)-2-methylpropionitrile
procymidone	N-(3,5-dichlorophenyl)-1,2-dimethylcyclopropane-1,2-dicarboximide
prodiamine	5-dipropylamino- $\alpha,\alpha,\alpha$ -trifluoro-4,6-dinitro- <i>o</i> -toluidine
profenofos	O-4-bromo-2-chlorophenyl O-ethyl S-propylphosphorothioate
profluralin	N-(cyclopropylmethyl)- $\alpha,\alpha,\alpha$ -trifluoro-2,6-dinitro-N-propyl- <i>p</i> -toluidine
profoxydim	(5 <i>RS</i> )-2-[( <i>EZ</i> )-1-[(2 <i>RS</i> )-2-(4-chlorophenoxy)propoxyimino]butyl]-3-hydroxy-5-[(3 <i>RS</i> )-thian-3-yl]cyclohex-2-en-1-one
Proglinazine (including salts and esters)	N-(4-chloro-6-isopropylamino-1,3,5-triazin-2-yl)glycine
promecarb	3-isopropyl-5-methylphenyl methylcarbamate
prometon	N <sup>2</sup> ,N <sup>4</sup> -di-isopropyl-6-methoxy-1,3,5-triazine-2,4-diamine
prometryne	N <sup>2</sup> ,N <sup>4</sup> -di-isopropyl-6-methylthio-1,3,5-triazine-2,4-diamine
propachlor	2-chloro-N-isopropylacetanilide
propamocarb (including salts)	propyl 3-(dimethylamino) propylcarbamate

propaquizafop	2-isopropylideneamino-oxyethyl (R)-2-[4-(6-chloroquinoxalin-2-yloxy) phenoxy]propionate
propargite	2-(4-tert-butylphenoxy) cyclohexyl prop-2-ynyl sulfite
propazine	6-chloro-N <sup>2</sup> ,N <sup>4</sup> -di-isopropyl-1,3,5-triazine 2,4-diamine
propetamphos	(E)-O-2-isopropoxycarbonyl-1-methylvinyl O-methylethylphosphoramidothioate
propham	isopropyl carbanilate
propiconazole	(±)-1-[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-ylmethyl]-1H-1,2,4-triazole
propineb	polymeric zinc propylenebis(dithiocarbamate)
propisochlor	2-chloro-6'-ethyl-N-isopropoxymethylaceto-o-toluidide
propoxur	2-isopropoxyphenyl methylcarbamate
propoxycarbazone (including salts)	methyl 2-[(4,5-dihydro-4-methyl-5-oxo-3-propoxy-1H-1,2,4-triazol-1-yl)carboxamido-sulfonyl] benzoate
propyl isome	dipropyl 5,6,7,8-tetrahydro-7-methylnaphthol-[2,3-d]-1,3-dioxole-5,6-dicarboxylate
propyzamide	3,5-dichloro-N-(1,1-dimethylpropynyl) benzamide
proquinazid	6-iodo-2-propoxy-3-propylquinazolin-4(3H)-one
prosulfalin	n-(4-dipropylamino-3,5-dinitrophenylsulfonyl)-S,S-dimethylsulfimide
prosulfocarb	S-benzyl dipropylthiocarbamate
prosulfuron	1-(4-methoxyl-6-methyl-1,3,5-triazin-2-yl)-3-[2-(3,3,3-trifluoropropyl)-phenylsulfonyl] urea
prothidathion	S-2,3-dihydro-5-isopropoxy-2-oxo-1,3,4-thiazol-3-ylmethyl O,O-diethyl phosphorodithioate
prothiocarb	S-ethyl (3-dimethylaminopropyl) thiocarbamate
prothioconazole	(RS)-2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-1,2,4-triazole-3-thione
prothiofos	O,2,4-dichlorophenyl O-ethyl S-propyl phosphorodithioate
prothoate	O,O-diethyl S-isopropylcarbamoylmethyl phosphorodithioate
proxan (including salts)	O-isopropyl hydrogen dithiocarbonate
prynachlor	2-chloro-N-(1-methylprop-2-ynyl)acetanilide

<i>Pseudomonas chlorophis</i>	-
<i>Pseudomonas fluorescens</i>	-
<i>Pseudomonas gladioli</i>	-
<i>Pseudomonas syringae</i>	-
<i>Pseudomonas tolaassii</i> <i>bacteriophage</i>	-
<i>Pseudozyma flocculosa</i>	-
pymetrozine	(E)-4,5-dihydro-6-methyl-4-(3-pyridylmethylene= amino)-1,2,4-triazin-3(2H)-one
pyracarbolid	3,4-dihydro-6-methyl-2H-pyran-5-carboxanilide
pyraclofos	(RS)-[O-1-(4-chlorophenyl)pyrazol-4-yl O-ethyl= S-propyl phosphorothioate]
pyraclostrobin	methyl {2-[1-(4-chlorophenyl) pyrazol-3-yloxy= methyl] phenyl} (methoxy) carbamate
pyraflufen (including salts and esters)	2-chloro-5-(4-chloro-5-difluoromethoxy-1-= methylpyrazol-3-yl)-4-fluorophenoxyacetic acid
pyrazolynate	4-(2,4-dichlorobenzoyl)-1,3-dimethylpyrazol-5-= yltoluene-4-sulfonate
pyrazon	5-amino-4-chloro-2-phenyl-3-pyridazone
pyrazophos	ethyl 2-diethoxyphosphinothioyloxy-5-methyl= pyrazolo[1,5-a] pyrimidine-6-carboxylate
pyrazosulfuron (including esters)	5-(4,6-dimethoxypyrimidin-2-ylcarbamoyl= sulfamoyl)-1-methylpyrazole-4-carboxylic acid
pyrazoxyfen	2-[4-(2,4-dichlorobenzoyl)-1,3-dimethylpyrazol-= 5-yloxy] acetophenone
pyresmethrin	5-benzyl-3-furylmethyl(E)-(1R)-trans-3-(2-= methoxycarbonylprop-1-enyl)-2,2-dimethylcyclo= propanecarboxylate
pyrethrins	six insecticidal constituents present in extracts of the flowers <i>Pyrethrum cinerariaefolium</i> and other species
pyribenzoxim	benzophenone O-[2,6-bis(4,6-dimethoxy= pyrimidin-2-yloxy) benzoyl] oxime
pyributicarb	O,3-tert-butylphenyl-6-methoxy-2-pyridyl= (methyl) thiocarbamate
pyriclor	2,3,5-trichloropyridin-4-ol
pyridaben	2-tert-butyl-5-(4-tert-butylbenzylthio)-4-chloro= pyridazin-

pyridate	6-chloro-3-phenylpyridazin-4-yl S-octylthio= carbonate
pyridinitril	2,6-dichloro-4-phenylpyridine-3,5-dicarbonitrile
pyrifenox	2',4'-dichloro-2-(3-pyridyl)acetophenone (E,Z)-O= methyloxime
pyriftalid	(RS)-7-(4,6-dimethoxypyrimidin-2-ylthio)-3-= methyl-2-benzofuran-1(3H)-one
pyrimethanil	N-(4,6-dimethylpyrimidin-2-yl) aniline
pyrimidifen	5-chloro-N-[2-[4-(2-ethoxyethyl)-2,3-dimethyl= phenoxy] ethyl]-6-ethylpyrimidin-4-amine
pyrimitate	O-2-dimethylamino-6-methylpyrimidin-4-yl O,O= diethyl phosphorothioate
pyrinuron	1-(4-nitrophenyl)-3-(3-pyridylmethyl) urea
pyriproxyfen	4-phenoxyphenyl (RS)-2-(2-pyridyloxy) propyl ether
pyrithiobac-sodium	sodium 2-chloro-6-(4,6-dimethoxypyrimidin-2-ylthio) benzoate
pyroquilon	1,2,5,6-tetrahydropyrrolo[3,2,1-ij] quinolin-4-one
pyroxychlor	2-chloro-6-methoxy-4-trichloromethylpyridine
quinalphos	O,O-diethyl O-quinoxalin-2-yl phosphorothioate
quinalphos-methyl	O,O-dimethyl O-quinoxalin-2-yl phosphorothioate
quinazamid	p-benzoquinone mopnosemicarbazone
quinclorac	3,7-dichloroquinoline-8-carboxylic acid
quinconazole	3-(2,4-dichlorophenyl)-2-(1H-1,2,4-triazol-1-yl)= quinazolin-4(3H)-one
quinmerac	7-chloro-3-methylquinoline-8-carboxylic acid
quinoclamine	2-amino-3-chloro-1,4-naphthoquinone
quinonamid	2,2-dichloro-N-(3-chloro-1,4-naphthoquinon-2-yl)= acetamide
quinothion	O,O-diethyl O-2-methylquinolin-4-yl phosphoro= thioate
quintiofos	O-ethyl O-8-quinolyl phenylphosphonothioate
quintozene	pentachloronitrobenzene
quizalofop (including esters)	(RS)-2-[4-(6-chloroquinoxalin-2-yloxy) phenoxy]= propionic acid
quizalofop-P	(R)-2-[4-(6-chloroquinoxalin-2-yloxy) phenoxy]= propionic

red squill	from <i>Urginea (Scilla) maritima</i>
resmethrin	5-benzyl-3-furylmethyl (1RS,3RS;1RS,3SR) -2,2= dimethyl-3-(2-methylprop-1-enyl) cyclopropane= carboxylate
rhodethanil	3-chloro-4-ethylaminophenyl thiocyanate
richlamide	(RS)-N-(1-butoxy-2,2,2-trichloroethyl) salicylamide
rimsulfuron	1-(4,6-dimethoxypyrimidin-2-yl)-3-(3-ethyl= sulfonyl-2-pyridylsulfonyl) urea
rosemary oil	-
rotenone	(2R,6aS,12aS)-1,2,6,6a,12,12a-hexahydro-2= isopropenyl-8,9-dimethoxychromeno[3,4-b]furo= [2,3-h]chromen-6-one
ryania	extract of the plant <i>Ryania speciosa</i> Vahl. (Flacourtiaceae)
ryanodine	(2S,3S,4R,4aS,5S,5aS,8S,9R,9aR,9bR)-2,3,4a,5a,9,= 9b-hexahydro-3-isopropyl-2a,5,8-trimethyl per= hydro-2,5-methanobenzo [1,2]pentaleno[1,6-bc]= furan-4-ylpyrrole-2-carboxylate
sabadilla	a mixture of alkaloids from the seeds of <i>Schoenocaulon officinale</i>
schradan	octamethylpyrophosphoric tetraamide
scilliroside	3β-(β-D-glucopyranosyloxy)-17β-(2-oxo-2H= pyran-5-yl)-14β-androst-4-ene-6β,8,14-triol 6= acetate
sebuthylazine	N <sup>2</sup> -sec-butyl-6-chloro-N <sup>4</sup> -ethyl-1,3,5-triazine-2,4= diamine
secbumeton	N <sup>2</sup> -sec-butyl-N <sup>4</sup> -ethyl-6-methoxy-1,3,5-triazine= 2,6-diamine
sesamex	(RS)-5-{1-[2-(2-ethoxyethoxy)ethoxy]ethoxy}-1,3= benzodioxole
sesamin	2,6-bis-(3,4-methylenedioxyphenyl)-3,7-dioxabi= cyclo[3,30]-octane
sesone	2-(2,4-dichlorophenoxy) ethyl sodium sulphate
sethoxydim	(±)-(EZ)-2-(1-ethoxyiminobutyl)-5-[2-(ethylthio)= propyl]-3-hydroxycyclohex-2-enone
siduron	1-(2-methylcyclohexyl)-3-phenylurea
silafloufen	(4-ethoxyphenyl)[3-(4-fluoro-3-phenoxyphenyl)= propyl] (dimethyl) silane
silthiofam	N-allyl-4,5-dimethyl-2-(trimethylsilyl) thiophene=

simeconazole	( <i>RS</i> )-2-(4-fluorophenyl)-1-(1 <i>H</i> -1,2,4-triazol-1-yl)-3-(trimethylsilyl) propan-2-ol
simeton	N <sup>2</sup> ,N <sup>4</sup> -diethyl-6-methoxy-1,3,5-triazine-2,4= diamine
simetryn	N <sup>2</sup> ,N <sup>4</sup> -diethyl-6-methylthio-1,3,5-triazine-2,4= diamine
S-methoprene	isopropyl (2 <i>E</i> ,4 <i>E</i> )-(7 <i>S</i> )-11-methoxy-3,7,11-tri= methyl-dodeca-2,4-dienoate
S-metolachlor	a mixture of ( <i>aRS</i> ,1 <i>S</i> )-2-chloro-6'-ethyl-N-(2= methoxy-1-methylethyl) aceto- <i>o</i> -toluidide and ( <i>aRS</i> ,1 <i>R</i> ) -2-chloro-6'-ethyl-N-(2-methoxy-1= methylethyl)aceto- <i>o</i> -toluidide in the proportion 80-100% to 20-0%
sodium arsenite	-
sodium chlorate	sodium chlorate
sodium fluoroacetate	sodium fluoroacetate
sodium metaborate	sodium metaborate tetrahydrate
soft soap	-
sophamide	S-methoxymethylcarbamoylmethyl O,O-dimethyl= phosphorodithioate
spinosad	a mixture of:  (2 <i>R</i> ,3 <i>aR</i> ,5 <i>aR</i> ,5 <i>bS</i> ,9 <i>S</i> ,13 <i>S</i> ,14 <i>R</i> ,16 <i>aS</i> ,16 <i>bR</i> )-2-(6= deoxy-2,3,4-tri- <i>O</i> -methyl- $\alpha$ - <i>L</i> -mannopyranosyloxy)-13-(4-dimethylamino-2,3,4,6-tetra-deoxy= $\beta$ - <i>D</i> -erythropyransyloxy)-9-ethyl- 2,3,3 <i>a</i> ,5 <i>a</i> ,5 <i>b</i> ,= 6,7,9,10,11,12,13,14,15,16 <i>a</i> ,16 <i>b</i> -hexadecahydro= 14-methyl-1 <i>H</i> -8-oxacyclododeca[ <i>b</i> ]as-indacene= 7,15-dione and (2 <i>S</i> ,3 <i>aR</i> ,5 <i>aS</i> ,5 <i>bS</i> ,9 <i>S</i> ,13 <i>S</i> ,14 <i>R</i> ,= 16 <i>aS</i> ,16 <i>bS</i> )-2-(6-deoxy-2,3,4-tri- <i>O</i> -methyl- $\alpha$ - <i>L</i> = mannopyranosyloxy)-13-(4-dimethylamino= 2,3,4,6-tetra-deoxy- $\beta$ - <i>D</i> -erythropyransyloxy)-9= ethyl-2,3,3 <i>a</i> ,5 <i>a</i> ,5 <i>b</i> ,6,7,9,10,11,12,13,14,15, 16 <i>a</i> ,= 16 <i>b</i> -hexadecahydro-4,14-dimethyl-1 <i>H</i> -8-oxa= cyclododeca[ <i>b</i> ]as-indacene-7,15-dione in the proportion 50-95% to 50-5%
spirodiclofen	3-(2,4-dichlorophenyl)-2-oxo-1-oxaspiro[4.5]dec= 3-en-4-yl 2,2-dimethylbutyrate
spiromesifen	3-mesityl-2-oxo-1-oxaspiro[4.4]non-3-en-4-yl 3,3= -dimethylbutyrate
spiroxamine	8- <i>tert</i> -butyl-1,4-dioxaspiro[4.5]decan-2-ylmethyl= (ethyl) (propyl)amine
<i>Spodoptera exigua</i> NPV	spodoptera exigua multicapsid nuclear polyhedrosis virus
<i>Spodoptera litura</i> NPV	-

<i>Steinernema carpocapsae</i>	-
<i>Steinernema glaseri</i>	-
<i>Steinernema kraussei</i>	-
<i>Steinernema riobrave</i>	-
<i>Streptomyces griseoviridis</i>	-
<i>Streptomyces lydicus</i>	-
streptomycin	O,2-deoxy-2-methylamino- $\alpha$ -L-glucofuranosyl-=(1 $\rightarrow$ 2)-O-5-deoxy-3-C-formyl- $\alpha$ -L-lyxofuranosyl-=(1 $\rightarrow$ 4)-N <sup>3</sup> ,N <sup>3</sup> -diamidino-D-streptamine
strychnine	strychnidin-10-one
sulcofuron (including salts)	5-chloro-2-[4-chloro-2-[3-(3,4-dichlorophenyl)=ureido]phenoxy]benzenesulfonic acid
sulcotrione	2-(2-chloro-4-mesylbenzoyl)cyclohexane-1,3-dione
sulfallate	2-chloroallyl diethyldithiocarbamate
sulfanamide	4-aminobenzenesulphonamide
sulfaquinoxaline	4-amino-N-2-quinoxalinyll or N-(2-Quinoxalinyll) sulfanilamide
sulfasulfuron	1-(4,6-dimethoxypyrimidin-2-yl)-3-[2-ethanesulfonylimidazo[1,2-a]pyridine)sulfonyl] urea
sulfentrazone	2',4'-dichloro-5'-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)methanesulfonamide
sulfluramid	N-ethylperfluoro-octane-1-sulfonamide
sulfometuron (including esters)	2-[3-(4,6-dimethylpyrimidin-2-yl)ureido sulfonyl]benzoic acid
sulfotep	O,O,O',O'-tetraethyl dithiopyrophosphate
sulfoxide	2-(1,3-benzodioxol-5-yl)ethyl octyl sulfoxide
sulfur	sulfur
sulglycapin	azepan-1-ylcarbonylmethyl methylsulfamate
sulphuryl fluoride	sulfuryl fluoride
sulprofos	O-ethyl O-4 (methylthio) phenyl S-propyl phosphorodithioate

<i>Syngrapha falcifera</i> NPV	-	
2,4,5-T (including salts and esters)	(2,4,5-trichlorophenoxy)acetic acid	
<i>Talaromyces flavus</i>	-	
tar oils	-	
tau-fluvalinate	(RS)- $\alpha$ -cyano-3-phenoxybenzyl N-(2-chloro- $\alpha,\alpha,\alpha$ -trifluoro-p-tolyl)-D-valinate	
tazimcarb	N-methyl-1-(3,5,5-trimethyl-4-oxo-1,3-thiazol-2-ylideneamino-oxy) formamide	idin-2-
2,4,5-TB	4-(2,4,5-trichlorophenoxy) butyric acid	
2,3,6-TBA (including salts)	2,3,6-trichlorobenzoic acid	
TCA (including salts)	trichloroacetic acid	
TCMTB	2-(thiocyanatomethylthio)-1,3-benzothiazole	
tebuconazole	(RS)-1-p-chlorophenyl-4,4-dimethyl-3-(1H-1,2,4-triazol-1-ylmethyl)pentan-3-ol	
tebufenozide	N-tert-butyl-N'-(4-ethylbenzoyl)-3,5-dimethylbenzohydrazide	
tebufenpyrad	N-(4-tert-butylbenzyl)-4-chloro-3-ethyl-1-methylpyrazole-5-carboxamide	
tebupirimfos	O-(2-tert-butylpyrimidin-5-yl)O-ethyl O-isopropylphosphorothioate	
tebutam	N-benzyl-N-isopropylpivalamide	
tebuthiuron	1-(5-tert-butyl-1,3,4-thiadiazol-2-yl)1,3-dimethylurea	
tecloftalam	3,4,5,6-tetrachloro-N-(2,3-dichlorophenyl)phthalamic acid	
tecnazene	1,2,4,5-tetrachloro-3-nitrobenzene	
tecoram	N',N',N',N'-tetramethyl-N,N'-ethylenedithiuram disulfide	
teflubenzuron	1-(3,5-dichloro-2,4-difluorophenyl)-3-(2,6-difluorobenzoyl)urea	
tefluthrin	2,3,5,6-tetrafluoro-4-methylbenzyl (Z)-(1RS,3RS)-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate	
temephos	O,O,O',O'-tetramethyl O,O'-thiodi-n-phenylene-	

tepraloxidim	(5 <i>RS</i> )-2-{(E <i>Z</i> )-1-[(2 <i>E</i> )-3-chloroallyloxyimino]= propyl}-3-hydroxy-5-perhydropyran-4-ylcyclo= hex-2-en-1-one
terallethrin	( <i>RS</i> )-3-allyl-2-methyl-4-oxocyclopent-2-enyl-= 2,2,3,3-tramethylcyclopropanecarboxylate
terbacil	3-tert-butyl-5-chloro-6-methyluracil
terbucarb	2,6-di-tert-butyl-p-tolyl methylcarbamate
terbuchlor	N-butoxymethyl-6'-tert-butyl-2-chloroacet-o-= toluidide
terbufos	S-tert-butylthiomethyl O,O-diethylphosphoro= dithioate
terbumeton	N <sup>2</sup> -tert-butyl-N <sup>4</sup> -ethyl-6-methoxy-1,3,5-triazine-= 2,4-diamine
terbuthylazine	N <sup>2</sup> -tert-butyl-6-chloro-N <sup>4</sup> -ethyl-1,3,5-triazine-2,4-= diamine
terbutol	2,6-di-t-butyl-4-methylphenyl N-methylcarbamate
terbutryn	N <sup>2</sup> -tert-butyl-N <sup>4</sup> -ethyl-6-methylthio-1,3,5-triazine-= 2,4-diamine
tetrachlorvinphos	( <i>Z</i> )-2-chloro-1-(2,4,5-trichlorophenyl)vinyl= dimethyl phosphate
tetraconazole	( <i>RS</i> )-2-(2,4-dichlorophenyl)-3-(1 <i>H</i> -1,2,4-triazol= 1-yl)propyl 1,1,2,2-tetrafluoroethyl ether
tetradifon	4-chlorophenyl 2,4,5-trichlorophenyl sulfone
tetrafluron	1,1-dimethyl-3-[3-(1,1,2,2-tetrafluoroethoxy)= phenyl] urea
tetramethrin	cyclohex-1-ene-1,2-dicarboximidomethyl= (1 <i>RS</i> ,3 <i>RS</i> ;1 <i>RS</i> ,3 <i>SR</i> )-2,2-dimethyl-3-(2-methyl= prop-1-enyl) cyclopropanecarboxylate
tetramethrin[(1 <i>R</i> )-isomers] or d-tetramethrin	cyclohex-1-ene-1,2-dicarboximidomethyl= (1 <i>R</i> ,3 <i>R</i> ;1 <i>R</i> ,3 <i>S</i> )-2,2-dimethyl-3-(2-methylprop-1= enyl) cyclopropanecarboxylate
tetrasul	4-chlorophenyl 2,4,5-trichlorophenyl sulphide
thenylchlor	2-chloro-N-(3-methoxy-2-thenyl)-2',6'-dimethyl= acetanilide
theta-cypermethrin	1:1 mixture of the two enantiomers ( <i>R</i> )- $\alpha$ -cyano= 3-phenoxybenzyl (1 <i>S</i> ,3 <i>R</i> )-3-(2,2-dichlorovinyl)-= 2,2-dimethylcyclopropanecarboxylate and ( <i>S</i> )- $\alpha$ -cyano-3-phenoxybenzyl (1 <i>R</i> ,3 <i>S</i> )-3-(2,2-di= chlorovinyl)-2,2-dimethylcyclopropane= carboxylate

or

thiabendazole	2-(thiazol-4-yl)benzimidazole
thiacloprid	(Z)-3-(6-chloro-3-pyridylmethyl)-1,3-thiazolidin-2-ylidenecyanamide
thiadifluor	3-(4-chlorophenyl)-N <sup>2</sup> -methyl-N <sup>4</sup> ,N <sup>5</sup> -bis(trifluoromethyl)-1,3-thiazolidine-2,4,5-triylidenetriamine
thiamethoxam	3-(2-chloro-1,3-thiazol-5-ylmethyl)-5-methyl-1,3,5-oxadiazinan-4-ylidene(nitro) amine
thiazafluron	1,3-dimethyl-1-(5-trifluoromethyl-1,3,4-thiazol-2-yl) urea
thiazopyr	methyl 2-difluoromethyl-5-(4,5-dihydro-1,3-thiazol-2-yl)-4-isobutyl-6-trifluoromethyl nicotinate
thicrofos	S-(6-chloro-3,4-dihydro-2H-1-benzothiazin-4-yl)-O,O-diethyl phosphorothioate
thicyofen	(±)-3-chloro-5-ethylsulfanylthiophene-2,4-dicarbonitrile
thidiazuron	1-phenyl-3-(1,2,3-thiadiazol-5-yl) urea
thifensulfuron (including esters)	3-(4-methoxy-6-methyl-1,3,5-triazin-2-ylcarbamoylsulfamoyl) thiophen-2-carboxylic acid
thifluzamide	2',6'-dibromo-2-methyl-4'-trifluoromethoxy-4-trifluoromethyl-1,3-thiazole-5-carboxanilide
thiobencarb	S-4-chlorobenzyl diethylthiocarbamate
thiocarboxime	3-[1-(methylcarbamoyloxyimino) ethylthio] propionitrile
thiochlorfenphim	N-(4-chlorophenylthiomethyl) phthalimide
thiocyclam (including salts)	N,N-dimethyl-1,2,3-trithian-5-ylamine
thiodicarb	3,7,9,13-tetramethyl-5,11-dioxo-2,8,14-trithia-4,7,9,12-tetra-azapentadeca-3,12-diene-6,10-dione
thiofanox	1-(2,2-dimethyl-1-methylthiomethylpropylideneaminoxy)-N-methylformamide
thiometon	S-2-ethylthioethyl O,O-dimethylphosphorodithioate
thionazin	O,O-diethyl O-pyrazin-2-yl phosphorothioate
thiophanate	diethyl 4,4'-(O-phenylene)bis(3-thioallophanate)
thiophanate-methyl	dimethyl 4,4'-(O-phenylene)bis(3-thioallophanate)
thioquinox	1,3-dithiolo[4,5-b] quinoxaline-2-thione
thiosultap (including salts and esters)	dihydrogen S,S'-[2-(dimethylamino) trimethylene]di(thiosulfate)

tiadinil	dihydrogen <i>S,S'</i> -[2-(dimethylamino)trimethy= lene]di (thiosulfate)
tiocarbazil	S-benzyl di-sec-butylthiocarbamate
tioclorim	6-chloro-5-(methylthio) pyrimidine-2,4-diamine
tioxymid	5-isothiocyanato-2-methoxy-N,N-dimethyl -m= toluamide
tolclofos-methyl	O,2,6-dichloro-p-tolyl-O,O-dimethyl phosphoro= thioate
tolfenpyrad	4-chloro-3-ethyl-1-methyl-N-[4( <i>p</i> -tolyloxy)= benzyl]pyrazole-5-carboxamide
tolyfluamid	N-dichlorofluoromethylthio-N',N'-dimethyl-N-p-= tolylsulfamide
topramezone	[3-(4,5-dihydro-1,2-oxazol-3-yl)-4-mesyl-o-tolyl]=(5-hydroxy-1-methyl-1H-pyrazol-4yl) methanone
tralkoxydim	2-[1-(ethoxyimino)propyl]-3-hydroxy-5-mesityl= cyclohex-2-enone
tralomethrin	( <i>S</i> )- $\alpha$ -cyano-3-phenoxybenzyl(1 <i>R</i> ,3 <i>S</i> )1,2,2-di= methyl-3[( <i>RS</i> )-1,2,2,2-tetrabromoethyl]cyclo= propanecarboxylate
transfluthrin	2, 3,5,6-tetrafluorobenzyl(1 <i>R</i> ,3 <i>S</i> )-3-(2,2- di= chlorovinyl) 2,2-dimethylcyclopanecarboxylate
transpermethrin	3-phenoxybenzyl (1 <i>RS</i> )-trans-3-(2,2-dichloro= vinyl)-2,2-dimethylcyclopropanecarboxylate
<i>Trichoderma harzianum isolate T-22</i>	-
<i>Trichoderma harzianum Rifai isolate TH 35 and TH 315</i>	-
<i>Trichoderma harzianum isolate T-39</i>	-
<i>Trichoderma harzianum and Trichoderma viride</i>	-
<i>Trichoderma polysporum and Trichoderma harzianum</i>	-
<i>Trichoderma stromaticum</i>	-
<i>Trichoderma virens</i>	-
<i>Trichoderma viride</i>	-
triadimefon	1-(4-chlorophenoxy)-3,3-dimethyl-1-(1 <i>H</i> -1,2,4= triazol-1-yl)butan-2-one

tri-allate	S-2,3,3-trichloroallyl di-isopropyl (thiocarbamate)
tri-allate	S-2,3,3-trichloroallyl diisopropyl (thiocarbamate)
triamiphos	5-amino-3-phenyl-1H,-1,2,4-triazol-1-yl-N,N,N',= N'-tetramethylphosphonic diamide
triamiphos	<i>P</i> -5-amino-3-phenyl-1 <i>H</i> -1,2,4-triazol-1-yl= <i>N,N,N',N'</i> -tetramethylphosphonic diamide
triapenthenol	( <i>E</i> )-(RS)-1-cyclohexyl-4,4-dimethyl-2-(1 <i>H</i> -1,2,4-triazol-1-yl)pent-1-en-1-ol
triarathene	5-(4-chlorophenyl)-2,3-diphenylthiophene
triarimol	( <i>RS</i> )-2,4-dichloro- $\alpha$ -(pyrimidin-5-yl)benzhydryl= alcohol
triasamate	ethyl(3- <i>tert</i> -butyl-1-dimethylcarbomyl-1 <i>H</i> -1,2,4-triazol-5-ylthio) acetate
triasulfuron	1-[2-(2-chloroethoxy)phenylsulfonyl]-3-(4-methoxy-6-methyl-1,3,5-triazin-2-yl) urea
triazamate	ethyl (3- <i>tert</i> -butyl-1-dimethylcarbomyl-1 <i>H</i> -1,2,4-triazol-5-ylthio)acetate
triazbutil	4-butyl-4 <i>H</i> -1,2,4-triazole
triaziflam	( <i>RS</i> )- <i>N</i> -[2-(3,5-dimethylphenoxy)-1-methylethyl]-6-(1-fluoro-1-methylethyl)-1,3,5-triazine-2,4-diamine
triazophos	<i>O,O</i> -diethyl <i>O</i> -1-phenyl-1 <i>H</i> ,1,2,4-triazol-3-yl= phosphorothioate
triazoxide	7-chloro-3-imidazol-1-yl-1,2,4-benzotriazine 1-oxide
tribenuron (including esters)	2-[4-methoxy-6-methyl-1,3,5-triazin-2-yl= (methyl) carbamoylsulfamoyl] benzoic acid
tribufos	<i>S,S,S</i> -tributyl phosphorotrithioate
tricamba	3,5,6-trichloro- <i>o</i> -anisic acid
trichlorfon	dimethyl 2,2,2-trichloro-1-hydroxyethyl= phosphonate
trichloronat	<i>O</i> -ethyl- <i>O</i> ,2,4,5-trichlorophenyl ethylphosphono= thioate
triclopyr (including salts and esters)	3,5,6-trichloro-2-pyridyloxyacetic acid
tricyclazole	5-methyl-1,2,4-triazolo[3,4- <i>b</i> ][1,3] benzothiazole
tridemorph	2,6-dimethyl-4-tridecylmorpholine
tridiphane	( <i>RS</i> )-2-(3,5-dichlorophenyl)-2-(2,2,2-trichloroethyl) oxirane

trifenofos	O-ethyl S-propyl O-2,4,6-trichlorophenyl=phosphorothioate
trifloxystrobin	methyl (E)-methoxyimino-{(E)- $\alpha$ -[1-( $\alpha,\alpha,\alpha$ -trifluoro-m-tolyl)ethylideneaminoxy]-o-tolyl}= acetate
trifloxysulfuron (including salts)	1-(4,6-dimethoxypyrimidin-2-yl)-3-[3-(2,2,2-trifluoroethoxy)-2-pyridylsulfonyl] urea
triflumizole	(E)-4-chloro- $\alpha,\alpha,\alpha$ -trifluoro-N-(1-imidazol-1-yl-2-propoxyethylidene)-o-toluidine
triflumuron	1-(2-chlorobenzoyl)-3-(4-trifluoromethoxyphenyl) urea
trifluralin	$\alpha,\alpha,\alpha$ -trifluoro-2,6-dinitro-N,N-dipropyl-p-toluidine
triflusulfuron (including esters)	2-[4-dimethylamino-6-(2,2,2-trifluoroethoxy)-1,3,5-triazin-2-ylcarbamoylsulfamoyl]-m-toluic acid
trifop (including esters)	(RS)-2-[4-( $\alpha,\alpha,\alpha$ -trifluoro-p-tolyloxy)phenoxy]= propionic acid
trifopsime	acetone (R)-O-[2 [4-( $\alpha,\alpha,\alpha$ -trifluoro-p-tolyloxy)= phenoxy] propionyl] oxime
triforine	N,N'-[piperazine-1,4-diylbis[(trichloromethyl) methylene]] diformamide
trimethacarb	a reaction product comprising 3,4,5-trimethylphenyl methylcarbamate (I) and 2,3,5-trimethylphenyl methylcarbamate(II) in a ratio between 3.5:1 and 5.0:1 m/m
trimeturon	3-(4-chlorophenyl)-1,1,2-trimethylisourea
trinexapac (including salts and esters)	(RS)-4-cyclopropyl(hydroxy) methylene-3,5-dioxocyclohexanecarboxylic acid
tripropindan	1-(6-isopropyl-1,1,4-trimethylindan-5-yl) propan-1-one
tritac	1-(2,3,6-trichlorobenzoyloxy) propan-2-ol
triticonazole	( $\pm$ )-(E)-5-(4-chlorobenzylidene)-2,2-dimethyl-1-(1H-1,2,4-triazol-1-yl)methyl) cyclopentanol
tritosulfuron	1-[4-methoxy-6-(trifluoromethyl)-1,3,5-triazin-2-yl]-3-[2-(trifluoromethyl) benzenesulfonyl] urea
uniconazole	(E)-(RS)-1-(4-chlorophenyl)-4,4-dimethyl-2-(1H-1,2,4-triazol-1-yl) pent-1-en-3-ol
uniconazole-P	(E)-(S)-1-(4-chlorophenyl)-4,4-dimethyl-2-(1H-1,2,4-triazol-1-yl) pent-1-en-3-ol
<i>Vairimorpha necatrix</i>	-
validamycin	(1R,2R,3S,4S,6R)-2,3-dihydroxy-6-hydroxy= methyl-4-

vamidothion	O,O-dimethyl S-2(1-methylcarbamoylethylthio)ethyl phosphorothioate
vernolate	S-propyl dipropylthiocarbamate
<i>Verticillium lecanii</i>	-
vinclozolin	(RS)-3-(3,5-dichlorophenyl)-5-methyl-5-vinyl-1,3-oxazolidine-2,4-dione
vitamine D3	(3 $\beta$ ,5Z,7E)-9,10-secocholesta-5,7,10(19)-trien-3-ol
warfarin	(RS)-4-hydroxy-3-(3-oxo-1-phenylbutyl)coumarin
<i>Xanthomonas campestris</i> pv. <i>Poannua</i>	-
xylachlor	2-chloro-N-isopropylacet-2',3'-xylidide
xylylcarb	3,4-xylyl methylcarbamate
zarilamid	(RS)-4-chloro-N-[cyano(ethoxy)methyl]benzamide
zeta-cypermethrin	mixture of the stereoisomers (S)- $\alpha$ -cyano-3-phenoxybenzyl (1RS,3RS;1RS,3SR)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropane-1-carboxylate where the ratio of the (S):(1RS,3RS) isomeric pair to the (S):(1RS,3SR) isomeric pair lies in the ratio range 45-55 to 55-45 respectively
zinc phosphide	trizinc diphosphide
zineb	zinc ethylenebis(dithiocarbamate)
ziram	zinc bis(dimethyldithiocarbamate)
zolaprofos	O-ethyl S-3-methylisoxazol-5-ylmethyl S-propyl phosphorodithioate
zoxamide	(RS)-3,5-dichloro-N-(3-chloro-1-ethyl-1-methyl-2-oxopropyl)-p-toluamide
ZXI 8901	3-(4-bromophenoxy)- $\alpha$ -cyanobenzyl 2-[4-(difluoromethoxy)phenyl]-3-methylbutanoate
-	N-acetylthiazolidine-4-carboxylic acid
-	4-allyl-2-methoxyphenol
-	4-aminopyridine
-	3-allyloxy-1,2-benzothiazole 1,1-dioxide
-	4-amino-6-tert-butyl-3-ethylthio-1,2,4-triazin-5(4H)-one
-	diammonium ethylenebis(dithiocarbamate)

- 6-benzylaminopurine
- 5-benzyl-3-furylmethyl(E)-(1R)-cis-2,2-dimethyl-3-(2-oxothiolan-3-ylindenemethyl)cyclopropane= carboxylate
- S-benzyl O,O-diethyl-phosphorothioate
- S-benzyl O-ethyl phenylphosphorothioate
- bis(2-chloroethyl)ether
- bis(2-chloro-1-methylethyl) ether
- bis(2-chloro-3-methylethyl) ether
- bis(4-chlorophenoxy) methane
- 1,1-bis(4-chlorophenyl)-2-ethoxyethanol
- 1,1-bis (4-chlorophenyl)-2-nitropropane with 1,1-bis(4-chlorophenyl)-2-nitrobutane
- bis (dimethylthiocarbonylthio) methyl arsine
- N<sup>2</sup>,N<sup>4</sup>-bis(3-methoxypropyl)-6-methylthio 1, 3,5-triazine-2,4-diamine
- S,S-bis(1-methylpropyl) phosphorodithioate
- bis-O,O-di-(n-propyl) phosphorothionic anhydride
- bis(diethoxyphosphinothioyl)disulfide with bis- (diisopropoxyphosphinothioyl) disulfide
- bis(8-hydroxyquinolinium) sulfate
- bis (methylmercuric) sulphate
- bis(tributyltin) oxide
- (1R,2R,4R)-Born-2-yl thioctanathoacetate
- 1-bromo-2-chloroethane
- 3-bromo-1-chloroprop-1-ene
- 3-bromo-N-[4-chloro-2-methyl-6-(methyl= carbonyl)phenyl]-1-(3-chloropyridine-2-yl)1H-pyrazole-5-carboxamide
- 3-(4-bromophenoxy)- $\alpha$ -cyanobenzyl 2-[4-(di= fluoromethoxy) phenyl]-3-methylbutanoate
- 2-(2-butoxyethoxy)ethyl piperonylate
- 2-(2-butoxyethoxy)ethyl thiocyanate
- butoxy(polypropylene glycol)

- N-butyl-1,2-benzisothiazolin-3-one
- 2-tert-butylamino-4-ethylamino-6-methoxy-s= triazine
- 6-tert-butyl-3-isopropyl[1,2]thiazolo [3,4-d]= pyrimidin-4(5H)-one
- 6-tert-butyl-3-isopropylisothiazolo [3,4-d]= pyrimidin-4(5H)-one
- 6-tert-butyl-3-isopropyl[1,2]oxazolo [5,4-d]= pyrimidin-4(5H)-one
- butyl (R)-2-[4-(4-cyano-2-fluorophenoxy)= phenoxy] propionate
- 2-(p-t-butylphenoxy) cyclohexylpropynyl sulphite
- 1-tert-butyl-5-cyano-N-methylpyrazole-4-= carboxamide
- 2-(4-tert-butylphenoxy)-1-methylethyl 2-= chloroethyl sulphite
- 6-tert-butyl-3-propyl-1,2-oxazolo[5,4-d]= pyrimidin-4(5H)-one
- cadmium calcium copper zinc chromate sulfate
- (E)-2-chlorobenzoyl(2,3-dihydro-4-phenyl-1,3-= thiazol-2-ylidene) acetonitrile
- 2-(2-chlorobenzyl)-4,4-dimethyl-1,2-oxazolidin-3-= one
- 2-chloro-N-(2-cyanoethyl) acetamide
- 2-chloroethylphosphonic acid
- 2-chloro-6'-ethyl-N-isopropoxymethylaceto-o= toluidide
- O,2-chloro-4-methylthiophenyl O-methylethyl= phosphoramidothioate
- O,3-chloro-4-nitrophenyl O,O-dimethyl phos= phorothioate
- 1-chloro-2-nitropropane
- 2-chloro-N-(1-methyl-2-propynyl)acetamide
- (2RS,3SR)-1-[3-(2-chlorophenyl)-2,3-epoxyl-2-= (4-fluorophenyl) propyl]-1H-1,2,4-triazole
- 1-(4-chlorophenoxy)-1-(imidazol-1-yl)-3,3-= dimethylbutanone
- 1-(4-chlorophenyl)-3-(2,6-dichlorobenzoyl) urea

- 3-(4-chlorophenyl)-5-methylrhodanine
- 4-chlorophenyl phenyl sulfone
- S-[[[4-chlorophenyl]thio]methyl]O,O-dimethyl=phosphorodithioate
- (E)-N'-[(6-chloro-3-pyridyl)methyl]-N<sup>2</sup>-cyano-N'=-methylacetamide
- 2-chlorovinyl diethyl phosphate
- (RS)-α-[N-(3-chloro-2,6-xylol)-2-methoxy=acetamido]-γ-butyrolactone
- 2-(4-chloro-3,5-xylol)ethanol
- (±)-cis-1-(4-chlorophenyl)-2-(1H-1,2,4-triazol-1-=yl)cycloheptanol
- copper bis(3-phenylsalicylate)
- copper zinc chromate
- m-cumenyl methylcarbamate
- [(α-cyano-4-fluoro-3-phenoxy)3-2-(chloro=phenyl)-2-chlorovinyl]-2,2-dimethyl-cyclo=propanecarboxylate
- 1-(2-cyano-2-methoxyiminoatyl)-3-ethylurea
- (S)-α-cyano-3-phenoxybenzyl (1R,3S)-[(RS)-1,2-=dibromo-2,2-dichloroethyl]-2,2-dimethylcyclo=propanecarboxylate
- 1-[[2-(cyclopropylcarbonyl)phenyl]sulfamoyl]-3=(4,6-dimethoxypyrimidin-2-yl) urea
- N,N-diallyl-2,2-dichloroacetamide
- 1,2-dibromo-3-chloropropane
- 4-(dichloroacetyl)-1-oxa-4-azaspiro[4,5] decane
- 1,1-dichloro-2,2-bis(4-ethylphenyl) ethane
- O-2,5-dichloro-4-iodophenyl O-ethyl=ethylphosphonothioate
- 1,2-dichloropropane
- 1,2-dichloropropane with 1,3-dichloropropane
- 1,1-dichloro-1-nitroethane
- 4,5-dichloro-2-n-octyl-4-isothiazolin-3-one
- 2,4-dichlorophenyl benzenesulfonate

- (RS)-N-(3,5-dichlorophenyl)-2-(methoxymethyl)= succinimide
- N-3,5-dichlorophenylsuccinimide
- 1,3-dichloro-1,1,3,3-tetrafluoropropane-2,2-diol
- 3,4-dichlorotetrahydrothiophene 1,1-dioxide
- 2,6-dichloro-N-(4-trifluoromethylbenzyl)= benzamide
- trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclo= propanecarboxylate
- 2,2-dichlorovinyl 2-ethylsulphinylethyl= methylphosphate
- N<sup>2</sup>-diethoxyphosphinothioyl-N<sup>2</sup>-ethyl-N<sup>1</sup>,N<sup>1</sup>-di= propylglycinamide
- N,N-diethyl-3-mesitylsulfonyl-1H-1,2,4-triazole= -1-carboxamide
- O,O-diethyl O-4-methyl-2-oxo-2H-chromen-7-yl= phosphorothioate
- O,O-diethyl O-6-methyl-2-propylpyrimidin-4-yl= phosphorothioate
- diethyl 5-methylpyrazol-3-yl phosphate
- O,O-diethyl naphthalene-1,8-dicarboximido= oxyphosphonothioate
- N-2,3-dihydro-3-methyl-1,3-thiazol-2-ylidene= 2,4-xylylidine
- O-(1,6-dihydro-6-oxo-1-phenylpyridazin-3-yl)= O,O-diethylphosphorothioate
- 2,3-dihydro-5-phenyl-1,4-dithi-ine 1,1,4,4= tetraoxide
- di-isopropyl benzyl phosphorothioate
- O,O-di-isopropyl S-ethylsulphinylmethyl= phosphorothiolothionate
- dimethylarsinic acid
- dimethyl 1,3-di(carbomethoxy)-1-propen-2-yl= phosphate
- 2-(4,5-dimethyl-1,3-dioxolan-2-yl) phenyl= methylcarbamate
- O,O-dimethyl-S-(isopropylthio) ethyl= phosphorodithioate
- 5,5-dimethyl-3-oxocyclohex-1-enyl= dimethylcarbamate

- O-4-dimethylsulfamoylphenyl O,O-diethyl=phosphorothioate
- O,O-dimethyl O-4-sulphamoylphenyl= phosphorothioate
- dimethyl 3,5,6-trichloropyridyl phosphorothioate
- dimethyl 4-methylthiophenyl phosphate
- dipropyl pyridine-2,5-dicarboxylate
- disodium metaborate, hydrated
- disodium octaborate, hydrated
- disodium tetraborate, hydrated
- dithio-2,2'-bis(benzmethylamide)
- 2-(1,3-dithiolan-2-yl)phenyl dimethylcarbamate
- (Z)-dodec-8-enol
- ethyl butylacetylamino propionate
- ethyl O-[5-(2-chloro- $\alpha,\alpha,\alpha$ -trifluoro-p-tolyloxy)-2-nitrobenzyl]-DL-lactate
- ethyl 2-chloro-3-[2-chloro-4-fluoro-5-(4-difluoro= methyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4= triazol-1-yl)phenyl]propionate
- ethyl O-[2-chloro-5-(2-chloro- $\infty,\infty,\infty$ -trifluoro-p= tolyloxy)benzoyl]-L-lactate
- O-ethyl-0-2,4-dichlorophenyl thionobenzene= phosphonate
- ethylene glycol bis (trichloroacetate)
- N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3= dicarboximide
- N-(ethylmercury)-p-toluene sulphonanilide
- N-ethylmercurio-4-toluenesulphonanilide
- 2-ethyl-5-methyl-1,3-dioxan-2-yl 2-methylbenzyl= ether
- S-(2-ethylsulphinyl)isopropyl dimethyl= phosphorothiolate
- S-ethylsulphinylmethyl O,O-di-isopropyl= phosphorodithioate
- 4-ethylthiophenyl methylcarbamate
- 2-fluoro-N-methyl-N-1-naphthylacetamide

- a mixture of 1,1,1,7,7,7-hexafluoro-4-methyl-2,6-bis(trifluoromethyl)-3-heptene-2,6 diol(I) and 1,1,1,7,7,7-hexafluoro-4-methylene-2,6-bis(trifluoromethyl)-2,6-heptanediol(II)
- 1,5a,6,9,9a,9b, hexahydro-4a (4H)-dibenzofuran-carboxaldehyde
- hexahydro-1,3,5-tris(2-hydroxyethyl) triazine
- hydrogen cyanide (including salts)
- 2-hydroxyethyl-n-octyl sulphide
- N-hydroxymethyl chloroacetamide
- 1-hydroxy-1H-pyridine-2-thione
- 2-imidazolidone
- 3-iodo-2-propynylbutylcarbamate
- isobornyl thiocynoacetate
- isopropyl O-[[methoxy-N-isopropylamino(thio= phosphoryl) salicylate
- 1-isopropyl-3-methylpyrazol-5-yl dimethyl= carbamate
- 2-isovalerylindan-1,3-dione
- magnesium phosphide
- p-mentnanediol
- mesyl(methyl)carbomoylmethylaminomethyl= phosphonic acid
- methanesulfonyl fluoride
- 2-methoxy-4H-1,3,2-benzodioxaphosphorine-2-sulphide
- 4-methoxy-3,3'-dimethylbenzophenone
- (2-methoxyethyl)mercury(II) chloride
- (2-methoxyethyl)mercury(II) acetate
- (2-methoxyethyl)mercury(II) silicate
- methylarsinediyl bis (dimethyldithiocarbamate)
- 3-methylcyclohex-2-en-1-one
- methylene bithiocyanate

- S-methyl N-(carbamoyloxy)thioacetimidate
- methyl (EZ) -1-[5-(2-chloro- $\alpha,\alpha,\alpha$ -trifluoro-p-tolyloxy)-2-nitrophenyl]-2-methoxyethylidene= amino-oxyacetate
- 5-methyl-m-cumenyl butyryl(methyl)carbamate
- methyl 2-[(4,6-dimethoxypyrimidin-2-yl)oxy]-6-[1-(methoxyimino) ethyl] benzoate
- methyl 5-(4,6-dimethylpyrimidin-2-ylcarbamoyl= sulfamoyl)-1-(2-pyridyl)pyrazole-4-carboxylate
- 1-methyl-3-(1-methyl-1-phenylethyl)-1-phenylurea
- 3-methyl-1-phenylpyrazol-5-yl-dimethylcarbamate
- 2-(methyl-2-propynylamino) phenyl N-methyl= carbamate
- 2-methyl(prop-2-ynyl)aminophenyl methyl= carbamate
- 4-methyl(prop-2-ynyl)amino-3,5-xylol methyl= carbamate
- methyl 2,3,5,6-tetrachloro-N-methoxy-N-methyl= terephthalamate
- 5-methyl-6-thioxo-1,3,5-thiadiazinan-3-ylacetic acid
- 2-(2-naphthyl)oxy propionanilide
- nickel bis(dimethyldithiocarbamate)
- N-3-nitrophenylitaconimide
- 4-(2-nitroprop-1-enyl) phenylthiocyanate
- 1,4,4a,5a,6,9,9a,9b-octahydrodibenzofuran-4a-carbaldehyde
- octachlorocyclohex-2-en-1-one
- 2-n-octyl-4,4-isothiazolin-3-one
- 2-(octylthio) ethanol
- 1,7-dioxaspiro-[5.5]-undecane
- 1,1'-oxybis[2,3,3,3-tetrachloropropane]
- 2-phenyl-4h-3,1-benzoxazin-4-one
- 1-phenyl-3-(O,O-diethylthionophosphoryl)-1,2,4-triazole
- phenyl N,N-dimethylphosphorodiamidate
- phenylmercury dimethyldithiocarbamate
- phenylmercury(II) nitrate

- pyridazin-3-yl o-tolyl ether
- pyridin-4-amine
- 2-pyridyl 1-(2,5-xylyl)ethyl sulfone 1-oxide
- sodium (Z)-3-chloroacrylate
- sodium hexafluorosilicate
- sodium tetrathio(peroxocarbonate)
- 2,2',3,3'-tetrachloro-4,4'-oxydibut-2-en-4-olide
- 2,3,5,6-tetrachloro-4-(methylsulphonyl)pyridine
- 4,5,6,7-tetrachlorophthalide
- tetrachlorothiophene
- (Z)-tetradec-10-enyl acetate
- O,O,O',O'-tetrapropyl dithiopyrophosphate
- tetradecyl pyridinium bromide
- 2-thiocyanatoethyl laurate
- tributyl phosphorotrithioite
- tri-n-butyltin naphthenate
- trichlorobenzyl chloride
- 2,2,2-trichloro-1-(3,4-dichlorophenyl) ethylacetate
- 4,5,7-trichloro-2,1,3-benzothiadiazole
- 4,5-7-trichlorobenzthiadiazole-2,1,3= trichlorobenzyl chloride
- tricyclohexyltin hydroxide
- tris(1-dodecyl-3-methyl-2-pheynlbenzimidazolium)= hexacyanoferrate
- trisodium hexafluoroaluminate (3-)
- 3,5-xylyl methylcarbamate