

**PESTICIDES CONTROL ACT, 2001
(ACT NO. XI OF 2001)**

**Maximum Residue Levels of Pesticides in Produce of Plant
Origin Regulations, 2004**

IN exercise of the powers conferred by articles 4 and 5 of the Pesticides Control Act, the Minister for Rural Affairs and the Environment, has made the following regulations:-

1. (1) The title of these regulations is the Maximum Residue Levels of Pesticides in Produce of Plant Origin Regulations, 2004. Title and commencement.

(2) These regulations shall come into force on the 1st May, 2004. Correspondence.

2. (1) These regulations shall apply to produce of plant origin intended for human or, in exceptional cases, animal consumption or parts thereof, to be used as food or feed listed under the headings set out in Schedule I to these regulations and in or on which are found the pesticide residues listed in Schedule II to these regulations. Applicability.

(2) These regulations shall not apply to produce referred to in sub-regulation (1) of these regulations which is -

(a) exported to a country other than a Recognised Country where, it can be satisfactorily proved that such country requires a particular treatment in order to prevent the introduction of harmful organisms into its territory and that such treatment has been undertaken;

(b) intended for the manufacture of products other than foodstuffs or animal feed; or

(c) intended for sowing or planting.

3. For the purposes of these regulations the following definitions shall apply- Definitions.

(a) "Food Safety Commission" means the Food Safety Commission established under article 5 of the Food Safety Act; Cap 449.

(b) “maximum residue level” (MRL) shall mean the upper legal level of concentration for a pesticide residue, in excess of which measures are taken to withdraw a product from the market;

(c) “pesticide residues” means any residue of any pesticide and of its metabolites, and breakdown or reaction products and of their metabolites, and breakdown or reaction products as defined in Schedule II to these regulations which is present in or on the produce listed in Schedule I;

(d) “produce” means any food or feed produce of plant origin including seeds, and seedlings but does not include food products or produce after drying or processing, or after inclusion in composite food;

(e) “putting into circulation” shall mean any postharvest handing over, whether or not for a consideration, of the produce;

(f) “Recognised Country” means any Member State of the European Community.

Applicability of MRLs.

4. (1) The produce in the groups or, where applicable, the parts of produce referred to under the first column to Schedule II to these regulations shall not contain, at any time after which it is put into circulation, any pesticide residue not listed under the first column to Schedule II to these regulations, and pesticide residue levels higher than those specified in relation to every such produce in the second column to the said Schedule.

Temporarily reduction of MRLs.

(2) In the case of a produce, which is not specified under the first column to Schedule II to these regulations, the MRL for such produce shall not exceed 0.01 mg/kg or such MRL as the Director may establish taking into consideration the protection of the consumer.

Director to ensure compliance.

(3) Where the Director, as a result of new information or of a reassessment of existing information, considers that the maximum level of pesticide residue established in relation to a produce in Schedule II to these regulations endangers human or animal health, and, where he considers that he should take swift action, he may temporarily reduce that level. In that case, the Director shall immediately notify the other Recognised Countries and the European Commission of the measures taken, attaching a statement of the reasons therefore.

Sampling methods and methods of analysis.

5. (1) The Director shall take all the necessary measures to ensure compliance with the provisions of these regulations and for such purpose shall carry out such inspections, take such samples, carry out

such analysis and require the production of documents and submission of such information, as he may deem necessary.

(2) In carrying out such inspections, taking such samples, and carrying out such tests as is referred to in sub-regulation (1) of this regulation the Director shall in the case of –

(a) sampling, apply the methods established under Schedule III to these regulations;

(b) analysis, use either the European Community methods of analysis that may be in place from time to time, or use other tested and scientifically valid methods. Where the results obtained from the latter method are materially different from the results that are obtained using the European Community methods, the result obtained by the use of the European Community methods shall prevail.

(3) Where the Director has used alternative methods referred to in paragraph (b) of sub-regulation (2) of this regulation, the Director shall inform the Recognized Countries and the European Commission of such methods.

6. (1) The Director shall each year draw up a national monitoring programme for the following year which shall as a minimum specify –

National monitoring programme and co-ordinated community programme.

(a) the produce to be inspected and the number of inspections to be carried out;

(b) the pesticide residues for which the inspections are carried out;

(c) the criteria applied in drawing up the programme;

(d) such other information as may from time to time be required under the co-ordinated monitoring programme for Recognised Countries by the European Community.

(2) The Director shall send to the European Commission and the Recognised Countries the results of the analyses of the samples taken during the previous year under the programme referred to in sub-regulation (1) of this regulation.

Imported produce.

7. No person shall bring into Malta any produce, which contains any pesticide residue which is not listed in the first column to Schedule II to these regulations, and any pesticide residue in a concentration higher than those specified in relation to each produce contained in Schedule II to these regulations:

Provided that this regulation does not apply to imported produce of plant origin or parts thereof listed under the headings set out in Schedule I to these regulations, and in or on which are found any pesticide residues listed in Annex II to European Union Council Directives 76/895/EC, 86/362/EEC and 90/642/EEC and any other amendments to such Annexes which may be issued by the European Union from time to time, and provided that the concentration of these pesticide residues at any time after which such produce is put into circulation does not exceed the MRLs specified in such Annexes.

Rules regarding EU
Harmonised MRLs.

8. The pesticide residue levels set out in column 2 to Schedule II for each pesticide residue-produce combination listed in Schedule II shall be replaced by the residue levels set out in Annex II to European Union Council Directives 76/895EC, 86/362/EEC and 90/642/EEC and any other amendments to such Annexes which may be issued by the European Union from time to time.

SCHEDULE 1

List of Produce and the Part of Produce to Which Maximum Residue Levels Apply
(Regulation 2)

Groups of produce	Produce included in the groups	Part of product to which maximum residue levels apply
1. FRUIT, FRESH, PRESERVED BY FREEZING, NOT CONTAINING ADDED SUGAR; NUTS		
i) CITRUS FRUIT	Grapefruit <i>Lemons</i> Limes Mandarins (including Clementines and similar hybrids) Oranges Pomelos	Whole Product
(ii) TREE NUTS (SHELLED OR UNSHELLED)	Almonds Brazil nuts Cashew nuts Chestnuts Coconuts Hazelnuts Macadamia nuts Pecans Pine nuts Pistachios Walnuts	Whole product after removal of shell
(iii) POME FRUIT	Apples Pears Quinces	Whole product after removal of Stems
(iv) STONE FRUIT	Apricots Cherries Peaches (including nectarines and similar hybrids) Plums	Whole product after removal of Stems
(v) BERRIES AND SMALL FRUIT	(a) Table and wine grapes (b) Strawberries (other than wild) (c) Cane fruit (other than wild) Blackberries Loganberries Raspberries (d) Other small fruit and berries (other than wild)	Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems

	Bilberries Cranberries Currants (red, black and white) Gooseberries (e) Wild berries and wild fruit	
(vi) MISCELLANEOUS FRUIT	Avocados Bananas Dates Figs Kiwi fruit Kumquats Litchis Mangoes Passion fruit Pineapples Pomegranates	Whole fruit after removal of stems (if any) and in the case of pineapple after removal of the crown
(vi) Olives		Whole fruit after removal of stems (if any) after removal of soil (if any) by rinsing in running water
2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY		
(i) ROOT AND TUBER VEGETABLES	Beetroot Carrots Celeriac Horseradish Jerusalem artichokes Parsnips Parsley root Radishes Salsify Sweet potatoes Swedes Turnips Yams	Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
(ii) BULB VEGETABLES:	Garlic Onions Shallots Spring onions	Onions, shallots and garlic other than dry, spring onions: whole product after removal of roots and soil (if any)
	Onions (dry), shallots (dry), garlic(dry)	whole product after removal of easily detachable skin and soil (if any).

(iii) FRUITING VEGETABLES	a) Solanacea Tomatoes Peppers (b) Cucurbits – edible peel Cucumbers Gherkins Courgettes (c) Cucurbits - inedible peel Melons Squashes Watermelons	Whole product after removal of stems
	(d) Sweet corn	Kernels or cobs without husks
(iv) BRASSICA VEGETABLES	(a) Flowering brassicas Broccoli Cauliflower	Curd only
	(b) Head brassicas Brussels sprouts Head cabbage	Product after removal of decayed Leaves (if any)
	(c) Leafy brassicas Chinese cabbage Kale	Product after removal of decayed leaves (if any)
	(d) Kohlrabi	Whole product after removal of tops and adhering soil by rinsing in running water or by gentle brushing of the dry product
(v) LEAF VEGETABLES AND FRESH HERBS	(a) Lettuce and similar Cress Lamb's lettuce Lettuce Broad-leaf endive (b) Spinach and similar Beat leaves (chard) (c) Watercress (d) Witloof (e) Herbs Chervil Chives Parsley	Whole product after removal of decayed outer leaves, root and soil (if any)
(vi) LEGUME VEGETABLES (FRESH)	Beans Peas	Whole product after removal of pods or with pods if they are intended to be eaten

(vii) STEM VEGETABLES	Asparagus Cardoons Celery Fennel Globe artichokes Leeks Rhubarb	Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any)
3. CEREALS		
	Wheat Rye Barley Oats Maize Rice Grain sorghum Buckwheat, Millet other cereals	Whole product

SCHEDULE II
Maximum Residue Levels
(Regulation 2)

Column 1	Column 2
2,4-D	MRL (mg/kg)
Barley	0.5
Blackberries	0.1
Citrus fruits	2
Maize	0.05
Oats	0.5
Potato	0.2
Raspberries (Red and Black)	0.1
Rice	0.05
Rye	0.5
Sorghum	0.05
Vaccinium berries, including bearberry	0.1
Wheat	0.5
ABAMECTINE	MRL (mg/kg)
Almonds	0,02
Apples	0,01
Apricots	0,01
Asparagus	0,01
Aubergine	0,02
Avocados	0,01
Bananas	0,01
Barley	0,01
Beans	0,01
Beans (with pods)	0,01
Beans (without pods)	0,01
Beet leaves (chard)	0,01
Beetroot	0,01
Berries and small fruit Others	0,01

Bilberries	0,01
Blackberries	0,01
Brazil Nuts	0,02
Broccoli	0,01
Brussels sprouts	0,01
Buckwheat	0,01
Bulb Vegetables others	0,01
Cane Fruit Others	0,01
Cardoons	0,01
Carrots	0,01
Cashew Nuts	0,02
Cauliflower	0,01
Celeriac	0,01
Celery	0,01
Celery leaves	0,01
Cereals others	0,01
Cherries	0,01
Chervil	0,01
Chestnuts	0,02
Chinese cabbage	0,01
Chives	0,01
Citrus Fruit Others	0,01
Coconuts	0,02
Cotton seed	0,02
Courgettes	0,02
Cranberries	0,01
Cress	0,1
Cucumbers	0,02
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,01
Cultivated mushrooms	0,01
Currants (Black, Red andWhite)	0,01
Dates	0,01
Dewberries	0,01
Early potatoes	0,01
Fennel	0,01
Figs	0,01
Flowering brassicas others	0,01

Garlic	0,01
Gherkins	0,02
Globe artichoke	0,01
Gooseberry	0,01
Grapefruit	0,01
Hazelnuts	0,02
Head brassicas others	0,01
Head cabbages	0,01
Herbs others	0,01
Horseradish	0,01
Jerusalem artichoke	0,01
Kale	0,01
Kiwi Fruit	0,01
Kohlrabi	0,01
Kumquats	0,01
Lamb's lettuce	0,1
Leafy brassicas others	0,01
Leeks	0,01
Legume vegetables fresh others	0,01
Lemons	0,01
Lentils	0,01
Lettuce	0,1
Lettuce and similar others	0,1
Limes	0,01
Linseed	0,02
Litchis	0,01
Loganberries	0,01
Macadamia Nuts	0,02
Maize	0,01
Mandarins	0,01
Mangoes	0,01
Melons	0,01
Millet	0,01
Miscellaneous Fruit Others	0,01
Mustard seed	0,02
Oats	0,01
Oilseeds others	0,02
Olives	0,01

Onions	0,01
Oranges	0,01
Papaya	0,01
Parsley	0,01
Parsley root	0,01
Parsnips	0,01
Passion Fruit	0,01
Peaches	0,01
Peanuts	0,02
Pears	0,01
Peas	0,01
Peas (with pods)	0,01
Peas (without pods)	0,01
Pecans	0,02
Peppers	0,05
Pine Nuts	0,02
Pineapples	0,01
Pistachios	0,02
Plums	0,01
Pome Fruit Others	0,01
Pomegranates	0,01
Pomelo	0,01
Poppy seeds	0,02
Pulses others	0,01
Quinces	0,01
Radishes	0,01
Rapeseed	0,02
Raspberries	0,01
Rhubarb	0,01
Rice	0,01
Root and tuber vegetables others	0,01
Rye	0,01
Salsify	0,01
Scarole	0,1
Sesame seeds	0,02
Shallots	0,01
Solanacea others	0,01
Sorghum	0,01

Soya bean	0,02
Spices	0,01
Spinach	0,01
Spinach and similar (others)	0,01
Spring onion	0,01
Squashes	0,01
Stem vegetables fresh others	0,01
Stone Fruit Others	0,01
Strawberries	0,1
Sunflower seeds	0,02
Swedes	0,01
Sweet corn	0,01
Sweet potato	0,01
Table Grapes	0,01
Tea	0,02
Tomatoes	0,02
Tree Nuts Others	0,02
Triticale	0,01
Turnip	0,01
Walnuts	0,02
Ware potatoes	0,01
Watercress	0,01
Watermelons	0,01
Wheat	0,01
Wild Berries and Wild Fruit	0,01
Wild mushrooms	0,01
Wine Grapes	0,01
Witloof	0,01
Yams	0,01
ACEPHATE	MRL (mg/kg)
Almonds	0,02
Apples	1
Apricots	0,02
Asparagus	0,02
Aubergine	0,5
Avocados	0,02

Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	3
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02
Brazil Nuts	0,02
Broccoli	2
Brussels sprouts	2
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,02
Cauliflower	2
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	0,02
Chervil	0,02
Chestnuts	0,02
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	1
Coconuts	0,02
Cotton seed	0,02
Courgettes	0,02
Cranberries	0,02
Cress	0,02
Cucumbers	0,02
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02

Currants (Black, Red and White)	0,02
Dates	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	2
Garlic	0,02
Gherkins	0,02
Globe artichoke	0,2
Gooseberry	0,02
Grapefruit	1
Hazelnuts	0,02
Head brassicas others	2
Head cabbages	2
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	0,02
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	1
Lentils	0,02
Lettuce	1
Lettuce and similar others	0,02
Limes	1
Linseed	0,02
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,02
Maize	0,02
Mandarins	1
Mangoes	0,02
Melons	0,02

Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,02
Oats	0,02
Oilseeds others	0,02
Olives	0,02
Onions	0,02
Oranges	1
Small Fruit and Berries Others	0,02
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,2
Peanuts	0,02
Pears	1
Peas	0,02
Peas (with pods)	3
Peas (without pods)	0,02
Pecans	0,02
Peppers	0,02
Pine Nuts	0,02
Pineapples	0,02
Pistachios	0,02
Plums	2
Pome Fruit Others	1
Pomegranates	0,02
Pomelo	1
Poppy seeds	0,02
Pulses others	0,02
Quinces	1
Radishes	0,02
Rapeseed	0,02
Raspberries	0,02
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables others	0,02
Rye	0,02

Salsify	0,02
Scarole	0,02
Sesame seeds	0,02
Shallots	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,02
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	0,02
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	0,02
Sunflower seeds	0,02
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,02
Tea	0,1
Tomatoes	0,5
Tree Nuts Others	0,02
Triticale	0,02
Turnip	0,02
Walnuts	0,02
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,02
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	0,02
Witloof	0,02
Yams	0,02
ACLONIFEN	MRL (mg/kg)
Carrots	0,05

Maize	0,05
Onions	0,05
Peas (without pods)	0,05
Potatoes	0,1
Sorghum	0,05
Sunflower seeds	0,05
Tobacco (fresh)	0,05
Tomatoes	0,05
ACRINATRIN	MRL (mg/kg)
Apples	0,2
Aubergines	0,2
Beans (without pods)	0,2
Clementines	0,2
French beans	0,2
Gherkins	0,2
Grapefruit	0,2
Grapes	0,1
Lemons	0,2
Maize	0,1
Melons	0,2
Onions	0,1
Oranges	0,2
Peaches	0,2
Pears	0,2
Peppers	0,2
Prunes	0,2
Soya bean	0,1
Strawberries	0,2
Tomatoes	0,2
Vegetable marrows	0,2
ALPHACYPERMETHRIN	MRL (mg/kg)
Apples	0,3
Artichokes	0,3

Brussels sprouts	0,05
Buckwheat	0,02
Bulb Vegetables others	0,05
Cane berries	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,02
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	1
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05

Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,02
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,02
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,02
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,02
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Small Fruit and Berries others	0,05
Parsley	0,05

Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,5
Peas	0,02
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,5
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,02
Quinces	0,5
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,02
Root and tuber vegetables others	0,05
Rye	0,02
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Solanacea others	0,05
Sorghum	0,02
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05

Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,5
Tree Nuts Others	0,05
Triticale	0,02
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,02
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
BENALAXYL	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,2
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05

Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05

Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,5
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,1
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05

Oilseeds others	0,05
Olives	0,05
Onions	0,2
Oranges	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,2
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit And Berries Others	0,05

Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,2
Tea	0,1
Tomatoes	0,2
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,1
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,2
Witloof	0,05
Yams	0,05
BENDIOCARB	MRL (mg/kg)
Beetroot	0.05
Maize	0,05
Maize fodder	0.05
Maize forage	0.05
Potato	0.05

Sugar beet	0,05
Sugar beet leaves or tops	0.05
BENFUROCARB	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05

Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05

Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05

Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05

Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
BENOMYL	MRL (mg/kg)
Almonds	0,1
Apples	2
Apricots	1
Asparagus	0,1
Aubergine	0,5
Avocados	0,1
Bananas	1
Barley	0,1
Beans	2
Beans (with pods)	0,1
Beans (without pods)	0,1
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	0,1
Blackberries	0,1
Brazil Nuts	0,1
Broccoli	0,1
Brussels sprouts	0,5
Buckwheat	0,1
Bulb Vegetables others	0,1
Cane Fruit Others	0,1
Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,1
Cauliflower	0,1
Celeriac	0,1
Celery	2

Celery leaves	0,1
Cereals others	0,1
Cherries	0,1
Chervil	0,1
Chestnuts	0,1
Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	5
Coconuts	0,1
Cotton seed	0,1
Courgettes	0,3
Cranberries	0,1
Cress	0,1
Cucumbers	0,5
Cucurbits edible peel others	0,1
Cucurbits inedible peel others	0,1
Cultivated mushrooms	1
Currants (Black, Red and White)	0,1
Dates	0,1
Dewberries	0,1
Early potatoes	0,1
Fennel	0,1
Figs	0,1
Flowering brassicas others	0,1
Garlic	0,1
Gherkins	0,1
Globe artichoke	0,1
Gooseberry	0,1
Grapefruit	5
Hazelnuts	0,1
Head brassicas others	3
Head cabbages	3
Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kohlrabi	0,1

Kumquats	0,1
Lamb's lettuce	0,1
Leafy brassicas others	0,1
Leeks	0,1
Legume vegetables fresh others	0,1
Lemons	5
Lentils	0,1
Lettuce	5
Lettuce and similar others	0,1
Limes	5
Linseed	0,1
Litchis	0,1
Loganberries	0,1
Macadamia Nuts	0,1
Maize	0,1
Mandarins	5
Mangoes	0,1
Melons	0,5
Millet	0,1
Miscellaneous Fruit Others	0,1
Mustard seed	0,1
Oats	0,1
Oilseeds others	0,1
Olives	0,1
Onions	0,1
Oranges	5
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,1
Peaches	1
Peanuts	0,1
Pears	2
Peas	0,1
Peas (with pods)	0,1
Peas (without pods)	0,1
Pecans	0,1
Peppers	0,1

Pine Nuts	0,1
Pineapples	0,1
Pistachios	0,1
Plums	0,5
Pome Fruit Others	2
Pomegranates	0,1
Pomelo	5
Poppy seeds	0,1
Pulses others	0,1
Quinces	2
Radishes	0,1
Rapeseed	0,1
Raspberries	0,1
Rhubarb	2
Rice	0,1
Root and Tuber Vegetables others	0,1
Rye	0,1
Salsify	0,1
Scarole	0,1
Sesame seeds	0,1
Shallots	0,1
Small Fruit and Berries others	0,1
Solanacea others	0,1
Sorghum	0,1
Soya bean	0,2
Spinach	0,1
Spinach and similar (others)	0,1
Spring onion	0,1
Squashes	0,5
Stem vegetables fresh others	0,1
Stone Fruit Others	0,1
Strawberries	0,1
Sunflower seeds	0,1
Swedes	0,1
Sweet corn	0,1
Sweet potato	0,1
Table Grapes	2
Tea	0,1

Tomatoes	0,5
Tree Nuts Others	0,1
Triticale	0,1
Turnip	0,1
Walnuts	0,1
Ware potatoes	0,1
Watercress	0,1
Watermelons	0,1
Wheat	0,1
Wild Berries and Wild Fruit	0,1
Wild mushrooms	0,1
Wine Grapes	2
Witloof	0,1
Yams	0,1
BENTAZONE	MRL (mg/kg)
Almonds	0,1
Apples	0,1
Apricots	0,1
Asparagus	0,1
Aubergine	0,1
Avocados	0,1
Bananas	0,1
Barley	0,1
Beans	0,1
Beans (with pods)	0,1
Beans (without pods)	0,1
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	0,1
Blackberries	0,1
Brazil Nuts	0,1
Broccoli	0,1
Brussels sprouts	0,1
Buckwheat	0,1
Bulb Vegetables others	0,1
Cane Fruit Others	0,1

Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,1
Cauliflower	0,1
Celeriac	0,1
Celery	0,1
Celery leaves	0,1
Cereals others	0,1
Cherries	0,1
Chervil	0,1
Chestnuts	0,1
Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	0,1
Coconuts	0,1
Cotton seed	0,1
Courgettes	0,1
Cranberries	0,1
Cress	0,1
Cucumbers	0,1
Cucurbits edible peel others	0,1
Cucurbits inedible peel others	0,1
Cultivated mushrooms	0,1
Currants (Black, Red and White)	0,1
Dates	0,1
Dewberries	0,1
Early potatoes	0,1
Fennel	0,1
Figs	0,1
Flowering brassicas others	0,1
Garlic	0,1
Gherkins	0,1
Globe artichoke	0,1
Gooseberry	0,1
Grapefruit	0,1
Hazelnuts	0,1
Head brassicas others	0,1
Head cabbages	0,1

Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kohlrabi	0,1
Kumquats	0,1
Lamb's lettuce	0,1
Leafy brassicas others	0,1
Leeks	0,1
Legume vegetables fresh others	0,1
Lemons	0,1
Lentils	0,1
Lettuce	0,1
Lettuce and similar others	0,1
Limes	0,1
Linseed	0,1
Litchis	0,1
Loganberries	0,1
Macadamia Nuts	0,1
Maize	0,1
Mandarins	0,1
Mangoes	0,1
Melons	0,1
Millet	0,1
Miscellaneous Fruit Others	0,1
Mustard seed	0,1
Oats	0,1
Oilseeds others	0,1
Olives	0,1
Onions	0,1
Oranges	0,1
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,1
Peaches	0,1
Peanuts	0,1

Pears	0,1
Peas	0,1
Peas (with pods)	0,5
Peas (without pods)	0,2
Pecans	0,1
Peppers	0,1
Pine Nuts	0,1
Pineapples	0,1
Pistachios	0,1
Plums	0,1
Pome Fruit Others	0,1
Pomegranates	0,1
Pomelo	0,1
Poppy seeds	0,1
Pulses others	0,1
Quinces	0,1
Radishes	0,1
Rapeseed	0,1
Raspberries	0,1
Rhubarb	0,1
Rice	0,1
Root and Tuber Vegetables others	0,1
Rye	0,1
Salsify	0,1
Scarole	0,1
Sesame seeds	0,1
Shallots	0,1
Small Fruit and Berries Others	0,1
Solanacea others	0,1
Sorghum	0,1
Soya bean	0,1
Spinach	0,1
Spinach and similar (others)	0,1
Spring onion	0,1
Squashes	0,1
Stem vegetables fresh others	0,1
Stone Fruit Others	0,1
Strawberries	0,1

Sunflower seeds	0,1
Swedes	0,1
Sweet corn	0,1
Sweet potato	0,1
Table Grapes	0,1
Tea	0,1
Tomatoes	0,1
Tree Nuts Others	0,1
Triticale	0,1
Turnip	0,1
Walnuts	0,1
Ware potatoes	0,1
Watercress	0,1
Watermelons	0,1
Wheat	0,1
Wild Berries and Wild Fruit	0,1
Wild mushrooms	0,1
Wine Grapes	0,1
Witloof	0,1
Yams	0,1
BENZOXIMATE	MRL (mg/kg)
Apples	0,5
Aubergines	0,5
Brassica vegetables	0,5
Chicory	0,5
Citrus fruits	0,5
French beans	0,5
Grapes	0,5
Lettuce	0,5
Melons	0,5
Peaches	0,5
Pears	0,5
Peas (without pods)	0,5
Tomatoes	0,5
Vegetable marrows	0,5

BIORESMETHRIN	MRL (mg/kg)
Wheat	1
Wheat bran (unprocessed)	5
Wheat flour	1
BITERTANOL	MRL (mg/kg)
Almonds	0,1
Apples	2
Apricots	1
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	3
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,1
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05

Cherries	1
Chervil	0,05
Chestnuts	0,1
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,1
Cotton seed	0,1
Courgettes	0,5
Cranberries	0,05
Cress	0,05
Cucumbers	0,5
Cucurbits edible peel others	0,5
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,5
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,1
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05

Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	0,05
Oilseeds others	0,1
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	1
Peanuts	0,1
Pears	2
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,1
Peppers	0,05
Pine Nuts	0,1

Pineapples	0,05
Pistachios	0,1
Plums	2
Pome Fruit Others	2
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,1
Pulses others	0,05
Quinces	2
Radishes	0,05
Rapeseed	0,1
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,1
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	3

Tree Nuts Others	0,1
Triticale	0,05
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
BROMIDE ION	MRL (mg/kg)
Avocado	75
Broad bean (green pods and immature seeds)	500
Broccoli	30
Cabbage (head)	100
Celery	300
Cereal grains	50
Citrus fruits	30
Cucumber	100
Fruit others	20
Lettuce (head)	100
Okra	200
Peas	500
Peppers (sweet)	20
Prunes	20
Radish	200
Spices	400
Squash	200
Strawberry	30
Tomato	75
Turnip	200
Turnip greens	1000
Wheat wholemeal	50

BROMOPROPYLATE	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05

Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,1
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05

Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	0,05
Oilseeds others	0,1
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,1
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05

Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,1
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,1
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,1
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05

Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
BROMUCONAZOLE	MRL (mg/kg)
Apples	0,05
Artichokes	0,05
Barley	0,2
Grapes	0,5
Peaches	0,1
Sugar beet (leaves)	0,2
Sugar beet (roots)	0,05
Wheat	0,05
BUPIRIMATE	MRL (mg/kg)
Apples	0,5
Melons	0,5
Peaches	0,5
BUPROFEZINE	MRL (mg/kg)
Cucumber	1
Tomato	1
CAPTAN	MRL (mg/kg)
Almonds	0,1
Apples	3
Apricots	2

Asparagus	0,1
Aubergine	0,1
Avocados	0,1
Bananas	0,1
Beans (with pods)	2
Beans (without pods)	2
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	3
Blackberries	3
Brazil Nuts	0,1
Brussels sprouts	0,1
Bulb Vegetables others	0,1
Cane Fruit Others	3
Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,1
Cauliflower	0,1
Celeriac	0,1
Celery leaves	0,1
Cherries	2
Chervil	0,1
Chestnuts	0,1
Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	0,1
Coconuts	0,1
Cranberries	3
Cress	0,1
Cucumbers	0,1
Cultivated mushrooms	0,1
Currants (Black, Red and White)	3
Dates	0,1
Dewberries	3
Fennel	0,1
Figs	0,1
Garlic	0,1
Gherkins	0,1

Globe artichoke	0,1
Gooseberry	3
Grapefruit	0,1
Hazelnuts	0,1
Head brassicas others	0,1
Head cabbages	0,1
Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kumquats	0,1
Lamb's lettuce	0,1
Leafy brassicas others	0,1
Leeks	2
Legume vegetables fresh others	0,1
Lemons	0,1
Lettuce	2
Lettuce and similar others	0,1
Limes	0,1
Litchis	0,1
Loganberries	3
Macadamia Nuts	0,1
Mandarins	0,1
Mangoes	0,1
Melons	0,1
Miscellaneous Fruit Others	0,1
Olives	0,1
Onions	0,1
Oranges	0,1
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,1
Peaches	2
Pears	3
Peas (with pods)	2
Peas (without pods)	2

Pecans	0,1
Peppers	0,1
Pine Nuts	0,1
Pineapples	0,1
Pistachios	0,1
Plums	2
Pome Fruit Others	3
Pomegranates	0,1
Pomelo	0,1
Quinces	3
Radishes	0,1
Raspberries	3
Root and Tuber Vegetables others	0,1
Salsify	0,1
Scarole	0,1
Shallots	0,1
Small Fruit and Berries Others	3
Spinach	0,1
Spring onion	0,1
Stone Fruit Others	2
Strawberries	3
Swedes	0,1
Sweet potato	0,1
Table Grapes	3
Tomatoes	3
Tree Nuts Others	0,1
Turnip	0,1
Walnuts	0,1
Watermelons	0,1
Wild Berries and Wild Fruit	3
Wild mushrooms	0,1
Wine Grapes	10
Witloof	2
Yams	0,1
CARBARYL	MRL (mg/kg)
Almonds	1

Asparagus	1
Aubergine	1
Barley	0,5
Beans (with pods)	1
Beans (without pods)	1
Beet leaves (chard)	1
Brazil Nuts	1
Brussels sprouts	3
Buckwheat	0,5
Bulb Vegetables others	1
Cardoons	1
Cashew Nuts	1
Cauliflower	3
Celery leaves	1
Cereals others	0,5
Chervil	1
Chestnuts	1
Chinese cabbage	3
Chives	1
Citrus Fruit Others	1
Coconuts	1
Cress	3
Cucumbers	1
Cultivated mushrooms	1
Fennel	1
Garlic	1
Gherkins	1
Globe artichoke	1
Grapefruit	1
Hazelnuts	1
Head brassicas others	3
Head cabbages	3
Herbs others	1
Kale	3
Lamb's lettuce	3
Leafy brassicas others	3
Leeks	1
Legume vegetables fresh others	1

Lemons	1
Lettuce	3
Lettuce and similar others	3
Limes	1
Macadamia Nuts	1
Maize	0,5
Mandarins	1
Melons	1
Millet	0,5
Oats	0,5
Onions	1
Oranges	1
Parsley	1
Peas (with pods)	1
Peas (without pods)	1
Pecans	1
Peppers	1
Pine Nuts	1
Pistachios	1
Pomelo	1
Rice	1
Root and Tuber Vegetables others	1
Rye	0,5
Salsify	1
Scarole	3
Shallots	1
Sorghum	0,5
Spinach	1
Spring onion	1
Swedes	1
Sweet potato	1
Tomatoes	1
Tree Nuts Others	1
Triticale	0,5
Turnip	1
Walnuts	1
Watermelons	1
Wheat	0,5

Wild mushrooms	1
Witloof	1
Yams	1
CARBENDAZIM	MRL (mg/kg)
Almonds	0,1
Apples	2
Apricots	1
Asparagus	0,1
Aubergine	0,5
Avocados	0,1
Bananas	1
Barley	0,1
Beans	2
Beans (with pods)	0,1
Beans (without pods)	0,1
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	0,1
Blackberries	0,1
Brazil Nuts	0,1
Broccoli	0,1
Brussels sprouts	0,5
Buckwheat	0,1
Bulb Vegetables others	0,1
Cane Fruit Others	0,1
Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,1
Cauliflower	0,1
Celeriac	0,1
Celery	2
Celery leaves	0,1
Cereals others	0,1
Cherries	0,1
Chervil	0,1
Chestnuts	0,1

Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	5
Coconuts	0,1
Cotton seed	0,1
Courgettes	0,3
Cranberries	0,1
Cress	0,1
Cucumbers	0,5
Cucurbits edible peel others	0,1
Cucurbits inedible peel others	0,1
Cultivated mushrooms	1
Currants (Black, Red and White)	0,1
Dates	0,1
Dewberries	0,1
Early potatoes	0,1
Fennel	0,1
Figs	0,1
Flowering brassicas others	0,1
Garlic	0,1
Gherkins	0,1
Globe artichoke	0,1
Gooseberry	0,1
Grapefruit	5
Hazelnuts	0,1
Head brassicas others	3
Head cabbages	3
Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kohlrabi	0,1
Kumquats	0,1
Lamb's lettuce	0,1
Leafy brassicas others	0,1
Leeks	0,1
Legume vegetables fresh others	0,1

Lemons	5
Lentils	0,1
Lettuce	5
Lettuce and similar others	0,1
Limes	5
Linseed	0,1
Litchis	0,1
Loganberries	0,1
Macadamia Nuts	0,1
Maize	0,1
Mandarins	5
Mangoes	0,1
Melons	0,5
Millet	0,1
Miscellaneous Fruit Others	0,1
Mustard seed	0,1
Oats	0,1
Oilseeds others	0,1
Olives	0,1
Onions	0,1
Oranges	5
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,1
Peaches	1
Peanuts	0,1
Pears	2
Peas	0,1
Peas (with pods)	0,1
Peas (without pods)	0,1
Pecans	0,1
Peppers	0,1
Pine Nuts	0,1
Pineapples	0,1
Pistachios	0,1
Plums	0,5
Pome Fruit Others	2

Pomegranates	0,1
Pomelo	5
Poppy seeds	0,1
Pulses others	0,1
Quinces	2
Radishes	0,1
Rapeseed	0,1
Raspberries	0,1
Rhubarb	2
Rice	0,1
Root and Tuber Vegetables Others	0,1
Rye	0,1
Salsify	0,1
Scarole	0,1
Sesame seeds	0,1
Shallots	0,1
Small Fruit and Berries Others	0,1
Solanacea others	0,1
Sorghum	0,1
Soya bean	0,2
Spinach	0,1
Spinach and similar (others)	0,1
Spring onion	0,1
Squashes	0,5
Stem vegetables fresh others	0,1
Stone Fruit Others	0,1
Strawberries	0,1
Sunflower seeds	0,1
Swedes	0,1
Sweet corn	0,1
Sweet potato	0,1
Table Grapes	2
Tea	0,1
Tomatoes	0,5
Tree Nuts Others	0,1
Triticale	0,1
Turnip	0,1
Walnuts	0,1

Ware potatoes	0,1
Watercress	0,1
Watermelons	0,1
Wheat	0,1
Wild Berries and Wild Fruit	0,1
Wild mushrooms	0,1
Wine Grapes	2
Witloof	0,1
Yams	0,1
CARTAP	MRL (mg/kg)
Tea	0,1
CHINOMETHIONAT	MRL (mg/kg)
Almonds	0,3
Apples	0,3
Apricots	0,3
Asparagus	0,3
Aubergine	0,3
Avocados	0,3
Bananas	0,3
Beans (with pods)	0,3
Beans (without pods)	0,3
Beet leaves (chard)	0,3
Beetroot	0,3
Bilberries	0,3
Blackberries	0,3
Brazil Nuts	0,3
Brussels sprouts	0,3
Bulb Vegetables Others	0,3
Cane Fruit Others	0,3
Cardoons	0,3
Carrots	0,3
Cashew Nuts	0,3
Cauliflower	0,3

Celeriac	0,3
Celery leaves	0,3
Cherries	0,3
Chervil	0,3
Chestnuts	0,3
Chinese cabbage	0,3
Chives	0,3
Citrus Fruit Others	0,3
Coconuts	0,3
Cranberries	0,3
Cress	0,3
Cucumbers	0,3
Cultivated mushrooms	0,3
Currants (Black, Red and White)	0,3
Dates	0,3
Dewberries	0,3
Fennel	0,3
Figs	0,3
Garlic	0,3
Gherkins	0,3
Globe artichoke	0,3
Gooseberry	0,3
Grapefruit	0,3
Hazelnuts	0,3
Head brassicas others	0,3
Head cabbages	0,3
Herbs others	0,3
Horseradish	0,3
Jerusalem artichoke	0,3
Kale	0,3
Kiwi Fruit	0,3
Kumquats	0,3
Lamb's lettuce	0,3
Leafy brassicas others	0,3
Leeks	0,3
Legume Vegetables Fresh Others	0,3
Lemons	0,3
Lettuce	0,3

Lettuce and similar others	0,3
Limes	0,3
Litchis	0,3
Loganberries	0,3
Macadamia Nuts	0,3
Mandarins	0,3
Mangoes	0,3
Melons	0,3
Miscellaneous Fruit Others	0,3
Olives	0,3
Onions	0,3
Oranges	0,3
Parsley	0,3
Parsley root	0,3
Parsnips	0,3
Passion Fruit	0,3
Peaches	0,3
Pears	0,3
Peas (with pods)	0,3
Peas (without pods)	0,3
Pecans	0,3
Peppers	0,3
Pine Nuts	0,3
Pineapples	0,3
Pistachios	0,3
Plums	0,3
Pome Fruit Others	0,3
Pomegranates	0,3
Pomelo	0,3
Quinces	0,3
Radishes	0,3
Raspberries	0,3
Root and Tuber Vegetables Others	0,3
Salsify	0,3
Scarole	0,3
Shallots	0,3
Small Fruit and Berries Others	0,3
Spinach	0,3

Spring onion	0,3
Stone Fruit Others	0,3
Strawberries	0,3
Swedes	0,3
Sweet potato	0,3
Table Grapes	0,3
Tomatoes	0,3
Tree Nuts Others	0,3
Turnip	0,3
Walnuts	0,3
Watermelons	0,3
Wild Berries and Wild Fruit	0,3
Wild mushrooms	0,3
Wine Grapes	0,3
Witloof	0,3
Yams	0,3
CHLORIDAZON	MRL (mg/kg)
Beet leaves (chard)	0,1
Beetroot	0,1
Forage (beet)	0,1
Garlic	0,1
Leeks	0,1
Onions	0,1
Sugar beet	0,1
CHLORMEQUAT	MRL (mg/kg)
Almonds	0,1
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	2

Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables Others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,1
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,1
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,1
Cotton seed	0,1
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	10
Currants (Black, Red and White)	0,05
Dates	0,05

Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,1
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh Others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05

Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	5
Oilseeds others	0,1
Olives	0,1
Onions	0,05
Oranges	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,1
Pears	0,5
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,1
Peppers	0,05
Pine Nuts	0,1
Pineapples	0,05
Pistachios	0,1
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,1
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,1
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	2
Salsify	0,05
Scarole	0,05

Sesame seeds	0,1
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,1
Triticale	2
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	2
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
CHLORPROPHAM	MRL (mg/kg)
Almonds	0,05
Apples	0,05

Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Brussels sprouts	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,1
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery leaves	0,1
Cherries	0,05
Chervil	0,1
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Fennel	0,05
Figs	0,05
Garlic	0,05

Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh Others	0,05
Lemons	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Miscellaneous Fruit Others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Small Fruit and Berries Others	0,05
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,05
Peaches	0,05
Pears	0,05

Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Quinces	0,05
Radishes	0,05
Raspberries	0,05
Root and Tuber Vegetables others	0,05
Salsify	0,05
Scarole	0,05
Shallots	0,05
Spinach	0,05
Spring onion	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Swedes	0,05
Sweet potato	0,05
Table Grapes	0,05
Tomatoes	0,05
Tree Nuts Others	0,05
Turnip	0,05
Walnuts	0,05
Watermelons	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
CHLORPYRIFOS	MRL (mg/kg)

Almonds	0,05
Apples	0,5
Apricots	0,05
Asparagus	0,05
Aubergine	0,5
Avocados	0,05
Bananas	3
Barley	0,2
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,5
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,1
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,3
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,5
Chives	0,05
Citrus Fruit Others	0,3
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05

Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	1
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	1
Gooseberry	1
Grapefruit	0,3
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	1
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	2
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables freshothers	0,05
Lemons	0,2
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,3
Linseed	0,05

Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	2
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,2
Oranges	0,3
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,2
Peanuts	0,05
Pears	0,5
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,5
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,2
Pome Fruit Others	0,5
Pomegranates	0,05
Pomelo	0,3
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,5
Radishes	0,2

Rapeseed	0,05
Raspberries	0,5
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,5
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,2
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,5
Tea	0,1
Tomatoes	0,5
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05

Wine Grapes	0,5
Witloof	0,05
Yams	0,05
CHLORPYRIFOS-METHYL	MRL (mg/kg)
Almonds	0,05
Apples	0,5
Apricots	0,05
Asparagus	0,05
Aubergine	0,5
Avocados	0,05
Bananas	0,05
Barley	3
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	3
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	3
Cherries	0,05
Chervil	0,05
Chestnuts	0,05

Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05

Lemons	0,3
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	3
Mandarins	1
Mangoes	0,05
Melons	0,05
Millet	3
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	3
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,5
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,5
Peanuts	0,05
Pears	0,5
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,5
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,5

Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,5
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	3
Root and Tuber Vegetables others	0,05
Rye	3
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,5
Sorghum	3
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,5
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,2
Tea	0,1
Tomatoes	0,5
Tree Nuts Others	0,05
Triticale	3
Turnip	0,05
Walnuts	0,05

Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	3
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,2
Witloof	0,05
Yams	0,05
CHLORTHAL-DIMETHYL	MRL (mg/kg)
Artichokes	0,1
Asparagus	0,1
Brassica vegetables	0,1
Bulb vegetables	0,1
Carrots	0,1
Celery	0,1
Fennel	0,1
Gherkins	0,1
Leeks	0,1
Lettuce	0,1
Melons	0,1
Parsley	0,1
Peas (without pods)	0,1
Scarole	0,1
Solanacea others	0,1
Strawberries	0,1
Watermelons	0,1
CHLORTHALONIL	MRL (mg/kg)
Apricots	1
Banana	0,2
Barley	0,1
Beans (without pods)	0,05
Blackberries	10

Brassica vegetables others	0,01
Brussels sprouts	0,5
Carrots	1
Celery	10
Celery	1
Cereals others	0,01
Cranberries	2
Cucurbits (inedible peel)	1
Cultivated mushrooms	2
Currants	10
Flowering brassicas	3
Fruit others	0,01
Garlic	0,5
Gherkins	1
Gherkins	5
Gooseberries	10
Grapes	1
Grapes (wine)	3
Head cabbage	3
Herbs others (fresh)	5
Hops	50
Leeks	10
Oats	0,1
Oilseeds others	0,01
Onions	5
Onions	0,5
Peaches	1
Peanuts	0,05
Peas (with pods)	2
Peas (without pods)	0,3
Pome fruits	1
Potatoes	0,01
Pulses	0,01
Raspberries	10
Rye	0,1
Shallots	0,5
Solanacea others	2
Strawberries	3

Tea	0,1
Triticale	0,1
Vegetables others	0,01
Wheat	0,1
CHLORTHIAMID	MRL (mg/kg)
Forages	0,1
Grapes	0,1
Hazelnuts	0,1
Olives	0,1
CHLOZOLINATE	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05

Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05

Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05

Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05

Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
CLOFENTEZINE	MRL (mg/kg)
Almonds	0,05
Apples	0,5
Apricots	0,02
Asparagus	0,02
Aubergine	0,02
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	0,02
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	3
Brazil Nuts	0,05
Broccoli	0,02

Brussels sprouts	0,02
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,3
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,05
Cauliflower	0,02
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	0,02
Chervil	0,02
Chestnuts	0,05
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	0,02
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,02
Cranberries	0,02
Cress	0,02
Cucumbers	0,02
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,5
Dates	0,02
Dewberries	0,3
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,02
Gherkins	0,02
Globe artichoke	0,02
Gooseberry	0,02

Grapefruit	0,02
Hazelnuts	0,05
Head brassicas others	0,02
Head cabbages	0,02
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	0,02
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	0,02
Lentils	0,02
Lettuce	0,02
Lettuce and similar others	0,02
Limes	0,02
Linseed	0,05
Litchis	0,02
Loganberries	0,3
Macadamia Nuts	0,05
Maize	0,02
Mandarins	0,02
Mangoes	0,02
Melons	0,1
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,05
Oats	0,02
Oilseeds others	0,05
Olives	0,02
Onions	0,02
Oranges	0,02
Papaya	0,02
Parsley	0,02

Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,02
Peanuts	0,05
Pears	0,5
Peas	0,02
Peas (with pods)	0,02
Peas (without pods)	0,02
Pecans	0,05
Peppers	0,02
Pine Nuts	0,05
Pineapples	0,02
Pistachios	0,05
Plums	0,2
Pome Fruit Others	0,5
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,05
Pulses others	0,02
Quinces	0,5
Radishes	0,02
Rapeseed	0,05
Raspberries	3
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables others	0,02
Rye	0,02
Salsify	0,02
Scarole	0,02
Sesame seeds	0,05
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,05
Spinach	0,02
Spinach and similar (others)	0,02

Spring onion	0,02
Squashes	0,02
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	2
Sunflower seeds	0,05
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,02
Tea	0,05
Tomatoes	0,3
Tree Nuts Others	0,05
Triticale	0,02
Turnip	0,02
Walnuts	0,05
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,02
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	1
Witloof	0,02
Yams	0,02
COPPER (INORGANIC)	MRL (mg/kg)
Cereals	10
Coffee (raw)	50
Fruit	20
Oilseeds	10
Potatoes	20
Sugar beet	20
Tabacco	20
Vegetables	20

CYCLOATE	MRL (mg/kg)
Beet leaves (chard)	0,05
Beetroot	0,05
Forage (beet)	0,05
Spinach	0,05
Sugar beet	0,05
CYCLOXYDIM	MRL (mg/kg)
Apples	0,1
Apricots	0,2
Artichokes	2
Asparagus	0,05
Aubergines	1
Beans (without pods)	0,2
Carrots	0,1
Brassica vegetables	0,2
Cotton seed	0,5
Fennel	0,05
French beans	0,2
Grapes	0,1
Leeks	0,2
Lettuce and similars	0,2
Onions	0,5
Peaches	0,2
Pears	0,1
Peas (without pods)	1
Peppers	1
Potatoes	0,1
Rapeseed	0,5
Rice	0,05
Soya bean	0,5
Spinach	1
Sugar beet	0,1
Sunflower oil	0,05
Sunflower seeds	0,5

Tabacco	0,5
Tomatoes	0,05
CYFENOTHRIN	MRL (mg/kg)
Apples	0,1
Apricots	0,2
Artichokes	2
Asparagus	0,05
Aubergines	1
Beans (without pods)	0,2
Brassica vegetables	0,2
Carrots	0,1
Cotton seed	0,5
Fennel	0,05
French beans	0,2
Grapes	0,1
Leeks	0,2
Lettuce and similars	0,2
Onions	0,5
Peaches	0,2
Pears	0,1
Peas (without pods)	1
Peppers	1
Potatoes	0,1
Rapeseed	0,5
Rice	0,05
Soya bean	0,5
Spinach	1
Sugar beet	0,1
Sunflower oil	0,05
Sunflower seeds	0,5
Tabacco	0,5
Tomatoes	0,05
CYFLUTHRIN	MRL (mg/kg)

Apricots	0,5
Cereals others	0,02
Cherries	0,2
Flowering brassicas	0,05
Fruit others	0,02
Gherkins	0,1
Grapes	0,3
Head cabbage	0,2
Hops	20
Leafy brassicas	0,3
Legumes fresh	0,05
Lettuce and similars	0,5
Maize	0,05
Oilseeds others	0,02
Peaches	0,5
Peppers	0,3
Pome fruits	0,2
Potatoes	0,02
Prunes	0,2
Pulses	0,02
Rapeseed	0,05
Sugar beet	0,5
Tea	0,1
Tabacco	0,5
Tomatoes	0,05
Vegetables others	0,02
CYMOXANIL	MRL (mg/kg)
Artichokes	0,1
Artichokes	0,1
Garlic	0,05
Grapes	0,1
Leeks	0,05
Lettuce	0,05
Melons	0,05
Onions	0,05
Peas (without pods)	0,05

Potatoes	0,1
Soya bean	0,05
Spinach	0,05
Sunflower seeds	0,05
Tabacco (green)	0,1
Tomatoes	0,1
Vegetable marrows	0,05
CYFLUTHRIN	MRL (mg/kg)
Almonds	0,02
Apples	0,2
Apricots	0,5
Asparagus	0,02
Aubergine	0,02
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02
Brazil Nuts	0,02
Broccoli	0,05
Brussels sprouts	0,2
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,02
Cauliflower	0,05
Celeriac	0,02
Celery	0,02
Celery leaves	0,02

Cereals others	0,02
Cherries	0,2
Chervil	0,02
Chestnuts	0,02
Chinese cabbage	0,3
Chives	0,02
Citrus Fruit Others	0,02
Coconuts	0,02
Cotton seed	0,02
Courgettes	0,02
Cranberries	0,02
Cress	0,5
Cucumbers	0,1
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,02
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,05
Garlic	0,02
Gherkins	0,02
Globe artichoke	0,02
Gooseberry	0,02
Grapefruit	0,02
Hazelnuts	0,02
Head brassicas others	0,2
Head cabbages	0,2
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,3
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02

Lamb's lettuce	0,5
Leafy brassicas others	0,3
Leeks	0,02
Legume vegetables fresh others	0,05
Lemons	0,02
Lentils	0,02
Lettuce	0,5
Lettuce and similar others	0,5
Limes	0,02
Linseed	0,02
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,02
Maize	0,05
Mandarins	0,02
Mangoes	0,02
Melons	0,02
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,02
Oats	0,02
Oilseeds others	0,02
Olives	0,02
Onions	0,02
Oranges	0,02
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,5
Peanuts	0,02
Pears	0,2
Peas	0,02
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,02
Peppers	0,3
Pine Nuts	0,02

Pineapples	0,02
Pistachios	0,02
Plums	0,2
Pome Fruit Others	0,2
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,02
Pulses others	0,02
Quinces	0,2
Radishes	0,02
Rapeseed	0,05
Raspberries	0,02
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables others	0,02
Rye	0,02
Salsify	0,02
Scarole	0,5
Sesame seeds	0,02
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,02
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	0,02
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	0,02
Sunflower seeds	0,02
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,3
Tea	0,1
Tomatoes	0,05

Tree Nuts Others	0,02
Triticale	0,02
Turnip	0,02
Walnuts	0,02
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,02
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	0,3
Witloof	0,02
Yams	0,02
CYPERMETHRIN	MRL (mg/kg)
Almonds	0,05
Apples	1
Apricots	2
Asparagus	0,1
Aubergine	0,5
Avocados	0,05
Bananas	0,05
Barley	0,2
Beans	0,05
Beans (with pods)	0,5
Beans (without pods)	0,05
Beet leaves (chard)	0,5
Beetroot	0,05
Bilberries	0,05
Blackberries	0,5
Brazil Nuts	0,05
Broccoli	0,5
Brussels sprouts	0,5
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,5
Cardoons	0,05

Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,5
Celeriac	0,05
Celery	0,05
Celery leaves	2
Cereals others	0,05
Cherries	1
Chervil	2
Chestnuts	0,05
Chinese cabbage	1
Chives	2
Citrus Fruit Others	2
Coconuts	0,05
Cotton seed	0,2
Courgettes	0,2
Cranberries	0,05
Cress	2
Cucumbers	0,2
Cucurbits edible peel others	0,2
Cucurbits inedible peel others	0,2
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,5
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,5
Garlic	0,1
Gherkins	0,2
Globe artichoke	2
Gooseberry	0,05
Grapefruit	2
Hazelnuts	0,05
Head brassicas others	0,5
Head cabbages	0,5
Herbs others	2

Horseradish	0,05
Jerusalem artichoke	0,05
Kale	1
Kiwi Fruit	0,05
Kohlrabi	0,2
Kumquats	0,05
Lamb's lettuce	2
Leafy brassicas others	1
Leeks	0,5
Legume vegetables fresh others	0,05
Lemons	2
Lentils	0,05
Lettuce	2
Lettuce and similar others	2
Limes	2
Linseed	0,2
Litchis	0,05
Loganberries	0,5
Macadamia Nuts	0,05
Maize	0,05
Mandarins	2
Mangoes	0,05
Melons	0,2
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,2
Oilseeds others	0,05
Olives	0,05
Onions	0,1
Oranges	2
Parsley	2
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	2
Peanuts	0,05
Pears	1

Peas	0,05
Peas (with pods)	0,5
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,5
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	1
Pome Fruit Others	1
Pomegranates	0,05
Pomelo	2
Poppy seeds	0,2
Pulses others	0,05
Quinces	1
Radishes	0,05
Rapeseed	0,2
Raspberries	0,5
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables others	0,05
Rye	0,05
Salsify	0,05
Scarole	2
Sesame seeds	0,2
Shallots	0,1
Small Fruit and Berries Others	0,05
Solanacea others	0,5
Sorghum	0,05
Soya bean	0,05
Spinach	0,5
Spinach and similar (others)	0,5
Spring onion	0,05
Squashes	0,2
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,2

Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,5
Tea	0,5
Tomatoes	0,5
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,2
Wheat	0,05
Wild Berries and Wild Fruit	2
Wild mushrooms	1
Wine Grapes	0,5
Witloof	0,05
Yams	0,05
CIPRODINIL	MRL (mg/kg)
Apples	1
Apricots	0,5
Aubergines	2
Cherries	0,5
Courgettes	0,5
Cucumbers	0,5
Grapes	5
Lettuce	2
Peaches	0,5
Pears	1
Peppers	2
Prunes	0,5
Strawberries	2
Tomatoes	2
CYROMAZINE	MRL (mg/kg)

Artichokes	0,5
Aubergines	0,5
Beans (without pods)	1
Carrots	0,5
Celery	5
Cultivated mushrooms	10
Gherkins	0,5
Lettuce	5
Melons	0,5
Onions	0,5
Parsley	5
Peas (without pods)	1
Peppers	0,5
Potatoes	0,5
Strawberries	0,5
Tabacco (green)	2
Tomatoes	0,5
Vegetable marrows	0,5
Watermelons	0,5
DAMINOZIDE	MRL (mg/kg)
Almonds	0,05
Apples	0,02
Apricots	0,02
Asparagus	0,02
Aubergine	0,02
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	0,02
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02

Brazil Nuts	0,05
Broccoli	0,02
Brussels sprouts	0,02
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,05
Cauliflower	0,02
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	0,02
Chervil	0,02
Chestnuts	0,05
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	0,02
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,02
Cranberries	0,02
Cress	0,02
Cucumbers	0,02
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,02
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,02
Gherkins	0,02

Globe artichoke	0,02
Gooseberry	0,02
Grapefruit	0,02
Hazelnuts	0,05
Head brassicas others	0,02
Head cabbages	0,02
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	0,02
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	0,02
Lentils	0,02
Lettuce	0,02
Lettuce and similar others	0,02
Limes	0,02
Linseed	0,05
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,05
Maize	0,02
Mandarins	0,02
Mangoes	0,02
Melons	0,02
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,05
Oats	0,02
Oilseeds others	0,05
Olives	0,02
Onions	0,02
Oranges	0,02

Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,02
Peanuts	0,05
Pears	0,02
Peas	0,02
Peas (with pods)	0,02
Peas (without pods)	0,02
Pecans	0,05
Peppers	0,02
Pine Nuts	0,05
Pineapples	0,02
Pistachios	0,05
Plums	0,02
Pome Fruit Others	0,02
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,05
Pulses others	0,02
Quinces	0,02
Radishes	0,02
Rapeseed	0,05
Raspberries	0,02
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables others	0,02
Rye	0,02
Salsify	0,02
Scarole	0,02
Sesame seeds	0,05
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,05
Spinach	0,02

Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	0,02
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	0,02
Sunflower seeds	0,05
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,02
Tea	0,1
Tomatoes	0,02
Tree Nuts Others	0,05
Triticale	0,02
Turnip	0,02
Walnuts	0,05
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,02
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	0,02
Witloof	0,02
Yams	0,02
DAZOMET	MRL (mg/kg)
Products of vegetable origin	0,02
DELTAMETHRIN	MRL (mg/kg)
Almonds	0,05
Apples	0,1
Apricots	0,1
Asparagus	0,05

Aubergine	0,2
Avocados	0,05
Bananas	0,05
Barley	1
Beans	1
Beans (with pods)	0,2
Beans (without pods)	0,05
Beet leaves (chard)	0,5
Beetroot	0,05
Bilberries	0,05
Blackberries	0,5
Brazil Nuts	0,05
Broccoli	0,1
Brussels sprouts	0,1
Buckwheat	1
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,1
Celeriac	0,05
Celery	0,05
Celery leaves	0,5
Cereals others	1
Cherries	0,1
Chervil	0,5
Chestnuts	0,05
Chinese cabbage	0,5
Chives	0,5
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,1
Cranberries	0,05
Cress	0,5
Cucumbers	0,1
Cucurbits edible peel others	0,1

Cucurbits inedible peel	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,2
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,1
Garlic	0,1
Gherkins	0,1
Globe artichoke	0,1
Gooseberry	0,2
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,1
Head cabbages	0,1
Herbs others	0,5
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,5
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,5
Leafy brassicas others	0,5
Leeks	0,2
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	1
Lettuce	0,5
Lettuce and similar others	0,5
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	1

Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	1
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	1
Oilseeds others	0,05
Olives	0,1
Onions	0,1
Oranges	0,05
Parsley	0,5
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,1
Peanuts	0,05
Pears	0,1
Peas	1
Peas (with pods)	0,1
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,2
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,1
Pome Fruit Others	0,1
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	1
Quinces	0,1
Radishes	0,05
Rapeseed	0,1
Raspberries	0,5
Rhubarb	0,05
Rice	1

Root and Tuber Vegetables others	0,05
Rye	1
Salsify	0,05
Scarole	0,5
Sesame seeds	0,05
Shallots	0,1
Small Fruit and Berries Others	0,05
Solanacea others	0,2
Sorghum	1
Soya bean	0,05
Spinach	0,5
Spinach and similar (others)	0,5
Spring onion	0,1
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,1
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,1
Tea	5
Tomatoes	0,2
Tree Nuts Others	0,05
Triticale	1
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,5
Watercress	0,05
Watermelons	0,05
Wheat	1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,1
Witloof	0,05
Yams	0,05

DIAFENTIURON	MRL (mg/kg)
Aubergines	0,2
Beans	0,1
Broad beans	0,1
Courgettes	0,2
Cucumbers	0,2
French beans	0,1
Lemons	0,5
Mandarins	0,5
Melons	0,2
Onions	0,1
Oranges	0,5
Peppers	0,2
Squashes	0,1
Tomatoes	0,5
Watermelons	0,2
DIAZINON	MRL (mg/kg)
Almonds	0,05
Apples	0,3
Apricots	0,02
Asparagus	0,02
Aubergine	0,5
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	0,02
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,2
Blackberries	0,02
Brazil Nuts	0,05
Broccoli	0,02

Brussels sprouts	0,02
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,2
Cashew Nuts	0,05
Cauliflower	0,02
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	0,3
Chervil	0,02
Chestnuts	0,05
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	0,02
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,02
Cranberries	0,02
Cress	0,02
Cucumbers	0,02
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,2
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,02
Gherkins	0,02
Globe artichoke	0,02
Gooseberry	0,2

Grapefruit	1
Hazelnuts	0,05
Head brassicas others	0,02
Head cabbages	0,02
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,2
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	0,02
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	0,02
Lentils	0,02
Lettuce	0,02
Lettuce and similar others	0,02
Limes	0,02
Linseed	0,05
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,05
Maize	0,02
Mandarins	0,02
Mangoes	0,02
Melons	0,02
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,05
Oats	0,02
Oilseeds others	0,05
Olives	0,02
Onions	0,02
Oranges	1
Parsley	0,02
Parsley root	0,02

Parsnips	0,02
Passion Fruit	0,02
Peaches	0,02
Peanuts	0,05
Pears	0,3
Peas	0,02
Peas (with pods)	0,02
Peas (without pods)	0,02
Pecans	0,05
Peppers	0,5
Pine Nuts	0,05
Pineapples	0,02
Pistachios	0,05
Plums	0,1
Pome Fruit Others	0,02
Pomegranates	0,02
Pomelo	1
Poppy seeds	0,05
Pulses others	0,02
Quinces	0,02
Radishes	0,02
Rapeseed	0,05
Raspberries	0,02
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables others	0,02
Rye	0,02
Salsify	0,02
Scarole	0,02
Sesame seeds	0,05
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,5
Sorghum	0,02
Soya bean	0,05
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02

DICHLORFLUANID	MRL (mg/kg)
Almonds	5
Apples	5
Apricots	5
Asparagus	5
Aubergine	5
Avocados	5
Bananas	5
Beans (with pods)	5
Beans (without pods)	5
Beet leaves (chard)	5
Beetroot	5
Bilberries	10
Blackberries	10
Brazil Nuts	5
Brussels sprouts	5
Bulb Vegetables others	5
Cane Fruit Others	10
Cardoons	5
Carrots	5
Cashew Nuts	5
Cauliflower	5
Celeriac	5
Celery leaves	5
Cherries	5
Chervil	5
Chestnuts	5
Chinese cabbage	5
Chives	5
Citrus Fruit Others	5
Coconuts	5
Cranberries	10
Cress	10
Cucumbers	5
Cultivated mushrooms	5
Currants (Black, Red and White)	10
Dates	5

Dewberries	10
Fennel	5
Figs	5
Garlic	5
Gherkins	5
Globe artichoke	5
Gooseberry	10
Grapefruit	5
Hazelnuts	5
Head brassicas others	5
Head cabbages	5
Herbs others	5
Horseradish	5
Jerusalem artichoke	5
Kale	5
Kiwi Fruit	5
Kumquats	5
Lamb's lettuce	10
Leafy brassicas others	5
Leeks	5
Legume vegetables fresh others	5
Lemons	5
Lettuce	10
Lettuce and similar others	10
Limes	5
Litchis	5
Loganberries	10
Macadamia Nuts	5
Mandarins	5
Mangoes	5
Melons	5
Miscellaneous Fruit Others	5
Olives	5
Onions	5
Oranges	5
Parsley	5
Parsley root	5
Parsnips	5

Passion Fruit	5
Peaches	5
Pears	5
Peas (with pods)	5
Peas (without pods)	5
Pecans	5
Peppers	5
Pine Nuts	5
Pineapples	5
Pistachios	5
Plums	5
Pome Fruit Others	5
Pomegranates	5
Pomelo	5
Quinces	5
Radishes	5
Raspberries	10
Root and Tuber Vegetables others	5
Salsify	5
Scarole	10
Shallots	5
Small Fruit and Berries Others	10
Spinach	5
Spring onion	5
Stone Fruit Others	5
Strawberries	10
Swedes	5
Sweet potato	5
Table Grapes	10
Tomatoes	5
Tree Nuts Others	5
Turnip	5
Walnuts	5
Watermelons	5
Wild Berries and Wild Fruit	10
Wild mushrooms	5
Wine Grapes	10
Witloof	5

Yams	5
DICHLORVOS	MRL (mg/kg)
Almonds	0,1
Apples	0,1
Apricots	0,1
Asparagus	0,1
Aubergine	0,1
Avocados	0,1
Bananas	0,1
Barley	2
Beans (with pods)	0,1
Beans (without pods)	0,1
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	0,1
Blackberries	0,1
Brazil Nuts	0,1
Brussels sprouts	0,1
Buckwheat	2
Bulb Vegetables others	0,1
Cane Fruit Others	0,1
Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,1
Cauliflower	0,1
Celeriac	0,1
Celery leaves	0,1
Cereals others	2
Cherries	0,1
Chervil	0,1
Chestnuts	0,1
Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	0,1
Coconuts	0,1
Cranberries	0,1

Cress	0,1
Cucumbers	0,1
Cultivated mushrooms	0,1
Currants (Black, Red and White)	0,1
Dates	0,1
Dewberries	0,1
Fennel	0,1
Figs	0,1
Garlic	0,1
Gherkins	0,1
Globe artichoke	0,1
Gooseberry	0,1
Grapefruit	0,1
Hazelnuts	0,1
Head brassicas others	0,1
Head cabbages	0,1
Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kumquats	0,1
Lamb's lettuce	0,1
Leafy brassicas others	0,1
Leeks	0,1
Legume vegetables fresh others	0,1
Lemons	0,1
Lettuce	0,1
Lettuce and similar others	0,1
Limes	0,1
Litchis	0,1
Loganberries	0,1
Macadamia Nuts	0,1
Maize	2
Mandarins	0,1
Mangoes	0,1
Melons	0,1
Millet	2

Miscellaneous Fruit Others	0,1
Oats	2
Olives	0,1
Onions	0,1
Oranges	0,1
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,1
Peaches	0,1
Pears	0,1
Peas (with pods)	0,1
Peas (without pods)	0,1
Pecans	0,1
Peppers	0,1
Pine Nuts	0,1
Pineapples	0,1
Pistachios	0,1
Plums	0,1
Pome Fruit Others	0,1
Pomegranates	0,1
Pomelo	0,1
Quinces	0,1
Radishes	0,1
Raspberries	0,1
Rice	2
Root and Tuber Vegetables others	0,1
Rye	2
Salsify	0,1
Scarole	0,1
Shallots	0,1
Small Fruit and Berries Others	0,1
Sorghum	2
Spinach	0,1
Spring onion	0,1
Stone Fruit Others	0,1
Strawberries	0,1
Swedes	0,1

Sweet potato	0,1
Table Grapes	0,1
Tea	0,1
Tomatoes	0,1
Tree Nuts Others	0,1
Triticale	2
Turnip	0,1
Walnuts	0,1
Watermelons	0,1
Wheat	2
Wild Berries and Wild Fruit	0,1
Wild mushrooms	0,1
Wine Grapes	0,1
Witloof	0,1
Yams	0,1
DICLORAN	MRL (mg/kg)
Artichokes	10
Asparagus	10
Brassica vegetables others	10
Bulb vegetables	10
Cardoons	10
Carrots	10
Celery	10
Cucurbits	10
Fennel	10
Herbs others (fresh)	10
Leeks	10
Legumes fresh	10
Lettuce and similars	10
Potatoes	10
Solanacea others	10
Spinach and similars	10
Strawberries	10
Tabacco	10

DIFENOCONAZOLE	MRL (mg/kg)
Apples	0,5
Asparagus	0,05
Banana	0,1
Carrots	0,2
Cauliflower	0,1
Celery	2
Gherkins	0,1
Pears	0,5
Potatoes	0,1
Sugar beet (roots)	0,2
Tomatoes	0,5
DIFLUBENZURON	MRL (mg/kg)
Apples	0,5
Cultivated mushrooms	0,2
Pears	0,5
DIMETHOATE	MRL (mg/kg)
Almonds	0,05
Apples	0,02
Apricots	0,02
Asparagus	0,02
Aubergine	0,02
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	0,02
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02

Brazil Nuts	0,05
Broccoli	0,02
Brussels sprouts	0,3
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,05
Cauliflower	0,2
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	1
Chervil	0,02
Chestnuts	0,05
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	0,02
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,02
Cranberries	0,02
Cress	0,02
Cucumbers	0,02
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,02
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,02
Gherkins	0,02

Globe artichoke	0,02
Gooseberry	0,02
Grapefruit	0,02
Hazelnuts	0,05
Head brassicas others	0,02
Head cabbages	1
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	0,02
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	0,02
Lentils	0,02
Lettuce	0,5
Lettuce and similar others	0,02
Limes	0,02
Linseed	0,05
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,05
Maize	0,02
Mandarins	0,02
Mangoes	0,02
Melons	0,02
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,05
Oats	0,02
Oilseeds others	0,05
Olives	2
Onions	0,02
Oranges	0,02

Papaya	0,02
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,02
Peanuts	0,05
Pears	0,02
Peas	0,02
Peas (with pods)	1
Peas (without pods)	0,02
Pecans	0,05
Peppers	0,02
Pine Nuts	0,05
Pineapples	0,02
Pistachios	0,05
Plums	0,02
Pome Fruit Others	0,02
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,05
Pulses others	0,02
Quinces	0,02
Radishes	0,02
Rapeseed	0,05
Raspberries	0,02
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables others	0,02
Rye	0,3
Salsify	0,02
Scarole	0,02
Sesame seeds	0,05
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,05

Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	2
Squashes	0,02
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	0,02
Sunflower seeds	0,05
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,02
Tea	0,05
Tomatoes	0,02
Tree Nuts Others	0,05
Triticale	0,3
Turnip	0,02
Walnuts	0,05
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,02
Wheat	0,3
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	0,02
Witloof	0,02
Yams	0,02
DINOCAP	MRL (mg/kg)
Artichokes	1
Beet leaves (chard)	1
Cardoons	1
Carrots	1
Celery	1
Cucurbits	1
Fennel	1
Fruit	1

Legumes fresh	1
Lettuce and similars	1
Maize	1
Solanacea others	1
Tabacco	1
Wheat	0,05
DIPHENAMID	MRL (mg/kg)
Apples	0,1
Aubergines	0,1
Peaches	0,1
Peanuts	0,1
Pears	0,1
Peppers	0,1
Potatoes	0,1
Strawberries	0,1
Sweet Potatoes	0,1
Tabacco	0,1
Tomatoes	0,1
DIQUAT	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,1
Aubergine	0,1
Avocados	0,05
Bananas	0,05
Beans (with pods)	0,1
Beans (without pods)	0,1
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05

Brussels sprouts	0,1
Bulb Vegetables others	0,1
Cane Fruit Others	0,05
Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,05
Cauliflower	0,1
Celeriac	0,1
Celery leaves	0,1
Cherries	0,05
Chervil	0,1
Chestnuts	0,05
Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	0,05
Coconuts	0,05
Cranberries	0,05
Cress	0,1
Cucumbers	0,1
Cultivated mushrooms	0,1
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Fennel	0,1
Figs	0,05
Garlic	0,1
Gherkins	0,1
Globe artichoke	0,1
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,1
Head cabbages	0,1
Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,05

Kumquats	0,05
Lamb's lettuce	0,1
Leafy brassicas others	0,1
Leeks	0,1
Legume vegetables fresh others	0,1
Lemons	0,05
Lettuce	0,1
Lettuce and similar others	0,1
Limes	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,1
Miscellaneous Fruit Others	0,05
Olives	0,05
Onions	0,1
Oranges	0,05
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,05
Peaches	0,05
Pears	0,05
Peas (with pods)	0,1
Peas (without pods)	0,1
Pecans	0,05
Peppers	0,1
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Quinces	0,05
Radishes	0,1

Raspberries	0,05
Root and Tuber Vegetables others	0,1
Salsify	0,1
Scarole	0,1
Shallots	0,1
Small Fruit and Berries Others	0,05
Spinach	0,1
Spring onion	0,1
Stone Fruit Others	0,05
Strawberries	0,05
Swedes	0,1
Sweet potato	0,1
Table Grapes	0,05
Tomatoes	0,1
Tree Nuts Others	0,05
Turnip	0,1
Walnuts	0,05
Watermelons	0,1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,1
Wine Grapes	0,05
Witloof	0,1
Yams	0,1
DIURON	MRL (mg/kg)
Apples	0,05
Artichokes	0,05
Asparagus	1
Beans (without pods)	0,05
Carrots	0,05
Citrus fruits	0,05
Currants	0,05
Garlic	0,05
Grapes	0,05
Leeks	0,05
Medicinal herbs	0,05
Mint	0,05

Olives	0,05
Peaches	0,05
Pears	0,05
Peas (without pods)	0,05
Potatoes	0,05
DODINE	MRL (mg/kg)
Almonds	0,2
Apples	1
Apricots	1
Asparagus	0,2
Aubergine	0,2
Avocados	0,2
Bananas	0,2
Beans (with pods)	0,2
Beans (without pods)	0,2
Beet leaves (chard)	0,2
Beetroot	0,2
Bilberries	0,2
Blackberries	0,2
Brazil Nuts	0,2
Brussels sprouts	0,2
Bulb Vegetables others	0,2
Cane Fruit Others	0,2
Cardoons	0,2
Carrots	0,2
Cashew Nuts	0,2
Cauliflower	0,2
Celeriac	0,2
Celery leaves	0,2
Cherries	1
Chervil	0,2
Chestnuts	0,2
Chinese cabbage	0,2
Chives	0,2
Citrus Fruit Others	0,2
Coconuts	0,2

Cranberries	0,2
Cress	0,2
Cucumbers	0,2
Cultivated mushrooms	0,2
Currants (Black, Red and White)	0,2
Dates	0,2
Dewberries	0,2
Fennel	0,2
Figs	0,2
Garlic	0,2
Gherkins	0,2
Globe artichoke	0,2
Gooseberry	0,2
Grapefruit	0,2
Hazelnuts	0,2
Head brassicas others	0,2
Head cabbages	0,2
Herbs others	0,2
Horseradish	0,2
Jerusalem artichoke	0,2
Kale	0,2
Kiwi Fruit	0,2
Kumquats	0,2
Lamb's lettuce	0,2
Leafy brassicas others	0,2
Leeks	0,2
Legume vegetables fresh others	0,2
Lemons	0,2
Lettuce	0,2
Lettuce and similar others	0,2
Limes	0,2
Litchis	0,2
Loganberries	0,2
Macadamia Nuts	0,2
Mandarins	0,2
Mangoes	0,2
Melons	0,2
Miscellaneous Fruit Others	0,2

Olives	0,2
Onions	0,2
Oranges	0,2
Parsley	0,2
Parsley root	0,2
Parsnips	0,2
Passion Fruit	0,2
Peaches	1
Pears	1
Peas (with pods)	0,2
Peas (without pods)	0,2
Pecans	0,2
Peppers	0,2
Pine Nuts	0,2
Pineapples	0,2
Pistachios	0,2
Plums	1
Pome Fruit Others	1
Pomegranates	0,2
Pomelo	0,2
Quinces	1
Radishes	0,2
Raspberries	0,2
Root and Tuber Vegetables	0,2
Salsify	0,2
Scarole	0,2
Shallots	0,2
Small Fruit and Berries Others	0,2
Spinach	0,2
Spring onion	0,2
Stone Fruit Others	1
Strawberries	0,2
Swedes	0,2
Sweet potato	0,2
Table Grapes	0,2
Tomatoes	0,2
Tree Nuts Others	0,2
Turnip	0,2

Walnuts	0,2
Watermelons	0,2
Wild Berries and Wild Fruit	0,2
Wild mushrooms	0,2
Wine Grapes	0,2
Witloof	0,2
Yams	0,2
ETHEPHON	MRL (mg/kg)
Almonds	0,1
Apples	3
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,5
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,1
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05

Cereals others	0,05
Cherries	3
Chervil	0,05
Chestnuts	0,1
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,1
Cotton seed	2
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	5
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,1
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05

Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	3
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,1
Peppers	3
Pine Nuts	0,1

Pineapples	2
Pistachios	0,1
Plums	0,05
Pome Fruit Others	3
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	3
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables others	0,05
Rye	0,5
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	3

Tree Nuts Others	0,1
Triticale	0,2
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,2
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
ETHIOFENCARB	MRL (mg/kg)
Almonds	0,5
Artichokes	0,5
Beans (without pods)	0,5
Brassica vegetables	0,5
Broad beans	0,5
Citrus fruits	0,5
French beans	0,5
Lettuce and similars	0,5
Peas (without pods)	0,5
Pome fruits	0,5
Potatoes	0,5
Spinach	0,5
Stone fruit	0,5
Sugar beet	0,5
Tabacco	0,5
ETOFENPROX	MRL (mg/kg)
Apples	0,5
Aubergines	0,5
French beans	0,5

Grapes	1
Head cabbage	1,5
Maize	0,5
Melons	0,5
Onions	0,5
Peaches	0,5
Pears	0,5
Potatoes	0,5
Sugar beet	0,5
ETRIDAZOLE	MRL (mg/kg)
Strawberries	0,05
Vegetables	0,05
FAMOXADONE	MRL (mg/kg)
Grapes	2
Potatoes	0,02
Tomatoes	0,2
FENAMIPHOS	MRL (mg/kg)
Aubergines	0,1
Beans (without pods)	0,1
Carrots	0,1
Melons	0,1
Onions	0,1
Oranges	0,05
Peaches	0,05
Potatoes	0,1
Strawberries	0,05
Sugar beet	0,1
Tabacco	0,1
Tomatoes	0,1
FENARIMOL	MRL (mg/kg)

Almonds	0,02
Apples	0,3
Apricots	0,5
Asparagus	0,02
Aubergine	0,02
Avocados	0,02
Bananas	0,3
Barley	0,02
Beans	0,02
Beans (with pods)	0,02
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02
Brazil Nuts	0,02
Broccoli	0,02
Brussels sprouts	0,02
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,02
Cauliflower	0,02
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	1
Chervil	0,02
Chestnuts	0,02
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	0,02
Coconuts	0,02
Cotton seed	0,02

Courgettes	0,2
Cranberries	0,02
Cress	0,02
Cucumbers	0,2
Cucurbits edible peel others	0,2
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,02
Currants (Black, Red and White)	1
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,02
Gherkins	0,2
Globe artichoke	0,02
Gooseberry	1
Grapefruit	0,02
Hazelnuts	0,02
Head brassicas others	0,02
Head cabbages	0,02
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	0,02
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh Others	0,02
Lemons	0,02
Lentils	0,02
Lettuce	0,02
Lettuce and similar others	0,02
Limes	0,02

Linseed	0,02
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,02
Maize	0,02
Mandarins	0,02
Mangoes	0,02
Melons	0,05
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,02
Oats	0,02
Oilseeds others	0,02
Olives	0,02
Onions	0,02
Oranges	0,02
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,5
Peanuts	0,02
Pears	0,3
Peas	0,02
Peas (with pods)	0,02
Peas (without pods)	0,02
Pecans	0,02
Peppers	0,5
Pine Nuts	0,02
Pineapples	0,02
Pistachios	0,02
Plums	0,02
Pome Fruit Others	0,3
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,02
Pulses others	0,02
Quinces	0,3

Radishes	0,02
Rapeseed	0,02
Raspberries	0,1
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables Others	0,02
Rye	0,02
Salsify	0,02
Scarole	0,02
Sesame seeds	0,02
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,02
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	0,05
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	0,3
Sunflower seeds	0,02
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,3
Tea	0,05
Tomatoes	0,5
Tree Nuts Others	0,02
Triticale	0,02
Turnip	0,02
Walnuts	0,02
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,05
Wheat	0,02
Wild Berries and Wild Fruit	0,02

Wild mushrooms	0,02
Wine Grapes	0,3
Witloof	0,02
Yams	0,02
FENBUTATIN OXIDE	MRL (mg/kg)
Almonds	0,05
Apples	2
Apricots	0,05
Asparagus	0,05
Aubergine	1
Avocados	0,05
Bananas	3
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05

Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	5
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,5
Cranberries	0,05
Cress	0,05
Cucumbers	0,5
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	5
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05

Legume vegetables fresh others	0,05
Lemons	5
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	5
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	5
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	5
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	2
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	1
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05

Pome Fruit Others	2
Pomegranates	0,05
Pomelo	5
Poppy seeds	0,05
Pulses others	0,05
Quinces	2
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	1
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	2
Tea	0,1
Tomatoes	1
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05

Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	2
Witloof	0,05
Yams	0,05
FENITROTHION	MRL (mg/kg)
Almonds	0,5
Apples	0,5
Apricots	0,5
Asparagus	0,5
Aubergine	0,5
Avocados	0,5
Bananas	0,5
Beans (with pods)	0,5
Beans (without pods)	0,5
Beet leaves (chard)	0,5
Beetroot	0,5
Bilberries	0,5
Blackberries	0,5
Brazil Nuts	0,5
Brussels sprouts	0,5
Bulb Vegetables others	0,5
Cane Fruit Others	0,5
Cardoons	0,5
Carrots	0,5
Cashew Nuts	0,5
Cauliflower	0,5
Celeriac	0,5
Celery leaves	0,5
Cherries	0,5
Chervil	0,5

Chestnuts	0,5
Chinese cabbage	0,5
Chives	0,5
Citrus Fruit Others	2
Coconuts	0,5
Cranberries	0,5
Cress	0,5
Cucumbers	0,5
Cultivated mushrooms	0,5
Currants (Black, Red and White)	0,5
Dates	0,5
Dewberries	0,5
Fennel	0,5
Figs	0,5
Garlic	0,5
Gherkins	0,5
Globe artichoke	0,5
Gooseberry	0,5
Grapefruit	2
Hazelnuts	0,5
Head brassicas others	0,5
Head cabbages	0,5
Herbs others	0,5
Horseradish	0,5
Jerusalem artichoke	0,5
Kale	0,5
Kiwi Fruit	0,5
Kumquats	0,5
Lamb's lettuce	0,5
Leafy brassicas others	0,5
Leeks	0,5
Legume vegetables fresh others	0,5
Lemons	2
Lettuce	0,5
Lettuce and similar others	0,5
Limes	2
Litchis	0,5
Loganberries	0,5

Macadamia Nuts	0,5
Mandarins	2
Mangoes	0,5
Melons	0,5
Miscellaneous Fruit Others	0,5
Olives	0,5
Onions	0,5
Oranges	2
Parsley	0,5
Parsley root	0,5
Parsnips	0,5
Passion Fruit	0,5
Peaches	0,5
Pears	0,5
Peas (with pods)	0,5
Peas (without pods)	0,5
Pecans	0,5
Peppers	0,5
Pine Nuts	0,5
Pineapples	0,5
Pistachios	0,5
Plums	0,5
Pome Fruit Others	0,5
Pomegranates	0,5
Pomelo	2
Quinces	0,5
Radishes	0,5
Raspberries	0,5
Root and Tuber Vegetables Others	0,5
Salsify	0,5
Scarole	0,5
Shallots	0,5
Small Fruit and Berries Others	0,5
Spinach	0,5
Spring onion	0,5
Stone Fruit Others	0,5
Strawberries	0,5
Swedes	0,5

Sweet potato	0,5
Table Grapes	0,5
Tea	0,5
Tomatoes	0,5
Tree Nuts Others	0,5
Turnip	0,5
Walnuts	0,5
Watermelons	0,5
Wild Berries and Wild Fruit	0,5
Wild mushrooms	0,5
Wine Grapes	0,5
Witloof	0,5
Yams	0,5
FENOTHIOCARB	MRL (mg/kg)
Apples	0,1
Citrus fruits	0,5
Grapes	0,1
Peaches	0,5
Soyabean	0,1
FENOXYCARB	MRL (mg/kg)
Apples	0,2
Grapes	0,2
Olive oil	1
Olives	0,5
Peaches	0,5
FENPROPIMORPH	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05

Avocados	0,05
Bananas	2
Barley	0,5
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,5
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05

Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,5
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05

Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,5
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
others	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	1
Rhubarb	0,05

Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,5
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh	0,05
Stone Fruit Others	0,05
Strawberries	1
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,5
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,5
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05

FENPYROXIMATE	MRL (mg/kg)
Apples	0,3
Aubergines	0,1
Clementines	0,3
French beans	0,1
Gherkins	0,1
Grapes	0,3
Lemons	0,3
Oranges	0,3
Peaches	0,3
Pears	0,3
Peppers	0,1
Prunes	0,3
Strawberries	0,3
Tomatoes	0,1
FIPRONIL	MRL (mg/kg)
Forage (maize)	0,02
Maize	0,01
Potatoes	0,03
Sugar beet (roots)	0,02
Sunflower seeds	0,01
Tomatoes	0,01
FLUAZIFOP-P-BUTYL	MRL (mg/kg)
Apples	0,05
Artichokes	0,5
Beans (without pods)	0,5
Brassica vegetables	0,5
Broad beans	0,5
Carrots	0,5
Celery	0,5
Cherries	0,05

Chicory	0,5
Citrus fruits	0,05
Clover	0,1
Fennel	0,5
French beans	0,5
Gherkins	0,5
Grapes	0,1
Hazelnuts	0,1
Lettuce	0,5
Melons	0,5
Olives	0,1
Onions	0,1
Peaches	0,05
Pears	0,05
Peas (without pods)	0,5
Potatoes	0,1
Prunes	0,05
Radishes	0,5
Rapeseed	0,1
Solanacea others	0,5
Soya bean seed	1
Sugar beet (roots and leaves)	0,1
Sunflower seeds	0,1
Tabacco	0,1
Watermelons	0,5
FLUDIOXONIL	MRL (mg/kg)
Apricots	0,5
Aubergines	1
Barley	0,05
Cherries	0,5
Gherkins	1
Grapes	2
Lettuce	2
Maize	0,05
Peaches	0,5
Pears	0,5

Peppers	1
Prunes	0,5
Rice	0,05
Strawberries	2
Tomatoes	1
Vegetable marrows	1
Wheat	0,05
FLUROXYPYR	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,1
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05

Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05

Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,1
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05

Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,1
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1

Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,1
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
FLUSILAZOLE	MRL (mg/kg)
Apples	0,1
Barley	0,1
Grapes	0,05
Peaches	0,05
Pears	0,1
Sugar beet (leaves)	0,2
Sugar beet (roots)	0,01
Wheat	0,1
FLUTRIAFOL	MRL (mg/kg)
Barley	0,1
Oats	0,1
Sugar beet (leaves)	0,1
Sugar beet (roots)	0,05
Wheat	0,1
FOLPET	MRL (mg/kg)
Almonds	0,1

Apples	3
Apricots	2
Asparagus	0,1
Aubergine	0,1
Avocados	0,1
Bananas	0,1
Beans (with pods)	2
Beans (without pods)	2
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	3
Blackberries	3
Brazil Nuts	0,1
Brussels sprouts	0,1
Bulb Vegetables others	0,1
Cane Fruit Others	3
Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,1
Cauliflower	0,1
Celeriac	0,1
Celery leaves	0,1
Cherries	2
Chervil	0,1
Chestnuts	0,1
Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	0,1
Coconuts	0,1
Cranberries	3
Cress	0,1
Cucumbers	0,1
Cultivated mushrooms	0,1
Currants (Black, Red and White)	3
Dates	0,1
Dewberries	3
Fennel	0,1
Figs	0,1

Garlic	0,1
Gherkins	0,1
Globe artichoke	0,1
Gooseberry	3
Grapefruit	0,1
Hazelnuts	0,1
Head brassicas others	0,1
Head cabbages	0,1
Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kumquats	0,1
Lamb's lettuce	0,1
Leafy brassicas others	0,1
Leeks	2
Legume vegetables fresh others	0,1
Lemons	0,1
Lettuce	2
Lettuce and similar others	0,1
Limes	0,1
Litchis	0,1
Loganberries	3
Macadamia Nuts	0,1
Mandarins	0,1
Mangoes	0,1
Melons	0,1
Miscellaneous Fruit Others	0,1
Olives	0,1
Onions	0,1
Oranges	0,1
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,1
Peaches	2
Pears	3

Peas (with pods)	2
Peas (without pods)	2
Pecans	0,1
Peppers	0,1
Pine Nuts	0,1
Pineapples	0,1
Pistachios	0,1
Plums	2
Pome Fruit Others	3
Pomegranates	0,1
Pomelo	0,1
Quinces	3
Radishes	0,1
Raspberries	3
Root and Tuber Vegetables Others	0,1
Salsify	0,1
Scarole	0,1
Shallots	0,1
Small Fruit and Berries Others	3
Spinach	0,1
Spring onion	0,1
Stone Fruit Others	2
Strawberries	3
Swedes	0,1
Sweet potato	0,1
Table Grapes	3
Tomatoes	3
Tree Nuts Others	0,1
Turnip	0,1
Walnuts	0,1
Watermelons	0,1
Wild Berries and Wild Fruit	3
Wild mushrooms	0,1
Wine Grapes	10
Witloof	2
Yams	0,1
GIBBELERIC ACID	MRL (mg/kg)

Apples	2
Artichokes	2
Aubergines	0,2
Celery	0,2
Cherries	0,2
Citrus fruits	0,2
Grapes	0,2
Lettuce	0,2
Pears	2
Potatoes	2
Spinach	0,2
Strawberries	2
Tomatoes	0,2
Vegetable marrows	0,2
GLUFOSINATE AMMONIUM	MRL (mg/kg)
Almonds	0,1
Apples	0,1
Asparagus	0,1
Barley	0,1
Blackberries	0,1
Carrots	0,1
Citrus fruits	0,1
Currants	0,1
French beans	0,1
Gooseberries	0,1
Grapes	0,1
Hazelnuts	0,1
Kiwi Fruit	0,1
Lettuce and similars	0,1
Maize	0,1
Olives	0,1
Onions	0,1
Pears	0,1
Potatoes	0,1
Radishes	0,1

Raspberries	0,1
Soya bean seed	0,1
Strawberries	0,1
Sugar beet	0,1
Turnip cabbage	0,1
Walnut	0,1
Wheat	0,1
HEPTENOPHOS	MRL (mg/kg)
Apples	0,5
Barley	0,1
Beans (without pods)	0,1
Broad beans	0,1
Carrots	0,1
Cauliflower	0,1
Cherry (sour)	0,5
French beans	0,1
Gherkins	0,1
Head cabbage	0,1
Lettuce	0,1
Melons	0,1
Peaches	0,5
Peas (without pods)	0,1
Peppers	0,1
Prunes	0,5
Savoy	0,1
Spinach	0,1
Strawberries	0,2
Sugar beet	0,1
Tabacco	0,5
Tomatoes	0,1
Turnip cabbage	0,1
Vegetable marrows	0,1
Watermelons	0,1
Wheat	0,1

HEXACONAZOLE	MRL (mg/kg)
Almonds	0,02
Apples	0,02
Apricots	0,02
Asparagus	0,02
Aubergine	0,02
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	0,02
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02
Brazil Nuts	0,02
Broccoli	0,02
Brussels sprouts	0,02
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,02
Cauliflower	0,02
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	0,02
Chervil	0,02
Chestnuts	0,02
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	0,02
Coconuts	0,02

Cotton seed	0,05
Courgettes	0,02
Cranberries	0,02
Cress	0,02
Cucumbers	0,02
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,02
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,02
Gherkins	0,02
Globe artichoke	0,02
Gooseberry	0,02
Grapefruit	0,02
Hazelnuts	0,02
Head brassicas others	0,02
Head cabbages	0,02
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	0,02
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	0,02
Lentils	0,02
Lettuce	0,02
Lettuce and similar others	0,02

Limes	0,02
Linseed	0,05
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,02
Maize	0,02
Mandarins	0,02
Mangoes	0,02
Melons	0,02
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,05
Oats	0,02
Oilseeds others	0,05
Olives	0,02
Onions	0,02
Oranges	0,02
Papaya	0,02
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,02
Peanuts	0,05
Pears	0,02
Peas	0,02
Peas (with pods)	0,02
Peas (without pods)	0,02
Pecans	0,02
Peppers	0,02
Pine Nuts	0,02
Pineapples	0,02
Pistachios	0,02
Plums	0,02
Pome Fruit Others	0,02
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,05

Pulses others	0,02
Quinces	0,02
Radishes	0,02
Rapeseed	0,05
Raspberries	0,02
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables Others	0,02
Rye	0,02
Salsify	0,02
Scarole	0,02
Sesame seeds	0,05
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,05
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	0,02
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	0,02
Sunflower seeds	0,05
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,02
Tea	0,05
Tomatoes	0,02
Tree Nuts Others	0,02
Triticale	0,02
Turnip	0,02
Walnuts	0,02
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,02

Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	0,02
Witloof	0,02
Yams	0,02
HEXYTHIAZOX	MRL (mg/kg)
Apples	1
Aubergines	0,5
Citrus fruits	0,5
French beans	0,5
Gherkins	0,5
Grapes	0,5
Kiwi Fruit	1
Melons	0,5
Peaches	1
Pears	0,5
Peppers	0,5
Soya bean seed	0,05
Strawberries	0,5
Tomatoes	0,5
IMIDACLOPRID	MRL (mg/kg)
Lemons	1
Mandarins	1
Clementines	1
Oranges	1
Peppers	1
Tabacco (green)	10
Sunflower seeds	0,05
Potatoes	0,05
Maize	0,05
Sugar beet	0,05
Melons	0,1

Watermelons	0,1
Apricots	0,3
Cherries	0,3
Peaches	0,3
Prunes	0,3
Tomatoes	0,3
Aubergines	0,3
Apples	0,5
Pears	0,5
INDOXACARB	MRL (mg/kg)
Apples	0,3
Aubergines	0,1
Broccoli	0,2
Brussels sprouts	0,2
Cauliflower	0,2
Chicory	2
Chinese cabbage	0,2
Endives	2
Grapes	0,5
Head cabbage	0,2
Lettuce	2
Pears	0,3
Peppers	0,2
Red chicory	2
Scarole	2
Tomatoes	0,1
Turnip cabbage	0,2
IPRODIONE	MRL (mg/kg)
Almonds	0,02
Apples	10
Apricots	5
Asparagus	0,02
Aubergine	5

Avocados	0,02
Bananas	3
Barley	1
Beans	0,2
Beans (with pods)	5
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,5
Bilberries	10
Blackberries	5
Brazil Nuts	0,02
Broccoli	0,05
Brussels sprouts	0,5
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	5
Cardoons	0,02
Carrots	0,3
Cashew Nuts	0,02
Cauliflower	0,05
Celeriac	0,02
Celery	0,02
Celery leaves	10
Cereals others	0,02
Cherries	5
Chervil	10
Chestnuts	0,02
Chinese cabbage	5
Chives	10
Citrus Fruit Others	0,02
Coconuts	0,02
Cotton seed	0,02
Courgettes	2
Cranberries	0,02
Cress	10
Cucumbers	2
Cucurbits edible peel others	2
Cucurbits inedible peel others	0,02

Cultivated mushrooms	0,02
Currants (Black, Red and White)	10
Dates	0,02
Dewberries	5
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,05
Garlic	5
Gherkins	2
Globe artichoke	0,02
Gooseberry	10
Grapefruit	0,02
Hazelnuts	0,2
Head brassicas others	0,02
Head cabbages	5
Herbs others	10
Horseradish	0,1
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	5
Kohlrabi	0,1
Kumquats	0,02
Lamb's lettuce	10
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	5
Lentils	0,2
Lettuce	10
Lettuce and similar others	10
Limes	0,02
Linseed	0,1
Litchis	0,02
Loganberries	5
Macadamia Nuts	0,02
Maize	0,02
Mandarins	2

Mangoes	0,02
Melons	0,3
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,02
Oats	0,02
Oilseeds others	0,02
Olives	0,02
Onions	5
Oranges	0,02
Others	0,02
Parsley	10
Parsley root	0,02
Parsnips	0,1
Passion Fruit	0,02
Peaches	5
Peanuts	0,02
Pears	10
Peas	0,2
Peas (with pods)	1
Peas (without pods)	0,2
Pecans	0,02
Peppers	5
Pine Nuts	0,02
Pineapples	0,02
Pistachios	0,02
Plums	5
Pome Fruit Others	10
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,02
Pulses others	0,2
Quinces	10
Radishes	0,3
Rapeseed	0,5
Raspberries	5
Rhubarb	0,2
Rice	3

Root and Tuber Vegetables Others	0,02
Rye	0,02
Salsify	0,02
Scarole	10
Sesame seeds	0,02
Shallots	5
Small Fruit and Berries Others	
Solanacea others	5
Sorghum	0,02
Soya bean	0,02
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	3
Squashes	0,02
Stem vegetables fresh others	0,02
Stone Fruit Others	5
Strawberries	10
Sunflower seeds	0,02
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	10
Tea	0,1
Tomatoes	5
Tree Nuts Others	0,02
Triticale	0,02
Turnip	0,02
Walnuts	0,02
Ware potatoes	0,02
Watercress	10
Watermelons	0,02
Wheat	0,5
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	10
Witloof	2
Yams	0,02

LENACIL	MRL (mg/kg)
Spinach	0,1
Wheat	0,1
Sugar beet	0,1
Forage (beet)	0,1
LINURON	MRL (mg/kg)
Artichokes	0,05
Asparagus	0,05
Barley	0,05
Beans (without pods)	0,05
Carrots	0,05
Celery	0,05
Fennel	0,05
French beans	0,05
Maize	0,05
Potatoes	0,05
Rye	0,05
Soya bean seed	0,05
Sunflower seeds	0,05
Turnips	0,05
Wheat	0,05
LUFENURON	MRL (mg/kg)
Apples	0,5
Aubergines	0,05
Grapes	0,5
Head cabbage	0,1
Lemons	0,5
Mandarins	0,5
Oranges	0,5
Peaches	1
Pears	0,5
Peppers	0,05

Potatoes	0,05
Strawberries	1
Tomatoes	0,05
MALATHION	MRL (mg/kg)
Almonds	0,5
Apples	0,5
Apricots	0,5
Asparagus	3
Aubergine	3
Avocados	0,5
Bananas	0,5
Barley	8
Beans (with pods)	3
Beans (without pods)	3
Beet leaves (chard)	3
Beetroot	0,5
Bilberries	0,5
Blackberries	0,5
Brazil Nuts	0,5
Brussels sprouts	3
Buckwheat	8
Bulb Vegetables others	3
Cane Fruit Others	0,5
Cardoons	3
Carrots	0,5
Cashew Nuts	0,5
Cauliflower	3
Celeriac	0,5
Celery leaves	3
Cereals others	8
Cherries	0,5
Chervil	3
Chestnuts	0,5
Chinese cabbage	3
Chives	3
Citrus Fruit Others	2

Coconuts	0,5
Cranberries	0,5
Cress	3
Cucumbers	3
Cultivated mushrooms	3
Currants (Black, Red and White)	0,5
Dates	0,5
Dewberries	0,5
Fennel	3
Figs	0,5
Garlic	3
Gherkins	3
Globe artichoke	3
Gooseberry	0,5
Grapefruit	2
Hazelnuts	0,5
Head brassicas others	3
Head cabbages	3
Herbs others	3
Horseradish	0,5
Jerusalem artichoke	0,5
Kale	3
Kiwi Fruit	0,5
Kumquats	0,5
Lamb's lettuce	3
Leafy brassicas others	3
Leeks	3
Legume vegetables fresh others	3
Lemons	2
Lettuce	3
Lettuce and similar others	3
Limes	2
Litchis	0,5
Loganberries	0,5
Macadamia Nuts	0,5
Maize	8
Mandarins	2
Mangoes	0,5

Melons	3
Millet	8
Miscellaneous Fruit Others	0,5
Oats	8
Olives	0,5
Onions	3
Oranges	2
Others	0,5
Parsley	3
Parsley root	0,5
Parsnips	0,5
Passion Fruit	0,5
Peaches	0,5
Pears	0,5
Peas (with pods)	3
Peas (without pods)	3
Pecans	0,5
Peppers	3
Pine Nuts	0,5
Pineapples	0,5
Pistachios	0,5
Plums	0,5
Pome Fruit Others	0,5
Pomegranates	0,5
Pomelo	2
Quinces	0,5
Radishes	0,5
Raspberries	0,5
Rice	8
Root and Tuber Vegetables Others	0,5
Rye	8
Salsify	0,5
Scarole	3
Shallots	3
Small Fruit and Berries Others	
Sorghum	8
Spinach	3
Spring onion	3

Stone Fruit Others	0,5
Strawberries	0,5
Swedes	0,5
Sweet potato	0,5
Table Grapes	0,5
Tea	0,5
Tomatoes	3
Tree Nuts Others	0,5
Triticale	8
Turnip	0,5
Walnuts	0,5
Watermelons	3
Wheat	8
Wild Berries and Wild Fruit	0,5
Wild mushrooms	3
Wine Grapes	0,5
Witloof	3
Yams	0,5
MANCOZEB	MRL (mg/kg)
Almonds	0,1
Apples	3
Apricots	2
Asparagus	0,05
Aubergine	2
Avocados	0,05
Bananas	0,05
Barley	2
Beans	0,05
Beans (with pods)	1
Beans (without pods)	0,1
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	1

Brussels sprouts	1
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,2
Cashew Nuts	0,1
Cauliflower	1
Celeriac	0,2
Celery	0,5
Celery leaves	5
Cereals others	0,05
Cherries	1
Chervil	5
Chestnuts	0,1
Chinese cabbage	0,5
Chives	5
Citrus Fruit Others	5
Coconuts	0,1
Cotton seed	0,1
Courgettes	2
Cranberries	0,05
Cress	5
Cucumbers	0,5
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,5
Cultivated mushrooms	0,05
Currants (Black, Red and White)	5
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	1
Garlic	0,5
Gherkins	2
Globe artichoke	0,05
Gooseberry	5

Grapefruit	5
Hazelnuts	0,1
Head brassicas others	1
Head cabbages	1
Herbs others	5
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,5
Kiwi Fruit	0,05
Kohlrabi	0,1
Kumquats	0,05
Lamb's lettuce	5
Leafy brassicas others	0,5
Leeks	3
Legume vegetables fresh others	0,05
Lemons	5
Lentils	0,05
Lettuce	5
Lettuce and similar others	5
Limes	5
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	5
Mangoes	0,05
Melons	0,5
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	2
Oilseeds others	0,1
Olives	5
Onions	0,5
Oranges	5
Parsley	5
Parsley root	0,05

Parsnips	0,05
Passion Fruit	0,05
Peaches	2
Peanuts	0,1
Pears	3
Peas	0,05
Peas (with pods)	1
Peas (without pods)	0,1
Pecans	0,1
Peppers	2
Pine Nuts	0,1
Pineapples	0,05
Pistachios	0,1
Plums	1
Pome Fruit Others	3
Pomegranates	0,05
Pomelo	5
Poppy seeds	0,1
Pulses others	0,05
Quinces	3
Radishes	0,2
Rapeseed	0,5
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	1
Salsify	0,2
Scarole	5
Sesame seeds	0,1
Shallots	0,5
Small Fruit and Berries Others	0,05
Solanacea others	2
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05

Squashes	0,5
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	2
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	2
Tea	0,1
Tomatoes	3
Tree Nuts Others	0,1
Triticale	0,05
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,3
Watermelons	0,5
Wheat	1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	2
Witloof	0,2
Yams	0,05
MANEB	MRL (mg/kg)
Almonds	0,1
Apples	3
Apricots	2
Asparagus	0,05
Aubergine	2
Avocados	0,05
Bananas	0,05
Barley	2
Beans	0,05
Beans (with pods)	1
Beans (without pods)	0,1

Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	1
Brussels sprouts	1
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,2
Cashew Nuts	0,1
Cauliflower	1
Celeriac	0,2
Celery	0,5
Celery leaves	5
Cereals others	0,05
Cherries	1
Chervil	5
Chestnuts	0,1
Chinese cabbage	0,5
Chives	5
Citrus Fruit Others	5
Coconuts	0,1
Cotton seed	0,1
Courgettes	2
Cranberries	0,05
Cress	5
Cucumbers	0,5
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,5
Cultivated mushrooms	0,05
Currants (Black, Red and White)	5
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05

Figs	0,05
Flowering brassicas others	1
Garlic	0,5
Gherkins	2
Globe artichoke	0,05
Gooseberry	5
Grapefruit	5
Hazelnuts	0,1
Head brassicas others	1
Head cabbages	1
Herbs others	5
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,5
Kiwi Fruit	0,05
Kohlrabi	0,1
Kumquats	0,05
Lamb's lettuce	5
Leafy brassicas others	0,5
Leeks	3
Legume vegetables fresh others	0,05
Lemons	5
Lentils	0,05
Lettuce	5
Lettuce and similar others	5
Limes	5
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	5
Mangoes	0,05
Melons	0,5
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	2

Oilseeds others	0,1
Olives	5
Onions	0,5
Oranges	5
Parsley	5
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	2
Peanuts	0,1
Pears	3
Peas	0,05
Peas (with pods)	1
Peas (without pods)	0,1
Pecans	0,1
Peppers	2
Pine Nuts	0,1
Pineapples	0,05
Pistachios	0,1
Plums	1
Pome Fruit Others	3
Pomegranates	0,05
Pomelo	5
Poppy seeds	0,1
Pulses others	0,05
Quinces	3
Radishes	0,2
Rapeseed	0,5
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	1
Salsify	0,2
Scarole	5
Sesame seeds	0,1
Shallots	0,5
Small Fruit and Berries Others	0,05

Solanacea others	2
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,5
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	2
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	2
Tea	0,1
Tomatoes	3
Tree Nuts Others	0,1
Triticale	0,05
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,3
Watermelons	0,5
Wheat	1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	2
Witloof	0,2
Yams	0,05
MCPA	MRL (mg/kg)
Apples	0,1
Cereals	0,1
Grapes	0,1
Oranges	0,1
Pears	0,1

MECOCROP	MRL (mg/kg)
Apples	0,05
Pears	0,05
Peaches	0,05
Grapes	0,1
Cereals (Maize and Sorghum excluded)	0,1
Forage	0,1
METALAXYL	MRL (mg/kg)
Almonds	0,05
Apples	1
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,1
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,1
Cashew Nuts	0,05
Cauliflower	0,1

Celeriac	0,05
Celery	0,05
Celery leaves	1
Cereals others	0,05
Cherries	0,05
Chervil	1
Chestnuts	0,05
Chinese cabbage	0,05
Chives	1
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,5
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,1
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,5
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	1
Herbs others	1
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05

Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,2
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	1
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,2
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,5
Oranges	0,5
Parsley	1
Parsley root	0,05
Parsnips	0,1
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	1
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05

Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	1
Pomegranates	0,05
Pomelo	0,5
Poppy seeds	0,05
Pulses others	0,05
Quinces	1
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	1
Sesame seeds	0,05
Shallots	0,5
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,2
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,5
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05

Table Grapes	2
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,2
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	1
Witloof	0,05
Yams	0,05
METALDEHYDE	MRL (mg/kg)
Potatoes	0,4
Strawberries	0,4
Vegetables	0,4
METHABENZTHIAZURON	MRL (mg/kg)
Garlic	0,1
Maize	0,1
Medicinal herbs	0,1
Peas (without pods)	0,1
Potatoes	0,1
Sunflower seeds	0,1
Wheat	0,1
METHAM-SODIUM	MRL (mg/kg)
Almonds	2
Cereals	2

Radishes	0,05
Solanacea others	0,05
Spinach and similars	0,05
Stone fruit	0,05
Strawberries	0,05
Sugar beet	0,05
Tabacco	0,05
METHOMYL	MRL (mg/kg)
Almonds	0,05
Apples	0,2
Apricots	0,2
Asparagus	0,05
Aubergine	0,5
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	2
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	2

Cereals others	0,05
Cherries	0,1
Chervil	2
Chestnuts	0,05
Chinese cabbage	0,05
Chives	2
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,1
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,5
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	2
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05

Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	1
Lentils	0,05
Lettuce	2
Lettuce and similar others	0,05
Limes	1
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	1
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,5
Parsley	2
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,2
Peanuts	0,1
Pears	0,2
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05

Pineapples	0,05
Pistachios	0,05
Plums	0,5
Pome Fruit Others	0,2
Pomegranates	0,05
Pomelo	0,5
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,2
Radishes	0,5
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,1
Spinach	2
Spinach and similar (others)	2
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,5

Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	1
Witloof	0,05
Yams	0,05
METHOPRENE	MRL (mg/kg)
Cultivated mushrooms	0,2
METHYL BROMIDE	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,1
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05

Brussels sprouts	0,05
Buckwheat	0,1
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,1
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,1
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05

Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,1
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,1
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	0,1
Oilseeds others	0,1
Olives	0,05
Onions	0,05
Oranges	0,05
Parsley	0,05
Parsley root	0,05

Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,1
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,1
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,1
Raspberries	0,05
Rhubarb	0,05
Rice	0,1
Root and Tuber Vegetables Others	0,05
Rye	0,1
Salsify	0,05
Scarole	0,05
Sesame seeds	0,1
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,1
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05

Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,05
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,1
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
METIRAM	MRL (mg/kg)
Almonds	0,1
Apples	3
Apricots	2
Asparagus	0,05
Aubergine	2
Avocados	0,05
Bananas	0,05
Barley	2
Beans	0,05
Beans (with pods)	1
Beans (without pods)	0,1

Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	1
Brussels sprouts	1
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,2
Cashew Nuts	0,1
Cauliflower	1
Celeriac	0,2
Celery	0,5
Celery leaves	5
Cereals others	0,05
Cherries	1
Chervil	5
Chestnuts	0,1
Chinese cabbage	0,5
Chives	5
Citrus Fruit Others	5
Coconuts	0,1
Cotton seed	0,1
Courgettes	2
Cranberries	0,05
Cress	5
Cucumbers	0,5
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,5
Cultivated mushrooms	0,05
Currants (Black, Red and White)	5
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05

Figs	0,05
Flowering brassicas others	1
Garlic	0,5
Gherkins	2
Globe artichoke	0,05
Gooseberry	5
Grapefruit	5
Hazelnuts	0,1
Head brassicas others	1
Head cabbages	1
Herbs others	5
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,5
Kiwi Fruit	0,05
Kohlrabi	0,1
Kumquats	0,05
Lamb's lettuce	5
Leafy brassicas others	0,5
Leeks	3
Legume vegetables fresh others	0,05
Lemons	5
Lentils	0,05
Lettuce	5
Lettuce and similar others	5
Limes	5
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	5
Mangoes	0,05
Melons	0,5
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	2

Oilseeds others	0,1
Olives	5
Onions	0,5
Oranges	5
Parsley	5
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	2
Peanuts	0,1
Pears	3
Peas	0,05
Peas (with pods)	1
Peas (without pods)	0,1
Pecans	0,1
Peppers	2
Pine Nuts	0,1
Pineapples	0,05
Pistachios	0,1
Plums	1
Pome Fruit Others	3
Pomegranates	0,05
Pomelo	5
Poppy seeds	0,1
Pulses others	0,05
Quinces	3
Radishes	0,2
Rapeseed	0,5
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	1
Salsify	0,2
Scarole	5
Sesame seeds	0,1
Shallots	0,5
Small Fruit and Berries Others	0,05

Solanacea others	2
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,5
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	2
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	2
Tea	0,1
Tomatoes	3
Tree Nuts Others	0,1
Triticale	0,05
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,3
Watermelons	0,5
Wheat	1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	2
Witloof	0,2
Yams	0,05
METRIBUZIN	MRL (mg/kg)
Artichokes	0,1
Asparagus	0,1
Barley	0,1
Carrots	0,1
Maize	0,1

Medicinal herbs	0,1
Potatoes	0,1
Soya bean seed	0,1
Tomatoes	0,1
Wheat	0,1
MINERAL OILS	MRL (mg/kg)
Almonds	Not indicated
Artichokes	Not indicated
Beans (without pods)	Not indicated
Celery	Not indicated
Citrus fruits	Not indicated
Cucurbits	Not indicated
Currants	Not indicated
Fennel	Not indicated
Figs	Not indicated
Grapes (table and wine)	Not indicated
Hazelnuts	Not indicated
Maize	Not indicated
Nuts others	Not indicated
Olives	Not indicated
Peppers	Not indicated
Pome fruits	Not indicated
Potatoes	Not indicated
Stone fruit	Not indicated
Sugar beet	Not indicated
Tomatoes	Not indicated
MYCLOBUTANIL	MRL (mg/kg)
Almonds	0,05
Apples	0,5
Apricots	0,3
Asparagus	0,02
Aubergine	0,02
Avocados	0,02

Bananas	2
Barley	0,02
Beans	0,02
Beans (with pods)	0,02
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02
Brazil Nuts	0,05
Broccoli	0,02
Brussels sprouts	0,02
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,2
Cashew Nuts	0,05
Cauliflower	0,02
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	1
Chervil	0,02
Chestnuts	0,05
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	3
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,1
Cranberries	0,02
Cress	0,02
Cucumbers	0,1
Cucurbits edible peel others	0,1
Cucurbits inedible peel others	0,2
Cultivated mushrooms	0,02

Currants (Black, Red and White)	1
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,02
Gherkins	0,1
Globe artichoke	0,5
Gooseberry	1
Grapefruit	3
Hazelnuts	0,05
Head brassicas others	0,02
Head cabbages	0,02
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	0,02
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	3
Lentils	0,02
Lettuce	0,02
Lettuce and similar others	0,02
Limes	3
Linseed	0,05
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,05
Maize	0,02
Mandarins	3
Mangoes	0,02

Melons	0,2
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,05
Oats	0,02
Oilseeds others	0,05
Olives	0,02
Onions	0,02
Oranges	3
Papaya	0,02
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,5
Peanuts	0,05
Pears	0,5
Peas	0,02
Peas (with pods)	0,02
Peas (without pods)	0,02
Pecans	0,05
Peppers	0,5
Pine Nuts	0,05
Pineapples	0,02
Pistachios	0,05
Plums	0,5
Pome Fruit Others	0,5
Pomegranates	0,02
Pomelo	3
Poppy seeds	0,05
Pulses others	0,02
Quinces	0,5
Radishes	0,02
Rapeseed	0,05
Raspberries	0,02
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables Others	0,02

Rye	0,02
Salsify	0,02
Scarole	0,02
Sesame seeds	0,05
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,05
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	0,2
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	1
Sunflower seeds	0,05
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	1
Tea	0,05
Tomatoes	0,3
Tree Nuts Others	0,05
Triticale	0,02
Turnip	0,02
Walnuts	0,05
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,2
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	1
Witloof	0,02
Yams	0,02
OXADIAZON	MRL (mg/kg)

Apples	0,05
Apricots	0,05
Artichokes	0,05
Asparagus	0,05
Aubergines	0,05
Cauliflower	0,05
Chicory	0,05
Endives	0,05
Fennel	0,05
Garlic	0,05
Grapes	0,05
Hazelnuts	0,05
Kiwi Fruit	0,05
Lemons	0,05
Lettuce	0,05
Mandarins	0,05
Olives	0,05
Oranges	0,05
Peaches	0,05
Pears	0,05
Peppers	0,05
Prunes	0,05
Rice	0,05
Soya bean	0,05
Sunflower oil	0,02
Sunflower seeds	0,05
Tabacco	0,05
Tomatoes	0,05
OXYFLUORFEN	MRL (mg/kg)
Almonds	0,05
Brassica vegetables others	0,05
Garlic	0,05
Globe artichokes	0,05
Grapefruit	0,05
Grapes	0,05

Hazelnuts	0,05
Lemons	0,05
Onions	0,05
Oranges	0,05
Pome fruit others	0,05
Stone fruit	0,05
Sunflower seeds	0,05
OXADIXYL	MRL (mg/kg)
Grapes	1
Lettuce and similars	0,5
Melons	0,2
Onions	0,1
Potatoes	0,1
Spinach	0,2
Tomatoes	0,2
OXYCARBOXIN	MRL (mg/kg)
Cereals (escluding Maize, Sorghum and Rice)	0,2
PENCONAZOLE	MRL (mg/kg)
Almonds	0,05
Apples	0,2
Apricots	0,1
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05

Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05

Garlic	0,05
Gherkins	0,05
Globe artichoke	0,2
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,1
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05

Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,1
Peanuts	0,05
Pears	0,2
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,2
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,2
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05

Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,2
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,1
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,2
Witloof	0,05
Yams	0,05
PENDIMETHALIN	MRL (mg/kg)
Artichokes	0,05
Asparagus	0,05
Aubergines	0,05
Barley	0,05
Beans (without pods)	0,05
Brassica vegetables	0,05

Broad beans	0,05
Carrots	0,05
Chickpeas	0,05
Fennel	0,05
Garlic	0,05
Maize	0,05
Onions	0,05
Peanuts	0,05
Peas (without pods)	0,05
Peppers	0,05
Potatoes	0,05
Rice	0,05
Rye	0,05
Soya bean	0,05
Sunflower seeds	0,05
Tabacco	0,05
Tomatoes	0,05
Wheat	0,05
PERMETHRIN	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05

Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05

Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05

Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05

Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
PHENTOATE	MRL (mg/kg)
Apples	0,3
Cabbage	0,3
Citrus fruits	0,5
Maize	0,3
Nuts	0,3
Olives	0,3
Pears	0,3
Rice	0,05

PHOXIM	MRL (mg/kg)
Tea	0,1
PIPERONYL BUTOXIDE	MRL (mg/kg)
Cereals (for grains)	20
Forages (leguminous)	3
Potatoes	3
Pulses others	20
Sugar beet	3
Sunflower seeds	3
Tabacco	3
Vegetables others (excluding mushrooms)	3
PIRIMIPHOS-METHYL	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	5
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	1
Brussels sprouts	2
Buckwheat	5
Bulb Vegetables others	0,05

Cane Fruit Others	0,05
Cardoons	0,05
Carrots	1
Cashew Nuts	0,05
Cauliflower	1
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	5
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	1
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,1
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	2
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	1
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	1
Hazelnuts	0,05
Head brassicas others	0,05

Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	2
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	1
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	1
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	5
Mandarins	2
Mangoes	0,05
Melons	1
Millet	5
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	5
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	1
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05

Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	1
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	1
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	5
Root and Tuber Vegetables Others	0,05
Rye	5
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	5
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05

Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,05
Tomatoes	1
Tree Nuts Others	0,05
Triticale	5
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	5
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	2
Witloof	0,05
Yams	0,05
PROCHLORAZ	MRL (mg/kg)
Almonds	0,1
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	5
Bananas	0,05
Barley	1
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05

Blackberries	0,05
Brazil Nuts	0,1
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,1
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	5
Cereals others	0,05
Cherries	0,05
Chervil	5
Chestnuts	0,1
Chinese cabbage	0,05
Chives	5
Citrus Fruit Others	10
Coconuts	0,1
Cotton seed	0,1
Courgettes	0,05
Cranberries	0,05
Cress	5
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	2
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,5

Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	10
Hazelnuts	0,1
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	5
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	5
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	10
Lentils	0,05
Lettuce	5
Lettuce and similar others	5
Limes	10
Linseed	0,5
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	10
Mangoes	5
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	1
Oilseeds others	0,1
Olives	0,05
Onions	0,05

Oranges	10
Papaya	5
Parsley	5
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,1
Pears	0,05
Peas	0,3
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,1
Peppers	0,05
Pine Nuts	0,1
Pineapples	5
Pistachios	0,1
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	10
Poppy seeds	0,1
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,5
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,5
Salsify	0,05
Scarole	5
Sesame seeds	0,1
Shallots	5
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05

Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,5
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,1
Triticale	0,5
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,5
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
PROCYMIDONE	MRL (mg/kg)
Almonds	0,05
Apples	0,02
Apricots	2
Asparagus	0,02
Aubergine	2
Avocados	0,02
Bananas	0,02

Barley	0,02
Beans	0,02
Beans (with pods)	2
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02
Brazil Nuts	0,05
Broccoli	0,02
Brussels sprouts	0,02
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,05
Cauliflower	0,02
Celeriac	0,02
Celery	0,02
Celery leaves	0,02
Cereals others	0,02
Cherries	0,02
Chervil	0,02
Chestnuts	0,05
Chinese cabbage	0,02
Chives	0,02
Citrus Fruit Others	0,02
Coconuts	0,05
Cotton seed	0,05
Courgettes	1
Cranberries	0,02
Cress	5
Cucumbers	1
Cucurbits edible peel others	1
Cucurbits inedible peel others	1
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,02

Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,2
Gherkins	1
Globe artichoke	0,02
Gooseberry	0,02
Grapefruit	0,02
Hazelnuts	0,05
Head brassicas others	0,02
Head cabbages	0,02
Herbs others	0,02
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	5
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	5
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	0,02
Lentils	0,02
Lettuce	5
Lettuce and similar others	5
Limes	0,02
Linseed	0,05
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,05
Maize	0,02
Mandarins	0,02
Mangoes	0,02
Melons	1

Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,05
Oats	0,02
Oilseeds others	0,05
Olives	0,02
Onions	0,2
Oranges	0,02
Parsley	0,02
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	2
Peanuts	0,05
Pears	1
Peas	0,2
Peas (with pods)	1
Peas (without pods)	0,3
Pecans	0,05
Peppers	2
Pine Nuts	0,05
Pineapples	0,02
Pistachios	0,05
Plums	2
Pome Fruit Others	0,02
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,05
Pulses others	0,02
Quinces	0,02
Radishes	0,02
Rapeseed	1
Raspberries	10
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables Others	0,02
Rye	0,02
Salsify	0,02

Scarole	5
Sesame seeds	0,05
Shallots	0,2
Small Fruit and Berries Others	0,02
Solanacea others	2
Sorghum	0,02
Soya bean	1
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	1
Stem vegetables fresh others	0,02
Stone Fruit Others	2
Strawberries	5
Sunflower seeds	
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	5
Tea	0,1
Tomatoes	2
Tree Nuts Others	0,05
Triticale	0,02
Turnip	0,02
Walnuts	0,05
Ware potatoes	0,02
Watercress	0,02
Watermelons	1
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	5
Witloof	2
Yams	0,02
PROFENOFOS	MRL (mg/kg)
Almonds	0,05

Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	2
Courgettes	0,05
Cranberries	0,05

Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05

Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05

Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05

Wine Grapes	0,05
Witloof	0,05
Yams	0,05
PROMETRYNE	MRL (mg/kg)
Artichokes	0,1
Beans (without pods)	0,1
Carrots	0,1
Celery	0,1
Fennel	0,1
Forages (leguminous)	0,1
Garlic	0,1
Leeks	0,1
Lentils	0,1
Maize	0,1
Mint	0,1
Onions	0,1
Parsley	0,1
Peanuts	0,1
Peas (without pods)	0,1
Potatoes	0,1
Sorghum	0,1
Soya bean	0,1
Sunflower Seeds	0,1
PROPACHLOR	MRL (mg/kg)
Brassica Vegetables	0,2
Bulb vegetables	0,2
Leeks	0,2
Radishes	0,2
Sorghum	0,2
PROPAMOCARB	MRL (mg/kg)
Apples	10

Basil	10
Beet leaves (chard)	10
Beet leaves (chard)	10
Beetroot	10
Brassica vegetables	10
Carrots	10
Celery	10
Chicory	10
Citrus fruits	10
Cucurbits	10
Endives	10
Garlic	10
Leeks	10
Lettuce	10
Onions	10
Parsley	10
Pears	10
Red Chicory	10
Solanacea others	10
Spinach	10
Strawberries	10
Tabacco	10
Turnips	10
PROPARGITE	MRL (mg/kg)
Tea	5
PROPHAM	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05

Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05

Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05

Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05

Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
PROPICONAZOLE	MRL (mg/kg)

Almonds	0,05
Apples	0,05
Apricots	0,2
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,1
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05

Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05

Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,2
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05

Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,5
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05

Wine Grapes	0,5
Witloof	0,05
Yams	0,05
PROPINEB	MRL (mg/kg)
Almonds	0,1
Apples	3
Apricots	2
Asparagus	0,05
Aubergine	2
Avocados	0,05
Bananas	0,05
Barley	2
Beans	0,05
Beans (with pods)	1
Beans (without pods)	0,1
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	1
Brussels sprouts	1
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,2
Cashew Nuts	0,1
Cauliflower	1
Celeriac	0,2
Celery	0,5
Celery leaves	5
Cereals others	0,05
Cherries	1
Chervil	5
Chestnuts	0,1

Chinese cabbage	0,5
Chives	5
Citrus Fruit Others	5
Coconuts	0,1
Cotton seed	0,1
Courgettes	2
Cranberries	0,05
Cress	5
Cucumbers	0,5
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,5
Cultivated mushrooms	0,05
Currants (Black, Red and White)	5
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	1
Garlic	0,5
Gherkins	2
Globe artichoke	0,05
Gooseberry	5
Grapefruit	5
Hazelnuts	0,1
Head brassicas others	1
Head cabbages	1
Herbs others	5
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,5
Kiwi Fruit	0,05
Kohlrabi	0,1
Kumquats	0,05
Lamb's lettuce	5
Leafy brassicas others	0,5
Leeks	3
Legume vegetables fresh others	0,05

Lemons	5
Lentils	0,05
Lettuce	5
Lettuce and similar others	5
Limes	5
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	5
Mangoes	0,05
Melons	0,5
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	2
Oilseeds others	0,1
Olives	5
Onions	0,5
Oranges	5
Parsley	5
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	2
Peanuts	0,1
Pears	3
Peas	0,05
Peas (with pods)	1
Peas (without pods)	0,1
Pecans	0,1
Peppers	2
Pine Nuts	0,1
Pineapples	0,05
Pistachios	0,1
Plums	1
Pome Fruit Others	3

Pomegranates	0,05
Pomelo	5
Poppy seeds	0,1
Pulses others	0,05
Quinces	3
Radishes	0,2
Rapeseed	0,5
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	1
Salsify	0,2
Scarole	5
Sesame seeds	0,1
Shallots	0,5
Small Fruit and Berries Others	0,05
Solanacea others	2
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,5
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	2
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	2
Tea	0,1
Tomatoes	3
Tree Nuts Others	0,1
Triticale	0,05
Turnip	0,05
Walnuts	0,1

Ware potatoes	0,05
Watercress	0,3
Watermelons	0,5
Wheat	1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	2
Witloof	0,2
Yams	0,05
PROPOXUR	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,5
Brussels sprouts	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,5
Celeriac	0,05
Celery	0,05
Celery leaves	0,05

Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,2
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,5
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,2
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,5
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05

Leafy brassicas others	0,05
Leeks	1
Legume vegetables fresh others	0,05
Lemons	0,3
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,3
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Mandarins	0,3
Mangoes	0,05
Melons	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05

Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Root and Tuber Vegetables Others	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wild Berries and Wild Fruit	0,05

Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
PROPYZAMIDE	MRL (mg/kg)
Almonds	0,02
Apples	0,02
Apricots	0,02
Asparagus	0,02
Aubergine	0,02
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	0,02
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02
Brazil Nuts	0,02
Broccoli	0,02
Brussels sprouts	0,02
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,02
Cauliflower	0,02
Celeriac	0,02
Celery	0,02
Celery leaves	1
Cereals others	0,02
Cherries	0,02
Chervil	1

Chestnuts	0,02
Chinese cabbage	0,02
Chives	1
Citrus Fruit Others	0,02
Coconuts	0,02
Cotton seed	0,05
Courgettes	0,02
Cranberries	0,02
Cress	1
Cucumbers	0,02
Cucurbits edible peel others	0,02
Cucurbits inedible peel others	0,02
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,02
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,02
Gherkins	0,02
Globe artichoke	0,02
Gooseberry	0,02
Grapefruit	0,02
Hazelnuts	0,02
Head brassicas others	0,02
Head cabbages	0,02
Herbs others	1
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02
Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	1
Leafy brassicas others	0,02
Leeks	0,02

Legume vegetables fresh others	0,02
Lemons	0,02
Lentils	0,02
Lettuce	1
Lettuce and similar others	1
Limes	0,02
Linseed	0,05
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,02
Maize	0,02
Mandarins	0,02
Mangoes	0,02
Melons	0,02
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,05
Oats	0,02
Oilseeds others	0,05
Olives	0,02
Onions	0,02
Oranges	0,02
Parsley	1
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,02
Peanuts	0,05
Pears	0,02
Peas	0,02
Peas (with pods)	0,02
Peas (without pods)	0,02
Pecans	0,02
Peppers	0,02
Pine Nuts	0,02
Pineapples	0,02
Pistachios	0,02
Plums	0,02

Pome Fruit Others	0,02
Pomegranates	0,02
Pomelo	0,02
Poppy seeds	0,05
Pulses others	0,02
Quinces	0,02
Radishes	0,02
Rapeseed	0,1
Raspberries	0,02
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables Others	0,02
Rye	0,02
Salsify	0,02
Scarole	1
Sesame seeds	0,05
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,05
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	0,02
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	0,02
Sunflower seeds	0,05
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02
Table Grapes	0,02
Tea	0,05
Tomatoes	0,02
Tree Nuts Others	0,02
Triticale	0,02
Turnip	0,02

Walnuts	0,02
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,02
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	0,02
Witloof	0,02
Yams	0,02
PYMETROZINE	MRL (mg/kg)
Almonds	0,02
Apples	0,02
Apricots	0,05
Asparagus	0,02
Aubergine	0,2
Avocados	0,02
Bananas	0,02
Barley	0,02
Beans	0,02
Beans (with pods)	0,02
Beans (without pods)	0,02
Beet leaves (chard)	0,02
Beetroot	0,02
Bilberries	0,02
Blackberries	0,02
Brazil Nuts	0,02
Broccoli	0,02
Brussels sprouts	0,02
Buckwheat	0,02
Bulb Vegetables others	0,02
Cane Fruit Others	0,02
Cardoons	0,02
Carrots	0,02
Cashew Nuts	0,02
Cauliflower	0,02

Celeriac	0,02
Celery	0,02
Celery leaves	1
Cereals others	0,02
Cherries	0,02
Chervil	1
Chestnuts	0,02
Chinese cabbage	0,02
Chives	1
Citrus Fruit Others	0,3
Coconuts	0,02
Cotton seed	0,05
Courgettes	0,5
Cranberries	0,02
Cress	1
Cucumbers	0,5
Cucurbits edible peel others	0,5
Cucurbits inedible peel others	
Cultivated mushrooms	0,02
Currants (Black, Red and White)	0,02
Dates	0,02
Dewberries	0,02
Early potatoes	0,02
Fennel	0,02
Figs	0,02
Flowering brassicas others	0,02
Garlic	0,02
Gherkins	0,5
Globe artichoke	0,02
Gooseberry	0,02
Grapefruit	0,3
Hazelnuts	0,02
Head brassicas others	0,02
Head cabbages	0,05
Herbs others	1
Horseradish	0,02
Jerusalem artichoke	0,02
Kale	0,02

Kiwi Fruit	0,02
Kohlrabi	0,02
Kumquats	0,02
Lamb's lettuce	1
Leafy brassicas others	0,02
Leeks	0,02
Legume vegetables fresh others	0,02
Lemons	0,3
Lentils	0,02
Lettuce	1
Lettuce and similar others	1
Limes	0,3
Linseed	0,02
Litchis	0,02
Loganberries	0,02
Macadamia Nuts	0,02
Maize	0,02
Mandarins	0,3
Mangoes	0,02
Melons	0,2
Millet	0,02
Miscellaneous Fruit Others	0,02
Mustard seed	0,02
Oats	0,02
Oilseeds others	0,02
Olives	0,02
Onions	0,02
Oranges	0,3
Parsley	1
Parsley root	0,02
Parsnips	0,02
Passion Fruit	0,02
Peaches	0,05
Peanuts	0,02
Pears	0,02
Peas	0,02
Peas (with pods)	0,02
Peas (without pods)	0,02

Pecans	0,02
Peppers	1
Pine Nuts	0,02
Pineapples	0,02
Pistachios	0,02
Plums	0,02
Pome Fruit Others	0,02
Pomegranates	0,02
Pomelo	0,3
Poppy seeds	0,02
Pulses others	0,02
Quinces	0,02
Radishes	0,02
Rapeseed	0,02
Raspberries	0,02
Rhubarb	0,02
Rice	0,02
Root and Tuber Vegetables Others	0,02
Rye	0,02
Salsify	0,02
Scarole	1
Sesame seeds	0,02
Shallots	0,02
Small Fruit and Berries Others	0,02
Solanacea others	0,02
Sorghum	0,02
Soya bean	0,02
Spinach	0,02
Spinach and similar (others)	0,02
Spring onion	0,02
Squashes	0,2
Stem vegetables fresh others	0,02
Stone Fruit Others	0,02
Strawberries	0,02
Sunflower seeds	0,02
Swedes	0,02
Sweet corn	0,02
Sweet potato	0,02

Table Grapes	0,02
Tea	0,1
Tomatoes	0,5
Tree Nuts Others	0,02
Triticale	0,02
Turnip	0,02
Walnuts	0,02
Ware potatoes	0,02
Watercress	0,02
Watermelons	0,2
Wheat	0,02
Wild Berries and Wild Fruit	0,02
Wild mushrooms	0,02
Wine Grapes	0,02
Witloof	0,02
Yams	0,02
PYRAZOPHOS	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05

Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05

Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05

Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	0,05
Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05

Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
PYRETHRINS	MRL (mg/kg)
Almonds	1
Apples	1
Apricots	1
Asparagus	1
Aubergine	1
Avocados	1
Bananas	1
Barley	3
Beans (with pods)	1
Beans (without pods)	1
Beet leaves (chard)	1
Beetroot	1

Bilberries	1
Blackberries	1
Brazil Nuts	1
Brussels sprouts	1
Buckwheat	3
Bulb Vegetables others	1
Cane Fruit Others	1
Cardoons	1
Carrots	1
Cashew Nuts	1
Cauliflower	1
Celeriac	1
Celery leaves	1
Cereals others	3
Cherries	1
Chervil	1
Chestnuts	1
Chinese cabbage	1
Chives	1
Citrus Fruit Others	1
Coconuts	1
Cranberries	1
Cress	1
Cucumbers	1
Cultivated mushrooms	1
Currants (Black, Red and White)	1
Dates	1
Dewberries	1
Fennel	1
Figs	1
Garlic	1
Gherkins	1
Globe artichoke	1
Gooseberry	1
Grapefruit	1
Hazelnuts	1
Head brassicas others	1
Head cabbages	1

Herbs others	1
Horseradish	1
Jerusalem artichoke	1
Kale	1
Kiwi Fruit	1
Kumquats	1
Lamb's lettuce	1
Leafy brassicas others	1
Leeks	1
Legume vegetables fresh others	1
Lemons	1
Lettuce	1
Lettuce and similar others	1
Limes	1
Litchis	1
Loganberries	1
Macadamia Nuts	1
Maize	3
Mandarins	1
Mangoes	1
Melons	1
Millet	3
Miscellaneous Fruit Others	1
Oats	3
Olives	1
Onions	1
Oranges	1
Parsley	1
Parsley root	1
Parsnips	1
Passion Fruit	1
Peaches	1
Pears	1
Peas (with pods)	1
Peas (without pods)	1
Pecans	1
Peppers	1
Pine Nuts	1

Pineapples	1
Pistachios	1
Plums	1
Pome Fruit Others	1
Pomegranates	1
Pomelo	1
Quinces	1
Radishes	1
Raspberries	1
Rice	3
Root and Tuber Vegetables Others	1
Rye	3
Salsify	1
Scarole	1
Shallots	1
Small Fruit and Berries Others	1
Sorghum	3
Spinach	1
Spring onion	1
Stone Fruit Others	1
Strawberries	1
Swedes	1
Sweet potato	1
Table Grapes	1
Tomatoes	1
Tree Nuts Others	1
Triticale	3
Turnip	1
Walnuts	1
Watermelons	1
Wheat	3
Wild Berries and Wild Fruit	1
Wild mushrooms	1
Wine Grapes	1
Witloof	1
Yams	1
PYRIDABEN	MRL (mg/kg)

Apples	0,1
Apricots	0,1
Citrus fruits	0,1
Grapes	0,1
Peaches	0,1
Pears	0,1
Prunes	0,1
PYRIFENOX	MRL (mg/kg)
Apples	0,2
Artichokes	0,2
Gherkins	0,2
Grapes	0,2
Melons	0,2
Peaches	0,2
Pears	0,2
Peppers	0,2
Squashes	0,2
Strawberries	0,2
Tomatoes	0,2
Vegetable marrows	0,2
PYRIMETHANIL	MRL (mg/kg)
Apples	1
French beans	2
Gherkins	0,5
Grapes	3
Lettuce	2
Pears	1
Peppers	2
Strawberries	5
Tomatoes	2
RESMETHRIN	MRL (mg/kg)

Almonds	0,2
Apples	0,1
Apricots	0,1
Asparagus	0,1
Aubergine	0,1
Avocados	0,1
Bananas	0,1
Barley	0,05
Beans	0,1
Beans (with pods)	0,1
Beans (without pods)	0,1
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	0,1
Blackberries	0,1
Brazil Nuts	0,2
Broccoli	0,1
Brussels sprouts	0,1
Buckwheat	0,05
Bulb Vegetables others	0,1
Cane Fruit Others	0,1
Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,2
Cauliflower	0,1
Celeriac	0,1
Celery	0,1
Celery leaves	0,1
Cereals others	0,05
Cherries	0,1
Chervil	0,1
Chestnuts	0,2
Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	0,1
Coconuts	0,2
Cotton seed	0,2

Courgettes	0,1
Cranberries	0,1
Cress	0,1
Cucumbers	0,1
Cucurbits edible peel others	0,1
Cucurbits inedible peel others	0,1
Cultivated mushrooms	0,1
Currants (Black, Red and White)	0,1
Dates	0,1
Dewberries	0,1
Early potatoes	0,1
Fennel	0,1
Figs	0,1
Flowering brassicas others	0,1
Garlic	0,1
Gherkins	0,1
Globe artichoke	0,1
Gooseberry	0,1
Grapefruit	0,1
Hazelnuts	0,2
Head brassicas others	0,1
Head cabbages	0,1
Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kohlrabi	0,1
Kumquats	0,1
Lamb's lettuce	0,1
Leafy brassicas others	0,1
Leeks	0,1
Legume vegetables fresh others	0,1
Lemons	0,1
Lentils	0,1
Lettuce	0,1
Lettuce and similar others	0,1
Limes	0,1

Linseed	0,2
Litchis	0,1
Loganberries	0,1
Macadamia Nuts	0,2
Maize	0,05
Mandarins	0,1
Mangoes	0,1
Melons	0,1
Millet	0,05
Miscellaneous Fruit Others	0,1
Mustard seed	0,2
Oats	0,05
Oilseeds others	0,2
Olives	0,1
Onions	0,1
Oranges	0,1
Papaya	0,1
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,1
Peaches	0,1
Peanuts	0,2
Pears	0,1
Peas	0,1
Peas (with pods)	0,1
Peas (without pods)	0,1
Pecans	0,2
Peppers	0,1
Pine Nuts	0,2
Pineapples	0,1
Pistachios	0,2
Plums	0,1
Pome Fruit Others	0,1
Pomegranates	0,1
Pomelo	0,1
Poppy seeds	0,2
Pulses others	0,1

Quinces	0,1
Radishes	0,1
Rapeseed	0,2
Raspberries	0,1
Rhubarb	0,1
Rice	0,05
Root and Tuber Vegetables Others	0,1
Rye	0,05
Salsify	0,1
Scarole	0,1
Sesame seeds	0,2
Shallots	0,1
Small Fruit and Berries Others	0,1
Solanacea others	0,1
Sorghum	0,05
Soya bean	0,2
Spinach	0,1
Spinach and similar (others)	0,1
Spring onion	0,1
Squashes	0,1
Stem vegetables fresh others	0,1
Stone Fruit Others	0,1
Strawberries	0,1
Sunflower seeds	0,2
Swedes	0,1
Sweet corn	0,1
Sweet potato	0,1
Table Grapes	0,1
Tea	0,2
Tomatoes	0,1
Tree Nuts Others	0,2
Triticale	0,05
Turnip	0,1
Walnuts	0,2
Ware potatoes	0,1
Watercress	0,1
Watermelons	0,1
Wheat	0,05

Wild Berries and Wild Fruit	0,1
Wild mushrooms	0,1
Wine Grapes	0,1
Witloof	0,1
Yams	0,1
SETHOXYDIM	MRL (mg/kg)
Artichokes	0,5
Beans (without pods)	0,5
Beet leaves (chard)	0,5
Beetroot	0,5
Brassica vegetables	0,5
Broad beans	0,5
Carrots	0,5
Celery	0,5
Clover	0,5
Cucurbits	0,5
Fennel	0,5
Forage (beet)	0,5
French beans	0,5
Garlic	0,5
Leeks	0,5
Lettuce and similars	0,5
Medicinal herbs	0,5
Onions	0,5
Parsley	0,5
Peas (without pods)	0,5
Potatoes	0,5
Radishes	0,5
Rapeseed	0,5
Solanacea others	0,5
Soya bean	0,5
Spinach	0,5
Strawberries	0,5
Sugar beet	0,5
Sunflower seeds	0,5

Tabacco	0,5
SIMAZINE	MRL (mg/kg)
Almonds	0,1
Artichokes	0,1
Blackberries	0,1
Citrus fruits	0,1
Currants (black and red)	0,1
Figs	0,1
Grapes	0,1
Hazelnuts	0,1
Olives	0,1
Pome fruits	0,1
Pomengrenades	0,1
Raspberries	0,1
Sorghum	0,1
Stone fruit	0,1
Strawberries	0,1
SULPHUR	MRL (mg/kg)
Cereals	50
Fruit	50
Oilseeds	50
Potatoes	50
Sugar beet	50
Tabacco	50
Vegetables (escluding mushrooms)	50
TEBUCONAZOLE	MRL (mg/kg)
Apples	0,1
Apricots	0,5
Barley	0,05
Cherries	0,5
Grapes	1

Oats	0,05
Peaches	0,5
Pears	0,1
Prunes	0,5
Rye	0,05
Wheat	0,05
TEBUFENPYRAD	MRL (mg/kg)
Apples	0,5
Apricots	0,5
Aubergines	0,5
Citrus fruits	0,5
Grapes	0,3
Melons	0,5
Peaches	0,5
Pears	0,5
Peppers	0,5
Strawberries	0,3
Tomatoes	0,5
Watermelons	0,5
TEFLUBENZURON	MRL (mg/kg)
Apples	1
Aubergines	0,5
Brassica vegetables	0,5
Cultivated mushrooms	0,2
Grapes	1
Maize	0,1
Maize da foraggio	4
Peaches	1
Pears	1
Peppers	0,5
Potatoes	0,1
TERBUTHYLAZINE	MRL (mg/kg)

Apples	0,02
Barley	0,1
Citrus fruits	0,02
Grapes	0,02
Hazelnuts	0,02
Maize	0,02
Oats	0,1
Olive oil	0,01
Olives	0,01
Rye	0,1
Sorghum	0,1
TERBUTRYN	MRL (mg/kg)
Barley	0,05
Broad beans	0,05
Maize	0,05
Oats	0,05
Peas (without pods)	0,05
Potatoes	0,05
Rye	0,05
Sunflower seeds	0,05
Wheat	0,05
TETRACHLORVINPHOS	MRL (mg/kg)
Apples	1,5
Brassica vegetables	1,5
Grapes	1,5
Maize	1,5
Olives	1,5
Peaches	1,5
Pears	1,5
Potatoes	1,5
Turnips	1,5

TETRADIFON	MRL (mg/kg)
Almonds	1,5
Artichokes	1,5
Asparagus	1,5
Brassica vegetables	1,5
Bulb vegetables	1,5
Cardoons	1,5
Carrots	1,5
Celery	1,5
Citrus fruits	1,5
Cucurbits	1,5
Fennel	1,5
Grapes	1,5
Hazelnuts	1,5
Herbs others (fresh)	1,5
Hops	1,5
Kiwi Fruit	1,5
Leeks	1,5
Legumes fresh	1,5
Lettuce and similars	1,5
Maize	1
Olives	1,5
Pome fruits	1,5
Potatoes	1,5
Radishes	1,5
Raspberries	1,5
Solanacea others	1,5
Spinach and similars	1,5
Stone fruit	1,5
Strawberries	1,5
Tabacco	1
Walnuts	1,5
Wheat	1
THIOPHANATE-METHYL	MRL (mg/kg)

Apricots	1
Aubergines	0,5
Banana	1
Bean (grains)	2
Brussels sprouts	0,5
Celery	2
Cereals	0,1
Citrus fruits	5
Cultivated mushrooms	1
Fruit others	0,1
Gherkins	1
Grapes	2
Head cabbage (excluding Brussels sprouts)	3
Hops	0,1
Lettuce	5
Melons	0,5
Oilseeds others	0,1
Peaches	1
Pome fruits	2
Potatoes	0,1
Prunes	0,5
Pulses others	0,1
Rhubarb	2
Soya bean seed	0,2
Squashes	0,5
Tea	0,1
Tomatoes	0,5
Vegetable marrows	0,3
Vegetables others	0,1
THIRAM	MRL (mg/kg)
Almonds	3
Apples	3
Apricots	3
Asparagus	3
Aubergine	3
Avocados	3

Bananas	3
Beans (with pods)	3
Beans (without pods)	3
Beet leaves (chard)	3
Beetroot	3
Bilberries	3
Blackberries	3
Brazil Nuts	3
Brussels sprouts	3
Bulb Vegetables others	3
Cane Fruit Others	3
Cardoons	3
Carrots	3
Cashew Nuts	3
Cauliflower	3
Celeriac	3
Celery leaves	3
Cherries	3
Chervil	3
Chestnuts	3
Chinese cabbage	3
Chives	3
Citrus Fruit Others	3
Coconuts	3
Cranberries	3
Cress	3
Cucumbers	3
Cultivated mushrooms	3
Currants (Black, Red and White)	3
Dates	3
Dewberries	3
Fennel	3
Figs	3
Garlic	3
Gherkins	3
Globe artichoke	3
Gooseberry	3
Grapefruit	3

Hazelnuts	3
Head brassicas others	3
Head cabbages	3
Herbs others	3
Horseradish	3
Jerusalem artichoke	3
Kale	3
Kiwi Fruit	3
Kumquats	3
Lamb's lettuce	3
Leafy brassicas others	3
Leeks	3
Legume vegetables fresh others	3
Lemons	3
Lettuce	3
Lettuce and similar others	3
Limes	3
Litchis	3
Loganberries	3
Macadamia Nuts	3
Mandarins	3
Mangoes	3
Melons	3
Miscellaneous Fruit Others	3
Olives	3
Onions	3
Oranges	3
Parsley	3
Parsley root	3
Parsnips	3
Passion Fruit	3
Peaches	3
Pears	3
Peas (with pods)	3
Peas (without pods)	3
Pecans	3
Peppers	3
Pine Nuts	3

Pineapples	3
Pistachios	3
Plums	3
Pome Fruit Others	3
Pomegranates	3
Pomelo	3
Quinces	3
Radishes	3
Raspberries	3
Root and Tuber Vegetables Others	3
Salsify	3
Scarole	3
Shallots	3
Small Fruit and Berries Others	3
Spinach	3
Spring onion	3
Stone Fruit Others	3
Strawberries	3,8
Swedes	3
Sweet potato	3
Table Grapes	3,8
Tomatoes	3
Tree Nuts Others	3
Turnip	3
Walnuts	3
Watermelons	3
Wild Berries and Wild Fruit	3
Wild mushrooms	3
Wine Grapes	3,8
Witloof	3
Yams	3
TOLCLOPHOS-METHYL	MRL (mg/kg)
Aubergines	0,01
Basil	1
Beans (without pods)	0,1
Brassica vegetables	0,5

Carrots	0,5
French beans	0,1
Garlic	0,01
Lettuce	1
Onions	0,01
Peppers	0,01
Potatoes	0,1
Red chicory	1
Sugar beet (leaves)	1
Sugar beet (roots)	0,5
Tomatoes	0,01
Vegetable marrows	1
Watermelons	0,1
Wheat	0,05
TRIADIMEFON	MRL (mg/kg)
Almonds	0,2
Apples	0,2
Apricots	0,1
Asparagus	0,1
Aubergine	0,1
Avocados	0,1
Bananas	0,2
Barley	0,2
Beans	0,1
Beans (with pods)	0,1
Beans (without pods)	0,1
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	0,1
Blackberries	0,1
Brazil Nuts	0,2
Broccoli	0,1
Brussels sprouts	0,1
Buckwheat	0,1
Bulb Vegetables others	0,1
Cane Fruit Others	0,1

Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,2
Cauliflower	0,1
Celeriac	0,1
Celery	0,1
Celery leaves	0,1
Cereals others	0,1
Cherries	0,1
Chervil	0,1
Chestnuts	0,2
Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	0,1
Coconuts	0,2
Cotton seed	0,2
Courgettes	0,1
Cranberries	0,1
Cress	0,1
Cucumbers	0,1
Cucurbits edible peel others	0,1
Cucurbits inedible peel others	0,1
Cultivated mushrooms	0,1
Currants (Black, Red and White)	0,1
Dates	0,1
Dewberries	0,1
Early potatoes	0,1
Fennel	0,1
Figs	0,1
Flowering brassicas others	0,1
Garlic	0,1
Gherkins	0,1
Globe artichoke	1
Gooseberry	0,1
Grapefruit	0,1
Hazelnuts	0,2
Head brassicas others	0,1
Head cabbages	0,1

Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kohlrabi	0,1
Kumquats	0,1
Lamb's lettuce	0,1
Leafy brassicas others	0,1
Leeks	0,1
Legume vegetables fresh others	0,1
Lemons	0,1
Lentils	0,1
Lettuce	0,1
Lettuce and similar others	0,1
Limes	0,1
Linseed	0,2
Litchis	0,1
Loganberries	0,1
Macadamia Nuts	0,2
Maize	0,1
Mandarins	0,1
Mangoes	0,1
Melons	0,1
Millet	0,1
Miscellaneous Fruit Others	0,1
Mustard seed	0,2
Oats	0,2
Oilseeds others	0,2
Olives	0,1
Onions	0,5
Oranges	0,1
Papaya	0,1
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,1
Peaches	0,1

Peanuts	0,2
Pears	0,1
Peas	0,1
Peas (with pods)	0,1
Peas (without pods)	0,1
Pecans	0,2
Peppers	0,5
Pine Nuts	0,2
Pineapples	3
Pistachios	0,2
Plums	0,1
Pome Fruit Others	0,1
Pomegranates	0,1
Pomelo	0,1
Poppy seeds	0,2
Pulses others	0,1
Quinces	0,1
Radishes	0,1
Rapeseed	0,2
Raspberries	0,1
Rhubarb	0,1
Rice	0,1
Root and Tuber Vegetables Others	0,1
Rye	0,2
Salsify	0,1
Scarole	0,1
Sesame seeds	0,2
Shallots	0,1
Small Fruit and Berries Others	0,1
Solanacea others	0,1
Sorghum	0,1
Soya bean	0,2
Spinach	0,1
Spinach and similar (others)	0,1
Spring onion	1
Squashes	0,1
Stem vegetables fresh others	0,1
Stone Fruit Others	0,1

Strawberries	0,5
Sunflower seeds	0,2
Swedes	0,1
Sweet corn	0,1
Sweet potato	0,1
Table Grapes	2
Tea	0,2
Tomatoes	0,3
Tree Nuts Others	0,2
Triticale	0,2
Turnip	0,1
Walnuts	0,2
Ware potatoes	0,1
Watercress	0,1
Watermelons	0,1
Wheat	0,2
Wild Berries and Wild Fruit	0,1
Wild mushrooms	0,1
Wine Grapes	2
Witloof	0,1
Yams	0,1
TRIADIMENOL	MRL (mg/kg)
Almonds	0,2
Apples	0,2
Apricots	0,1
Asparagus	0,1
Aubergine	0,1
Avocados	0,1
Bananas	0,2
Barley	0,2
Beans	0,1
Beans (with pods)	0,1
Beans (without pods)	0,1
Beet leaves (chard)	0,1
Beetroot	0,1
Bilberries	0,1

Blackberries	0,1
Brazil Nuts	0,2
Broccoli	0,1
Brussels sprouts	0,1
Buckwheat	0,1
Bulb Vegetables others	0,1
Cane Fruit Others	0,1
Cardoons	0,1
Carrots	0,1
Cashew Nuts	0,2
Cauliflower	0,1
Celeriac	0,1
Celery	0,1
Celery leaves	0,1
Cereals others	0,1
Cherries	0,1
Chervil	0,1
Chestnuts	0,2
Chinese cabbage	0,1
Chives	0,1
Citrus Fruit Others	0,1
Coconuts	0,2
Cotton seed	0,2
Courgettes	0,1
Cranberries	0,1
Cress	0,1
Cucumbers	0,1
Cucurbits edible peel others	0,1
Cucurbits inedible peel others	0,1
Cultivated mushrooms	0,1
Currants (Black, Red and White)	0,1
Dates	0,1
Dewberries	0,1
Early potatoes	0,1
Fennel	0,1
Figs	0,1
Flowering brassicas others	0,1
Garlic	0,1

Gherkins	0,1
Globe artichoke	1
Gooseberry	0,1
Grapefruit	0,1
Hazelnuts	0,2
Head brassicas others	0,1
Head cabbages	0,1
Herbs others	0,1
Horseradish	0,1
Jerusalem artichoke	0,1
Kale	0,1
Kiwi Fruit	0,1
Kohlrabi	0,1
Kumquats	0,1
Lamb's lettuce	0,1
Leafy brassicas others	0,1
Leeks	0,1
Legume vegetables fresh others	0,1
Lemons	0,1
Lentils	0,1
Lettuce	0,1
Lettuce and similar others	0,1
Limes	0,1
Linseed	0,2
Litchis	0,1
Loganberries	0,1
Macadamia Nuts	0,2
Maize	0,1
Mandarins	0,1
Mangoes	0,1
Melons	0,1
Millet	0,1
Miscellaneous Fruit Others	0,1
Mustard seed	0,2
Oats	0,2
Oilseeds others	0,2
Olives	0,1
Onions	0,5

Oranges	0,1
Papaya	0,1
Parsley	0,1
Parsley root	0,1
Parsnips	0,1
Passion Fruit	0,1
Peaches	0,1
Peanuts	0,2
Pears	0,1
Peas	0,1
Peas (with pods)	0,1
Peas (without pods)	0,1
Pecans	0,2
Peppers	0,5
Pine Nuts	0,2
Pineapples	3
Pistachios	0,2
Plums	0,1
Pome Fruit Others	0,1
Pomegranates	0,1
Pomelo	0,1
Poppy seeds	0,2
Pulses others	0,1
Quinces	0,1
Radishes	0,1
Rapeseed	0,2
Raspberries	0,1
Rhubarb	0,1
Rice	0,1
Root and Tuber Vegetables Others	0,1
Rye	0,2
Salsify	0,1
Scarole	0,1
Sesame seeds	0,2
Shallots	0,1
Small Fruit and Berries Others	0,1
Solanacea others	0,1
Sorghum	0,1

Soya bean	0,2
Spinach	0,1
Spinach and similar (others)	0,1
Spring onion	1
Squashes	0,1
Stem vegetables fresh others	0,1
Stone Fruit Others	0,1
Strawberries	0,5
Sunflower seeds	0,2
Swedes	0,1
Sweet corn	0,1
Sweet potato	0,1
Table Grapes	2
Tea	0,2
Tomatoes	0,3
Tree Nuts Others	0,2
Triticale	0,2
Turnip	0,1
Walnuts	0,2
Ware potatoes	0,1
Watercress	0,1
Watermelons	0,1
Wheat	0,2
Wild Berries and Wild Fruit	0,1
Wild mushrooms	0,1
Wine Grapes	2
Witloof	0,1
Yams	0,1
TRICHLORFON	MRL (mg/kg)
Almonds	0,5
Apples	0,5
Apricots	0,5
Asparagus	0,5
Aubergine	0,5
Avocados	0,5
Bananas	0,5

Barley	0,1
Beans (with pods)	0,5
Beans (without pods)	0,5
Beet leaves (chard)	0,5
Beetroot	0,5
Bilberries	0,5
Blackberries	0,5
Brazil Nuts	0,5
Brussels sprouts	0,5
Buckwheat	0,1
Bulb Vegetables others	0,5
Cane Fruit Others	0,5
Cardoons	0,5
Carrots	0,5
Cashew Nuts	0,5
Cauliflower	0,5
Celeriac	0,5
Celery leaves	0,5
Cereals others	0,1
Cherries	0,5
Chervil	0,5
Chestnuts	0,5
Chinese cabbage	0,5
Chives	0,5
Citrus Fruit Others	0,5
Coconuts	0,5
Cranberries	0,5
Cress	0,5
Cucumbers	0,5
Cultivated mushrooms	0,5
Currants (Black, Red and White)	0,5
Dates	0,5
Dewberries	0,5
Fennel	0,5
Figs	0,5
Garlic	0,5
Gherkins	0,5
Globe artichoke	0,5

Gooseberry	0,5
Grapefruit	0,5
Hazelnuts	0,5
Head brassicas others	0,5
Head cabbages	0,5
Herbs others	0,5
Horseradish	0,5
Jerusalem artichoke	0,5
Kale	0,5
Kiwi Fruit	0,5
Kumquats	0,5
Lamb's lettuce	0,5
Leafy brassicas others	0,5
Leeks	0,5
Legume vegetables fresh others	0,5
Lemons	0,5
Lettuce	0,5
Lettuce and similar others	0,5
Limes	0,5
Litchis	0,5
Loganberries	0,5
Macadamia Nuts	0,5
Maize	0,1
Mandarins	0,5
Mangoes	0,5
Melons	0,5
Millet	0,1
Miscellaneous Fruit Others	0,5
Oats	0,1
Olives	0,5
Onions	0,5
Oranges	0,5
Parsley	0,5
Parsley root	0,5
Parsnips	0,5
Passion Fruit	0,5
Peaches	0,5
Pears	0,5

Peas (with pods)	0,5
Peas (without pods)	0,5
Pecans	0,5
Peppers	0,5
Pine Nuts	0,5
Pineapples	0,5
Pistachios	0,5
Plums	0,5
Pome Fruit Others	0,5
Pomegranates	0,5
Pomelo	0,5
Quinces	0,5
Radishes	0,5
Raspberries	0,5
Rice	0,1
Root and Tuber Vegetables Others	0,5
Rye	0,1
Salsify	0,5
Scarole	0,5
Shallots	0,5
Small Fruit and Berries Others	0,5
Sorghum	0,1
Spinach	0,5
Spring onion	0,5
Stone Fruit Others	0,5
Strawberries	0,5
Swedes	0,5
Sweet potato	0,5
Table Grapes	0,5
Tomatoes	0,5
Tree Nuts Others	0,5
Triticale	0,1
Turnip	0,5
Walnuts	0,5
Watermelons	0,5
Wheat	0,1
Wild Berries and Wild Fruit	0,5
Wild mushrooms	0,5

Wine Grapes	0,5
Witloof	0,5
Yams	0,5
TRIDEMORPH	MRL (mg/kg)
Almonds	0,1
Apples	0,05
Apricots	0,05
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,2
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,05
Cashew Nuts	0,1
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,05
Chervil	0,05
Chestnuts	0,1

Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,1
Cotton seed	0,1
Courgettes	0,05
Cranberries	0,05
Cress	0,05
Cucumbers	0,05
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	0,05
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,05
Globe artichoke	0,05
Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,1
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05

Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1
Oats	0,2
Oilseeds others	0,1
Olives	0,05
Onions	0,05
Oranges	0,05
Papaya	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,1
Pears	0,05
Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,1
Peppers	0,05
Pine Nuts	0,1
Pineapples	0,05
Pistachios	0,1
Plums	0,05

Pome Fruit Others	0,05
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,1
Pulses others	0,05
Quinces	0,05
Radishes	0,05
Rapeseed	0,1
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	0,05
Sesame seeds	0,1
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	20
Tomatoes	0,05
Tree Nuts Others	0,1
Triticale	0,05
Turnip	0,05

Walnuts	0,1
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
TRIFLURALIN	MRL (mg/kg)
Almonds	0,05
Apples	0,05
Artichokes	0,05
Asparagus	0,05
Barley	0,01
Beans (without pods)	0,05
Brassica vegetables others	0,05
Bulb vegetables	0,05
Canola	0,15
Carrots	0,15
Celery	0,05
Citrus fruits	0,05
Cotton	0,15
Endives	0,05
Fennel	0,05
French beans	0,05
Gherkins	0,05
Grapes	0,05
Leeks	0,05
Lettuce	0,05
Melons	0,05
Mint	0,05
Parsley	0,05
Peanuts	0,15
Pears	0,05

Peas (without pods)	0,05
Potatoes	0,05
Rapeseed	0,15
Red chicory	0,05
Rye	0,01
Scarole	0,05
Solanacea others	0,05
Soya bean	0,15
Stone fruit	0,05
Strawberries	0,05
Sunflowers	0,15
Watermelons	0,05
Wheat	0,01
TRIFORINE	MRL (mg/kg)
Almonds	0,05
Apples	2
Apricots	2
Asparagus	0,05
Aubergine	0,05
Avocados	0,05
Bananas	0,05
Barley	0,1
Beans	0,05
Beans (with pods)	0,05
Beans (without pods)	0,05
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,05
Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05

Carrots	0,05
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	2
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	0,05
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	0,5
Cranberries	0,05
Cress	0,05
Cucumbers	0,5
Cucurbits edible peel others	0,5
Cucurbits inedible peel others	0,05
Cultivated mushrooms	0,05
Currants (Black, Red and White)	2
Dates	0,05
Dewberries	0,05
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	0,05
Gherkins	0,5
Globe artichoke	0,05
Gooseberry	2
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05

Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	0,05
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	0,05
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	0,05
Lettuce and similar others	0,05
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	0,05
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,1
Oilseeds others	0,05
Olives	0,05
Onions	0,05
Oranges	0,05
Parsley	0,05
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	2
Peanuts	0,05
Pears	2

Peas	0,05
Peas (with pods)	0,05
Peas (without pods)	0,05
Pecans	0,05
Peppers	0,05
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	1
Pome Fruit Others	2
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	2
Radishes	0,05
Rapeseed	0,05
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,1
Salsify	0,05
Scarole	0,05
Sesame seeds	0,05
Shallots	0,05
Small Fruit and Berries Others	0,05
Solanacea others	0,05
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,05
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	0,05
Sunflower seeds	0,05

Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	0,05
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,1
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	0,05
Wheat	0,1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	0,05
Witloof	0,05
Yams	0,05
VINCLOZIN	MRL (mg/kg)
Almonds	0,05
Apples	1
Apricots	2
Asparagus	0,05
Aubergine	3
Avocados	0,05
Bananas	0,05
Barley	0,05
Beans	0,5
Beans (with pods)	2
Beans (without pods)	0,5
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	5
Brazil Nuts	0,05

Broccoli	0,05
Brussels sprouts	0,05
Buckwheat	0,05
Bulb Vegetables others	1
Cane Fruit Others	5
Cardoons	0,05
Carrots	0,5
Cashew Nuts	0,05
Cauliflower	0,05
Celeriac	0,05
Celery	0,05
Celery leaves	0,05
Cereals others	0,05
Cherries	0,5
Chervil	0,05
Chestnuts	0,05
Chinese cabbage	2
Chives	0,05
Citrus Fruit Others	0,05
Coconuts	0,05
Cotton seed	0,05
Courgettes	1
Cranberries	0,05
Cress	5
Cucumbers	1
Cucurbits edible peel others	1
Cucurbits inedible peel others	1
Cultivated mushrooms	0,05
Currants (Black, Red and White)	10
Dates	0,05
Dewberries	5
Early potatoes	0,05
Fennel	0,05
Figs	0,05
Flowering brassicas others	0,05
Garlic	1
Gherkins	1
Globe artichoke	0,05

Gooseberry	0,05
Grapefruit	0,05
Hazelnuts	0,05
Head brassicas others	0,05
Head cabbages	0,05
Herbs others	0,05
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,05
Kiwi Fruit	10
Kohlrabi	0,05
Kumquats	0,05
Lamb's lettuce	5
Leafy brassicas others	0,05
Leeks	0,05
Legume vegetables fresh others	0,05
Lemons	0,05
Lentils	0,05
Lettuce	5
Lettuce and similar others	5
Limes	0,05
Linseed	0,05
Litchis	0,05
Loganberries	5
Macadamia Nuts	0,05
Maize	0,05
Mandarins	0,05
Mangoes	0,05
Melons	1
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,05
Oats	0,05
Oilseeds others	0,05
Olives	0,05
Onions	1
Oranges	0,05
Parsley	0,05

Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	0,05
Peanuts	0,05
Pears	1
Peas	0,5
Peas (with pods)	2
Peas (without pods)	0,3
Pecans	0,05
Peppers	3
Pine Nuts	0,05
Pineapples	0,05
Pistachios	0,05
Plums	2
Pome Fruit Others	1
Pomegranates	0,05
Pomelo	0,05
Poppy seeds	0,05
Pulses others	0,05
Quinces	1
Radishes	0,05
Rapeseed	1
Raspberries	5
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	0,05
Salsify	0,05
Scarole	5
Sesame seeds	0,05
Shallots	1
Small Fruit and Berries Others	0,05
Solanacea others	3
Sorghum	0,05
Soya bean	0,05
Spinach	0,05
Spinach and similar (others)	0,05

Spring onion	1
Squashes	1
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	5
Sunflower seeds	0,05
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	5
Tea	0,1
Tomatoes	0,05
Tree Nuts Others	0,05
Triticale	0,05
Turnip	0,05
Walnuts	0,05
Ware potatoes	0,05
Watercress	0,05
Watermelons	1
Wheat	0,05
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine Grapes	5
Witloof	2
Yams	0,05
ZINEB	MRL (mg/kg)
Almonds	0,1
Apples	3
Apricots	2
Asparagus	0,05
Aubergine	2
Avocados	0,05
Bananas	0,05
Barley	2
Beans	0,05
Beans (with pods)	1

Beans (without pods)	0,1
Beet leaves (chard)	0,05
Beetroot	0,05
Bilberries	0,05
Blackberries	0,05
Brazil Nuts	0,1
Broccoli	1
Brussels sprouts	1
Buckwheat	0,05
Bulb Vegetables others	0,05
Cane Fruit Others	0,05
Cardoons	0,05
Carrots	0,2
Cashew Nuts	0,1
Cauliflower	1
Celeriac	0,2
Celery	0,5
Celery leaves	5
Cereals others	0,05
Cherries	1
Chervil	5
Chestnuts	0,1
Chinese cabbage	0,5
Chives	5
Citrus Fruit Others	5
Coconuts	0,1
Cotton seed	0,1
Courgettes	2
Cranberries	0,05
Cress	5
Cucumbers	0,5
Cucurbits edible peel others	0,05
Cucurbits inedible peel others	0,5
Cultivated mushrooms	0,05
Currants (Black, Red and White)	5
Dates	0,05
Dewberries	0,05
Early potatoes	0,05

Fennel	0,05
Figs	0,05
Flowering brassicas others	1
Garlic	0,5
Gherkins	2
Globe artichoke	0,05
Gooseberry	5
Grapefruit	5
Hazelnuts	0,1
Head brassicas others	1
Head cabbages	1
Herbs others	5
Horseradish	0,05
Jerusalem artichoke	0,05
Kale	0,5
Kiwi Fruit	0,05
Kohlrabi	0,1
Kumquats	0,05
Lamb's lettuce	5
Leafy brassicas others	0,5
Leeks	3
Legume vegetables fresh others	0,05
Lemons	5
Lentils	0,05
Lettuce	5
Lettuce and similar others	5
Limes	5
Linseed	0,1
Litchis	0,05
Loganberries	0,05
Macadamia Nuts	0,1
Maize	0,05
Mandarins	5
Mangoes	0,05
Melons	0,5
Millet	0,05
Miscellaneous Fruit Others	0,05
Mustard seed	0,1

Oats	2
Oilseeds others	0,1
Olives	5
Onions	0,5
Oranges	5
Parsley	5
Parsley root	0,05
Parsnips	0,05
Passion Fruit	0,05
Peaches	2
Peanuts	0,1
Pears	3
Peas	0,05
Peas (with pods)	1
Peas (without pods)	0,1
Pecans	0,1
Peppers	2
Pine Nuts	0,1
Pineapples	0,05
Pistachios	0,1
Plums	1
Pome Fruit Others	3
Pomegranates	0,05
Pomelo	5
Poppy seeds	0,1
Pulses others	0,05
Quinces	3
Radishes	0,2
Rapeseed	0,5
Raspberries	0,05
Rhubarb	0,05
Rice	0,05
Root and Tuber Vegetables Others	0,05
Rye	1
Salsify	0,2
Scarole	5
Sesame seeds	0,1
Shallots	0,5

Small Fruit and Berries Others	0,05
Solanacea others	2
Sorghum	0,05
Soya bean	0,1
Spinach	0,05
Spinach and similar (others)	0,05
Spring onion	0,05
Squashes	0,5
Stem vegetables fresh others	0,05
Stone Fruit Others	0,05
Strawberries	2
Sunflower seeds	0,1
Swedes	0,05
Sweet corn	0,05
Sweet potato	0,05
Table Grapes	2
Tea	0,1
Tomatoes	3
Tree Nuts Others	0,1
Triticale	0,05
Turnip	0,05
Walnuts	0,1
Ware potatoes	0,05
Watercress	0,3
Watermelons	0,5
Wheat	1
Wild Berries and Wild Fruit	0,05
Wild mushrooms	0,05
Wine grapes	2
Witloof	0,2
Yams	0,05
ZIRAM	MRL (mg/kg)
Almonds	2
Cereals	2
Citrus fruits	5
Currants	5

Fruit others	0,05
Gooseberries	5
Grapes	2
Herbs others (fresh)	5
Leeks	3
Lettuce and similars	5
Olives	5
Pome fruits	3
Pulses	2
Stone fruit	2
Strawberries	2
Tabacco (fresh)	2
Tomatoes	3
Vegetables others	0,2

SCHEDULE III

Methods of Sampling Produce of Plant Origin for the Determination of Pesticide Residues for Checking Compliance With MRLs

(Regulation 4)

1. OBJECTIVE

Samples intended for the official control of the levels of pesticide residues in and on fruit, vegetables and cereals shall be taken according to the methods described below. The objective of these sampling procedures is to enable a representative sample to be obtained from a lot for analysis to determine compliance with maximum residue levels (MRLs) for pesticides established in the Schedule II and, in the absence of National MRLs and European Community harmonized MRLs, with other MRLs such as those established by or the Codex Alimentarius Commission. The methods and procedures laid down in this Schedule incorporate those recommended by the Codex Alimentarius Commission.

2. PRINCIPLES

National MRLs are based on good agricultural practice data and raw commodities as well as foods derived from them that comply with the MRLs are intended to be toxicologically acceptable. MRLs for plant produce apply to a composite bulk sample derived from one to ten primary samples.

3. DEFINITION OF TERMS

3.1 Analytical portion

A representative quantity of material removed from the analytical sample, of proper size for measurement of the residue concentration. A sampling device may be used to withdraw the analytical portion.

3.2 Analytical sample

The material prepared for analysis from the laboratory sample, by separation of the portion of the product to be analysed and then by mixing, grinding, fine chopping, and other processes for the removal of analytical portions with minimal sampling error. Preparation of the analytical sample must reflect the procedure used in setting MRLs and thus the portion of the product to be analysed may include parts that are not normally consumed.

3.3 Bulk sample/Aggregate sample

The combined and well-mixed aggregate of the primary samples taken from a lot.

- (a) The primary samples must contribute sufficient material to enable all laboratory samples to be withdrawn from the bulk sample.
- (b) Where separate laboratory samples are prepared during collection of the primary sample(s), the bulk sample is the conceptual sum of the laboratory samples, at the time of taking the samples from the lot.

3.4 Laboratory sample

The sample sent to, or received by, the laboratory. A representative quantity of material removed from the bulk sample.

- (a) The laboratory sample may be the whole or a part of the bulk sample.
- (b) Units should not be cut or broken to produce the laboratory sample(s), except where subdivision of units is specified in Table 2.
- (c) Replicate laboratory samples may be prepared.

3.5 Lot

A quantity of a food material delivered at one time and known, or presumed, by the sampling officer to have uniform characteristics such as origin, producer, variety, packer, type of packing, markings, consignor etc. A suspect lot is one which, for any reason, is suspected to contain an excessive residue. A non-suspect lot is one for which there is no reason to suspect that it may contain an excessive residue.

- (a) Where a consignment is comprised of lots which can be identified as originating from different growers, each lot should be considered separately.
- (b) A consignment may consist of one or more lots.
- (c) Where the size or boundary of each lot in a large consignment is not readily established, each one of a series of wagons, lorries, ships bays, etc., may be considered to be a separate lot.
- (d) A lot may be mixed by grading or manufacturing processes, for example.

3.6 Primary sample/incremental sample

One or more units taken from one position in a lot.

- (a) The position from which a primary sample is taken in the lot should preferably be chosen randomly but, where this is physically impractical, it should be from a random position in the accessible parts of the lot.
- (b) The number of units required for a primary sample should be determined by the minimum size and number of laboratory samples required.
- (c) Where more than one primary sample is taken from a lot, each should contribute an approximately similar proportion to the bulk sample.
- (d) Units may be allocated randomly to replicate laboratory samples at the time of collecting the primary sample(s), in cases where the units are of medium or large size and mixing the bulk sample would not make the laboratory sample(s) more representative, or where the units (e.g. soft fruit) could be damaged by mixing.
- (e) Where primary samples are taken at intervals during loading or unloading of a lot, the sampling “position” is a point in time.
- (f) Units should not be cut or broken to produce the primary sample(s), except where subdivision of units is specified in Table 1.

3.7 Sample

One or more units selected from a population of units, or a portion of material selected from a larger quantity of material. For the purposes of these recommendations, a representative sample

is intended to be representative of the lot, the bulk sample, etc., in respect of its pesticide residue content and not necessarily in respect of other attributes.

3.8 Sampling

The procedure used to draw and constitute a sample.

3.9 Sampling device

- (a) A tool such as a scoop, dipper, borer, knife or spear, used to remove a unit from bulk material, from packages which are too large to be taken as primary samples, or
- (b) A tool such as a riffle box, used to prepare a laboratory sample from a bulk sample, or to prepare an analytical portion from an analytical sample.
 - (i) Specific sampling devices are described by ISO (a) (b) (c) standards as detailed in 4.2 below.
 - (ii) For materials such as loose leaves, the hand of the sampling officer may be considered to be a sampling device.

3.10 Sampling officer

A person trained in sampling procedures and, where required, authorised by the appropriate authorities to take samples. The sampling officer is responsible for all procedures leading to and including preparation, packing and shipping of the laboratory sample(s). The officer must understand that consistent adherence to the specified sampling procedures is necessary, must provide complete documentation for samples, and should collaborate closely with the laboratory.

3.11 Sample size

The number of units, or quantity of material, constituting the sample.

3.12 Unit

The smallest discrete portion in a lot, which should be withdrawn to form the whole or part of a primary sample. Units should be identified as follows.

- (a) Fresh fruit and vegetables: Each whole fruit, vegetable or natural bunch of them should form a unit, except where these are small. Units of packaged small produce may be identified as in (b) below. Where a sampling device may be used without damaging the material, units may be created by this means. Individual fresh fruit or vegetables, or cereals must not be cut or broken to produce units. Where packaged, units may be identified as in (b), below. Where a sampling device may be used without affecting residues, units may be created by this means.
- (b) Packaged materials: The smallest discrete packages should be taken as units. Where the smallest packages are very large, they should be sampled as bulk, as in (c) below. Where the smallest packages are very small, a pack of packages may form the unit.
- (c) Bulk materials and large packages which are individually too large to be taken as primary samples: The units are created with a sampling device.

4. SAMPLING PROCEDURES

4.1 Precautions to be taken

Contamination and deterioration of samples must be prevented at all stages, because they may affect the analytical results. Each lot to be checked for compliance must be sampled separately.

4.2. Collection of primary samples

Each primary sample should be taken from a randomly chosen position in the lot, as far as practicable. The primary samples must consist of sufficient material to provide the laboratory sample(s) required from the lot. Sampling devices required for grain (a), pulses (b) and tea (c) are described in ISO recommendations as outlined below:

- (a) International Organisation for Standardisation, 1979. International standard ISO 950:
Cereals - sampling (as grain).

- (b) International Organisation for Standardisation, 1979. International standard ISO 951:
Pulses in bags - sampling.

- (c) International Organisation for Standardisation, 1979. International standard ISO 951:
Pulses in bags - sampling.

4.3 Preparation of the bulk sample

The procedures for preparation of the bulk sample are described in Table 1 below. The primary samples should be combined and mixed well, if practicable, to form the bulk sample.

Where mixing to form the bulk sample is inappropriate or impractical, the following alternative procedure may be followed. Where units may be damaged (and thus residues may be affected) by the processes of mixing or subdivision of the bulk sample, or where large units cannot be mixed to produce a more uniform residue distribution, the units should be allocated randomly to replicate laboratory samples at the time of taking the primary samples. In this case, the result to be used should be the mean of valid results obtained from the laboratory samples analysed.

TABLE 1		
MINIMUM NUMBER OF PRIMARY SAMPLES TO BE TAKEN FROM A LOT		
	Produce of Plant Origin	Minimum number of primary samples to be taken from the lot
1	Produce, packaged or in bulk, which can be assumed to be well mixed or homogeneous	1 (A lot may be mixed by grading or manufacturing processes, for example)
2	Produce, packaged or in bulk, which may not be well mixed or homogeneous	For produce comprised of large units, being primary food commodities of plant origin only, the minimum number of primary samples should comply with the minimum number of units required for the laboratory sample (see Table 2)
	either:	
	Weight of lot:	
	< 50 Kg	3
	50-500 Kg	5
	> 500 Kg	10
	or:	
	Number of cans, cartons or other containers in the lot	
	1-25	1
	26-100	5
	> 100	10

TABLE 2
PRIMARY FOOD COMMODITIES OF PLANT ORIGIN:
DESCRIPTION OF PRIMARY SAMPLES AND MINIMUM SIZE OF LABORATORY
SAMPLES

	Commodity classification	Nature of primary sample to be taken	Minimum size of each laboratory sample
1.1	Small sized fresh produce units generally <25 g	Whole units, or packages, or units taken with a sampling device	1kg
1.2	Medium sized fresh produce, units generally 25 to 250 g	Whole units	1kg
1.3	Large sized fresh produce, units generally >250 g	Whole unit(s)	2kg (at least 5 units)
2.	Pulses	Whole unit(s)	1kg
	Cereal grains	Whole unit(s)	1kg
	Tree nuts: Except coconuts	Whole unit(s)	1kg
	Tree nuts : coconuts	Whole units	5 units
	Oilseeds	Whole units	0,5 kg
	Seeds for beverages and sweets	Whole units	0,5 kg
3.	Fresh Herbs: other than fresh parsley	Whole units	0,2 kg
	Fresh Herbs: parsley	Whole units	0,5 kg

(1) EC classification of foods: Annex I to Directive 86/362/EEC and Annex I to Directive 86/363/EEC, both as amended by Directive 93/57/EC (OJ L 211, 23.8.1993, p. 1) and Annex I to Directive 90/642/EEC, as amended by Directive 95/38/EC (OJ L 197, 22.8.1995, p. 14).

4.4. Preparation of the laboratory sample

Where the bulk sample is larger than is required for a laboratory sample, it should be divided to provide a representative portion. A sampling device, quartering, or other appropriate size reduction process may be used but units of fresh plant produce should not be cut or broken. Where required, replicate laboratory samples should be withdrawn at this stage or they may be prepared using the alternative procedure described above. The minimum sizes required for laboratory samples are given in Table 2 above.

4.5. Sampling record

The sampling officer must record the nature and origin of the lot; the owner, supplier or carrier of it; the date and place of sampling; and any other relevant information. Any departure from the recommended method of sampling must be recorded. A signed copy of the record must accompany each replicate laboratory sample and a copy should be retained by the sampling officer. A copy of the sampling record should be given to the owner of the lot, or a representative of the owner, whether or not they are to be provided with a laboratory sample. If sampling records are produced in computerised form, these should be distributed to the same recipients and a similar verifiable audit trail maintained.

4.6. Packaging and transmission of the laboratory sample

The laboratory sample must be placed in a clean, inert container which provides secure protection from contamination, damage and leakage. The container should be sealed, securely labelled and the sampling record must be attached. Where a bar code is utilised, it is recommended that alphanumeric information is also provided. The sample must be delivered to the laboratory as soon as practicable. Spoilage in transit must be avoided.

4.7. Preparation of the analytical sample

The laboratory sample should be given a unique identifier which, together with the date of receipt and the sample size, should be added to the sample record. The part of the commodity to be analysed i.e. the analytical sample, should be separated as soon as practicable. Where the residue level must be calculated to include parts which are not analysed, the weights of the separated parts must be recorded.

4.8. Preparation and storage of the analytical portion

The analytical sample should be comminuted, if appropriate, and mixed well, to enable representative analytical portions to be withdrawn. The size of the analytical portion should be determined by the analytical method and the efficiency of mixing. The methods for comminution and mixing should be recorded and should not affect the residues present in the analytical sample. Where appropriate, the analytical sample should be processed under special conditions e.g. at sub-zero temperature, to minimise adverse effects. Where processing could affect residues and where practical alternative procedures are not available, the analytical portion may consist of whole units, or segments removed from whole units. If the analytical portion thus consists of few units or segments, it is unlikely to be representative of the analytical sample and sufficient replicate portions must be analysed, to indicate the uncertainty of the mean value. If analytical portions are to be stored before analysis, the method and length of time of storage should be such that they do not affect the level of residues present. Additional portions must be withdrawn for replicate and confirmatory analyses, as required.

5. CRITERIA FOR DETERMINING COMPLIANCE

Analytical results must be derived from one or more laboratory samples taken from the lot and received in a fit state for analysis. The results must be supported by acceptable quality control data. Where a residue is found to exceed a MRL, its identity should be confirmed and its

concentration must be verified by analysis of one or more additional analytical portions derived from the original laboratory sample(s).

The MRL applies to the bulk sample.

The lot complies with a MRL where the MRL is not exceeded by the analytical result(s).

Where results for the bulk sample exceed the MRL, a decision that the lot is non-compliant must take into account the:

- (a) results obtained from one or more laboratory samples, as applicable, and
- (b) accuracy and precision of analysis, as indicated by the supporting quality control data.