

A.L. 185 ta' l-2008

**ATT DWAR IL-KONTROLL TAL-PESTIČIDI  
(KAP. 430)**

**Regolamenti ta' l-2008 li jemendaw ir-Regolamenti dwar  
l-Oghola Livelli ta' Residwi ta' Pestičidi fi Prodotti  
li Joriginaw minn Pjanti (Emenda) (Nru. 2)**

BIS-SAHHA tas-setghat moghtija minn artikli 4 u 5 ta' l-Att dwar il-Kontroll tal-Pestičidi, il-Ministru ghar-Rizorsi u l-Affarijiet Rurali, wara li kkonsulta mal-Prim Ministru u mal-Ministru għall-Politika Soċjali, għamel dawn ir-regolamenti li ġejjin:-

1. (1) It-titolu ta' dawn ir-regolamenti hu Regolamenti ta' l-2008 li jemendaw ir-Regolamenti dwar l-Oghola Livelli ta' Residwi ta' Pestičidi fi Prodotti li Joriginaw minn Pjanti (Emenda)(Nru. 2), u għandhom jinqraw u jiftiehem bħala haġa waħda mar-Regolamenti ta' l-2004 dwar l-Oghola Livelli ta' Residwi ta' Pestičidi fi Prodotti li Joriginaw minn Pjanti , hawn iżjed 'il quddiem imsejhin "ir-regolamenti prinċipali".

Titolu u skop.

A.L. 199 ta' l-2004.

(2) L-iskop ta' dawn ir-regolamenti hu li jiġu trasposti d-disposizzjonijiet li jinsabu fid-Direttivi tal-Kummissjoni 2007/56/KE tas-17 ta' Settembru 2007 li temenda ċerti Annessi mad-Direttivi tal-Kunsill 86/362/KEE, 86/363/KEE u 90/642/KEE fir-rigward tal-livelli massimi ta' residwi għal *azoxystrobin*, *chlorothalonil*, *deltamethrin*, *hexachlorobenzene*, *ioxynil*, *oxamyl* u *quinoxifen* u Direttiva tal-Kummissjoni 2007/73/KE tat-13 ta' Diċembru 2007 li temenda ċerti Annessi mad-Direttivi tal-Kunsill 86/362/KEE u 90/642/KEE rigward il-livelli massimi ta' residwi għal *acetamiprid*, *atrazine*, *deltamethrin*, *imazalil*, *indoxacarb*, *pendimethalin*, *pymetrozine*, *pyraclostrobin*, *thiacloprid* u *trifloxystrobin*.

2. Skeda I li tinsab mar-regolamenti prinċipali għandha tiġi sostitwita permezz ta' Skeda I fi Skeda A li tinsab ma' dawn ir-regolamenti.

Jissostitwixxi Skeda I li tinsab mar-regolamenti prinċipali.

3. Skeda II li tinsab mar-regolamenti prinċipali għandha tiġi emendata kif ġejj:-

Jemenda Skeda II li tinsab mar-regolamenti prinċipali.

(1) il-kolonna ta' *azoxystrobin* ghandha tigi sostitwita permezz ta' Skeda B li tinsab ma' dawn ir-regolamenti;

(2) immedjatament wara l-kolonna *Chlormequat* ghandha tidhol il-kolonna ghal *chlorothalonil* kif hu imnizzel fi Skeda Ċ li tinsab ma' dawn ir-regolamenti;

(3) immedjatament wara l-kolonna *Glyphosate* ghandha tidhol il-kolonna ghal *hexachlorobenzene* kif hu imnizzel fi Skeda D li tinsab ma' dawn ir-regolamenti;

(4) immedjatament wara l-kolonna *Indoxacarb* ghandha tidhol il-kolonna ghal *ioxynil* kif hu imnizzel fi Skeda E li tinsab ma' dawn ir-regolamenti;

(5) il-kolonna ta' *oxamyl* ghandha tigi sostitwita permezz ta' Skeda F li tinsab ma' dawn ir-regolamenti;

(6) immedjatament wara l-kolonna *Pyrimethanil* ghandha tidhol il-kolonna ghal *quinoxifen* kif hu imnizzel fi Skeda G li tinsab ma' dawn ir-regolamenti;

(7) il-kolonna ta' *atrazine* ghandha tigi sostitwita permezz ta' Skeda H li tinsab ma' dawn ir-regolamenti;

(8) il-kolonna ta' *acetamiprid* ghandha tigi sostitwita permezz ta' Skeda I li tinsab ma' dawn ir-regolamenti;

(9) il-kolonna ta' *deltamethrin* ghandha tigi sostitwita permezz ta' Skeda J li tinsab ma' dawn ir-regolamenti;

(10) immedjatament wara l-kolonna *hexythiazox* ghandha tidhol il-kolonna ghal *imazalil* kif hu imnizzel fi Skeda K li tinsab ma' dawn ir-regolamenti;

(11) il-kolonna ta' *indoxacarb* ghandha tigi sostitwita permezz ta' Skeda L li tinsab ma' dawn ir-regolamenti;

(12) il-kolonna ta' *pendimethalin* ghandha tigi sostitwita permezz ta' Skeda M li tinsab ma' dawn ir-regolamenti;

(13) il-kolonna ta' *pymetrozine* ghandha tigi sostitwita permezz ta' Skeda N li tinsab ma' dawn ir-regolamenti;

(14) il-kolonna ta' *pyraclostrobin* ghandha tigi sostitwita permezz ta' Skeda O li tinsab ma' dawn ir-regolamenti;

(15) il-kolonna ta' *thiacloprid* għandha tiġi sostitwita permezz ta' Skeda P li tinsab ma' dawn ir-regolamenti;

(16) il-kolonna ta' *trifloxystrobin* għandha tiġi sostitwita permezz ta' Skeda Q li tinsab ma' dawn ir-regolamenti.

## Skeda A

## (Regolament 2)

**“SKEDA I**  
**(Regolament 2)**

Lista ta' Prodotti u tal-Parti tal-Prodotti li japplikaw għalihom l-Ogħla Livelli ta' Residwi

Gruppi ta' prodotti	Prodotti inklużi fil-gruppi	Parti ta' prodott li japplikaw għalihom l-Ogħla Livelli ta' Residwi
<b>1. FROTT, FRISK, IPPREŻERVAT BL-IFFRIŻAR, LI MA FIHX ZOKKOR MIŻJUD; ĠEWŻ</b>		
(i) FROTT TAČ-ĊITRU	<i>Grapefruit</i>	Il-prodott kollu
	Lumi	
	<i>Limes</i>	
	Mandarini (inklużi Klemintini u ibridi simili)	
	Laring	
	<i>Pomelos</i>	
(ii) ĠEWŻ TAS-SIĠAR (IMQAXXAR JEW MHUX IMQAXXAR)	Lewż	Il-prodott kollu wara li jitqaxxar
	Ġewż tal-Brażil	
	Ġewż ta' l-anakardju	
	Qastan	
	Ġewż ta' l-Indi	
	Ġellewż	
	Ġewż tal-Makadamja	
	<i>Pecans</i>	
	Ġewż ta' l-arżnu	
	Pistaċċi	
<i>Walnuts</i>		
(iii) FROTT POME	Tuffieħ	Il-prodott kollu wara t-tneħħija taz-zkuk
	Langas	
	Sfargel	
(iv) FROTT TA' L-GHADMA	Berquq	Il-prodott kollu wara t-tneħħija taz-zkuk
	Ċirasa	
	Hawħ (inklużi nuċiprisk u	

	ibridi simili)	
	Ghanbaqar	
(v) <i>BERRIES</i> U FROTT IRQIQ	(a) Gheneb tal-meja u għall-ghasir	Il-prodott kollu wara t-tneħħija tal-qoxra u zkuk (jekk ikollhom) u, fil-każ tal-passolina, frott biz-zokk
	(b) Frawli (minbarra s-selvaġġ)	
	(ċ) Frott irqiq (minbarra s-selvaġġ): Tut selvaġġ <i>Loganberries</i> <i>Raspberries</i>	
	(d) Frott irqiq ieħor u <i>berries</i> (minbarra s-selvaġġ): <i>Bilberries</i> <i>Cranberries</i> Passolina (ħamra, sewda u bajda) <i>Gooseberries</i>	
	(e) <i>Berries</i> selvaġġi u frott selvaġġ	
(vi) FROTT DIVERS	Avocado	Frott shiħ wara t-tneħħija taz-zokk (jekk ikollu) u fil-każ ta' l-ananas wara t-tneħħija tal-korolla
	Banana	
	Tamal	
	Tin	
	Kiwi	
	Laring tal-qsari <i>Litchis</i>	
	Mang	
	Żebbuġ	
	Papaya	Frott shiħ wara t-tneħħija taz-zokk (jekk ikollu) u fil-każ ta' l-ananas wara t-tneħħija tal-korolla
	Frott tal-fjura tal-Passjoni	
	Ananas	
	Rummien	
2. Haxix, frisk jew nej, iffriżat jew niexef		
(i) HAXIX TA' L-GHERUQ TUBERI	Pitravi	Il-prodott kollu wara t-tneħħija tar-rjus u ħamrija mwahħal (jekk ikollu) (tneħħija tal-ħamrija bil-ħasil f' ilma ġieri jew bl-
	Zunnarija	
	Kassava	
	Krafes	
	Gherq mustarda	

	Artiċoks	ixkupiljar ħafif tal-prodott niexef)
	Zunnarija Bajda	
	Għerq tat-Tursin	
	Ravanell	
	Sassefrika (Leĥjet il-bodbod)	
	Patata Ħelwa	
	<i>Swedes</i>	
	<i>Turnips</i>	
	<i>Yams</i>	
(ii) HAXIX TAL-BASLA	Tewm	Basal (niexef), <i>shallots</i> (nexfin), tewm (niexef): il-prodott kollu wara t-tneħħija tal-qoxra li titqaxxar malajr u ħamrija (jekk ikollu). Basal, <i>shallots</i> , u tewm minbarra n-niexef, basal tar-rebbiegħa: il-prodott kollu wara t-tneħħija ta' l-għerug u l-ħamrija (jekk ikollu)
	Basal	
	<i>Shallots</i>	
	Basal tar-rebbiegħa	
(iii) HAXIX LI JAGHMEL IL-FROTT	(a) <i>Solanacea</i> Tadam Bżar	Il-prodott kollu wara t-tneħħija taz-zkuk
	(b) Qara' – bil-qoxra tittiekel Ħjar Ħjar żgħir (għall-immarinat jew pikles) Zukkini	
	(ċ) Qara' – bil-qoxra ma tittikilx Bettieħ <i>Squashes</i> Dulliegh	
	(d) Qamħirrum	
(iv) HAXIX BRASSICA	(a) <i>Brassicas</i> iwarrdi Brokkoli Pastard	Qalba biss
	(b) <i>Brassicas</i> tar-rjus <i>Brussels sprouts</i> Kaboċċi tar-ras	Prodott wara li jitneħħa l-weraq imħassar (jekk ikollu)
	(ċ) <i>Brassicas</i> imwerrqin Kaboċċi jixbaħ il-ħass Kaboċċa mberfla	

	(d) Ġduri	Il-prodott kollu wara t-tneħħija tar-rjus u ħamrija mwahħal (jekk ikollu) bit-tneħħija tal-ħamrija bil-ħasil f' ilma ġieri jew bl-ixkupiljar ħafif tal-prodott niexef
(v) HAXIX TAL-WERQA U HWAWAR FRISKI	(a) Ħass u ħaxix jixbħu Krexxuni Valerjanella Ħass Indivja tal-weraq wiegħsa	Il-prodott kollu wara li jitneħħa l-weraq imħassar ta' barra, l-għerq u l-ħamrija (jekk ikollu)
	(b) Spinaci u ħaxix jixbaħha Pitravi tal-werqa tittiekel	
	(ċ) Sija	
	(d) <i>Witloof</i>	
	(e) Ħxejjex aromatiċi Maxxita Kurrat selvaġġ Tursin	
(vi) HAXIX LEGUMI (FRISK)	Fażola	Il-prodott kollu wara li jitneħħew l-imwiezed jew bl-imwiezed jekk huma maħsubin biex jittiekle
	Pizelli	
(vii) <i>STEM VEGETABLES</i>	Asparagu	Il-prodott kollu wara t-tneħħija tat-tessuti mħassra u l-ħamrija (jekk ikollu); kurrat u bużbież: il-prodott kollu wara t-tneħħija ta' l-għerq u l-ħamrija (jekk ikollu)
	Kardun	
	Karfu	
	Bużbież	
	Qaqoċċ	
	Kurrat	
(viii) FAQQIEGĦ	Faqqiegħ (bl-eċċezzjoni ta' dak selvaġġ)	Il-prodott kollu wara t-tneħħija tal-ħamrija jew il-mezz ta' tkabbir
	Faqqiegħ selvaġġ	
3. Żrieragħ Imnixxin		
	Fażola	Prodott sħiħ
	Għads	
	Pizelli	
4. Żjut taż-żerriegħa		

	Żerriegħa tal-qannab	Iż-żerriegħa shiħa jew l-ghadma wara t-tneħħija tal-qoxra, fejn ikun possibbli
	Żerriegħa tal-kittien	
	Karawett	
	Żerriegħa tal-peprin	
	Żerriegħa tal-qargħa ħamra	
	Ġulglien	
	Żerriegħa tal-ġirasol	Iż-żerriegħa shiħa inkluż il-qoxra, meta preżenti u ż-żerriegħa shiħa mingħajr qoxra meta l-qoxra mhix preżenti
	Żerriegħa tal-kolza	Iż-żerriegħa shiħa jew l-ghadma wara t-tneħħija tal-qoxra, fejn ikun possibbli
	Żerriegħa tas-sojja	
5. Patata		
	Patata Bikrija u varjazzjonijiet ta' patata	Il-prodott shiħ wara t-tneħħija tal-ħamrija (jekk ikun hemm) (it-tneħħija tal-ħamrija permezz tat-tlahliħ taħt il-vit jew permezz ta' tfarfir bil-mod tal-prodott niexef)
6. Te (weraq immnixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinensis</i> )		
		Prodott shiħ
7. Hops (imnixxef) inklużi pritkuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat		
		Prodott shiħ
8. Spezji		
	Żerriegħa tal-kemmun	Prodott shiħ''.
	'Berries' tal-Ġnibru	
	Noċemuskata	
	Bżar, iswed u abjad	
	Mżiewed tal-Vanilja	
	Oħrajn	

## SKEDA B

## Regolament 3(1)

## “AZOXYSTROBIN

Kolonna 1  Azoxystrobin	Kolonna 2  MRL (mg/kg)
<b>1. Frott frisk, imnixxef jew nej, ippriservat fil-friza, minghajr zokkor miżjud; ġwież</b>	
<b>(i) FROTT TAĊ-ĊITRU</b>	1
Grejpfrut	
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi oħra)	
Laring	
Pomelos	
Oħrajn	
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	0.1 (*)
Lewż	
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arznu	
Pistaċċi	
Ġewż	
Oħrajn	
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	0.05 (*)

Tuffieħ	
Langas	
Sfargel	
Oħrajn	
(iv) <b>FROTT TA' L-GHADMA</b>	0.05 (*)
Berquq	
Ċirasa	
Hawħ (inkluż in-nuċiprisk u ibridi simili)	
Għanbaqar	
Oħrajn	
(v) <b>BERRIES U FROTT ŻGHIR</b>	
(a) Għeneb tal-mejda u ta' l-inbid	2
Għeneb tal-mejda	
Għeneb ta' l-inbid	
(b) Frawli (ħlief dak selvaġġ)	2
(c) Frott tal-qasab (ħlief dak selvaġġ)	
Tut	3
<i>Dewberries</i>	
<i>Loganberries</i>	
Ċawsli	3
Oħrajn	0.05 (*)
(d) Frott u berries żgħar oħra (ħlief dak selvaġġ)	0.05 (*)
<i>Bilberries</i>	
<i>Cranberries</i>	
Passolina (ħamra, sewda u bajda)	
<i>Gooseberries</i>	
Oħrajn	
(e) <i>Berries</i> u frott selvaġġ	0.05 (*)
(vi) <b>MIXXELLANJA</b>	
Avokado	
Banana	2
Tamal	
Tin	
Kiwi	
Kumquats	
Litchis	
Mango	0.2
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	
Papaja	0.2
<i>Passion fruit</i>	
Ananas	
Rummien	
Oħrajn	0.05 (*)
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew</b>	

<b>imnixxfn</b>	
<b>(i) HXEJEX FIL-FORMA TA' TUBERI JEW GHERUQ</b>	
Pitrava zokkrija	
Zunnarija	0.2
Cassava	
Krafes	0.3
Horseradish	0.2
Articokks	
Zunnarija bajda	0.2
Tursin ta' l-għeruq	0.2
Ravanell	0.2
Sassefrika	0.2
Patata ħelwa	
Swedes	
Turnips	
Jam	
Oħrajn	0.05 (*)
<b>(ii) HXEJEX F'SURA TA' BASAL</b>	
Tewm	
Basal	
Shallots	
Spring onions	2
Oħrajn	0.05 (*)
<b>(iii) HXEJEX LI HUMA L-FROTTA TAL-PJANTA</b>	
<b>(a) Solanacea</b>	2
Tadam	
Bżar	
Brunġiel	
Okra	
Oħrajn	
<b>(b) Kukurbiti — tal-qoxra li tittiekel</b>	1
Hjar	
Gherkins	
Qarabali	
Oħrajn	
<b>(c) Kukurbiti — tal-qoxra li ma tittikilx</b>	0.5
Bettieh	
Squashes	
Dulliegh	
Oħrajn	
<b>(d) Qamhirrum helu</b>	0.05 (*)
<b>(iv) HXEJEX BRASSIKA</b>	
<b>(a) Brassika li tagħmel il-fjuri</b>	0.5

Brokkli (inkluża l-Calabrese)	
Pastard	
Oħrajn	
(b) Brassika bir-ras	0.3
Brussels sprouts	
Kaboċċa tar-ras	
Oħrajn	
(ċ) Brassika bil-weraq	5
Kaboċċa taċ-Ċina	
Kale	
Oħrajn	
(d) Ġidra	0.2
<b>(v) HXEJJEX LI L-WERAQ TAGHHOM JITTIEKEL U HAXIX AROMATIKU FRISK</b>	
(a) Ħass u simili	3
Krexxuni	
Ħass tal-ħaruf	
Ħass	
Scarole (endive tal-werqa)	
Rukola	
Weraq u zkuk tal-brassika, inklużi l-weraq tat-turnip	
Oħrajn	
(b) Spinaċi u simili	0.05 (*)
Spinaċi	
Weraq tal-pitravi (chard)	
Oħrajn	
(ċ) Krexxuni ta' l-ilma	0.05 (*)
(d) Witloof	0.2
(e) Haxix aromatiku	3
Maxxita	
Il-kurrat selvaġġ	
Tursin	
Weraq tal-karful	
Oħrajn	
<b>(vi) HXEJJEX (LEGUMI) (friski)</b>	
Fażola (bl-imżiewed)	1
Fażola (mingħajr imżiewed)	0.2
Pizelli (bl-imżiewed)	0.5
Pizelli (mingħajr imżiewed)	0.2
Oħrajn	0.05 (*)
<b>(vii) HXEJJEX FORMA TA' ZOKK (friski)</b>	
Asparagu	
Kardun	
Karful	5
Bużbież	5(mit-19/12/2007)

Qaqoċċ	1
Kurrat	2
Rabarbru	
Oħrajn	0.05 (*)
<b>(viii) FAQQIEGH</b>	<b>0.05 (*)</b>
(a) Faqqiegh ikkoltivat	
(b) Faqqiegh selvaġġ	
<b>3. Żrieragh innixxfin</b>	<b>0.1</b>
Fażola	
Għads	
Pizelli	
Lupini	
Oħrajn	
<b>4. Żjut taz-żrieragh</b>	
Żrieragh tal-kittien	
Karawett	
Żerriegħa tal-peprin	
Ġulġlien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	0.5
Żerriegħa tas-sojja	0.5
Żerriegħa tal-mustarda	
Żerriegħa tal-qoton	
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa hamra	(mit-19/12/07)
Oħrajn	0.05 (*)
<b>5. Patata</b>	<b>0.05 (*)</b>
Patata bikrija	
Varjazzjonijiet ta' patata	
<b>6. Te (weraq innixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinensis</i>)</b>	<b>0.1 (*)</b>
<b>7. Hops (innixxef) inklużi pritkuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	<b>20</b>

(\*) Tindika l-limitu minimu tad-determinazzjoni analitika.'’.

## SKEDA Ċ

## Regolament 3(2)

## “CHLOROTHALONIL

Kolonna 1	Kolonna 2
Chlorothalonil	MRL (mg/kg) (mit-19/12/07)
<b>1. Frott frisk, imnixxef jew nej, ippriservat fil-friza, minghajr zokkor miżjud; ġwież</b>	
<b>(i) FROTT TAĊ-ĊITRU</b>	0.01 (*)
Grejpfrut	
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi ohra)	
Laring	
Pomelos	
Oħrajn	
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	0.01 (*)
Lewż	
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arznu	
Pistaċċi	
Ġewż	
Oħrajn	
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	1
Tuffieħ	
Langas	
Sfargel	
Oħrajn	

(iv) <b>FROTT TA' L-GHADMA</b>	
Berquq	1
Ċirasa	
Hawh (inkluż in-nuċiprisk u ibridi simili)	1
Għanbaqar	
Oħrajn	0.01 (*)
(v) <b>BERRIES U FROTT ŻGHIR</b>	
(a) Għeneb tal-mejda u ta' l-inbid	
Għeneb tal-mejda	1
Għeneb ta' l-inbid	3
(b) Frawli (ħlief dak selvaġġ)	3
(c) Frott tal-qasab (ħlief dak selvaġġ)	0.01 (*)
Tut	
<i>Dewberries</i>	
<i>Loganberries</i>	
Ċawsli	
Oħrajn	
(d) Frott u berries zġhar oħra (ħlief dak selvaġġ)	
<i>Bilberries</i>	
<i>Cranberries</i>	2
Passolina (ħamra, sewda u bajda)	10
<i>Gooseberries</i>	10
Oħrajn	0.01 (*)
(e) <i>Berries</i> u frott selvaġġ	0.01 (*)
(vi) <b>MIXXELLANJA</b>	
Avokado	
Banana	0.2
Tamal	
Tin	
Kiwi	
Kumquats	
Litchis	
Mango	
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	
Papaja	20
<i>Passion fruit</i>	
Ananas	
Rummien	
Oħrajn	0.01 (*)
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew innixxin</b>	
(i) <b>HXEJJEX FIL-FORMA TA' TUBERI JEW GHERUQ</b>	
Pitrava zokkrija	

Zunnarija	1
Cassava	
Krafes	1
Horseradish	
Artiċokks	
Zunnarija bajda	
Tursin ta' l-għeruq	
Ravanell	
Sassefrika	
Patata ħelwa	
Swedes	
Turnips	
Jam	
Oħrajn	0.01 (*)
<b>(ii) HXEJJEX F'SURA TA' BASAL</b>	
Tewm	0.5
Basal	0.5
Shallots	0.5
Spring onions	5
Oħrajn	0.01 (*)
<b>(iii) HXEJJEX LI HUMA L-FROTTA TAL-PJANTA</b>	
<b>(a) Solanacea</b>	2
Tadam	
Bżar	
Brunġiel	
Okra	
Oħrajn	
<b>(b) Kukurbiti — tal-qoxra li tittiekel</b>	
Hjar	1
Gherkins	5
Qarabali	
Oħrajn	0.01 (*)
<b>(c) Kukurbiti — tal-qoxra li ma tittikilx</b>	1
Bettieh	
Squashes	
Dulliegh	
Oħrajn	
<b>(d) Qamhirrum ħelu</b>	0.01 (*)
<b>(iv) HXEJJEX BRASSIKA</b>	
<b>(a) Brassika li tagħmel il-fjuri</b>	3
Brokkli (inkluża l-Calabrese)	
Pastard	
Oħrajn	
<b>(b) Brassika bir-ras</b>	

Brussels sprouts	3
Kaboċċa tar-ras	3
Oħrajn	0.01 (*)
(ċ) Brassika bil-weraq	0.01 (*)
Kaboċċa taċ-Ċina	
Kale	
Oħrajn	
(d) Ġidra	0.01 (*)
(v) <b>HXEJJEX LI L-WERAQ TAGHHOM JITTIKEL U HAXIX AROMATIKU FRISK</b>	
(a) Hass u simili	0.01 (*)
Krexxuni	
Hass tal-ħaruf	
Hass	
Scarole (endive tal-werqa)	
Rukola	
Weraq u zkuk tal-brassika, inklużi l-weraq tat-turnip	
Oħrajn	
(b) Spinaċi u simili	0.01 (*)
Spinaċi	
Weraq tal-pitravi (chard)	
Oħrajn	
(ċ) Krexxuni ta' l-ilma	0.01 (*)
(d) Witloof	0.01 (*)
(e) Haxix aromatiku	5
Maxxita	
Il-kurrat selvaġġ	
Tursin	
Weraq tal-karfus	
Oħrajn	
(vi) <b>HXEJJEX (LEGUMI) (friski)</b>	
Fażola (bl-imżiewed)	5
Fażola (mingħajr imżiewed)	2
Pizelli (bl-imżiewed)	2
Pizelli (mingħajr imżiewed)	0.3
Oħrajn	0.01 (*)
(vii) <b>HXEJJEX FORMA TA' ZOKK (friski)</b>	
Asparagu	
Kardun	
Karfus	10
Bużbież	
Qaqoċċ	
Kurrat	10
Rabarbru	
Oħrajn	0.01 (*)

(viii) <b>FAQQIEGH</b>	
(a) Faqqiegh ikkoltivat	2
(b) Faqqiegh selvaġġ	0.01 (*)
<b>3. Żrieragħ immixxfin</b>	0.01 (*)
Fażola	
Għads	
Pizelli	
Lupini	
Oħrajn	
<b>4. Żjut taż-żrieragħ</b>	
Żrieragħ tal-kittien	
Karawett	0.05
Żerriegħa tal-peprin	
Ġulġlien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	
Żerriegħa tas-sojja	
Żerriegħa tal-mustarda	
Żerriegħa tal-qoton	
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa hamra	(mit-19/12/07)
Oħrajn	0.01 (*)
<b>5. Patata</b>	0.01 (*)
Patata bikrija	
Varjazzjonijiet ta' patata	
<b>6. Te (weraq immixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinesis</i>)</b>	0.1 (*)
<b>7. Hops (imnixxef) inklużi prtkuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	50

(\*)Tindika l-limitu minimu tad-determinazzjoni analitika.'’.

## SKEDA D

## Regolament 3(3)

## “HEXACHLOROBENZENE

Kolonna 1  Hexachlorobenzene	Kolonna 2  MRL (mg/kg) (mit-19/12/07)
<b>1. Frott frisk, innixxef jew nej, ippriservat fil-friza, minghajr zokkor miżjud; ġwież</b>	0.01 (*)
<b>(i) FROTT TAĊ-ĊITRU</b>	
Grejpfrut	
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi ohra)	
Laring	
Pomelos	
Oħrajn	
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	
Lewż	
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arznu	
Pistaċċi	
Ġewż	
Oħrajn	
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	
Tuffieħ	
Langas	
Sfargel	

Oħrajn	
(iv) <b>FROTT TA' L-GHADMA</b>	
Berquq	
Ċirasa	
Hawħ (inkluż in-nuċiprisk u ibridi simili)	
Għanbaqar	
Oħrajn	
(v) <b>BERRIES U FROTT ŻGHIR</b>	
(a) Għeneb tal-mejda u ta' l-inbid	
Għeneb tal-mejda	
Għeneb ta' l-inbid	
(b) Frawli (ħlief dak selvaġġ)	
(c) Frott tal-qasab (ħlief dak selvaġġ)	
Tut	
<i>Dewberries</i>	
<i>Loganberries</i>	
Ċawsli	
Oħrajn	
(d) Frott u berries żgħar ohra (ħlief dak selvaġġ)	
<i>Bilberries</i>	
<i>Cranberries</i>	
Passolina (ħamra, sewda u bajda)	
<i>Gooseberries</i>	
Oħrajn	
(e) <i>Berries</i> u frott selvaġġ	
(vi) <b>MIXXELLANJA</b>	
Avokado	
Banana	
Tamal	
Tin	
Kiwi	
Kumquats	
Litchis	
Mango	
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	
Papaja	
<i>Passion fruit</i>	
Ananas	
Rummien	
Oħrajn	
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew imnixxin</b>	0.01 (*)
(i) <b>HXEJJEX FIL-FORMA TA' TUBERI JEW GHERUQ</b>	

Pitrava zokkrija	
Zunnarija	
Cassava	
Krafes	
Horseradish	
Artiçokks	
Zunnarija bajda	
Tursin ta' l-gheruq	
Ravanell	
Sassefrika	
Patata ħelwa	
Swedes	
Turnips	
Jam	
Oħrajn	
<b>(ii) HXEJJEX F'SURA TA' BASAL</b>	
Tewm	
Basal	
Shallots	
Spring onions	
Oħrajn	
<b>(iii) HXEJJEX LI HUMA L-FROTTA TAL-PJANTA</b>	
<b>(a) Solanacea</b>	
Tadam	
Bżar	
Brunġiel	
Okra	
Oħrajn	
<b>(b) Kukurbiti — tal-qoxra li tittiekkel</b>	
Hjar	
Gherkins	
Qarabali	
Oħrajn	
<b>(c) Kukurbiti — tal-qoxra li ma tittikilx</b>	
Bettieħ	
Squashes	
Dulliegh	
Oħrajn	
<b>(d) Qamhirrum ħelu</b>	
<b>(iv) HXEJJEX BRASSIKA</b>	
<b>(a) Brassika li tagħmel il-fjuri</b>	
Brokkli (inkluża l-Calabrese)	
Pastard	
Oħrajn	

(b) Brassika bir-ras	
Brussels sprouts	
Kaboċċa tar-ras	
Ohrajn	
(ċ) Brassika bil-weraq	
Kaboċċa taċ-Ċina	
Kale	
Ohrajn	
(d) Ġidra	
<b>(v) HXEJJEX LI L-WERAQ TAGHHOM JITTIEKEL U HAXIX AROMATIKU FRISK</b>	
(a) Ħass u simili	
Krexxuni	
Ħass tal-ħaruf	
Ħass	
Scarole (endive tal-werqa)	
Rukola	
Weraq u zkuk tal-brassika, inklużi l-weraq tat-turnip	
Ohrajn	
(b) Spinaċi u simili	
Spinaċi	
Weraq tal-pitravi (chard)	
Ohrajn	
(ċ) Krexxuni ta' l-ilma	
(d) Witloof	
(e) Haxix aromatiku	
Maxxita	
Il-kurrat selvaġġ	
Tursin	
Weraq tal-karful	
Ohrajn	
<b>(vi) HXEJJEX (LEGUMI) (friski)</b>	
Fażola (bl-imżiewed)	
Fażola (mingħajr imżiewed)	
Pizelli (bl-imżiewed)	
Pizelli (mingħajr imżiewed)	
Ohrajn	
<b>(vii) HXEJJEX FORMA TA' ZOKK (friski)</b>	
Asparagu	
Kardun	
Karful	
Bużbież	
Qaqoċċ	
Kurrat	
Rabarbru	

Oħrajn	
(viii) <b>FAQQIEGH</b>	
(a) Faqqiegh ikkoltivat	
(b) Faqqiegh selvaġġ	
<b>3. Żrieragh innixxfin</b>	0.01 (*)
Fażola	
Għads	
Pizelli	
Lupini	
Oħrajn	
<b>4. Żjut taż-żrieragh</b>	
Żrieragh tal-kittien	
Karawett	
Żerriegħa tal-peprin	
Ġulġlien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	
Żerriegħa tas-sojja	
Żerriegħa tal-mustarda	
Żerriegħa tal-qoton	
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa ħamra	0.05(mit-19/12/07)
Oħrajn	0.02 (*)
<b>5. Patata</b>	0.01
Patata bikrija	
Varjazzjonijiet ta' patata	
<b>6. Te (weraq innixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinensis</i>)</b>	0.02 (*)
<b>7. Hops (innixxef) inklużi pritkuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	0.02 (*)
(*)Tindika l-limitu minimu tad-determinazzjoni analitika.'’.	

## SKEDA E

## Regolament 3(4)

## “IOXYNIL inklużi l-esteri espressi bhala IOXYNIL

Kolonna 1  Ioxynil inklużi l-esteri espressi bhala Ioxynil	Kolonna 2  MRl (mg/kg) (mit-19/12/07)
<b>1. Frott frisk, immixxef jew nej, ippriservat fil-friza, minghajr zokkor miżjud; ġwież</b>	0.05 (*) (p)
<b>(i) FROTT TAĊ-ĊITRU</b>	
Grejpfrut	
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi ohra)	
Laring	
Pomelos	
Ohrajn	
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	
Lewż	
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arcznu	
Pistaċċi	
Ġewż	
Ohrajn	
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	
Tuffieħ	
Langas	
Sfargel	
Ohrajn	

(iv) <b>FROTT TA' L-GHADMA</b>	
Berquq	
Ċirasa	
Hawh (inkluz in-nuċiprisk u ibridi simili)	
Għanbaqar	
Oħrajn	
(v) <b>BERRIES U FROTT ŻGHIR</b>	
(a) Għeneb tal-mejda u ta' l-inbid	
Għeneb tal-mejda	
Għeneb ta' l-inbid	
(b) Frawli (ħlief dak selvaġġ)	
(c) Frott tal-qasab (ħlief dak selvaġġ)	
Tut	
<i>Dewberries</i>	
<i>Loganberries</i>	
Ċawsli	
Oħrajn	
(d) Frott u berries zġhar oħra (ħlief dak selvaġġ)	
<i>Bilberries</i>	
<i>Cranberries</i>	
Passolina (ħamra, sewda u bajda)	
<i>Gooseberries</i>	
Oħrajn	
(e) <i>Berries</i> u frott selvaġġ	
(vi) <b>MIXXELLANJA</b>	
Avokado	
Banana	
Tamal	
Tin	
Kiwi	
Kumquats	
Litchis	
Mango	
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	
Papaja	
<i>Passion fruit</i>	
Ananas	
Rummien	
Oħrajn	
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew innixxin</b>	
(i) <b>HXEJJEX FIL-FORMA TA' TUBERI JEW GHERUQ</b>	
Pitrava zokkrija	

Zunnarija	0.2 (p)
Cassava	
Krafes	
Horseradish	
Artiċokks	
Zunnarija bajda	0.2 (p)
Tursin ta' l-għeruq	
Ravanell	
Sassefrika	
Patata ħelwa	
Swedes	
Turnips	
Jam	
Oħrajn	0.05 (*) (p)
<b>(ii) HXEJJEX F'SURA TA' BASAL</b>	
Tewm	0.2 (p)
Basal	0.2 (p)
Shallots	0.2 (p)
Spring onions	3 (p)
Oħrajn	0.05 (*) (p)
<b>(iii) HXEJJEX LI HUMA L-FROTTA TAL-PJANTA</b>	0.05 (*) (p)
<b>(a) Solanacea</b>	
Tadam	
Bżar	
Brunġiel	
Okra	
Oħrajn	
<b>(b) Kukurbiti — tal-qoxra li tittiekel</b>	
Hjar	
Gherkins	
Qarabali	
Oħrajn	
<b>(c) Kukurbiti — tal-qoxra li ma tittikilx</b>	
Bettieh	
Squashes	
Dulliegh	
Oħrajn	
<b>(d) Qamhirrum ħelu</b>	
<b>(iv) HXEJJEX BRASSIKA</b>	0.05 (*) (p)
<b>(a) Brassika li tagħmel il-fjuri</b>	
Brokkli (inkluża l-Calabrese)	
Pastard	
Oħrajn	
<b>(b) Brassika bir-ras</b>	

Brussels sprouts	
Kaboċċa tar-ras	
Oħrajn	
(ċ) Brassika bil-weraq	
Kaboċċa taċ-Ċina	
Kale	
Oħrajn	
(d) Ġidra	
(v) <b>HXEJJEX LI L-WERAQ TAGHHOM JITTIKEL U HAXIX AROMATIKU FRISK</b>	0.05 (*) (p)
(a) Hass u simili	
Krexxuni	
Hass tal-ħaruf	
Hass	
Scarole (endive tal-werqa)	
Rukola	
Weraq u zkuk tal-brassika, inklużi l-weraq tat-turnip	
Oħrajn	
(b) Spinaċi u simili	
Spinaċi	
Weraq tal-pitravi (chard)	
Oħrajn	
(ċ) Krexxuni ta' l-ilma	
(d) Witloof	
(e) Haxix aromatiku	
Maxxita	
Il-kurrat selvaġġ	
Tursin	
Weraq tal-karfus	
Oħrajn	
(vi) <b>HXEJJEX (LEGUMI) (friski)</b>	0.05 (*) (p)
Fażola (bl-imżiewed)	
Fażola (mingħajr imżiewed)	
Pizelli (bl-imżiewed)	
Pizelli (mingħajr imżiewed)	
Oħrajn	
(vii) <b>HXEJJEX FORMA TA' ZOKK (friski)</b>	
Asparagu	
Kardun	
Karfus	
Bużbież	
Qaqoċċ	
Kurrat	3 (p)
Rabarbru	
Oħrajn	0.05 (*) (p)

(viii) <b>FAQQIEGH</b>	0.05 (*) (p)
(a) Faqqiegh ikkoltivat	
(b) Faqqiegh selvaġġ	
<b>3. Żrieragħ immixxfin</b>	0.05 (*) (p)
Fażola	
Għads	
Pizelli	
Lupini	
Oħrajn	
<b>4. Żjut taż-żrieragħ</b>	0.1 (*) (p)
Żrieragħ tal-kittien	
Karawett	
Żerriegħa tal-peprin	
Ġulġlien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	
Żerriegħa tas-sojja	
Żerriegħa tal-mustarda	
Żerriegħa tal-qoton	
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa hamra	(mit-19/12/07)
Oħrajn	
<b>5. Patata</b>	0.05 (*) (p)
Patata bikrija	
Varjazzjonijiet ta' patata	
<b>6. Te (weraq immixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinensis</i>)</b>	0.1 (*) (p)
<b>7. Hops (imnixxef) inklużi prirkuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	0.1 (*) (p)

(\*)Tindika l-limitu minimu tad-determinazzjoni analitika.  
(p) Tindika li l-livell massimu ta' residwu jkun ġie stabbilit proviżorjament skond l-Artikolu 4(1)(f) tad-Direttiva 91/414/KEE.'’.

## SKEDA F

## Regolament 3(5)

## “OXAMYL

Kolonna 1	Kolonna 2
Oxamyl	MRL (mg/kg)
<b>1. Frott frisk, imnixxef jew nej, ippriservat fil-friza, minghajr zokkor miżjud; ġwież</b>	
<b>(i) FROTT TAĊ-ĊITRU</b>	
Grejpfrut	
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi oħra)	0.02 (*) (p)
Laring	
Pomelos	
Oħrajn	0.01 (*) (p)
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	0.01 (*) (p)
Lewż	
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arznu	
Pistaċċi	
Ġewż	
Oħrajn	
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	0.01 (*) (p)
Tuffieħ	
Langas	

Sfargel	
Oħrajn	
(iv) <b>FROTT TA' L-GHADMA</b>	0.01 (*) (p)
Berquq	
Ċirasa	
Hawħ (inkluż in-nuċiprisk u ibridi simili)	
Għanbaqar	
Oħrajn	
(v) <b>BERRIES U FROTT ŻĠHIR</b>	0.01 (*) (p)
(a) Għeneb tal-mejda u ta' l-inbid	
Għeneb tal-mejda	
Għeneb ta' l-inbid	
(b) Frawli (ħlief dak selvaġġ)	
(c) Frott tal-qasab (ħlief dak selvaġġ)	
Tut	
<i>Dewberries</i>	
<i>Loganberries</i>	
Ċawsli	
Oħrajn	
(d) Frott u berries żgħar oħra (ħlief dak selvaġġ)	
<i>Bilberries</i>	
<i>Cranberries</i>	
Passolina (ħamra, sewda u bajda)	
<i>Gooseberries</i>	
Oħrajn	
(e) <i>Berries</i> u frott selvaġġ	
(vi) <b>MIXXELLANJA</b>	0.01 (*) (p)
Avokado	
Banana	
Tamal	
Tin	
Kiwi	
Kumquats	
Litchis	
Mango	
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	
Papaja	
<i>Passion fruit</i>	
Ananas	
Rummien	
Oħrajn	
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew innixxfin</b>	
(i) <b>HXEJJEX FIL-FORMA TA' TUBERI JEW</b>	0.01 (*) (p)

<b>GHERUQ</b>	
Pitrava zokkrija	
Zunnarija	
Cassava	
Krafes	
Horseradish	
Artiċokks	
Zunnarija bajda	
Tursin ta' l-għeruq	
Ravanell	
Sassefrika	
Patata helwa	
Swedes	
Turnips	
Jam	
Oħrajn	
(ii) <b>HXEJJEX F'SURA TA' BASAL</b>	0.01 (*) (p)
Tewm	
Basal	
Shallots	
Spring onions	
Oħrajn	
(iii) <b>HXEJJEX LI HUMA L-FROTTA TAL-PJANTA</b>	
(a) Solanacea	
Tadam	0.02 (p)
Bżar	0.02 (p)
Brungiel	0.02 (p)
Okra	
Oħrajn	0.01 (*) (p)
(b) Kukurbiti — tal-qoxra li tittiekel	
Hjar	0.02 (p)
Gherkins	0.02 (p)
Qarabali	0.03 (p)
Oħrajn	0.01 (*) (p)
(c) Kukurbiti — tal-qoxra li ma tittikilx	0.01 (*) (p)
Bettieh	
Squashes	
Dulliegh	
Oħrajn	
(d) Qamhirrum helu	0.01 (*) (p)
(iv) <b>HXEJJEX BRASSIKA</b>	0.01 (*) (p)
(a) Brassika li tagħmel il-fjuri	
Brokkli (inkluza l-Calabrese)	
Pastard	

Oħrajn	
(b) Brassika bir-ras	
Brussels sprouts	
Kaboċċa tar-ras	
Oħrajn	
(ċ) Brassika bil-weraq	
Kaboċċa taċ-Ċina	
Kale	
Oħrajn	
(d) Ġidra	
(v) <b>HXEJJEX LI L-WERAQ TAGHHOM JITTIEKEL U HAXIX AROMATIKU FRISK</b>	0.01 (*) (p)
(a) Hass u simili	
Krexxuni	
Hass tal-haruf	
Hass	
Scarole (endive tal-werqa)	
Rukola	
Weraq u z kuk tal-brassika, inklużi l-weraq tat-turnip	
Oħrajn	
(b) Spinaċi u simili	
Spinaċi	
Weraq tal-pitravi (chard)	
Oħrajn	
(ċ) Krexxuni ta' l-ilma	
(d) Witloof	
(e) Haxix aromatiku	
Maxxita	
Il-kurrat selvaġġ	
Tursin	
Weraq tal-karfus	
Oħrajn	
(vi) <b>HXEJJEX (LEGUMI) (friski)</b>	0.01 (*) (p)
Fażola (bl-imżiewed)	
Fażola (mingħajr imżiewed)	
Pizelli (bl-imżiewed)	
Pizelli (mingħajr imżiewed)	
Oħrajn	
(vii) <b>HXEJJEX FORMA TA' ZOKK (friski)</b>	0.01 (*) (p)
Asparagu	
Kardun	
Karfus	
Bużbież	
Qaqoċċ	
Kurrat	

Rabarbru	
Oħrajn	
(viii) <b>FAQQIEGH</b>	0.01 (*) (p)
(a) Faqqiegh ikkoltivat	
(b) Faqqiegh selvaġġ	
<b>3. Żrieragh immnixxin</b>	0.01 (*) (p)
Fażola	
Għads	
Pizelli	
Lupini	
Oħrajn	
<b>4. Żjut taz-żrieragh</b>	0.02 (*) (p)
Żrieragh tal-kittien	
Karawett	
Żerriegħa tal-peprin	
Ġulġlien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	
Żerriegħa tas-sojja	
Żerriegħa tal-mustarda	
Żerriegħa tal-qoton	
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa hamra	(mit-19/12/07)
Oħrajn	
<b>5. Patata</b>	0.01 (*) (p)
Patata bikrija	
Varjazzjonijiet ta' patata	
<b>6. Te (weraq immnixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinesis</i>)</b>	0.02 (*) (p)
<b>7. Hops (immnixxef) inklużi prirkuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	0.02 (*) (p)

(\*)Tindika l-limitu minimu tad-determinazzjoni analitika.

(p) Tindika li l-livell massimu ta' residwu jkun ġie stabbilit proviżorjament skond l-Artikolu 4(1)(f) tad-Direttiva 91/414/KEE.”.

## SKEDA G

## Regolament 3(6)

## “QUINOXYFEN

Kolonna 1  Quinoxifen	Kolonna 2  MRL (mg/kg) (mit-19/12/07)
<b>1. Frott frisk, innixxef jew nej, ippriservat fil-friza, minghajr zokkor miżjud; ġwież</b>	
<b>(i) FROTT TAĊ-ĊITRU</b>	0.02 (*) (p)
Grejpfrut	
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi oħra)	
Laring	
Pomelos	
Oħrajn	
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	0.02 (*) (p)
Lewż	
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arcznu	
Pistaċċi	
Ġewż	
Oħrajn	
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	
Tuffieh	0.05 (p)
Langas	
Sfargel	

Oħrajn	0.02 (*) (p)
(iv) <b>FROTT TA' L-GHADMA</b>	
Berquq	0.05 (p)
Ċirasa	0.3 (p)
Hawħ (inkluż in-nuċiprisk u ibridi simili)	0.05 (p)
Għanbaqar	
Oħrajn	0.02 (*) (p)
(v) <b>BERRIES U FROTT ŻGHIR</b>	
(a) Għeneb tal-mejda u ta' l-inbid	1 (p)
Għeneb tal-mejda	
Għeneb ta' l-inbid	
(b) Frawli (ħlief dak selvaġġ)	0.3 (p)
(c) Frott tal-qasab (ħlief dak selvaġġ)	0.02 (*) (p)
Tut	
<i>Dewberries</i>	
<i>Loganberries</i>	
Ċawsli	
Oħrajn	
(d) Frott u berries żgħar ohra (ħlief dak selvaġġ)	2 (p)
<i>Bilberries</i>	
<i>Cranberries</i>	
Passolina (ħamra, sewda u bajda)	
<i>Gooseberries</i>	
Oħrajn	
(e) <i>Berries</i> u frott selvaġġ	0.02 (*) (p)
(vi) <b>MIXXELLANJA</b>	0.02 (*) (p)
Avokado	
Banana	
Tamal	
Tin	
Kiwi	
Kumquats	
Litchis	
Mango	
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	
Papaja	
<i>Passion fruit</i>	
Ananas	
Rummien	
Oħrajn	
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew innixxfin</b>	
(i) <b>HXEJJEX FIL-FORMA TA' TUBERI JEW GHERUQ</b>	0.02 (*) (p)

Pitrava zokkrija	
Zunnarija	
Cassava	
Krafes	
Horseradish	
Artiċokks	
Zunnarija bajda	
Tursin ta' l-gheruq	
Ravanell	
Sassefrika	
Patata ħelwa	
Swedes	
Turnips	
Jam	
Oħrajn	
(ii) <b>HXEJJEX F'SURA TA' BASAL</b>	0.02 (*) (p)
Tewm	
Basal	
Shallots	
Spring onions	
Oħrajn	
(iii) <b>HXEJJEX LI HUMA L-FROTTA TAL-PJANTA</b>	
(a) Solanacea	0.02 (*) (p)
Tadam	
Bżar	
Brunġiel	
Okra	
Oħrajn	
(b) Kukurbiti — tal-qoxra li tittiekel	0.02 (*) (p)
Hjar	
Gherkins	
Qarabali	
Oħrajn	
(c) Kukurbiti — tal-qoxra li ma tittikilx	0.05 (p)
Bettieħ	
Squashes	
Dulliegh	
Oħrajn	
(d) Qamhirrum ħelu	0.02 (*) (p)
(iv) <b>HXEJJEX BRASSIKA</b>	0.02 (*) (p)
(a) Brassika li tagħmel il-fjuri	
Brokkli (inkluża l-Calabrese)	
Pastard	
Oħrajn	

(b) Brassika bir-ras	
Brussels sprouts	
Kaboċċa tar-ras	
Oħrajn	
(ċ) Brassika bil-weraq	
Kaboċċa taċ-Ċina	
Kale	
Oħrajn	
(d) Ġidra	
(v) <b>HXEJJEX LI L-WERAQ TAGHHOM JITTIEKEL U HAXIX AROMATIKU FRISK</b>	0.02 (*) (p)
(a) Ħass u simili	
Krexxuni	
Ħass tal-ħaruf	
Ħass	
Scarole (endive tal-werqa)	
Rukola	
Weraq u zkuk tal-brassika, inklużi l-weraq tat-turnip	
Oħrajn	
(b) Spinaċi u simili	
Spinaċi	
Weraq tal-pitravi (chard)	
Oħrajn	
(ċ) Krexxuni ta' l-ilma	
(d) Witloof	
(e) Haxix aromatiku	
Maxxita	
Il-kurrat selvaġġ	
Tursin	
Weraq tal-karfus	
Oħrajn	
(vi) <b>HXEJJEX (LEGUMI) (friski)</b>	0.02 (*) (p)
Fażola (bl-imżiewed)	
Fażola (mingħajr imżiewed)	
Pizelli (bl-imżiewed)	
Pizelli (mingħajr imżiewed)	
Oħrajn	
(vii) <b>HXEJJEX FORMA TA' ZOKK (friski)</b>	
Asparagu	
Kardun	
Karfus	
Bużbież	
Qaqoċċ	0.3 (p)
Kurrat	
Rabarbru	

Oħrajn	0.02 (*) (p)
(viii) <b>FAQQIEGH</b>	0.02 (*) (p)
(a) Faqqiegh ikkoltivat	
(b) Faqqiegh selvaġġ	
<b>3. Żrieragh innixxfin</b>	0.02 (*) (p)
Fażola	
Għads	
Pizelli	
Lupini	
Oħrajn	
<b>4. Żjut taż-żrieragh</b>	0.05 (*) (p)
Żrieragh tal-kittien	
Karawett	
Żerriegħa tal-peprin	
Ġulġlien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	
Żerriegħa tas-sojja	
Żerriegħa tal-mustarda	
Żerriegħa tal-qoton	
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa ħamra	(mit-19/12/07)
Oħrajn	
<b>5. Patata</b>	0.02 (*)
Patata bikrija	
Varjazzjonijiet ta' patata	
<b>6. Te (weraq innixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinensis</i>)</b>	0.05 (*) (p)
<b>7. Hops (innixxef) inklużi pritkuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	0.5 (p)

(\*)Tindika l-limitu minimu tad-determinazzjoni analitika.

(p) Tindika li l-livell massimu ta' residwu jkun ġie stabbilit proviżorjament skond l-Artikolu 4(1)(f) tad-Direttiva 91/414/KEE.'’.

## SKEDA H

## Regolament 3(7)

## “ATRAZINE

Kolonna 1  Atrazine	Kolonna 2  MRL (mg/kg)
ĊEREALI	0.1 (t) (mit-19/12/07)
<b>1. Frott frisk, innixxef jew nej, ippriservat fil-friza, minghajr zokkor miżjud; ġwież</b>	0.05(*)
<b>(i) FROTT TAĊ-ĊITRU</b>	
Grejpfrut	
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi oħra)	
Laring	
Pomelos	
Oħrajn	
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	
Lewż	
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arznu	
Pistaċċi	
Ġewż	
Oħrajn	
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	

Tuffieħ	
Langas	
Sfargel	
Oħrajn	
(iv) <b>FROTT TA' L-GHADMA</b>	
Berquq	
Ċirasa	
Hawħ (inkluż in-nuċiprisk u ibridi simili)	
Għanbaqar	
Oħrajn	
(v) <b>BERRIES U FROTT ŻGHIR</b>	
(a) Għeneb tal-mejda u ta' l-inbid	
Għeneb tal-mejda	
Għeneb ta' l-inbid	
(b) Frawli (ħlief dak selvaġġ)	
(c) Frott tal-qasab (ħlief dak selvaġġ)	
Tut	
<i>Dewberries</i>	
<i>Loganberries</i>	
Ċawsli	
Oħrajn	
(d) Frott u berries żgħar oħra (ħlief dak selvaġġ)	
<i>Bilberries</i>	
<i>Cranberries</i>	
Passolina (ħamra, sewda u bajda)	
<i>Gooseberries</i>	
Oħrajn	
(e) <i>Berries</i> u frott selvaġġ	
(vi) <b>MIXXELLANJA</b>	
Avokado	
Banana	
Tamal	
Tin	
Kiwi	
Kumquats	
Litchis	
Mango	
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	
Papaja	
<i>Passion fruit</i>	
Ananas	
Rummien	
Oħrajn	
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew</b>	

<b>imnixxin</b>	
<b>(i) HXEJEX FIL-FORMA TA' TUBERI JEW GHERUQ</b>	0.05(*)
Pitrava zokkrija	
Zunnarija	
Cassava	
Krafes	
Horseradish	
Articokks	
Zunnarija bajda	
Tursin ta' l-għeruq	
Ravanell	
Sassefrika	
Patata ħelwa	
Swedes	
Turnips	
Jam	
Oħrajn	
<b>(ii) HXEJEX F'SURA TA' BASAL</b>	0.05(*)
Tewm	
Basal	
Shallots	
Spring onions	
Oħrajn	
<b>(iii) HXEJEX LI HUMA L-FROTTA TAL-PJANTA</b>	
<b>(a) Solanacea</b>	0.05(*)
Tadam	
Bżar	
Brungiel	
Okra	
Oħrajn	
<b>(b) Kukurbiti — tal-qoxra li tittiekel</b>	0.05(*)
Hjar	
Gherkins	
Qarabali	
Oħrajn	
<b>(c) Kukurbiti — tal-qoxra li ma tittikilx</b>	0.05(*)
Bettieh	
Squashes	
Dulliegh	
Oħrajn	
<b>(d) Qamhirrum helu</b>	0.1
<b>(iv) HXEJEX BRASSIKA</b>	0.05(*)
<b>(a) Brassika li tagħmel il-fjuri</b>	

Brokkli (inkluża l-Calabrese)	
Pastard	
Oħrajn	
(b) Brassika bir-ras	
Brussels sprouts	
Kaboċċa tar-ras	
Oħrajn	
(ċ) Brassika bil-weraq	
Kaboċċa taċ-Ċina	
Kale	
Oħrajn	
(d) Ġidra	
<b>(v) HXEJJEX LI L-WERAQ TAGHHOM JITTIEKEL U HAXIX AROMATIKU FRISK</b>	0.05(*)
(a) Ħass u simili	
Krexxuni	
Ħass tal-ħaruf	
Ħass	
Scarole (endive tal-werqa)	
Rukola	
Weraq u zkuk tal-brassika, inkluži l-weraq tat-turnip	
Oħrajn	
(b) Spinaċi u simili	
Spinaċi	
Weraq tal-pitravi (chard)	
Oħrajn	
(ċ) Krexxuni ta' l-ilma	
(d) Witloof	
(e) Haxix aromatiku	
Maxxita	
Il-kurrat selvaġġ	
Tursin	
Weraq tal-karful	
Oħrajn	
<b>(vi) HXEJJEX (LEGUMI) (friski)</b>	0.05(*)
Fażola (bl-imżiewed)	
Fażola (mingħajr imżiewed)	
Pizelli (bl-imżiewed)	
Pizelli (mingħajr imżiewed)	
Oħrajn	
<b>(vii) HXEJJEX FORMA TA' ZOKK (friski)</b>	0.05(*)
Asparagu	
Kardun	
Karful	
Bużbież	

Qaqoċċ	
Kurrat	
Rabarbru	
Oħrajn	
<b>(viii) FAQQIEGH</b>	0.05(*)
(a) Faqqiegh ikkoltivat	
(b) Faqqiegh selvaġġ	
<b>3. Żrieragh innixxfin</b>	0.05(*)
Fażola	
Għads	
Pizelli	
Lupini	
Oħrajn	0.05(*)
<b>4. Żjut taz-żrieragh</b>	
Żrieragh tal-kittien	
Karawett	
Żerriegħa tal-peprin	
Ġulġlien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	
Żerriegħa tas-sojja	
Żerriegħa tal-mustarda	
Żerriegħa tal-qoton	
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa hamra	(mit-19/12/07)
Oħrajn	
<b>5. Patata</b>	0.05(*)
Patata bikrija	
Varjazzjonijiet ta' patata	
<b>6. Te (weraq innixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinensis</i>)</b>	0.1(*)
<b>7. Hops (innixxef) inklużi pritikuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	0.1(*)

(t) MRLs temporanji validi sa l-1 ta' Ġunju 2009 fl-istennija li titressaq *data* residwa mill-applikant

(\*)Tindika l-limitu minimu tad-determinazzjoni analitika.'’.

## Skeda I

## Regolament 3(8)

## “ACETAMIPRID

Kolonna 1	Kolonna 2
Acetamiprid	MRL (mg/kg)
<b>1. Frott frisk, imnixxef jew nej, ippriservat fil-friza,</b>	
<b>minghajr zokkor miżjud; ġwież</b>	
<b>(i) FROTT TAĊ-ĊITRU</b>	1(p)
Grejpfrut	
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi oħra)	
Laring	
Pomelos	
Oħrajn	
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	0.01(*) (p)
Lewż	
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arznu	
Pistaċċi	

Ġewż	
Oħrajn	
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	1(p) (mill-15/06/2008)
Tuffieħ	
Langas	
Sfargel	
Oħrajn	
<b>(iv) FROTT TA' L-GHADMA</b>	
Berquq	0.1 (p)
Ġirasa	0.2(p)
Hawħ (inkluż in-nuċiprisk u ibridi simili)	0.1(p)
Għanbaqar	0.02(*) (p)(mill-15/06/2008)
Oħrajn	0.01(*) (p)
<b>(v) BERRIES U FROTT ŻGHIR</b>	0.01(*) (p)
(a) Għeneb tal-mejda u ta' l-inbid	
Għeneb tal-mejda	
Għeneb ta' l-inbid	
(b) Frawli (ħlief dak selvaġġ)	
(c) Frott tal-qasab (ħlief dak selvaġġ)	
Tut	
<i>Dewberries</i>	
<i>Loganberries</i>	
Ġawsli	
Oħrajn	
(d) Frott u berries żgħar oħra (ħlief dak selvaġġ)	
<i>Bilberries</i>	
<i>Cranberries</i>	
Passolina (ħamra, sewda u bajda)	
<i>Gooseberries</i>	
Oħrajn	
(e) <i>Berries</i> u frott selvaġġ	
<b>(vi) MIXXELLANJA</b>	0.01(*) (p)
Avokado	
Banana	
Tamal	
Tin	
Kiwi	
Kumquats	
Litchis	
Mango	
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	
Papaja	
<i>Passion fruit</i>	
Ananas	

Rummien	
Oħrajn	
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew imnixxfn</b>	
<b>(i) HXEJJEX FIL-FORMA TA' TUBERI JEW GHERUQ</b>	0.01(*) (p)
Pitrava zokkrija	
Zunnarija	
Cassava	
Krafes	
Horseradish	
Articokks	
Zunnarija bajda	
Tursin ta' l-għeruq	
Ravanell	
Sassefrika	
Patata ħelwa	
Swedes	
Turnips	
Jam	
Oħrajn	
<b>(ii) HXEJJEX F'SURA TA' BASAL</b>	0.01(*) (p)
Tewm	
Basal	
Shallots	
Spring onions	
Oħrajn	
<b>(iii) HXEJJEX LI HUMA L-FROTTA TAL-PJANTA</b>	
<b>(a) Solanacea</b>	
Tadam	0.1 (p)
Bżar	0.3 (p)
Brungiel	0.1 (p)
Okra	
Oħrajn	0.01(*) (p) (mill-15/06/2008)
<b>(b) Kukurbiti — tal-qoxra li tittiekel</b>	0.3 (p) (mill-15/06/2008)
Hjar	
Gherkins	
Qarabali	
Oħrajn	
<b>(c) Kukurbiti — tal-qoxra li ma tittikilx</b>	0.01(*) (p) (mill-15/06/2008)
Bettieh	
Squashes	
Dulliegh	
Oħrajn	

(d) Qamhirrum ħelu	0.01(*) (p)
(iv) <b>HXEJJEX BRASSIKA</b>	0.01(*) (p)
(a) Brassika li tagħmel il-fjuri	
Brokkli (inkluża l-Calabrese)	
Pastard	
Oħrajn	
(b) Brassika bir-ras	
Brussels sprouts	
Kaboċċa tar-ras	
Oħrajn	
(ċ) Brassika bil-weraq	
Kaboċċa taċ-Ċina	
Kale	
Oħrajn	
(d) Ġidra	
(v) <b>HXEJJEX LI L-WERAQ TAGHHOM JITTIEKEL U HAXIX AROMATIKU FRISK</b>	
(a) Hass u simili	
Krexxuni	
Hass tal-haruf	5(p)
Hass	5(p)
Scarole (endive tal-werqa)	5(p)(mill-15/06/2008)
Rukola	
Weraq u zkuk tal-brassika, inklużi l-weraq tat-turnip	
Oħrajn	0.01(*) (p)
(b) Spinaċi u simili	0.01(*) (p)
Spinaċi	
Weraq tal-pitravi (chard)	
Oħrajn	
(ċ) Krexxuni ta' l-ilma	0.01(*) (p)
(d) Witloof	0.01(*) (p)
(e) Haxix aromatiku	(mill-15/06/2008)
Maxxita	
Il-kurrat selvaġġ	
Tursin	5(p)(mill-15/06/2008)
Weraq tal-karfus	
Oħrajn	0.01(*) (p)(mill-15/06/2008)
(vi) <b>HXEJJEX (LEGUMI) (friski)</b>	0.01(*) (p)
Fażola (bl-imżiewed)	
Fażola (mingħajr imżiewed)	
Pizelli (bl-imżiewed)	
Pizelli (mingħajr imżiewed)	
Oħrajn	
(vii) <b>HXEJJEX FORMA TA' ZOKK (friski)</b>	0.01(*) (p)
Asparagu	

Kardun	
Karfus	
Bużbież	
Qaqoċċ	
Kurrat	
Rabarbru	
Oħrajn	
<b>(viii) FAQQIEGH</b>	0.01(*) (p)
(a) Faqqiegh ikkoltivat	
(b) Faqqiegh selvaġġ	
<b>3. Żrieragh immnixfin</b>	0.01(*) (p)
Fażola	
Għads	
Pizelli	
Lupini	
Oħrajn	
<b>4. Żjut taz-żrieragh</b>	
Żrieragh tal-kittien	
Karawett	
Żerriegħa tal-peprin	
Gulglien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	
Żerriegħa tas-sojja	
Żerriegħa tal-mustarda	
Żerriegħa tal-qoton	0.02 (p)
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa hamra	(mit-19/12/2007)
Oħrajn	0.01(*) (p)
<b>5. Patata</b>	0.01(*) (p)
Patata bikrija	
Varjazzjonijiet ta' patata	
<b>6. Te (weraq immnixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinensis</i>)</b>	0.1(*) (p)
<b>7. Hops (imnixxef) inkluzi prirkuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	0.1(*) (p)

(\*)Tindika l-limitu minimu tad-determinazzjoni analitika.

(p) Tindika li l-livell massimu ta' residwu jkun gie stabbilit proviżorjament skond l-Artikolu 4(1)(f) tad-Direttiva 91/414/KEE.''.

## SKEDA J

## Regolament 3(9)

## “DELTAMETHRIN

Kolonna 1	Kolonna 2
Deltamethrin (cis-deltamethrin)(a)	MRL (mg/kg)
<b>1. Frott frisk, imnixxef jew nej, ippriservat fil-friza, minghajr zokkor miżjud; ġwież</b>	2
<b>(i) FROTT TAĊ-ĊITRU</b>	
Grejpfrut	0.05(*)
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi oħra)	
Laring	
Pomelos	
Oħrajn	
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	
Lewż	0.05(*)
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arznu	
Pistaċċi	
Ġewż	
Oħrajn	
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	
Tuffieħ	

Langas	0.2
Sfargel	
Oħrajn	
(iv) <b>FROTT TA' L-GHADMA</b>	0.1
Berquq	
Ċirasa	
Hawħ (inkluz in-nuċiprisk u ibridi simili)	0.2
Għanbaqar	
Oħrajn	
(v) <b>BERRIES U FROTT ŻGHIR</b>	0.1
(a) Gheneb tal-mejda u ta' l-inbid	
Gheneb tal-mejda	0.2
Gheneb ta' l-inbid	
(b) Frawli (ħlief dak selvaġġ)	
(c) Frott tal-qasab (ħlief dak selvaġġ)	0.2
Tut	
<i>Dewberries</i>	0.5
<i>Loganberries</i>	
Ċawsli	
Oħrajn	0.5
(d) Frott u berries żgħar oħra (ħlief dak selvaġġ)	0.05(*)
<i>Bilberries</i>	
<i>Cranberries</i>	
Passolina (ħamra, sewda u bajda)	
<i>Gooseberries</i>	0.5
Oħrajn	0.2
(e) <i>Berries</i> u frott selvaġġ	0.05(*)
(vi) <b>MIXXELLANJA</b>	0.05(*)
Avokado	
Banana	
Tamal	
Tin	
Kiwi	
Kumquats	0.2
Litchis	
Mango	
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	1
Papaja	1
<i>Passion fruit</i>	
Ananas	
Rummien	
Oħrajn	
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew innixxin</b>	0.05(*)

<b>(i) HXEJJEX FIL-FORMA TA' TUBERI JEW GHERUQ</b>	
Pitrava zokkrija	0.05(*)
Zunnarija	
Cassava	
Krafes	
Horseradish	
Artiċokks	
Zunnarija bajda	
Tursin ta' l-għeruq	
Ravanell	
Sassefrika	
Patata ħelwa	
Swedes	
Turnips	
Jam	
Oħrajn	
<b>(ii) HXEJJEX F'SURA TA' BASAL</b>	
Tewm	
Basal	0.1
Shallots	0.1
Spring onions	0.1
Oħrajn	0.1
<b>(iii) HXEJJEX LI HUMA L-FROTTA TAL-PJANTA</b>	0.05(*)
<b>(a) Solanacea</b>	
Tadam	
Bżar	0.3
Brunġiel	
Okra	0.3
Oħrajn	0.3
<b>(b) Kukurbiti — tal-qoxra li tittiekel</b>	0.2
Hjar	0.2
Gherkins	
Qarabali	
Oħrajn	
<b>(c) Kukurbiti — tal-qoxra li ma tittikilx</b>	
Bettieh	0.2
Squashes	
Dulliegh	
Oħrajn	
<b>(d) Qamħirrum ħelu</b>	
<b>(iv) HXEJJEX BRASSIKA</b>	0.05(*)
<b>(a) Brassika li tagħmel il-fjuri</b>	
Brokkli (inkluża l-Calabrese)	0.1

Pastard	
Oħrajn	
(b) Brassika bir-ras	
Brussels sprouts	0.1
Kaboċċa tar-ras	
Oħrajn	
(ċ) Brassika bil-weraq	
Kaboċċa taċ-Ċina	0.5
Kale	
Oħrajn	
(d) Ġidra	
(v) <b>HXEJJEX LI L-WERAQ TAGHHOM JITTIEKEL U HAXIX AROMATIKU FRISK</b>	0.05(*)
(a) Ħass u simili	
Krexxuni	0.5
Ħass tal-ħaruf	
Ħass	
Scarole (endive tal-werqa)	
Rukola	
Weraq u zkuk tal-brassika, inklużi l-weraq tat-turnip	
Oħrajn	
(b) Spinaċi u simili	
Spinaċi	0.5
Weraq tal-pitravi (chard)	
Oħrajn	
(ċ) Krexxuni ta' l-ilma	
(d) Witloof	0.05(*)
(e) Haxix aromatiku	0.05(*)
Maxxita	0.5
Il-kurrat selvaġġ	
Tursin	
Weraq tal-karful	
Oħrajn	
(vi) <b>HXEJJEX (LEGUMI) (friski)</b>	
Fażola (bl-imżiewed)	0.2
Fażola (mingħajr imżiewed)	
Pizelli (bl-imżiewed)	
Pizelli (mingħajr imżiewed)	
Oħrajn	
(vii) <b>HXEJJEX FORMA TA' ZOKK (friski)</b>	
Asparagu	
Kardun	
Karful	
Bużbież	
Qaqoċċ	

Kurrat	0.1
Rabarbru	0.2
Oħrajn	
(viii) <b>FAQQIEGH</b>	0.05(*)
(a) Faqqiegh ikkoltivat	0.05
(b) Faqqiegh selvagġ	
<b>3. Żrieragh immixxfin</b>	
Fażola	1
Għads	
Pizelli	
Lupini	
Oħrajn	
<b>4. Żjut taż-żrieragh</b>	
Żrieragh tal-kittien	
Karawett	
Żerriegħa tal-peprin	
Ġulġlien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	
Żerriegħa tas-sojja	0.1
Żerriegħa tal-mustarda	
Żerriegħa tal-qoton	0.1
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa hamra	
Oħrajn	(mit-19/12/2007)
<b>5. Patata</b>	0.05(*)
Patata bikrija	0.05(*)
Varjazzjonijiet ta' patata	
<b>6. Te (weraq immixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinesis</i>)</b>	5
<b>7. Hops (imnixxef) inklużi pritikuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	5

(\*)Tindika l-limitu minimu tad-determinazzjoni analitika.

(a) MRL's temporanji validi sa l-1 ta' Novembru 2008, fl-istennija ta' revizjoni tad-dossier ta' l-Anness III skond id-Direttiva 91/414/KEE u r-registrazzjoni mill-ġdid tal-formulazzjonijiet tad-deltamethrin fil-livelli ta' l-Istati Membri.''.  


---

## SKEDA K

## Regolament 3(10)

## “TMAZALIL

Kolonna 1  Imazalil	Kolonna 2  MRL (mg/kg)(mill-15/09/2008)
<b>1. Frott frisk, imnixxef jew nej, ippriservat fil-friza, minghajr zokkor miżjud; ġwież</b>	0.05(*)
<b>(i) FROTT TAĊ-ĊITRU</b>	5
Grejpfrut	
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi oħra)	
Laring	
Pomelos	
Oħrajn	
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	0.05(*)
Lewż	
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arznu	
Pistaċċi	
Ġewż	
Oħrajn	
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	2
Tuffieħ	
Langas	

Sfargel	
Oħrajn	
(iv) <b>FROTT TA' L-GHADMA</b>	0.05(*)
Berquq	
Ċirasa	
Hawħ (inkluż in-nuċiprisk u ibridi simili)	
Għanbaqar	
Oħrajn	
(v) <b>BERRIES U FROTT ŻGHIR</b>	0.05(*)
(a) Għeneb tal-mejda u ta' l-inbid	
Għeneb tal-mejda	
Għeneb ta' l-inbid	
(b) Frawli (ħlief dak selvaġġ)	
(c) Frott tal-qasab (ħlief dak selvaġġ)	
Tut	
<i>Dewberries</i>	
<i>Loganberries</i>	
Ċawsli	
Oħrajn	
(d) Frott u berries żgħar oħra (ħlief dak selvaġġ)	
<i>Bilberries</i>	
<i>Cranberries</i>	
Passolina (ħamra, sewda u bajda)	
<i>Gooseberries</i>	
Oħrajn	
(e) <i>Berries</i> u frott selvaġġ	
(vi) <b>MIXXELLANJA</b>	
Avokado	
Banana	2
Tamal	
Tin	
Kiwi	
Kumquats	
Litchis	
Mango	
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	
Papaja	
<i>Passion fruit</i>	
Ananas	
Rummien	
Oħrajn	0.05(*)
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew innixxfin</b>	
(i) <b>HXEJJEX FIL-FORMA TA' TUBERI JEW</b>	0.05(*)

<b>GHERUQ</b>	
Pitrava zokkrija	
Zunnarija	
Cassava	
Krafes	
Horseradish	
Artiċokks	
Zunnarija bajda	
Tursin ta' l-għeruq	
Ravanell	
Sassefrika	
Patata helwa	
Swedes	
Turnips	
Jam	
Oħrajn	
(ii) <b>HXEJJEX F'SURA TA' BASAL</b>	0.05(*)
Tewm	
Basal	
Shallots	
Spring onions	
Oħrajn	
(iii) <b>HXEJJEX LI HUMA L-FROTTA TAL-PJANTA</b>	
(a) Solanacea	
Tadam	0.5
Bżar	
Brungiel	
Okra	
Oħrajn	0.05(*)
(b) Kukurbiti — tal-qoxra li tittiekel	0.2
Hjar	
Gherkins	
Qarabali	
Oħrajn	
(c) Kukurbiti — tal-qoxra li ma tittikilx	
Bettieh	2
Squashes	
Dulliegh	
Oħrajn	0.05(*)
(d) Qamhirrum helu	0.05(*)
(iv) <b>HXEJJEX BRASSIKA</b>	0.05(*)
(a) Brassika li tagħmel il-fjuri	
Brokkli (inkluza l-Calabrese)	
Pastard	

Oħrajn	
(b) Brassika bir-ras	
Brussels sprouts	
Kaboċċa tar-ras	
Oħrajn	
(ċ) Brassika bil-weraq	
Kaboċċa taċ-Ċina	
Kale	
Oħrajn	
(d) Ġidra	
(v) <b>HXEJJEX LI L-WERAQ TAGHHOM JITTIEKEL U HAXIX AROMATIKU FRISK</b>	0.05(*)
(a) Hass u simili	
Krexxuni	
Hass tal-haruf	
Hass	
Scarole (endive tal-werqa)	
Rukola	
Weraq u zkuk tal-brassika, inklużi l-weraq tat-turnip	
Oħrajn	
(b) Spinaċi u simili	
Spinaċi	
Weraq tal-pitravi (chard)	
Oħrajn	
(ċ) Krexxuni ta' l-ilma	
(d) Witloof	
(e) Haxix aromatiku	
Maxxita	
Il-kurrat selvaġġ	
Tursin	
Weraq tal-karfus	
Oħrajn	
(vi) <b>HXEJJEX (LEGUMI) (friski)</b>	0.05(*)
Fażola (bl-imżiewed)	
Fażola (mingħajr imżiewed)	
Pizelli (bl-imżiewed)	
Pizelli (mingħajr imżiewed)	
Oħrajn	
(vii) <b>HXEJJEX FORMA TA' ZOKK (friski)</b>	0.05(*)
Asparagu	
Kardun	
Karfus	
Bużbież	
Qaqoċċ	
Kurrat	

Rabarbru	
Oħrajn	
(viii) <b>FAQQIEGH</b>	0.05(*)
(a) Faqqiegh ikkoltivat	
(b) Faqqiegh selvaġġ	
<b>3. Żrieragh immnixxin</b>	0.05(*)
Fażola	
Għads	
Pizelli	
Lupini	
Oħrajn	
<b>4. Żjut taz-żrieragh</b>	0.05(*)
Żrieragh tal-kittien	
Karawett	
Żerriegħa tal-peprin	
Ġulġlien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	
Żerriegħa tas-sojja	
Żerriegħa tal-mustarda	
Żerriegħa tal-qoton	
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa hamra	(mit-19/12/07)
Oħrajn	
<b>5. Patata</b>	3
Patata bikrija	
Varjazzjonijiet ta' patata	
<b>6. Te (weraq immnixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinesis</i>)</b>	0.1(*)
<b>7. Hops (imnixxef) inklużi prirkuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	0.1(*)

(\*)Tindika l-limitu minimu tad-determinazzjoni analitika.'’.

## SKEDA L

## Regolament 3(11)

## “INDOXACARB

Kolonna 1	Kolonna 2
Indoxacarb bhala s-somma ta' l-izomeri S u R	MRL (mg/kg)
<b>1. Frott frisk, imnixxef jew nej, ippriservat fil-friza, minghajr zokkor miżjud; ġwież</b>	
<b>(i) FROTT TAĊ-ĊITRU</b>	0.02(*) (p)
Grejpfrut	
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi oħra)	
Laring	
Pomelos	
Oħrajn	
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	0.05(p)
Lewż	
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arznu	
Pistaċċi	
Ġewż	
Oħrajn	
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	
Tuffieħ	0.5(p)
Langas	

Sfargel	
Oħrajn	0.3(p)
<b>(iv) FROTT TA' L-GHADMA</b>	
Berquq	0.3(p)
Ċirasa	
Hawh (inkluż in-nuċiprisk u ibridi simili)	0.3(p)
Għanbaqar	
Oħrajn	0.02(*) (p)
<b>(v) BERRIES U FROTT ŻGHIR</b>	
(a) Għeneb tal-mejda u ta' l-inbid	2(p)
Għeneb tal-mejda	
Għeneb ta' l-inbid	
(b) Frawli (ħlief dak selvaġġ)	0.02(*) (p)
(c) Frott tal-qasab (ħlief dak selvaġġ)	0.02(*) (p)
Tut	
<i>Dewberries</i>	
<i>Loganberries</i>	
Ċawsli	
Oħrajn	
(d) Frott u berries żgħar oħra (ħlief dak selvaġġ)	
<i>Bilberries</i>	
<i>Cranberries</i>	
Passolina (ħamra, sewda u bajda)	1(p)
<i>Gooseberries</i>	1(p)
Oħrajn	0.02(*) (p)
(e) <i>Berries</i> u frott selvaġġ	0.02(*) (p)
<b>(vi) MIXXELLANJA</b>	(mill-15/06/2008)
Avokado	
Banana	0.2(p)(mill-15/06/2008)
Tamal	
Tin	
Kiwi	
Kumquats	
Litchis	
Mango	
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	
Papaja	
<i>Passion fruit</i>	
Ananas	
Rummien	
Oħrajn	0.02(*) (p)(mill-15/06/2008)
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew imnixxfin</b>	
<b>(i) HXEJJEX FIL-FORMA TA' TUBERI JEW</b>	(mill-15/06/2008)

<b>GHERUQ</b>	
Pitrava zokkrija	
Zunnarija	
Cassava	
Krafes	
Horseradish	
Artiċokks	
Zunnarija bajda	
Tursin ta' l-għeruq	
Ravanell	0.2(p)(mill-15/06/2008)
Sassefrika	
Patata helwa	
Swedes	
Turnips	
Jam	
Oħrajn	0.02(*) (p)(mill-15/06/2008)
(ii) <b>HXEJJEX F'SURA TA' BASAL</b>	0.02(*) (p)
Tewm	
Basal	
Shallots	
Spring onions	
Oħrajn	
(iii) <b>HXEJJEX LI HUMA L-FROTTA TAL-PJANTA</b>	
(a) Solanacea	
Tadam	0.5(p)
Bżar	0.3(p)
Brungiel	0.5(p)
Okra	
Oħrajn	0.02(*) (p)
(b) Kukurbiti — tal-qoxra li tittiekel	0.2(p)
Hjar	
Gherkins	
Qarabali	
Oħrajn	
(c) Kukurbiti — tal-qoxra li ma tittikilx	0.1(p)
Bettieh	
Squashes	
Dulliegh	
Oħrajn	
(d) Qamhirrum helu	0.02(*) (p)
(iv) <b>HXEJJEX BRASSIKA</b>	
(a) Brassika li tagħmel il-fjuri	0.3(p)
Brokkli (inkluza l-Calabrese)	
Pastard	

Oħrajn	
(b) Brassika bir-ras	
Brussels sprouts	
Kaboċċa tar-ras	3(p)
Oħrajn	0.02(*) (p)(mill-15/06/2008)
(ċ) Brassika bil-weraq	
Kaboċċa taċ-Ĉina	0.2(p)
Kale	0.2(p)
Oħrajn	0.02(*) (p)
(d) Ġidra	0.02(*) (p)
(v) <b>HXEJJEX LI L-WERAQ TAGHHOM JITTIEKEL U HAXIX AROMATIKU FRISK</b>	
(a) Hass u simili	
Krexxuni	
Hass tal-haruf	1(p)(mill-15/06/2008)
Hass	2(p)
Scarole (endive tal-werqa)	2(p)
Rukola	
Weraq u zġuk tal-brassika, inklużi l-weraq tat-turnip	
Oħrajn	0.02(*) (p)
(b) Spinaċi u simili	(mill-15/06/2008)
Spinaċi	2(mill-15/06/2008)
Weraq tal-pitravi (chard)	
Oħrajn	0.02(*) (p)(mill-15/06/2008)
(ċ) Krexxuni ta' l-ilma	0.02(*) (p)
(d) Witloof	0.02(*) (p)
(e) Haxix aromatiku	2(p)
Maxxita	
Il-kurrat selvaġġ	
Tursin	
Weraq tal-karġus	
Oħrajn	
(vi) <b>HXEJJEX (LEGUMI) (friski)</b>	0.02(*) (p)
Fażola (bl-imżiewed)	
Fażola (mingħajr imżiewed)	
Pizelli (bl-imżiewed)	
Pizelli (mingħajr imżiewed)	
Oħrajn	
(vii) <b>HXEJJEX FORMA TA' ZOKK (friski)</b>	
Asparagu	
Kardun	
Karġus	
Bużbież	
Qaqoċċ	0.1(p)
Kurrat	

Rabarbru	
Oħrajn	0.02(*) (p)
<b>(viii) FAQQIEGH</b>	0.02(*) (p)
(a) Faqqiegh ikkoltivat	
(b) Faqqiegh selvaġġ	
<b>3. Żrieragh immnixxin</b>	0.02(*) (p)
Fażola	
Għads	
Pizelli	
Lupini	
Oħrajn	
<b>4. Żjut taz-żrieragh</b>	
Żrieragh tal-kittien	
Karawett	
Żerriegħa tal-peprin	
Ġulġlien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	
Żerriegħa tas-sojja	0.5 (p)
Żerriegħa tal-mustarda	
Żerriegħa tal-qoton	
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa hamra	(mit-19/12/2007)
Oħrajn	0.05(*) (p)
<b>5. Patata</b>	0.02(*) (p)
Patata bikrija	
Varjazzjonijiet ta' patata	
<b>6. Te (weraq immnixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinensis</i>)</b>	0.05(*)
<b>7. Hops (imnixxef) inklużi pritikuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	0.05(*)

(\*)Tindika l-limitu minimu tad-determinazzjoni analitika.

(p) Tindika li l-livell massimu ta' residwu jkun ġie stabbilit proviżorjament skond l-Artikolu 4(1)(f) tad-Direttiva 91/414/KEE.'’.

## SKEDA M

## Regolament 3(12)

## “PENDIMETHALIN

Kolonna 1  Pendimethalin	Kolonna 2  MRL (mg/kg)(mill-15/06/2008)
<b>1. Frott frisk, imnixxef jew nej, ippriservat fil-friza, minghajr zokkor miżjud; ġwież</b>	0.05(*)
<b>(i) FROTT TAĊ-ĊITRU</b>	
Grejpfrut	
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi ohra)	
Laring	
Pomelos	
Oħrajn	
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	
Lewż	
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arznu	
Pistaċċi	
Ġewż	
Oħrajn	
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	
Tuffieħ	

Langas	
Sfargel	
Oħrajn	
(iv) <b>FROTT TA' L-GHADMA</b>	
Berquq	
Ċirasa	
Hawħ (inkluz in-nuċiprisk u ibridi simili)	
Għanbaqar	
Oħrajn	
(v) <b>BERRIES U FROTT ŻGHIR</b>	
(a) Gheneb tal-mejda u ta' l-inbid	
Gheneb tal-mejda	
Gheneb ta' l-inbid	
(b) Frawli (ħlief dak selvaġġ)	
(c) Frott tal-qasab (ħlief dak selvaġġ)	
Tut	
<i>Dewberries</i>	
<i>Loganberries</i>	
Ċawsli	
Oħrajn	
(d) Frott u berries żgħar oħra (ħlief dak selvaġġ)	
<i>Bilberries</i>	
<i>Cranberries</i>	
Passolina (ħamra, sewda u bajda)	
<i>Gooseberries</i>	
Oħrajn	
(e) <i>Berries</i> u frott selvaġġ	
(vi) <b>MIXXELLANJA</b>	
Avokado	
Banana	
Tamal	
Tin	
Kiwi	
Kumquats	
Litchis	
Mango	
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	
Papaja	
<i>Passion fruit</i>	
Ananas	
Rummien	
Oħrajn	
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew innixxin</b>	

<b>(i) HXEJJEX FIL-FORMA TA' TUBERI JEW GHERUQ</b>	
Pitrava zokkrija	
Zunnarija	0.2
Cassava	
Krafes	0.1
Horseradish	0.2
Artiċokks	
Zunnarija bajda	0.2
Tursin ta' l-għeruq	0.2
Ravanell	
Sassefrika	
Patata ħelwa	
Swedes	
Turnips	
Jam	
Oħrajn	0.05(*)
<b>(ii) HXEJJEX F'SURA TA' BASAL</b>	0.05(*)
Tewm	
Basal	
Shallots	
Spring onions	
Oħrajn	
<b>(iii) HXEJJEX LI HUMA L-FROTTA TAL-PJANTA</b>	0.05(*)
<b>(a) Solanacea</b>	
Tadam	
Bżar	
Brunġiel	
Okra	
Oħrajn	
<b>(b) Kukurbiti — tal-qoxra li tittiekel</b>	
Hjar	
Gherkins	
Qarabali	
Oħrajn	
<b>(c) Kukurbiti — tal-qoxra li ma tittikilx</b>	
Bettieh	
Squashes	
Dulliegh	
Oħrajn	
<b>(d) Qamħirrum ħelu</b>	
<b>(iv) HXEJJEX BRASSIKA</b>	0.05(*)
<b>(a) Brassika li tagħmel il-fjuri</b>	
Brokkli (inkluża l-Calabrese)	

Pastard	
Oħrajn	
(b) Brassika bir-ras	
Brussels sprouts	
Kaboċċa tar-ras	
Oħrajn	
(ċ) Brassika bil-weraq	
Kaboċċa taċ-Ċina	
Kale	
Oħrajn	
(d) Ġidra	
(v) <b>HXEJJEX LI L-WERAQ TAGHHOM JITTIEKEL U HAXIX AROMATIKU FRISK</b>	0.05(*)
(a) Ħass u simili	
Krexxuni	
Ħass tal-ħaruf	
Ħass	
Scarole (endive tal-werqa)	
Rukola	
Weraq u zkuk tal-brassika, inklużi l-weraq tat-turnip	
Oħrajn	
(b) Spinaċi u simili	
Spinaċi	
Weraq tal-pitravi (chard)	
Oħrajn	
(ċ) Krexxuni ta' l-ilma	
(d) Witloof	
(e) Haxix aromatiku	
Maxxita	
Il-kurrat selvaġġ	
Tursin	
Weraq tal-karfus	
Oħrajn	
(vi) <b>HXEJJEX (LEGUMI) (friski)</b>	0.2
Fażola (bl-imżiewed)	
Fażola (mingħajr imżiewed)	
Pizelli (bl-imżiewed)	
Pizelli (mingħajr imżiewed)	
Oħrajn	
(vii) <b>HXEJJEX FORMA TA' ZOKK (friski)</b>	
Asparagu	
Kardun	
Karfus	0.1
Bużbież	
Qaqoċċ	

Kurrat	
Rabarbru	
Oħrajn	0.05(*)
(viii) <b>FAQQIEGH</b>	0.05(*)
(a) Faqqiegh ikkoltivat	
(b) Faqqiegh selvagġ	
<b>3. Żrieragh immixxfin</b>	0.2
Fażola	
Għads	
Pizelli	
Lupini	
Oħrajn	
<b>4. Żjut taż-żrieragh</b>	0.1(*)
Żrieragh tal-kittien	
Karawett	
Żerriegħa tal-peprin	
Ġulġlien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	
Żerriegħa tas-sojja	
Żerriegħa tal-mustarda	
Żerriegħa tal-qoton	
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa hamra	(mit-19/12/2007)
Oħrajn	
<b>5. Patata</b>	0.05(*)
Patata bikrija	
Varjazzjonijiet ta' patata	
<b>6. Te (weraq immixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinesis</i>)</b>	0.1(*)
<b>7. Hops (imnixxef) inklużi prirkuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	0.1(*)

(\*)Tindika l-limitu minimu tad-determinazzjoni analitika.'’.

## SKEDA N

## Regolament 3(13)

## “PYMETROZINE

Kolonna 1	Kolonna 2
Pymetrozine	MRL (mg/kg)
<b>1. Frott frisk, imnixxef jew nej, ippriservat fil-friza, minghajr zokkor miżjud; ġwież</b>	
<b>(i) FROTT TAĊ-ĊITRU</b>	0.3
Grejpfrut	
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi oħra)	
Laring	
Pomelos	
Oħrajn	
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	0.02(*)
Lewż	
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arznu	
Pistaċċi	
Ġewż	
Oħrajn	
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	0.02(*)
Tuffieħ	
Langas	

Sfargel	
Oħrajn	
<b>(iv) FROTT TA' L-GHADMA</b>	
Berquq	0.05
Ċirasa	
Hawh (inkluż in-nuċiprisk u ibridi simili)	0.05
Għanbaqar	
Oħrajn	0.02(*)
<b>(v) BERRIES U FROTT ŻGHIR</b>	
(a) Għeneb tal-mejda u ta' l-inbid	0.02(*)
Għeneb tal-mejda	
Għeneb ta' l-inbid	
(b) Frawli (ħlief dak selvaġġ)	0.5
(c) Frott tal-qasab (ħlief dak selvaġġ)	
Tut	3
<i>Dewberries</i>	
<i>Loganberries</i>	
Ċawsli	3
Oħrajn	0.02(*)
(d) Frott u berries żgħar oħra (ħlief dak selvaġġ)	
<i>Bilberries</i>	
<i>Cranberries</i>	
Passolina (ħamra, sewda u bajda)	0.5(mill-15/06/2008)
<i>Gooseberries</i>	0.5(mill-15/06/2008)
Oħrajn	0.02(*)
(e) <i>Berries</i> u frott selvaġġ	0.02(*)
<b>(vi) MIXXELLANJA</b>	0.02(*)
Avokado	
Banana	
Tamal	
Tin	
Kiwi	
Kumquats	
Litchis	
Mango	
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	
Papaja	
<i>Passion fruit</i>	
Ananas	
Rummien	
Oħrajn	
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew innixxfin</b>	
<b>(i) HXEJJEX FIL-FORMA TA' TUBERI JEW</b>	0.02(*)

<b>GHERUQ</b>	
Pitrava zokkrija	
Zunnarija	
Cassava	
Krafes	
Horseradish	
Artiċokks	
Zunnarija bajda	
Tursin ta' l-għeruq	
Ravanell	
Sassefrika	
Patata helwa	
Swedes	
Turnips	
Jam	
Oħrajn	
(ii) <b>HXEJJEX F'SURA TA' BASAL</b>	0.02(*)
Tewm	
Basal	
Shallots	
Spring onions	
Oħrajn	
(iii) <b>HXEJJEX LI HUMA L-FROTTA TAL-PJANTA</b>	
(a) Solanacea	
Tadam	0.5
Bżar	1
Brungiel	0.5
Okra	
Oħrajn	0.02(*)
(b) Kukurbiti — tal-qoxra li tittiekel	0.5
Hjar	
Gherkins	
Qarabali	
Oħrajn	
(c) Kukurbiti — tal-qoxra li ma tittikilx	0.2
Bettieh	
Squashes	
Dulliegh	
Oħrajn	
(d) Qamhirrum helu	0.02(*)
(iv) <b>HXEJJEX BRASSIKA</b>	
(a) Brassika li tagħmel il-fjuri	0.02(*)
Brokkli (inkluza l-Calabrese)	
Pastard	

Oħrajn	
(b) Brassika bir-ras	
Brussels sprouts	
Kaboċċa tar-ras	0.05
Oħrajn	0.02(*)
(ċ) Brassika bil-weraq	0.2
Kaboċċa taċ-Ċina	
Kale	
Oħrajn	
(d) Ġidra	0.02(*)
(v) <b>HXEJJEX LI L-WERAQ TAGHHOM JITTIEKEL U HAXIX AROMATIKU FRISK</b>	
(a) Hass u simili	2
Krexxuni	
Hass tal-haruf	
Hass	
Scarole (endive tal-werqa)	
Rukola	
Weraq u zkuk tal-brassika, inklużi l-weraq tat-turnip	
Oħrajn	
(b) Spinaċi u simili	0.02(*)
Spinaċi	
Weraq tal-pitravi (chard)	
Oħrajn	
(ċ) Krexxuni ta' l-ilma	0.02(*)
(d) Witloof	0.02(*)
(e) Haxix aromatiku	1
Maxxita	
Il-kurrat selvaġġ	
Tursin	
Weraq tal-karfus	
Oħrajn	
(vi) <b>HXEJJEX (LEGUMI) (friski)</b>	1
Fażola (bl-imżiewed)	
Fażola (mingħajr imżiewed)	
Pizelli (bl-imżiewed)	
Pizelli (mingħajr imżiewed)	
Oħrajn	
(vii) <b>HXEJJEX FORMA TA' ZOKK (friski)</b>	0.02(*)
Asparagu	
Kardun	
Karfus	
Bużbież	
Qaqoċċ	
Kurrat	

Rabarbru	
Oħrajn	
(viii) <b>FAQQIEGH</b>	0.02(*)
(a) Faqqiegh ikkoltivat	
(b) Faqqiegh selvaġġ	
<b>3. Żrieragh immnixxin</b>	0.02(*)
Fażola	
Għads	
Pizelli	
Lupini	
Oħrajn	
<b>4. Żjut taz-żrieragh</b>	
Żrieragh tal-kittien	
Karawett	
Żerriegħa tal-peprin	
Ġulġlien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	
Żerriegħa tas-sojja	
Żerriegħa tal-mustarda	
Żerriegħa tal-qoton	0.05
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa hamra	(mit-19/12/2007)
Oħrajn	0.02(*)
<b>5. Patata</b>	0.02(*)
Patata bikrija	
Varjazzjonijiet ta' patata	
<b>6. Te (weraq immnixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinensis</i>)</b>	0.1(*)
<b>7. Hops (imnixxef) inklużi prirkuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	15
(*)Tindika l-limitu minimu tad-determinazzjoni analitika.'’.	

## SKEDA O

## Regolament 3(14)

## “PYRACLOSTROBIN

Kolonna 1  Pyraclostrobin	Kolonna 2  MRL (mg/kg)
<b>1. Frott frisk, innixxef jew nej, ippriservat fil-friza, minghajr zokkor miżjud; ġwież</b>	
<b>(i) FROTT TAĊ-ĊITRU</b>	1(p)
Grejpfrut	
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi oħra)	
Laring	
Pomelos	
Oħrajn	
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	
Lewż	
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arznu	
Pistaċċi	1(p)
Ġewż	
Oħrajn	0.02(*) (p)
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	0.3(p)
Tuffieh	
Langas	
Sfargel	

Oħrajn	
(iv) <b>FROTT TA' L-GHADMA</b>	
Berquq	0.2(p)
Ċirasa	0.3(p)(mill-15/06/2008)
Hawħ (inkluż in-nuċiprisk u ibridi simili)	0.2(p)
Għanbaqar	0.1(p)
Oħrajn	0.02(*) (p)
(v) <b>BERRIES U FROTT ŻĠHIR</b>	
(a) Għeneb tal-mejda u ta' l-inbid	
Għeneb tal-mejda	1(p)
Għeneb ta' l-inbid	2(p)
(b) Frawli (ħlief dak selvaġġ)	0.5(p)
(c) Frott tal-qasab (ħlief dak selvaġġ)	(mill-15/06/2008)
Tut	1(p)(mill-15/06/2008)
<i>Dewberries</i>	
<i>Loganberries</i>	
Ċawsli	1(p)(mill-15/06/2008)
Oħrajn	0.02(*) (p)
(d) Frott u berries żgħar ohra (ħlief dak selvaġġ)	(mill-15/06/2008)
<i>Bilberries</i>	
<i>Cranberries</i>	
Passolina (ħamra, sewda u bajda)	2(p)(mill-15/06/2008)
<i>Gooseberries</i>	
Oħrajn	0.5(p)(mill-15/06/2008)
(e) <i>Berries</i> u frott selvaġġ	0.02(*) (p)
(vi) <b>MIXXELLANJA</b>	
Avokado	
Banana	
Tamal	
Tin	
Kiwi	
Kumquats	
Litchis	
Mango	0.05(p)
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	
Papaja	0.05(p)
<i>Passion fruit</i>	
Ananas	
Rummien	
Oħrajn	0.02(*) (p)
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew innixxin</b>	
(i) <b>HXEJJEX FIL-FORMA TA' TUBERI JEW GHERUQ</b>	

Pitrava zokkrija	
Zunnarija	0.1(p)
Cassava	
Krafes	
Horseradish	0.3(p)
Artiçokks	
Zunnarija bajda	0.3(p)
Tursin ta' l-gheruq	0.1(p)(mill-15/06/2008)
Ravanell	
Sassefrika	0.1(p)(mill-15/06/2008)
Patata ħelwa	
Swedes	
Turnips	
Jam	
Oħrajn	0.02(*) (p)
<b>(ii) HXEJJEX F'SURA TA' BASAL</b>	
Tewm	0.2(p)
Basal	0.2(p)
Shallots	0.2(p)
Spring onions	
Oħrajn	0.02(p)
<b>(iii) HXEJJEX LI HUMA L-FROTTA TAL-PJANTA</b>	
<b>(a) Solanacea</b>	
Tadam	0.2(p)
Bżar	0.5(p)
Brunġiel	0.2(p)
Okra	
Oħrajn	0.02(*) (p)
<b>(b) Kukurbiti — tal-qoxra li tittiekel</b>	0.02(*) (p)
Hjar	
Gherkins	
Qarabali	
Oħrajn	
<b>(c) Kukurbiti — tal-qoxra li ma tittikilx</b>	0.02(*) (p)
Bettieħ	
Squashes	
Dullieġħ	
Oħrajn	
<b>(d) Qamħirrum ħelu</b>	0.02(*) (p)
<b>(iv) HXEJJEX BRASSIKA</b>	
<b>(a) Brassika li taġġmel il-fjuri</b>	0.1(p)
Brokkli (inkluża l-Calabrese)	
Pastard	
Oħrajn	

(b) Brassika bir-ras	
Brussels sprouts	0.2(p)
Kaboċċa tar-ras	0.2(p)
Oħrajn	0.02(*) (p)
(ċ) Brassika bil-weraq	0.02(*) (p)
Kaboċċa taċ-Ċina	
Kale	
Oħrajn	
(d) Ġidra	0.02(*) (p)
(v) <b>HXEJJEX LI L-WERAQ TAGHHOM JITTIEKEL U HAXIX AROMATIKU FRISK</b>	
(a) Ħass u simili	
Krexxuni	
Ħass tal-ħaruf	10(p)(mill-15/06/2008)
Ħass	
Scarole (endive tal-werqa)	
Rukola	
Weraq u zkuk tal-brassika, inklużi l-weraq tat-turnip	
Oħrajn	2(p)(mill-15/06/2008)
(b) Spinaci u simili	0.02(*) (p)
Spinaci	
Weraq tal-pitravi (chard)	
Oħrajn	
(ċ) Krexxuni ta' l-ilma	0.02(*) (p)
(d) Witloof	0.02(*) (p)
(e) Haxix aromatiku	2(p)
Maxxita	
Il-kurrat selvaġġ	
Tursin	
Weraq tal-karful	
Oħrajn	
(vi) <b>HXEJJEX (LEGUMI) (friski)</b>	0.02(*) (p)
Fażola (bl-imżiewed)	
Fażola (mingħajr imżiewed)	
Pizelli (bl-imżiewed)	
Pizelli (mingħajr imżiewed)	
Oħrajn	
(vii) <b>HXEJJEX FORMA TA' ZOKK (friski)</b>	
Asparagu	
Kardun	
Karful	
Bużbież	
Qaqoċċ	
Kurrat	0.5(p)
Rabarbru	

Oħrajn	0.02(*) (p)
(viii) <b>FAQQIEGH</b>	0.02(*) (p)
(a) Faqqiegh ikkoltivat	
(b) Faqqiegh selvaġġ	
<b>3. Żrieragh innixxfin</b>	0.3(p)
Fażola	
Għads	
Pizelli	
Lupini	
Oħrajn	
<b>4. Żjut taż-żrieragh</b>	0.02(*) (p)
Żrieragh tal-kittien	
Karawett	
Żerriegħa tal-peprin	
Ġulġlien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	
Żerriegħa tas-sojja	
Żerriegħa tal-mustarda	
Żerriegħa tal-qoton	
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa ħamra	(mit-19/12/2007)
Oħrajn	
<b>5. Patata</b>	0.02(*) (p)
Patata bikrija	
Varjazzjonijiet ta' patata	
<b>6. Te (weraq innixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinensis</i>)</b>	0.05(*) (p)
<b>7. Hops (innixxef) inklużi pritkuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	10(p)

(\*)Tindika l-limitu minimu tad-determinazzjoni analitika.

(p) Tindika li l-livell massimu ta' residwu jkun ġie stabbilit proviżorjament skond l-Artikolu 4(1)(f) tad-Direttiva 91/414/KEE.''

## SKEDA P

## Regolament 3(15)

## “THIACLOPRID

Kolonna 1	Kolonna 2
Thiacloprid	MRL (mg/kg)
<b>1. Frott frisk, imnixxef jew nej, ippriservat fil-friza, minghajr zokkor miżjud; ġwież</b>	
<b>(i) FROTT TAĊ-ĊITRU</b>	0.02(*) (p)
Grejpfrut	
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi oħra)	
Laring	
Pomelos	
Oħrajn	
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	0.02(*) (p)
Lewż	
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arznu	
Pistaċċi	
Ġewż	
Oħrajn	
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	0.3(p)
Tuffieħ	
Langas	

Sfargel	
Oħrajn	
<b>(iv) FROTT TA' L-GHADMA</b>	
Berquq	0.3(p)(mill-15/06/2008)
Ċirasa	0.3(p)(mill-15/06/2008)
Hawħ (inkluż in-nuċiprisk u ibridi simili)	0.3(p)(mill-15/06/2008)
Għanbaqar	0.1(p)
Oħrajn	0.02(*) (p)
<b>(v) BERRIES U FROTT ŻGHIR</b>	
(a) Għeneb tal-mejda u ta' l-inbid	0.02(*) (p)
Għeneb tal-mejda	
Għeneb ta' l-inbid	
(b) Frawli (ħlief dak selvaġġ)	0.5(p)(mill-15/06/2008)
(c) Frott tal-qasab (ħlief dak selvaġġ)	1(p)
Tut	
<i>Dewberries</i>	
<i>Loganberries</i>	
Ċawsli	
Oħrajn	
(d) Frott u berries żgħar ohra (ħlief dak selvaġġ)	1(p)
<i>Bilberries</i>	
<i>Cranberries</i>	
Passolina (ħamra, sewda u bajda)	
<i>Gooseberries</i>	
Oħrajn	
(e) <i>Berries</i> u frott selvaġġ	0.02(*) (p)
<b>(vi) MIXXELLANJA</b>	(mill-15/06/2008)
Avokado	
Banana	
Tamal	
Tin	
Kiwi	
Kumquats	
Litchis	
Mango	
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	
Papaja	0.5(p)(mill-15/06/2008)
<i>Passion fruit</i>	
Ananas	
Rummien	
Oħrajn	0.02(*) (p)(mill-15/06/2008)
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew innixxin</b>	
<b>(i) HXEJJEX FIL-FORMA TA' TUBERI JEW</b>	0.02(*) (p)

<b>GHERUQ</b>	
Pitrava zokkrija	
Zunnarija	
Cassava	
Krafes	
Horseradish	
Artiċokks	
Zunnarija bajda	
Tursin ta' l-għeruq	
Ravanell	
Sassefrika	
Patata helwa	
Swedes	
Turnips	
Jam	
Oħrajn	
(ii) <b>HXEJJEX F'SURA TA' BASAL</b>	0.02(*) (p)
Tewm	
Basal	
Shallots	
Spring onions	
Oħrajn	
(iii) <b>HXEJJEX LI HUMA L-FROTTA TAL-PJANTA</b>	
(a) Solanacea	
Tadam	0.5(p)
Bżar	1(p)
Brungiel	0.5(p)
Okra	
Oħrajn	0.02(*) (p)
(b) Kukurbiti — tal-qoxra li tittiekel	0.3(p)
Hjar	
Gherkins	
Qarabali	
Oħrajn	
(c) Kukurbiti — tal-qoxra li ma tittikilx	
Bettieh	0.2(p)
Squashes	
Dulliegh	0.2(p)
Oħrajn	0.02(*) (p)
(d) Qamhirrum helu	0.02(*) (p)
(iv) <b>HXEJJEX BRASSIKA</b>	(mill-15/06/2008)
(a) Brassika li tagħmel il-fjuri	0.02(*) (p) (mill-15/06/2008)
Brokkli (inkluza l-Calabrese)	
Pastard	

Oħrajn	
(b) Brassika bir-ras	0.02(*) (p) (mill-15/06/2008)
Brussels sprouts	
Kaboċċa tar-ras	
Oħrajn	
(ċ) Brassika bil-weraq	0.02(*) (mill-15/06/2008)
Kaboċċa taċ-Ċina	
Kale	
Oħrajn	
(d) Ġidra	0.02(*) (p) (mill-15/06/2008)
(v) <b>HXEJJEK LI L-WERAQ TAGHHOM JITTIEKEL U HAXIX AROMATIKU FRISK</b>	
(a) Hass u simili	2(p) (mill-15/06/2008)
Krexxuni	
Hass tal-haruf	
Hass	
Scarole (endive tal-werqa)	
Rukola	
Weraq u zkuk tal-brassika, inklużi l-weraq tat-turnip	
Oħrajn	
(b) Spinaċi u simili	0.02(*) (p)
Spinaċi	
Weraq tal-pitravi (chard)	
Oħrajn	
(ċ) Krexxuni ta' l-ilma	0.02(*) (p)
(d) Witloof	0.02(*) (p)
(e) Haxix aromatiku	3(p)
Maxxita	
Il-kurrat selvaġġ	
Tursin	
Weraq tal-karfus	
Oħrajn	
(vi) <b>HXEJJEK (LEGUMI) (friski)</b>	
Fażola (bl-imżiewed)	1(p)
Fażola (mingħajr imżiewed)	
Pizelli (bl-imżiewed)	
Pizelli (mingħajr imżiewed)	
Oħrajn	0.02(*) (p)
(vii) <b>HXEJJEK FORMA TA' ZOKK (friski)</b>	0.02(*) (p)
Asparagu	
Kardun	
Karfus	
Bużbież	
Qaqoċċ	
Kurrat	

Rabarbru	
Oħrajn	
<b>(viii) FAQQIEGH</b>	0.02(*) (p)
(a) Faqqiegh ikkoltivat	
(b) Faqqiegh selvaġġ	
<b>3. Żrieragh immnixxin</b>	0.02(*) (p)
Fażola	
Għads	
Pizelli	
Lupini	
Oħrajn	
<b>4. Żjut taz-żrieragh</b>	
Żrieragh tal-kittien	
Karawett	
Żerriegħa tal-peprin	
Ġulġlien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	0.3(p)(mill-15/06/2008)
Żerriegħa tas-sojja	
Żerriegħa tal-mustarda	0.2(p)(mill-15/06/2008)
Żerriegħa tal-qoton	
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa hamra	(mit-19/12/2007)
Oħrajn	0.05(*) (p)
<b>5. Patata</b>	0.02(*) (p)
Patata bikrija	
Varjazzjonijiet ta' patata	
<b>6. Te (weraq immnixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinensis</i>)</b>	0.05(*) (p)
<b>7. Hops (imnixxef) inklużi pritikuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	0.05(*) (p)

(\*)Tindika l-limitu minimu tad-determinazzjoni analitika.

(p) Tindika li l-livell massimu ta' residwu jkun ġie stabbilit provizorjament skond l-Artikolu 4(1)(f) tad-Direttiva 91/414/KEE.''.

## SKEDA Q

## Regolament 3(16)

## “TRIFLOXYSTROBIN

Kolonna 1  Trifloxystrobin	Kolonna 2  MRL (mg/kg)
<b>1. Frott frisk, imnixxef jew nej, ippriservat fil-friza, minghajr zokkor miżjud; ġwież</b>	
<b>(i) FROTT TAĊ-ĊITRU</b>	0.3(p)
Grejpfrut	
Lumi	
Lajm	
Mandolin (inklużi l-klementini u ibridi oħra)	
Laring	
Pomelos	
Oħrajn	
<b>(ii) ĠWIEŻ TAS-SIĠAR (TREE NUTS) (bil-qoxra jew minghajrha)</b>	0.02(*) (p)
Lewż	
Ġewż tal-Brazil	
Ġewż ta' l-anakardju	
Qastan	
Ġewż ta' l-Indi	
Ġellewż	
Makadamja	
Ġewż tal-Pekan	
Ġwież ta' l-arznu	
Pistaċċi	
Ġewż	
Oħrajn	
<b>(iii) FROTT TAŻ-ŻERRIEGHA (POME FRUIT)</b>	0.5(p)

Tuffieħ	
Langas	
Sfargel	
Oħrajn	
<b>(iv) FROTT TA' L-GHADMA</b>	
Berquq	1(p)
Ċirasa	1(p)
Hawħ (inkluż in-nuċiprisk u ibridi simili)	1(p)
Għanbaqar	0.2(p)
Oħrajn	0.02(*) (p)
<b>(v) BERRIES U FROTT ŻGHIR</b>	
(a) Għeneb tal-mejda u ta' l-inbid	5(p)
Għeneb tal-mejda	
Għeneb ta' l-inbid	
(b) Frawli (ħlief dak selvaġġ)	0.5(p)(mill-15/06/2008)
(c) Frott tal-qasab (ħlief dak selvaġġ)	0.02(*) (p)
Tut	
<i>Dewberries</i>	
<i>Loganberries</i>	
Ċawsli	
Oħrajn	
(d) Frott u berries żgħar oħra (ħlief dak selvaġġ)	
<i>Bilberries</i>	
<i>Cranberries</i>	
Passolina (ħamra, sewda u bajda)	1(p)
<i>Gooseberries</i>	1(p)
Oħrajn	0.02(*) (p)
(e) <i>Berries</i> u frott selvaġġ	0.02(*) (p)
<b>(vi) MIXXELLANJA</b>	
Avokado	
Banana	0.05(p)
Tamal	
Tin	
Kiwi	
Kumquats	
Litchis	
Mango	0.5(p)(mill-15/06/2008)
Żebbuġ (konsum domestiku)	
Żebbuġ (estrazzjoni taż-żejt)	
Papaja	1(p)(mill-15/06/2008)
<i>Passion fruit</i>	
Ananas	
Rummien	
Oħrajn	0.02(*) (p)
<b>2. Hxejjex friski jew mhux imsajrin, iffriżati jew</b>	

<b>imnixxin</b>	
<b>(i) HXEJEX FIL-FORMA TA' TUBERI JEW GHERUQ</b>	(mill-15/06/2008)
Pitrava zokkrija	
Zunnarija	0.05(p)(mill-15/06/2008)
Cassava	
Krafes	
Horseradish	
Articokks	
Zunnarija bajda	
Tursin ta' l-gheruq	
Ravanell	
Sassefrika	
Patata helwa	
Swedes	
Turnips	
Jam	
Oħrajn	0.02(*) (p)(mill-15/06/2008)
<b>(ii) HXEJEX F'SURA TA' BASAL</b>	0.02(*) (p)
Tewm	
Basal	
Shallots	
Spring onions	
Oħrajn	
<b>(iii) HXEJEX LI HUMA L-FROTTA TAL-PJANTA</b>	
<b>(a) Solanacea</b>	
Tadam	0.5(p)
Bżar	0.3(p)(mill-15/06/2008)
Brungiel	
Okra	
Oħrajn	0.02(*) (p)
<b>(b) Kukurbiti — tal-qoxra li tittiekkel</b>	0.2(p)
Hjar	
Gherkins	
Qarabali	
Oħrajn	
<b>(c) Kukurbiti — tal-qoxra li ma tittikilx</b>	
Bettieh	0.3(p)
Squashes	
Dulliegh	0.2(mill-15/06/2008)
Oħrajn	0.02(*) (p)
<b>(d) Qamhirrum helu</b>	0.02(*) (p)
<b>(iv) HXEJEX BRASSIKA</b>	(mill-15/06/2008)
<b>(a) Brassika li tagħmel il-fjuri</b>	

Brokkli (inkluża l-Calabrese)	0.05(p)(mill-15/06/2008)
Pastard	0.05(p)(mill-15/06/2008)
Oħrajn	0.02(*) (p)(mill-15/06/2008)
(b) Brassika bir-ras	0.2(p)(mill-15/06/2008)
Brussels sprouts	
Kaboċċa tar-ras	
Oħrajn	
(ċ) Brassika bil-weraq	0.02(*) (p)(mill-15/06/2008)
Kaboċċa taċ-Ċina	
Kale	
Oħrajn	
(d) Ġidra	0.02(*) (p)(mill-15/06/2008)
(v) <b>HXEJJEX LI L-WERAQ TAGHHOM JITTIEKEL U HAXIX AROMATIKU FRISK</b>	0.02(*) (p)
(a) Ħass u simili	
Krexxuni	
Ħass tal-ħaruf	
Ħass	
Scarole (endive tal-werqa)	
Rukola	
Weraq u zkuk tal-brassika, inkluži l-weraq tat-turnip	
Oħrajn	
(b) Spinaċi u simili	
Spinaċi	
Weraq tal-pitravi (chard)	
Oħrajn	
(ċ) Krexxuni ta' l-ilma	
(d) Witloof	
(e) Haxix aromatiku	
Maxxita	
Il-kurrat selvaġġ	
Tursin	
Weraq tal-karful	
Oħrajn	
(vi) <b>HXEJJEX (LEGUMI) (friski)</b>	
Fażola (bl-imżiewed)	0.5(p)
Fażola (mingħajr imżiewed)	
Pizelli (bl-imżiewed)	
Pizelli (mingħajr imżiewed)	
Oħrajn	0.02(*) (p)
(vii) <b>HXEJJEX FORMA TA' ZOKK (friski)</b>	(mill-15/06/2008)
Asparagu	
Kardun	
Karful	
Bużbież	

Qaqoċċ	
Kurrat	0.2(p)(mill-15/06/2008)
Rabarbru	
Oħrajn	0.02(*) (p)(mill-15/06/2008)
<b>(viii) FAQQIEGH</b>	0.02(*) (p)
(a) Faqqiegh ikkoltivat	
(b) Faqqiegh selvaġġ	
<b>3. Żrieragh innixxfin</b>	0.02(*) (p)
Fażola	
Għads	
Pizelli	
Lupini	
Oħrajn	
<b>4. Żjut taz-żrieragh</b>	0.05(*) (p)
Żrieragh tal-kittien	
Karawett	
Żerriegħa tal-peprin	
Ġulglien	
Żerriegħa tal-ġirasol	
Żerriegħa tal-lift	
Żerriegħa tas-sojja	
Żerriegħa tal-mustarda	
Żerriegħa tal-qoton	
Żerriegħa tal-qaneb	
Żerriegħa tal-qargħa hamra	(mit-19/12/2007)
Oħrajn	
<b>5. Patata</b>	0.02(*) (p)
Patata bikrija	
Varjazzjonijiet ta' patata	
<b>6. Te (weraq innixxef u zkuk iffermentati jew mod ieħor, <i>Camellia sinensis</i>)</b>	0.05(*) (p)
<b>7. Hops (innixxef) inklużi pritikuni tal-hops u hops fil-forma ta' trab mhux ikkonċentrat</b>	30(p)

(\*)Tindika l-limitu minimu tad-determinazzjoni analitika.

(p) Tindika li l-livell massimu ta' residwu jkun ġie stabbilit proviżorjament skond l-Artikolu 4(1)(f) tad-Direttiva 91/414/KEE.''.

L.N. 185 of 2008

**PESTICIDES CONTROL ACT**  
(CAP. 430)

**Maximum Residue Levels of Pesticides in Produce of Plant Origin (Amendment) (No. 2) Regulations, 2008**

IN exercise of the powers conferred by articles 4 and 5 of the Pesticides Control Act, the Minister for Resources and Rural Affairs, in consultation with the Prime Minister and the Minister for Social Policy, has made the following regulations:-

**1.** (1) The title of these regulations is the Maximum Residue of Pesticides in Produce of Plant Origin (Amendment)(No. 2) Regulations, 2008 and they shall be read and construed as one with Maximum Residue Levels of Pesticides in Produce of Plant Origin Regulations, 2004, hereinafter referred to as “the principal regulations”.

Title and scope.  
L.N. 199 of 2004.

(2) The scope of these regulations is to transpose Commission Directives 2007/56/EC of 17 September 2007 amending certain Annexes to Council Directives 86/362/EEC, 86/363/EEC and 90/642/EEC as regards maximum residue levels for azoxystrobin, chlorothalonil, deltamethrin, hexachlorobenzene, ioxynil, oxamyl and quinoxifen and 2007/73/EC of 13 December 2007 amending certain Annexes to Council Directives 86/362/EEC and 90/642/EEC as regards maximum residue levels for acetamiprid, atrazine, deltamethrin, imazalil, indoxacarb, pendimethalin, pymetrozine, pyraclostrobin, thiacloprid and trifloxystrobin.

**2.** Schedule I to the principal regulations shall be substituted by Schedule I in Schedule A to these regulations.

Substitutes  
Schedule I to the  
principal  
regulations.

**3.** Schedule II to the principal regulations shall be amended as follows:-

Amends Schedule II  
to the principal  
regulations.

(1) the column for *azoxystrobin* shall be substituted by Schedule B to these regulations;

(2) immediately after the column ‘Chloromequat’, there shall be added thereto the column for *chlorothalonil* as laid down in Schedule C to these regulations;

(3) immediately after the column 'Glyphosate' there shall be added thereto the column for *hexachlorobenzene* as laid down in Schedule D to these regulations;

(4) immediately after the column 'Indoxacarb' there shall be added thereto the column for *ioxynil* as laid down in Schedule E of these regulations;

(5) the column for *oxamyl* shall be substituted by Schedule F to these regulations;

(6) immediately after column 'Pyrimethanil' there shall be added thereto the column for *quinoxifen* in Schedule G to these regulations;

(7) the section for *Atrazine* shall be substituted by Schedule H to these regulations;

(8) the section for *Acetamiprid* shall be substituted by Schedule I to these regulations;

(9) the section for *Deltamethrin* shall be substituted by Schedule J to these regulations;

(10) immediately after the column *hexythiazox* there shall be added thereto the column for *Imazalil* as laid down in Schedule K to these regulations;

(11) the section for *Indoxacarb* shall be substituted by Schedule L to these regulations;

(12) the section for *Pendimethalin* shall be substituted by Schedule M to these regulations;

(13) the section for *Pymetrozine* shall be substituted by Schedule N to these regulations;

(14) the section for *Pyraclostrobin* shall be substituted by Schedule O to these regulations;

(15) the section for *Thiacloprid* shall be substituted by Schedule P to these regulations;

(16) the section for *Trifloxystrobin* shall be substituted by Schedule Q to these regulations.

**Schedule A****(Regulation 2)****“SCHEDULE I****(Regulation 2)**

List of Produce and the part of Produce to which Maximum Residue Levels apply

Groups of products	Products included in the groups	Part of product to which maximum residue levels apply
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts		
(i) CITRUS FRUIT	Grapefruit	Whole product
	Lemons	
	Limes	
	Mandarins (including clementines and similar hybrids)	
	Oranges	
	Pomelos	
(ii) TREE NUTS (SHELLED or UNSHELLED)	Almonds	Whole product after removal of shell
	Brazil nuts	
	Cashew nuts	
	Chestnuts	
	Coconuts	
	Hazelnuts	
	Macadamia nuts	
	Pecans	
	Pine nuts	
	Pistachios	
	Walnuts	
	(iii) POME FRUIT	
Pears		
Quinces		

(iv) STONE FRUIT	Apricots	Whole product after removal of stems
	Cherries	
	Peaches (including nectarines and similar hybrids)	
	Plums	
(v) BERRIES AND SMALL FRUIT	(a) <i>Table and wine grapes</i>	Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems
	(b) <i>Strawberries</i> (other than wild)	
	(c) <i>Cane fruit</i> (other than wild): Blackberries Loganberries Raspberries	
	(d) <i>Other small fruit and berries</i> (other than wild): Bilberries Cranberries Currants (red, black and white) Gooseberries	
	(e) <i>Wild berries and wild fruit</i>	
(vi) MISCELLANEOUS FRUIT	Avocados	Whole fruit after removal of stems (if any) and in the case of pineapple after remove of the crown
	Bananas	
	Dates	
	Figs	
	Kiwi Fruit	
	Kumquats	
	Litchis	
	Mangoes	
	Olives	Whole fruit after removal of stems (if any) after removal of soil (if any) by rinsing in running water
	Papaya	Whole fruit after removal of stems (if any) and in the case of pineapple after remove of the crown
	Passion fruit	
	Pineapples	
Pomegranates		
2. Vegetables, fresh or uncooked, frozen or dry		
(i) ROOT AND TUBER VEGETABLES	Beetroot	Whole product after removal of tops and adhering soil (if any)
	Carrots	
	Cassava	

	Celeriac	(removal of soil by rinsing in running water or by gentle brushing of the fry product)
	Horseradish	
	Jerusalem artichokes	
	Parsnips	
	Parsley root	
	Radishes	
	Salsify	
	Sweet potatoes	
	Swedes	
	Turnips	
	Yams	
(ii) BULB VEGETABLES	Garlic	Onions (dry), shallots (dry), garlic (dry): whole product after removal of easily detachable skin and soil (if any). Onions, shallots and garlic other than dry, spring onions: whole product after removal of roots and soil (if any)
	Onions	
	Shallots	
	Spring onions	
(iii) FRUITING VEGETABLES	(a) <i>Solanacea</i> Tomatoes Peppers	Whole product after removal of stems
	(b) <i>Cucurbitis – edible peel</i> Cucumbers Gherkins Courgettes	
	(c) <i>Cucurbitis – inedible peel</i> Melons Squashes Watermelons	
	(d) <i>Sweet corn</i>	Kernels or cobs without husks
(iv) BRASSICA VEGETABLES	(a) Flowering brassicas Broccoli Cauliflower	Curd only
	(b) Head brassicas Brussels sprouts Head cabbage	Product after removal of decayed leaves
	(c) Leafy brassicas Chinese cabbage Kale	
	(d) Kohlrabi	Whole product after removal of tops and adhering soil (if

		any)(removal of soil by rinsing in running water or by gentle brushing of the dry product)
(v) LEAF VEGETABLES AND FRESH HERBS	(a) Lettuce and similar Cress Lamb's lettuce Lettuce Broad-leaf endive	Whole product after removal of decayed outer leaves, root and soil (if any)
	(b) Spinach and similar Beet leaves (chard)	
	(c) Watercress	
	(d) Witloof	
	(e) Herbs Chervil Chives Parsley	
(vi) LEGUME VEGETABLES (FRESH)	Beans	Whole product after removal of pods or with pods if they are intended to be eaten
	Peas	
(vii) STEM VEGETABLES	Asparagus	Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any)
	Cardoons	
	Celery	
	Fennel	
	Globe artichokes	
	Leeks	
(viii) FUNGI	Mushrooms (other than wild)	Whole product after removal of soil or growing medium
	Wild mushrooms	
3. Pulses		
	Beans	Whole product
	Lentils	
	Peas	
4. Oil seeds		
	Hemp seed	Whole seed or kernel after removal of shell or husk, when possible
	Linseed	
	Peanuts	
	Poppy seed	
	Pumpkin seed	

	Sesame seed	
	Sunflower seed	Whole seed including shell, when present, and whole seed without shell, when shell is absent
	Colza seed	Whole seed or kernel after removal of shell or husk, when possible
	Soya bean	
5. Potatoes		
	Early and ware potatoes	Whole product after removal of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )		
		Whole product
7. Hops (dried), including hop pellets and unconcentrated powder		
		Whole product
8. Spices		
	Cumin seed	Whole product''.
	Juniper berries	
	Nutmeg	
	Pepper, black and white	
	Vanilla pods	
	Others	

### Schedule B

#### Regulation 3(1)

**“AZOXYSTROBIN**

Column 1  Azoxystrobin	Column 2  MRL (mg/kg)
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts</b>	
<b>(i) CITRUS FRUIT</b>	1
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
<b>(ii) TREE NUTS (shelled or unshelled)</b>	0.1 (*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
<b>(iii) POME FRUIT</b>	0.05 (*)
Apples	
Pears	
Quinces	
Others	
<b>(iv) STONE FRUIT</b>	0.05 (*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
<b>(v) BERRIES AND SMALL FRUIT</b>	

(a) Table and wine grapes	2
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	2
(c) Cane fruit (other than wild)	
Blackberries	3
Dewberries	
Loganberries	
Raspberries	3
Others	0.05 (*)
(d) Other small fruit and berries (other than wild)	0.05 (*)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0.05 (*)
(vi) <b>MISCELLANEOUS</b>	
Avocados	
Bananas	2
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	0.2
Olives (table consumption)	
Olives (oil extraction)	
Papaya	0.2
Passion fruit	
Pineapples	
Pomegranate	
Others	0.05 (*)
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	
(i) <b>ROOT AND TUBER VEGETABLES</b>	
Beetroot	
Carrots	0.2
Cassava	
Celeriac	0.3
Horseradish	0.2
Jerusalem artichokes	
Parsnips	0.2
Parsley root	0.2
Radishes	0.2
Salsify	0.2

Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0.05 (*)
<b>(ii) BULB VEGETABLES</b>	
Garlic	
Onions	
Shallots	
Spring onions	2
Others	0.05 (*)
<b>(iii) FRUITING VEGETABLES</b>	
<b>(a) Solanacea</b>	2
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
<b>(b) Cucurbits — edible peel</b>	1
Cucumbers	
Gherkins	
Courgettes	
Others	
<b>(c) Cucurbits — inedible peel</b>	0.5
Melons	
Squashes	
Watermelons	
Others	
<b>(d) Sweet corn</b>	0.05 (*)
<b>(iv) BRASSICA VEGETABLES</b>	
<b>(a) Flowering brassica</b>	0.5
Broccoli (including Calabrese)	
Cauliflower	
Others	
<b>(b) Head brassica</b>	0.3
Brussels sprouts	
Head cabbage	
Others	
<b>(c) Leafy brassica</b>	5
Chinese cabbage	
Kale	
Others	
<b>(d) Kohlrabi</b>	0.2
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>	
<b>(a) Lettuce and similar</b>	3

Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica, including turnip greens	
Others	
(b) Spinach and similar	0.05 (*)
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	0.05 (*)
(d) Witloof	0.2
(e) Herbs	3
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) <b>LEGUME VEGETABLES(fresh)</b>	
Beans (with pods)	1
Beans (without pods)	0.2
Peas (with pods)	0.5
Peas (without pods)	0.2
Others	0.05 (*)
(vii) <b>STEM VEGETABLES (fresh)</b>	
Asparagus	
Cardoons	
Celery	5
Fennel	5(applied from 19/12/2007)
Globe artichokes	1
Leeks	2
Rhubarb	
Others	0.05 (*)
(viii) <b>FUNGI</b>	0.05 (*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
<b>3. Pulses</b>	0.1
Beans	
Lentils	
Peas	
Lupines	
Others	
<b>4. Oilseeds</b>	
Linseed	

Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rapeseed	0.5
Soya bean	0.5
Mustard seed	
Cotton seed	
Hemp seed	
Pumpkin seed	(applied from 19/12/07)
Others	0.05 (*)
<b>5. Potatoes</b>	0.05 (*)
Early potatoes	
Ware potatoes	
<b>6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)</b>	0.1 (*)
<b>7. Hops (dried), including hop pellets and unconcentrated powder</b>	20

(\*) Indicates lower limit of analytical determination.’’.

### Schedule C

#### Regulation 3(2)

#### “CHLOROTHALONIL

Column 1	Column 2
Chlorothalonil	MRL (mg/kg) (applied from 19/12/07)
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts</b>	
<b>(i) CITRUS FRUIT</b>	0.01 (*)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
<b>(ii) TREE NUTS (shelled or unshelled)</b>	0.01 (*)
Almonds	

Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
<b>(iii) POME FRUIT</b>	1
Apples	
Pears	
Quinces	
Others	
<b>(iv) STONE FRUIT</b>	
Apricots	1
Cherries	
Peaches (including nectarines and similar hybrids)	1
Plums	
Others	0.01 (*)
<b>(v) BERRIES AND SMALL FRUIT</b>	
<b>(a) Table and wine grapes</b>	
Table grapes	1
Wine grapes	3
<b>(b) Strawberries (other than wild)</b>	3
<b>(c) Cane fruit (other than wild)</b>	0.01 (*)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
<b>(d) Other small fruit and berries (other than wild)</b>	
Bilberries	
Cranberries	2
Currants (red, black and white)	10
Gooseberries	10
Others	0.01 (*)
<b>(e) Wild berries and wild fruit</b>	0.01 (*)
<b>(vi) MISCELLANEOUS</b>	
Avocados	
Bananas	0.2
Dates	
Figs	

Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	20
Passion fruit	
Pineapples	
Pomegranate	
Others	0.01 (*)
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	
<b>(i) ROOT AND TUBER VEGETABLES</b>	
Beetroot	
Carrots	1
Cassava	
Celeriac	1
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0.01 (*)
<b>(ii) BULB VEGETABLES</b>	
Garlic	0.5
Onions	0.5
Shallots	0.5
Spring onions	5
Others	0.01 (*)
<b>(iii) FRUITING VEGETABLES</b>	
<b>(a) Solanacea</b>	2
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
<b>(b) Cucurbits — edible peel</b>	
Cucumbers	1
Gherkins	5
Courgettes	

Others	0.01 (*)
(c) Cucurbits — inedible peel	1
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0.01 (*)
<b>(iv) BRASSICA VEGETABLES</b>	
(a) Flowering brassica	3
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	3
Head cabbage	3
Others	0.01 (*)
(c) Leafy brassica	0.01 (*)
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0.01 (*)
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>	
(a) Lettuce and similar	0.01 (*)
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica, including turnip greens	
Others	
(b) Spinach and similar	0.01 (*)
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	0.01 (*)
(d) Witloof	0.01 (*)
(e) Herbs	5
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
<b>(vi) LEGUME VEGETABLES(fresh)</b>	
Beans (with pods)	5
Beans (without pods)	2

Peas (with pods)	2
Peas (without pods)	0.3
Others	0.01 (*)
<b>(vii) STEM VEGETABLES (fresh)</b>	
Asparagus	
Cardoons	
Celery	10
Fennel	
Globe artichokes	
Leeks	10
Rhubarb	
Others	0.01 (*)
<b>(viii) FUNGI</b>	
(a) Cultivated mushrooms	2
(b) Wild mushrooms	0.01 (*)
<b>3. Pulses</b>	0.01 (*)
Beans	
Lentils	
Peas	
Lupines	
Others	
<b>4. Oilseeds</b>	
Linseed	
Peanuts	0.05
Poppy seed	
Sesame seed	
Sunflower seed	
Rapeseed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Pumpkin seed	(applied from 19/12/07)
Others	0.01 (*)
<b>5. Potatoes</b>	0.01 (*)
Early potatoes	
Ware potatoes	
<b>6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)</b>	0.1 (*)
<b>7. Hops (dried), including hop pellets and unconcentrated powder</b>	50

(\*) Indicates lower limit of analytical determination.’’.

## Schedule D

## Regulation 3(3)

## “HEXACHLOROBENZENE

Column 1  Hexachlorobenzene	Column 2  MRL (mg/kg) (applied from 19/12/07)
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts</b>	0.01 (*)
<b>(i) CITRUS FRUIT</b>	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
<b>(ii) TREE NUTS (shelled or unshelled)</b>	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
<b>(iii) POME FRUIT</b>	
Apples	
Pears	
Quinces	
Others	
<b>(iv) STONE FRUIT</b>	
Apricots	

Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
<b>(v) BERRIES AND SMALL FRUIT</b>	
<b>(a) Table and wine grapes</b>	
Table grapes	
Wine grapes	
<b>(b) Strawberries (other than wild)</b>	
<b>(c) Cane fruit (other than wild)</b>	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
<b>(d) Other small fruit and berries (other than wild)</b>	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
<b>(e) Wild berries and wild fruit</b>	
<b>(vi) MISCELLANEOUS</b>	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	0.01 (*)
<b>(i) ROOT AND TUBER VEGETABLES</b>	
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	

Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
<b>(ii) BULB VEGETABLES</b>	
Garlic	
Onions	
Shallots	
Spring onions	
Others	
<b>(iii) FRUITING VEGETABLES</b>	
<b>(a) Solanacea</b>	
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
<b>(b) Cucurbits — edible peel</b>	
Cucumbers	
Gherkins	
Courgettes	
Others	
<b>(c) Cucurbits — inedible peel</b>	
Melons	
Squashes	
Watermelons	
Others	
<b>(d) Sweet corn</b>	
<b>(iv) BRASSICA VEGETABLES</b>	
<b>(a) Flowering brassica</b>	
Broccoli (including Calabrese)	
Cauliflower	
Others	
<b>(b) Head brassica</b>	
Brussels sprouts	
Head cabbage	
Others	
<b>(c) Leafy brassica</b>	
Chinese cabbage	

Kale	
Others	
(d) Kohlrabi	
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica, including turnip greens	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
<b>(vi) LEGUME VEGETABLES(fresh)</b>	
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
<b>(vii) STEM VEGETABLES (fresh)</b>	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leeks	
Rhubarb	
Others	
<b>(viii) FUNGI</b>	
(a) Cultivated mushrooms	
(b) Wild mushrooms	
<b>3. Pulses</b>	0.01 (*)
Beans	
Lentils	

Peas	
Lupines	
Others	
<b>4. Oilseeds</b>	
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rapeseed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Pumpkin seed	0.05(applied from 19/12/07)
Others	0.02 (*)
<b>5. Potatoes</b>	0.01
Early potatoes	
Ware potatoes	
<b>6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)</b>	0.02 (*)
<b>7. Hops (dried), including hop pellets and unconcentrated powder</b>	0.02 (*)

(\*) Indicates lower limit of analytical determination.”.

### Schedule E

#### Regulation 3(4)

#### “IOXYNIL including its esters expressed as IOXYNIL

Column 1	Column 2
Ioxynil including its esters expressed as Ioxynil	MRl (mg/kg) (applied from 19/12/07)
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts</b>	0.05 (*) (p)
<b>(i) CITRUS FRUIT</b>	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	

Oranges	
Pomelos	
Others	
<b>(ii) TREE NUTS (shelled or unshelled)</b>	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
<b>(iii) POME FRUIT</b>	
Apples	
Pears	
Quinces	
Others	
<b>(iv) STONE FRUIT</b>	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
<b>(v) BERRIES AND SMALL FRUIT</b>	
<b>(a) Table and wine grapes</b>	
Table grapes	
Wine grapes	
<b>(b) Strawberries (other than wild)</b>	
<b>(c) Cane fruit (other than wild)</b>	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
<b>(d) Other small fruit and berries (other than wild)</b>	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
<b>(e) Wild berries and wild fruit</b>	

(vi) <b>MISCELLANEOUS</b>	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	
<b>(i) ROOT AND TUBER VEGETABLES</b>	
Beetroot	
Carrots	0.2 (p)
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	0.2 (p)
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0.05 (*) (p)
<b>(ii) BULB VEGETABLES</b>	
Garlic	0.2 (p)
Onions	0.2 (p)
Shallots	0.2 (p)
Spring onions	3 (p)
Others	0.05 (*) (p)
<b>(iii) FRUITING VEGETABLES</b>	0.05 (*) (p)
<b>(a) Solanacea</b>	
Tomatoes	
Peppers	
Aubergines	
Okra	

Others	
(b) Cucurbits — edible peel	
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits — inedible peel	
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	
(iv) <b>BRASSICA VEGETABLES</b>	0.05 (*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) <b>LEAF VEGETABLES AND FRESH HERBS</b>	0.05 (*) (p)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica, including turnip greens	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	

Celery leaves	
Others	
<b>(vi) LEGUME VEGETABLES(fresh)</b>	0.05 (*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
<b>(vii) STEM VEGETABLES (fresh)</b>	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leeks	3 (p)
Rhubarb	
Others	0.05 (*) (p)
<b>(viii) FUNGI</b>	0.05 (*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
<b>3. Pulses</b>	0.05 (*) (p)
Beans	
Lentils	
Peas	
Lupines	
Others	
<b>4. Oilseeds</b>	0.1 (*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rapeseed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Pumpkin seed	(applied from 19/12/07)
Others	
<b>5. Potatoes</b>	0.05 (*) (p)
Early potatoes	
Ware potatoes	
<b>6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)</b>	0.1 (*) (p)
<b>7. Hops (dried), including hop pellets and</b>	0.1 (*) (p)

**unconcentrated powder**

(\*) Indicates lower limit of analytical determination.

(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.’’.

**Schedule F****Regulation 3(5)****“OXAMYL**

Column 1	Column 2
Oxamyl	MRL (mg/kg)
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts</b>	
<b>(i) CITRUS FRUIT</b>	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	0.02 (*) (p)
Oranges	
Pomelos	
Others	0.01 (*) (p)
<b>(ii) TREE NUTS (shelled or unshelled)</b>	0.01 (*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
<b>(iii) POME FRUIT</b>	0.01 (*) (p)
Apples	

Pears	
Quinces	
Others	
(iv) <b>STONE FRUIT</b>	0.01 (*) (p)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
(v) <b>BERRIES AND SMALL FRUIT</b>	0.01 (*) (p)
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) <b>MISCELLANEOUS</b>	0.01 (*) (p)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	
(i) <b>ROOT AND TUBER VEGETABLES</b>	0.01 (*) (p)

Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
<b>(ii) BULB VEGETABLES</b>	0.01 (*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
<b>(iii) FRUITING VEGETABLES</b>	
<b>(a) Solanacea</b>	
Tomatoes	0.02 (p)
Peppers	0.02 (p)
Aubergines	0.02 (p)
Okra	
Others	0.01 (*) (p)
<b>(b) Cucurbits — edible peel</b>	
Cucumbers	0.02 (p)
Gherkins	0.02 (p)
Courgettes	0.03 (p)
Others	0.01 (*) (p)
<b>(c) Cucurbits — inedible peel</b>	0.01 (*) (p)
Melons	
Squashes	
Watermelons	
Others	
<b>(d) Sweet corn</b>	0.01 (*) (p)
<b>(iv) BRASSICA VEGETABLES</b>	0.01 (*) (p)
<b>(a) Flowering brassica</b>	
Broccoli (including Calabrese)	
Cauliflower	
Others	
<b>(b) Head brassica</b>	

Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>	0.01 (*) (p)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica, including turnip greens	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
<b>(vi) LEGUME VEGETABLES(fresh)</b>	0.01 (*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
<b>(vii) STEM VEGETABLES (fresh)</b>	0.01 (*) (p)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leeks	
Rhubarb	
Others	
<b>(viii) FUNGI</b>	0.01 (*) (p)

(a) Cultivated mushrooms	
(b) Wild mushrooms	
<b>3. Pulses</b>	0.01 (*) (p)
Beans	
Lentils	
Peas	
Lupines	
Others	
<b>4. Oilseeds</b>	0.02 (*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rapeseed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Pumpkin seed	(applied from 19/12/07)
Others	
<b>5. Potatoes</b>	0.01 (*) (p)
Early potatoes	
Ware potatoes	
<b>6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)</b>	0.02 (*) (p)
<b>7. Hops (dried), including hop pellets and unconcentrated powder</b>	0.02 (*) (p)

(\*) Indicates lower limit of analytical determination.

(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.’’.

## Schedule G

### Regulation 3(6)

“QUINOXYFEN

Column 1  Quinoxyfen	Column 2  MRL (mg/kg) (applied from 19/12/07)
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts</b>	
<b>(i) CITRUS FRUIT</b>	0.02 (*) (p)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
<b>(ii) TREE NUTS (shelled or unshelled)</b>	0.02 (*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
<b>(iii) POME FRUIT</b>	
Apples	0.05 (p)
Pears	
Quinces	
Others	0.02 (*) (p)
<b>(iv) STONE FRUIT</b>	
Apricots	0.05 (p)
Cherries	0.3 (p)
Peaches (including nectarines and similar hybrids)	0.05 (p)
Plums	
Others	0.02 (*) (p)
<b>(v) BERRIES AND SMALL FRUIT</b>	
<b>(a) Table and wine grapes</b>	1 (p)
Table grapes	
Wine grapes	

(b) Strawberries (other than wild)	0.3 (p)
(c) Cane fruit (other than wild)	0.02 (*) (p)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	2 (p)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	0.02 (*) (p)
(vi) <b>MISCELLANEOUS</b>	0.02 (*) (p)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	
(i) <b>ROOT AND TUBER VEGETABLES</b>	0.02 (*) (p)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	

Yam	
Others	
<b>(ii) BULB VEGETABLES</b>	0.02 (*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
<b>(iii) FRUITING VEGETABLES</b>	
<b>(a) Solanacea</b>	0.02 (*) (p)
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
<b>(b) Cucurbits — edible peel</b>	0.02 (*) (p)
Cucumbers	
Gherkins	
Courgettes	
Others	
<b>(c) Cucurbits — inedible peel</b>	0.05 (p)
Melons	
Squashes	
Watermelons	
Others	
<b>(d) Sweet corn</b>	0.02 (*) (p)
<b>(iv) BRASSICA VEGETABLES</b>	0.02 (*) (p)
<b>(a) Flowering brassica</b>	
Broccoli (including Calabrese)	
Cauliflower	
Others	
<b>(b) Head brassica</b>	
Brussels sprouts	
Head cabbage	
Others	
<b>(c) Leafy brassica</b>	
Chinese cabbage	
Kale	
Others	
<b>(d) Kohlrabi</b>	
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>	0.02 (*) (p)
<b>(a) Lettuce and similar</b>	
Cress	
Lamb's lettuce	
Lettuce	

Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica, including turnip greens	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) <b>LEGUME VEGETABLES(fresh)</b>	0.02 (*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) <b>STEM VEGETABLES (fresh)</b>	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	0.3 (p)
Leeks	
Rhubarb	
Others	0.02 (*) (p)
(viii) <b>FUNGI</b>	0.02 (*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
<b>3. Pulses</b>	0.02 (*) (p)
Beans	
Lentils	
Peas	
Lupines	
Others	
<b>4. Oilseeds</b>	0.05 (*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	

Sunflower seed	
Rapeseed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Pumpkin seed	(applied from 19/12/07)
Others	
<b>5. Potatoes</b>	0.02 (*)
Early potatoes	
Ware potatoes	
<b>6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)</b>	0.05 (*) (p)
<b>7. Hops (dried), including hop pellets and unconcentrated powder</b>	0.5 (p)

(\*) Indicates lower limit of analytical determination.  
(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.”.

### Schedule H

#### Regulation 3(7)

#### “ATRAZINE

Column 1	Column 2
Atrazine	MRL (mg/kg)
CEREALS	0.1(t) (applied from 19/12/07)
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts</b>	0.05(*)
<b>(i) CITRUS FRUIT</b>	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	

Oranges	
Pomelos	
Others	
<b>(ii) TREE NUTS (shelled or unshelled)</b>	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
<b>(iii) POME FRUIT</b>	
Apples	
Pears	
Quinces	
Others	
<b>(iv) STONE FRUIT</b>	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
<b>(v) BERRIES AND SMALL FRUIT</b>	
<b>(a) Table and wine grapes</b>	
Table grapes	
Wine grapes	
<b>(b) Strawberries (other than wild)</b>	
<b>(c) Cane fruit (other than wild)</b>	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
<b>(d) Other small fruit and berries (other than wild)</b>	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
<b>(e) Wild berries and wild fruit</b>	

(vi) <b>MISCELLANEOUS</b>	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	
<b>(i) ROOT AND TUBER VEGETABLES</b>	0.05(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
<b>(ii) BULB VEGETABLES</b>	0.05(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
<b>(iii) FRUITING VEGETABLES</b>	
<b>(a) Solanacea</b>	0.05(*)
Tomatoes	
Peppers	
Aubergines	
Okra	

Others	
(b) Cucurbits — edible peel	0.05(*)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits — inedible peel	0.05(*)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0.1
(iv) <b>BRASSICA VEGETABLES</b>	0.05(*)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
(v) <b>LEAF VEGETABLES AND FRESH HERBS</b>	0.05(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica, including turnip greens	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	

Celery leaves	
Others	
<b>(vi) LEGUME VEGETABLES(fresh)</b>	0.05(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
<b>(vii) STEM VEGETABLES (fresh)</b>	0.05(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leeks	
Rhubarb	
Others	
<b>(viii) FUNGI</b>	0.05(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
<b>3. Pulses</b>	0.05(*)
Beans	
Lentils	
Peas	
Lupines	
Others	0.05(*)
<b>4. Oilseeds</b>	
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rapeseed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Pumpkin seed	applied from 19/12/07
Others	
<b>5. Potatoes</b>	0.05(*)
Early potatoes	
Ware potatoes	
<b>6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)</b>	0.1(*)
<b>7. Hops (dried), including hop pellets and</b>	0.1(*)

**unconcentrated powder**

(t) Temporary MRLs valid until 1 June 2009, pending submission of residue data by the applicant

(\* ) Indicates lower limit of analytical determination.’’.

**SCHEDULE I****Regulation 3(8)****“ACETAMIPRID**

Column 1  Acetamiprid	Column 2  MRL (mg/kg)
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts</b>	
<b>(i) CITRUS FRUIT</b>	1(p)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
<b>(ii) TREE NUTS (shelled or unshelled)</b>	0.01(*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	

Others	
(iii) <b>POME FRUIT</b>	1(p) (applied from 15/06/2008)
Apples	
Pears	
Quinces	
Others	
(iv) <b>STONE FRUIT</b>	
Apricots	0.1 (p)
Cherries	0.2(p)
Peaches (including nectarines and similar hybrids)	0.1(p)
Plums	0.02(*) (p) (applied from 15/06/2008)
Others	0.01(*) (p)
(v) <b>BERRIES AND SMALL FRUIT</b>	0.01(*) (p)
(a) Table and wine grapes	
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) <b>MISCELLANEOUS</b>	0.01(*) (p)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	

Pineapples	
Pomegranate	
Others	
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	
<b>(i) ROOT AND TUBER VEGETABLES</b>	0.01(*) (p)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
<b>(ii) BULB VEGETABLES</b>	0.01(*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
<b>(iii) FRUITING VEGETABLES</b>	
<b>(a) Solanacea</b>	
Tomatoes	0.1 (p)
Peppers	0.3 (p)
Aubergines	0.1 (p)
Okra	
Others	0.01(*) (p) (applied from 15/06/2008)
<b>(b) Cucurbits — edible peel</b>	0.3 (p) (applied from 15/06/2008)
Cucumbers	
Gherkins	
Courgettes	
Others	
<b>(c) Cucurbits — inedible peel</b>	0.01(*) (p) (applied from 15/06/2008)
Melons	
Squashes	
Watermelons	

Others	
(d) Sweet corn	0.01(*) (p)
<b>(iv) BRASSICA VEGETABLES</b>	0.01(*) (p)
(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	5(p)
Lettuce	5(p)
Scarole (broad-leaf endive)	5(p)(applied from 15/06/2008)
Ruccola	
Leaves and stems of brassica, including turnip greens	
Others	0.01(*) (p)
(b) Spinach and similar	0.01(*) (p)
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	0.01(*) (p)
(d) Witloof	0.01(*) (p)
(e) Herbs	(applied from 15/06/2008)
Chervil	
Chives	
Parsley	5(p)(applied from 15/06/2008)
Celery leaves	
Others	0.01(*) (p)(applied from 15/06/2008)
<b>(vi) LEGUME VEGETABLES(fresh)</b>	0.01(*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	

Others	
(vii) <b>STEM VEGETABLES (fresh)</b>	0.01(*) (p)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leeks	
Rhubarb	
Others	
(viii) <b>FUNGI</b>	0.01(*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
<b>3. Pulses</b>	0.01(*) (p)
Beans	
Lentils	
Peas	
Lupines	
Others	
<b>4. Oilseeds</b>	
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rapeseed	
Soya bean	
Mustard seed	
Cotton seed	0.02 (p)
Hemp seed	
Pumpkin seed	(applied from 19/12/2007)
Others	0.01(*) (p)
<b>5. Potatoes</b>	0.01(*) (p)
Early potatoes	
Ware potatoes	
<b>6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)</b>	0.1(*) (p)
<b>7. Hops (dried), including hop pellets and unconcentrated powder</b>	0.1(*) (p)

(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1) (f) of Directive 91/414/EEC'.

(\*) Indicates lower limit of analytical determination.'.

**SCHEDULE J****Regulation 3(9)****“DELTAMETHRIN**

Column 1  Deltamethrin (cis-deltamethrin)(a)	Column 2  MRL (mg/kg)
CEREALS	2
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts</b>	
<b>(i) CITRUS FRUIT</b>	0.05(*)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
<b>(ii) TREE NUTS (shelled or unshelled)</b>	0.05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
<b>(iii) POME FRUIT</b>	
Apples	0.2
Pears	

Quinces	
Others	0.1
<b>(iv) STONE FRUIT</b>	
Apricots	
Cherries	0.2
Peaches (including nectarines and similar hybrids)	
Plums	
Others	0.1
<b>(v) BERRIES AND SMALL FRUIT</b>	
<b>(a) Table and wine grapes</b>	0.2
Table grapes	
Wine grapes	
<b>(b) Strawberries (other than wild)</b>	0.2
<b>(c) Cane fruit (other than wild)</b>	
Blackberries	0.5
Dewberries	
Loganberries	
Raspberries	0.5
Others	0.05(*)
<b>(d) Other small fruit and berries (other than wild)</b>	
Bilberries	
Cranberries	
Currants (red, black and white)	0.5
Gooseberries	0.2
Others	0.05(*)
<b>(e) Wild berries and wild fruit</b>	0.05(*)
<b>(vi) MISCELLANEOUS</b>	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	0.2
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	1
Olives (oil extraction)	1
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	0.05(*)
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	
<b>(i) ROOT AND TUBER VEGETABLES</b>	0.05(*)
Beetroot	

Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
<b>(ii) BULB VEGETABLES</b>	
Garlic	0.1
Onions	0.1
Shallots	0.1
Spring onions	0.1
Others	0.05(*)
<b>(iii) FRUITING VEGETABLES</b>	
<b>(a) Solanacea</b>	
Tomatoes	0.3
Peppers	
Aubergines	0.3
Okra	0.3
Others	0.2
<b>(b) Cucurbits — edible peel</b>	0.2
Cucumbers	
Gherkins	
Courgettes	
Others	
<b>(c) Cucurbits — inedible peel</b>	0.2
Melons	
Squashes	
Watermelons	
Others	
<b>(d) Sweet corn</b>	0.05(*)
<b>(iv) BRASSICA VEGETABLES</b>	
<b>(a) Flowering brassica</b>	0.1
Broccoli (including Calabrese)	
Cauliflower	
Others	
<b>(b) Head brassica</b>	0.1
Brussels sprouts	

Head cabbage	
Others	
(c) Leafy brassica	0.5
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0.05(*)
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>	
(a) Lettuce and similar	0.5
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica, including turnip greens	
Others	
(b) Spinach and similar	0.5
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	0.05(*)
(d) Witloof	0.05(*)
(e) Herbs	0.5
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
<b>(vi) LEGUME VEGETABLES(fresh)</b>	0.2
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
<b>(vii) STEM VEGETABLES (fresh)</b>	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	0.1
Leeks	0.2
Rhubarb	
Others	0.05(*)
<b>(viii) FUNGI</b>	0.05
(a) Cultivated mushrooms	

(b) Wild mushrooms	
<b>3. Pulses</b>	1
Beans	
Lentils	
Peas	
Lupines	
Others	
<b>4. Oilseeds</b>	
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rapeseed	0.1
Soya bean	
Mustard seed	0.1
Cotton seed	
Hemp seed	
Pumpkin seed	(applied from 19/12/2007)
Others	0.05(*)
<b>5. Potatoes</b>	0.05(*)
Early potatoes	
Ware potatoes	
<b>6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)</b>	5
<b>7. Hops (dried), including hop pellets and unconcentrated powder</b>	5

(\*) Indicates the lower limit of analytical determination

(a) Temporary MRLs valid until 1 November 2008, pending review of the Annex III dossier under Directive 91/414/EEC and re-registration of deltamethrin formulations at Member State level.’’.

## SCHEDULE K

Regulation 3(10)

“IMAZALIL

Column 1  Imazalil	Column 2  MRL (mg/kg)(applied from 15/09/2008)
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts</b>	0.05(*)
<b>(i) CITRUS FRUIT</b>	5
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
<b>(ii) TREE NUTS (shelled or unshelled)</b>	0.05(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
<b>(iii) POME FRUIT</b>	2
Apples	
Pears	
Quinces	
Others	
<b>(iv) STONE FRUIT</b>	0.05(*)
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
<b>(v) BERRIES AND SMALL FRUIT</b>	0.05(*)
<b>(a) Table and wine grapes</b>	
Table grapes	
Wine grapes	

(b) Strawberries (other than wild)	
(c) Cane fruit (other than wild)	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
(e) Wild berries and wild fruit	
(vi) <b>MISCELLANEOUS</b>	
Avocados	
Bananas	2
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	0.05(*)
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	
(i) <b>ROOT AND TUBER VEGETABLES</b>	0.05(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	

Yam	
Others	
<b>(ii) BULB VEGETABLES</b>	0.05(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
<b>(iii) FRUITING VEGETABLES</b>	
<b>(a) Solanacea</b>	
Tomatoes	0.5
Peppers	
Aubergines	
Okra	
Others	0.05(*)
<b>(b) Cucurbits — edible peel</b>	0.2
Cucumbers	
Gherkins	
Courgettes	
Others	
<b>(c) Cucurbits — inedible peel</b>	
Melons	2
Squashes	
Watermelons	
Others	0.05(*)
<b>(d) Sweet corn</b>	0.05(*)
<b>(iv) BRASSICA VEGETABLES</b>	0.05(*)
<b>(a) Flowering brassica</b>	
Broccoli (including Calabrese)	
Cauliflower	
Others	
<b>(b) Head brassica</b>	
Brussels sprouts	
Head cabbage	
Others	
<b>(c) Leafy brassica</b>	
Chinese cabbage	
Kale	
Others	
<b>(d) Kohlrabi</b>	
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>	0.05(*)
<b>(a) Lettuce and similar</b>	
Cress	
Lamb's lettuce	
Lettuce	

Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica, including turnip greens	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) <b>LEGUME VEGETABLES(fresh)</b>	0.05(*)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) <b>STEM VEGETABLES (fresh)</b>	0.05(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leeks	
Rhubarb	
Others	
(viii) <b>FUNGI</b>	0.05(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
<b>3. Pulses</b>	0.05(*)
Beans	
Lentils	
Peas	
Lupines	
Others	
<b>4. Oilseeds</b>	0.05(*)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	

Sunflower seed	
Rapeseed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Pumpkin seed	(applied from 19/12/07)
Others	
<b>5. Potatoes</b>	3
Early potatoes	
Ware potatoes	
<b>6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)</b>	0.1(*)
<b>7. Hops (dried), including hop pellets and unconcentrated powder</b>	0.1(*)
(*) Indicates the lower limit of analytical determination.”.	

### SCHEDULE L

#### Regulation 3(11)

#### “INDOXACARB

Column 1	Column 2
Indoxacarb as a sum of the isomers S and R	MRL (mg/kg)
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts</b>	
<b>(i) CITRUS FRUIT</b>	0.02(*) (p)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
<b>(ii) TREE NUTS (shelled or unshelled)</b>	0.05(p)

Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
<b>(iii) POME FRUIT</b>	
Apples	0.5(p)
Pears	
Quinces	
Others	0.3(p)
<b>(iv) STONE FRUIT</b>	
Apricots	0.3(p)
Cherries	
Peaches (including nectarines and similar hybrids)	0.3(p)
Plums	
Others	0.02(*) (p)
<b>(v) BERRIES AND SMALL FRUIT</b>	
(a) Table and wine grapes	2(p)
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0.02(*) (p)
(c) Cane fruit (other than wild)	0.02(*) (p)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	1(p)
Gooseberries	1(p)
Others	0.02(*) (p)
(e) Wild berries and wild fruit	0.02(*) (p)
<b>(vi) MISCELLANEOUS</b>	(applied from 15/06/2008)
Avocados	
Bananas	0.2(p)(applied from 15/06/2008)

Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	0.02(*) (p) (applied from 15/06/2008)
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	
<b>(i) ROOT AND TUBER VEGETABLES</b>	(applied from 15/06/2008)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	0.2 (p) (applied from 15/06/2008)
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0.02(*) (p) (applied from 15/06/2008)
<b>(ii) BULB VEGETABLES</b>	0.02(*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
<b>(iii) FRUITING VEGETABLES</b>	
<b>(a) Solanacea</b>	
Tomatoes	0.5 (p)
Peppers	0.3 (p)
Aubergines	0.5 (p)
Okra	

Others	0.02(*) (p)
(b) Cucurbits — edible peel	0.2(p)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits — inedible peel	0.1(p)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0.02(*) (p)
<b>(iv) BRASSICA VEGETABLES</b>	
(a) Flowering brassica	0.3(p)
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	3(p)
Others	0.02(*) (p) (applied from 15/06/2008)
(c) Leafy brassica	
Chinese cabbage	0.2(p)
Kale	0.2(p)
Others	0.02(*) (p)
(d) Kohlrabi	0.02(*) (p)
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	1(p) (applied from 15/06/2008)
Lettuce	2(p)
Scarole (broad-leaf endive)	2(p)
Rucola	
Leaves and stems of brassica, including turnip greens	
Others	0.02(*) (p)
(b) Spinach and similar	(applied from 15/06/2008)
Spinach	2 (applied from 15/06/2008)
Beet leaves (chard)	
Others	0.02(*) (p) (applied from 15/06/2008)
(c) Water cress	0.02(*) (p)
(d) Witloof	0.02(*) (p)
(e) Herbs	2(p)

Chervil	
Chives	
Parsley	
Celery leaves	
Others	
<b>(vi) LEGUME VEGETABLES(fresh)</b>	0.02(*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
<b>(vii) STEM VEGETABLES (fresh)</b>	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	0.1(p)
Leeks	
Rhubarb	
Others	0.02(*) (p)
<b>(viii) FUNGI</b>	0.02(*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
<b>3. Pulses</b>	0.02(*) (p)
Beans	
Lentils	
Peas	
Lupines	
Others	
<b>4. Oilseeds</b>	
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rapeseed	
Soya bean	0.5(p)
Mustard seed	
Cotton seed	
Hemp seed	
Pumpkin seed	(applied from 19/12/2007)
Others	0.05(*) (p)
<b>5. Potatoes</b>	0.02(*) (p)
Early potatoes	
Ware potatoes	

6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.05(*)
7. Hops (dried), including hop pellets and unconcentrated powder	0.05(*)

(\*) Indicates the lower limit of analytical determination

(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC’.

### SCHEDULE M

#### Regulation 3(12)

#### “PENDIMETHALIN

Column 1	Column 2
Pendimethalin	MRL (mg/kg)(applied from 15/06/2008)
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts	0.05(*)
(i) CITRUS FRUIT	
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
(ii) TREE NUTS (shelled or unshelled)	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	

Pistachios	
Walnuts	
Others	
<b>(iii) POME FRUIT</b>	
Apples	
Pears	
Quinces	
Others	
<b>(iv) STONE FRUIT</b>	
Apricots	
Cherries	
Peaches (including nectarines and similar hybrids)	
Plums	
Others	
<b>(v) BERRIES AND SMALL FRUIT</b>	
<b>(a) Table and wine grapes</b>	
Table grapes	
Wine grapes	
<b>(b) Strawberries (other than wild)</b>	
<b>(c) Cane fruit (other than wild)</b>	
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
<b>(d) Other small fruit and berries (other than wild)</b>	
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
<b>(e) Wild berries and wild fruit</b>	
<b>(vi) MISCELLANEOUS</b>	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	

Pineapples	
Pomegranate	
Others	
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	
<b>(i) ROOT AND TUBER VEGETABLES</b>	
Beetroot	
Carrots	0.2
Cassava	
Celeriac	0.1
Horseradish	0.2
Jerusalem artichokes	
Parsnips	0.2
Parsley root	0.2
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0.05(*)
<b>(ii) BULB VEGETABLES</b>	0.05(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
<b>(iii) FRUITING VEGETABLES</b>	0.05(*)
<b>(a) Solanacea</b>	
Tomatoes	
Peppers	
Aubergines	
Okra	
Others	
<b>(b) Cucurbits — edible peel</b>	
Cucumbers	
Gherkins	
Courgettes	
Others	
<b>(c) Cucurbits — inedible peel</b>	
Melons	
Squashes	
Watermelons	
Others	
<b>(d) Sweet corn</b>	
<b>(iv) BRASSICA VEGETABLES</b>	0.05(*)

(a) Flowering brassica	
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>	0.05(*)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica, including turnip greens	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
<b>(vi) LEGUME VEGETABLES(fresh)</b>	0.2
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
<b>(vii) STEM VEGETABLES (fresh)</b>	
Asparagus	
Cardoons	
Celery	0.1
Fennel	

Globe artichokes	
Leeks	
Rhubarb	
Others	0.05(*)
<b>(viii) FUNGI</b>	<b>0.05(*)</b>
(a) Cultivated mushrooms	
(b) Wild mushrooms	
<b>3. Pulses</b>	<b>0.2</b>
Beans	
Lentils	
Peas	
Lupines	
Others	
<b>4. Oilseeds</b>	<b>0.1(*)</b>
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rapeseed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Pumpkin seed	(applied from 19/12/2007)
Others	
<b>5. Potatoes</b>	<b>0.05(*)</b>
Early potatoes	
Ware potatoes	
<b>6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)</b>	<b>0.1(*)</b>
<b>7. Hops (dried), including hop pellets and unconcentrated powder</b>	<b>0.1(*)</b>

(\*) Indicates the lower limit of analytical determination’.

## SCHEDULE N

Regulation 3(13)

“PYMETROZINE

Column 1  Pymetrozine	Column 2  MRL (mg/kg)
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts</b>	
<b>(i) CITRUS FRUIT</b>	0.3
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
<b>(ii) TREE NUTS (shelled or unshelled)</b>	0.02(*)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
<b>(iii) POME FRUIT</b>	0.02(*)
Apples	
Pears	
Quinces	
Others	
<b>(iv) STONE FRUIT</b>	
Apricots	0.05
Cherries	
Peaches (including nectarines and similar hybrids)	0.05
Plums	
Others	0.02(*)
<b>(v) BERRIES AND SMALL FRUIT</b>	
<b>(a) Table and wine grapes</b>	0.02(*)
Table grapes	

Wine grapes	
(b) Strawberries (other than wild)	0.5
(c) Cane fruit (other than wild)	
Blackberries	3
Dewberries	
Loganberries	
Raspberries	3
Others	0.02(*)
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	0.5(applied from 15/06/2008)
Gooseberries	0.5(applied from 15/06/2008)
Others	0.02(*)
(e) Wild berries and wild fruit	0.02(*)
(vi) <b>MISCELLANEOUS</b>	0.02(*)
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	
Passion fruit	
Pineapples	
Pomegranate	
Others	
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	
(i) <b>ROOT AND TUBER VEGETABLES</b>	0.02(*)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	

Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
<b>(ii) BULB VEGETABLES</b>	0.02(*)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
<b>(iii) FRUITING VEGETABLES</b>	
<b>(a) Solanacea</b>	
Tomatoes	0.5
Peppers	1
Aubergines	0.5
Okra	
Others	0.02(*)
<b>(b) Cucurbits — edible peel</b>	0.5
Cucumbers	
Gherkins	
Courgettes	
Others	
<b>(c) Cucurbits — inedible peel</b>	0.2
Melons	
Squashes	
Watermelons	
Others	
<b>(d) Sweet corn</b>	0.02(*)
<b>(iv) BRASSICA VEGETABLES</b>	
<b>(a) Flowering brassica</b>	0.02(*)
Broccoli (including Calabrese)	
Cauliflower	
Others	
<b>(b) Head brassica</b>	
Brussels sprouts	
Head cabbage	0.05
Others	0.02(*)
<b>(c) Leafy brassica</b>	0.2
Chinese cabbage	
Kale	
Others	
<b>(d) Kohlrabi</b>	0.02(*)
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>	
<b>(a) Lettuce and similar</b>	2

Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica, including turnip greens	
Others	
(b) Spinach and similar	0.02(*)
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	0.02(*)
(d) Witloof	0.02(*)
(e) Herbs	1
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) <b>LEGUME VEGETABLES(fresh)</b>	1
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) <b>STEM VEGETABLES (fresh)</b>	0.02(*)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leeks	
Rhubarb	
Others	
(viii) <b>FUNGI</b>	0.02(*)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
<b>3. Pulses</b>	0.02(*)
Beans	
Lentils	
Peas	
Lupines	
Others	
<b>4. Oilseeds</b>	
Linseed	

Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rapeseed	
Soya bean	
Mustard seed	
Cotton seed	0.05
Hemp seed	
Pumpkin seed	(applied from 19/12/2007)
Others	0.02(*)
<b>5. Potatoes</b>	0.02(*)
Early potatoes	
Ware potatoes	
<b>6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)</b>	0.1(*)
<b>7. Hops (dried), including hop pellets and unconcentrated powder</b>	15

(\*) Indicates the lower limit of analytical determination’.

## SCHEDULE O

### Regulation 3(14)

### “PYRACLOSTROBIN

Column 1	Column 2
Pyraclostrobin	MRL (mg/kg)
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts</b>	
<b>(i) CITRUS FRUIT</b>	1(p)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	

Oranges	
Pomelos	
Others	
<b>(ii) TREE NUTS (shelled or unshelled)</b>	
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	1(p)
Walnuts	
Others	0.02(*) (p)
<b>(iii) POME FRUIT</b>	0.3(p)
Apples	
Pears	
Quinces	
Others	
<b>(iv) STONE FRUIT</b>	
Apricots	0.2(p)
Cherries	0.3(p)(applied from 15/06/2008)
Peaches (including nectarines and similar hybrids)	0.2(p)
Plums	0.1(p)
Others	0.02(*) (p)
<b>(v) BERRIES AND SMALL FRUIT</b>	
<b>(a) Table and wine grapes</b>	
Table grapes	1(p)
Wine grapes	2(p)
<b>(b) Strawberries (other than wild)</b>	0.5(p)
<b>(c) Cane fruit (other than wild)</b>	(applied from 15/06/2008)
Blackberries	1(p)(applied from 15/06/2008)
Dewberries	
Loganberries	
Raspberries	1(p)(applied from 15/06/2008)
Others	0.02(*) (p)
<b>(d) Other small fruit and berries (other than wild)</b>	(applied from 15/06/2008)
Bilberries	
Cranberries	
Currants (red, black and white)	2(p)(applied from

	15/06/2008)
Gooseberries	
Others	0.5(p)(applied from 15/06/2008)
(e) Wild berries and wild fruit	0.02(*) (p)
(vi) <b>MISCELLANEOUS</b>	
Avocados	
Bananas	
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	0.05(p)
Olives (table consumption)	
Olives (oil extraction)	
Papaya	0.05(p)
Passion fruit	
Pineapples	
Pomegranate	
Others	0.02(*) (p)
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	
<b>(i) ROOT AND TUBER VEGETABLES</b>	
Beetroot	
Carrots	0.1(p)
Cassava	
Celeriac	
Horseradish	0.3(p)
Jerusalem artichokes	
Parsnips	0.3(p)
Parsley root	0.1(p)(applied from 15/06/2008)
Radishes	
Salsify	0.1(p)(applied from 15/06/2008)
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0.02(*) (p)
<b>(ii) BULB VEGETABLES</b>	
Garlic	0.2(p)
Onions	0.2(p)
Shallots	0.2(p)
Spring onions	

Others	0.02(p)
<b>(iii) FRUITING VEGETABLES</b>	
(a) Solanacea	
Tomatoes	0.2(p)
Peppers	0.5(p)
Aubergines	0.2(p)
Okra	
Others	0.02(*) (p)
(b) Cucurbits — edible peel	0.02(*) (p)
Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits — inedible peel	0.02(*) (p)
Melons	
Squashes	
Watermelons	
Others	
(d) Sweet corn	0.02(*) (p)
<b>(iv) BRASSICA VEGETABLES</b>	
(a) Flowering brassica	0.1(p)
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	
Brussels sprouts	0.2(p)
Head cabbage	0.2(p)
Others	0.02(*) (p)
(c) Leafy brassica	0.02(*) (p)
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0.02(*) (p)
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>	
(a) Lettuce and similar	
Cress	
Lamb's lettuce	10(p)(applied from 15/06/2008)
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica, including turnip greens	
Others	2(p)(applied from 15/06/2008)
(b) Spinach and similar	0.02(*) (p)

Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	0.02(*) (p)
(d) Witloof	0.02(*) (p)
(e) Herbs	2(p)
Chervil	
Chives	
Parsley	
Celery leaves	
Others	
(vi) <b>LEGUME VEGETABLES(fresh)</b>	0.02(*) (p)
Beans (with pods)	
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	
(vii) <b>STEM VEGETABLES (fresh)</b>	
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leeks	0.5(p)
Rhubarb	
Others	0.02(*) (p)
(viii) <b>FUNGI</b>	0.02(*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
<b>3. Pulses</b>	0.3(p)
Beans	
Lentils	
Peas	
Lupines	
Others	
<b>4. Oilseeds</b>	0.02(*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rapeseed	
Soya bean	
Mustard seed	
Cotton seed	

Hemp seed	
Pumpkin seed	(applied from 19/12/2007)
Others	
<b>5. Potatoes</b>	0.02(*) (p)
Early potatoes	
Ware potatoes	
<b>6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)</b>	0.05(*) (p)
<b>7. Hops (dried), including hop pellets and unconcentrated powder</b>	10(p)

(\*) Indicates the lower limit of analytical determination.

(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.”

### SCHEDULE P

#### Regulation 3(15)

#### “THIACLOPRID

Column 1	Column 2
Thiacloprid	MRL (mg/kg)
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts</b>	
<b>(i) CITRUS FRUIT</b>	0.02(*) (p)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
<b>(ii) TREE NUTS (shelled or unshelled)</b>	0.02(*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	

Coconuts	
Hazelnuts	
Macadamia	
Pecans	
Pine nuts	
Pistachios	
Walnuts	
Others	
<b>(iii) POME FRUIT</b>	0.3(p)
Apples	
Pears	
Quinces	
Others	
<b>(iv) STONE FRUIT</b>	
Apricots	0.3(p)(applied from 15/06/2008)
Cherries	0.3(p)(applied from 15/06/2008)
Peaches (including nectarines and similar hybrids)	0.3(p)(applied from 15/06/2008)
Plums	0.1(p)
Others	0.02(*) (p)
<b>(v) BERRIES AND SMALL FRUIT</b>	
<b>(a) Table and wine grapes</b>	0.02(*) (p)
Table grapes	
Wine grapes	
<b>(b) Strawberries (other than wild)</b>	0.5(p)(applied from 15/06/2008)
<b>(c) Cane fruit (other than wild)</b>	1(p)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
<b>(d) Other small fruit and berries (other than wild)</b>	1(p)
Bilberries	
Cranberries	
Currants (red, black and white)	
Gooseberries	
Others	
<b>(e) Wild berries and wild fruit</b>	0.02(*) (p)
<b>(vi) MISCELLANEOUS</b>	(applied from 15/06/2008)
Avocados	
Bananas	
Dates	

Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	
Olives (table consumption)	
Olives (oil extraction)	
Papaya	0.5(p)(applied from 15/06/2008)
Passion fruit	
Pineapples	
Pomegranate	
Others	0.02(*) (p)(applied from 15/06/2008)
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	
<b>(i) ROOT AND TUBER VEGETABLES</b>	0.02(*) (p)
Beetroot	
Carrots	
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	
<b>(ii) BULB VEGETABLES</b>	0.02(*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
<b>(iii) FRUITING VEGETABLES</b>	
<b>(a) Solanacea</b>	
Tomatoes	0.5(p)
Peppers	1(p)
Aubergines	0.5(p)
Okra	
Others	0.02(*) (p)
<b>(b) Cucurbits — edible peel</b>	0.3(p)

Cucumbers	
Gherkins	
Courgettes	
Others	
(c) Cucurbits — inedible peel	
Melons	0.2(p)
Squashes	
Watermelons	0.2(p)
Others	0.02(*) (p)
(d) Sweet corn	0.02(*) (p)
<b>(iv) BRASSICA VEGETABLES</b>	(applied from 15/06/2008)
(a) Flowering brassica	0.02(*) (p) (applied from 15/06/2008)
Broccoli (including Calabrese)	
Cauliflower	
Others	
(b) Head brassica	0.02(*) (p) (applied from 15/06/2008)
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	0.02(*) (p) (applied from 15/06/2008)
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0.02(*) (p) (applied from 15/06/2008)
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>	
(a) Lettuce and similar	2(p) (applied from 15/06/2008)
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica, including turnip greens	
Others	
(b) Spinach and similar	0.02(*) (p)
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	0.02(*) (p)
(d) Witloof	0.02(*) (p)
(e) Herbs	3(p)

Chervil	
Chives	
Parsley	
Celery leaves	
Others	
<b>(vi) LEGUME VEGETABLES(fresh)</b>	
Beans (with pods)	1(p)
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	0.02(*) (p)
<b>(vii) STEM VEGETABLES (fresh)</b>	0.02(*) (p)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leeks	
Rhubarb	
Others	
<b>(viii) FUNGI</b>	0.02(*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
<b>3. Pulses</b>	0.02(*) (p)
Beans	
Lentils	
Peas	
Lupines	
Others	
<b>4. Oilseeds</b>	
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rapeseed	0.3(p)(applied from 15/06/2008)
Soya bean	
Mustard seed	0.2(p)(applied from 15/06/2008)
Cotton seed	
Hemp seed	
Pumpkin seed	(applied from 19/12/2007)
Others	0.05(*) (p)
<b>5. Potatoes</b>	0.02(*) (p)

Early potatoes	
Ware potatoes	
<b>6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)</b>	0.05(*) (p)
<b>7. Hops (dried), including hop pellets and unconcentrated powder</b>	0.05(*) (p)

(\*) Indicates the lower limit of analytical determination

(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.’’.

## SCHEDULE Q

### Regulation 3(16)

### “TRIFLOXYSTROBIN

Column 1	Column 2
Trifloxystrobin	MRL (mg/kg)
<b>1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar; nuts</b>	
<b>(i) CITRUS FRUIT</b>	0.3(p)
Grapefruit	
Lemons	
Limes	
Mandarins (including clementines and other hybrids)	
Oranges	
Pomelos	
Others	
<b>(ii) TREE NUTS (shelled or unshelled)</b>	0.02(*) (p)
Almonds	
Brazil nuts	
Cashew nuts	
Chestnuts	
Coconuts	
Hazelnuts	
Macadamia	
Pecans	

Pine nuts	
Pistachios	
Walnuts	
Others	
<b>(iii) POME FRUIT</b>	0.5(p)
Apples	
Pears	
Quinces	
Others	
<b>(iv) STONE FRUIT</b>	
Apricots	1(p)
Cherries	1(p)
Peaches (including nectarines and similar hybrids)	1(p)
Plums	0.2(p)
Others	0.02(*) (p)
<b>(v) BERRIES AND SMALL FRUIT</b>	
(a) Table and wine grapes	5(p)
Table grapes	
Wine grapes	
(b) Strawberries (other than wild)	0.5(p)(applied from 15/06/2008)
(c) Cane fruit (other than wild)	0.02(*) (p)
Blackberries	
Dewberries	
Loganberries	
Raspberries	
Others	
(d) Other small fruit and berries (other than wild)	
Bilberries	
Cranberries	
Currants (red, black and white)	1(p)
Gooseberries	1(p)
Others	0.02(*) (p)
(e) Wild berries and wild fruit	0.02(*) (p)
<b>(vi) MISCELLANEOUS</b>	
Avocados	
Bananas	0.05(p)
Dates	
Figs	
Kiwi	
Kumquats	
Litchis	
Mangoes	0.5(p)(applied from 15/06/2008)
Olives (table consumption)	

Olives (oil extraction)	
Papaya	1(p)(applied from 15/06/2008)
Passion fruit	
Pineapples	
Pomegranate	
Others	0.02(*) (p)
<b>2. Vegetables, fresh or uncooked, frozen or dry</b>	
<b>(i) ROOT AND TUBER VEGETABLES</b>	(applied from 15/06/2008)
Beetroot	
Carrots	0.05(p)(applied from 15/06/2008)
Cassava	
Celeriac	
Horseradish	
Jerusalem artichokes	
Parsnips	
Parsley root	
Radishes	
Salsify	
Sweet potatoes	
Swedes	
Turnips	
Yam	
Others	0.02(*) (p)(applied from 15/06/2008)
<b>(ii) BULB VEGETABLES</b>	0.02(*) (p)
Garlic	
Onions	
Shallots	
Spring onions	
Others	
<b>(iii) FRUITING VEGETABLES</b>	
<b>(a) Solanacea</b>	
Tomatoes	0.5(p)
Peppers	0.3(p)(applied from 15/06/2008)
Aubergines	
Okra	
Others	0.02(*) (p)
<b>(b) Cucurbits — edible peel</b>	0.2(p)
Cucumbers	
Gherkins	
Courgettes	
Others	

(c) Cucurbits — inedible peel	
Melons	0.3(p)
Squashes	
Watermelons	0.2(applied from 15/06/2008)
Others	0.02(*) (p)
(d) Sweet corn	0.02(*) (p)
<b>(iv) BRASSICA VEGETABLES</b>	(applied from 15/06/2008)
(a) Flowering brassica	
Broccoli (including Calabrese)	0.05(p)(applied from 15/06/2008)
Cauliflower	0.05(p)(applied from 15/06/2008)
Others	0.02(*) (p)(applied from 15/06/2008)
(b) Head brassica	0.2(p)(applied from 15/06/2008)
Brussels sprouts	
Head cabbage	
Others	
(c) Leafy brassica	0.02(*) (p)(applied from 15/06/2008)
Chinese cabbage	
Kale	
Others	
(d) Kohlrabi	0.02(*) (p)(applied from 15/06/2008)
<b>(v) LEAF VEGETABLES AND FRESH HERBS</b>	0.02(*) (p)
(a) Lettuce and similar	
Cress	
Lamb's lettuce	
Lettuce	
Scarole (broad-leaf endive)	
Ruccola	
Leaves and stems of brassica, including turnip greens	
Others	
(b) Spinach and similar	
Spinach	
Beet leaves (chard)	
Others	
(c) Water cress	
(d) Witloof	
(e) Herbs	
Chervil	
Chives	

Parsley	
Celery leaves	
Others	
<b>(vi) LEGUME VEGETABLES(fresh)</b>	
Beans (with pods)	0.5(p)
Beans (without pods)	
Peas (with pods)	
Peas (without pods)	
Others	0.02(*) (p)
<b>(vii) STEM VEGETABLES (fresh)</b>	(applied from 15/06/2008)
Asparagus	
Cardoons	
Celery	
Fennel	
Globe artichokes	
Leeks	0.2(p)(applied from 15/06/2008)
Rhubarb	
Others	0.02(*) (p)(applied from 15/06/2008)
<b>(viii) FUNGI</b>	0.02(*) (p)
(a) Cultivated mushrooms	
(b) Wild mushrooms	
<b>3. Pulses</b>	0.02(*) (p)
Beans	
Lentils	
Peas	
Lupines	
Others	
<b>4. Oilseeds</b>	0.05(*) (p)
Linseed	
Peanuts	
Poppy seed	
Sesame seed	
Sunflower seed	
Rapeseed	
Soya bean	
Mustard seed	
Cotton seed	
Hemp seed	
Pumpkin seed	(applied from 19/12/2007)
Others	
<b>5. Potatoes</b>	0.02(*) (p)
Early potatoes	
Ware potatoes	

<b>6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)</b>	0.05(*) (p)
<b>7. Hops (dried), including hop pellets and unconcentrated powder</b>	30(p)

(\*) Indicates the lower limit of analytical determination

(p) Indicates that the maximum residue level has been established provisionally in accordance with Article 4(1)(f) of Directive 91/414/EEC.’’.