

1865.

Na osnovu člana 77 stav 5 Zakona o veterinarstvu ("Službeni list CG", br. 30/12, 48/15 i 52/16), Ministarstvo poljoprivrede i ruralnog razvoja donijelo je

**PRAVILNIK
O DOPUNI PRAVILNIKA O NAČINU I MJERAMA
KONTROLE SALMONELE KOD ŽIVINE I DRUGIH SPECIFIČNIH UZROČNIKA
ZOOZOZA KOJI SE PRENOSE HRANOM***

Član 1

U Pravilniku o načinu i mjerama kontrole salmonele kod živine i drugih specifičnih uzročnika zoonoza koji se prenose hranom* ("Službeni list CG", broj 36/15) poslije člana 4 dodaju se dva nova člana koji glase:

“Hemoprofilaksa

Član 4a

Za smanjivanje prevalencije salmonele kod živine ne koriste se antimikrobna sredstva.

Izuzetno od stava 1 ovog člana, antimikrobna sredstva mogu se koristiti:

1) kod živine koja pokazuje kliničke znake infekcije salmonelom (koja trpi nepotrebnu patnju), s tim što se to jato živine i dalje smatra zaraženim salmonelom;

2) radi očuvanja vrijednog genetskog materijala u rasplodnim jatima i stvaranja novih jata slobodnih od salmonele, uključujući i “elitna jata”, jata ugroženih rasa i jata namijenjena istraživanjima, s tim da se pilići koji su izleženi iz rasplodnih jata živine, liječene antimikrobnim sredstvima u fazi uzgoja, uzorkuju svake dvije nedjelje radi otkrivanja 1 % prevalencije odgovarajućeg serotipa salmonele uz 95%-tni nivo pouzdanosti;

3) za liječenje drugih bolesti živine i kada postoji sumnja da je jato zaraženo salmonelom (na osnovu epizotološkog ispitivanja izbijanja bolesti prenosivih hranom ili otkrivanja salmonele u inkubatoru ili na gazdinstvu) pod uslovom da se prije početka liječenja uzmu uzorci za ispitivanje, a ako se uzorci ne uzmu, to jato živine se smatra zaraženim.

Upotreba antimikrobnih sredstava sprovodi se pod nadzorom službenog veterinara, a izbor antimikrobnog sredstva zasniva se na rezultatima bakteriološkog ispitivanja i antibiograma.

Imunoprofilaksa

Član 4b

Za smanjivanje prevalencije salmonele kod konzumnih nosilja u toku perioda njihove nosivosti ne primjenjuje se vakcinacija živom vakcinom protiv salmonele, osim ako je:

- dokazana neškodljivost upotrebe te vakcine,
- odobrena za tu namjenu sa metodom za razlikovanje zaražene od vakcinisane živine (bakteriološko razlikovanje terenskih (divljih) od vakcinalnih sojeva salmonele).

Vakcinacija konzumnih nosilja protiv *Salmonellae* Enteritidis, radi smanjenja izlučivanja bakterija i kontaminacije jaja, može da se vrši tokom uzgoja konzumnih nosilja sve dok se ne dokaže da je godišnji procenat pozitivnih jata koka nosilja (prevalenca) na salmonelu ispod 10 %.

Izuzetno od stava 2 ovog člana, vakcinacija se ne vrši na gazdinstvima za koja je utvrđeno da:

- se na gazdinstvu za uzgoj konzumnih nosilja i na gazdinstvu na kojem se proizvode konzumna jaja sprovode zadovoljavajuće preventivne mjere, i

- su rezultati ispitivanja na Salmonella Enteritidis na gazdinstvu za uzgoj konzumnih nosilja i gazdinstvu za proizvodnju konzumnih jaja tokom 12 mjeseci prije useljenja živine dali negativne rezultate (utvrđeno odsustvo Salmonella Enteritidis).”

Član 2

Ovaj pravilnik stupa na snagu osmog dana od dana objavljivanja u "Službenom listu Crne Gore".

* U ovaj pravilnik prenesena je Uredba Komisije (EZ) br. 1177/2006 od 1. avgusta 2006. o sprovođenju Uredbe (EZ) br. 2160/2003 Evropskog parlamenta i Savjeta u pogledu zahtjeva za upotrebu posebnih metoda kontrole u okviru nacionalnih programa kontrole salmonele kod živine /Commission Regulation (EC) No 1177/2006 of 1 August 2006 implementing Regulation (EC) No 2160/2003 of the European Parliament and of the Council as regards requirements for the use of specific control methods in the framework of the national programmes for the control of salmonella in poultry

Broj: 323-25/15-8

Podgorica, 29. decembra 2017. godine

Ministar,
mr **Milutin Simović**, s.r.