

Agricultural Compounds and Veterinary Medicines Amendment Regulations
2005

Silvia Cartwright, Governor-General

Order in Council

At Wellington this 11th day of April 2005

Present:

The Right Hon Helen Clark presiding in Council

Pursuant to section 75 of the Agricultural Compounds and Veterinary Medicines Act 1997, Her Excellency the Governor-General, acting on the advice and with the consent of the Executive Council, makes the following regulations.

Contents

- 1 Title
- 2 Commencement
- 3 Agricultural compounds exempt from registration if conditions complied with
- 4 New regulation 5A inserted
5A Combined agricultural compounds exempt from registration
- 5 Information requirements
- 6 Regulation 7 revoked
- 7 New Schedules 1 to 4 substituted
- 8 New Schedule 7 substituted

Schedule 1

New Schedules 1 to 4 substituted in principal regulations

Schedule 2

New Schedule 7 substituted in principal regulations

Regulations

1 Title

(1) These regulations are the Agricultural Compounds and Veterinary Medicines Amendment Regulations 2005.

(2) In these regulations, the Agricultural Compounds and Veterinary Medicines Regulations 2001

SR 2001/101

are called "the principal regulations".

2 Commencement

These regulations come into force on the 28th day after the date of their notification in the Gazette.

3 Agricultural compounds exempt from registration if conditions complied with

(1) Regulation 5 of the principal regulations is amended by omitting the words "Schedules 2 and 3", and substituting the expression "Schedule 2".

(2) Regulation 5(b) of the principal regulations is amended by omitting the word "schedules", and substituting the word "schedule".

4 New regulation 5A inserted

The principal regulations are amended by inserting, after regulation 5, the following regulation:

"5A Combined agricultural compounds exempt from registration

"(1) An agricultural compound is exempt from registration under section 21 or section 27 of the Act if the agricultural compound is a combination of 2 or more agricultural compounds that are exempt from registration under these regulations.

"(2) The combined agricultural compound is subject to any---

"(a) conditions set out in column 2 of Schedule 2; and

"(b) other provision of these regulations that applies to each agricultural compound that comprises the combined agricultural compound."

5 Information requirements

(1) Regulation 6 of the principal regulations is amended by omitting the words "Schedules 2 and 3", and substituting the expression "Schedule 2".

(2) Regulation 6(f) of the principal regulations is amended by omitting the words "or Schedule 3".

6 Regulation 7 revoked

Regulation 7 of the principal regulations is revoked.

7 New Schedules 1 to 4 substituted
The principal regulations are amended by revoking Schedules 1, 2, 3, and 4 and substituting the Schedules 1, 2, 3, and 4 set out in Schedule 1 of these regulations.

8 New Schedule 7 substituted
The principal regulations are amended by revoking Schedule 7, and substituting the Schedule 7 set out in Schedule 2 of these regulations.

Schedule 1
New Schedules 1 to 4 substituted in principal regulations r 7

Schedule 1 r 4
Agricultural compounds exempt from registration under sections 21 and 27 of Act

if applicable codes of practice complied with

1 Compounds (including homeopathic, herbal, chemical, and oral nutritional compounds) prepared by a person for use by the person as an agricultural compound on animals or plants owned by the person, or in any land, place, or water owned or occupied by the person.

The following compounds are excluded unless there is an applicable code of practice in force under section 28 of the Act:

(a) active ingredients that are prescription medicines or restricted medicines (as those terms are defined in the Medicines Act 1981):

(b) antibiotic active ingredients:

(c) hormones:

(d) substances that are prohibited by countries importing New Zealand primary produce:

(e) vertebrate toxic agents.

2 Homeopathic plant compounds used commercially.

3 Non-medicated topical hoof preparations used solely to maintain or improve hoof condition.

4 Non-medicated topical skin preparations used solely to maintain or improve skin condition.

5 Non-absorbent masking agents used to disguise odours.

- 6 Topical non-absorbent and non-solvent cleaning products, including non-medicated shampoos, soaps, tear-stain removers, and toothpaste.
- 7 In vitro diagnostics used to confirm the presence or absence of disease or as an aid in the diagnosis of disease or abnormal conditions.
- 8 Compounds used in the production of plant tissue cultures.
- 9 Compounds (not containing biologically active ingredients) used to protect plant grafts.
- 10 Vertebrate and invertebrate attractants and repellants that are not applied directly to animals or plants.
- 11 Invertebrate mating disrupters that are not applied directly to animals or plants.
- 12 Antisapstains.
- 13 A preparation of 2 or more ingredients if each ingredient is an agricultural compound described in this schedule and the combination of ingredients does not increase or change any of the risks described in section 19 of the Act.

Schedule 2

rr

5, 6

Agricultural compounds exempt from registration under sections 21 and 27 of Act

if conditions in column 2 and requirements in regulation 6 complied with

Column 1 Agricultural compound	Column 2 Conditions
Oral and topical preparations--- the	If used as a veterinary medicine, label information must---
(a) prepared by a process of solution, extraction, or titration of an active ingredient followed by strictly regimented serial dilution; and if	(a) identify the compound as a homeopathic preparation; and (b) include a statement that, the preparation fails to alleviate
the (b) that do not claim to prevent, control, or cure a specific disease characterised by pain or distress in animals	condition being treated, the user should seek veterinary advice
Oral and topical preparations--- the	If used as a veterinary medicine, label information must---
(a) prepared from either any part of a plant or an unrefined extract from a plant, except a plant listed in Schedule 6; and	(a) identify the compound as a herbal preparation; and

if	(b) include a statement that,
(b) that do not claim to prevent,	the preparation fails to alleviate
the	condition being treated, the user
control, or cure a specific disease	should seek veterinary advice
characterised by pain or distress in	
animals	
	Must not be used on the teats of
	lactating animals if the milk of
the	animals is intended for human
	consumption
Markers, paints, and dyes used as	
pigments or colourants for topical	
application to identify animals	
temporarily	
Over the counter first aid	Must not be used on the teats of
preparations, including general	lactating animals if the milk of
the	animals is intended for human
disinfectants, antiseptics, and	consumption
sanitisers	
Preparations scheduled as pharmacy	Preparations must not be used on
only, prescription, or restricted	animals except under the direct
care,	authority, or prescription of a
medicines under the Medicines Act	veterinarian
1981, used as veterinary medicines	
	The veterinarian must act in
accordance	with any applicable code of
practice in	force under section 28 of the Act
Preparations compounded and used by	The veterinarian must act in
accordance	with any applicable code of
veterinarians	force under section 28 of the Act
practice in	
	Preparations must not be used on
care,	animals except under the direct
	authority, or prescription of a
	veterinarian
Substance or biological compound or	May be imported only if the
mix of substances or biological	Director-General is satisfied that-
--	
compounds (to which this schedule	(a) there is no equivalent
does not otherwise apply) to be used	veterinary medicine registered
as a veterinary medicine	the Act; and
under	
	(b) it is required to ensure
the	immediate welfare of animals

prohibited	Must not contain any substance or biological compound that is
	for use as an agricultural compound
or	Must not be used on animals except under the direct care, authority,
	prescription of a veterinarian
accordance	The veterinarian must act in
practice in	with any applicable code of
	force under section 28 of the Act
Topical preparations---	Must not be used on the teats of lactating animals if the milk of
the	
(a) containing ingredients not able to be absorbed through the skin; and	animals is intended for human consumption
with	Must be manufactured in accordance
(b) used solely to treat minor injuries or to prevent dermatological abnormalities; and	good manufacturing practice
(c) that do not include any ingredient listed in Schedule 3	
Non-medicated anti-diarrhoea with preparations	Must be manufactured in accordance
	good manufacturing practice
a	The label information must include
fails	statement that if the preparation
	to alleviate the condition being treated the user should seek
veterinary	advice
Non-medicated oral laxatives and with lubricants	Must be manufactured in accordance
	good manufacturing practice
a	The label information must include
fails	statement that if the preparation
	to alleviate the condition being treated the user should seek
veterinary	advice
Cauterising preparations used or with applied superficially	Must be manufactured in accordance
	good manufacturing practice

that	The label must include a statement if the preparation fails to stop bleeding the user should seek veterinary advice
Urinary tract modifiers (acidifiers which and alkalisers) that are oral used preparations used solely for modification of urinary pH	Must not be used on animals from animal material is intended to be for the production of human food or human pharmaceutical products
with	Must be manufactured in accordance good manufacturing practice
or	Must be packaged for sale in dosage-size packages (not in bulk
the	concentrated form) appropriate for animals for which the agricultural compound is recommended
Respiratory tract modifiers which (expectorants and cough suppressants) used that---	Must not be used on animals from animal material is intended to be for the production of human food or human pharmaceutical products
(a) have only a locally acting, superficial effect on the respiratory with tract; and	Must be manufactured in accordance good manufacturing practice
(b) are given orally, applied topically to the nose, or inhaled; or and the	Must be packaged for sale in dosage-size packages (not in bulk concentrated form) appropriate for animals for which the agricultural compound is recommended
(c) are used solely in companion animals to promote mucolysis, cough suppression (by alleviating only irritation) and relieve compromised airways and upper respiratory tract congestion	
Compounds used to extend animal semen be or to be used as media for animal ova Act	An applicable code of practice must in force under section 28 of the and must be complied with
Spray markers that are coloured unless indicators to show where liquid primary agri-chemicals have been applied to	Must not be used on food crops they do not produce residues in produce that fail to comply with

help prevent overlaps set	applicable food residue standards in or under any enactment
Plant compound adjuvants, including unless wetting and sticking agents, pH primary buffers, drift retardants, and water conditioners set	Must not be used on food crops they do not produce residues in produce that fail to comply with applicable food residue standards in or under any enactment
Repellants applied directly to plants unless and used solely to repel vertebrates primary or invertebrates set	Must not be used on food crops they do not produce residues in produce that fail to comply with applicable food residue standards in or under any enactment
Attractants applied directly to unless plants and used solely to attract primary vertebrates or invertebrates set	Must not be used on food crops they do not produce residues in produce that fail to comply with applicable food residue standards in or under any enactment
Mating disrupters applied directly to unless plants and used solely to interfere primary with the reproduction of invertebrates set	Must not be used on food crops they do not produce residues in produce that fail to comply with applicable food residue standards in or under any enactment
Anti-transpirants used solely to unless prevent drying of plants primary set	Must not be used on food crops they do not produce residues in produce that fail to comply with applicable food residue standards in or under any enactment
Frost protectants of a chemical unless nature used solely to prevent frost primary damage set	Must not be used on food crops they do not produce residues in produce that fail to comply with applicable food residue standards in or under any enactment
Sunblocks used solely to prevent or unless	Must not be used on food crops

reduce sunburn in plants
primary

set

they do not produce residues in
produce that fail to comply with
applicable food residue standards
in or under any enactment

Schedule 3

Ingredients excluded from topical preparations containing ingredients not
able
to be absorbed through skin and used solely to treat minor injuries or
to
prevent dermatological abnormalities

Ingredient

Antibiotics

Schedule 4

Oral nutritional compounds exempt from registration under sections 21 and
27 of

Act if following conditions complied with

1 They must be supplied with a label containing the following information:

- (a) trade name:
- (b) the name and address of the producer, if applicable:
- (c) the name and address of the manufacturer, if applicable:
- (d) ingredients:
- (e) directions for use, including the species, type, and class of
animal intended to be used for:
- (f) details of any precautions to be taken to prevent or manage
risks
described in section 19 of the Act when being used, particularly potential
hazards to animals fed with or exposed to them:
- (g) batch number, if applicable:
- (h) manufacturing date, if applicable:
- (i) use by date or expiry date, if applicable.

2 They must be fit for the purpose of feeding to the species, type, and
class
of animal specified under clause 1(e).

3 They are fit for their purpose only if they are used as recommended and
do
not do any of the following:

(a) produce residues in primary produce that fail to comply with applicable food residue standards set in or under any enactment:

(b) result in toxic reactions causing pain or distress in the animal:

(c) result in malnutrition causing pain or distress in the animal:

(d) result in physical harm causing pain or distress in the animal:

(e) contain pathogenic micro-organisms at levels that could cause disease resulting in pain and distress in the animal.

4 Agricultural compounds that are therapeutic or pharmacological substances or preparations may be incorporated into oral nutritional compounds only if---

(a) the agricultural compounds are registered under the Act; and

(b) the incorporation of the agricultural compounds is consistent with any conditions of their registration.

5 Feed additives may be used in oral nutritional compounds only if the feed additives are described in Schedule 7 and used in accordance with any relevant limitations specified in that schedule.

6 Oral nutritional compounds that are feed commodities are subject only to clauses 2 and 3.

For the purposes of this clause, feed commodities means plants (or any part or parts of those plants) that are raised in an agricultural context and used as feed or for feed production for animals.

Schedule 2
New Schedule 7 substituted in principal regulations

r 8

Schedule 7
Substances generally recognised as safe if used in accordance with any applicable conditions in Schedule 4

Schedule 4

Substances generally regarded as safe feed additives in oral nutritional compounds

Interpretation

A reference to a substance is to all forms of the substance unless a chemical abstract (CAS) number is specified or otherwise stated. Where the first column refers to an organism (including plants), the reference means the whole or any part or any extract of the organism.

General limitations

Each substance in this schedule is subject to the following limitations:

o that it is included in a trade name product formulated in accordance with good manufacturing practice; and

o that it is of an appropriate grade, and the amount added to the product must not exceed the amount reasonably required to accomplish the intended technical effect.

Substance	Identification	Limitations
	CAS number (if appropriate) unless otherwise stated	
Acacia (Gum arabic)	9000-01-5	
Acetic acid	64-19-7	
Acetophenone	98-86-2	
Adipic acid	124-04-9	
Aldehyde C-18	104-61-0	
Allium sativum		
Almond shell meal		
Aloe vera		
alpha-galactosidase		From the following sources: Aspergillus niger, var. Mortierella vinaceae, var. raffinoutiliser.
Saccharomyces		sp.
alpha-pinene	80-56-8	When used at no more than
2% by		weight of pesticide
formulations		
Aluminium hydroxide	20768-67-6	
Ammonium chloride	12125-02-9	
Ammonium formate	540-69-2	
Ammonium hydroxide	1336-21-6	
Ammonium phosphate	7722-76-1	
(mono or dibasic)		
Ammonium propionate		
Ammonium sulphate	7783-20-2	
Amyl butyrate	540-18-1	
Amylase		From the following sources: Animal pancreatic tissue, Aspergillus oryzae, var. Aspergillus niger, var. Bacillus amyloliquefaciens, B. lentus, B.
licheniformis,		B. licheniformis containing
a		B. stearothermophilus gene
for		alpha-amylase, B. stearothermophilus. B. subtilis containing a B. megatrium gene for

var.		alpha-amylase, B. subtilis containing B. stearothermophilus gene for alpha-amylase, B. subtilis, var. Barley malt, Rhizopus niveus, rhizopus oryzae,
Anethole	4180-23-8	
p-Anisaldehyde	123-11-5	
Aniseed oil	8007-70-3	
Anisole	100-66-3	
Apple flavour		
Ascorbic acid	50-81-7	
Ascorbyl palmitate	137-66-6	
Aspartame	22839-47-0	
Aspergillus niger		
Aspergillus oryzae		
Astaxanthin		
Bacillus licheniformis		
Bacillus subtilis		
Non-pathogenic strains		
Beeswax		
Beetroot		
Bentonite	1302-78-9	
Benzaldehyde	100-52-7	
Benzoic acid	65-85-0	Not more than 0.1% of final feed
Benzyl acetate	140-11-4	
Benzyl alcohol	100-51-6	
beta-apo-8 carotenoic acid ethyl ester	1109-11-1	
beta-carotene		
beta-glucanase		From the following sources: Aspergillus niger, var. Bacillus lentius, B. var. Humicola insolens, Trichoderma longibrachiatum
subtilis,		
Betaine hydrochloride	590-46-5	
Bifidobacterium spp.		
Biospernum montanum		
Birch oil		
Boerhavia diffusa		
Brilliant Black BN	2519-30-4	
Brilliant Blue FCF	3844-45-9	
Bromolain	9001-00-7	
Bronopol		
Butterscotch flavour		
Butylated hydroxy- antioxidants	25013-16-5	Total content of must be not more than 0.02%
anisole		
fat		
Butylated hydroxy- antioxidants	64742-46-7	content of feed Total content of must be not more than 0.02%
toluene		
fat		
Butyric acid	107-92-6	content of feed
Calcium carbonate	471-34-1	
Calcium caseinate	9005-46-3	

Calcium chloride	10035-04-8
Calcium disodium EDTA	662-33-9
Calcium formate	544-17-2
Calcium hydroxide	1305-62-0
Calcium lactate	814-80-2
Calcium lignosulfonate	8061-52-7
Calcium oxide	1305-78-8
Calcium propionate	4057-81-4
Calcium silicate	1344-95-2
Calcium sulphate	7778-18-9

Camphor
used

Maximum of 5% in premixes
in production of animal

feeds

Candida pintolepesii	
Canthaxanthin	514-78-3
Capric [decanoic] acid	334-48-5
Caproic acid	142-62-1
Caprylic acid	124-07-2
Capsanthin	465-42-9
Caramel	
Caraway	
Carbon black	1333-86-4
Carminic acid	1260-17-9
Carmosine [azorubine]	3567-69-9
Carnauba wax	8015-86-9
Carob	9000-40-2
Carophyll pink	514-78-3
Carrageenan	9000-07-1
i-carrageenan	9062-07-1
k-carrageenan	11114-20-8
l-carrageenan	9064-57-7
Cassia gum	5373-11-5 / 8013-11-4
Cayenne pepper	
Cedrus deodura	
Cellulase	

From the following sources:
Aspergillus niger, var.
Bacillus lentus, Humicola
insolens, Trichoderma
longibrachiatum

Cellulose	9004-34-6
Charcoal, activated	
Chlorophyll	1406-65-1
Chocolate brown	4553-89-3
Choline chloride	68-48-1
Chromium proprionates	
Chymotrypsin	
Cinnamic aldehyde	104-55-2
Cinnamon	
Citranaxanthin	
Citric acid	77-92-9
Clove oil	8000-34-8
Cobalt carbonate	513-79-1
Colour Amaranth	915-67-3
Colour Brown HT	4556-89-3
Colour Green S	3087-16-9
Colour Indigo Carmine	860-22-0
Blue	
Copper carbonate	1184-64-1
Corn sugar	
Cryptoxanthin	465-42-9

Curcuma domestica		
Curcuma longa		
Cyperus scariosus		
Specify source		
Dandelion		
Diacetyl	431-03-8	
Diatomaceous earth	7631-86-9	
Dicalcium phosphate	7789-77-7	
2,4-Dichlorobenzyl preservative	1777-82-8	To be used as a only alcohol
Didecyl dimethyl ammonium bromide	2390-68-3	
Dimethyl polysiloxane	8050-81-5	
Disodium EDTA	139-33-3	No more than 240 mg/kg in finished feed
Disodium guanylate	5550-12-9	
Disodium inosinate	4691-65-0	
Dolomite	16389-88-1	
Echinacea		
Elephantopus scaber		
Embelia ribes used		Maximum of 5% in premixes in production of animal feeds
Enterococcus faecium		
Erythorbic acid	7378-23-6	
Erythrosine	16423-68-0	
Ethoxyquin to more	91-153-2	Maximum quantity used and remain in feed must be not than 0.015%
Ethyl acetate	141-78-6	
Ethyl alcohol	64-17-5	Not more than 10% of the formulation
Ethyl butyrate	105-54-4	
Ethyl formate	109-94-4	
Ethyl-o-aminobenzoate		
Ethyl phenylacetate	101-97-3	
Ethyl propionate	105-37-3	
Ethyl sorbate	2396-84-1	
Ethyl vanillin	121-32-4	
Ethylene diamine tetra-acetic acid	60-00-4	
Fennel	8006-84-6	
Fenugreek		
Ferric chloride	7705-08-0	
Ferrous oxide	1345-25-1	
Ferrous sulphate	7720-78-7	
Food starch and food excess of starch (modified) required		Use at a level not in the amount reasonably to accomplish the intended effect
Formaldehyde final	50-00-0	Not more than 0.25% of feed
Formic acid	64-18-6	
Fumaric acid	110-17-8	

Garlic	8000-78-0	
Ginger	8007-08-7	
Glucose		Includes dextrose and its hydrated and anhydrous forms
Glutamic acid	617-65-2	
Glycerides (mono and di)		
Glycerine	56-81-5	
Glycerol	56-81-5	
Glycerol mono-oleate	25496-72-4	
Glycerol monostearate	31566-31-1	
Guar gum	9000-30-0	
Gypsum	10101-41-4 / 3397-24-5	
Haematococcus algae		
Hemicellulase		From the following sources: <i>Aspergillus niger</i> , var. <i>A. aculeatus</i> , <i>Bacillus lentus</i> , <i>B. subtilis</i> , var. <i>Humicola insolens</i> , <i>Trichoderma longibrachiatum</i>
B.		
Holarrhena antidysenterica		
3-Hydroxy-2-methyl-excess of 4-pyrone required (Palatone/Maltol)	118-71-8	Use at a level not in the amount reasonably to accomplish the intended effect
Hydroxypropyl cellulose	9004-64-2	
Inulin	9005-80-5	
Iron oxides (black)	1317-61-9	
Iron oxides (red)	1309-37-1	
Iron oxides (yellow)	51274-00-1	
Iso-eugenol	97-54-1	
Isopropyl alcohol	67-63-0	
Kaolin	1332-58-7	
Kon jac gum	9000-36-6	
Lactic acid	50-21-5	
Lactobacillus acidophilus		
Lactobacillus bifidus		
Lactobacillus bulgaricus		
Lactobacillus casei	68333-14-2	
Lactobacillus fermentum		
Lactobacillus plantarum		
Lactobacillus rhamnosus		
Lactose	63-42-3	
Lauric acid	143-07-7	
Lecithin	8002-43-5	
Lemon grass		
Lemon oil	8008-56-8	
Licorice (Glycyrrhiza)		Includes all licorice derivatives. Not more than 0.1% in final feed
Lignosulphonates		
Lime oil	8008-26-2	

Limonene			
Linalool	78-70-6		
Lipase			From the following sources: Animal pancreatic tissue, aspergillus niger, var. A. oryzae, var. Candida
rugosa,			
calves,			edible forestomach of
			kids, and lambs
Locust bean gum	9000-40-2		
Lutein	57-83-0		
Lycopene	502-65-8		
Macrogol esters	9000-99-3		
(polyethylene esters)			
Magnesium acetate	142-72-3		Includes hydrated forms.
Only			added to the levels needed
Magnesium aluminium	1327-43-1		Includes hydrated forms.
Only			
silicate			added to the levels needed
Magnesium aspartate	18962-61-3		Includes hydrated forms.
Only			
Magnesium carbonate	546-93-0		added to the levels needed
Only			Includes hydrated forms.
Magnesium chloride	791-18-6		added to the levels needed
Only			Includes hydrated forms.
Magnesium citrate	3344-18-1		added to the levels needed
Only			Includes hydrated forms.
Magnesium gluconate	3632-91-5		added to the levels needed
Only			Includes hydrated forms.
Magnesium glutamate	64407-99-4		added to the levels needed
Only			Includes hydrated forms.
Magnesium	927-20-8		added to the levels needed
Only			Includes hydrated forms.
glycerophosphate			added to the levels needed
Magnesium hydroxide	12141-11-6		Includes hydrated forms.
Only			
Magnesium hypophosphite			added to the levels needed
Only			Includes hydrated forms.
Magnesium orotate	34717-03-8		added to the levels needed
Only			Includes hydrated forms.
Magnesium oxide	1309-48-4		added to the levels needed
Only			Includes hydrated forms.
Magnesium phosphate	10043-83-1		added to the levels needed
Only			Includes hydrated forms.
Magnesium silicate	1343-88-0		added to the levels needed
Only			Includes hydrated forms.
			added to the levels needed

Magnesium stearate Only	557-04-0	Includes hydrated forms.
Magnesium sulphate Only	7487-88-9	added to the levels needed Includes hydrated forms.
Magnesium trisilicate Only	14987-04-3	added to the levels needed Includes hydrated forms.
Malic acid	6915-15-7	added to the levels needed
Maltodextrin	9050-36-6	
Maltol	118-71-8	
Mannitol	87-78-5	
Marigold (Aztec)		
Menthol		Not for use in cats
Methyl alcohol	67-56-1	
6-Methyl-5-hepten- 2-one	110-93-0	
3-Methyl-3-phenyl glycidic acid, ethyl ester	77-83-8	
Methyl salicylate	119-36-8	
Mineral oil		
High viscosity		
Monoisopropyl citrate	1321-57-9	
Monopotassium phosphate	7778-77-0	
Monosodium glutamate	32221-81-1	
Myrica nagi		
Neohesperidine 30	20702-77-6	When used at no more than
dihydrochalcone		ppm in finished feed
Neotame	165450-17-9	
Nonyl phenol ethoxylate		
Oatflour		
Octyl gallate	1034-01-1	
Onion oil	2179-59-1	
Operculina turpethum		
Orange oil	8008-57-9	
Oregano		
Pancreatin		
Papain	9001-73-4	
Paprika		
Parabens, including the following:		
Benzyl paraben	94-26-8	
Calcium methyl paraben	83542-69-2	
Calcium propyl paraben	94-18-8	
Ethyl paraben	120-47-8	
4-Hydroxy benzoic acid	99-96-7	
Methyl paraben	99-76-3	
Propyl paraben	94-13-3	
Sodium butyl paraben	40167-95-1	
Sodium methyl paraben	5026-62-0	
Sodium propyl paraben	35285-69-9	

Para-formaldehyde final	30525-89-4	Not more than 0.25% of feed
Patent Blue V	129-17-9	
Pectinase	9032-75-1	
Pediococcus acidilactici		
Pediococcus pentosaceus		
Peppermint oil		Not for use in cats
Pericol black	2519-30-4	
Phosphoric acid	7664-38-2	
Phyllanthus emblica		
Phytase		From the following sources: Aspergillus niger, var. A. oryzae, var.
Picorhiza kurroa		
Piper longum		
Piper nigrum		
Piper officinarum		
Pistacia integerima		
Plumbago zeylanica		
Polyoxyl 35 castor oil (Cremphor EL)		
Polyoxyl 40 castor oil (Cremphor RH 40)		
Polyoxyl 60 castor oil (Cremphor RH 60)		
Polyoxyethylene nonyl wetting phenol ether of	9016-45-9	Only to be used as a agent. Not more than 0.5% formulated product
Polyethylene oxide, polypropylene glycol block copolymer	9003-11-6	
Polyoxyethylene (20) sorbitan monooleate	9005-65-6	
Polyvinylpyrrolidone	9003-39-8	
Ponceau 4R 50	2611-82-7	When used at no more than mg/kg in finished feed
Potassium carbonate	584-08-7	
Potassium chloride	7447-40-7	
Potassium hydroxide	1310-58-3	
Potassium lactate	996-31-6	
Potassium/sodium lactate mixture		
Potassium sorbate	590-00-1	
Propionic acid	79-09-4	
Propyl acetate	109-60-4	
Propyl alcohol	71-23-8	Not more than 55 g/head/day
Propyl benzoate	2315-68-6	
Propyl gallate	121-79-9	Total content of must be not more than 0.02% fat content of feed
antioxidants		
Propylene glycol	57-55-6	
Protease		From the following sources: Aspergillus niger, var. A. oryzae, var. Bacillus amyloliquefaciens, B. licheniformis, B. subtilis,

containing

for

Pumice	
Raffinase	
Rapeseed oil	8002-13-9
Raspberry flavour	
Rennet	
Rosemary	8000-25-7
Rum ether	8030-89-5
Rutin	153-18-4
Saccharin sodium	128-44-9
Saccharomyces cerevisiae	
Sage oil	
Silica (silicon dioxide)	7631-86-9
Silicone antifoam	63148-62-9
Skatole	83-34-1
Smokey bacon flavour	
Sodium acid pyrophosphate	
Sodium alginate	9005-38-3
Sodium alkyl benzene sulphonate	25155-30-0
Sodium aluminosilicate	73987-94-7
Sodium ascorbate	134-03-2
Sodium benzoate	532-32-1
feed	
Sodium bicarbonate	144-55-8
Sodium carbonate	497-19-8
Sodium carboxy methylcellulose	9004-32-4
Sodium chloride	7647-14-5
Sodium citrate	68-04-2
Sodium cyclamate	139-05-9
Sodium erythorbate	6381-77-7
Sodium formate	141-53-7
Sodium hexametaphosphate	10124-56-8
Sodium hydroxide	1310-73-2
Sodium lignosulphonate	8061-51-6
Sodium metabisulphite	7681-57-4
Sodium nitrite	7632-00-0
feed	
Sodium propionate	137-40-6
Sodium silico feed	1344-00-9
aluminate	
Sodium tripolyphosphate	7758-29-4
Sorbic acid	110-44-1
Sorbitan monostearate	1338-41-6
Sorbitol	50-70-4
Strawberry flavour	
Streptococcus (Enterococcus) salivarius subspecies thermophilus	
Sulphamic acid	5329-14-6

var. *B. subtilis*,

a *B. amyloliquefaciens* gene

protease

Not more than 0.1% of final

Not more than 1% of final

Not more than 2% of final

Sulphuric acid	7664-93-9	
Sunflower oil	8001-21-6	
Sunset yellow	2783-94-0	
Tagetes oil	8016-84-0	
Tangerine oil	8008-31-9	
Tartaric acid	87-69-4	
Tartrazine	1934-21-0	
Terminalia balerica		
Terminalia chebula		
Tertiary butylhydroquinone (TBHQ)	1984-33-0	
Tetra potassium pyrophosphate	7758-87-4	
Tetra sodium pyrophosphate	7722-88-5	
Thaumatococin	53850-34-3	
Thyme oil	8007-46-3	
Thymol	89-83-8	When added at levels
consistent		with good feeding practice
Titanium dioxide	13463-67-7	
Tocopherols (extracts of natural origin)	1406-66-2	
Tricalcium phosphate	7758-87-4	
Trimethylamine	75-50-3	
Trypsin		
Turmeric	8024-37-1	
Undecylenic alcohol	112-43-6	
Valerian		
Valeric acid	109-52-4	
Vanillin	121-33-5	
Vermiculite	1318-00-9	
Vitamin B1		
Vitamin B12		
Xanthan gum	11138-66-2	
Xanthophyll	127-40-2	
Xylanase	From Aspergillus oryzae carrying a gene from Thermomyces lanuginosus coding for xylanase	
Yucca schidigera		
Zeaxanthin		
Zinc oxide	1314-13-2	
Zinc propionates		
Zingiber officinale		

Diane Morcom,
Clerk of the Executive Council.

Explanatory Note

This note is not part of the regulations, but is intended to indicate their general effect.

These regulations, which come into force on the 28th day after their

notification in the Gazette, amend the Agricultural Compounds and Veterinary Medicines Regulations 2001 "(the principal regulations)".

The amendment---

- o inserts new regulation 5A into the principal regulations, which provides that a combined agricultural compound---

- o is exempt from registration under section 21 or 27 of the Agricultural Compounds and Veterinary Medicines Act 1997 (the Act) if the agricultural compound is a combination of 2 or more agricultural compounds that are exempt from registration under these regulations:

- o is subject to any---
 - o prescribed conditions; and
 - o other provision of these regulations that applies to each agricultural compound that comprises the combined agricultural compound:

- o revokes regulation 7 of the principal regulations (which relates to reports on agricultural compounds):

- o substitutes the following schedules:

- o Schedule 1 (which lists agricultural compounds that are exempt from registration if applicable codes of practice are complied with) has been amended to insert 3 new compounds into, and to exclude 5 compounds from, item 1 of the former Schedule 1:

- o Schedule 2 (which lists agricultural compounds that are exempt from registration if certain conditions are complied with) has been amended to include the compounds listed in the former Schedule 3 of the principal regulations, and to insert---

- o a new condition in relation to oral and topical preparations:

- o a new compound into the schedule, namely, any compound that is used to extend animal semen or to be used as media for animal ova:

- o New Schedule 3 (which lists excluded ingredients for topical preparations):

- o Schedule 4 (which lists conditions that apply to oral nutritional compounds exempt from registration) has been amended to include a new criteria for determining whether an oral nutritional compound is fit for its purpose, namely, that its use does not result in physical harm causing pain or distress in an animal:

- o Schedule 7 (which lists substances that are generally

recognised as safe feed additives in oral nutritional compounds) has been amended by removing Part B and inserting new items into the schedule.

Issued under the authority of the Acts and Regulations Publication Act 1989.

Date of notification in Gazette: 14 April 2005.

These regulations are administered in the Ministry of Agriculture and Forestry.